

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1996/1997

REPORT #: PAP 96-41

NAME: GERALD KLEIN

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name GERALD KLEIN. Reference Number 96-97 P 86

LOCATION/COMMODITIES

Project Area (as listed in Part A) 93 L/1 MINFILE No. if applicable _____

Location of Project Area NTS 93 L/1 Lat 54°10' Long 126°11'

Description of Location and Access 6 KM EAST OF FORMER EQUITY MINE - ACCESS BY EQUITY SILVER MINE ROAD, BUCK CREEK ROAD & COLLEYMOUNT LOG ROAD.

Main Commodities Searched For CU-AG-AU.

Known Mineral Occurrences in Project Area EQUITY SILVER MINE

WORK PERFORMED

1. Conventional Prospecting (area) FLOAT PROSPECTING LOG AREAS.
2. Geological Mapping (hectares/scale) DRIFT COVERED.
3. Geochemical (type and no. of samples) _____
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) ICE DIRECTION INVESTIGATIONS.

SIGNIFICANT RESULTS AS BELOW.

Commodities 1 Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies TO BE INCORPORATED WITH HUDSON BAY ASSESSMENT REPORT ON THESE CLAIMS IN PREPARATION BY HUD BAY EXPLORATION - VAL VAN DAMME.

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name GERALD KLEIN Reference Number 96-97 P86

LOCATION/COMMODITIES

Project Area (as listed in Part A) 93/5/13 MINFILE No. if applicable _____
 Location of Project Area NTS 93/5/13 Lat 55°56'N Long 123°45'W

Description of Location and Access
ACCESS BY PHILIP MAINLINE LOG ROAD TO KM 51 Then
ON 6100 SECONDARY LOG ROAD TO CENTER OF CLAIMS.

Main Commodities Searched For
CU-MO.

Known Mineral Occurrences in Project Area
MT MILLIGAN 30 KM TO
NW

WORK PERFORMED	
1. Conventional Prospecting (area)	<u>FLOAT PROSPECTING.</u>
2. Geological Mapping (hectares/scale)	_____
3. Geochemical (type and no. of samples)	_____
4. Geophysical (type and line km)	_____
5. Physical Work (type and amount)	_____
6. Drilling (no., holes, size, depth in m, total m)	<u>1235 M IN 27 PERCUSSION HOLES.</u>
7. Other (specify)	_____

SIGNIFICANT RESULTS AS BELOW.
 Commodities _____ Claim Name _____
 Location (show on map) Lat _____ Long _____ Elevation _____
 Best assay/sample type _____

Description of mineralization, host rocks, anomalies
RESULTS BEING COMPILED BY BOB YORSTON
FOR 517 419 BC LTD IN AN ASSESSMENT
REPORT -

Supporting data must be submitted with this TECHNICAL REPORT
 Information on this form is confidential for one year from the date of receipt subject to the provisions of the *Freedom of Information Act.*

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name GERALD KLEIN Reference Number 96-97 P86

LOCATION/COMMODITIES

Project Area (as listed in Part A) MISCELLANEOUS. MINFILE No. if applicable _____

Location of Project Area NTS PROVINCE WIDE. Lat _____ Long _____

Description of Location and Access _____

GENERALLY BY LOGGING ROADS TO NEWLY LOGGED AREAS.

Main Commodities Searched For INDUSTRIAL MINERALS, BASEE
PRECIOUS METALS, RAIL BALLAST

Known Mineral Occurrences in Project Area _____

WORK PERFORMED

1. Conventional Prospecting (area) MAINLY FLOAT PROSPECTING DRIFT COVERED
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) ICP ANALYSIS FLOAT SPECIMENS.
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) DIGGING OUT OF MUD, SWATTING FLIES, WIPING SWEAT, BATTLING WEATHER.
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) ICE DIRECTION DETERMINATIONS.

SIGNIFICANT RESULTS

Commodities _____ Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type NO SIGNIFICANT ASSAYS.

Description of mineralization, host rocks, anomalies _____

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the *Freedom of Information Act*.

P.07-10

804 250 1718 TO 08449

SEP 24 '96 16:21 FR ACME LABS



Guinet Management FILE # 96-4310



SAMPLE#	No	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Be	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	
# 96-1 16-20	1	50	96	106	<.3	59	30	1264	8.19	5	<5	<2	<2	94	.7	<2	<2	177	4.30	.067	3	133	3.32	50	.18	5	2.68	.04	.10	<2
# 96-1 20-30	1	47	19	106	.3	68	39	1519	8.75	47	<5	<2	<2	191	<.2	<2	4	92	8.27	.050	1	109	3.38	40	.01	4	1.82	.04	.16	<2
# 96-1 30-40	1	55	10	96	.4	63	37	1488	8.43	41	<5	<2	<2	181	1.0	<2	<2	89	8.13	.060	1	95	3.27	20	.01	4	1.63	.05	.11	<2
# 96-1 40-50	1	58	30	87	<.3	58	35	1684	3.37	22	<5	<2	<2	150	.9	<2	<2	104	10.49	.051	2	86	2.43	26	.01	<3	1.81	.05	.09	<2
# 96-1 50-60	1	58	22	117	<.3	53	38	1494	3.96	4	<5	<2	<2	125	.8	<2	6	210	8.26	.075	3	90	2.96	43	.02	<3	3.54	.02	.10	<2
RE 4 96-1 50-60	1	54	18	117	<.3	54	38	1493	8.95	6	<5	<2	<2	124	1.0	<2	<2	210	8.23	.074	3	90	2.95	31	.02	4	3.52	.02	.10	<2
# 96-1 60-70	<1	76	7	133	<.3	59	41	1801	10.18	<2	<5	<2	<2	139	1.0	<2	3	227	7.27	.079	4	109	3.52	29	.07	<3	3.72	.04	.12	<2
# 96-1 70-80	<1	54	32	128	<.3	52	39	1948	9.95	2	<5	<2	<2	185	.6	<2	<2	223	8.15	.075	4	99	3.38	59	.06	<3	3.59	.03	.05	<2
# 96-1 80-90	<1	59	3	123	<.3	49	32	1621	9.26	<2	<5	<2	<2	165	.6	<2	<2	230	6.11	.077	3	95	3.22	47	.48	3	3.19	.03	.07	<2
# 96-1 90-100	1	55	14	89	<.3	40	20	1137	7.46	5	10	<2	<2	74	<.2	<2	<2	198	4.59	.076	2	82	2.01	29	.70	<3	2.14	.04	.07	<2
4 96-1 100-110	1	73	<3	101	<.3	43	22	1241	8.13	<2	<5	<2	<2	74	.2	<2	<2	217	4.48	.081	2	95	2.14	20	.80	<3	2.26	.05	.06	<2
STANDARD C2	19	56	38	135	6.7	71	31	1110	3.79	39	18	7	32	50	19.6	13	15	68	.52	.100	38	62	.96	187	.08	25	1.96	.06	.15	11

Sample Type: CUTTING. Samples beginning 'RF' are Reruns and 'RRE' are Reject Reruns.

FROM : FAX WITH ANSWERING SYSTEM

PHONE NO. :

SEP. 25 1996 02:36PM P4

P.02/10
 1996-09-24 16:17 FR ACME LABS
 1996-09-24 16:17 FR ACME LABS
 SEP 24 1996 16:17 FR ACME LABS



GEOCHEMICAL ANALYSIS CERTIFICATE

Guinet Management File # 96-4310 Page 1
 310 Nigel Ave, Vancouver BC V5Y 2J9

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Li	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
M 96-1 10-20	1	1766	241	635	2.4	41	21	1578	9.92	55	<5	<2	4	6	1.2	<2	11	31	.18	.018	7	39	2.49	18	<.31	<3	2.89	.01	.05	<2	2
M 96-1 20-30	1	1180	67	508	1.9	33	25	1450	10.49	156	<5	<2	4	5	1.2	<2	23	29	.15	.011	5	31	2.69	18	<.31	<3	2.80	.01	.03	2	3
M 96-1 30-40	1	1426	219	842	3.2	34	16	1447	10.30	106	<5	<2	5	7	2.3	<2	10	24	.13	.025	8	26	3.12	14	<.31	<3	2.06	.03	.05	2	6
M 96-1 40-50	2	1556	369	1333	4.2	29	24	1021	7.64	136	<5	<2	3	7	4.2	<2	12	9	.12	.016	8	14	1.99	22	<.31	4	.55	.04	.08	12	140
RE M 96-1 40-50	3	1562	361	1329	4.8	26	25	1019	7.61	141	<5	<2	4	7	4.2	5	10	9	.12	.017	8	14	1.98	24	<.31	4	.55	.04	.08	12	396
M 96-1 50-60	2	684	345	1028	2.8	29	15	1362	7.96	92	<5	<2	4	17	2.5	2	4	15	.44	.016	9	17	2.56	26	<.31	<3	.79	.05	.09	3	13
M 96-1 60-70	1	441	108	203	1.6	31	17	1221	8.02	49	<5	<2	5	11	.6	<2	7	4	.25	.014	8	10	1.51	37	<.31	<3	.32	.03	.12	3	792
M 96-1 70-80	1	215	54	303	.8	38	16	1211	5.67	25	<5	<2	7	84	1.1	<2	4	6	3.69	.040	11	11	1.47	59	<.31	<3	.51	.07	.18	<2	9
M 96-1 80-90	1	92	16	157	<.3	33	13	1123	4.66	27	<5	<2	8	77	.5	<2	4	4	3.86	.035	13	8	1.53	50	<.31	<3	.40	.02	.20	2	3
M 96-1 90-100	1	71	32	132	<.3	32	9	1141	4.12	23	<5	<2	7	68	<.2	<2	2	5	2.94	.025	14	12	1.92	44	<.31	<3	.66	.07	.18	3	2
M 96-2 10-20	4	1444	201	882	2.6	45	21	463	8.84	296	<5	<2	3	5	1.2	2	13	69	.07	.015	6	58	.87	15	<.31	3	1.21	.07	.05	<2	2
M 96-2 20-30	1	739	746	2969	2.7	95	22	1908	9.62	140	<5	<2	5	9	7.1	3	7	9	.19	.044	8	38	2.56	30	<.31	<3	.62	.04	.12	<2	24
M 96-2 30-40	1	261	140	1542	.8	59	16	1637	6.63	116	<5	<2	7	10	3.9	<2	3	5	.22	.070	16	13	1.60	50	<.31	<3	.55	.03	.19	<2	2
M 96-2 40-50	1	231	328	1620	1.7	57	19	1777	8.36	174	<5	<2	7	9	4.2	<2	10	5	.20	.059	14	12	1.62	58	<.31	3	.54	.03	.20	<2	5
M 96-2 50-60	1	202	126	1356	1.1	54	16	1583	7.28	59	<5	<2	8	8	3.1	<2	5	6	.19	.056	17	11	1.35	58	<.31	<3	.62	.03	.21	<2	3
M 96-2 60-70	1	572	138	1315	1.0	45	19	1779	8.04	74	<5	<2	6	9	2.9	<2	9	4	.27	.034	14	10	1.42	60	<.31	<3	.46	.03	.22	<2	23
M 96-2 70-80	1	89	61	364	<.3	45	16	1639	5.49	46	<5	<2	8	14	.4	<2	<2	4	.53	.057	19	8	1.36	62	<.31	<3	.43	.03	.22	<2	2
M 96-2 80-90	1	76	57	177	<.3	40	16	1448	4.77	60	<5	<2	7	22	.3	<2	2	4	.97	.041	16	8	1.38	58	<.31	<3	.38	.03	.20	<2	41
M 96-2 90-100	1	125	79	221	<.3	34	12	1638	6.99	30	<5	<2	8	13	<.2	<2	<2	4	.50	.029	15	10	1.25	60	<.31	<3	.36	.03	.18	5	3
M 96-2 90-100	2	232	75	205	.5	26	9	1416	6.94	39	<5	<2	8	9	<.2	<2	5	3	.26	.021	16	11	.95	65	<.31	<3	.36	.04	.15	3	3
PM 96-1 98-100	2	54	9	92	<.3	32	14	702	3.53	4	<5	<2	2	78	<.2	<2	<2	98	1.55	.093	11	62	1.30	148	.09	<3	1.60	.05	.17	2	19
PM 96-2 90-100	3	19	12	63	<.3	17	7	217	2.05	<2	<5	<2	5	15	<.2	<2	<2	15	.24	.036	18	22	.47	26	<.31	3	.94	.02	.10	3	3
PM 96-5 130-140	2	41	8	83	<.3	32	11	455	3.27	3	<5	<2	3	50	<.2	<2	<2	62	.96	.071	14	52	1.05	98	.07	<3	1.68	.02	.24	<2	2
PM 96-6 130-140	2	27	59	114	.3	31	10	422	3.92	<2	<5	<2	7	41	<.2	2	<2	41	.56	.037	20	49	.77	68	.03	<3	1.54	.01	.32	4	2
PM 96-7 110-120	<1	139	4	95	<.3	9	23	1811	5.46	6	<5	<2	2	447	.4	<2	2	70	6.83	.139	5	11	2.30	150	.02	<3	2.96	.01	.31	<2	10
PM 96-9 210-220	3	59	12	84	<.3	30	14	492	3.19	7	<5	<2	3	67	<.2	<2	<2	71	1.09	.067	13	50	.96	75	.04	<3	1.24	.01	.18	3	4
PM 96-10 110-120	1	103	3	75	<.3	30	18	840	5.08	6	<5	<2	2	153	.4	<2	2	141	3.58	.100	8	72	2.01	92	.18	<3	1.95	.02	.29	<2	10
PM 96-11 60-70	4	33	19	49	<.3	15	6	275	2.09	3	<5	<2	5	43	<.2	<2	2	38	.68	.045	19	34	.68	58	.02	4	.91	.02	.14	3	5
PM 96-11 70-80	3	34	13	57	<.3	17	8	358	2.07	2	<5	<2	5	47	<.2	<2	2	38	.76	.052	24	33	.67	59	.02	<3	.92	.03	.12	3	3
PM 96-11 80-90	4	24	10	34	<.3	14	5	226	1.45	5	<5	<2	<2	31	<.2	<2	<2	29	.59	.027	7	29	.52	29	.02	<3	.66	.01	.10	5	2
PM 96-11 90-100	4	16	10	28	<.3	11	4	203	1.30	4	<5	<2	4	17	<.2	<2	<2	17	.29	.031	18	24	.28	32	.01	<3	.50	.02	.11	7	2
100-110	4	17	11	32	<.3	9	4	158	1.47	5	<5	<2	6	20	<.2	<2	2	19	.29	.039	26	18	.29	37	.01	<3	.56	.02	.13	3	2
10-120	3	15	12	29	<.3	12	3	146	1.35	<2	<5	<2	4	14	<.2	<2	<2	17	.22	.033	13	22	.33	27	.02	<3	.59	.01	.17	5	1
20-130	4	20	11	69	<.3	27	10	403	2.96	<2	<5	<2	6	19	<.2	<2	<2	40	.25	.030	19	35	1.05	57	.07	<3	1.65	.01	.45	3	1
30-140	3	21	28	57	<.3	27	7	305	2.41	<2	<5	<2	6	18	<.2	<2	<2	28	.24	.029	18	40	.67	53	.04	<3	1.14	.02	.31	4	<1
/AU-R	20	61	41	346	7.0	74	34	1235	4.04	37	18	8	35	53	20.6	16	21	75	.55	.106	42	67	1.04	298	.03	28	2.11	.95	.15	11	476

JCP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR Na K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES EF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 TO P6 CUTTING P7 ROCK Au* - IGHITED, AQUA-REGIA/NISK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

RECEIVED: SEP 6 1996 DATE REPORT MAILED: *Sep 24/96* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

FROM : FAX WITH ANSWERING SYSTEM PHONE NO. : SEP. 25 1996 02:34PM P2

P.03/10

804 959 1716 TO 68449

SEP 24 '96 16:18 RR NIME LABS



Guinet Management FILE # 96-4310



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	Le	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Au*	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	%	ppm	ppb
PM 96-11 140-150	3	33	15	54	.3	35	10	324	2.98	<2	<2	<2	5	23	<.2	<2	<2	31	.28	.025	15	40	.81	43	.03	<3	1.33	.02	.25	4	19	
PM 96-11 150-160	4	26	14	82	<.3	40	11	401	3.16	<2	<2	<2	5	23	.2	<2	<2	32	.41	.029	13	43	.91	51	.02	<3	1.42	.02	.23	4	<1	
PM 96-11 160-170	3	26	20	70	<.3	38	12	612	2.93	<2	<2	<2	5	43	.4	<2	2	28	.89	.054	12	36	.75	41	.01	<3	1.24	.02	.21	4	1	
PM 96-11 170-180	3	14	25	36	<.3	16	4	224	1.35	2	<2	<2	4	35	<.2	<2	<2	11	.70	.031	10	18	.25	34	.01	<3	.55	.03	.18	6	<1	
PM 96-12 80-90	4	148	73	158	1.4	43	37	1430	9.58	41	<2	<2	58	1.6	<2	<2	238	1.18	.139	6	139	3.65	71	.03	<3	3.18	.02	.19	<2	13		
PM 96-12 90-100	3	145	29	94	1.0	28	33	1213	8.72	26	<2	<2	75	1.0	<2	<2	153	1.79	.148	5	77	2.62	84	.03	<3	2.40	.02	.21	<2	7		
PM 96-12 100-110	2	126	30	69	.4	38	33	1270	8.12	37	<2	<2	256	1.4	2	<2	128	6.44	.130	3	90	2.63	44	.01	<3	1.88	.02	.13	<2	4		
PM 96-12 110-120	2	112	15	103	.5	62	47	1449	9.19	30	<2	<2	254	1.4	<2	<2	202	5.08	.140	5	185	4.29	51	.01	<3	3.21	.02	.10	2	5		
PM 96-12 120-130	2	110	17	99	.5	39	38	1365	8.38	32	<2	<2	252	1.1	<2	<2	156	5.92	.145	4	107	3.22	52	.01	<3	2.55	.02	.11	<2	5		
PM 96-12 130-140	4	96	22	90	.5	27	34	1223	8.03	37	<2	<2	242	.8	<2	<2	195	4.90	.152	4	69	2.86	49	.01	<3	2.30	.02	.13	<2	12		
PM 96-12 140-150	2	115	22	111	.5	42	40	1537	8.44	37	<2	<2	328	1.5	<2	<2	172	6.65	.133	5	117	3.48	46	.01	3	2.78	.01	.10	<2	8		
PM 96-12 150-160	2	127	40	120	.6	39	43	1669	8.89	34	<2	<2	328	1.3	<2	<2	174	7.87	.128	4	91	3.45	51	.01	5	3.00	.01	.12	<2	6		
PM 96-13 15-20	1	169	14	169	<.3	62	44	1745	8.63	<2	<2	<2	434	1.2	<2	<2	253	7.17	.117	5	214	5.24	297	.02	<3	4.37	.01	.12	<2	5		
PM 96-13 20-30	2	160	20	303	<.3	55	41	1808	8.39	5	<2	<2	370	1.3	<2	<2	211	6.87	.125	5	174	4.67	160	.03	<3	4.03	.01	.24	<2	7		
PM 96-13 30-40	3	123	15	251	<.3	28	31	1557	7.66	8	<2	<2	233	1.4	<2	2	149	5.22	.147	4	81	3.49	100	.02	3	3.26	.01	.20	<2	10		
PM 96-13 40-50	3	122	17	180	<.3	24	29	1410	7.35	3	<2	<2	224	1.0	<2	<2	147	5.04	.162	7	65	3.28	80	.01	<3	3.02	.02	.17	<2	5		
PM 96-13 50-60	1	156	21	164	.5	24	33	1498	7.99	9	<2	<2	254	1.2	<2	<2	174	5.82	.147	5	58	3.57	84	.01	<3	3.23	.01	.16	<2	5		
PM 96-13 60-70	1	165	31	153	.6	24	37	1587	8.46	10	<2	<2	268	1.4	<2	<2	170	6.23	.134	3	47	3.62	82	.01	<3	3.20	.01	.15	<2	7		
PM 96-13 70-80	1	178	50	134	.6	22	52	1616	10.09	21	<2	<2	276	1.6	<2	<2	163	6.30	.118	3	29	3.46	59	.01	<3	2.80	.01	.12	<2	8		
PM 96-13 80-90	4	135	23	125	.6	26	38	1534	8.41	14	<2	<2	276	1.1	3	<2	143	6.60	.125	3	58	3.22	57	.01	<3	2.49	.01	.13	<2	5		
PM 96-13 90-100	3	142	29	114	.5	24	36	1426	7.98	10	<2	<2	254	1.2	2	<2	136	5.83	.135	3	57	3.11	71	.01	<3	2.53	.02	.13	<2	4		
PM 96-13 100-110	2	184	22	109	.7	38	36	1449	7.61	15	<2	<2	373	.6	<2	3	170	6.90	.131	4	105	3.54	84	.03	<3	2.89	.01	.23	<2	4		
PM 96-13 110-120	2	180	16	96	.3	41	33	1249	6.76	2	<2	<2	441	.7	<2	<2	168	5.71	.125	4	125	3.71	117	.14	<3	3.02	.01	.59	2	5		
RE PM 96-13 110-120	1	176	16	93	.6	40	32	1200	6.56	6	<2	<2	425	.7	<2	<2	163	5.51	.122	4	121	3.58	118	.13	<3	2.90	.01	.58	<2	5		
PM 96-15 60-70	3	119	15	88	.6	43	25	972	6.22	5	<2	<2	150	.6	<2	3	164	3.25	.122	7	102	2.63	90	.09	3	2.41	.02	.24	<2	7		
PM 96-15 70-80	3	77	69	65	<.3	30	15	615	3.75	5	<2	<2	90	<.2	<2	<2	97	1.71	.084	7	70	1.64	59	.06	<3	1.63	.01	.19	2	12		
PM 96-15 80-90	3	25	100	38	<.3	14	5	267	1.75	5	<2	<2	28	<.2	<2	<2	31	.46	.033	9	33	.52	28	.02	<3	.72	.01	.13	>	1		
PM 96-15 90-100	2	20	59	54	<.3	12	5	355	1.72	<2	<2	<2	3	22	<.2	<2	25	.34	.028	13	29	.51	25	.01	<3	.70	.01	.10	4	2		
PM 96-15 100-110	2	19	83	46	<.3	14	4	301	1.43	<2	<2	<2	3	23	.2	<2	24	.38	.028	9	30	.45	19	.01	<3	.62	.02	.12	5	2		
PM 96-15 110-120	2	16	40	44	<.3	11	4	243	1.23	<2	<2	<2	2	17	<.2	<2	18	.28	.025	8	24	.37	19	.01	<3	.48	.01	.09	4	1		
PM 96-15 120-130	2	17	56	42	<.3	16	4	261	1.42	<2	<2	<2	2	19	<.2	<2	21	.30	.022	9	29	.41	13	.01	<3	.54	.01	.10	5	2		
PM 96-15 130-140	2	19	69	33	<.3	13	4	248	1.32	<2	<2	<2	2	19	<.2	2	22	.33	.023	7	26	.40	19	.01	<3	.48	<.01	.08	4	1		
PM 96-16 40-50	2	95	17	127	<.3	63	25	1160	5.64	7	<2	<2	224	1.0	<2	3	128	5.49	.107	5	155	2.78	135	.08	<3	2.54	.01	.30	>	7		
PM 96-16 50-60	2	87	24	81	<.3	57	22	1002	5.19	7	<2	<2	174	.4	<2	<2	121	4.45	.104	6	146	2.46	121	.09	<3	2.33	.02	.24	>	4		
PM 96-16 60-70	2	70	52	82	.4	31	26	963	6.71	25	<2	<2	101	.9	<2	<2	133	2.12	.104	7	72	2.13	87	.06	<3	2.37	.02	.17	>	5		
STANDARD C2/AU-R	21	64	39	151	7.6	75	34	1269	4.21	36	22	8	38	57	21.5	19	19	78	.57	.109	44	70	1.07	211	.08	32	2.24	.07	.16	12	553	

Sample type: CUTTING. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

FROM : FAX WITH ANSWERING SYSTEM

PHONE NO. :

SEP. 25 1996 02:35PM P3



Guinet Management FILE # 96-4310



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Et	V	Ce	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	Li	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
PM 96-16 70-80	2	58	56	82	.7	21	21	808	6.69	50	<5	<2	<2	90	<2	<2	<2	130	1.39	.110	8	32	1.60	63	.03	<3	1.99	.02	.19	<2	32
PM 96-16 80-90	3	39	46	95	.9	25	32	994	8.84	86	<5	<2	<2	75	<2	<2	3	169	1.28	.128	9	63	2.50	65	.02	<3	2.69	.02	.15	<2	13
PM 96-16 90-100	7	33	79	68	.9	23	15	638	4.58	23	<5	<2	5	56	<2	<2	<2	92	.98	.081	11	95	1.63	53	.01	<3	1.92	.01	.14	<2	7
PM 96-16 100-110	4	15	30	34	.3	14	8	311	2.28	10	<5	<2	3	28	<2	<2	<2	34	.45	.034	11	28	.58	35	.01	<3	.85	.01	.13	3	2
PM 96-16 110-120	7	22	37	88	.3	13	12	460	3.65	19	<5	<2	10	48	<2	<2	<2	38	.71	.130	24	25	.64	55	.01	<3	.96	.01	.16	2	4
PM 96-16 120-130	5	18	28	47	.3	17	8	333	2.52	9	<5	<2	6	35	<2	<2	2	32	.48	.049	16	31	.60	37	.01	<3	.92	.01	.18	5	3
PM 96-16 130-140	4	24	27	63	.5	37	15	534	3.62	11	<5	<2	7	41	<2	<2	<2	42	.66	.049	13	43	1.04	49	.01	<3	1.41	.02	.21	4	3
PM 96-16 140-150	3	25	29	63	<.3	35	12	490	3.70	9	<5	<2	7	43	<2	<2	<2	52	.71	.048	14	50	1.31	38	.02	<3	1.69	.02	.25	2	2
PM 96-16 150-160	2	21	30	64	<.3	30	12	526	3.92	11	<5	<2	6	70	<2	<2	<2	54	1.38	.053	13	44	1.44	41	.02	<3	1.72	.01	.24	2	4
PM 96-17 14-20	4	128	21	101	1.0	19	23	1156	6.52	32	<5	<2	<2	80	.4	<2	<2	131	1.32	.142	7	42	2.51	89	.03	<3	2.74	.01	.21	<2	17
PM 96-17 20-30	4	117	22	103	.8	12	25	1192	7.51	58	<5	<2	<2	286	<2	<2	<2	130	4.79	.148	5	17	2.44	44	.01	<3	2.14	.01	.19	<2	16
PM 96-17 30-40	3	150	108	217	1.0	15	29	1545	7.02	34	<5	<2	2	350	1.0	<2	<2	149	6.96	.129	4	35	3.07	59	.01	<3	3.07	.01	.16	<2	14
PM 96-17 40-50	4	135	38	121	.9	12	29	1487	7.02	29	5	<2	2	451	.4	2	<2	127	8.59	.128	4	24	2.67	71	.01	<3	2.83	.01	.17	<2	15
PM 96-17 50-60	3	119	427	519	2.0	29	32	1633	7.90	142	<5	<2	2	292	2.8	<2	<2	173	7.07	.120	5	67	3.29	35	<.01	<3	3.16	<.01	.16	<2	101
PM 96-17 60-70	9	107	85	170	1.3	47	42	1862	8.44	56	<5	<2	3	407	.8	<2	<2	181	10.30	.111	6	104	3.71	47	.01	<3	3.21	.01	.13	<2	25
RE PM 96-17 60-70	9	104	101	182	1.2	47	41	1862	8.47	60	<5	<2	3	403	.5	<2	<2	180	10.40	.111	6	103	3.75	47	.01	<3	3.18	<.01	.13	<2	24
PM 96-17 70-80	5	126	80	181	1.0	26	36	1585	8.48	31	<5	<2	3	345	.4	<2	4	210	7.71	.122	6	84	4.05	67	.01	<3	3.58	.01	.11	<2	14
PM 96-17 80-90	4	144	38	123	.7	48	47	1786	8.03	39	<5	<2	2	378	.4	2	2	193	9.90	.099	5	136	4.16	78	.01	<3	3.60	<.01	.11	<2	13
PM 96-17 90-100	4	141	34	118	1.1	28	39	1572	8.39	30	<5	<2	2	373	.2	<2	<2	232	7.10	.115	6	64	4.02	77	.02	<3	3.68	.01	.17	<2	10
PM 96-17 100-110	3	114	87	147	1.1	20	30	1561	7.45	56	<5	<2	2	266	.5	<2	<2	187	6.40	.119	5	51	3.33	56	.01	<3	3.13	.01	.12	<2	17
PM 96-17 110-120	3	95	47	118	.7	17	26	1412	7.02	36	<5	<2	2	269	.4	<2	5	132	6.63	.124	5	39	2.93	79	.01	<3	2.83	.02	.17	<2	10
PM 96-17 120-130	3	98	28	108	.8	15	24	1264	6.53	27	<5	<2	2	221	.3	<2	<2	115	6.17	.124	6	36	2.72	102	.01	<3	2.89	.01	.24	<2	13
PM 96-17 130-140	4	102	30	116	.9	21	30	1407	7.06	30	<5	<2	2	287	<.2	<2	<2	151	7.13	.115	7	55	3.12	102	.01	<3	3.11	.01	.21	<2	10
PM 96-17 140-150	3	119	19	101	.8	21	32	1610	7.11	22	<5	<2	2	345	.3	<2	<2	185	8.11	.111	6	68	3.31	64	.01	<3	3.20	.01	.10	<2	8
PM 96-17 150-160	2	116	36	118	.9	24	32	1544	7.27	23	5	<2	2	288	.2	<2	<2	227	6.87	.120	6	79	3.57	49	.01	<3	3.33	.02	.10	<2	7
PM 96-18 10-20	1	799	81	94	.4	22	24	1336	5.73	<2	<5	<2	2	287	<.2	<2	2	179	4.58	.148	6	38	2.77	479	.05	<3	2.61	.01	.25	<2	4
PM 96-18 20-30	<1	1295	15	84	.9	14	20	1261	5.42	17	<5	<2	2	272	<.2	<2	<2	65	4.79	.159	7	20	2.00	280	.05	<3	2.09	.01	.33	<2	12
PM 96-18 30-40	<1	127	7	86	<.3	11	19	1344	5.96	24	<5	<2	<2	201	<.2	<2	<2	82	3.70	.167	6	20	2.37	169	.04	<3	2.01	.02	.18	<2	12
PM 96-18 40-50	<1	88	11	93	<.3	11	21	1371	7.11	39	<5	<2	<2	181	<.2	<2	<2	103	3.28	.175	6	24	2.55	148	.04	<3	2.26	.04	.17	<2	15
PM 96-18 50-60	<1	98	17	86	.3	11	21	1210	7.13	53	<5	<2	2	177	<.2	<2	<2	85	3.09	.166	5	22	2.26	161	.02	<3	2.22	.01	.22	<2	26
PM 96-18 60-70	<1	168	8	86	<.3	10	23	1402	7.24	23	<5	<2	<2	225	<.2	<2	<2	105	4.05	.175	5	20	2.68	187	.01	<3	2.92	.02	.26	<2	14
PM 96-18 70-80	<1	123	14	90	<.3	9	23	1446	6.72	15	<5	<2	2	247	<.2	<2	<2	91	4.43	.173	6	17	2.57	175	.03	<3	2.57	.02	.28	<2	9
PM 96-18 80-90	<1	145	19	92	<.3	9	22	1379	6.47	37	<5	<2	<2	205	<.2	<2	<2	83	4.20	.174	5	18	2.62	148	.02	<3	2.69	.02	.32	<2	13
PM 96-18 90-100	1	175	12	87	.3	10	20	1434	6.11	36	<5	<2	2	219	<.2	<2	<2	71	4.90	.169	5	16	2.34	163	.03	<3	2.42	.01	.32	<2	14
PM 96-18 100-110	1	170	23	91	.3	12	22	1416	6.22	40	<5	<2	2	209	<.2	<2	<2	67	4.84	.168	5	15	2.30	155	.02	<3	2.49	.01	.36	<2	18
STANDARD C2/AL-R	21	60	36	147	7.0	72	33	1230	4.05	38	23	8	36	54	20.4	18	21	75	.54	.105	43	63	1.02	205	.08	31	2.13	.06	.15	11	456

Sample type: CUTTING. Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

P.05/10

89449

EQ 255 1716 TD

SEP 30 1996 10:120 FR ACME LABS



Guinet Management FILE # 96-4310



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Mn	Co	Ni	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
PM 96-18 110-120	<1	187	40	83	<.3	10	18	1327	5.93	29	<.5	<.2	<.2	190	<.2	<.2	<.2	62	4.41	.163	4	14	2.14	163	.03	<.3	2.27	.01	.32	<.2	13
PM 96-18 120-130	<1	223	16	94	.4	9	20	1353	5.85	31	<.5	<.2	<.2	205	.3	<.2	<.2	59	4.63	.161	4	14	2.26	130	.02	<.3	2.39	.01	.25	<.2	8
PM 96-18 130-140	<1	216	19	91	.5	9	20	1464	6.11	31	<.5	<.2	<.2	242	<.2	<.2	<.2	65	5.50	.160	4	17	2.19	151	.02	<.3	2.56	.01	.39	<.2	5
RE PM 96-18 130-140	<1	219	33	92	.4	11	19	1480	6.15	29	<.5	<.2	<.2	244	.5	<.2	3	66	5.56	.160	4	16	2.22	151	.02	<.3	2.61	.01	.40	<.2	7
PM 96-18 140-150	1	238	23	96	.5	13	20	1461	6.55	42	<.5	<.2	<.2	272	.4	<.2	<.2	82	5.13	.156	4	23	2.38	121	.01	<.3	2.73	.01	.31	<.2	10
PM 96-19 140-150	1	40	24	89	.3	11	7	629	2.73	<.2	<.5	<.2	3	103	<.2	<.2	2	34	1.57	.117	18	15	.81	100	.01	<.3	1.33	.03	.20	<.2	2
PM 96-20 110-120	2	36	14	74	<.3	28	9	450	2.96	<.2	<.5	<.2	7	65	.2	<.2	<.2	49	.77	.074	27	47	1.17	103	.01	<.3	1.65	.01	.19	3	4
PM 96-20 120-130	1	28	21	87	.3	25	8	427	2.77	<.2	<.5	<.2	8	76	.3	<.2	<.2	42	.89	.074	27	42	1.06	91	.01	<.3	1.55	.01	.18	3	171
PM 96-21 30-40	1	126	58	117	.5	129	41	1624	6.48	<.2	<.5	<.2	<.2	473	.7	<.2	<.2	177	8.43	.085	5	324	4.98	37	.01	<.3	3.61	<.01	.05	<.2	9
PM 96-21 40-50	11	103	97	116	1.3	93	31	1273	5.96	<.2	5	<.2	3	311	.7	<.2	<.2	131	6.50	.089	6	240	3.80	33	.01	<.3	2.85	.01	.08	<.2	7
PM 96-21 50-60	4	45	34	81	.3	47	14	699	3.90	<.2	<.5	<.2	5	148	.5	<.2	<.2	68	2.88	.091	10	117	1.89	36	<.01	<.3	1.70	.03	.12	2	6
PM 96-21 60-70	2	51	29	106	.3	34	15	761	5.86	9	<.5	<.2	5	129	.6	<.2	2	77	2.58	.181	26	91	1.84	38	.01	<.3	1.79	.02	.15	<.2	8
PM 96-21 70-80	5	40	50	101	.4	30	13	682	5.67	18	<.5	<.2	4	98	.3	<.2	<.2	60	1.86	.199	27	79	1.43	53	<.01	<.3	1.44	.01	.17	2	6
PM 96-21 80-90	5	73	21	105	.4	54	21	769	5.84	8	6	<.2	3	121	.4	<.2	<.2	99	2.08	.117	14	143	2.47	58	.03	<.3	2.02	.01	.18	2	8
PM 96-21 90-100	5	35	36	72	.4	35	13	438	3.65	32	<.5	<.2	5	82	<.2	<.2	<.2	49	1.29	.082	19	76	1.23	27	<.01	<.3	1.25	<.01	.16	3	5
PM 96-21 100-110	4	22	30	48	<.3	29	8	305	2.27	5	<.5	<.2	2	59	<.2	<.2	<.2	32	.90	.037	10	57	.89	31	<.01	<.3	.93	<.01	.13	4	3
PM 96-21 110-120	5	33	56	67	.4	47	16	383	3.48	12	<.5	<.2	3	63	<.2	<.2	<.2	43	.95	.046	10	75	1.27	30	.01	<.3	1.30	<.01	.20	5	4
PM 96-21 120-130	5	27	70	63	.4	36	12	314	2.68	12	5	<.2	3	63	<.2	<.2	<.2	33	.98	.047	8	62	.98	21	<.01	<.3	.96	<.01	.13	3	5
PM 96-21 130-140	5	25	92	99	.5	38	11	314	2.60	15	<.5	<.2	3	70	.5	<.2	<.2	34	.99	.038	8	67	1.01	17	<.01	<.3	1.00	<.01	.14	5	6
PM 96-21 140-150	5	24	78	82	<.3	32	9	582	2.47	<.2	7	<.2	10	89	.2	<.2	<.2	35	1.44	.051	15	60	1.02	21	<.01	<.3	1.11	<.01	.14	2	3
PM 96-21 150-160	7	31	44	54	.7	35	9	431	2.22	<.2	7	<.2	9	90	.2	<.2	<.2	40	1.37	.049	16	81	1.17	28	<.01	<.3	1.11	.01	.13	4	7
PM 96-22 20-30	14	292	19	77	1.2	150	40	1397	6.62	<.2	<.5	<.2	<.2	156	.4	<.2	<.2	189	3.58	.089	4	416	5.50	75	.07	5	3.55	.01	.15	<.2	8
PM 96-22 30-40	10	143	14	87	.4	189	38	1901	6.93	<.2	<.5	<.2	<.2	297	.7	<.2	<.2	208	7.02	.086	5	509	6.91	177	.06	<.3	4.30	<.01	.19	<.2	2
PM 96-22 40-50	7	145	12	70	.6	46	13	807	3.46	<.2	<.5	<.2	2	109	.4	<.2	<.2	78	2.42	.064	7	124	2.11	65	.01	<.3	1.66	.02	.15	<.2	9
PM 96-22 50-60	10	149	12	71	.4	163	35	1509	5.90	4	<.5	<.2	<.2	302	.7	<.2	<.2	164	6.22	.084	5	373	4.77	78	.05	3	3.10	.01	.20	<.2	7
PM 96-22 60-70	4	150	12	145	.6	104	31	1545	6.58	8	<.5	<.2	2	245	1.0	2	3	127	6.39	.101	5	244	3.64	69	.02	<.3	2.54	.01	.24	<.2	15
PM 96-22 70-80	4	166	9	98	.6	39	20	1120	5.54	9	<.5	<.2	2	172	.4	<.2	<.2	80	3.87	.103	7	88	2.35	65	.03	<.3	2.02	.02	.29	<.2	11
PM 96-22 80-90	5	105	19	78	.5	29	16	998	4.81	11	<.5	<.2	2	177	.3	<.2	<.2	75	4.32	.091	6	71	2.05	53	.02	<.3	1.71	.02	.20	<.2	9
PM 96-22 90-100	5	137	38	85	.6	85	31	1164	6.52	12	<.5	<.2	2	270	.2	<.2	<.2	112	6.18	.122	6	164	3.57	63	.02	<.3	2.50	.02	.23	<.2	9
PM 96-22 100-110	6	64	39	75	.3	66	19	704	4.52	5	<.5	<.2	3	126	.2	<.2	4	69	2.71	.070	6	121	2.25	42	.01	<.3	1.69	.01	.16	2	6
PM 96-22 110-120	4	32	21	77	.3	55	15	721	4.43	<.2	<.5	<.2	5	91	.2	<.2	<.2	60	2.11	.055	8	100	1.94	46	.01	<.3	1.73	.01	.21	3	4
PM 96-22 120-130	5	40	22	63	<.3	45	13	627	3.60	<.2	<.5	<.2	4	100	.4	<.2	<.2	50	2.11	.051	8	83	1.53	33	.01	<.3	1.43	.01	.17	2	3
PM 96-22 130-140	5	38	24	65	<.3	50	13	687	3.79	<.2	<.5	<.2	6	101	<.2	<.2	<.2	54	2.21	.051	13	92	1.71	62	.01	<.3	1.76	.01	.23	2	2
PM 96-22 140-150	4	41	23	73	<.3	47	13	775	4.08	<.2	<.5	<.2	6	108	.2	<.2	3	63	2.33	.056	13	92	1.74	49	.01	<.3	1.67	.01	.19	2	2
PM 96-22 150-160	5	41	24	74	.3	33	11	762	4.02	5	<.5	<.2	4	138	.3	<.2	2	52	3.20	.116	15	73	1.45	55	.01	<.3	1.34	.01	.17	3	4
STANDARD C2/AU-R	20	59	39	143	7.0	72	32	1209	4.01	33	22	8	36	53	20.4	18	22	74	.54	.105	41	63	1.01	204	.08	30	2.07	.06	.15	11	475

Sample type: CUTTING. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

FROM : FAX WITH ANSWERING SYSTEM

PHONE NO. :

SEP. 25 1996 02:37PM PS

SEP 24 '96 16:20 FR ACME LABS 804 250 1716 TO 89449 2.05/10



Guinet Management FILE # 96-4310



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	V	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
PH 96-23 130-140	<1	109	21	158	1.0	125	52	1633	8.02	42	<5	<2	<2	529	.4	<2	<2	203	8.62	.121	5	309	5.29	59	.04	<3	3.50	.01	.16	<2	6
PH 96-23 140-150	<1	95	9	211	.5	166	49	1529	6.75	19	<5	<2	<2	457	.7	<2	<2	191	7.50	.110	2	408	5.69	92	.12	<3	3.55	.01	.07	<2	4
PH 96-24 80-90	<1	130	30	147	.6	91	41	1886	6.63	15	<5	<2	<2	314	<.2	<2	<2	182	7.83	.110	4	260	4.43	32	.04	<3	3.68	.01	.07	<2	3
PH 96-25 79-80	2	30	46	265	.4	21	11	964	3.05	3	<5	<2	7	100	.6	2	<2	34	1.46	.069	31	28	.90	48	.01	<3	1.20	.03	.16	<2	5
PH 96-25 80-90	2	57	68	328	1.0	35	19	1032	5.07	9	<5	<2	6	136	1.2	<2	3	63	1.84	.094	24	42	1.33	53	.01	<3	1.89	.02	.16	<2	3
PH 96-25 90-100	2	31	60	270	.5	25	12	783	3.06	6	<5	<2	5	88	.3	<2	2	26	1.14	.047	16	28	.74	42	<.01	<3	1.09	.02	.16	2	2
PH 96-25 150-160	3	31	32	238	.7	15	8	576	2.92	5	<5	<2	8	91	.2	<2	<2	23	1.08	.051	25	15	.53	63	.01	<3	1.03	.03	.15	2	3
RE PH 96-25 150-160	4	33	39	243	.8	16	8	587	2.98	6	<5	<2	9	93	.4	2	4	23	1.03	.053	24	16	.54	64	.01	<3	1.05	.03	.15	3	3
PH 96-26 90-100	4	10	21	38	<.3	14	5	231	1.58	<2	7	<2	6	72	<.2	<2	<2	11	1.09	.031	12	18	.33	52	.01	<3	.67	.03	.18	5	1
PH 96-27 100-110	2	68	21	59	<.3	29	22	656	6.02	16	<5	<2	<2	103	<.2	<2	<2	102	2.34	.097	8	60	1.40	66	.05	<3	1.50	.02	.15	<2	8
STANDARD C2/AJ-R	19	56	40	133	6.9	73	35	1144	3.93	44	18	8	34	51	20.0	13	16	70	.52	.102	40	64	.98	195	.08	27	1.94	.06	.15	16	454

Sample type: CUTTING. Samples beginning 'RE' are Reruns and 'BRE' are Reject Reruns.

FROM : FAX WITH ANSWERING SYSTEM PHONE NO. : SEP. 25 1996 02:39PM P7

P.02/02
 604 253 1716 TO 16 5610883
 AUG 3 '96 8:40 FR ACME LABS

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716



GEOCHEMICAL ANALYSIS CERTIFICATE



G.H. Klein & Associates File # 96-3124
 Box 2059, Prince George BC V2N 2J6

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppb	
K96 HAN 1	10	274	<3	34	<.3	50	23	310	3.01	<2	<5	<2	<2	47	<.2	<2	<2	90	1.30	.184	6	71	.72	29	.16	12	.72	.12	.18	<2	1
K96 HAN 2	3	15	4	91	<.3	26	16	637	2.88	<2	<5	<2	<2	26	<.2	<2	<2	51	1.16	.074	17	57	.51	104	.01	<3	.84	.05	.10	<2	2
K96 HAN 3	1	5	5	37	<.3	3	3	340	1.64	3	5	<2	<2	13	<.2	<2	<2	19	.20	.053	13	5	.07	91	<.01	<3	.71	.03	.15	<2	3
K96 HAN 4	1	1	<3	36	<.3	3	4	365	1.53	<2	<5	<2	<2	12	.2	<2	<2	15	.19	.073	13	16	.03	113	<.01	4	.57	.03	.17	<2	2
K96 FN 1	<1	23	28	4	2.0	73	65	47	9.27	163	<5	<2	2	21	<.2	<2	9	7	.16	.114	<1	22	.02	9	<.01	16	.24	.01	.12	2	14
K96 FN 2	1	18	<3	3	<.3	3	6	120	.43	3	26	<2	<2	12	<.2	<2	<2	27	.73	.049	1	12	.09	23	.31	<3	.57	.04	.01	<2	1
K96 FN 3	<1	137	<3	62	<.3	133	30	851	5.97	<2	<5	<2	<2	127	<.2	<2	<2	152	7.43	.015	2	125	2.90	68	.63	26	3.26	.12	.08	<2	2
RE K96 FN 3	<1	149	<3	65	.4	138	31	890	6.21	<2	<5	<2	<2	133	<.2	3	<2	160	7.71	.016	2	133	3.01	71	.65	28	3.42	.13	.09	<2	3
18-96-G	141	15	3	31	<.3	28	19	56	5.21	388	29	<2	6	202	<.2	<2	<2	104	.44	.136	17	77	.22	46	.08	<3	1.43	.11	.22	<2	2
19-96-G	<1	42	<3	90	.5	18	12	298	3.67	6	<5	<2	4	79	<.2	<2	2	110	1.02	.186	38	24	1.17	115	.27	9	.99	.23	.19	<2	2
JW 96-16D	1	22	3	281	<.3	89	24	1035	11.21	7	<5	<2	11	22	.2	<2	<2	18	.48	.154	18	23	2.15	51	.01	7	3.13	.02	.20	<2	1
STANDARD C2/AU-R	20	63	36	138	6.2	76	39	1171	4.08	40	19	7	37	52	21.3	19	20	76	.56	.099	40	71	1.06	207	.09	23	2.12	.07	.16	11	492

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA Tl B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/NIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUL 25 1996

DATE REPORT MAILED: Aug 2/96

SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ANALYST

COMP: FERALD M. KLEIN

PROJ:

ATTN:

MIN-EN LABS — ICP REPORT
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
 TEL: (604) 327-3436 FAX: (604) 327-3423

FILE NO: 6V-0006-SJ1

DATE: 96/10/16

* * (ACT: F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	Tl %	U PPM	V PPM	W PPM	ZN PPM	Kg Au-fire PPB
FN 7+75N	.1	1.01	45	119	.1	1	.31	.1	9	42	16	2.00	1	.04	8	.59	256	7	.01	47	600	1	4	3	24	1	.05	1	40.6	2	46	9
FN 8+00N	.2	1.03	55	138	.1	1	.28	.1	8	36	13	1.78	1	.03	8	.53	231	7	.01	41	480	1	5	3	23	1	.04	1	37.6	1	54	2
FN 8+25N	.1	1.18	60	119	.1	1	.28	.1	12	48	18	2.33	1	.04	6	.77	371	8	.01	58	430	1	4	3	24	1	.05	1	41.9	1	47	4
FN 8+50N	.2	.97	52	122	.1	1	.35	.1	10	49	15	2.09	1	.04	7	.67	332	7	.01	50	570	1	3	3	28	1	.05	1	42.6	2	47	1
FN 8+75N	.4	1.18	66	137	.1	1	.44	.1	11	43	21	2.28	1	.05	8	.72	269	8	.01	44	1000	1	4	3	27	1	.08	1	59.9	2	59	4
FN 9+00N	.3	1.13	71	97	.1	1	.34	.1	11	55	15	2.23	1	.04	9	.82	370	8	.01	50	600	1	3	3	21	1	.06	1	43.3	2	50	2
FN 9+25N	.2	1.20	77	162	.1	1	.35	.1	12	42	17	2.11	1	.05	9	.72	541	8	.01	49	510	1	4	3	43	1	.06	1	43.6	2	53	4
FN 9+50N	.2	1.05	64	120	.1	1	.28	.1	9	39	15	1.88	1	.04	8	.61	362	7	.01	40	370	1	5	2	25	1	.04	1	39.1	2	50	2
FN 9+75N	.2	.97	64	130	.1	2	.30	.1	7	35	14	1.71	1	.04	8	.55	282	7	.01	35	330	1	4	2	25	1	.05	1	38.0	1	58	10
FN 10+00N	.2	1.05	68	125	.1	1	.29	.1	8	40	13	1.86	1	.03	8	.67	316	7	.01	48	440	1	4	3	24	1	.05	1	39.7	1	47	6
FNG 20+00E	.2	.98	53	95	.1	1	.35	.1	9	38	12	1.92	1	.03	7	.65	383	7	.01	40	480	1	4	3	32	1	.05	1	39.5	1	45	15
FNG 20+33E	.1	1.16	2	119	.1	1	.31	.1	12	37	17	2.62	1	.04	8	.60	535	9	.01	31	370	1	5	3	29	1	.04	1	50.1	1	42	30
FNG 20+50E	.1	2.02	37	290	.1	1	.51	.1	18	54	49	3.58	1	.05	12	.97	1043	13	.02	79	540	1	10	4	56	1	.03	1	62.3	1	62	80
FNG 20+75E	.2	1.09	50	122	.1	1	.31	.1	9	33	12	1.88	1	.03	7	.53	344	7	.01	30	280	1	5	2	31	1	.05	1	44.1	1	47	20
FNG 21+00E	.2	1.57	44	161	.1	1	.33	.1	12	49	26	2.81	1	.06	10	.77	601	10	.01	46	300	1	8	4	37	1	.06	1	52.9	2	53	45
FNG 21+25E	.3	1.05	70	125	.1	2	.39	.1	8	40	14	1.89	1	.04	8	.64	260	7	.02	37	580	1	4	3	34	1	.06	1	40.0	2	35	25
FNG 21+50E	.3	.96	68	112	.1	2	.36	.1	8	38	12	1.81	1	.04	7	.65	266	6	.02	36	480	1	3	2	31	1	.05	1	38.5	1	41	20

OCT-16-1996 15:27

MIN-EN LABS

604 327 3423

P.02



WHOLE ROCK ICP ANALYSIS



G.H. Klein & Associates File # 96-2267
Box 2059, Prince George BC V2N 2J6

SAMPLE#	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	Cr2O3 %	Ba ppm	Cu ppm	Zn ppm	Ni ppm	Co ppm	Sr ppm	Zr ppm	Ce ppm	Y ppm	Nb ppm	Sc ppm	Ta ppm	LOI %	SUM %
K96 BP 3	42.00	13.96	6.83	5.63	9.41	1.79	4.68	2.19	.20	.11	.058	234	66	64	272	<50	108	92	<50	15	<50	21	<50	12.4	99.39
K96 BP 5	65.25	16.94	4.13	.16	.40	7.12	3.82	.86	.15	.09	<.001	486	<50	<50	<20	<50	21	385	138	35	90	<10	<50	1.2	100.30
K96 WIT 3	54.11	15.30	6.99	4.64	6.70	3.00	1.74	.97	.14	.12	.015	733	52	50	56	<50	349	151	85	24	<50	16	<50	5.3	99.25
K96 GREG 3	58.42	1.58	4.83	29.05	.03	.03	<.04	.02	.01	.03	.367	19	<50	<50	2092	80	<10	18	<50	<10	<50	<10	<50	5.5	100.18
RE K96 GREG 3	57.65	1.56	4.74	28.68	.03	.03	<.04	.01	.01	.03	.355	14	<50	<50	1979	78	<10	15	<50	<10	<50	<10	<50	5.7	99.09

.200 GRAM SAMPLES ARE FUSED WITH 1.2 GRAM OF LiBO2 AND ARE DISSOLVED IN 100 MLS 5% HNO3. Ba IS SUM AS BaSO4 AND OTHER METALS ARE SUM AS OXIDES.
- SAMPLE TYPE: ROCK Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUN 17 1996

DATE REPORT MAILED:

June 27/96

SIGNED BY.....D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE




G.H. Klein & Associates File # 96-2267

Box 2059, Prince George BC V2N 2J6

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
K96 BP 3	<1	20	<3	21	<.3	124	32	965	3.99	<2	8	<2	<2	81	<.2	3	<2	44	7.60	.091	10	72	2.72	79	.01	15	.73	.03	.55	<2	3
K96 BP 4	<1	5	64	43	<.3	4	2	816	2.67	<2	<5	<2	36	4	.2	<2	6	13	.10	.018	31	12	.10	20	.03	<3	.26	.09	.04	15	1
K96 BP 5	3	4	<3	13	<.3	3	1	749	2.63	<2	<5	<2	5	8	<.2	<2	<2	6	.28	.049	75	11	.10	147	.08	<3	.58	.10	.09	3	2
K96 OT 1	17	105	11	254	.3	99	27	697	5.05	6	7	<2	6	29	2.6	2	<2	44	1.27	.060	11	40	1.54	57	<.01	<3	1.78	.01	.18	3	<1
K96 WIT 1	<1	76	<3	72	<.3	20	22	1101	5.81	2	14	<2	<2	135	<.2	2	<2	215	5.34	.136	8	55	2.31	71	.11	<3	2.85	.05	.15	<2	5
K96 WIT 2	8	155	<3	57	.3	20	19	1062	5.15	<2	12	<2	<2	94	.2	2	<2	170	4.26	.216	11	47	2.65	42	.02	5	2.57	.04	.12	2	6
K96 T 3	1	22	3	33	<.3	45	17	512	2.91	<2	9	<2	4	70	<.2	2	<2	47	1.39	.027	17	16	2.11	58	.20	<3	1.76	.24	.12	<2	2
K96 GREG 1	8	40	9	106	<.3	14	3	368	2.50	<2	<5	<2	7	46	1.3	<2	<2	67	.18	.017	23	50	1.06	192	.13	<3	1.54	.03	.81	<2	11
K96 GREG 2	3	49	28	164	<.3	17	3	105	1.65	<2	<5	<2	4	4	.3	<2	2	17	.03	.011	12	23	.55	189	.06	<3	.99	.01	.57	3	3
K96 GREG 3	<1	12	<3	5	<.3	447	21	126	.84	<2	10	<2	<2	1	<.2	<2	2	13	.01	<.001	<1	1378	2.05	4	<.01	<3	.66	<.01	.01	<2	3
RE K96 GREG 3	1	12	<3	5	<.3	432	20	119	.80	<2	<5	<2	<2	1	<.2	<2	2	12	.01	<.001	<1	1332	1.96	3	<.01	<3	.63	<.01	.01	<2	2
LOW 96-1	1	19	<3	80	<.3	19	18	1115	5.62	14	12	<2	<2	36	<.2	6	<2	130	1.59	.142	10	46	2.34	200	.22	<3	2.67	.04	.07	<2	4
JW 96 11H	9	82	11	157	3.1	75	9	292	1.94	10	<5	<2	5	7	1.6	<2	2	21	.10	.032	14	30	.17	115	<.01	10	.81	.01	.32	<2	24
JW 96 TAKO	1	9	<3	20	<.3	1123	65	733	3.24	407	6	<2	<2	406	.3	444	<2	16	5.79	.024	<1	507	7.50	97	<.01	4	.08	.01	.01	<2	91
AS 96 GREG 1	9	29	3	43	<.3	20	3	229	1.61	10	<5	<2	<2	4	.3	<2	<2	6	.03	.016	2	20	.05	72	<.01	<3	.26	.01	.16	9	7
STANDARD C2/AU-R	19	62	42	135	6.2	72	37	1170	4.09	44	24	8	37	54	20.6	15	17	73	.57	.099	41	68	1.06	190	.08	33	2.15	.07	.16	12	554

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUN 17 1996 DATE REPORT MAILED: *June 27/96* SIGNED BY: *C. Leong* .D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



Y-7	1	13	16
N-1	2	93	7
N-2	2	102	7
N-3	3	311	5
N-4	1	1281	39
N-5	1	1078	26
N-6	5	60	13
N-7	477	1519	25
N-8	25	21	4
N-9	7	14	1
N-12	18	319	17
V-1	43	29	2
V-2	12	505	83
V-3	9	141	9
K-1	1772	5143	126
K-2	4	20	4

LEGEND

Geology

Intrusives:



- D - Dyke (granite, diorite, dacite)
- QM - Quartz Monzonite

Takla Volcanics:


- V - Andesite, chlorite-sericite schist
- V₂ - Augite porphyry

Symbols


- QM ○ outcrop
- inferred fault or shear
- - - - - inferred geologic contact
- ==== road
- creek
- Y-1 x bedrock sample
- K-1 • float sample



PM CLAIM		
96 DRILL HOLE LOCATIONS		
GEOLOGY MAP		
Figure 3		
SURVEY BY	R.K.Y.	DATE JULY 1996
DRAWN BY	R.K.Y.	SCALE 1 : 5,000
QUINET MANAGEMENT		




LOCATION MAP



0 1 2 3 kilometres
SCALE 1:50,000

Rock Sample Values


Sample	Mo ppm	Cu ppm	Au ppb
Y-1	4	146	5
Y-2	5	36	4
Y-3	1	97	1
Y-4	1	18	1
Y-5	34	20	8
Y-6	1	1223	65
Y-7	1	13	16
N-1	2	93	7
N-2	2	102	7
N-3	3	311	5
N-4	1	1281	39
N-5	1	1078	26
N-6	5	60	13
N-7	477	1519	25
N-8	25	21	4
N-9	7	14	1
N-12	18	319	12
V-1	18		





B/L 20,000 N.
ALPHA GRID

16,400 E.
ALPHA GRID.


1233-45







48 49 50 51 52 53 54 55 56 57 40' 58 59 60 61 62 35' 63 64 65 66 467000m. E 123°30'



PM GROUP
CLAIM LOCATION MAP

1:50,000

HAKOPLATEAU

126°15'00"
54°15'00"

684288

6012864



SEP 13 1996
93L/IW
1:31680

T 130 244636 *65717*	T 131 244637 *65718*	T 210 244592 *65656*	T 211 244593 *65657*					
244634 T 128 *65715*	T 129 244635 *65716*	244590 *65654*	T 209 244591 *65655*					
T 126 244632 *65713*	T 127 244633 *65714*	244588 *65652*	T 207 244589 *65653*					
T 124 244630 *65711*	T 125 244631 *65712*	T 204 244586 *65650*	T 205 244587 *65651*	T 212 244594 *65658*	T 214 244596 *65660*	T 216 244598 *65662*	T 218 244600 *65664*	
T 122 244628 *65709*	T 123 244629 *65710*	T 202 244584 *65648*	T 203 244585 *65649*	T 213 244595 *65659*	T 215 244597 *65661*	T 217 244599 *65663*	T 219 244601 *65665*	
245116 *105640*	REV. 15 245117 *105641*	T 132 244516 *65580*	T 134 244518 *65582*	T 136 244520 *65584*	T 138 244522 *65586*	T 140 244524 *65588*	T 142 244526 *65590*	
REV. 3 245105 *105629*	REV. 13 245115 *105639*	T 133 244517 *65583*	T 135 244519 *65585*	T 137 244521 *65587*	T 139 244523 *65589*	T 141 244525 *65591*	T 143 244527 *65593*	
REV. 1 245104 *105627*	REV. 11 245113 *105637*	T 144 244528 *65592*	T 146 244530 *65594*	T 148 244532 *65596*	T 150 244534 *65598*	T 152 244536 *65600*	T 154 244538 *65602*	
5.6. * 63 244313 *51816*	REV. 9 245111 *105635*	T 145 244529 *65593*	T 147 244531 *65595*	T 149 244533 *65597*	T 151 244535 *65599*	T 153 244537 *65601*	T 155 244539 *65603*	
5.6. * 61 244312 *51814*	REV. 7 245109 *105633*	T 156 244540 *65604*	T 158 244542 *65606*	T 160 244544 *65608*	T 162 244546 *65610*	T 164 244548 *65612*	T 166 244550 *65614*	
5.6. * 51 244308 *51801*	T 169 244553 *65607*	T 157 244541 *65605*	T 159 244543 *65607*	T 161 244545 *65609*	T 163 244547 *65611*	T 165 244549 *65613*	T 167 244551 *65615*	
6006528	T 170 244554 *65616*	T 171 244555 *65619*	T 182 244566 *65630*	T 183 244567 *65631*	T 180 244564 *65628*	T 194 244578 *65642*	T 196 244580 *65644*	T 198 244582 *65646*
	T 172 244556 *65620*	T 173 244557 *65621*	T 184 244568 *65632*	T 185 244569 *65633*	T 181 244565 *65629*	T 195 244579 *65643*	T 197 244581 *65645*	T 199 244583 *65647*
	T 174 244558 *65622*	T 175 244559 *65623*	T 186 244570 *65634*	T 187 244571 *65635*	T 220 244638 *65800*	T 221 244639 *65801*	T 236 244654 *65816*	T 237 244655 *65817*
	T 176 244560 *65624*	T 177 244561 *65625*	T 188 244572 *65636*	T 189 244573 *65637*	T 222 244640 *65802*	T 223 244641 *65803*	T 238 244656 *65818*	T 239 244657 *65819*
	T 178 244562 *65626*	T 179 244563 *65627*	T 190 244574 *65638*	T 191 244575 *65639*	T 224 244642 *65804*	T 225 244643 *65805*	T 240 244658 *65820*	T 241 244659 *65821*
	T 230 244648 *65810*	T 231 244649 *65811*	T 192 244576 *65640*	T 193 244577 *65641*	T 226 244644 *65806*	T 227 244645 *65807*	T 242 244660 *65822*	T 243 244661 *65823*
	T 232 244650 *65812*	T 233 244651 *65813*	T 234 244652 *65814*	T 235 244653 *65815*	T 228 244646 *65808*	T 229 244647 *65809*	T 244 244662 *65824*	T 245 244663 *65825*

ALLIN 1
316461
4NX5E

ALLIN 6
339854
4NX1E

ALLIN 2
316462
16X5E

ALLIN 5
339853
4NX1E


ALLIN 3
316463
16X5E

ALLIN 4
339852
16X1E

ALLIN 7
350311

ALLIN 8
350312

NEW CLAIMS- ALLIN PROJECT



HOUSTON


93L/1

Scale 1:100 000

(1 cm = 1 km)



Universal Transverse Mercator Projection



To Houston - 84 km

126°00'