PGE Potential of the Moyie Sills

T. Höy and M. Fournier



Lower Alldridge Sills on Bootleg Mountain
West of Kimberley

Irishman Creek Sill
Highway 3 - Northeast of Creston



Core Storage - Eagle Plains Resources
Fort Steele



Location of Anomalous Platinum + Palladium Values in Moyie Sills

Core Storage - Vine Property

Moyie 31: Lower Alldridge Sill - shows variety in grain sizes
Bootleg Mountain



"Layered" Lower Alldridge Sill (Moyie 31)
Bootleg Mountain

PGE Analysis Data of Moyie Sills

		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe*	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au	Pt	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppb	ppb	ppb
		AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	AICP	FAMS	FAMS	FAMS
		ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM	ACM
		1	1	3	1	0.3	1	1	2	0.01	2	5	2	2	1	0.2	2	2	1	0.01	0	1	1	0.01	1	0.01	3	0.01	0.01	0.01	2	1	0.1	0.5
Lab No.	Field Number																																	
56605	MOYIE 1	1	49	8	33	< .3	26	12	276	1.47	3	< 8	< 2	< 2	19	< .2	< 3	< 3	30	1.15	0.017	3	33	0.86	14	0.1	< 3	1.36	0.12	0.09	< 2	1	< .1	< .5
56606	MOYIE 2	3	123	16	94	< .3	60	26	465	2.61	18	8	< 2	< 2	12	0.2	< 3	< 3	41	0.95	0.016	1	190	2.03	10	0.08	< 3	2.04	0.04	0.07	3	2	13.7	12
56607	MOYIE 3	2	52	8	39	< .3	41	16	326	1.85	4	< 8	< 2	< 2	11	< .2	< 3	< 3	19	0.51	0.011	2	30	1.18	28	0.08	< 3	1.39	0.04	0.2	< 2	3	< .1	< .5
56608	MOYIE 4	3	105	13	67	< .3	22	19	412	2.27	4	< 8	< 2	< 2	12	< .2	< 3	< 3	65	1.25	0.022	2	20	0.93	19	0.13	3	1.45	0.12	0.15	2	< 1	< .1	< .5
56609	MOYIE 5	3	19	7	94	< .3	5	17	732	4.51	2	10	< 2	6	22	< .2	< 3	3	142	1.05	0.058	19	32	0.94	248	0.4	< 3	2.37	0.2	1.15	3	< 1	< .1	< .5
56610	MOYIE 6	3	87	13	42	< .3	59	41	372	3.85	4	< 8	< 2	4	14	< .2	< 3	< 3	56	0.85	0.062	16	31	0.71	14	0.21	< 3	1.27	0.12	0.13	2	< 1	0.6	< .5
56611	MOYIE 7	1	24	3	28	< .3	50	30	287	2.38	23	9	< 2	2	29	< .2	< 3	< 3	36	0.68	0.034	10	43	0.92	24	0.11	< 3	1.42	0.09	0.11	2	7	< .1	< .5
56612	MOYIE 8	< 1	132	9	75	< .3	58	49	633	7.52	79	8	< 2	30	9	< .2	< 3	8	407	0.24	0.045	22	81	3.31	31	0.01	< 3	3.8	0.05	0.03	3	7	15.2	10.3
56613	MOYIE 9	2	352	10	82	< .3	61	26	974	5.48	8	< 8	< 2	< 2	15	< .2	< 3	< 3	129	0.52	0.033	4	82	2.94	4	0.21	< 3	3.28	0.04	0.01	3	4	18.5	15.2
56614	MOYIE 10	< 1	87	< 3	81	< .3	74	41	1183	6.83	42	< 8	< 2	< 2	37	0.3	< 3	3	204	5.27	0.028	6	165	3.69	10	0.12	< 3	4.13	0.02	0.06	2	< 1	9.6	7.9
56615	MOYIE 11	3	152	8	65	< .3	11	24	449	3.65	3	< 8	< 2	7	63	< .2	< 3	4	48	1.11	0.148	13	50	0.71	119	0.19	< 3	1.44	0.12	0.44	3	< 1	< .1	< .5
56616	MOYIE 12	2	107	4	25	< .3	26	16	309	2.28	< 2	< 8	< 2	< 2	60	< .2	< 3	< 3	89	1.23	0.042	1	24	0.65	15	0.18	< 3	1.34	0.16	0.11	< 2	1	15.8	17.2
56617	MOYIE 13	2	448	3	44	< .3	38	33	557	4.22	8	9	< 2	< 2	9	< .2	< 3	3	325	1.96	0.029	2	17	0.81	13	0.26	< 3	1.67	0.22	0.15	2	2	0.3	< .5
56618	MOYIE 14	3	282	5	37	< .3	22	23	431	3.36	3	8	< 2	2	15	< .2	< 3	3	185	1.49	0.046	2	11	0.67	21	0.18	< 3	1.36	0.2	0.13	< 2	3	0.6	< .5
56619	MOYIE 15	3	398	< 3	35	< .3	37	26	479	3.77	2	< 8	< 2	< 2	12	< .2	< 3	< 3	281	1.69	0.04	2	5	0.79	15	0.21	< 3	1.47	0.24	0.12	2	3	0.3	< .5
56620	MOYIE 16	1	131	< 3	113	0.4	105	43	893	7.73	< 2	12	< 2	< 2	47	< .2	< 3	< 3	195	1.17	0.24	12	228	4.63	857	0.37	< 3	4.46	0.03	3.54	2	3	0.5	< .5
56621	MOYIE 17	1	33	23	41	< .3	42	29	471	2.29	30	< 8	< 2	< 2	28	< .2	< 3	< 3	68	1.37	0.036	3	53	0.94	15	0.13	< 3	1.67	0.2	0.15	2	4	5.8	4.3
56622	MOYIE 18	3	34	29	95	< .3	7	16	665	4.39	16	< 8	< 2	6	16	< .2	< 3	3	101	0.86	0.062	15	32	1.11	102	0.27	< 3	2.23	0.12	1.2	2	< 1	< .1	< .5
56623	MOYIE 19	2	8	10	40	< .3	8	22	407	2.79	4	< 8	< 2	3	20	< .2	< 3	< 3	73	1.05	0.045	7	26	0.97	50	0.2	< 3	1.6	0.13	0.28	< 2	< 1	< .1	< .5
56625	MOYIE 20	2	73	12	24	< .3	80	63	208	3.28	28	< 8	< 2	2	14	< .2	< 3	< 3	27	0.74	0.033	6	50	0.73	19	0.15	< 3	1.12	0.09	0.13	2	< 1	0.2	< .5
56626	MOYIE 21	< 1	197	39	117	0.6	23	75	1021	7.91	8	15	< 2	< 2	10	0.2	< 3	< 3	333	1.2	0.056	3	7	1.4	76	0.35	4	2.41	0.1	0.39	3	4	< .1	< .5
56627	MOYIE 22	< 1	289	64	118	0.5	15	83	1156	9.07	3	11	< 2	2	9	0.3	< 3	8	203	0.85	0.061	4	13	1.23	143	0.41	3	2.29	0.12	0.75	4	14	< .1	< .5
56628	MOYIE 23	1	620	82	95	1	9	88	1571	8.68	7	< 8	< 2	< 2	17	< .2	< 3	9	103	0.73	0.1	5	13	0.85	114	0.33	< 3	1.51	0.18	0.55	4	10	< .1	< .5
56629	MOYIE 24	2	28	7	131	< .3	2	22	1356	6.43	10	< 8	< 2	3	13	< .2	< 3	< 3	3	1.59	0.27	9	18	0.5	104	0.14	< 3	1.8	0.22	0.43	2	< 1	< .1	< .5
56630	MOYIE 25	1	92	15	128	< .3	1	38	1500	7.66	18	< 8	< 2	3	18	< .2	< 3	< 3	4	1.33	0.239	6	15	0.67	131	0.16	5	2.18	0.18	0.4	3	< 1	< .1	< .5
56631	MOYIE 26	< 1	249	6	125	< .3	2	55	1397	8.52	6	< 8	< 2	3	21	0.2	< 3	3	3	2.43	0.279	10	14	0.62	116	0.16	3	2.23	0.18	0.41	2	2	< .1	< .5
56632	MOYIE 27	2	62	4	83	0.3	3	31	1109	5.75	2	< 8	< 2	2	17	< .2	< 3	< 3	69	1.42	0.118	6	13	0.75	121	0.26	< 3	1.6	0.23	0.51	2	< 1	< .1	< .5
56633	MOYIE 28	1	62	4	16	< .3	27	9	183	1.09	2	< 8	< 2	< 2	13	< .2	< 3	< 3	20	0.8	0.016	3	77	0.75	24	0.1	< 3	1.32	0.11	0.1	< 2	2	6	< .5
56634	MOYIE 29	4	677	7	38	< .3	19	21	393	2.6	4	< 8	< 2	3	18	< .2	< 3	< 3	88	1.06	0.039	7	36	0.92	17	0.19	< 3	1.72	0.16	0.07	3	2	2.9	< .5
56635	MOYIE 30	2	129	5	31	< .3	30	20	397	2.19	42	< 8	< 2	2	13	< .2	< 3	< 3	61	1	0.025	6	41	0.92	30	0.13	< 3	1.37	0.11	0.14	2	< 1	7.4	1.1
56636	MOYIE 31	2	105	5	27	< .3	12	13	403	2.98	< 2	< 8	< 2	2	16	< .2	< 3	< 3	93	1.35	0.085	4	29	0.76	14	0.15	< 3	1.5	0.19	0.11	< 2	3	0.1	< .5
56637	MOYIE 32	1	90	5	23	< .3	35	13	257	1.49	4	< 8	< 2	< 2	30	0.2	< 3	< 3	46	1.32	0.022	1	73	0.78	26	0.08	< 3	2.11	0.28	0.05	< 2	2	6.3	7
56639	MOYIE 33	2	84	< 3	15	< .3	37	9	118	1.55	< 2	< 8	< 2	< 2	58	0.2	< 3	< 3	112	2.54	0.02	2	126	0.33	15	0.07	< 3	4.32	0.68	0.09	< 2	2	5.7	6.4
56640	MOYIE 34	< 1	85	13	49	< .3	24	16	483	3.06	< 2	< 8	< 2	< 2	13	< .2	< 3	< 3	98	1.25	0.047	2	58	1.04	44	0.24	< 3	1.62	0.15	0.34	< 2	3	12.7	15.2
56641	MOYIE 35	1	60	11	53	< .3	14	31	644	4.58	4	< 8	< 2	< 2	45	0.2	< 3	4	151	1.37	0.184	12	14	1.06	94	0.28	< 3	1.94	0.12	0.42	2	< 1	< .1	< .5
56642	MOYIE 36	2	9	12	48	< .3	4	15	327	1.93	2	< 8	< 2	3	31	< .2	< 3	< 3	45	1.21	0.034	8	47	0.87	30	0.17	< 3	1.94	0.19	0.15	2	< 1	< .1	< .5
56643	MOYIE 37	< 1	55	4	20	< .3	66	23	355	2.34	3	8	< 2	< 2	12	0.2	< 3	< 3	49	0.58	0.02	1	146	1.64	20	0.14	< 3	1.74	0.04	0.12	< 2	< 1	6.3	3.6
56644	MOYIE 38	< 1	69	13	66	0.4	60	24	670	3.46	7	< 8	< 2	< 2	21	0.2	< 3	< 3	85	1.28	0.027	3	141	2.12	7	0.2	< 3	2.35	0.03	0.03	2	2	13	22.7
56645	MOYIE 39	1	48	< 3	79	< .3	32	36	1010	5.92	5	< 8	< 2	2	11	< .2	< 3	< 3	198	0.65	0.049	4	14	1.68	89	0.3	5	2.44	0.04	0.07	2	3	1.2	< .5
56646	MOYIE 40	1	136	9	63	< .3	26	25	766	4.87	5	< 8	< 2	< 2	15	0.2	< 3	4	123	0.61	0.041	4	23	1.52	7	0.31	< 3	2.15	0.05	0.02	2	3	6.4	0.7
56647	MOYIE 41	3	130	11	69	< .3	2	13	773	4.95	< 2	< 8	< 2	3	25	< .2	< 3	< 3	4	2.2	0.173	16	27	0.5	9	0.11	< 3	1.66	0.15	0.07	2	< 1	< .1	< .5
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe*	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au	Pt	Pd
56648	MOYIE 42	< 1	133	7	43	< .3	21	19	520	3.53	< 2	< 8	< 2	< 2	16	< .2	< 3	< 3	145	1.26	0.056	3	15	1.05	13	0.12	< 3	1.63	0.14	0.06	< 2	< 1	< .1	< .5
56649	MOYIE 43	1	13	8	57	< .3	26	24	569	3.64	16	< 8	< 2	< 2	17	0.3	< 3	< 3	128	1.4	0.1	3	36	0.98	139	0.28	3	1.74	0.15	0.71	2	< 1	0.1	< .5
56650	MOYIE 44	< 1	14	7	65	0.6	2	14	705	4.37	< 2	8	< 2	3	11	< .2	< 3	< 3	36	1.63	0.203	7	15	0.62	164	0.24	3	1.81	0.18	0.71	2	< 1	< .1	< .5
56651	MOYIE 45	1	77	4	52	0.3	34	29	489	3.51	13	9	< 2	< 2	28	< .2	< 3	< 3	168	1.52	0.095	2	20	0.87	93	0.28	5	1.5	0.17	0.47	< 2	< 1	< .1	< .5
56652	MOYIE 46	2	2	6	69	< .3	2	14	685	5.45	< 2	9	< 2	2	15	< .2	< 3	< 3	47	1.98	0.295	6	16	0.9	250	0.24	3	2.26	0.2	1.17	2	< 1	< .1	< .5
56653	MOYIE 47	3	35	7	28	< .3	1	13	316	4.3	< 2	< 8	< 2	5	9	< .2	< 3	5	9	0.88	0.149	12	17	0.47	196	0.19	5	1.43	0.14	0.87	< 2	< 1	< .1	< .5
56654	MOYIE 48	2	96	< 3	86	< .3	26	23	618	2.85	7	< 8	< 2	< 2	66	< .2	< 3	< 3	87	2.98	0.022	2	19	1.39	88	0.14	< 3	3.98	0.4	1.04	22	< 1	< .1	< .5
56655	MOYIE 49	1	129	5	46	0.6	7	28	529	3.97	< 2	< 8	< 2	< 2	10	< .2	< 3	< 3	187	1.79	0.052	2	10	0.73	106	0.22	5	1.43	0.21	0.32	2	< 1	< .1	< .5
56656	MOYIE 50	1	246	3	29	< .3	35	38	316	2.89	< 2	< 8	< 2	< 2	46	< .2	< 3	< 3	58	2	0.02	2	27	0.65	44	0.13	< 3	2.66	0.3	0.28	2	< 1	< .1	< .5
56657	MOYIE 51	1	58	6	29	< .3	17	19	364	2.14	2	< 8	< 2	< 2	38	0.2	< 3	< 3	70	2.01	0.027	2	16	0.75	68	0.15	< 3	2.73	0.36	0.32	11	< 1	< .1	< .5
56658	MOYIE 52	< 1	15	23	111	< .3	35	28	684	5.26	14	< 8	< 2	< 2	29	< .2	< 3	< 3	97	1.33	0.025	2	56	2.34	456	0.28	< 3	4.09	0.24	2.02	3	< 1	< .1	< .5
56660	MOYIE 53	< 1	34	15	58	< .3	29	21	494	2.91	12	< 8	< 2	< 2	37	< .2	< 3	< 3	64	2.08	0.026	2	28	1.18	121	0.17	3	2.8	0.29	0.57	2	< 1	< .1	< .5
56661	MOYIE 54	1	2	< 3	139	< .3	83	29	662	6.77	< 2	< 8	< 2	< 2	8	< .2	< 3	< 3	195	0.38	0.033	2	222	3.38	574	0.28	< 3	4.57	0.07	1.83	3	< 1	11.1	9.1
56662	MOYIE 55	2	< 1	3	135	< .3	64	22	623	5.46	< 2	< 8	< 2	< 2	14	< .2	< 3	< 3	212	0.57	0.038	2	193	2.62	709	0.29	< 3	4.06	0.15	2.01	3	< 1	13.4	9.8
56663	MOYIE 56	2	1173	10	125	0.8	29	34	1880	7.14	3	< 8	< 2	< 2	8	0.7	< 3	< 3	219	0.94	0.063	6	12	1.29	510	0.17	3	2.25	0.11	1.02	3	2	< .1	< .5
56664	MOYIE 57	1	273	9	80	0.3	8	40	687	7.03	< 2	< 8	< 2	< 2	6	< .2	< 3	< 3	123	0.93	0.117	5	20	1.19	171	0.26	< 3	2.64	0.12	1.46	2	1	1	< .5
56665	MOYIE 58	< 1	812	11	100	0.3	47	47	585	4.81	4	< 8	< 2	< 2	9	0.2	< 3	< 3	159	0.88	0.051	3	12	1.04	249	0.15	5	1.63	0.11	0.55	3	29	< .1	< .5
56666	MOYIE 59	< 1	261	< 3	83	0.4	42	46	541	7.22	2	< 8	< 2	< 2	5	< .2	3	< 3	242	0.81	0.077	3	14	1.86	913	0.32	4	3.18	0.11	2.17	2	< 1	< .1	< .5
56667	MOYIE 60	< 1	61	11	23	< .3	30	13	252	1.72	2	< 8	< 2	< 2	48	0.4	< 3	< 3	44	1.97	0.022	2	68	0.86	61	0.1	< 3	3.23	0.34	0.16	< 2	2	12.4	9.8
56668	MOYIE 61	< 1	18	13	28	< .3	24	10	256	1.4	< 2	< 8	< 2	< 2	61	< .2	< 3	< 3	40	1.9	0.029	3	72	0.77	29	0.1	3	2.49	0.32	0.1	< 2	< 1	9.1	4.6
56669	MOYIE 62	< 1	118	9	21	0.4	27	9	174	1.14	< 2	< 8	< 2	2	13	0.2	< 3	< 3	30	0.72	0.017	1	74	0.76	33	0.1	< 3	1.01	0.06	0.09	< 2	2	8	6.1
56670	MOYIE 63	1	54	3	62	< .3	15	34	587	5.21	2	< 8	< 2	< 2	44	0.2	< 3	< 3	187	1.35	0.194	13	10	0.89	180	0.27	< 3	1.67	0.15	0.48	< 2	< 1	< .1	< .5
56671	MOYIE 64	2	26	4	70	< .3	1	10	590	5.28	3	< 8	< 2	7	14	< .2	< 3	< 3	5	1.2	0.155	14	29	0.27	363	0.16	< 3	1.82	0.16	0.76	< 2	< 1	< .1	< .5
56672	MOYIE 65	2	305	6	69	< .3	3	29	616	5.01	< 2	< 8	< 2	5	12	< .2	< 3	< 3	7	1.71	0.215	14	31	0.32	50	0.14	< 3	1.7	0.21	0.24	< 2	4	< .1	< .5
56673	MOYIE 66	1	19	< 3	42	< .3	24	14	623	4.08	5	< 8	< 2	< 2	21	0.2	4	< 3	103	1.47	0.029	2	69	1.64	135	0.18	< 3	2.85	0.23	0.84	2	< 1	6.4	2.3
56674	MOYIE 67	1	25	< 3	22	< .3	19	9	338	1.9	8	< 8	< 2	< 2	15	< .2	< 3	< 3	48	0.82	0.027	3	110	0.93	33	0.15	3	1.27	0.07	0.08	< 2	< 1	7.4	8.7
56675	MOYIE 68	1	47	3	27	< .3	29	25	379	2.19	15	< 8	< 2	< 2	29	0.2	< 3	< 3	58	1.5	0.024	2	100	1.07	16	0.11	< 3	2.57	0.24	0.11	< 2	< 1	6.8	5.1
56676	MOYIE 69	1	56	3	36	< .3	6	20	661	4.66	< 2	< 8	< 2	4	9	< .2	< 3	< 3	175	1.32	0.039	4	34	1.01	35	0.23	< 3	2.27	0.14	0.2	< 2	< 1	< .1	< .5
56677	MOYIE 70	1	158	3	30	< .3	49	30	395	2.39	23	< 8	< 2	< 2	10	< .2	< 3	< 3	65	0.89	0.024	1	46	1.04	14	0.12	< 3	1.48	0.06	0.12	< 2	3	9	3.5
56678	MOYIE 71	< 1	285	< 3	102	< .3	48	50	1123	9.86	< 2	10	< 2	< 2	33	< .2	< 3	< 3	452	3.16	0.059	4	7	2.21	48	0.39	< 3	2.98	0.06	0.29	< 2	1	< .1	< .5

Notes: Prep. Sample jaw crushed & steel milled @ ACME. Quartz wash between each sample milled.
ARIC = aqua regia digestion - ICPES
ACM = ACME Analytical, Vancouver
FAIC = Fire assay-ICP finish (15 g sample)

Moyie Sills
Correlation Coefficients
(71 samples)

0.69 - 0.90
0.50 - 0.69

x	Cu	Pb	Zn	Ni	Co	Mn	Fe*	Cr	Mg	Au	Pt	Pd	Rh
Cu	1.00												
Pb	0.23	1.00											
Zn	0.24	0.30	1.00										
Ni	0.03	-0.17	0.06	1.00									
Co	0.40	0.60	0.49	0.22	1.00								
Mn	0.43	0.37	0.79	-0.13	0.55	1.00							
Fe*	0.32	0.33	0.81	0.01	0.71	0.83	1.00						
Cr	-0.24	-0.17	0.11	0.69	-0.13	-0.14	-0.08	1.00					
Mg	-0.02	-0.06	0.45	0.72	0.25	0.25	0.41	0.67	1.00				
Au	0.50	0.39	0.19	0.12	0.45	0.14	0.21	-0.10	0.04	1.00			
Pt	-0.13	-0.11	-0.10	0.46	-0.20	-0.18	-0.20	0.61	0.42	-0.02	1.00		
Pd	-0.13	-0.06	-0.06	0.40	-0.18	-0.13	-0.17	0.57	0.36	-0.01	0.90	1.00	
Rh	-0.05	-0.03	0.05	0.34	-0.16	-0.16	-0.15	0.51	0.27	0.04	0.65	0.66	1.00

Note: half the detection limit used for samples below detection.

Moyie Sills
Samples >10ppb Pt+Pd

>30ppb Pt+Pd

	Cu	Pb	Zn	Ni	Co	Mn	Fe*	As	Cr	Mg	Au	Pt	Pd	Rh
	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppb	ppb	ppb	ppb
MOYIE 2	123	16	94	60	26	465	2.61	18	190	2.03	2	13.7	12	0.29
MOYIE 8	132	9	75	58	49	633	7.52	79	81	3.31	7	15.2	10.3	0.18
MOYIE 9	352	10	82	61	26	974	5.48	8	82	2.94	4	18.5	15.2	0.12
MOYIE 10	87	<3	81	74	41	1183	6.83	42	165	3.69	<1	9.6	7.9	<0.05
MOYIE 12	107	4	25	26	16	309	2.28	<2	24	0.65	1	15.8	17.2	<0.05
MOYIE 17	33	23	41	42	29	471	2.29	30	53	0.94	4	5.8	4.3	<0.05
MOYIE 32	90	5	23	35	13	257	1.49	4	73	0.78	2	6.3	7	0.35
MOYIE 33	84	<3	15	37	9	118	1.55	<2	126	0.33	2	5.7	6.4	<0.05
MOYIE 34	85	13	49	24	16