

K-FORDING RIVER SHA

APPENDIX III
DRILLHOLE SAMPLE
ANALYSES

i) PROXIMATE ANALYSES, FSI,
SULPHUR

FORDING RIVER OPERATIONS

SUMMARY REPORT

1984 EXPLORATION & DEVELOPMENT PROGRAM

APPENDIX 3: COAL ANALYSES

i) Proximate Analyses, Sulphur, F.S.I.

~~ii) Petrographic Analyses~~

~~iii) Fluidity and Dilatations~~

702

3a-1


**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

00 702

APPENDIX 3

DRILLHOLE SAMPLE ANALYSES


- i) Proximate Analyses, Sulphur, F.S.I., and
Calorific Value Determinations**



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
30.0	30.5	Comp	63612	0.5		30.9			4			
30.5	31.0		613	0.5		52.0			1			
					1.2	42.3	23.2	31.3	2.2	0.59		
50.0	50.5		63614	0.5		54.9			1			
137.5	138.0	Comp	63615	0.5		49.0			2			
138.0	138.5		616	0.5		50.7			1			
					0.8	50.7	25.9	22.6	1	1.14		
179.0	179.5	P/A	63617	0.5	2.5	24.0			6			
					0.6	41.2	24.3	33.4	6	0.72		
213.5	214.0	Comp	63618	0.5		45.2			5			
214.0	214.5		619	0.5		76.6			6.5			
					0.9	35.5	27.1	35.5	5	0.64		} Ro only
215.0	215.5	P/A	63620	0.5		65.0			1			
215.5	216.0		621	0.5		30.0			6.5			
					0.9	30.4	28.0	40.7	6.5	0.52		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
48.0	48.5	Campo	65780	0.5		30.7			5.5			Full Petrography
48.5	49.0		781	0.5		30.7 OIL						
49.0	49.5		782	0.5		26.9			5			
49.5	50.0		783	0.5		26.9 OIL						
50.0	50.5		784	0.5		26.9 ✓						
50.5	51.0		785	0.5		26.9 ✓						
51.0	51.5		786	0.5		26.9 ✓						
51.5	52.0		787	0.5		26.9 ✓						
52.0	52.5		788	0.5		44.2			1			
52.5	53.0		789	0.5		44.2 OIL						
53.0	53.5		790	0.5		27.1			5.5			
53.5	54.0		791	0.5		47.8			4			
54.0	54.5		792	0.5		47.8 OIL						
54.5	55.0		793	0.5		47.8 ✓						
55.0	55.5		794	0.5		47.8 ✓						
55.5	56.0	795	0.5		49.6			2.5				
56.0	56.5	796	0.5		49.6 OIL							
56.5	57.0	797	0.5		19.4			4				
57.0	57.5	798	0.5		19.4 OIL							
57.5	58.0	799	0.5		19.4 ✓							
58.0	58.5	800	0.5			NO SAMPLE						
					0.7	35.8	19.8	43.7	4.0	0.47		
67.5	68.0		801	0.5		35.8 OIL						
68.0	68.5		802	0.5		49.8			1.5			
69.0	69.5	P/AS	803	0.5	0.6	13.3	19.4	66.5	(4.0) 4.5	0.44		
69.5	70.0		804	0.5		13.3 OIL						
70.0	70.5		805	0.5		13.3 ✓						
70.5	71.0		806	0.5		51.6			2.5			
71.0	71.5		807	0.5		51.6 OIL						
78.5	79.0	Campo	808	0.5		29.1			6			
79.0	79.5		809	0.5		22.2			6.5			
79.5	80.0		810	0.5		22.2 OIL						
80.0	80.5		811	0.5		61.4			1			
					0.5	25.7	21.1	52.7	6.5	0.82		
112.0	112.5		812	0.5		36.5			5			
112.5	113.0		813	0.5		42.5			3			


HEMPETTA VALLEY



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.e.)	REMARKS	
113.0	113.5	Camp 0	63814	0.5		25.7			6 1/2			Petrography	
113.5	114.0		815	0.5		21.7			2 1/2				
114.0	114.5		816	0.5		51.2			1				
114.5	115.0		817	0.5		73.9			1				
115.0	115.5		818	0.5		71.7			1				
115.5	116.0		819	0.5		10.0			7				
116.0	116.5		820	0.5		11.3			5 1/2				
116.5	117.0		821	0.5		12.1			5				
117.0	117.5		822	0.5		30.0			1				
117.5	118.0		823	0.5		67.5			1				
118.0	118.5	824	0.5		41.1			2 1/2			Petrography		
118.5	119.0	825	0.5		72.3			1					
					0.5	36.3	17.6	45.6	3.5	0.50			
136.5	137.0	P/A	826	0.5	0.5	(5.3) 14.7	22.0	62.2	7	0.82			
137.0	137.5		827	0.5		58.8			2				
137.5	138.0		828	0.5		52.2			2				
143.0	143.5		829	0.5		47.1			2				
144.5	145.0	P/A	830	0.5		5.2 oil							Petrography
145.0	145.5		831	0.5	0.6	32.7 38.0	15.5	46.2	1	0.66			
210.5	211.0	Camp 1	832	0.5		49.9			1				
211.0	211.5		833	0.5		33.9			4 1/2				
211.5	212.0		834	0.5		25.5			1 1/2				
212.0	212.5		835	0.5		26.5			4				
						0.3	34.9	16.0	48.8	2.5	0.50		
231.5	232.0	Camp 2	836	0.5	0.7	21.8	18.2	59.3	3.0	0.41		Petrography	
232.0	232.5		837	0.5		75.7			0				
232.5	233.0		838	0.5		86.9			0				
233.0	233.5		839	0.5		28.9			1				
233.5	234.0		840	0.5		26.0			4				
234.0	234.5		841	0.5		22.5			2 1/2				
234.5	235.0		842	0.5		17.7			3				
235.0	235.5		843	0.5		15.3			3				
235.5	236.0		844	0.5		16.6			5				
236.0	236.5		845	0.5		25.2			6				
			846	0.5		65.0			1				



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
236.5m	237.0m		63846	0.5m		76.1			3			
247.0	247.5	Compa. } P/A } Petrog. }	63847	0.5		26.5			1 1/2			
247.5	248.0		848	0.5		14.2			2			
248.0	248.5		849	0.5		14.3			4			
248.5	249.0		850	0.5		14.1			6			
249.0	249.5		851	0.5		oil			6			
249.5	250.0		852	0.5		14.1			6 1/2			
250.0	250.5		853	0.5		17.1			6			
250.5	251.0		854	0.5			NO SAMPLE					
251.0	251.5	855	0.5		47.3			1				
					0.6	20.8	18.2	60.4	4.0		0.42	
					0.7	41.6	13.8	43.9	1.0		0.42	
257.0	257.5		856	0.5		38.9			1 1/2			
257.5	258.0		857	0.5		oil						

HEMIPETA VALLEY



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
33.5	34.0	Compd	63622	0.5		9.4			7 1/2			Full Petng
34.0	34.5		623			7.4			7 1/2			
34.5	35.0		624			13.1			7			
35.0	35.5		625			9.4			6 1/2			
35.5	36.0		626			17.6			5			
36.0	36.5		627			43.8			5			
36.5	37.0		628			29.6			6 1/2			
37.0	37.5		629			11.9			5 1/2			
37.5	38.0		630			10.1			6			
38.0	38.5		631			35.8			6 1/2			
38.5	39.0		632			45.2			3 1/2			
39.0	39.5	633			17.5			7				
39.5	40.0	634			46.6			4				
			622-34		0.5	22.4	22.3	54.8	6.5	0.52		
64.5	65.0	Compd	63635	0.5		45.0			1 1/2			Full Petng
65.0	65.5		636			24.8			2			
65.5	66.0		637			17.7			3			
66.0	66.5		638			14.8			5			
66.5	67.0		639			13.8			5			
67.0	67.5		640			32.2			5			
67.5	68.0		641			45.8			4 1/2			
68.0	68.5		642			44.6			5			
68.5	69.0		643			63.8			1			
69.0	69.5	644			75.2			1				
69.5	70.0	645			63.0			1				
			635-42		0.4	30.0	19.3	50.5	3 1/2	0.60		
70.5	71.0		63646	0.5		60.6			1			
72.0	72.5	Compd	63647	0.5		68.6			1			Rt not
72.5	73.0		648			59.6			1			
73.0	73.5		649			45.7			4 1/2			
73.5	74.0		650			40.5			4			
74.0	74.5		651			37.6			3			
74.5	75.0		652			37.6			4 1/2			
			649-52		0.5	40.6	18.3	40.6	4	0.64		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
75.5	76.0		63653	0.5		67.4			1			
78.0	78.5	PIA <	63654	0.5	0.5	53.0	15.2	31.2	4.5	0.52		
78.5	79.0		655	0.5		52.2			4 1/2			
						68.7			1			
94.5	95.0		63656	0.5		66.1			1			
95.5	96.0	compo	63657	0.5		56.1			1			
96.0	96.5		658	0.5		47.7			4 1/2			
96.5	97.0		659			24.0			5			
97.0	97.5		660			27.8			2			
97.5	98.0		661			58.5			1			
98.0	98.5		662			75.7			1			
			658-660		0.4	32.1	17.3	48.2	3.2	0.40		
99.0	99.5	compo	63663	0.5		50.5			5 1/2			
99.5	100.0		664			15.5			6 1/2			
100.0	100.5		665			20.2			2 1/2			
100.5	101.0		666			19.2			2			
101.0	101.5		667			48.0			4 1/2			
			663-67		0.7	26.2	19.6	53.0	4	0.46		
102.0	102.5	PIA <	63668	0.5		56.6			1			
102.5	103.0		669	0.5		40.0			1 1/2			
					0.5	40.2	16.5	42.8	1.2	0.44		
147.0	147.5		63670	0.5		78.2			0			
147.5	148.0		671	0.5		62.7			1			
148.0	148.5		672	0.5		64.0			1/2			
187.0	187.5		63673	0.5		83.2			0			
187.5	188.0		674	0.5		83.3			0			
188.0	188.5		675	0.5		70.2			1			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
189.0m	189.5m		63676	0.5m		87.2			0			
190.0	190.5		63677	0.5m		80.4			1/2			
191.0	191.5		63678	0.5m		84.6			0			
191.5	192.0		679	0.5		86.2			0			
207.5	208.0		63680	0.5		69.7			1			
208.0	208.5		681	0.5		76.6			1/2			


Note - sampling error at 692
offsets samples 0.5 m
down hole until 698



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / o. d. b.)	REMARKS	
14.0 m	14.5 m		63682	0.5m		74.3			1				
19.0	18.5		63683	1.5		60.9			1				
18.0	17.5		63684			49.4			1 1/2				
23.5	24.0		63685			83.5			0				
22.0	22.5		63686			27.7			3 1/2			} No max	
22.5	28.0		687			34.3			1 1/2				
28.0	28.5		688			48.8			1 1/2				
28.5	29.0		689			71.3			1/2				
		COMPOSITE	63686-688			0.7	37.4	14.9	47.0	2.5	0.47		✓
78.5	79.0		63690		4.0		31.5			5 1/2			} Full Petting
79.0	79.5		691				31.9			3 1/2			
79.5	80.0		692			30.1			5				
80.0	80.5		693			70.3			1				
80.5	81.0		694			38.7			1 1/2				
81.0	81.5		695			48.8			1 1/2				
81.5	82.0		696			21.6			3 1/2				
82.0	82.5		697			15.5			1/2				
82.5	83.0		698			56.1			2				
83.0	83.5		699			77.8			1/2				
		COMPOSITE	63690-697		0.6	35.2	15.5	48.7	2.0	0.50	✓		
88.5	89.0		63700	2.0		43.3			1			} No max	
89.0	89.5		63726			31.6			1				
89.5	90.0		727			32.6							
90.0	90.5		728			49.3			1 1/2				
90.5	91.0		729			54.8			1 1/2				
91.0	91.5		730		68.1								
		COMPOSITE	63700-729		0.9	38.9	14.6	46.4	1.0	0.44	✓		
94.5	95.0		730			68.4							



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
103.5	104.0		63732	0.5		70.9			5			
104.0	104.5	i }	733	0.5		44.2			7			
104.5	105.0		734	0.5		36.1			1			
105.0	105.5		735	0.5		56.9						
105.5	106.0		736	0.5		59.1			1E			
106.0	106.5		737	0.5		71.9						
106.5	107.0		738	0.5		67.9						
107.0	107.5		739	0.5		68.6						
107.5	108.0		740	0.5		59.8						
108.0	108.5	ii }	741	0.5		23.9						
108.5	109.0		742	0.5		42.8						
109.0	109.5		743	0.5		52.9						
		COMPOSITE i	63733-734	1.0	0.9	40.2	13.6	45.3	1.0	0.48		
		COMPOSITE ii	63741-742	1.0	0.9	33.9	16.9	48.3	1.0	0.53		
123.5	124.0	Composite	63744	0.5		28.7			5 1/2			
124.0	124.5		745	0.5		45.1			6 1/2			
				1.0	0.9	36.5	16.0	46.6	5.0	0.51		
178.5	179.0		63746	0.5			NO SAMPLE					
179.0	179.5		63747	0.5		14.6			1 1/2			
179.5	180.0		63748	0.5		13.2			1			
180.0	180.5		749	0.5		11.2			1			
180.5	181.0		750	0.5		19.8			1			
181.0	181.5		63703	0.5		19.2			2 1/2			
181.5	182.0		704	0.5		31.1			1			
182.0	182.5		705	0.5		15.6			1			
182.5	183.0		706	0.5		34.7			1			
183.0	183.5		707	0.5		47.9			2 1/2			
183.5	184.0		708	0.5		59.1			1			
184.5	185.0		709	0.5		18.7			1 1/2			
185.0	185.5		710	0.5		38.1			1			
185.5	186.0		711	0.5		31.7			1 1/2			
186.0	186.5		712	0.5		26.7			1 1/2			
186.5	187.0		713	0.5		44.9			3 1/2			
		Composite	63741-50 703-713	7.5	0.9	28.6	17.2	53.3	1.0	0.34		

Full Petrog.

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPER

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	VOL	P.C.	F.S.I.	S	B.T. U	REMARK	
											(Actual / S.U.)		
27.0	27.5		63714	0.5		22.5			0				
27.5	28.0	5U Compo	715	0.5	0.6	29.0			1	0.30	✓	Petrog	
28.0	28.5		716	0.5		30.0		1					
28.5	29.0		717	0.5		31.0		1					
29.0	29.5		718	0.5		16.0		1 1/2					
29.5	30.0		719	0.5		17.5		1 1/2					
30.0	30.5		720	0.5		15.0		1 1/2					
30.5	31.0		721	0.5		19.0		1 1/2					
31.0	31.5	722	0.5	22.0		3 1/2							
32.5	33.0		723	0.5	0.6	22.5	58.0	1.5					
33.0	33.5		724	0.5		25.0		0					
33.5	34.0	5L Compo	725	0.5	0.8	41.0			1	0.2	✓	Petrog	
34.0	34.5		64176	0.5		30.0		1					
34.5	35.0		64177	0.5		32.0		3 1/2					
38.0	38.5		178	0.5		34.0	47.9	1.5					
38.5	39.0		179	0.5		39.0		0					
41.0	41.5		180	0.5		78.7		0					
105.0	105.5	#4U P/A	64186	0.5	0.7	26.2		53.9	6 1/2	0.47	✓		
124.5	125.0	#4L Compo	187	0.5	0.7	17.3			2	0.46	✓	Petrog	
125.0	125.5		188	0.5		11.1		5 1/2					
125.5	126.0		189	0.5		11.6		5 1/2					
126.0	126.5		190	0.5		14.2		3					
126.5	127.0		191	0.5		17.9	14.4	66.1	3.5				5 1/2
127.0	127.5		192	0.5		65.4		1					
127.5	128.0		193	0.5		54.6		1					
128.0	128.5	194	0.5	20.2		5 1/2							
128.5	129.0	Part 4 Compo	195	0.5	0.6	16.4			4 1/2	0.44	✓	Petrog	
129.0	129.5		196	0.5		18.8		3					
129.5	130.0		197	0.5		17.2		4 1/2					
130.0	130.5		198	0.5		12.0		1					
144.5	145.0	#3 Compo	199	0.5	0.6	18.3	17.8	63.3	5.0				
145.0	145.5		64200	0.5		17.4			5				
						0.6	10.8			7			
						14.0	17.8	67.6	5.5	0.54			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPER.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	VOL. %	F.C.	F.S.I.	S.F.	B.T. U. (Actual / G.C.)	REMARKS
145.5m	146.0m		63776	0.5m		60.2			1			
152.0	152.5	Camp 0	63777	0.5m		16.2			6			
152.5	153.0		778	0.5		21.5			3/2			
153.0	153.5		779	0.5		69.2			1/2			
					0.7	20.8	16.8	61.7	4.5	0.58		
27.0	27.5		63714	0.5								
27.5	28.0		715	0.5								
28.0	28.5		716	0.5								
28.5	29.0		717	0.5								
29.0	29.5		718	0.5								
29.5	30.0		719	0.5								
30.0	30.5		720	0.5								
30.5	31.0		721	0.5								
31.0	31.5		722	0.5								
32.5	33.0		723	0.5								
33.0	33.5		724	0.5								
33.5	34.0		725	0.5								



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actu / a. d. b.)	REMARKS
25.0	25.5		60801	0.5m		58.7			1			
25.5	26.0	Compo	802	↓		77.4			1/2			
26.0	26.5		803		39.8		5					
26.5	27.0		804		39.7		6					
27.0	27.5		805		75.3		1/2					
27.5	28.0		806		84.8		0					
28.0	28.5		807		64.7		1					
28.5	29.0		808		63.4		1					
29.0	29.5		809		79.4		0					
29.5	30.0		810		79.1		0					
					60803-804		0.2	41.0	23.9	34.9	5	0.56
37.5	38.0		60811			51.9			3			
38.0	38.5		812			83.8			0			
			60813		1.1	81.8	25.8	41.3	4 1/2	0.56	✓	
50.0	50.5	PIA	814	↓		63.2			1/2			
50.5	51.0		815		57.2		1/2					
51.0	51.5		816		31.4		1 5/8					
51.5	52.0		817		58.0		1					
52.0	52.5		818		77.0		1/2					
52.5	53.0		819		65.9		3/4					
53.0	53.5		820		63.8		1					
					60820		1.1	43.6	21.8	33.5	4	0.48
97.0	97.5	RA	821	↓		33.9			6			
97.5	98.0		822		69.4		1					
98.0	98.5		823		56.2		1					
98.5	99.0	Compo	824		42.5		1 1/2					
99.0	99.5		825		51.6		2 1/2					
99.5	100.0		826		26.1		3 1/2					
100.0	100.5		827		34.6		2 1/2					
100.5	101.0		828		63.8		1					
101.0	101.5		829		28.9		5 1/2					
101.5	102.0		830		64.5		1					
102.0	102.5		831	82.8		0						
			60823-828		1.0	42.2	22.5	34.3	2	0.53	✓	
			60831		0.9	46.6	19.4	33.1	3 1/2	0.44	•	
108.5	109.0	PIA	32	↓		67.6			1			
109.0	109.5		33		45.3		4 1/2					
109.5	110.0				78.1		1					

Ro ONLY

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
110.0	110.5		60834	0.5m		80.8			0			
110.5	111.0		835			81.5			0			
111.0	111.5		836			72.1			1			
111.5	112.0	Compa	837			29.3			2			
112.0	112.5		838			36.3			2			
112.5	113.0		839			20.8			6½			
113.0	113.5		840			56.5			2			
113.5	114.0		841			84.9			0			
		J	60837-839		1.0	27.8	26.0	45.2	3	0.42		
115.5	116.0	Compa	60842			30.0			5½			
116.0	116.5		843			21.9			6½			
116.5	117.0		844			46.6			3½			
					0.9	32.4	23.6	43.1	5	0.61		
131.5	132.0	Compa	60845			49.5			3			
132.0	132.5		846			12.4			7½			
132.5	133.0		847			41.6			6½			
133.0	133.5		848			31.2			6½			
133.5	134.0		849			45.8			6			
					0.9	39.1	27.8	33.2	5½	2.35 +		
					0.7	43.3	18.5	37.5	2½	0.54		
157.0	157.5	PIA	60850			42.3			3			
157.5	158.0		851			73.8			1			
158.0	158.5		852			75.0			1			
158.5	159.0		853			82.2			0			
159.0	159.5	Compa	854			57.2			2			
159.5	160.0		855			52.3			3½			
160.0	160.5	Compa	856			70.8			1			
160.5	161.0		857			57.0			2½			
161.0	161.5		858			55.1			2			
161.5	162.0		859			60.2			2			
			60854-855		0.9	55.6	18.5	25.0	2½	0.81		
			60857-859		0.9	56.8	16.6	25.7	1½	0.71		
169.5	170.0	Compa	60860			28.8			6			
170.0	170.5		861			16.6			6½			
170.5	171.0		862			54.0			2½			
						1.0	32.8	23.4	42.8	5	0.59	

ROTARY DRILL HOLE SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C. /	F.S.I.	S	D. T. U. (Actual / a. d. b.)	REMARKS
173.0	173.5		60863	0.5m		50.1			3			
173.5	174.0		664				56.8			1 1/2		
183.0	183.5		60865			66.4			1			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS	
10.5	11.0		60876	0.5m		60.0			1				
11.0	11.5	Compo	877	}		50.5			2 1/2				
11.5	12.0		878				42.0			4 1/2			
							1.0	46.9	19.9	32.2	2 1/2	0.59	•
					1.1	25.4	28.1	45.4	6	0.61	•		
21.0	21.5	K Compo	60879	}		73.8			5			} Ro ONLY	
21.5	22.0		880				7.2			7			
22.0	22.5		881				50.2			3 1/2			
22.5	23.0		882				68.1			1			
23.0	23.5		883				70.6			1			
23.5	24.0		884				72.9			1			
24.0	24.5		885				68.1			1			
							1.0	19.6	29.6	49.8	6 1/2		0.78
47.0	47.5	PIA	60886	<		19.5			6 1/2				
47.5	48.0		887				76.9			0			
					1.1	40.4	21.6	36.9	3	0.51	•		
62.5	63.0	PIA	60888	<		38.8			4				
63.0	63.5		889				59.7			1			
63.5	64.0		890				70.9			1			
64.0	64.5		891				42.8			1 1/2			
64.5	65.0		892				26.3			6			
65.0	65.5		893				52.7			1 1/2			
65.5	66.0		894				40.7			5 1/2			
66.0	66.5		895				62.1			2			
					1.0	42.0	20.8	36.2	3 1/2	0.55	•		
					1.0	20.9	27.6	50.5	7	0.68	•		
79.0	79.5	Jc Compo	60896	<		32.9			6				
79.5	80.0		897				10.2			6 1/2			
80.0	80.5		898				65.8			1			
80.5	81.0		899				67.6			1			
					0.9	34.6	21.0	43.5	5	0.58	•		
100.0	100.5	Ji PIA	60900	<		33.5			4 1/2				
100.5	101.0		901				88.4			0			
110.0	110.5		60902			74.7			1				

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
121.0	121.5		60903	0.5m		74.8			1/2			
121.5	122.0		904			74.5			1/2			
122.0	122.5		905			69.0			1			
122.5	123.0		906			58.8			1 1/2			
123.0	123.5	I compo	907	}		16.4			7 1/2			} No ONLY
123.5	124.0		908			34.9			6			
124.0	124.5		909			18.9			7			
124.5	125.0		910			11.5			7			
125.0	125.5		911			74.2			1/2			
							1.0	21.9	26.9	50.2	7 1/2	
137.5	138.0	P/A	60912			53.9			3			
					0.9	54.6	18.6	26.9	2 1/2	0.46	✓	•
152.0	152.5	compo	60913	}		61.6			2			
152.5	153.0		914			77.6			1			
					0.9	71.7	12.8	14.6	1	0.34	✓	•
166.0	166.5	compo	60915	}		39.2			3			
166.5	167.0		916			34.8			5			
					0.8	38.7	21.5	39.0	3 1/2	0.52	✓	•
					0.8	27.4	25.6	46.2	6 1/2	0.48	✓	•
186.5	187.0	compo	60917	}		50.8			2			
187.0	187.5		918			17.2			7			
187.5	188.0		919			18.6			6 1/2			
188.0	188.5		920			12.1			7			
188.5	190.0		921			36.0			6 1/2			
190.0	190.5		922			74.8			1			
208.0	208.5	compo	60923	}		40.4			6			
208.5	209.0		924			21.6			6 1/2			
209.0	209.5		925			31.0			6 1/2			
209.5	210.0		926			25.7			6			
210.0	210.5		927			19.4			6 1/2			
210.5	211.0		928			11.8			7			
211.0	211.5		929			8.3			7 1/2			
211.5	212.0		930			14.8			6 1/2			
212.0	212.5		931			15.6			7			
212.5	213.0		932			11.8			6 1/2			
213.0	213.5		933			11.2			6 1/2			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS	
213.5	214.0	compo { ↑ ↓	60934	0.5m		7.6			7			{ RO ONLY	
214.0	214.5		935			9.9			7				
214.5	215.0		936			14.0			7				
215.0	215.5		937			18.7			6½				
215.5	216.0		938			12.1			6½				
216.0	216.5		939			10.1			7				
216.5	217.0		940			12.8			7				
217.0	217.5		941			9.4			7				
217.5	218.0	942			56.9			3½					
			60923-60942		0.6	18.7	26.2	54.5	6½	0.37			
223.0	223.5	compo {	60943	{		23.0			6				
223.5	224.0		944				14.7			6½			
224.0	224.5		945				31.5			6			
224.5	225.0		946				43.3			5½			
					0.7	28.2	23.5	47.6	6½	0.47			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / e. d. b.)	REMARKS
50.5	51.0		62481	0.5m		76.3			0			
51.0	51.5		482			81.8			0			
59.5	60.0		483			63.9			1 1/2			
60.0	60.5		484			85.8			0			
87.0	87.5		62485		0.9	41.2	77.2	35.7	4 1/4	0.29	✓	
87.5	88.0	comp	486	}		11.8			7 1/2			} P NO ONLY
88.0	88.5		487				86.6			0		
88.5	89.0		488				14.8			7		
89.0	89.5		489				20.0			7 1/2		
89.5	90.0		490				64.4			1		
90.0	90.5		491				40.5			6 1/2		
95.0	95.5	PIA <	62492	}	0.8	19.4	26.2	53.6	6 1/2	0.78	•	
95.5	96.0		493				19.3			7		
98.0	98.5		62494			67.4			1			
101.5	102.0	comp < #?	62495	}	0.8	30.6	24.0	44.6	6 1/2	0.74	•	
102.0	102.5		496				18.2			7		
102.5	103.0		497				38.5			5 1/2		
114.5	115.0		62498			68.1			1			
115.0	115.5		499			82.1			0			
125.5	126.0	comp < L?	62500	}	0.9	52.1	18.2	28.8	2 1/2	0.59	1	
126.0	126.5		60751				100.0			1		
126.5	127.0		752				34.7			4 1/2		
127.0	127.5		753				72.4			1		
127.5	128.0		754				48.8			4 1/2		
137.5	138.0		60755			60.3			1 1/2			
						83.8			0			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
143.0	143.5	compo	60756	0.5m		22.6			6 1/2			
143.5	144.0		757		17.3			7 1/2				
144.0	144.5		758		31.2			7 1/2				
144.5	145.0		759		70.3			1				
145.0	145.5		760		81.5			1				
145.5	146.0		761		63.9			1 1/2				
					1.1	23.4	28.9	46.6	7	0.69		
					1.2	17.4	29.2	52.2	7	0.64		
149.5	150.0	compo	60762			17.4			7 1/2			} R ₀ ONLY
150.0	150.5		763		8.5			7 1/2				
150.5	151.0		764		8.5			8				
151.0	151.5		765		35.3			6 1/2				
151.5	152.0		766		58.9			3				
152.0	152.5		767		63.2			2 1/2				
					1.1	28.2	28.1	42.6	6 1/2	0.60		
189.5	190.0	compo	60768			33.8			6			} R ₀ ONLY
190.0	190.5		769		20.8			6 1/2				
190.5	191.0		770		76.3			1				
					1.1	23.6	25.4	49.9	7	0.58		
218.0	218.5	compo	60771			36.5			6 1/2			} R ₀ ONLY
218.5	219.0		772		27.8			6 1/2				
219.0	219.5		773		16.4			7				
219.5	220.0		774		14.3			7				
220.0	220.5		775		14.0			7				
220.5	221.0		776		31.1			6				
221.0	221.5	777	70.4			1						
					1.2	48.6	19.7	80.5	4	0.39		
222.5	223.0	compo	60778			38.3			6			} R ₀ ONLY
223.0	223.5		779		71.8			1				
223.5	224.0		780		31.1			6 1/2				
244.5	245.0	compo	60781			43.5			5 1/2			} R ₀ ONLY
245.0	245.5		782		37.5			3 1/2				
245.5	246.0		783		24.7			5 1/2				
246.0	246.5		784		26.4			3 1/2				
246.5	247.0		785		17.2			3 1/2				
247.0	247.5		786		12.3			4 1/2				



ROTARY DRILL HOLE SAMPLING RECORD


FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / o. d. b.)	REMARKS
247.5	248.0	}	60787	0.5m		14.0			6 1/2			}
248.0	248.5		788		51.2			3				
248.5	249.0		-789		75.8			1				
249.0	249.5		790		76.7			1/2				
			comp		60791-793	1.2	28.4	21.3	49.1	4	0.39 ✓	
				1.0	43.8	19.2	35.9	6	0.53 ✓			
255.5	256.0	comp {	60791	}		44.4			4 1/2			
256.0	256.5		792		38.0			5 1/2				
256.5	257.0		793		30.6			4				
257.0	257.5		794		72.2			1				
				1.0	46.3	18.2	34.5	3	0.43 ✓			
259.5	260.0	comp {	60795	}		47.2			2			
260.0	260.5		796		47.1			4 1/2				
260.5	261.0		797				NO SAMPLE					
261.0	261.5		798		59.5			1 1/2				

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
5.0	5.5	Lu	P/A < 62435	0.5		37.0			1 1/2			
					1.0	36.8	25.0	37.2	1 1/2	0.72	✓	
10.0	10.5	L	comp { 62436	0.5		22.0			6 1/2			Full Petrography Dilute Fluidity
10.5	11.0			0.5		7.0			7 1/2			
11.0	11.5			0.5		38.5			6 1/2			
					1.2	22.2	32.1	44.5	7	0.95	✓	
15.0	15.5		62439	0.5		79.2			0			
34.5	35.0	KM ²	comp { 62440	0.5	1.0	28.2	24.5	46.3	3 1/2	0.71	✓	
35.0	35.5			0.5		28.4			3 1/2			
35.5	36.0			0.5		26.3			5			
						69.0	No	SAMPLE	4.1			
36.5	37.0		P/A < 62443	0.5	0.7	41.3	23.6	34.4	4 1/2	0.53	✓	
37.0	37.5		444	0.5		40.5			5			
37.5	38.0		445	0.5		79.6			0			
						76.8			1			
66.5	67.0		62446	0.5		79.5			0			
73.5	74.0	K	comp { 62447	0.5	0.9	23.5	29.5	45.7	6 1/2	0.53	✓	Full Petrography Dilute Fluidity
74.0	74.5			0.5		18.4			6			
74.5	75.0			0.5		17.6			7			
75.0	75.5			0.5		36.9			6 1/2			
						64.8			1			
131	131.5		comp { 62451	0.5		37.7			6 1/2			
132.5	132.0			62452	0.5		51.0			3		
133.5	134.0	J3	comp { 62453	0.5	0.9	44.6	20.4	34.1	4	0.37	✓	Petrography Dilute Fluidity
134.0	134.5			0.5		25.1			4			
134.5	135.0			0.5		35.4			5 1/2			
135.0	135.5			0.5		50.0			4			
					0.7	41.8			4 1/2			
						37.5	22.7	39.1	4	0.56	•	



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH m	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
157.0	157.5	J ₂	62457	0.5		32.8			6			} Petrography } Thin } Fluidity
157.5	158.0		62458			31.1			7			
158.0	158.5		62459			16.3			6 1/2			
158.5	159.0		62460			69.5			1			
159.5	160.0	comp	62461	0.5	0.8	26.9	25.4	46.9	6 1/2	0.67	✓	
160.0	160.5		62462			31.5			6 1/2			
160.5	161.0		62463			24.9			7			
					0.6	27.5	25.6	46.3	6 1/2	0.61	✓	
162.0	162.5	J ₂	62464	0.5		33.1			6 1/2			
162.5	163.0		62465	0.5		32.3			5			
163.0	163.5		62466	0.5		45.3			5			
					0.5	36.0	25.5	38.0	4 1/2	1.20	✓	
197.0	197.5	J ₂	62467	0.5		49.0			3 1/2			} Petrography } Thin + } Fluidity
197.5	198.0		469			37.6			5			
198.0	198.5		469			45.4			3 1/2			
198.5	199.0		470			34.3			5 1/2			
199.0	199.5		471			42.8			3 1/2			
199.5	200.0		472			33.4			6			
200.0	200.5		473			40.6			3			
200.5	201.0		474			26.8			5 1/2			
201.0	201.5	62475	0.5		50.1			2 1/2				
					0.8	40.1	23.2	35.9	3 1/2	0.92	✓	
204.5	205.0	I	62476	0.5		38.7			5			} Petrography } Thin + } Fluidity
205.0	205.5		62477	0.5		22.7			4 1/2			
205.5	206.0		62478	0.5		16.9			7			
206.0	206.5		62479	0.5		15.1			7 1/2			
206.5	207.0		62480	0.5		36.4			4			
					0.8	26.1	25.0	48.1	6	0.49		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
41.5	42.0		60560	0.5m		14.4			1			} No ONLY
42.0	42.5		561			22.6			5½			
42.5	43.0		562			31.8			3			
43.0	43.5		563			12.4			5½			
43.5	44.0		564			65.0			1			
					1.2	21.9	27.2	49.7	4½	0.53	•	
81.5	82.0		60565			-	NO SAMPLE		-			
					1.2	23.4	27.8	47.6	6½	0.55	•	
93.0	93.5	comps	60566			20.8			7			} No ONLY
93.5	94.0		567		15.2		6					
94.0	94.5		568		11.6		7					
94.5	95.0		569		45.8		2½					
95.0	95.5		570		83.2		0					
95.5	96.0		571		65.0		1					
96.0	96.5		572		75.8		½					
150.0	150.5	comp	60573			20.2			6			
150.5	151.0		574		17.0		7					
					1.1	19.5	27.5	51.9	6	0.54	•	
152.0	152.5	comp	60575			22.4			2½			
152.5	153.0		576		20.9		6					
					1.1	22.4	27.2	49.3	4	0.58	•	
177.5	178.0	comp	60577			22.0			6			
178.0	178.5		578		11.8		7					
					1.0	17.5	23.8	52.7	7	0.63	•	
188.0	188.5	PIA	60579			37.8			5½			
					1.1	31.8	23.0	38.1	6	0.55	•	
203.5	204.0		60580			59.4			1			
220.5	221.0	comps	60581		1.0	21.0	27.4	50.6	6½	0.53	•	
221.0	221.5		582		27.2		5½					
221.5	222.0		583		15.0		7					
222.0	222.5		584		20.6		7					
						68.0			1			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
				0.5m								
223.0	223.5	comps	60585	}		36.0		5				
223.5	224.0		586		20.2	6½						
224.0	224.5		587		26.8	6						
224.5	225.0		588		12.8	7						
225.0	225.5		589		44.2	4½						
					1.0	30.4	26.4	42.2	5½	0.58		
228.0	228.5	comps	60590	}		12.2		7				
228.5	229.0		591		10.0	6½						
229.0	229.5		592		10.0	7						
229.5	230.0		593		11.2	7½						
230.0	230.5		594		6.0	7						
230.5	231.0		595		15.0	7½						
231.0	231.5	596	62.0	1½								
					1.2	11.2	29.9	47.7	7½	0.51		
242.0	242.5	comps	60597	}		27.6		6½				
242.5	243.0		598		20.6	6						
243.0	243.5		599		35.9	4½						
					1.3	26.8	22.9	49.1	5½	0.41		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS		
17.5 18.0	18.0 18.5		60947 948	0.5m		54.8 79.7			1 0					
22.0 22.5	22.5 23.0	M. "late compaction" compo	60949 950	}		23.3 -			6 -					
23.0 23.5	23.5 24.0		60501 502				27.6 29.3			5 6				
24.0 24.5	24.5 25.0		503 504				74.4 24.8			0 6				
24.5 25.0	25.0 25.5		505				61.2			1 1/2				
40.5 41.0	41.0 41.5		L compo		60506 507	}		42.3 39.1			3 1/2 5			
41.0 41.5	41.5 42.0				508				-			-		
		60506-507		1.2			41.4	22.6	34.8	3 1/2	0.58			
58.5 59.0	59.0 59.5	K compo	60509 510	}		30.5 18.4			1 3/4 6			} Ro ONLY		
59.0 59.5	59.5 60.0		511				68.3			1				
59.5 60.0	60.0 60.5		512				50.3			2				
60.0 60.5	60.5 61.0		513				55.4			1 1/2				
			60509-512		1.0		40.6	21.3	37.1	3 1/2	0.59			
95	95.5	60514 TAG MISSING. - NO SAMPLE - PIA	60515 60515			57.4 61.6			2 1/2 2					
105.5 106.0	106.0 106.5	K compo	60516 517	}		7.6 9.8			7 6 1/2			} Ro ONLY		
106.0 106.5	106.5 107.0		518				12.1			6 1/2				
107.0 107.5	107.5 108.0		519				6.4			7				
107.5 108.0	108.0 108.5		520				7.7			7				
108.0 108.5	108.5 109.0		521				37.3			6				
108.5 109.0	109.0 109.5		522				32.8			6 1/2				
109.0 109.5	109.5 110.0		523				70.9			1				
			60516-522		1.3		17.8	30.4	50.5	6 1/2	0.55			
131.5 132.0	132.0 132.5	PIA	60524 60524			38.3 39.1			4 1/2 3 1/2					

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
152.5	153.0	Comp	60525	0.5m		8.2			7			Ro ONLY
153.0	153.5		526				16.3			6 1/2		
			60525-526		1.3	11.9	30.9	55.9	7	0.64	•	
154.5	155.0	Comp	60527			15.1			4 1/2			
155.0	155.5		528				8.4			6 1/2		
			60527-528		1.2	12.0	30.4	56.4	5	0.70	•	
184.0	184.5	Comp	60529			27.3			5			
184.5	185.0		530				19.7			7		
			60529-530		1.0	24.9	25.4	48.7	6	0.63	•	
185.5	186.0	Comp	60531			40.5			5 1/2			Ro ONLY
186.0	186.5		532				11.9			7		
186.5	187.0		533				29.4			6 1/2		
			60531-533		1.3	27.9	24.7	46.1	6 1/2	0.64	•	
191.5	192.0	Comp	60534			12.3			6 1/2			
192.0	192.5		535				50.1			4		
			60534-535		1.2	31.3	26.4	41.1	5 1/2	0.61	•	
193.0	193.5	Comp	60536			10.0			7			
193.5	194.0		537				41.0			5 1/2		
			60536-537		1.2	26.4	25.4	47.0	6 1/2	0.76	•	
204.5	205.0	P/A	60538			27.6			4 1/2			
205.0	205.5		539				65.4			1		
			60538		0.9	28.4	19.4	51.3	4	0.75	•	
222.0	222.5	Comp	60540			14.3			6 1/2			
222.5	223.0		541				11.4			6 1/2		
223.0	223.5		542			72.6			1			
			60540-541		1.2	13.1	29.3	56.4	6 1/2	0.82	•	
224.5	225.0	Comp	60543			21.4			6 1/2			Ro ONLY
225.0	225.5		544				24.4			6 1/2		
225.5	226.0		545				21.9			6 1/2		
226.0	226.5		546				15.4			6 1/2		
226.5	227.0		547				16.1			6 1/2		
227.0	227.5		548				26.9			5 1/2		
			60543-548		1.2	22.1	27.0	49.7	6 1/2	0.54	•	

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / d.d.b.)	REMARKS
236.5	237.0	Compa	60549	0.5m		40.6			5			Ro ONLY
237.0	237.5		550		16.7			6				
237.5	238.0		551		8.5			6½				
238.0	238.5		552		16.5			5				
238.5	239.0		553		14.7			7				
239.0	239.5		554		14.6			7				
239.5	240.0		555		4.9			6				
240.0	240.5		556		38.9			6				
240.5	241.0		557		43.4			4½				
241.0	241.5		558		37.9			4½				
241.5	242.0	559		37.4			5					
			60549-559		1.3	25.1	25.2	48.4	6	0.54		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
10.0	10.5		63538	0.5		7.2			7			
9.5	10.0		539	0.5		40.6			4 1/2			
9.0	9.5		540	0.5			NO SAMPLE					
32.0	32.5		541	0.5			NO SAMPLE					
32.5	33.0	P/A C	542	0.5		30.9			3 1/2			
37.0	37.5		543	0.5		68.0			0			
38.0	38.5		544	0.5	1.0	31.2	271	45.7	3 1/2	0.60	✓	
			545	0.5		25.0			6 1/2			
43.0	43.5	14 u Compo	546	0.5		13.9			7			
44.0	44.5		547	0.5		29.3			6 1/2			
44.5	45.0		548	0.5		47.0			4 1/2			
45.0	45.5		549	0.5		45.9			6			
45.5	46.0		550	0.5		20.7			7			
46.0	46.5		551	0.5		13.6			7 1/2			
46.5	47.0		552	0.5		75.1			1			
				546-51		0.9	29.0	25.2	44.9	6 1/2	0.60	✓
51.5	52.0		63553	0.5		51.3			1			
55.5	56.0		63554	0.5		59.5			1/2			
56.5	57.0		555	0.5		63.8			1/2			
60.0	60.5	P/A C	556	0.5		47.6			1			
65.0	65.5		557	0.5	0.8	47.4	20.3	31.5	1	0.64	✓	
65.5	66.0	Compo	558	0.5		20.1			3 1/2			
80.5	81.0		559	0.5	0.7	42.1	23.3	45.5	3 1/2	0.68	✓	
		P/A C	560	0.5		30.5			3			
113.5	114.0		561	0.5	0.7	47.5	20.4	31.2	4	0.48	✓	
114.0	114.5		562	0.5		47.7			4			
114.5	115.0		563	0.5		33.9			4 1/2			
115.0	115.5		564	0.5		19.5			5 1/2			
115.5	116.0		564	0.5		19.8			7 1/2			
						14.7			7			
						13.0			7			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
116.0	116.5	Compo	63565	0.5		44.9			5			
116.5	117.0		566	0.5		37.2			5 1/2			
117.0	117.5		567	0.5		11.4			7			
117.5	118.0		568	0.5		15.9			7 1/2			
118.0	118.5		569	0.5		30.3			7			
118.5	119.0		570	0.5		53.6			3			
119.0	119.5		571	0.5		18.1			7 1/2			
119.5	120.0		572	0.5		65.7			1			
120.0	120.5		573	0.5		22.6			6 1/2			
120.5	121.0		574	0.5		32.4			6			
121.0	121.5		575	0.5		45.4			4			
121.5	122.0		576	0.5		24.9			6 1/2			
122.0	122.5		577	0.5			NO SAMPLE					
			560-76		0.7	29.4	23.0	46.9	5 1/2	0.46		✓
157.5	158.0	Compo	63578	0.5		6.2			7 1/2			
158.0	158.5		579	0.5		5.6			8			
158.5	159.0		580	0.5		9.2			7			
159.0	159.5		581	0.5		8.8			7			
159.5	160.0		582	0.5		52.1			1 1/2			
160.0	160.5		583	0.5		38.6			4 1/2			
160.5	161.0		584	0.5				NO SAMPLE				
161.0	161.5		585	0.5		25.3			6 1/2			
161.5	162.0		586	0.5				NO SAMPLE				
162.0	162.5		587	0.5		46.2			4 1/2			
162.5	163.0	588	0.5		64.3			1				
163.0	163.5	589	0.5		59.2			2 1/2				
			578-87		0.4	24.5	23.4	51.9	6	0.58		✓
185.5	186.0	Compo	63591	0.5		7.3			7 1/2			
186.0	186.5		592	0.5		19.0			7			
186.5	187.0		593	0.5		11.3			6 1/2			
187.0	187.5		594	0.5		60.5			1			
187.5	188.0		595	0.5		59.2			1			
188.0	188.5		596	0.5		67.1			1			
			591-93		1.8	12.2	26.1	59.9	6 1/2	0.56		✓



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
198.0	198.5		63597	0.5		42.0			4 1/2			
198.5	199.0		598	0.5		24.8			5			
199.0	199.5		599	0.5		27.1			2 1/2			
199.5	200.0		600	0.5		11.3			6 1/2			
200.0	200.5		601	0.5		17.4			6 1/2			
200.5	201.0		602	0.5		32.2			6			
201.0	201.5	Compd	603	0.5		28.4			6 1/2			
201.5	202.0		604	0.5		52.8			3 1/2			
202.0	202.5		605	0.5		41.9			5			
202.5	203.0		606	0.5		13.7			7 1/2			
203.0	203.5		607	0.5		15.6			7			
203.5	204.0		608	0.5		50.1			4 1/2			
204.0	204.5		609	0.5		29.7			6 1/2			
204.5	205.0		610	0.5		61.0			1			
205.0	205.5		611	0.5		-	NO SAMPLE		-			
			597-609		0.6	30.3	20.5	48.6	5 1/2	0.68		




COAL MINE

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
0.0	1.5		63501	0.5m		30.3			0			
47.0	47.5		63502	0.5		27.0			5 1/2			
47.5	48.0		503	0.5		27.1			6 1/2			
48.5	49.0	COMPOSITE	63502-503	1.0	1.0	26.8	24.6	47.6	6.0	0.75		
49.0	49.5		63504	0.5		15.9			7			
49.5	50.0		505	0.5		30.9			6 1/2			
50.0	50.5		506	0.5		5.8			7			
50.5	51.0		507	0.5		8.2			7 1/2			
51.0	51.5		508	0.5		-	NO SAMPLE		-			
51.5	52.0		509	0.5		45.3			4 1/2			
52.0	52.5		510	0.5		74.9			1			
			511	0.5		62.1			1			
		COMPOSITE	63504-509	3.0	1.0	27.1	26.8	50.5	7.0	0.59		
72.0	72.5		63512	0.5		74.2			1/2			
72.5	73.0		513	0.5		71.9			3/4			
119.5	120.0		63514-516	1.5	0.9	24.6	22.4	52.1	6.5	0.90		
120.0	120.5	COMPOSITE	63514	0.5		24.2			7			
120.5	121.0		515	0.5		18.4			7 1/2			
126.5	127.0		516	0.5		29.3			4			
127.0	127.5	COMPOSITE	517	0.5		45.2			3 1/2			
127.5	128.0		518	0.5		52.3			3 1/2			
128.0	128.5		519	0.5		52.4			4 1/2			
			520	0.5		72.9			1			
129.0	129.5	COMPOSITE	63519-519	1.5	0.7	51.0	17.6	30.7	3.0	0.65		
129.5	130.0		63521	0.5		15.4			5			
130.0	130.5		522	0.5		13.3			6 1/2			
130.5	131.0		523	0.5		17.3			6 1/2			
131.0	131.5		524	0.5		13.0			6 1/2			
131.5	132.0		525	0.5		19.5			6 1/2			
132.0	132.5		526	0.5		34.4			6 1/2			
132.5	133.0		527	0.5		42.2			4			
133.0	133.5		528	0.5		16.9			4 1/2			
		COMPOSITE	63521-529	4.5	1.0	22.8	25.6	50.6	6.5	0.45		



ROTARY DRILL HOLE SAMPLING RECORD


FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH IN FEET	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
163.0	163.5		63530	0.5		56.5			6			
163.5	164.0		531	0.5		16.9			7			
164.0	164.5		532	0.5		14.1			7			
164.5	165.0		533	0.5		45.4			5 1/2			
		COMPOSITE	63530-533	2.0	1.1	25.0	24.7	49.2	7.0	0.45		
169.0	169.5		63534	0.5		17.5			7 1/2			
169.5	170.0		535	0.5		17.7			6			
170.0	170.5		536	0.5		13.8			7 1/2			
170.5	171.0		537	0.5		52.1			4 1/2			
		COMPOSITE	63534	2.0	1.3	28.0	23.3	47.4	6.8	0.80		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
56.5	57.0		60726	0.5m		45.2			1½			
101.5	102.0	20 PIA	60727	0.5m	1.1	46.6	22.0	30.0	1	0.53		
197.5	198.0	compo	60728	0.5m		30.7			4½			
198.0	198.5		729	0.5m		30.7			6½			
198.5	199.0		730	0.5m	1.0	31.7	26.5	40.8	7	0.84		
229.0	229.5	15 SEAM	731	0.5m		20.2			7			
229.5	230.0		732	0.5m		44.8			4½			
230.0	230.5		733	0.5m		9.2			7			
230.5	231.0		734	0.5m		6.0			7			
231.0	231.5		735	0.5m		7.4			7½			
231.5	232.0		736	0.5m		8.7			6½			
232.0	232.5		737	0.5m		12.3			6½			
232.5	233.0		738	0.5m		12.8			6½			
233.0	233.5		739	0.5m		17.1			6½			
233.5	234.0		740	0.5m		23.8			6½			
234.0	234.5		741	0.5m		16.2			6½			
234.5	235.0		742	0.5m		22.6			6½			
235.0	235.5		743	0.5m		24.9			6			
235.5	236.0		744	0.5m		20.7			6½			
243.5	244.0	15L compo	745	0.5m	1.0	18.2	28.8	52.0	7	0.32		
244.0	244.5	746	0.5m		42.9				3			
			746	0.5m	0.9	45.0	20.1	34.0	2½	0.50		
278.5	279.0	14u	60747	0.5m		23.6			6½			
279.0	279.5		748	0.5m		12.2			7			
279.5	280.0		749	0.5m		27.8			6½			
280.0	280.5		750	0.5m		16.5			7			
280.5	281.0		951	0.5m		17.6			7			
281.0	281.5	952	0.5m		22.2			7				
					0.9	20.0	27.3	51.8	7	0.56		
302.5	308.0	14 PIA	60953	0.5m		37.5			6½			
308.0	308.5	954	0.5m		59.1				1½			
					0.7	37.8	21.3	40.2	6	0.68		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPEN

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMA
313.5	314.0	14 (pt) Compa	60955	0.5m		30.0			6 1/2			
314.0	314.5		956	0.5m		38.0			5			
314.5	315.0		957	0.5m		48.5			2 1/2			
					0.8	38.9	21.3	39.0	4 1/2	0.63		
326.0	326.5	Compa	60958	0.5m		49.9			1			
326.5	327.0		959	0.5m		17.1			7			
327.0	327.5		960	0.5m		64.0	22.1		1 1/2			
					0.8	38.9	22.4	43.4	4 1/2	0.64		
334.5	335.0	14 Compa	60961	0.5m		37.5			4			
335.0	335.5		962	0.5m		18.0			7			
					0.7	28.5	23.7	47.1	6	0.70		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / d.d.b.)	REMARKS
53.0	53.5		63878	0.5		NO SAMPLE						
53.5	54.0		879	0.5		53.0			0			
137.0	137.5		880	0.5		63.9			0			
137.5	138.0		881	0.5		57.9			0			
160.0	160.5	Compo	882	0.5		11.8			5			
160.5	161.0		883	0.5			CONTAMINATED					
161.0	161.5		884	0.5		6.6			5 1/2			
161.5	162.0		885	0.5			NO SAMPLE					
162.0	162.5		886	0.5		3.7			1 1/2			
162.5	163.0		887	0.5			CONTAMINATED					
163.0	163.5		888	0.5		10.5			1 1/2			
163.5	164.0		889	0.5		2.8			7			
164.0	164.5		890	0.5			CONTAMINATED					
164.5	165.0		891	0.5		4.2			5			
165.0	165.5		892	0.5		34.4			14			
165.5	166.0		893	0.5		21.5			3			
166.0	166.5		894	0.5		9.0			7			
166.5	167.0		895	0.5			NO SAMPLE					
167.0	167.5		896	0.5		26.9			4 1/2			
167.5	168.0	897	0.5		62.2			1				
168.0	168.5	898	0.5		43.8			1				
168.5	169.0	899	0.5		9.6			7				
169.5	170.0	882-99			0.6	14.8	27.1	53.5	4	0.34		
170.0	170.5	900	0.5			3.3			6 1/2			
170.5	171.0	901	0.5				NO SAMPLE					
		902	0.5		0.7	68.6	31.4	64.5	1	0.38		
						5.4			6 1/2			
194.0	194.5	Compo	903	0.5			CONTAMINATED					
194.5	195.0		904	0.5		17.6			5 1/2			
195.0	195.5		905	0.5		14.5			3			
195.5	196.0		906	0.5			CONTAMINATED					
196.0	196.5		907	0.5			"	"				
196.5	197.0	908	0.5			20.7			7			
		10408			1.6	17.7	25.6	55.1	5	0.62		

AREA - EAGLE PIT

PAGE NO. 1 of 2

HOLE NO. RH-1936



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
18.5	19.0		64601	0.5		63.0			1			
19.0	19.5		602	0.5		10.3			1/2			
28.0	28.5	comp	64603	0.5		22.1			4 1/2			
28.5	29.0		604	0.5		48.2			2 1/2			
					0.8	34.4	18.0	46.8	2.5	0.66		
85.5	86.0	comp	64605	0.5		15.3			4			
86.0	86.5		606	0.5		15.2			6 1/2			
86.5	87.0		607	0.5		8.2			6 1/2			
87.0	87.5		608	0.5		13.6			7 1/2			
87.5	88.0		609	0.5		48.1			2			
88.0	88.5		610	0.5		60.7			1			
88.5	89.0		611	0.5		17.9			6			
89.0	89.5		612	0.5		35.0			6 1/2			
89.5	90.0		613	0.5		22.0			6 1/2			
90.0	90.5		614	0.5		6.2			6			
90.5	91.0		615	0.5		12.7			6			
91.0	91.5		616	0.5		19.6			5 1/2			
91.5	92.0		617	0.5		10.5			7			
92.0	92.5		618	0.5		34.4			4 1/2			
92.5	93.0		619	0.5		33.5			3 1/2			
93.0	93.5	620	0.5		14.1			3				
93.5	94.0	621	0.5		8.8			5 1/2				
94.5	95.0	comp	64622	0.5	0.9	21.9	21.2	56.0	6.5	0.32		
95.0	95.5		623	0.5		7.4			7			
95.5	96.0		624	0.5		37.3			6			
96.0	96.5		625	0.5		55.5			3 1/2			
96.5	97.0		626	0.5		47.7			1			
97.0	97.5		627	0.5		27.4			5			
97.5	98.0		628	0.5		9.7			7 1/2			
98.0	98.5		629	0.5		4.7			7 1/2			
98.5	99.0	630	0.5		61.1			2 1/2				
					0.6	68.5	21.3	51.3	5.5	0.36		
						26.8						



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
119.5	120.0		64631	0.5		66.3			1			
120.0	120.5		632	0.5		77.4			1/2			
120.5	121.0		633	0.5		82.3			0			
185.0	185.5	Compo	64634	0.5		38.9			4 1/2			
185.5	186.0		635	0.5		14.0			6 1/2			
					0.5	27.3	24.5	47.7	5.5	0.92		
200.0	200.5	Comps	64636	0.5		34.5			5 1/2			
200.5	201.0		637	0.5		17.7			6 1/2			
201.0	201.5		638	0.5		20.2			2 1/2			
201.5	202.0		639	0.5		29.9			5 1/2			
202.0	202.5		640	0.5		14.1			3			
					0.7	23.8	21.9	54.1	4.5	0.58		
210.5	211.0	PIA	64641	0.5		56.7			1			
211.0	211.5		642	0.5		50.7			2 1/2			
					0.7	58.1	15.9	33.3	2.0	0.90		
					1.1	25.4	19.8	53.7	4.0	0.42		
257.0	257.5	Compo	64643	0.5		63.0			1			
257.5	258.0		644	0.5		35.1			1 1/2			
258.0	258.5		645	0.5		25.9			2 1/2		contaminated?	
258.5	259.0		646	0.5		14.1			6 1/2		" ?	
259.0	259.5		647	0.5			contaminated					
259.5	260.0	Compo	648	0.5		34.2			3			
260.0	260.5		649	0.5		22.9			5			
260.5	261.0		650	0.5		18.7			4			" ?
261.0	261.5		651	0.5		24.8			3 1/2			
261.5	262.0		652	0.5		67.2			1			
					1.3	25.1	20.1	53.5	4.0	0.40		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
5	8.0		64653	0.5		-	no sample		-			
0	8.5		654	0.5		65.8			1			
		1 meter no return	655	1.0								
0	11.5		656	0.5		17.6			7 1/2			
5	12.0	Compo	657	0.5		32.0			7			
					2.2	25.1	21.1	51.6	7.5	0.88		
5	20.0		64658	0.5		34.4			5 1/2			
0	20.5		659	0.5		41.0			4 1/2			
5	21.0		660	0.5		11.6			7			
0	21.5	Compo	661	0.5		29.0			3 1/2			Petrography
5	22.0		662	0.5		9.4			7 1/2			
0	22.5		663	0.5		14.2			7 1/2			
5	23.0		664	0.5		50.6			3			
					2.2	23.9	20.3	53.6	6.5	0.82		
7.0	27.5		64665	0.5		46.0			4			
7.5	28.0		64666	0.5		34.4			3			
8.0	28.5		667	0.5		11.8			2 1/2			
8.5	29.0		668	0.5		11.6			3			Petrography
9.0	29.5		669	0.5		20.7			6 1/2			
9.5	30.0	Compo	670	0.5		9.6			7			
0	30.5		671	0.5		17.0			6 1/2			
0.5	31.0		672	0.5		9.0			7 1/2			
0	31.5		673	0.5		44.0			1			
					1.9	23.0	19.7	55.4	5.5	0.83		
					1.5	30.0	18.7	50.4	4.0	0.58		
0	49.5		64674	0.5		26.4			4			
5	50.0		675	0.5		33.9			6			
0	50.5		676	0.5		40.8			1			
5	51.0		677	0.5		20.0			3 1/2			
0	51.5	Compo	678	0.5		24.2			3 1/2			Petrography
5	52.0		679	0.5		17.2			5 1/2			
0	52.5		680	0.5		47.0			2			
5	53.0		681	0.5		69.4			1			
0	53.5		682	0.5		68.6			1			
5	54.0		64683	0.5		62.9			1			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
9.5	130.0		64684	0.5		72.9			1			
0.0	130.5		685	0.5		75.8			1			
2.5	143.0	Comps	64686	0.5		31.4			1 1/2			} petrog.
3.0	143.5		687	0.5		34.9			1			
3.5	144.0		688	0.5		32.9			3 1/2			
4.0	144.5		689	0.5		17.9			3			
4.5	145.0		690	0.5		14.5			2			
5.0	145.5		691	0.5		20.5			3			
5.5	146.0		692	0.5		15.9			2			
6.0	146.5		693	0.5		18.5			2 1/2			
6.5	147.0		694	0.5		50.8			1			
7.0	147.5		695	0.5		44.6			3 1/2			
7.5	148.0	696	0.5		34.7			5				
8.0	148.5	697	0.5		51.8			4				
					1.9	29.2	17.4	51.5	2.5	0.39		
3.5	199.0	Comps	64698	0.5		44.2			11			} petrog.
4.0	199.5		699	0.5		19.8			1			
4.5	200.0		700	0.5		29.4			5			
					2.1	31.0	18.2	48.7	2.0	0.48		
201.5	202.0	Comps	64701	0.5		31.2			1			} petrog.
02.0	202.5		702	0.5		47.1			1			
02.5	203.0		703	0.5		15.2			3			
03.0	203.5		704	0.5		29.8			1 1/2			
03.5	204.0		705	0.5		14.8			1			
04.0	204.5		706	0.5		19.2			1			
04.5	205.0		707	0.5		33.6			1			
					2.1	31.0	18.2	48.7	2.0	0.48		
35.0	235.5	Comps	64708	0.5		29.4			1			} Ro max only
35.5	236.0		709	0.5		44.3			1			
36.0	236.5		710	0.5		20.2			2			
36.5	237.0		711	0.5		44.7			2			
					2.1	35.1	15.3	47.5	1.5	0.35		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
260.5	261.0	Camp 0	64712	0.5		43.2			1			} Petrog.
261.0	261.5		713	0.5		42.9			1			
261.5	262.0		714	0.5		32.6			1			
262.0	262.5		715	0.5		19.7			1			
262.5	263.0		716	0.5		26.2			1 1/2			
					2.3	35.9	14.6	47.2	1.0	0.48		
263.5	264.0		718	0.5		51.6			1			
264.0	264.5		719	0.5		54.3			1			

* ALL SAMPLE TICKETS MARKED 1707



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
34.0	34.5	PIA	64720	0.5		25.8			7 1/2			
34.5	35.0		721	0.5		65.8			1			
					0.6	26.3	20.0	53.1	7.0	0.72		
76.0	76.5	Compo	64722	0.5		7.1			5			
76.5	77.0		723	0.5		4.7			5 1/2			
77.0	77.5		724	0.5		19.0			5			
77.5	78.0		725	0.5		12.4			3 1/2			
78.0	78.5		726	0.5		25.1			2			
78.5	79.0		727	0.5		11.1			2			
79.0	79.5		728	0.5		10.0			4			
79.5	80.0		729	0.5		12.1			5 1/2			
80.0	80.5		730	0.5		11.5			5			
80.5	81.0		731	0.5		9.6			4 1/2			
81.0	81.5		732	0.5		8.6			2			
81.5	82.0		733	0.5		10.6			5 1/2			
82.0	82.5		734	0.5		32.4			3			
82.5	83.0		735	0.5		15.6			1 1/2			
83.0	83.5		736	0.5		9.2			1.3			
83.5	84.0	737	0.5		16.1			7				
84.0	84.5	738	0.5		25.7			6 1/2				
85.0	85.5	PIA	64739	0.5	0.6	14.2	20.1	65.1	4.0	0.4		
					0.5	10.6	22.8	66.1	7.0	0.52		
91.5	92.0	Compo	64740	0.5		18.3			1 1/2			
92.0	92.5		741	0.5		46.1			1			
92.5	93.0		742	0.5		13.6			6 1/2			
93.0	93.5		743	0.5		33.1			2 1/2			
93.5	94.0		744	0.5		49.2			2			
					0.4	32.0	17.6	50.0	2.5	0.43		
					0.5	44.8	16.2	38.5	2.5	0.46		
126.5	127.0	Compo	64745	0.5		28.5			4			
127.0	127.5		746	0.5		39.4			1			
127.5	128.0		747	0.5		53.6			2			
128.0	128.5		748	0.5		57.0			1			
128.5	129.0		749	0.5		41.6			1 1/2			
129.0	129.5		750	0.5		47.5			3			
129.5	130.0		751	0.5		45.2			3 1/2			
130.0	130.5		752	0.5		70.6			1			
130.5	131.0	753	0.5		73.8			1				



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a. d. b.)	REMARKS
141.5	142.0			0.5		14.6			2			
142.0	142.5	campo	64753	0.5		19.6			2			
142.5	143.0		756	0.5		29.8			3			
143.0	143.5		757	0.5		27.6			2 1/2			
143.5	144.0		758	0.5		45.3			1			
			64754-757			0.6	27.3	18.9	53.2	2.5	0.50	
188.0	188.5	PIA	64759	0.5		23.8			1			
188.5	189.0		760	0.3		58.4			1			
					0.4	24.1	17.8	57.7	1.0	0.46		
223.0	223.5	campo	64761	0.5		58.7			1			
223.5	224.0		762	0.5		37.2			2			
224.0	224.5		763	0.5		30.3			3 1/2			
224.5	225.0		764	0.5		40.8			1			
225.0	225.5		765	0.5		25.9			1			
225.5	226.0		766	0.5		20.4			1			
226.0	226.5		767	0.5		22.0			1			
226.5	227.0	768	0.5		56.3			1				
					0.7	28.9	17.0	53.4	1.0	0.41		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIC


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
13.0	13.5	#50 Campo	64769	0.5		35.1			4/2			
13.5	14.0		770	0.5		51.4			0			
						1.1	47.0	15.2	39.7	1.5	0.40	
26.0	26.5	#56 Campo	64771	0.5		16.8			6 1/2			} Petrog.
26.5	27.0		772	0.5		23.2			2			
27.0	27.5		773	0.5		20.3			6 1/2			
27.5	28.0		774	0.5		31.4			1			
28.0	28.5		775	0.5		73.4			0			
						0.6	24.5	18.1	56.8	3.5	0.51	
109.5	110.0	#4 Campo	776	0.5		19.7			6 1/2			} Petrog.
110.0	110.5		777	0.5		19.4			1			
110.5	111.0		778	0.5		10.5			1 1/2			
111.0	111.5		779	0.5		8.1			3			
111.5	112.0		780	0.5		12.3			6 1/2			
112.0	112.5		781	0.5		9.1			3 1/2			
112.5	113.0		782	0.5		7.3			2 1/2			
113.0	113.5		783	0.5		9.3			6 1/2			
113.5	114.0		784	0.5		25.0			6			
114.0	114.5		785	0.5		25.5			2 1/2			
114.5	115.0		786	0.5		14.9			6			
115.0	115.5		787	0.5		13.4			5			
115.5	116.0		788	0.5		16.7			3 1/2			
116.0	116.5		789	0.5		12.9			2			
116.5	117.0		790	0.5		15.3			1 1/2			
117.0	117.5	791	0.5		14.3			6				
117.5	118.0	792	0.5		14.1			4				
118.0	118.5	793	0.5		14.1			6 1/2				
118.5	119.0	794	0.5		38.9			2 1/2				
					0.6	15.8	18.8	64.8	4.0	0.33		
158.0	158.5	#2 Campo	796	0.5		9.1			6 1/2			
158.5	159.0		797	0.5		10.8			7 1/2			
159.0	159.5		798	0.5		37.2			1			
159.5	160.0		799	0.5		43.1			1			
160.0	160.5		800	0.5		56.8			4 1/2			
					0.6	25.0	18.1	56.3	3.5	0.44		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS	
6.5	7.0		64801	0.5m		-	contam	noted	-				
7.0	7.5		802			-			-				
107.5	108.0		64803			36.4			4 1/2				
108.0	108.5		804			59.9			1				
108.5	109.0		805			53.5			2				
109.0	109.5		806			54.9			1				
140.0	140.5	Compa	64807			28.7			5 1/2			Petrography	
140.5	141.0		808		17.7		2 1/2						
141.0	141.5		809		13.2		3 1/2						
141.5	142.0		810		17.5		3						
142.0	142.5		811		22.3		3						
142.5	143.0		812		21.5		4 1/2						
143.0	143.5		813		32.1		2 1/2						
143.5	144.0		814		18.8		4 1/2						
144.0	144.5		815		14.8		6 1/2						
144.5	145.0		816		67.3		1						
145.0	145.5	817		73.5	0.4	20.3	21.4	57.9	4.0	0.35			
					0.5	23.4	19.5	56.6	3.5	0.44			
203.0	203.5	Compa	64818			27.2			1 1/2			Petrog.	
203.5	204.0		819		17.5		4 1/2						
204.0	204.5		820			26.1		3					
204.5	205.0		821			55.4		1					
205.0	205.5		822			48.3		2 1/2					
205.5	206.0		823			65.6		1					
206.0	206.5		824			48.9		1					
206.5	207.0		825			22.1		4					
207.0	207.5		826			29.3		1 1/2					
207.5	208.0		827			22.6		5 1/2					
208.0	208.5		828			23.7		2					
208.5	209.0		829			23.1		3 1/2					
209.0	209.5	Compa	830			16.4		2 1/2				Petrog.	
209.5	210.0		831		22.0		2 1/2						
210.0	210.5		832		27.3		5						
210.5	211.0		833		67.3		1						
211.0	211.5		834		79.5	0.6	25.9	20.0	53.5	3.0	0.33		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIC

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
214.0	214.5	Compd	64835	0.5	0.5	68.0	18.1	52.5	1	0.45		} Ro mar
214.5	215.0		836			33.3			1 1/2			
215.0	215.5		837			25.4			6 1/2			
						29.1			4.0			
233.0	233.5		64838			60.0			1			
233.5	234.0		839			57.5			1			
236.0	236.5	Compd	64840		0.5	44.1	18.4	49.2	1	0.39		} Ro mar
236.5	237.0		841			20.7			3			
237.0	237.5		842			31.8			4			
						31.9			2.5			
258.0	258.5	Compd	64843		0.9	19.3	15.8	46.2	1	0.38		} Ro mar
258.5	259.0		844			53.6			1			
						37.1			1.0			

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS	
33.50	34.0		47028		0.5m		51.7				5				
34.0	34.5		029		0.5m		51.7				7				
36.4	36.9	P/A	47030		0.5m	0.8	17.0 63.5	19.1	63.6	32	2 1/2 0.95				
37.9	38.4	US Camp	47031		0.5m		8.7				1			Fluffy and Dilute on Clean Coal + Washability	
36.9	37.4		032		0.5m		11.5				1				
37.4	37.9		033		0.5m		20.2				1				
38.4	38.9		034		0.5m		11.0				3				
38.9	39.4		035		0.5m		31.5				1				
39.4	39.9		036		0.5m		10.0				2				
39.9	40.4		037		0.5m	0.6	16.8 15.4	19.3	64.7	12	1 1/2 0.92				
58.7	59.2	#4 Camp	47038		0.5m		17.0				3			Fluffy + Dilute on Clean Coal + Washability	
59.2	59.7		039		0.5m		14.4				2 1/2				
59.7	60.2		040		0.5m		13.5				1				
60.2	60.7		041		0.5m		6.8				3				
60.7	61.2		042		0.5m		14.3				5 1/2				
61.2	61.7		043		0.5m		13.8				4 1/2				
61.7	62.2		044		0.5m		55.3				1				
62.2	62.7		045		0.5m		83.5				0				
62.7	63.2		046		0.5m		34.0				5 1/2				
63.2	63.7		047		0.5m		56.2				1				
106.4	106.9	#4 Camp	47048		0.5m	0.9	14.6 19.5	18.1	61.5	3	5 1/2 0.39			Fluffy and Dilute on Clean Coal + Washability	
106.9	107.4		049		0.5m		14.8				6 1/2				
107.4	107.9		050		0.5m		30.1				1 1/2				
107.9	108.4		64851		0.5m		10.4				4				
108.4	108.9		852		0.5m		9.1				2 1/2				
108.9	109.4		853		0.5m		12.9				4 1				
109.4	109.9		854		0.5m		11.0				5 1/2				
109.9	110.4		855		0.5m		11.8				3				
110.4	110.9		856		0.5m		10.6				7 1/2				
110.9	111.4		857		0.5m		15.0				6				
111.4	111.9	858		0.5m		11.6				5					
						0.7	14.1 14.1	20.0	65.2	4	0.39				

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
114.9	115.4		64859		0.5m		27.2			5				
136.4	136.9	#3 Compos	64860		0.5m		11.9			7				
136.9	137.4		861		0.5m	0.6	30.6	17.9	59.7	4 1/2	0.58	✓		
167.0	167.5	#2 Compos	862		0.5m		31.9			1				
167.5	168.0		863		0.5m		9.2			7 1/2				
168.0	168.5		864		0.5m	0.5	17.1	200	62.4	6	0.49	✓		
172.5	173.0	#1 Compos	865		0.5m		6.9			7				
173.0	173.5		866		0.5m		10.9			7 1/2				Fluidity & Dilatation on Clean Coal Washability
173.5	174.0		867		0.5m		17.0			5 1/2				
174.0	174.5		868		0.5m		12.0			7 1/2				
174.5	175.0		869		0.5m	0.6	11.6	22.5	65.1	7 1/2	0.45	-		
191.0	191.5	#4 Compos	870		0.5m		16.4			1				
191.5	192.0		871		0.5m		9.9			1				
192.0	192.5		872		0.5m	0.8	15.3	17.2	65.7	1	0.46	-		
194.7	195.2	#7 Compos	873		0.5m		22.0			2				Fluidity & Dilatation on Clean Coal Washability
195.2	195.7		874		0.5m		16.2			2				
195.7	196.2		875		0.5m		42.2			1/2				
196.2	196.7		876		0.5m		16.4			1				
196.7	197.2		877		0.5m		19.6			1				
197.2	197.7		878		0.5m		19.7			2 1/2				
197.7	198.2		879		0.5m	0.7	25.4	19.9	54.0	2	0.42	✓		
215.8	215.8	#5 Compos	880		0.5m		10.6			1				Fluidity & Dilatation on Clean Coal
215.8	216.3		881		0.5m		23.2			4				
216.3	216.8		882		0.5m		35.4			2 1/2				
						0.8	25.0	17.8	57.1	2	0.56	✓		

DIAMOND DRILL SAMPLING RECORD



FORDINA RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. Actual	RECOVERY %	REMARKS	
239.1	239.6	S Comp	64883		0.5m		14.3			2 1/2				} Fl. + Or. on Clean Coal	
239.6	240.1		884		0.5m		19.8			1 1/2					
240.1	240.6		885		0.5m		9.1			1 1/2					
240.6	241.1		886		0.5m	0.7	16.9	87.6	65.3	4	0.53				
242.9	243.4	S Comp	887		0.5m		10.9			2				} Fluidity + Dil. on Clean Coal	
243.4	243.9		888		0.5m		24.6			2 1/2					
243.9	244.4		889		0.5m	0.7	30.7	17.3	59.7	2	0.48				
245.7	246.2	S Comp	890		0.5m		9.6			1					
246.2	246.7		891		0.5m	0.7	17.8	12.8	67.2	4	0.55				
279.4	279.9	WATU Comp	892		0.5m		17.0			4				} Fluidity and Dilatation on Clean Coal + Washability	
279.9	280.4		893		0.5m		14.4			4					
280.4	280.9		894		0.5m		11.9			3 1/2					
280.9	281.4		895		0.5m		7.9			4 1/2					
281.4	281.9		896		0.5m		8.0			7					
281.9	282.4		897		0.5m		15.1			6					
282.4	282.9		898		0.5m		11.4			2					
282.9	283.4		899		0.5m		6.9			1 1/2					
283.4	283.9		900		0.5m	0.8	12.0	18.2	69.0	3 1/2	0.91				
283.9	284.4		901		0.5m	0.7	16.3	18.9	63.9	5 1/2	0.50				
285.4	286.4		902		0.5m		20.2								
288.0	288.5		903		0.5m		53.5								
304.6	307.1	PIA	904		0.5m		25.6			5					
323.2	324.2	S Comp	905		0.5m	0.6	23.7	16.0	57.7	5	0.50			} Fluidity and Dilatation on Clean Coal + Washability	
324.2	324.7		906		0.5m		22.5			4 1/2					
324.7	325.2		907		0.5m		8.1			4 1/2					
325.2	325.7		908		0.5m		8.9			1 1/2					
325.7	326.2		909		0.6m		5.1			3					
326.2	326.7		910		0.6m		7.9			7 1/2					
326.7	327.2		911		0.5m		14.9			5					
327.2	327.7		912		0.5m		24.0			3					
								16.5			6 1/2				

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. J. U. Actual	RECOVERY %	REMARKS
327.7	328.2		64913		0.5m		68.7							
328.2	328.7		914		0.5m		41.5							
330.9	331.4		915		0.5m		30.9			3				
360.0	360.5	#3 Caprock	916		0.5m		18.5			6 1/2				} Fl + Dil. on Clean Coal
360.5	361.0		917		0.5m		28.1			4				
361.0	361.5		918		0.5m	0.6	17.4	16.7	61.5	4 1/2	0.52	✓		
379.2	379.7	#2 Caprock	919		0.5m		41.8			1				} 1% + Dil. on Clean Coal
379.7	380.2		920		0.5m		5.6			8 1/2				
380.2	380.7		921		0.5m	0.7	19.2	18.1	62.0	6	0.51	✓		
384.8	385.3	#1 Caprock	922		0.5m		13.4			4 1/2				} Fl. + Dil. on Clean Coal washability
385.3	385.8		923		0.5m		11.0			5				
385.8	386.3		924		0.5m		15.7			6				
386.3	386.8		925		0.5m		13.5			7				
386.8	387.4		926		0.5m	0.7	13.6	17.7	68.0	6	0.76			

DIAMOND DRILL SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
16.5	17.0		64926		0.5		90.8			0				
17.0	17.5		927		0.5		90.4			0				
17.5	17.6		928		0.5		90.9			0				
100.0	100.5		929		0.5		16.8			5 1/2				
100.5	101.0		930		0.5		21.6			4 1/2				
101.0	101.5	H9	931		0.5		6.3			3				Fluidity and Dilatation on Clean Coal + Washability
101.5	102.0	Camps	932		0.5		7.9			3 1/2				
102.0	102.5		933		0.5		9.3			3				
102.5	103.0		934		0.5		8.4			4				
103.0	103.5		935		0.5		19.6			5 1/2				
103.5	104.0		936		0.5		17.7			1 1/2				
104.0	104.5		937		0.5		9.4			5				
104.5	105.0		938		0.5		8.0			2 1/2				
105.0	105.5		939		0.5		8.5			2				
105.5	106.0		940		0.5		6.8			2				
106.0	106.5		941		0.5					1				
106.5	107.0		942		0.5		16.1			2				
107.0	107.5		943		0.5		25.4			6				
107.5	108.0		944		0.5		7.5			2 1/2	0.36			
							0.7	12.9	21.6	6.47	5	0.54		
						0.7	22.7	21.3	58.7	5				
134.7	134.6	H7	945		0.5		23.5			1 1/2				Fluidity and Dilatation on Clean Coal Washability
134.6	135.1	Camps	946		0.5		21.4			7 1/2				
135.1	135.6		947		0.5		65.5			1				
135.6	136.1		948		0.5		60.7			1				
136.1	136.6		949		0.5		75.2			1/2				
136.6	137.1		950		0.5		24.2			1				
137.1	137.6		951		0.5		23.7			1 1/2				
137.6	138.1		952		0.5		10.4			6 1/2				
138.1	138.6		953		0.5		31.2			5				
138.6	139.1		954		0.5		11.6			7 1/2				
139.1	139.6		955		0.5		25.9			2				
139.6	140.1	956		0.5		15.3			7 1/2					
						0.7	19.8	23.5	56.0	5	0.43			

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
200.2	200.7	5U Compo	64958		0.5m		11.4			1				Fluidity + Dilatation on Clean Coal
200.7	201.2		959		0.5m	0.7	18.2	19.4	64.9	2.5	0.52			
203.1	203.6	5U Compo	960		0.5	0.7	24.4	20.3	54.6	5.3	0.52			Fluidity + Dilatation on Clean Coal
203.6	204.5		961		0.9		31.2			2				
212.3	212.8	45 L Compo	962		0.5		20.3			6 1/2				Fluidity + Dilatation on Clean Coal
212.8	213.3		963		0.5		7.2			4 1/2				
213.3	213.8		964		0.5		13.5			1				
213.8	214.3		965		0.5		17.7			3				
						0.8	22.4	17.3	59.5	1.3	0.48			Fluidity and Dilatation on Clean Coal
271.3	271.8	44 L Compo	966		0.5		15.3							Fluidity + Dilatation on Clean Coal + Washability
271.8	272.3		967		0.5		6.7			2 1/2				
272.3	272.8		968		0.5		9.4			5				
272.8	273.3		969		0.5		12.2			7				
273.3	273.8		970		0.5		7.3			4				
273.8	274.3		971		0.5		16.4			1 1/2				
274.3	274.8		972		0.5		0.1			3				
274.8	275.3		973		0.5		9.6			6				
275.3	276.0	974		0.7		40.4			1					
						0.7	15.7	19.8	62.4	3	0.90			
278.1	278.7		976		0.5		33.1			5 1/2				
302.8	303.5	41 L Compo	977		0.7		15.6			1 1/2				Fluidity + Dilatation on Clean Coal + Washability
303.5	303.8		978		0.3		8.3			6				
303.8	304.3		979		0.5		11.0			3				
304.3	304.8		980		0.5		10.5			3				
304.8	305.3		981		0.5		12.5			4				
305.3	305.8		982		0.5		16.5			6				
305.8	306.3		983		0.3		32.3			0				
306.3	306.8	984		0.5		64.4			1					
						0.7	13.2	19.2	66.9	3.1	0.42			
334	334.5	3	985		0.5		21.5			4				
						0.7	21.7	17.8	59.8	4	0.41			

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
358.4	358.9		64986		0.5									
358.9	359.4	#2 Compo	987		0.5		29.0			3 1/2				Fluidity + Dilatation on Clean Coal + Washability
359.4	359.9		988		0.5		3.2			7 1/2				
359.9	360.4		989		0.5		4.0			7 1/2				
360.4	360.9		990		0.5		5.4			8				
360.9	361.4		991		0.5		4.8			8				
361.4	361.9		992		0.5		17.7			7 1/2				
						0.6	22.3			7 1/2				
364.1	364.6	#1 Compo	993		0.5		12.0	21.1	66.3	7 1/2	0.48			Fluidity and Dilatation on Clean Coal
364.6	365.1		994		0.5		19.6			6 1/2				
365.1	365.6		995		0.5		14.5			6 1/2				
365.6	366.1		996		0.5		23.6			7				
							0.7	19.0	19.0	59.8	5 1/2	0.67		

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. J.	S	BT. U. Actual	RECOVERY %	REMARKS
9.7	10.2	5U-220	64411		0.5		18.3			1 1/2				Fluidity & Dilatation on Cleaned Coal + Washability
10.2	10.7		412		0.5		20.2			6				
10.7	11.2		413		0.5		19.7			5 1/2				
			64411-413	0.5		19.3	209	59.3	4	0.55				
15.0	15.0	5L	64414		0.5		48.5			1				Fluidity and Dilatation on Cleaned Coal + Washability
15.0	15.5		415		0.5		8.2			8				
15.5	16.0		416		0.5		15.3			7 1/2				
			64415-416	0.7		11.8	246	62.9	8	0.46				
19.5	20.0	4U	64417		0.5		16.6			6 1/2				Fluidity and Dilatation on Cleaned Coal + Washability
20.0	20.5		418		0.5		12.0			1				
20.5	21.0		419		0.5		8.0			4				
21.0	21.5		420		0.5		16.2			1				
21.5	22.0		421		0.5		8.8			1 1/2				
22.0	22.5		422		0.5		18.5			2				
22.5	23.0		423		0.5		13.2			2				
23.0	23.5		424		0.5		5.5			3 1/2				
23.5	24.0		425		0.5		41.5			1				
24.0	24.5		426		0.5		52.7			1				
		COMPO	64417-424	0.7		12.2	208	66.3	2	0.34				
52.0	52.6	9-230	64427		1.6		14.8			1 1/2				Fluidity & Dilatation on Cleaned Coal + Washability
52.6	53.2		428		0.6		12.6			2				
53.2	53.8		429		0.6		9.6			1 1/2				
53.8	54.3		430		0.5		10.2			1 1/2				
54.3	54.8		431		0.5		25.0			1				
54.8	55.3		432		0.5		68.7			0				
55.3	55.8		433		0.5		14.3	210	63.9	1	0.35			
		COMPO	64427-432	0.8		14.3	210	63.9	1	0.35				
149.6	149.1	9-230	64434		0.5		3.4			5				Fluidity & Dilatation on Cleaned Coal + Washability
149.1	149.7		435		0.6		18.6			3				
149.7	150.2		436		0.5		4.8			5 1/2				
150.2	150.7		437		0.5		11.2			3				
150.7	151.2		438		0.5		21.8			2 1/2				
151.2	151.7		439		0.5		13.1			1 1/2				
151.7	152.2		440		0.5		8.5			2 1/2				
152.2	152.7		441		0.5		12.5			2 1/2				
152.7	153.2		442		0.5		8.9			2				
153.2	153.7		443		0.5		7.0			2				

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
153.7	154.2	7U	64444		0.5		9.0			6				
154.2	155.5		445		0.3		20.2			6				
		COMPO	64439-445			0.7	11.5	22.0	65.8	3	0.37			
174.7	175.2	7U	64446		0.5		20.2			1				
175.2	175.8		447		0.6		15.1			4 1/2				
		COMPO	64446-447		1.1	0.6	17.2	2.06	61.6	4 1/2	0.52			
177.7	178.2	7	64448		0.5		21.7			2				Fluidity & Dilatation on Cleaned Coal + Washability.
178.2	178.7		449		0.5		23.2			1 1/2				
178.7	179.2		450		0.5		12.5			6 1/2				
179.2	179.7		451		0.5		17.2			5				
179.7	180.2		452		0.5		12.4			7				
180.2	180.7		453		0.5		30.6			2				
180.7	181.3		454		0.6		25.4			5				
		COMPO	64448-454		3.6	0.8	23.0	19.7	56.5	5	0.50			
227.0	228.5	5U	64455		0.5		24.0			1				
228.5	230.1		456		0.6		25.8			2				
		COMPO	64455-456		1.1	0.6	24.2	18.6	56.6	1 1/2	0.57			
240.1	240.8	PIA	64457		0.7		33.4			3 1/2				
			64457			0.8		33.2	17.8	48.2	4	0.49		
247.9	248.3	5L	64458		0.4		7.8			2 1/2				Fluidity & Dilatation on Cleaned Coal + Washability.
248.3	248.7		459		0.4		9.0			3				
248.7	249.2		460		0.5		11.8			1				
249.2	249.7		461		0.5		21.1			1				
249.7	250.4		462		0.7		29.8			1				
		COMPO	64458-462			0.6	17.6	18.2	63.6	7 1/2	0.50			
305.4	305.9	4U	64463		0.5		26.1			2				Fluidity & Dilatation on Cleaned Coal + Washability.
305.9	306.5		464		0.6		9.8			1 1/2				
306.5	307.0		465		0.5		8.9			2 1/2				
307.0	307.5		466		0.5		8.9			6				
307.5	308.0		467		0.5		10.7			5 1/2				
308.0	308.5		468		0.5		14.0			2 1/2				
308.5	309.0		469		0.5		9.2			2 1/2				
309.0	309.5		470		0.5		29.7			3 1/2				
309.5	310.0		471		0.5		8.4			3				
310.0	311.7		472		1.9		14.6			7 1/2				

6.5m

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
		COMPO	64463-472			0.7	14.2	20.0	65.1	4 1/2	0.92			
321.2	321.7		64473		0.5	0.5	15.8							
		P/A.	64473			0.5	15.5	18.1	65.1	7	0.59			
322.9	323.4		474		0.5		26.5							
			64474			0.7	36.0	15.7	47.6	4	0.49			
328.3	328.8		64475		0.5		24.1							
328.8	329.3	4L	476		0.5		20.7			1 1/2				Fluidity & Dilatation on Cleaned Coal + Washability
329.3	329.8		477		0.5		11.4			2				
329.8	330.3		478		0.5		21.4			3				
330.3	331.0		479		0.7		8.9			5 1/2				
		COMPO	64475-479			0.6	16.4	18.9	64.1	3 1/2	0.74			
336.2	336.5	3	64480		0.7		64.4			1				
344.5	345.0		64481		0.5		14.5			8 1/2				Fluidity & Dilatation on Cleaned Coal
345.0	345.5	2	482		0.5		5.9			8				
345.5	346.0		483		0.5		8.9			8				
		COMPO	64481-483			0.5	9.7	23.0	67.4	8	0.52			
349.2	349.7		64484		0.5		18.7			3				Fluidity & Dilatation on Cleaned Coal
349.7	400.1	1	485		0.8		12.6			8				
400.1	400.5		486		0.4		9.0			1 1/2				
		COMPO	64484-486			0.5	13.8	20.6	65.1	6	0.42			

071
070
072

DIAMOND DRILL SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
83.5	84.0	220	51276		(m) 0.5		28.4			1				
84.0	84.5		277		0.5		18.2			1 1/2				
84.5	85.0		278		0.5		2.9			6 1/2				
85.0	85.5		279		0.5		8.9			6				
85.5	86.0		51280		0.5		17.5			6				
86.0	86.5	SEAM	281		0.5		4.8			4				
86.5	87.0		282		0.5		14.6			2				
87.0	87.5	COMP	283		0.5		8.6			7				
87.5	88.0	+WASH*	284		0.5		19.0			4				
88.0	88.5		285		0.5		19.5			3				
88.5	89.0		51286		0.5		7.2			3				
89.0	89.5		287		0.5		10.0			3 1/2				
89.5	90.0		288		0.5		10.2			2				
90.0	90.5		289		0.5		4.8			4 1/2				
90.5	91.0		290		0.5		5.8			6				
91.0	91.5		51291		0.5		13.1			3 1/2				
91.5	92.0		292		0.5		4.3			5				
92.0	92.5		293		0.5		11.5			2				
92.5	93.0		294		0.5		5.4			2				
93.0	93.5		295		0.5		26.3			1				
93.5	94.0		296		0.5		4.8			5 1/2				
94.0	94.5		51297		0.5		12.4			7 1/2				
						0.9	11.8	21.5	65.8	4	0.30			
						0.8	25.5	19.1	54.6	2	0.49			
116.5	117.0		51298		0.5		55.7			1 1/2				
117.0	117.5		51299		0.5		49.6			1				
117.5	118.0	COMP + WASH	51300		0.5		18.6			1 1/2				
118.0	118.5		51301		0.5		11.3			4 1/2				
118.5	119.0		51302		0.5		30.3			2 1/2				
119.0	119.5		51303		0.5		17.5			5				
119.5	120.0		51304		0.5		58.6			2				
120.0	120.5		51305		0.5		66.9			1				
						0.7	22.3	20.9	56.1	5	0.44			
122.0	122.5		51306		0.5		23.7			4 1/2				
122.5	123.0		307		0.5		20.3			1 1/2				
123.0	123.5		308		0.5		12.7			7 1/2				
123.5	124.0		309		0.5		23.9			7				
124.0	124.5		310		0.5		14.3			7				
124.5	125.0		311		0.5		29.9			1 1/2				
125.0	125.5		312		0.5		14.6			1 1/2				
125.5 - 126.0			51313		0.5		36.8			4 1/2				

* PLEASE hold off on all WASHABILITIES UNTIL NOTIFIED. THANKS DEM 22/06/84

DIAMOND DRILL SAMPLING RECORD




 FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS (IN)	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. Actual	RECOVERY %	REMARKS
166.7	167.2	P/A	51314		0.5		48.8			4 1/2				
167.2	167.7		51315		0.5		61.4			4 1/2				
						0.9	48.8	16.0	34.3	4 1/2	0.49			
186.0	186.5	Comp t WASH	51316		0.5		9.4			2 1/2				
186.5	187.0		51317		0.5		19.8			4				
187.0	187.25		51318		0.25		17.8			6 1/2				
		5u				0.7	15.6	20.0	63.7	4	0.60			
189.0	189.5	Comp	51319		0.5		20.7			5				
189.5	190.0		51320		0.5		19.7			6 1/2				
190.0	190.5		51321		0.5		29.2			2 1/2				
						0.7	29.4	19.4	50.5	5	0.44			
195.7	196.2	5L Comp t WASH	51322		0.5		18.3			1 1/2				
196.2	196.7		51323		0.5		13.2			2				
196.7	197.2		51324		0.5		12.3			1 1/2				
197.2	197.7		51325		0.5		17.5			1				
197.7	198.2		51326		0.5		11.2			2 1/2				
198.2	198.7		51327		0.5		29.6			2				
						0.9	17.0	17.6	64.5	1 1/2	0.44			
247.8	248.3	4u Comp t WASH	51253		0.5		35.8			4 1/2				
248.3	248.8		254		0.5		9.5			5 1/2				
248.8	249.3		255		0.5		11.6			2				
249.3	249.8		256		0.5		8.3			2 1/2				
249.8	250.3		257		0.5		12.8			6				
250.3	250.8		258		0.5		13.7			5				
250.8	251.3		259		0.5		13.6			4				
251.3	251.8		260		0.5		11.1			2				
251.8	252.3		261		0.5		14.8			2 1/2				
252.3	252.8		262		0.5		8.2			2 1/2				
252.8	253.3		263		0.5		12.6			6 1/2				
253.3	253.8		264		0.5		6.6			6				
							0.8	13.3	19.5	66.4	3 1/2	0.40		
272.2	272.7	P/A	265		0.5		17.9			6 1/2				
						0.7	18.0	20.9	60.4	6 1/2	0.47			
274.9	275.4	S	266		0.5		60.3			1				
275.4	275.9		267		0.5		60.0			0				

ROTARY DRILL HOLE SAMPLING RECORD
FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
275.9	276.4	4L comp + wash	268	0.5		31.4			2½			
276.4	276.9		269	0.5		17.4			1½			
276.9	277.4		270	0.5		10.2			4			
277.4	277.9		271	0.5		10.4			2½			
277.9	278.4		51 272	0.5		18.3			4½			
278.4	278.9		273	0.5		4.6			5½			
278.9	279.4		274	0.5		41.9			1			
					0.7	19.4	18.9	61.0	3	0.38		
281.7	282.2		51 275	0.5		57.2			1			
347.8	348.3	2L comp + wash	51 201	0.5		9.6			7			
348.3	348.8		202	0.5		5.5			6½			
348.8	349.3		203	0.5		38.2			6			
351.4	351.9		204	0.5		15.9			5½			
351.9	352.4		205	0.5		13.3			4			
352.4	352.9		206	0.5		14.1			6½			
352.9	353.4		207	0.5		13.1			5½			
353.4	353.9		208	0.5		12.8			5½			
					0.9	15.6	20.4	63.1	6	0.47		

DIAMOND DRILL SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
35.6	36.1	Comps + WASH	51326		0.5m		7.0			7 1/2				
36.1	36.6		327		0.5m		36.6			5 1/2				
36.6	38.7		328		2.1m		58.8			1				
38.7	39.2		329		0.5m		5.0			2				
39.2	39.7		380		0.5m		14.1			3				
39.7	40.2		331		0.5m		10.3			3				
40.2	40.7		332		0.5m		9.3			2 1/2				
40.7	41.2		333		0.5m		11.3			6				
41.2	41.7		334		0.5m		29.8			2 1/2				
41.7	42.2		335		0.5m		17.4			6 1/2				
42.2	42.7	336		0.5m		14.9			6					
42.7	42.98	51337		0.28m		45.9			1					
		220				0.9	28.2	18.8	52.8	3	0.28			
		230												
131.3	131.8	9u P/A	64026		0.5m		83.8			0				
131.8	132.3		027		0.5m		34.8			1				
132.3	132.8		028		0.5m		76.5			0				
						1.0	34.5	14.6	49.9	1	0.35			
135.4	135.9	9 Comps + WASH	51338		0.5m		25.8			4 1/2				
135.9	136.4		339		0.5m		4.4			6				
136.4	136.9		340		0.5m		5.6			6				
136.9	137.4		341		0.5m		27.6			1				
137.4	137.9		342		0.5m		12.5			5 1/2				
137.9	138.4		343		0.5m		25.1			4				
138.4	138.9		344		0.5m		17.7			3 1/2				
138.9	139.4		345		0.5m		6.1			7				
139.4	139.9	51346		0.5m		6.3			7 1/2					
						0.9	14.8	20.9	63.4	5	0.40			
155.7	156.2	7u Comps + WASH	64029		0.5m		63.4			1				
156.2	156.7		030		0.5m		46.2			1				
156.7	157.2		031		0.5m		7.2			4 1/2				
157.2	157.7		032		0.5m		66.5			1				
157.7	158.2		033		0.5m		18.2			6				
158.2	158.7		034		0.5m		40.7			4 1/2				
						0.8	35.6	17.6	46.0	3	0.41			

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
162.1	162.6	7 comp + wash	64035		0.5		28.2			1 1/2				
162.6	163.1		036		0.5		21.5			3 1/2				
163.1	163.6		037		0.5		28.9			5				
163.6	164.1		038		0.5		54.8			3				
164.1	164.6		039		0.5		22.0			5				
164.6	165.1		040		0.5		18.8			3				
165.1	165.6	041		0.5		27.0			5					
						0.8	28.7	18.6	51.9	4	0.41			
213.0	213.5	5u comp	64042		0.5		7.8			3 1/2				
213.5	214.0		043		0.5		21.3			3				
214.0	214.5		044		0.5		24.9			6				
						0.9	17.6	18.8	62.7	4 1/2	0.55			
216.5	217.0	comp	64045		0.5		13.5			7 1/2				
217.0	217.5		46		0.5		38.3			5				
217.5	218.0		47		0.5		46.1			5				
218.0	218.5		48		0.5		69.6			1				
218.5	219.0		49		0.5		77.6			3				
						1.2	32.5	19.9	46.4	6 1/2	0.35			
225	225.5	5L comp + wash	64002		0.5		16.0			2				
225.5	226.0		003		0.5		14.1			1 1/2				
226.0	226.5		004		0.5		16.0			1				
226.5	227.0		005		0.5		10.6			1				
227.0	227.5		006		0.5		25.5			1				
227.5	228.0		007		0.5		53.1			2 1/2				
228.0	228.5		008		0.5		43.8			1				
228.5	229.0		009		0.5		14.0			1 1/2				
229.0	229.5		010		0.5		62.1			1				
229.5	230.0		011		0.5		79.9			0				
						0.9	25.8	17.1	56.2	1	0.44			

DIAMOND DRILL SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	BT.U. Actual	RECOVERY %	REMARKS	
255.7	256.2		64012		0.5m		56.4			1					
256.2	256.7		013		0.5m		25.5			1 1/2					
256.7	257.2		014		0.5m		10.3			2					
257.2	257.7	Comp + wash 4U	015		0.5m		12.0			2 1/2					
257.7	258.2		016		0.5m		6.5			2					
258.2	258.7		017		0.5m		11.3			6 1/2					
258.7	259.2		018		0.5m		20.8			2					
259.2	259.7		019		0.5m		6.7			1 1/2					
259.7	260.2		020		0.5m		24.1			1					
260.2	260.7		021		0.5m		11.6			2					
260.7	261.2		022		0.5m		11.5			2					
261.2	261.7		023		0.5m		23.2			2					
							0.7	14.6	17.6	67.1	2 1/2	0.36			
						0.6	14.0	20.0	65.4	7 1/2	0.50				
288.9	289.4	P/A <	64301		0.5		14.1			7					
289.4	289.9		302		0.5		67.2			1					
291.4	291.9		64303		0.5		63.8			1					
291.9	292.4		64304		0.5		36.1			2					
292.4	292.9	Comp + wash 4L	64305		0.5		22.9			2					
292.9	293.4		306		0.5		11.9			1 1/2					
293.4	293.9		308		0.5		13.1			4 1/2					
293.9	294.4		308		0.5		26.8			4					
294.4	294.9		309		0.5		10.5			5 1/2					
294.9	295.4		316		0.5		12.1			6 1/2					
295.4	295.9		311		0.5		84.3			0					
295.9	296.4		312		0.5		59.0			1					
							0.7	19.3	19.0	61.0	3 1/2	0.38			

DIAMOND DRILL SAMPLING RECORD

FORDING RIVER OPERATIONS
 COAL LIMITED

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICKNESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
28.5	29.0	22 block 4u comp + wash	62552		0.5m		25.7			1				
29.0	29.5		553		0.5m		12.0			1 1/2				
29.5	30.0		554		0.5m		7.5			2				
30.0	30.5		555		0.5m		21.3			4				
30.5	31.0		556		0.5m		16.9			2 1/2				
31.0	31.5		557		0.5m		10.8			3				
31.5	32.0		558		0.5m		10.2			2				
32.0	32.5		559		0.5m		10.6			3 1/2				
32.5	33.0	560		0.5m		13.7			2					
						0.8	14.7	19.6	64.9	2	0.36			
34.5	35.0	comp + wash	62561		0.5m		22.0			1				
35.0	35.5		562		0.5m		7.4			5 1/2				
						0.7	14.7	18.8	63.8	23	0.44			
52.1	52.6	4 comp + wash	62563		0.5m		29.4			5 1/2				
52.6	53.1		564		0.5m		68.6			1/2				
53.1	53.6		565		0.5m		13.6			5 1/2				
53.6	54.1		566		0.5m		18.7			1 1/2				
54.1	54.6		567		0.5m		9.6			2				
54.6	55.1		568		0.5m		46.3			1				
55.1	55.4		569		0.5m		30.5			3				
						0.8	30.5	14.4	51.3	2	0.31			
122.6	121.6	P/A + wash	62570		30m		55.8			1				
			62571		36m	0.7	55.4	14.0	29.9	1	0.48			
122.8	126.4		62572		3.5m	0.7	32.4	19.1	48.2	6 1/2	0.92			
127.3	130.8		62572		3.5m		62.8			1				
		more to come												

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
140.6m	141.2m	230 BLOCK P/A	359		0.6m		24.2			4				
142.1	142.6		360		0.5	0.7	29.0	19.5	55.8	3 1/2	0.34			
142.6	143.1	Comp + WASH	361		0.5		23.8			6				
143.1	143.6		362		0.5		33.6			5 1/2				
151.7	152.2		363		0.5	0.8	17.4	21.2	53.6	7 1/2	0.54			
152.2	152.8	7 Comp + WASH	364		0.6		24.4			15				
152.8	153.4		365		0.5		35.6			15				
153.4	153.9		366		0.5		18.0			7 1/2				
153.9	154.6		367		0.7		22.2			7				
155.6	156.0	Comp + WASH	368		0.4	0.7	14.3	22.4	53.7	8	0.52			
156.0	156.5		369		0.5		23.2			4				
156.5	157.1		370		0.6		20.1			3 1/2				
176.9	178.0		371		1.1	0.7	24.1	19.0	56.6	4	0.50			
178.0	178.4		372		0.4		50.4			2 1/2				
187.6	187.9	Comp + WASH	373		0.3		59.9			1				
187.9	188.4		374		0.5		30.1			6				
188.4	188.8		375		0.4		34.3			6				
199.9	200.4		376		0.5	0.8	60.2	17.4	46.8	3	0.68			
200.4	200.9	5W Comp + WASH	377		0.5		35.0			1				
200.9	201.4		378		0.5		54.5			2				
201.4	201.8		379		0.4		11.3			3 1/2				
203.4	203.9	Comp + WASH	380		0.5	0.6	17.6	19.4	64.6	7	0.55			} Combined for WASHABILITY
203.9	204.4		381		0.5		18.4			3 1/2				
204.4	205.0		382		0.6		15.4			4 1/2				
212.7	213.2		383		0.5	0.5	44.5	20.1	51.8	5	0.45			
213.2	213.7		384		0.5		27.6			6				
213.7	214.2	5L Comp + WASH	385		0.5		12.0			6				
214.2	214.7		386		0.5		11.8			1 1/2				
214.7	215.2		387		0.5		13.7			1 1/2				
215.2	215.6		388		0.4		16.8			1 1/2				
215.6	216.1		389		0.5		21.2			1 1/2				
241.3	241.7		390		0.4	0.7	31.8	18.8	61.0	2	0.51			

DIAMOND DRILL SAMPLING RECORD



FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
241.7	242.2	4W Compo + WASH	64391		0.5w		13.6			3				
242.2	242.7		392		0.5		5.4			2				
242.7	243.2		393		0.5		7.6			4				
243.2	243.7		394		0.5		9.6			5				
243.7	244.2		395		0.5		8.9			2 1/2				
244.2	244.7		396		0.5		15.8			2 1/2				
244.7	245.2		397		0.5		9.0			4 1/2				
245.2	245.6		398		0.4		13.4			7 1/2				
245.6	246.0		399		0.4		18.8			7 1/2				
278.0	278.6		64400		0.6	0.6	17.2	19.0	69.2	32	0.38			
278.6	279.0						17.4			7				
279.0	279.8		401		0.1		30.6			2				
280.0	280.5	Compo + WASH 4W	402		0.5		28.3			2				
280.5	281.0		403		0.5		10.5			2				
281.0	281.5		404		0.5		14.2			6				
281.5	281.9		405		0.4		9.6			6 1/2				
281.9	282.4		406		0.5		21.1			3				
282.4	282.9		407		0.5		6.7			6 1/2				
282.9	283.4		408		0.5		13.0			6				
283.4	283.9		409		0.5		68.6			1				
283.9	284.3		410		0.4		33.6			3				
						0.6	23.5	18.3	57.6	4	0.36			

DIAMOND DRILL SAMPLING RECORD



FROM	TO	DESCRIPTION	SAMPLE NUMBER	SHORTS	THICK-NESS	I. M.	ASH	V. C. M.	F. C.	F. S. I.	S	B. T. U. Actual	RECOVERY %	REMARKS
40.41	41.18	#1 Parting	326		.77		29.7			2 1/2				
41.18	41.78		327		.60									
41.78	43.00	#1 Parting	328		1.22		36.8			1 1/2				
43.00	44.52		329		1.53		41.5			0				
44.52	46.47	#1 Parting	330		2.44		26.4			6 1/2				
46.47	49.41		331		2.44		22.1			5				
49.41	50.33	#1 Parting	332		.92		81.6			0				
50.33	52.34		333		2.01		12.9			5				
52.34	54.32	#1 Compo	334		1.92		13.2			5 1/2				
54.32	56.73		335		2.41		29.5			5				
			34326-8			.7	31.8	18.0	49.5	1 1/2		0.37		Washability
			34320-5			.6	26.1	20.9	52.4	4 1/2		0.74		Fluority - D. on cleaned coal
58.86	59.35	#1 Compo	336		.49		26.6			5 1/2				
59.35	59.78		337		0.43		17.0			6 1/2				
						0.7	22.3	19.5	57.5	5		0.63		
						0.6	13.8	21.9	63.7	7		0.50		
120.32	120.81	#2 Compo	338		.49		23.4			2 1/2				
120.81	121.30		339		.49		7.7			8				
121.30	121.74	#2 Compo	340		.49		10.7			7 1/2				
121.74	122.24		341		.49		16.7			6				
122.24	122.76	#2 Compo	342		.49		11.5			7				
122.76	123.25		343		.49		16.5			0				
123.25	124.01	#2 Compo	344		.76		63.7			1/2				
124.01	124.50		345		.49		85.7			0				
124.50	124.99	#2 Parting	346		.49		90.9			0				
124.99	125.45		347		.46		76.1			1/2				
125.45	125.92	#1 Compo	348		.48		58.3			1				
125.92	126.73		349		.80		34.0			1				
						0.7	42.7	15.7	40.9	1		0.35		
282.58	283.34	#2 Compo	350		.76		4.4			8				
283.34	285.48		351		.93		52.8			4				
285.48	286.34	#2 Compo	352		.92		19.7			6 1/2				
286.34	287.92		353		1.55		42.8			1 1/2				
						0.6	22.7	19.6	47.1	5		0.47		Washability
289.98	290.21	#1 Compo	354		.23		27.3			5 1/2				
			355		.54		20.6	20.9	58.0	5 1/2			0.42	
291.27	291.81	#1 Compo	356		.47		41.9			1				
291.81	292.28		357		.52		13.9			7				
292.28	292.80	#1 Compo	358		.37		11.4			6 1/2				
292.80	293.17		359		.37		14.8			7				

BLACKRILL CREEK



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS	
7.0	7.5		64051	0.5 m		—	NO SAMPLE		—				
7.5	8.0		052	0.5 m		78.4			0				
8.0	8.5		053	0.5 m		65.8			0				
8.5	9.0		054	0.5 m		—	NO SAMPLE		—				
9.0	9.5		055	0.5 m		12.0			1				
9.5	10.0		056	0.5 m		40.4			0				
10.0	10.5		057	0.5 m		15.8			0				
10.5	11.0		058	0.5 m		38.8			0				
11.0	11.5	II SEAM compo	069	0.5 m		33.2			0				
11.5	12.0		060	0.5 m		—	NO SAMPLE		—				
12.0	12.5		061	0.5 m		4.4			0				
12.5	13.0		062	0.5 m		8.0			0				
13.0	13.5		063	0.5 m		11.1			0				
13.5	14.0		064	0.5 m		11.6			0				
14.0	14.5		065	0.5 m		10.4			0				
14.5	15.0		066	0.5 m		4.8			0				
15.0	15.5		067	0.5 m		7.6			0				
15.5	16.0		068	0.5 m		6.6			1				
16.0	16.5		069	0.5 m		7.8			10				
16.5	17.0		070	0.5 m		22.1			0				
18.0	18.5		64071	0.5 m		80.7			0				
18.5	19.0		072	0.5 m		61.0			0				
			055-70		2.5	16.3	29.1	57.1	0	0.36		✓	
24.5	25.0		64073	0.5 m		52.2			1				
25.0	25.5		074	0.5 m		—	SAMPLE CONTAMINATED			ECOR			
25.5	26.0	IO SEAM	075	0.5 m		48.9			3				
					0.9	48.5	18.0	32.6	3	0.58		—	
			076-87		0.7	29.0	21.7	48.6	5	0.72		—	
49.5	50.0		64076	0.5 m		22.6			7				
50.0	50.5	I SEAM compo	077	0.5 m		39.6			4				
50.5	51.0		078	0.5 m		27.9			4				
51.0	51.5		079	0.5 m		43.7			5				
51.5	52.0		080	0.5 m		19.5			5				
52.0	52.5		081	0.5 m		15.4			2 1/2				
52.5	53.0		082	0.5 m		32.1			3				
53.0	53.5			083	0.5 m		—	NO SAMPLE		—			
53.5	54.0			084	0.5 m		—	—		—			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
71.0	71.5		64085	0.5m		57.0			1			
72.0	72.5		64086	0.5m		—	NO	SAMPLE	—			
104.0	104.5	8 SEAM	64087	0.5m		27.2			1	✓		
137.0	137.5	7 SEAM	64088	0.5m		—	NO	SAMPLE	—			
137.5	138.0		089	0.5m		48.1			1			
138.0	138.5		090	0.5m		—	NO	SAMPLE	—			
138.5	139.0		091	0.5m		13.4			5			
139.0	139.5		092	0.5m		18.0			2			
139.5	140.0		093	0.5m		10.8			1 1/2			
140.0	140.5		094	0.5m		24.5			2 1/2			
140.5	141.0		095	0.5m		10.6			2 1/2			
141.0	141.5		096	0.5m		10.1			3			
141.5	142.0		097	0.5m		15.9			2			
142.0	142.5	098	0.5m		—	NO	SAMPLE	—				
142.5	143.0	099	0.5m		12.6			5				
			089-99		0.6	20.0	20.0	59.4	2 1/2	0.44		
147.5	148.0		64100	0.5m		61.4			1			
151.5	152.0		64101	0.5m		—	NO	SAMPLE	—			
152.0	152.5		102	0.5m		73.5			1			
159.0	159.5		64103	0.5m		68.7			1			
159.5	160.0		104	0.5m		55.1			1			
162.5	163.0		64105	0.5m		75.4			1			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
49.0	49.5	PIA <	60976	0.5 m	1.0	46.4 47.0	25.3	26.7	4 4	0.61	✓	
55.0	55.5	comps	60977	0.5 m		3.3			7			
55.5	56.0		978	0.5 m		49.1			5			
56.0	56.5		979	0.5 m		12.7			7½			
			977-979		1.2	21.8	25.9	51.1	7	0.99	✓	
61.5	62.0	comps	60980	0.5 m		53.3			3½			
62.0	62.5		981	0.5 m		36.5			6½			
			980-81		1.1	44.0	19.6	35.3	5½	0.76	✓	
94.0	94.5	PIA <	60982	0.5 m	0.9	66.5	21.5	39.1	1	2.24	✓	
94.5	95.0		983	0.5 m		38.5			5½			
95.0	95.5		984	0.5 m		61.1			2½			
95.5	96.0		985	0.5 m		56.2			2			
96.0	96.5		986	0.5 m		70.0			1			
97.0	97.5		987	0.5 m		61.1			1			
97.5	98.0		988	0.5 m		66.4			½			
98.0	98.5	PIA <	989	0.5 m		26.2			6			
98.5	99.0		990	0.5 m		72.7			½			
					0.7	25.2	23.3	50.2	6½	0.79	✓	
101.0	101.5	comps	60991	0.5 m		55.1			3			
101.5	102.0		992	0.5 m		11.0			7			
102.0	102.5		993	0.5 m		19.4			7			
102.5	103.0		994	0.5 m		61.5			1½			
103.0	103.5		995	0.5 m		72.6			1			
103.5	104.0		996	0.5 m		53.2			3			
104.0	104.5		997	0.5 m		51.8			2½			
104.5	105.0		998	0.5 m		61.9			2			
			992-93		0.7	47.7	28.1	56.5	7	0.75	✓	
			677-78		0.7	23.5	23.4	50.4	6½	0.76	✓	
111.0	111.5		60999	0.5 m		67.1			1			
111.5	112.0		61000	0.5 m		48.5			4			
112.0	112.5		60676	0.5 m		58.2			1½			
112.5	113.0	comps	677	0.5 m		38.4			4½			
113.0	113.5		678	0.5 m		12.6			7½			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS	
114.0	114.5	compo	60 679	0.5 m		31.2			6½				
114.5	115.0		680	0.5 m		46.0			3½				
115.0	115.5		681	0.5 m		78.4			½				
			679-80		0.7	38.6	20.6	40.1	4½	0.97	✓		
140.5	141.0	1P SEAM compo	60 682	0.5 m		8.6			6½				
141.0	141.5		683	0.5 m		8.0			7½				
141.5	142.0		684	0.5 m		10.2			7				
142.0	142.5		685	0.5 m		40.0			5				
142.5	143.0		686	0.5 m		54.5			2				
143.0	143.5		687	0.5 m		34.4			6				
143.5	144.0		688	0.5 m		17.3			7				
144.0	144.5		689	0.5 m		28.2			6½				
144.5	145.0		690	0.5 m		26.4			7				
145.0	145.5		691	0.5 m		15.2			7				
145.5	146.0		692	0.5 m		17.4			7				
146.0	146.5		693	0.5 m		24.7			7½				
146.5	147.0		694	0.5 m		58.7			1 2½				
147.0	147.5		695	0.5 m		43.7			4				
147.5	148.0		696	0.5 m		79.4			±				
				682-95		0.8	28.7	21.8	49.3	6½	0.58	✓	
182.0	182.5		11 SEAM compo	60697	0.5 m		16.7			7½			
182.5	183.0	698		0.5 m		12.5			7½				
183.0	183.5	699		0.5 m		6.2			7½				
183.5	184.0	700		0.5 m		11.5			7				
184.0	184.5	701		0.5 m		11.5			7				
184.5	185.0	702		0.5 m		10.8			7½				
185.0	185.5	703		0.5 m		12.7			7				
185.5	186.0	704		0.5 m		13.7			6				
186.0	186.5	705		0.5 m		14.3			7				
186.5	187.0	706		0.5 m		13.3			6½				
187.0	187.5	707		0.5 m		6.2			7				
187.5	188.0	708		0.5 m		8.3			6½				
188.0	188.5	709		0.5 m		15.8			7				
188.5	189.0	710		0.5 m		10.5			7½				
189.0	189.5	711	0.5 m		31.4			6½					
			697-711		0.6	13.5	25.3	60.6	7	0.40	✓		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a. d. b.)	REMARKS
208.5	209.0	PIA	60712	0.5m		38.2			1			
209.0	209.5		713	0.5m		59.7			1			
					0.5	37.7	16.2	45.6	1	0.54	✓	
229.0	229.5	9.55m Compo	60714	0.5m		45.3			4½			
229.5	230.0		715	0.5m		28.2			4			
230.0	230.5		716	0.5m		43.2			3			
230.5	231.0		717	0.5m		27.1			3			
231.0	231.5		718	0.5m		55.1			1			
			719-17		0.6	37.2	19.4	42.8	3	0.64	✓	
271.5	272	PIA	60719	0.5m		34.5			4½			
					0.5	35.0	18.8	43.7	4	0.62	✓	
292.0	292.5	PIA	60720	0.5m		27.4			5½			
					0.5	28.0	23.3	48.2	5½	1.12		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a. d. b.)	REMARKS	
40.5	41.0		64276	0.5		52.3			1				
41.0	41.5		277	0.5		6.6			5 1/2				
41.5	42.0		278	0.5		18.1			6				
42.0	42.5		279	0.5		16.1			2				
42.5	43.0		280	0.5		22.6			4 1/2				
43.0	43.5		281	0.5		42.5			4 1/2				
43.5	44.0		282	0.5		12.5			2				
44.0	44.5	Compo	283	0.5		8.3			3				
44.5	45.0		284	0.5		10.4			2 1/2				
45.0	45.5		285	0.6		7.7			3				
45.5	46.0		286	0.5		28.7			1 1/2				
46.0	46.5		287	0.5		19.4			3				
46.5	47.0		288	0.5		64.6			1				
						0.8	16.3	20.9	62.0	3 1/2		0.39	
						1.1	37.9	18.1	42.9	5 1/2		0.48	
71.0	71.5	P/AK	64289	0.5									
71.5	72.0		290	0.5		37.5			5 1/2				
72.0	72.5		291	0.5		56.8			2				
72.5	73.0		292	0.5		49.1			2 1/2				
73.0	73.5		293	0.5		54.2			1				
73.5	74.0		294	0.5		40.3			1 1/2				
74.0	74.5	Compo	295	0.5		24.6			4 1/2				
74.5	75.0		296	0.5		12.9			7 1/2				
75.0	75.5		297	0.5		22.7			1 1/2				
75.5	76.0		298	0.5		21.3			1				
76.0	76.5		299	0.5		15.5			6 1/2				
76.5	77.0		300	0.5		30.1			6 1/2				
77.0	77.5		64226	0.5		78.2			1				
77.5	78.0		227	0.5		57.0			1 1/2				
					0.6	23.0	19.2	57.2	3 1/2		0.43		
119.0	119.5		64228	0.5		58.7			1 1/2				
127.0	127.5	P/AK	64229	0.5		65.8			1				
127.5	128.0		230	0.5		18.3			3				
128.0	128.5		231	0.5		64.3			1				
					0.6	18.9	19.1	61.9	3 1/2		0.61		

AREA - BROWNIE RIDGE

PAGE NO. 1 of 2

HOLE NO. RH-1915



COAL MINE

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
129.5	130.0	P/A	64232	0.5		22.4			5			
130.0	130.5		233	0.5		59.3			1			
					0.6	22.5	19.1	57.8	5	0.56		
141.5	142.0	Camps	64234	0.5		12.0			5			
142.0	142.5		235	0.5		17.5			1			
142.5	143.0		236	0.5		18.6			1			
143.0	143.5		237	0.5		40.2			1 1/2			
					0.5	28.4	19.0	59.1	1 1/2	0.52		
180.0	180.5	Camps	64238	0.5		33.6			1			
180.5	181.0		239	0.5		18.2			2 1/2			
181.0	181.5		240	0.5		11.2			6 1/2			
181.5	182.0		241	0.5		16.6			2 1/2			
182.0	182.5		242	0.5		18.3			1 1/2			
182.5	183.0		243	0.5		19.4			2			
183.0	183.5		244	0.5		—	NO SAMPLE	—	—			
183.5	184.0	245	0.5		25.4			3 1/2				
184.0	184.5	246	0.5		79.3			0				
					0.6	20.5	19.4	59.5	2 1/2	0.41		
186.0	186.5	P/A	64247	0.5		33.5			5 1/2			
					0.7	32.9	17.3	49.6	5 1/2	0.49		
192.5	193.0		64248	0.5		73.5			1			
193.0	193.5		249	0.5		74.6			1			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
91.5	92.0	comp	60600	0.5m		50.3			3			
92.0	92.5		601	0.5m		58.9			2½			
92.5	93.0		602	0.5m		66.1			1			
					0.6	54.2	17.7	27.5	2½	0.48		
151.0	151.5	comp	60603	0.5m		37.5			2			
152.0	153.0		60604	0.5m		27.5			6½			
153.0	153.5		605	0.5m		35.2			5½			
153.5	154.0		606	0.5m		—	NO SAMPLE		—			
154.0	154.5		607	0.5m		57.2			2			
			603-05		0.6	33.6	23.5	42.2	5	0.66		✓
160.0	160.5	13 seam	60608	0.5m		60.1			1½			
160.5	161.0		609	0.5m		51.9			2			
161.0	161.5		610	0.5m		51.8			2½			
161.5	162.0		611	0.5m		34.8			6½			
162.0	162.5		612	0.5m		28.4			5½			
162.5	163.0		613	0.5m		29.6			6½			
163.0	163.5		614	0.5m		42.9			1.5			
163.5	164.0		615	0.5m		73.0			½			
			609-14		0.6	40.0	20.1	39.3	4½	0.80		
190.0	190.5	12 SEAM	60616	0.5m		17.9			7			
190.5	191.0		617	0.5m		8.7			7½			
191.0	191.5		618	0.5m		8.5			7½			
191.5	192.0		619	0.5m		6.8			7			
192.0	192.5		620	0.5m		14.2			7			
192.5	193.0		621	0.5m		18.8			7			
193.0	193.5		622	0.5m		15.2			7			
193.5	194.0		623	0.5m		26.8			6½			
194.0	194.5		624	0.5m		28.8			6½			
194.5	195.0		625	0.5m		34.7			6			
195.0	195.5		626	0.5m		26.0			6½			
195.5	196.0	627	0.5m		30.5			6½				
196.0	196.5	628	0.5m		44.0			5				
196.5	197.0	629	0.5m		45.3			4½				
			616-29		0.5	23.4	23.9	52.2	6½	0.58		✓

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
229.0	229.5	Compo	60631	0.5m		20.3			7½			
229.5	230.0		632	0.5m		34.3			7			
230.0	230.5		633	0.5m		29.2			6½			
230.5	231.0		634	0.5m		26.3			6½			
231.0	231.5		635	0.5m		34.4			6½			
231.5	232.0		636	0.5m		37.2			7			
232.0	232.5		637	0.5m		51.7			2½			
232.5	233.0		638	0.5m		45.8			4			
233.0	233.5		639	0.5m		38.8			5½			
233.5	234.0		640	0.5m		24.0			6½			
234.0	234.5		641	0.5m		15.0			7			
234.5	235.0		642	0.5m		12.0			6½			
235.0	235.5		643	0.5m		12.0			7			
235.5	236.0		644	0.5m		12.6			7			
236.0	236.5		645	0.5m		11.1			7			
236.5	237.0		646	0.5m		11.1			6½			
237.0	237.5		647	0.5m		9.1			6½			
237.5	238.0		648	0.5m		7.4			7			
238.0	238.5		649	0.5m		7.2			7			
238.5	239.0		650	0.5m		6.8			7½			
239.0	239.5	651	0.5m		72.8			5½				
239.5	240.0	652	0.5m		8.2			8				
240.0	240.5	653	0.5m		43.0			4½				
240.5	241.0	654	0.5m		66.2			1				
241.0	241.5	655	0.5m		75.1			3				
			631-53		0.6	22.7	23.7	53.0	6½	0.40	✓	
273.5	274.0	Compo	60656	0.5m		21.6			6			
274.0	274.5		657	0.5m		27.4			4			
274.5	275.0		658	0.5m		49.8			1			
275.0	275.5		659	0.5m		75.5			1			
			656-58		0.5	33.2	19.9	46.4	3	0.52		
338.5	339.0		60660	0.5m		68.3			1			
339.0	339.5		661	0.5m		58.6			2½			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

ENTER GRADES

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
22.4	23.4	PA <	59851	1.0		27.2			1 1/2			
23.4	23.8		5	UPPER	852	0.4	71.3		4			
25	26	PIA <	59853	1.0	0.2	27.5	19.3	53.0	1 1/2	0.40		+
27	28		59854	1.0	0.3	23.2			5 1/2			+
27	28		59854	1.0		22.8	22.7	54.2	5 1/2	0.38		+
29.5	30.5	5 LOWER	59855	1.0		62.3			3			} No only
30.5	31.5		comps	59856	1.0		12.5			4		
31.5	32.5			857	1.0		17.8			1 1/2		
32.5	33.5			858	1.0		33.4			1		
33.5	34.5			859	1.0		18.0			1		
34.5	35.5		860	1.0		8.0			1			
35.5	36.5				0.3	38.7			1			
36.5	37.5					22.4	19.3	58.0	1	0.35		
37	37		59861	1.0		42.4			3			
62.3	62.3	4	59862	1.0		15.9			1			} No only
62.3	63.3		UPPER	863	1.0		22.4			1		
63.3	64.3		comps	864	1.0		13.6			1		
64.3	65.3			865	1.0		11.0			1 1/2		
65.3	66.3			866	1.0		8.1			1 1/2		
66.3	67.3		867	1.0		74.6			0			
67.3	68.3				0.2	24.4	17.6	57.8	1	0.33		
105	106	4 LOWER	59868	1.0		42.0			3			} No only
106	107		comps	869	1.0		82.2			0		
107	108			870	1.0		31.8			1		
108	109			871	1.0		21.0			3 1/2		
109	110			872	1.0		18.0			1		
110	112		873	1.0		46.1			1 1/2			
112	113				0.1	39.6	16.0	44.3	1 1/2	0.36		
145	145.5		59874	0.5		74.8			0			




ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

ENTER GRADES


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
178	179	2 SEAM Compo	59875	1.0		13.0			7			
179	180		578	1.0		35.7			6 1/2			
					0.2	23.6	21.3	54.9	7	0.58		
181.6	182.6	1 SEAM Compo	59877	1.0		35.8			2 1/2			
182.6	183.6		878	1.0		36.5			1			
183.6	184.6		879	1.0		27.6			1			
184.6	185.0		880	0.4		26.0			4			
					0.1	32.5	18.5	48.9	1 1/2	0.42		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
9.0 m	9.5 m		63912	0.5 m		74.6			1			
11.5	12.0	Pt. II Campo	913	0.5		19.4			7			
12.0	12.5		914	0.5		33.9			6			
12.5	13.0		915	0.5		47.1			4			
13.0	13.5		916	0.5		66.8			1			
						0.8	33.6	26.9	43.7	6	0.76	
48.0	48.5	9 Campo	917	0.5		20.0			7			
48.5	49.0		918	0.5		23.0			6 1/2			
49.0	49.5		919	0.5		20.1			1 1/2			
49.5	50.0		920	0.5		16.0			4			
50.0	50.5		921	0.5		40.6			2 1/2			
50.5	51.0		922	0.5		73.4			1			
					0.8	24.4	20.4	54.4	5.0	0.72		
108.0	108.5	2 TU Campo	923	0.5		58.2			1			
108.5	109.0		924	0.5		40.2			1			
109.0	109.5		925	0.5		20.6			6			
109.5	110.0		926	0.5		79.4			6			
					1.3	31.0	18.4	49.3	4.5	0.58		
120.5	121.0	Campo	927	0.5		25.4			1			
121.0	121.5		928	0.5		12.1			3			
121.5	122.0		929	0.5		16.0			1 1/2			
122.5	123.0		930	0.5		7.9			1 1/2			
123.0	123.5		931	0.5		13.8			1 1/2			
123.5	124.0		932	0.5		15.4			2 1/2			
124.0	124.5		933	0.5		8.8			2 1/2			
124.5	125.0		934	0.5		8.4			2 1/2			
125.0	125.5		935	0.5		8.8			4			
125.5	126.0		936	0.5		14.8			1 1/2			
126.0	126.5		937	0.5		42.4			1			
126.5	127.0		938	0.5		22.8			2			
127.0	127.5		939	0.5		21.8			3			
127.5	128.0		940	0.5		10.4			2 1/2			
128.0	128.5		941	0.5		24.4			1 1/2			
128.5	129.0	942	0.5		22.6			1				



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
129.0	129.5	}	63943	0.5	0.3	9.0	21.3	60.3	2	0.44	✓	
129.5	130.0		944	0.5		32.0			1			
130.0	130.5		945	0.5		9.4			2 1/2			
130.5	131.0		946	0.5		8.0			4 1/2			
131.0	131.5		947	0.5		8.3			2			
131.5	132.0		948	0.5		22.6			1 1/2			
132.0	132.5		949	0.5		27.6			3 1/2			
258.5	259.0	5L } Compd	950	0.5	0.8	30.5	19.2	54.5	2	0.31	✓	
259.0	259.5		951	0.5		19.2			1			
259.5	260.0		952	0.5		33.6			1			
260.0	260.5		953	0.5		22.8			1			
260.5	261.0		954	0.5		19.8			1			
261.0	261.5		955	0.5		23.2			1			
286.0	286.5	4U } Compd	956	0.5	0.6	16.0	18.0	63.4	1	1.0	0.35	✓
286.5	287.0		957	0.5		18.2			1			
287.0	287.5		958	0.5		13.8			1			
287.5	288.0		959	0.5		25.6			1 1/2			
288.0	288.5		960	0.5		12.6			1			
288.5	289.0		961	0.5		23.2			1 1/2			
289.0	289.5		962	0.5		15.6			1 1/2			
289.5	290.0		963	0.5		18.2			1 1/2			
311.0	311.5	9L } Compd	964	0.5	0.6	61.0	18.0	63.4	1	1.0	0.35	✓
311.5	312.0		965	0.5		41.8			2			
312.0	312.5		966	0.5		26.2			3 1/2			
312.5	313.0		967	0.5		23.6			3			
313.0	313.5		968	0.5		21.8			1			
313.5	314.0		969	0.5		17.1			3 1/2			
314.0	314.5		970	0.5		12.6			2 1/2			
314.5	315.0		971	0.5		13.0			3			
315.0	315.5		972	0.5		9.4			4 1/2			
315.5	316.0	973	0.5	9.8	4							



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERA

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS	
316.0	316.5	}	63276			23.6			4				
316.5	317.0		877			20.2			2				
317.0	317.5		478			14.4			1				
317.5	318.0		824			-	no sample			1			
318.0	318.5		920			-	no sample			1			
					0.6	18.9	18.7	67.8	3.0		0.36		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual/a.d.b.)	REMARKS
27.4	38.4		59912	1.0		64.5			1			
48	49		59913	1.0		62.3			1			
72.5	73.5	5u	59914	1.0		29.4			1 1/2			
73.5	74.0	Compo	915	0.5		66.1			0			
74.0	75.0		916	1.0		27.3			5			
75.0	76.0		917	1.0		60.5			1			
						0.6	37.3	16.8	45.3	2 1/2	0.33	
83.0	84.0	5u Compo	59918	1.0		15.8			2			
84.0	85.0		919	1.0		20.1			1 1/2			
85.0	86.0		920	1.0		28.5			1			
86.0	87.0		921	1.0		52.6			1			
					0.5	28.7	18.1	52.7	1 1/2	0.39		✓
117.5	118.5	4u Compo	59922	1.0		23.7			1 1/2			
118.5	119.5		923	1.0		17.8			1			} Ready
119.5	120.5		924	1.0		13.8			3			
120.5	121.5		925	1.0		13.5			1			
121.5	122.5	926	1.0		22.0			1				
		subtract 4m from these intersections			0.7	17.8	19.2	62.3	1 1/2	0.29		
156	156.5	152 TO 153	59927	0.5		30.9			3			
156.5	157.0		928	0.5		25.9			3			
					0.6	29.7	19.0	51.2	3	0.38		
157.5	158	153.5	59929	0.5		15.9			3			} Ready
158	158.5	4 SEAM (59929-944)	930	0.5		24.3			2 1/2			
158.5	159		931	0.5		26.0			2 1/2			
159	159.5		932	0.5		25.0			1			
159.5	160		933	0.5		16.7			1			
160	160.5		934	0.5		19.9			2 1/2			
160.5	161		935	0.5		17.5			1			
161	161.5		936	0.5		14.2			1			
161.5	162		937	0.5		36.4			1			
162	162.5		938	0.5		24.8			1			
162.5	163		939	0.5		46.1			1			

AREA - Brownie RIDGE



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
163	163.5	{ ↑ comp ↓ }	59940	0.5		32.2			1 1/2			} R ₀
163.5	164.0		941	0.5		21.4			3			
164.0	164.5		942	0.5		18.6			3 1/2			
164.5	165.0		943	0.5		38.1			2			
165.0	165.5		59944	0.5		44.2			1 1/2			
		161.5 m			0.4	25.9	22.4	51.3	2	0.34		
		samples on										
		A beam and 4m to high										

AREA - BROWNIE RIDGE

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
		230 BLOCK										
48	49	9 SEAM Compn	59801	1.0		35.1			1			Ro only
49	50		59802	1.0		15.2			2			
50	51		803	1.0		28.6			1 1/2			
51	52		804	1.0		32.5			1			
52	53		805	1.0		14.6			2			
53	54		806	1.0		14.8			1 1/2			
54	55		807	1.0		16.7			2 1/2			
55	56		808	1.0		35.5			1 1/2			
56	57		809	1.0		15.5			3			
57	58		810	1.0		48.5			2			
					0.3	25.5	19.8	54.4	1 1/2	0.34		
82	83	7 upper Compn	59811	1.0		57.4			1 1/2			
83	84		812	1.0		19.8			2 1/2			
84	85		813	1.0		41.4			3 1/2			
					0.1	29.7	19.7	50.5	2 1/2	0.40		
87	88	7 SEAM Compn	59814	1.0		77.1			0			
88	89		815	1.0		37.2			1			
89	90		816	1.0		62.0			1			
90	91		817	1.0		19.6			1			
91	92		818	1.0		40.4			1			
92	93		819	1.0		26.2			4 1/2			
93	94		820	1.0		76.3			1			
94	95		821	1.0		85.2			0			
95	96	822	1.0		78.3			0				
96	97	823	1.0		88.3			0				
					0.2	37.3	16.1	46.4	1	0.38		
109	110		59824	1.0		76.9			1			
126.5	127.5		59825	1.0		67.7			1			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
141	142	5 Upper Top band Compo	59826	1.0		31.7			1			
142	142.3		59827	0.3		43.6			1			
		051			0.2	34.2	16.5	49.1	1	0.39		
					0.2	38.8	16.1	44.9	3/2	0.42		
144	145	5 Upper Line Banco	59828	1.0		38.0			3 1/2			
145	145.5		829	0.5		68.0			1			
153.6	154.6	5 Lower Compo	59830	1.0		14.2			1			
154.6	155.6		831	1.0		26.1			1			
155.6	156.6		832	1.0		42.4			1			
		052			0.3	27.7	17.7	54.8	1	0.36		
158	159	PIA <	59833	1.0		37.2			1			
					0.1	38.1	16.2	45.6	1	0.36		
191.5	192.5	4 Upper Compo	59834	1.0		37.8			1			
192.5	193.5		835	1.0		10.3			1			
193.5	194.5		836	1.0		19.4			1 1/2			
194.5	195.5		837	1.0		22.1			1			
195.5	196.5		838	1.0		23.4			1			
196.5	197.0		839	0.5		52.0			1			
					0.2	24.8	18.1	56.9	1	0.36		
218	218.5	PIA <	59840	0.5		50.4	14.5	35.0	1	0.31		
						50.8			1			
220	221	4 Lower Compo	59841	1.0		42.3			1			
221	222		842	1.0		23.8			2			
222	223		843	1.0		27.9			1 1/2			
223	223.5		844	0.5		65.2			1			
					0.2	31.5	19.4	48.9	1	0.32		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
39.0	39.5		62326	0.5m		69.7			1			
106.5	107.0	5u	62327	0.5m	0.3	21.4	17.7	46.8	3 1/2	0.38		
107.0	107.5		328	0.5m		48.7			1			
108.0	108.5	5u	62329	0.5m	0.3	35.2	18.6	43.9	2 1/2	0.37		
108.5	109.0		330	0.5m		13.9			6 1/2			
109.0	109.5		331	0.5m		50.5			4			
109.5	110.0		332	0.5m		49.5			1			
					0.3	37.2			3 1/2			
114.0	114.5	5u	62333	0.5m	0.4	28.0	18.7	52.9	1 1/2	0.36		
114.5	115.0		334	0.5m		12.7			4 1/2			
115.0	115.5		335	0.5m		10.4			3			
115.5	116.0		336	0.5m		17.5			2 1/2			
116.0	116.5		337	0.5m		16.6			2			
116.5	117.0		338	0.5m		20.7			1 1/2			
117.0	117.5		339	0.5m		38.6			1			
117.5	118.0		340	0.5m		30.2			2			
118.0	118.5		341	0.5m		42.4			1			
118.5	119.0		342	0.5m		53.0			1			
119.0	119.5	343	0.5m	12.6	1							
119.5	120.0	344	0.5m	45.9	1							
120.0	120.5	345	0.5m	65.2	1							
120.5	121.0	346	0.5m	75.8	1							
121.0	121.5	347	0.5m	62.1	0							
					0.4	73.8			1			
166.5	167.0	4u	62348	0.5m	0.4	20.3	19.9	60.4	1	0.37		
167.0	167.5		349	0.5m		23.2			1			
167.5	168.0		350	0.5m		20.6			1			
168.0	168.5		351	0.5m		14.1			2			
168.5	169.0		352	0.5m		14.9			1			
169.0	169.5		353	0.5m		18.8			1 1/2			
169.5	170.0		354	0.5m		19.8			1			
170.0	170.5		355	0.5m		22.3			1 1/2			
170.5	171.0		356	0.5m		29.3			1			
171.0	171.5		357	0.5m		19.1			1			
					0.4	14.1			1			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
173.0	173.5	compo	62358	0.5m		14.4			2			
173.5	174.0		359	0.5m	0.3	36.6			1			
		pt Hu				26.1	17.3	56.3	1 1/2	0.34		
186.0	186.5	H SEAM.	62360	0.5m		27.6			2			
186.5	187.0		361	0.5m		19.9			5 1/2			
187.0	187.5		362	0.5m		10.5			3			
187.5	188.0		363	0.5m		16.5			3 1/2			
188.0	188.5		364	0.5m		10.7			3			
188.5	189.0		365	0.5m		16.9			2 1/2			
189.0	189.5		366	0.5m		12.4			3 1/2			
189.5	190.0		367	0.5m		10.0			3 1/2			
190.0	190.5		368	0.5m		14.8			2			
190.5	191.0		369	0.5m		13.8			6 1/2			
191.0	191.5		370	0.5m		15.1			4 1/2			
191.5	192.0	371	0.5m		23.4			5 1/2				
					0.3	16.4	19.5	63.8	3 1/2	0.35		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual/a.d.b.)	REMARKS
24.5	35.0	6 STRAM	62165	0.5m	0.5	37.1	15.9	43.1	1	0.45		
35.0	35.5		166	0.5m		35.8						
35.5	36.0		167	0.5m		46.3						
48.0	48.5		62168	0.5m		58.8			1			
97.5	98.0		62169	0.5m		63.3			1			
114.5	115.0	5 UPPER	62170	0.5m	0.6	34.2	15.9	41.0	2	0.35		
115.0	115.5		171	0.5m		51.4						
115.5	116.0		172	0.5m		61.1						
116.0	116.5		173	0.5m		36.8						
116.5	117.0		174	0.5m		21.1						
117.0	117.5	175	0.5m	54.1								
123.5	124.0	5 LOWER	62176	0.5m	0.7	17.8	18.5	55.5	1 1/2	0.37		
124.0	124.5		177	0.5m		13.4						
124.5	125.0		178	0.5m		13.1						
125.0	125.5		179	0.5m		18.2						
125.5	126.0		180	0.5m		28.0						
126.0	126.5		181	0.5m		38.1						
126.5	127.0		182	0.5m		15.5						
127.0	127.5		183	0.5m		19.4						
127.5	128.0		184	0.5m		38.1						
128.0	128.5	185	0.5m	50.8								
183.0	183.5	4u	62186	0.5m	0.7	114.4	18.5	55.5	1 1/2	0.37		R only
183.5	184.0		187	0.5m		39.6						
184.0	184.5		188	0.5m		24.7						
184.5	185.0		189	0.5m		17.2						
185.0	185.5		190	0.5m		38.0						
185.5	186.0		191	0.5m		68.1						
186.0	186.5		192	0.5m		40.2						
186.5	187.0		193	0.5m		37.4						
187.0	187.5		194	0.5m		61.1						
187.5	188.0	195	0.5m	54.9								
188.0	188.5	196	0.5m	30.0								




Fording
COAL LIMITED

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / o. d. b.)	REMARKS
188.5	189.0	L _{tu} Compo	62197	0.5 m	0.6	26.9	15.9	47.2	5 $\frac{1}{2}$	0.34		R _o
189.0	189.5		198	0.5 m		16.5			2 $\frac{1}{2}$			
189.5	190.0		199	0.5 m		9.3			1 $\frac{1}{2}$			
190.0	190.5		200	0.5 m		16.2			3			
190.5	191.0		201	0.5 m		11.1			1 $\frac{1}{2}$			
191.0	191.5		202	0.5 m		56.3			1			
191.5	192.0		203	0.5 m		44.3			1			
192.0	192.5		204	0.5 m		49.0			1			
194.5	195.0	L _{tu} Compo	62205	0.5 m	0.7	28.0	15.5	60.9	1	0.33		R _o ONLY
195.0	195.5		206	0.5 m		19.4			3 $\frac{1}{2}$			
195.5	196.0		207	0.5 m		19.1			5			
196.0	196.5		208	0.5 m		16.7			2			
196.5	197.0		209	0.5 m		13.5			2 $\frac{1}{2}$			
197.0	197.5		210	0.5 m		22.7			2 $\frac{1}{2}$			
197.5	198.0		211	0.5 m		19.4			3			
198.0	198.5		212	0.5 m		18.9			6			
198.5	199.0		213	0.5 m		28.2			1			
199.0	199.5		214	0.5 m		25.2			1			
199.5	200.0	215	0.5 m	29.0	1							
200.0	200.5	216	0.5 m	22.3	1							
200.5	201.0	217	0.5 m	33.2	2							



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / e. d. b.)	REMARKS
206.5	207.0	199220 CUMULATIVE	62 218	0.5 m		17.7			5 1/2			R only
207.0	207.5		219	0.5 m		30.2			2			
207.5	208.0		220	0.5 m		38.7			1			
208.0	208.5		221	0.5 m		17.0			1			
208.5	209.0		222	0.5 m		17.7			1 1/2			
209.0	209.5		223	0.5 m		12.1			2 1/2			
209.5	210.0		224	0.5 m		19.5			6			
210.0	210.5		225	0.5 m		13.4			5 1/2			
210.5	211.0		226	0.5 m		12.9			2 1/2			
211.0	211.5		227	0.5 m		10.7			3			
211.5	212.0		228	0.5 m		9.1			7			
212.0	212.5		229	0.5 m		15.3			6 1/2			
212.5	213.0		230	0.5 m		24.0			3			
213.0	213.5	231	0.5 m		20.5			4 1/2				
213.5	214.0	62232	0.5 m		56.2			1				
					0.7	18.7	19.8	60.8	4	0.34		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

* I.M. CONFIRMED ON 2ND TEST. 16/07/84

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
21.0	21.5	6? compo	62051	0.5m		51.8			0			
21.5	22.0		052	0.5m	2.4*	22.5			0			
						37.4	18.4	41.8	0	0.58		
39.5	40.0		62053	0.5m		70.5			1			
40.5	41.0		62054	0.5m		59.3			1			
41.0	41.5		055	0.5m		65.7			1			
45.0	45.5		62056	0.5m		68.1			1			
45.5	46.0		057	0.5m		71.7			1			
50.0	50.5		62058	0.5m		70.1			1/2			
50.5	51.0		059	0.5m		78.4			1/2			
57.0	57.5		62061	0.5m		80.5			0			
64.5	65.0	5u compo	62062	0.5m		53.0			1			
65.0	65.5		063	0.5m	0.3	53.5			1			
67.0	67.5	compo	62064	0.5m		53.2	14.1	32.4	1	0.26		
67.5	68.0		065	0.5m		20.6			4			
68.0	68.5		066	0.5m		20.2			6 1/2			
					0.6	53.9			2 1/2			
						32.2	18.6	48.6	4	0.37		
74.5	75.0	5L compo	62067	0.5m		33.6			2 1/2			
75.0	75.5		068	0.5m		22.1			2			
75.5	76.0		069	0.5m		32.1			1 1/2			
76.0	76.5		070	0.5m		30.9			1			
76.5	77.0		071	0.5m		50.1			1			
77.0	77.5		072	0.5m		24.6			1			
77.5	78.0		073	0.5m		13.2			1			
78.0	78.5		074	0.5m		18.4			1			
78.5	79.0		075	0.5m		50.9			1			
79.0	79.5		076	0.5m		63.3			0			
79.5	80.0	077	0.5m		66.7			0				
		62067-075			0.5	30.7	18.8	50.0	1	0.32		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
82.0	82.5		62078	0.5 m		75.3			0			
84.0	84.5		62079	0.5 m		52.7			1			
133.0	133.5	Hu Compo	62080	0.5 m		41.6			1			
133.5	134.0		62081	0.5 m		35.6			1			
134.0	134.5		62082	0.5 m		16.3			1 1/2			
134.5	135.0		62083	0.5 m		15.2			1			
135.0	135.5		62084	0.5 m		19.4			2 1/2			
135.5	136.0		62085	0.5 m		17.8			5			
136.0	136.5		62086	0.5 m		16.5			6			
136.5	137.0		62087	0.5 m		19.4			3			
137.0	137.5		62088	0.5 m		13.4			1 1/2			
137.5	138.0		62089	0.5 m		14.2			1			
138.0	138.5		62090	0.5 m		24.0			4 1/2			
138.5	139.0		62091	0.5 m		21.3			5 1/2			
139.0	139.5		62092	0.5 m		21.6			1 1/2			
139.5	140.0		62093	0.5 m		15.7			3			
140.0	140.5	62094	0.6 m		33.2			1				
140.5	141.0	62095	0.5 m		27.5			1				
141.0	141.5	62096	0.5 m		17.2			1 1/2				
					0.5	22.0	19.0	58.5	2	0.30		
145.0	145.5		62098	0.5 m		49.6			1			
		62099-113			0.5	19.4	20.5	59.6	2 1/2	0.44		
151.0	151.5		62099	0.5 m		13.4			6			
151.5	152.0		62100	0.5 m		27.8			3			
152.0	152.5		62101	0.5		23.8			4			
152.5	153.0		62102	0.5		15.1			2			
153.0	153.5		62103	0.5		20.4			2			
153.5	154.0	4 SEAM	62104	0.5		24.4			1			
154.0	154.5		62105	0.5		23.6			1			
154.5	155.0	Compo	62106	0.5		13.4			1 1/2			
155.0	155.5		62107	0.5		14.1			2			
155.5	156.0		62108	0.5		12.6			1 1/2			
156.0	156.5		62109	0.5		19.5			1 1/2			
156.5	157.0		62110	0.5		21.4			1 1/2			
157.0	157.5		62111	0.5		17.2			2			
157.5	158.0		62112	0.5		18.6			5 1/2			
158.0	158.5		62113	0.5		27.2			5			

AREA - BROWNIE RIDGE

PAGE NO. 2 of 2

HOLE NO. RH-1925



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
12	13		59881	1.0		52.8			1 1/2			
18.5	19.5		59882	1.0		76.0			0			
19.5	20.5		883	1.0		71.7			1			
20.5	21.0		884	0.5		75.3			0			
22.5	23.5		59885	1.0		59.0			1			
22.5	23.5		886	1.0		19.2			1 1/2			
24.5	25.5	5 UPPER	887	1.0		25.4			3 1/2			
					0.4	22.5	19.4	57.7	2	0.46		
27.5	28.5	P/A	59888	1.0		30.4			2			
28.5	29.0		889	0.5		82.0			0			
					0.4	30.7	17.0	51.9	3	0.44		
36.0	37.0		59890	1.0		9.6			1			
37.0	38.0	5 LOWER →	891	1.0		36.1			1			
38.0	39.0		892	1.0		11.6			1			
39.0	40.0		893	1.0		34.7			1			
					0.3	22.0	17.8	59.9	1	0.41		
41.0	42.0	P/A	59894	1.0		39.6			1			
					0.3	40.1	15.2	44.4	1/2	0.36		
21.5	22.5	4 UPPER	59895	1.0		23.1			1 1/2			
22.5	23.5		896	1.0		11.2			1 1/2			
23.5	24.5	compo	897	1.0		28.5			1			
24.5	25.5		898	1.0		16.3			1			
25.5	26.5		899	1.0		12.6			1 1/2			
26.5	27.0		900	0.5		23.5			1			
					0.6	18.6	18.1	62.7	1	0.30		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a. d. b.)	REMARKS
105	106	4 LOWER COMP	59901	1.0		27.0			5 1/2			
106.5	107		902	0.5		28.4			1			
107	108		903	1.0		20.6			1			
108	109		904	1.0		28.1			1			
109	110		905	1.0		26.5			3 1/2			
110.0	110.5		906	0.5		28.6			3			
					0.5	26.8	21.4	51.3	2 1/2	0.42		
176	177	2 SEAM COMP	59907	1.0		12.0			6 1/2			
177	178		908	1.0		12.1			7			
178	179		909	1.0		37.0			4			
180	181	1 SEAM COMP	59910	1.0	0.5	20.2	21.5	57.8	7	0.30		
181.4	182		911	0.6		28.8			3 1/2			
					0.4	17.8			7			
						24.2	18.6	56.8	5 1/2	0.42		

AREA - Brownie Ridge

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
17.5	18.0	PIA	62114	0.5m	0.6	28.0 28.8	20.0	50.6	6 1/2 6 1/2	0.62	✓	
22.5	23.0	PIA	62115	0.5m	0.4 0.6	47.0 48.0	15.3	36.3	4 1/2 4	0.46		
29.0	29.5	* UPPER	62116	0.5m		53.0			1	0.40		
29.5	30.0		117	0.5m		33.0			1			
30.0	30.5		118	0.5m		28.0			1			
30.5	31.0		119	0.5m		62.1	58.35		1			
31.0	31.5		120	0.5m		54.6			1			
31.5	32.0	* LOWER	121	0.5m		28.6			5			
32.0	32.5		122	0.5m		56.8			3			
33.0	33.5		62123	0.5m	0.5	39.7	17.6	42.2	3 1/2	0.36		
33.5	34.0		124	0.5m		69.3 75.9			1 0			
40.5	41.0	* LOWER	62125	0.5m		15.9			4 1/2			
41.0	41.5		126	0.5m		12.2			3			
41.5	42.0		127	0.5m		22.5			2 1/2			
42.0	42.5		128	0.5m		15.3			1 1/2			
42.5	43.0		129	0.5m		16.8			2			
43.0	43.5		130	0.5m		34.0			1			
43.5	44.0		131	0.5m		27.0			1			
44.0	44.5		132	0.5m		10.2			1 1/2			
44.5	45.0		133	0.5m		30.5			2 1/2			
45.0	45.5		134	0.5m		64.6			1			
45.5	46.0	135	0.5m		61.8			1				
		62125-133			0.7	20.5	18.1	60.7	1 1/2	0.41		
98.5	99.0	* UPPER	62136	0.5m		17.1			1			
99.0	99.5		137	0.5m		23.3			1			
99.5	100.0		138	0.5m		9.1			1			
100.0	100.5		139	0.5m		14.7			1			
100.5	101.0		140	0.5m		19.1			3			
101.0	101.5		141	0.5m		23.3			2			
101.5	102.0		142	0.5m		15.9			4			
102.0	102.5		143	0.5m		19.2			2 1/2			
102.5	103.0	144	0.5m		17.8			1				

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
103.0	103.5	comp	62145	0.5 m	0.5	17.6	18.0	59.1	3	0.36		
103.5	104.0		146	0.5 m		19.2			1 1/2			
104.0	104.5		147	0.5 m		16.1			2 1/2			
104.5	105.0		148	0.5 m		13.3			3			
105.0	105.5		149	0.5 m		51.9			1			
106.5	107.0		150	0.5 m	22.4	52.0		1 1/2				
112.0	112.5	4 SEAM	62151	0.5 m	0.6	26.2	18.4	58.2	4	0.32		
112.5	113.0		152	0.5 m		38.9			3 1/2			
113.0	113.5		153	0.5 m		28.3			2			
113.5	114.0		154	0.5 m		15.0			1			
114.0	114.5		155	0.5 m		25.9			1 1/2			
114.5	115.0		156	0.5 m		21.0			4			
115.0	115.5		157	0.5 m		20.3			1			
115.5	116.0		158	0.5 m		20.0			1 1/2			
116.0	116.5		159	0.5 m		16.1			4			
116.5	117.0		160	0.5 m		15.3			5			
117.0	117.5	161	0.5 m	11.7	6 1/2							
117.5	118.0	162	0.5 m	15.0	3 1/2							
118.0	118.5	163	0.5 m	14.6	6 1/2							
118.5	119.0	164	0.5 m	46.8	1							

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
34.5	35.0	2 compo	59951	0.5m		29.0			4			} No ONLY
35.0	35.5		952	0.5m		22.9			4 1/2			
35.5	36.0		953	0.5m		22.0			6			
36.0	36.5		954	0.5m		16.7			7			
36.5	37.0		955	0.5m		53.2			1			
37.0	37.5		956	0.5m		58.2			1			
37.5	38.0		957	0.5m		55.8			1			
38.0	38.5		958	0.5m		36.8			3			
38.5	39.0		959	0.5m		68.3			1			
					0.3	36.8	18.3	44.6	3 1/2	0.32		
40.2	40.7	1 SEAM compo	59960	0.5m		42.2			1			
40.7	41.2		961	0.5m		17.0			6 1/2			
41.2	41.7		962	0.5m		66.6			1			
					0.3	29.7	20.7	49.3	4	0.41		
					0.3	43.0	15.9	40.8	1	0.41		
57.5	58.0	P/A	59963	0.5m		42.2			1			
58.0	58.5		964	0.5m		66.3			1			
66.0	66.5		59965	0.5m		77.6			0			
67.0	67.5	compo	59966	0.5m		34.2			1/2			} No ONLY
67.5	68.0		967	0.5m		56.7			1			
68.0	68.5		968	0.5m		28.8			1 1/2			
68.5	69.0		969	0.5m		38.8			1			
69.0	69.5		970	0.5m		58.4			1			
					0.5	40.2	15.8	43.5	1	0.49*		
103.0	103.5	P/A	59971	0.5m		45.3			5			* Sulphur speckled and cracked vigorously during acquisition of 9. value (Holding)
					0.3	46.1	15.1	38.5	4 1/2	0.50		
104.0	104.5		59972	0.5m		50.8			2 1/2			

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
114.5	115.0		59973	0.5 m		63.8			1			
115.0	115.5		974	0.5 m		48.8			2			
115.5	116.0		975	0.5 m		69.2			1			
116.0	116.5		976	0.5 m		72.7			1			
116.5	117.0		977	0.5 m		69.3			1			
117.0	117.5		978	0.5 m		56.7			1			
117.5	118.0		979	0.5 m		71.2			1			
120.0	120.5		59980	0.5 m		75.3			1/2			
126.0	126.5	5W SEAM	59981	0.5 m	0.5	29.0	17.8	32.7	1	0.49	✓	
126.5	127.0		982	0.5 m		61.2			1			
127.0	127.5		983	0.5 m		20.7			1			
127.5	128.0		984	0.5 m		36.5			1			
			985	0.5 m		55.6			1			
129.5	130.0	5W SEAM	59985	0.5 m		28.6			2			
130.0	130.5		986	0.5 m		38.6		NO SAMPLE	4 1/2			
130.5	131.0		987	0.5 m	0.4	34.1	18.1	47.4	3	0.40	✓	
144.0	144.5	5W SEAM	59988	0.5 m		25.6			1 1/2			
144.5	145.0		989	0.5 m	0.6	19.3	17.5	62.6	1	0.45	✓	
145.5	146.0	5L SEAM	59990	0.5 m		11.0			1			
146.0	146.5		991	0.5 m		35.5			1			
146.5	147.0		992	0.5 m		14.5			1 1/2			
147.0	147.5		993	0.5 m		27.6			1			
147.5	148.0		994	0.5 m		45.1			1			
148.0	148.5		995	0.5 m		15.5			1			
148.5	149.0		996	0.5 m		8.7			1 1/2			
149.0	149.5		997	0.5 m		27.1			1			
149.5	150.0		998	0.5 m	0.6	66.9			1			
						23.6	17.5	58.3	1	0.40	✓	

ROTARY DRILL HOLE SAMPLING RECORD


FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	L.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
182.0	182.5	Hu Compo	59999	0.5 m		37.0			1			
182.5	183.0		60000	0.5 m		29.4			1			
183.0	183.5		62001	0.5 m		13.0			1			
183.5	184.0		002	0.5 m		12.2			1 1/2			
184.0	184.5		003	0.5 m		12.8			5			
184.5	185.0		004	0.5 m		12.9			3 1/2			
185.0	185.5		005	0.5 m		28.4			2 1/2			
185.5	186.0		006	0.5 m		14.9			7			
186.0	186.5		007	0.5 m		25.4			1 1/2			
186.5	187.0		008	0.5 m		28.0			1 1/2			
187.0	187.5		009	0.5 m		17.2			1			
187.5	188.0	010	0.5 m		12.9			1 1/2				
188.0	188.5	011	0.5 m		16.1			4 1/2				
					0.6	20.4	18.6	60.4	1 1/2	0.35		
189.0	189.5	PIA	62012	0.5 m	0.5	12.1	20.3	67.1	5 4 1/2	0.55		* Violent reaction w/ sulphur test (see RH 1925)
212.5	213.0	Compo	62013	0.5 m		12.6			6 1/2			
213.0	213.5		014	0.5 m		20.8			6			
					0.5	16.7	20.0	62.8	6	0.45		
214.5	215.0	Hu Compo	62015	0.5 m		58.0			1			
215.0	215.5		016	0.5 m		28.3			1 1/2			
215.5	216.0		017	0.5 m		25.3			1			
216.0	216.5		018	0.5 m		21.7			1			
216.5	217.0		019	0.5 m		12.0			1			
217.0	217.5		020	0.5 m		16.4			6 1/2			
217.5	218.0		021	0.5 m		13.6			4 1/2			
218.0	218.5		022	0.5 m		14.9			1 1/2			
218.5	219.0		023	0.5 m		24.6			5 1/2			
219.0	219.5		024	0.5 m		16.3			4 1/2			
219.5	220.0	025	0.5 m		17.8			1 1/2				
220.0	220.5	026	0.5 m		22.7			6				
					0.4	19.6	19.0	61.0	3	0.35		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS


FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH (m)	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / o.d.b.)	REMARKS	
47	47.5	6 SEAM	Compo	62027	0.5	33.2	16.9	49.2	1	0.42	✓		
47.5	48.0			028	0.5	43.2			1				
48.0	48.5			029	0.5	35.1			1				
48.5	49.0			030	0.5	21.0			3				
49.0	49.5			031	0.5	67.5			1				
49.5	50.0			032	0.5	67.7			1				
50.0	50.5			62033	0.5	66.4			1				
						81.1			0				
56.0	56.5			62034	0.5	62.3			2½				
56.5	57.0			62035	0.5	80.1			0				
					0.4	31.1	18.0	50.5	4	0.40	✓		
119.5	120.0	5u	Compo	62036	0.5	28.5			2				
120.0	120.5			62037	0.5	23.3			2				
120.5	121.0			62038	0.5	63.1			1				
121.0	121.5			039	0.5	25.4			5				
121.5	122.0			040	0.5	13.1			7½				
122.0	122.5			041	0.5	38.1			6½				
122.5	123.0			62042	0.5	69.8			1				
132.5	133.0	5L	Compo	62043	0.5	19.1			5				
133.0	133.5			044	0.5	14.9			3½				
133.5	134.0			045	0.5	14.5			1½				
134.0	134.5			046	0.5	11.7			1				
134.5	135.0			047	0.5	12.3			6				
135.0	135.5			048	0.5	43.8			1½				
135.5	136.0			049	0.5	41.6			1				
136.0	136.5			62050	0.5	18.5			1				
136.5	137.0	62426	0.5	8.3			1½						
137.0	137.5	62427	0.5	14.9			1						
137.5	138.0	62428	0.5	76.8			2½						
					0.6	19.6	18.7	61.1	3	0.36	✓		
138.5	139.0		P/A <	62429	0.5	37.0			3				
						0.4	37.9	16.0	45.8	3	0.36	✓	



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a.d.b.)	REMARKS
14.5	15.0	4 SEAM compo	62251	0.5 m		10.0			6 1/2			Rd ONLY
15.0	15.5		252	0.5 m		15.0			6			
15.5	16.0		253	0.5 m		15.7			6			
16.0	16.5		254	0.5 m		10.6			3			
16.5	17.0		255	0.5 m		17.0			3			
17.0	17.5		256	0.5 m		19.2			3			
17.5	18.0		257	0.5 m		5.0			2			
18.0	18.5		258	0.5 m		9.0			1			
18.5	19.0		259	0.5 m		12.6			5			
19.0	19.5		260	0.5 m		10.4			3			
19.5	20.0		261	0.5 m		20.0			5 1/2			
20.0	20.5		262	0.5 m		9.7			5			
20.5	21.0		263	0.5 m		15.8			2 1/2			
21.0	21.5	264	0.5 m		16.2			6				
21.5	22.0	265	0.5 m		48.0			1 1/2				
22.0	22.5	266	0.5 m		23.6			2				
22.5	23.0	267	0.5 m		73.6			1/2				
					0.9	15.5	19.3	64.3	3 1/2	0.40		
55.0	55.5		62268	0.5 m		51.1			1			
87.0	87.5	2 SEAM compo	62269	0.5 m	0.7	23.1	18.9	57.3	6	0.44		
87.5	88.0		270	0.5 m		52.3			1			
88.0	88.5		271	0.5 m		16.2			6 1/2			
88.5	89.0		272	0.5 m		16.4			6 1/2			
89.0	89.5		273	0.5 m		15.8			6 1/2			
89.5	90.0		274	0.5 m		22.5			5			
90.0	90.5		275	0.5 m		37.6			1			
90.5	91.0		276	0.5 m		52.5			1			
91.0	91.5		277	0.5 m		61.4			1/2			
91.5	92.0		278	0.5 m		34.8			2 1/2			
92.0	92.5	279	0.5 m		71.0			1/2				
92.5	93.0	280	0.5 m		48.3			1				
93.5	94.0	compo	281	0.5 m		58.6			1			
94.0	94.5		282	0.5 m		39.1			1 1/2			
94.5	95.0		283	0.5 m		70.1			1/2			
95.0	95.5		284	0.5 m		23.4			5			
95.5	96.0		285	0.5 m		17.6			6			



COAL MINE

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
96.0	96.5		62286	0.5m		16.2			6			
96.5	97.0		287	0.5m	0.5	38.4			3 1/2			
						37.6	18.3	43.6	4	0.39	✓	
208.0	208.5		62288	0.5m		26.6			1			
208.5	209.0		289	0.5m		14.1			1 1/2			
209.0	209.5		290	0.5m		13.7			3 1/2			
209.5	210.0		291	0.5m		18.0			3 1/2			
210.0	210.5	Camp	292	0.5m		13.0			2 1/2			
210.5	211.0		293	0.5m		24.9			1 1/2			
211.0	211.5		294	0.5m		12.9			1 1/2			
211.5	212.0		295	0.5m		13.0			4			
212.0	212.5		296	0.5m		45.6			1			
212.5	213.0		297	0.5m		24.8			2			
213.0	213.5		298	0.5m		64.2			1/2			
215.0	215.5		4 UPPER	299	0.5m	0.6	20.9	18.7	59.8	2	0.30	✓
						77.6			0			
223.0	223.5		300	0.5m		35.5			3			
223.5	224.0		301	0.5m		62.4			1			
224.0	224.5		302	0.5m		51.4			1 1/2			
224.5	225.0	4 LOWER Camp	303	0.5m		25.1			1			
225.0	225.5		304	0.5m		12.0			1 1/2			
225.5	226.0		305	0.5m		10.9			4			
226.0	226.5		306	0.5m								
226.5	227.0		307	0.5m		20.9			1			
227.0	227.5		308	0.5m		23.3			2 1/2			
227.5	228.0		309	0.5m		17.7			2 1/2			
228.0	228.5		310	0.5m		18.7			5 1/2			
228.5	229.0	311	0.5m		55.8			1				
					0.6	27.3	18.3	53.8	1 1/2	0.35		



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
19.0	19.5	2 SEAM	62376	0.5 m		21.7			6 $\frac{1}{2}$			
19.5	20.0		377	0.5 m		22.9			6 $\frac{1}{2}$			
20.0	20.5		378	0.5 m		25.8			6 $\frac{1}{2}$			
20.5	21.0		379	0.5 m		26.7			6 $\frac{1}{2}$			
21.0	21.5		380	0.5 m		28.9			6			
21.5	22.0		381	0.5 m		57.9			±			
22.0	22.5		382	0.5 m		67.4			0			
22.5	23.0		383	0.5 m		88.8			0			
					0.2	25.8	19.8	54.2	6 $\frac{1}{2}$	0.48		
24.5	25.0	1 SEAM	62384	0.5 m		63.2			1			
25.0	25.5		385	0.5 m		73.1			0			
25.5	26.0		386	0.5 m		28.1			1			
26.0	26.5		387	0.5 m		24.0			6 $\frac{1}{2}$			
26.5	27.0		388	0.5 m		16.9			7 $\frac{1}{2}$			
27.0	27.5		389	0.5 m		61.6			1			
					0.2	24.5	18.9	56.4	6	0.49		
125.0	125.5		62390	0.5 m		64.0			1			
134.0	134.5	4 U	62391	0.5 m		41.4			1			
134.5	135.0		392	0.5 m		32.8			1			
135.0	135.5		393	0.5 m		20.8			1			
135.5	136.0		394	0.5 m		13.7			2 $\frac{1}{2}$			
136.0	136.5		395	0.5 m		20.8			1			
136.5	137.0		396	0.5 m		40.1			1			
137.0	137.5		397	0.5 m		9.8			2			
137.5	138.0		398	0.5 m		30.4			1			
138.0	138.5		399	0.5 m		9.5			2 $\frac{1}{2}$			
138.5	139.0		400	0.5 m		20.7			3			
139.0	139.5		401	0.5 m		20.2			2			
139.5	140.0		402	0.5 m		25.6			2			
140.0	140.5	403	0.5 m		4.3			3				
					0.3	22.4	18.9	58.4	1 $\frac{1}{2}$	0.31		
142.0	142.5		62404	0.5 m		60.1			1			



ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERAT

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B.T.U. (Actual / a. d. b.)	REMARKS
148.5	149.0		62405	0.5 m		110.0			2 1/2			
149.0	149.5		406	0.5 m		34.9			3			
149.5	150.0		407	0.5 m		38.6			1			
150.0	150.5		408	0.5 m		25.2			2 1/2			
150.5	151.0	H.L. compo	409	0.5 m		19.9			1			
151.0	151.5		410	0.5 m		15.6			1			
151.5	152.0		412	0.5 m		17.2			3			
152.0	152.5		413	0.5 m		20.3			3 1/2			
152.5	153.0		414	0.5 m		17.8			2			
153.0	153.5		415	0.5 m		34.6			3			
153.5	154.0		416	0.5 m		67.1			1			
154.0	154.5		411			13.1			5			
					0.3	28.9	17.7	53.1	2	0.37		

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F.S.I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
9.5	10.0	Compo	64106	0.5 m		16.3			6½			Petrography
10.0	10.5		107	0.5 m		4.5			7			
10.5	11.0		108	0.5 m		7.9			7			
11.0	11.5		109	0.5 m		47.0			3			
11.5	12.0		110	0.5 m		20.8			6½			
12.0	12.5		111	0.5 m		7.3			7½			
12.5	13.0		112	0.5 m		2.9			8			
13.0	13.5		113	0.5 m		10.9			6½			
13.5	14.0		114	0.5 m		—	NO SAMPLE		—			
14.0	14.5		115	0.5 m		21.1			6½			
14.5	15.0		116	0.5 m		4.0			7			
15.0	15.5		117	0.5 m		4.3			8			
15.5	16.0	118	0.5 m		3.5			6½				
16.0	16.5	119	0.5 m		4.8			7½				
16.5	17.0	120	0.5 m		39.0			4½				
17.0	17.5	121	0.5 m		70.2			1				
17.5	18.0	122	0.5 m		70.7			1				
			106-120		0.8	13.4	28.7	57.1	6½	0.96	✓	
18.0	48.5	Compo	64123	0.5 m		31.2			6½			Ro over
18.5	49.0		124	0.5 m		24.8			7			
			123-24		0.9	22.0	25.6	45.5	6½	0.86	✓	
85.0	85.5	Compo	64126	0.5 m		51.4			2			Petrog.
85.5	86.0		127	0.5 m		66.2			1			
86.0	86.5		128	0.5 m		36.1			4½			
86.5	87.0		129	0.5 m		44.9			6½			
87.0	87.5		130	0.5 m		8.2			7½			
87.5	88.0		131	0.5 m		31.6			6½			
88.0	88.5		132	0.5 m		13.1			7½			
88.5	89.0	133	0.5 m		47.6			3½				
			128-133		1.0	25.3	23.6	50.1	6½	0.58	✓	
08.5	109.0		64134	0.5		43.3			4			
			136-45		1.1	25.5	22.8	50.6	6	0.60	✓	
26.5	127.0		64135	0.5		59.5			1½			
127.0	127.5		136	0.5		29.6			4½			
127.5	128.0		137	0.5		37.1			4½			
128.0	128.5		138	0.5		13.3			7			
128.5	129.0		139	0.5		—	NO SAMPLE		—			

ROTARY DRILL HOLE SAMPLING RECORD
FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	I.M.	ASH	V.C.M.	F.C.	F. S. I.	S	B. T. U. (Actual / a. d. b.)	REMARKS
129.0	129.5	Compo	64140	0.5		27.1			6½			Petrog.
129.5	130.0		141	0.5		18.1			7			
130.0	130.5		142	0.5		56.7			3			
130.5	131.0		143	0.5		18.2			6½			
131.0	131.5		144	0.5		7.7			7½			
131.5	132.0		145	0.5		21.4			6½			
132.0	132.5		146	0.5		78.9			½			
132.5	133.0		147	0.5		78.2			½			
133.0	133.5	P/A C	148	0.5		11.2			7			
134.0	134.5	Compo	149	0.5	0.6	11.5	27.4	60.5	7	0.92		
134.5	135.0		64150	0.5		45.1			4½			
			149-150		0.6	47.2	17.4	34.8	3½	0.56		
160.0	160.5	Compo	64151	0.5		10.3			7			Petrog.
160.5	161.0		152	0.5		58.0			1			
161.0	161.5		153	0.5		23.7			6½			
161.5	162.0		154	0.5		20.1			6½			
162.0	162.5		155	0.5		11.3			7½			
162.5	163.0		156	0.5		23.7			7			
163.0	163.5		157	0.5		39.6			5			
163.5	164.0	158	0.5		11.2			8				
			151-58		0.7	24.6	21.7	53.0	6	0.46		