

HOLE NO.

RH #2430

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
16.5	17	Compo 674	115951	.5	28.3				1			
17	17.5		52		30.3				1 1/2			
17.5	18		53		6.5				6			
18	18.5		54		4.5				6 1/2			
18.5	19		55		5.6				7			
19	19.5		56		16.0				6			
19.5	20		57		10.4				5 1/2			
20	20.5		58		7.7				5 1/2			
20.5	21		59		35.7				4 1/2			
21	21.5		60		21.9				6 1/2			
21.5	22	61		75.5				1				
			Compo #674		17.2	23.85	.60	58.35	4 1/2	.60		
23.5	24	Compo 675	115962	.5	40.5				4			
24	24.5		63		17.8				6 1/2			
24.5	25		64		84.3				0			
			Compo #675		31.8	22.02	.48	45.70	5 1/2	.67		
26	26.5	Compo 676	115965	.5	40.4				1 1/2			
26.5	27		66		25.4				5 1/2			
27	27.5		67		15.9				5			
27.5	28		68		9.8				7			
28	28.5		69		19.7				6			
28.5	29		70		36.3				5 1/2			
29	29.5		71		33.7				4			
29.5	30	72		59.8				1				
			Compo #676		28.6	21.26	.61	49.53	4 1/2	.64		

AREA:

Eagle S.E

PAGE 1 OF 6

HOLE NO. RH # 2430

HOLE NO.

RH #2430

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
40.5	41	Comp 677	115973	.5	11.0				7			
41	41.5		74		73.7				1			
41.5	42		75		10.8				7 1/2			
42	42.5		76		30.5				7			
42.5	43		77		62.4				1			
			(Comp #677)		33.1	21.65	.56	44.69	6	1.11		
51	51.5	prox 678	115978	.5	15.0			*	4 1/2	Correction		
51.5	52		79		86.8				0			
			prox #678		18.2	23.74	.48	57.58	4 1/2	.97		
66.5	67		115980	.5	53.8				1			
67	67.5		81		85.4				0			
69.5	70	Comp 679	115992	.5	35.3				1 1/2			
70	70.5		83		7.8				6			
70.5	71		84		10.8				3			
71	71.5		85		15.6				2 1/2			
71.5	72		86		74.6				0			
			(Comp #679)		18.5	20.18	.35	60.97	2	.52		

AREA:

Eagle So E.

PAGE 2 OF 6

HOLE NO. RH #2430

HOLE NO.

RH #2430

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
74	74.5	Compos 680	115987	5	26.7				1 1/2			
74.5	75		88		15.0				5			
75	75.5		89		12.1			*	3 1/2	Corrected		
75.5	76		90		31.7				2			
76	76.5		91		4.4				6			
76.5	77		92		12.4			*	5	Corrected		
77	77.5		93		11.5				1 1/2			
77.5	78		94		19.1				3 1/2			
78	78.5		95		28.9				2			
78.5	79		96		14.6				2			
79	79.5		97		6.3				6			
79.5	80		98		22.7				2 1/2			
80	80.5		99		19.5				* 4 1/2	Corrected		
80.5	81		116000		47.8				3 1/2			
81	81.5		115501		21.8				6 1/2			
81.5	82	02		48.0	21.93			5				
		Compos #680		20.7	32.06	.34		57.13 46.90	2 1/2	.44		
85	85.5	prox 681	115503	5	38.7				1			
85.5	86		4	5	51.4				2			
		Prox #681			40.3	17.31	.36	42.03	1	.51		

AREA:

Eagle So E.

PAGE 3 OF 6

HOLE NO. RH #2430

HOLE NO.

RH #2430

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1155	116		115505	.5	36.6				1			
116	116.5		6		24.6				2 1/2			
116.5	117		7		13.0				4			
117	117.5		8		15.9				5			
117.5	118		9		16.9				5 1/4			
118	118.5		10		40.2				4.			
118.5	119		11		37.4			*	3 1/2	Contraction		
119	119.5		12		28.6				5.			
119.5	120		13		38.7				4 1/2			
120	120.5		14		63.3				1			
120.5	121	Compo 682	15		18.2				5 1/2			PG-95-120
121	121.5		16		22.1				2 1/2			
121.5	122		17		14.6				6 1/2			
122	122.5		18		19.8			*	3 1/2	Contraction		
122.5	123		19		9.6				2			
123	123.5		20		13.5				3			
123.5	124		21		40.9				5			
124	124.5		22		57.2				2			
			Compo #682		28.8	20.01	.37	50.82	2 1/2	.39		
147	147.5		115523	.65	82.3				0			
147.5	148		24	.5	80.8				0			
173	173.5		115525	.05	18.1				7			
173.5	174	Compo 683	26		21.0				7			PG-95-121
174	174.5		27		61.7				1			
174.5	175		28		75.5				1			
			Compo #683		21.2	25.07	.46	53.27	6	1.24		

AREA:

Eagle Se E.

PAGE 4 OF 6

HOLE NO. RH #2430

HOLE NO:

RH # 2430

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
180	1805		115529	.5	63.0				1			
1805	181		30	.5	75.0				1			
182	1825		115531	.5	77.7				1			
1825	183		32	.5	80.4				1/2			
1905	191		115533	.5	35.8				4 1/2			
191	1915		34		58.7				1			
1915	192		35		58.0				1			
192	1925		36		14.4				7 1/2			
1925	193		37		34.0				4			
193	1935		38		25.1				5 1/2			
1935	194	Comp 684	39		24.9				6 1/2			
194	1945	Comp 685	40		23.3				6 1/2			
1945	195		41		21.5				7			
195	1955		42		37.4				5			
1955	196		43		41.8				3 1/2			
196	1965		44		55.7				1 1/2			
1965	197		45		41.5				2 1/2			
197	1975		46		51.1				1 1/2			
1975	198		47		82.5				0			
			Comp #684		39.0	20.45	.45	40.10	4 1/2	.51		
			Comp #685		28.8	23.98	.42	46.80	6 1/2	.50		
1995	200		115549	.5	20.9				2			
200	2005	Prox 686	49		56.8				1			
2005	201		50		60.4				1			
201	2015		51		78.5				1			
			Prox #686		23.0	20.04	.38	56.58	1 1/2	.65		

REA:

Eagle So E.

PAGE 5 OF 6

HOLE NO. RH # 2430

HOLE NO.

RH # 2433

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
10	10.5	Compo 688	115841	5	10.6				7			
10.5	11		42	19.2				7				
11	11.5		43	15.0				6				
11.5	12		44	22.1				5 1/2				
12	12.5		45	27.4				3 1/2				
12.5	13		46	40.4				3				
13	13.5		47	40.4				3				
13.5	14		48	71.6				1/2				
14	14.5		49	83.4	↓			0				
		Compo # 688			30.2	20.48	.45	48.87	4 1/2	.68		
18	18.5	Compo 689	115850	5	51.0				3			
18.5	19		51	36.3				3				
19	19.5		52	31.2				1				
19.5	20		53	15.0				3				
20	20.5		54	30.7				2				
20.5	21		55	46.9				1				
21	21.5		56	56.4				1				
21.5	22		57	72.0				0				
22	22.5		58	39.5				1 1/2				
22.5	23	Compo 690	57	33.0				2 1/2				
23	23.5		66	14.4				6 1/2				
23.5	24		61	43.5				4 1/2				
24	24.5		62	28.0				4 1/2				
24.5	25		63	78.3	↓			0				
		Compo # 689			32.7	19.51	.57	47.22	1	.66		
		Compo # 690			34.5	19.75	.59	45.16	4	.78		

AREA:

Eagle S.W

PAGE 1 OF 4

HOLE NO. RH # 2433

HOLE NO.

RH #2433

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
76	76.5		115864	6.5	67.7				0			
76.5	77		65		56.9				0			
77	77.5		66		61.4				0			
77.5	78		67		36.1				1			
78	78.5		68		27.0				1			
78.5	79		69		13.0				4			
79	79.5		70		17.6				7			
79.5	80		71		10.2				6 1/2			
80	80.5	Compo' } 691	72		48.6				1			
80.5	81		73		49.5				1			
81	81.5		74		38.7				1 1/2			
81.5	82		75		26.0				3 1/2			
82	82.5		76		26.6				3			
82.5	83		77		36.9				3			
83	83.5		78		68.4				1			
83.5	84		79		55.2				2 1/2			
84	84.5		80		80.8				0			
84.5	85		81		88.1				0			
			Compo #691		31.8	18.78	.48	48.94	2	.37		
86	86.5		115882		79.1				0			
86.5	87		83		63.9				1/2			
87	87.5	Phox } 692	84		38.8			*	3			Correction
87.5	88		85		75.4				1/2			
88	88.5		86		88.5				0			
			Phox #692		44.0	16.32	.43	37.25	3	.59		

IEA:

Eagle SW

PAGE 2 OF 4

HOLE NO. RH #2433

HOLE NO.

RH # 2433

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
106.5	107		115887	5	35.4				1			
107	107.5	prog 693	88		66.0				1/2			
107.5	108		89		55.1				1			
108	108.5		90		24.3				4			
108.5	109		91		36.9				2 1/2			
109	109.5		92		27.0				6			
109.5	110		93		29.3				3			
110	110.5		94		14.7				5			
110.5	111		95		23.1				2 1/2			
111	111.5		96		20.2				6			
111.5	112	Compa 694	97		22.6				4 1/2			
112	112.5		98		27.2				3			
112.5	113		99		11.3				1 1/2			
113	113.5		115900		19.8				4			
113.5	114		1		49.2				2			
114	114.5		2		46.3				1			
114.5	115		3		26.6				3			
115	115.5		4		28.9				2 1/2			
115.5	116		5		63.2				1			
116	116.5		6		75.9				0			
116.5	117		7		83.2				0			
			Plox #673		41.7	17.03	.40	40.87	1	34		
			Canfo #674		29.7	20.04	.42	49.84	2 1/2	33		
119	119.5		115908	5	74.3				1/2			
119.5	120		9		72.5				1/2			
120	120.5	prog 695	10		41.6			*	3	Correction		
120.5	121		11		82.8				0			
121	121.5		12		89.7				0			
			Plox #695		44.5	15.70	.43	39.37	3	.47		

IEA:

Eagle SW

PAGE 3 OF 11

HOLE NO.

RH # 2433

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1765	177		115913	.5	64.7				1/2			
177	177.5		14	↓	66.9				1/2			
177.5	178		15	↓	76.4				0			
1805	181		115916	.5	82.4				0			
181	181.5		17	↓	63.3				1			
181.5	182		18	↓	82.1				0			
182	182.5		19	↓	85.1				0			
182.5	183		20	↓	89.8				0			
199.5	200		115921	.5	77.4				0			
200	200.5		22	.5	89.1				0			
203.5	204		115923	.5	79.3				0			
204	204.5		24	↓	84.4				0			
204.5	205		25	↓	67.2				1/2			
205	205.5		26	↓	88.0				0			
207.5	208		115927	.5	67.0				1/2			
208	208.5		28	↓	78.6				0			
208.5	209		29	↓	87.2				0			
209	209.5		30	↓	88.3				0			

OLE NO.

RH # 2434

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
10	10.5	Compo 696	115751	.5	29.5				6			
10.5	11		52		74.9				1/2			
11	11.5		53		30.2				7			
11.5	12		54		36.7				5 1/2			
12	12.5		55		23.5				3			
12.5	13		56		16.1				7			
13	13.5		57		24.5				6			
13.5	14		58		60.7				1 1/2			
14	14.5		59		34.2				3 1/2			
14.5	15		60		65.8				1			
15	15.5	61		45.2				3 1/2				
15.5	16	62		66.6				1				
16	16.5	63		19.6				7				
16.5	17	64		18.9				7				
17	17.5	65		35.6				5 1/2				
17.5	18	66		45.2				3				
			Compo # 696		39.1	18.12	.46	42.32	3 1/2	.57		
			Compo # 697		31.5	20.18	.43	47.89	4 1/2	.89		

HOLE NO.

RH #2434

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
60	60S		115767	.5	53.4				1			
60S	61		68		19.5				3			
61	61S		69		16.4				4			
61S	62		70		9.6				5			
62	62S		71		26.0				2½			
62S	63	Compo	72		17.1				6½			
63	63S		73		14.0				4			
63S	64	698	74		46.1				1			
64	64S		75		21.3				2½			
64S	65		76		11.1				5½			
65	65S		77		11.4				5½			
65S	66		78		68.1				1			
66	66S		79		63.0				1			
66S	67		80		42.8				4			
67	67S		81	↓	78.4				0			
			Compo #698		21.6	20.36	.41	57.63	3	.47		

REA:

Fagle. S.E.

PAGE 2 OF 5

HOLE NO. RH #2434

HOLE NO.

RH #2434

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
91.5	92	Compd 699	115782	.5	31.5				1			
92	92.5		83		27.6				1			
92.5	93		84		39.4				1 1/2			
93	93.5		85		26.1				3			
93.5	94		86		27.7				4 1/2			
94	94.5		87		45.9				2 1/2			
94.5	95		88		37.9				5 1/2			
95	95.5		89		29.0				5			
95.5	96		90		18.8				3			
96	96.5		91		18.1				3 1/2			
96.5	97		92		38.0				1 1/2			
97	97.5		93		18.4				7			
97.5	98		94		19.2				4 1/2			
98	98.5		95		20.9				2			
98.5	99		96		26.6				1 1/2			
99	99.5		97		14.2				3 1/2			
99.5	100		98		40.3				3			
100	100.5		99		74.6				1/2			
100.5	101		115800		29.4				1			
101	101.5		01		25.2				2			
101.5	102	02		23.9				6				
102	102.5	03		73.9				1/2				
102.5	103	04		85.7				0				
		Compd #699			32.1	18.94	.39	48.57	2	.34		
105	105.5		115805	.5	79.8				0			
105.5	106		6		47.9				1			
106	106.5		7		62.9				1			
106.5	107		8		87.5				0			

EA:

Faulk. S.F

PAGE 3 OF 5

HOLE NO. RH #2434

HOLE NO.

RH #2434

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
145.5	146		115809	.5	63.7				1			
146	146.5		10	}	72.5				1/2			
146.5	147		11		82.0				0			
147	147.5		12		89.9				0			
147.5	148		13		63.2				1			
148	148.5		14		88.1				0			
160	160.5		115815	.5	88.4				0			
160.5	161		16	}	68.8				1/2			
161	161.5		17		55.0				1			
161.5	162		18		58.4				1			
162	162.5		19		87.4				0			
163	163.5		115820		.5	73.4				0		
163.5	164		21	}	77.5				1/2			
164	164.5		22		88.0				0			
164.5	165		23		69.4				0			
165	165.5		24		76.4				0			
165.5	166		25		65.3				1			
166	166.5		26		83.8				0			
166.5	167		27		89.0				0			

IEA:

Eagle S. W.

PAGE 4 OF 5

HOLE NO. RH #2434

HOLE NO.

RH # 2434

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
189.5	190	Copper 700	115828	.5	26.2				1/2			
190	190.5		29		19.5				1			
190.5	191		30		76.8				0			
191	191.5		31		88.1				0			
191.5	192		32		93.2				0			
192	192.5		33		87.7				0			
192.5	193		34		81.3				0			
193	193.5		35		86.9				0			
193.5	194		36		81.4				0			
194	194.5		37		85.0				0			
194.5	195	38		76.4				0				
			Compo # 700		25.0	16.57	.31	58.12	1	.55		
196	196.5		115839	.5	86.9				0			
196.5	197		40	.5	86.3				0			

REA:

Fossil S.E.

11-92

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	L.W.	F.C.	F&I	S	CALORIFIC VALUE	REMARKS
12	12.5	Compo 290	115726	.5	11.7				7			
12.5	13		27		4.5				7			
13	13.5		28		13.1				7			
13.5	14		29		86.4				0			
			290			10.7	24.00	.41	64.89	6 1/2	.47	
17	17.5	Compo 291	115730	.5	51.7				1 1/2			
17.5	18		31		54.9				2 1/2			
18	18.5		32		53.1				2			
18.5	19		33		23.2				6 1/2			
19	19.5		34		26.7				4 1/2			
19.5	20		35		78.1				1			
		291			26.7	22.78	.37	50.15	6	.72		
26.3	27		115736	.5	69.0				1			
27	27.5		37		70.0				1/2			
27.5	28		38		69.4				1			
53	53.5	Compo 292	115739	.5	29.1				3 1/2			
53.5	54		40		38.0				4 1/2			
54	54.5		41		7.4				8			
54.5	55		42		14.0				6			
55	55.5		43		11.0				6			
55.5	56		44		15.6				4			
56	56.5		45		24.8				6			
56.5	57		46		26.8				6 1/2			
57	57.5		47		42.6				5			
57.5	58		48		75.2				1			
		292			23.5	23.03	.31	53.16	5 1/2	.64		

AREA:

Fogale, S.E

HOLE NO

11-92

HOLE NO.

11-92

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS
60S	61		115749	.5	35.4				1 1/2			
61	61.3		56	↓	72.5				1			
61.5	62		116736	↓	75.6				1			
63S	64		116203	.5	29.2				6			
64	64.5		29		25.1				6 1/2			
64.5	65		29		81.6				0			
65	65.5		30		36.2				7			
65.5	66		31		20.7				7 1/2			
66	66.5		32		18.3				6			
66.5	67		33		11.2				7			
67	67.5		34		19.9				7			
67.5	68		35		28.6				6			
68	68.5		36		18.3				5 1/2			
68.5	69		37		33.0				5			
69	69.5		38		40.8				4 1/2			
69.5	70		39		43.1				4			
70	70.5		40		23.2				7			
70.5	71		41		40.0				6			
71	71.5		42		24.2				7			
71.5	72		43	30.8				6 1/2				
72	72.5		44	48.1				4 1/2				
			293	↓	31.9	21.50	.40	46.20	6	.72		
107	107.5		116245	.5	80.5				0			
107.5	108		46	↓	67.4				1			
108	108.5		47	↓	75.6				1 1/2			

AREA:

Foord. S.F

PAGE 2 OF 3

HOLE NO

11-92

HOLE NO.

11-92

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	L.W.	FC	F&I	S	CALORIFIC VALUE	REMARKS
110	110S	prof 294	116248	.5	56.2				1 1/2			
105	111		49		28.5				6			
111	111S		50		57.6				2			
111S	112		116201		58.7				1 1/2			
112	112S		2		63.1				1			
			294		27.6	26.18	.44	45.78	6	1.51		
126S	127	prof 295	116203	.5	21.3				6 1/2			
127	127S		4		49.1				2			
127S	128		5		54.9				1 1/2			
128	128S	prof 296	6		85.3				0			
128S	129		7		29.1				4 1/2			
			295		21.6	24.86	.41	53.13	5 1/2	.86		
			296		30.1	23.59	.41	45.90	4	.65		
130	130S	Comp 297	116208	.5	33.8				4			
130S	131		9		15.7				7 1/2			
131	131S		10		18.2				7 1/2			
131S	132		11		42.8				3 1/2			
132	132S		12		45.5				2			
132S	133		13		48.0				4			
133	133S		14		76.2				1 1/2			
133S	134		15		55.2				2			
			297		34.1	22.51	.45	42.94	5 1/2	.65		
			298		23.3	25.67	.47	50.56	7	.70		

HOLE NO.

RH #1193

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
20.5	21		116851	.5	54.2				4			
21	21.5		52	.5	82.4				0			
22	22.5		116853	.5	10.9				7 1/2			
22.5	23		54		7.2				7 1/2			
23	23.5		55		56.2				2			
23.5	24		56		44.6				4 1/2			
24	24.5		57		7.9				7			
24.5	25	Compo 299	58		5.6				7 1/2			
25	25.5		59		4.9				7 1/2			
25.5	26	Compo 300	60		4.5				7 1/2			
26	26.5		61		11.5				6 1/2			
26.5	27		62		8.5				7			
27	27.5		63		17.4				5 1/2			
27.5	28		64		49.2				3 1/2			
28	28.5		65		49.9				3			
28.5	29	Compo 301	66		7.4				7 1/2			
29	29.5		67		11.2				7			
29.5	30		68		40.4				5			
30	30.5		69		77.7				1			
30.5	31		70		87.8				0			
			299		16.8	25.63	.53	57.09	6 1/2	1.52		
			300		8.4	27.37	.50	63.73	7	.49		
			301		20.1	25.02	.37	54.51	6 1/2	.94		

HOLE NO. 1193

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.J.	S	CALORIFIC VALUE	REMARKS
66.5	66		116871	5	47.9							
66	66.5		72		8.0				3 1/2			
66.5	67		73		5.0				7 1/2			
67	67.5		74		9.3				7 1/2			
67.5	68		75		9.8				5 1/2			
68	68.5	Compd 303	116976		11.8				6 1/2			
68.5	69	302	77		44.3				6 1/2			
69	69.5		78		14.7				4			
69.5	70		79		62.0				7 1/2			
70	70.5		80		18.8				1			
70.5	71		81		65.4				6			
71	71.5		82		75.0				1			
71.5	72		83		83.7				0			
72	72.5		84		72.2				0			
72.5	73		85		86.6				1			
			302		20.6	23.79	.28	55.33	0			
			303		15.0	23.14	.26	61.60	6	1.58		
74.5	75		116981	5	30.0				6	.58		
75	75.5		78		28.5				5			
75.5	76		79		65.9				6 1/2			
76	76.5		80		35.1				1 1/2			
76.5	77		81		26.5				5 1/2			
77	77.5		82		31.0				3 1/2			
77.5	78		83		22.4				2 1/2			
78	78.5	Compd 305	84		12.9				5			
78.5	79	304	85		36.6				6 1/2			
79	79.5		86		36.7				3 1/2			
79.5	80		87		38.2				4			
80	80.5		88		43.6				4			
80.5	81	None	89						11			

HOLE NO.

11-93

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
81	81.5	↑ over ↓ Comp 306	11700	↓	30.9				5 1/2			
81.5	82		1188 76		85.8				0			
82	82.5		77		16.0				7			
82.5	83		78		19.8				6 1/2			
83	83.5		79		19.3				6 1/2			
83.5	84		80		31.9				5 1/2			
84	84.5		81		59.9				1			
84.5	85	82	65.3				1					
			304		35.0	20.73	.44	43.83	5 1/2	.67		
			305		32.8	20.70	.37	46.13	5	.61		
			306		21.7	25.57	.35	52.38	6 1/2	1.15		

AREA:

Eagle So E.

PAGE 3 OF 3

HOLE NO.

11-93

HOLE NO.

11-94

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
3	3.5		117101	5	68.6				1/2				
3.5	4		2	}	57.9				1 1/2				
4	4.5		3		41.9				2				
4.5	5		4		58.8				2				
5	5.5		5		67.3				1				
5.5	6		6		28.1				6 1/2				
6	6.5	} <i>Sample</i> 307	7		16.8				6				
6.5	7		8		39.2				5				
7	7.5		9		73.4				1				
7.5	8		10		75.3				1				
8	8.5		11		82.8				0				
			307			28.6	22.83	.45	48.12	5 1/2	1.01		
45	45.5		117112	5	52.8				1/2				
45.5	46		13	}	64.7				1				
46	46.5		14		11.2				7				
46.5	47		15		26.0				3 1/2				
47	47.5		16		54.6				1/2				
47.5	48	} <i>Sample</i> 308	17		46.8				2				
48	48.5		18		46.4				2 1/2				
48.5	49		19		23.7				6 1/2				
49	49.5		20		68.8				0				
49.5	50		21		78.8				1/2				
50	50.5		22		70.9				1				
50.5	51		23		86.0				0				
			308		35.0	22.20	.46	42.34	4	1.49			

AREA:

Fossil S.F.

PAGE 1 OF 4

HOLE NO. 11-94

HOLE NO.

11-94

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
52	52.5	Comp 310 Comp 309 Comp 311	117124	0.5	42.3				4			
52.5	53		25		36.7				5			
53	53.5		26		60.3				1 1/2			
53.5	54		27		33.4				5			
54	54.5		28		28.0				5 1/2			
54.5	55		29		14.8				6 1/2			
55	55.5		30		22.2				6			
55.5	56		31		19.6				6 1/2			
56	56.5		32		41.3				4 1/2			
56.5	57		33		29.1				4 1/2			
57	57.5	34		51.5				2				
57.5	58	35		49.1				3				
58	58.5	36		55.6				2 1/2				
			309		32.5	21.61	.50	45.39	5 1/2	.60		
			310		40.3	19.46	.47	39.77	5	.62		
			311		27.8	22.37	.52	49.31	5 1/2	.64		
61	61.5	Comp 312	117137	0.5	44.2				3 1/2			
61.5	62		38		21.3				7			
62	62.5		39		39.5				3 1/2			
62.5	63		40		42.6				3			
63	63.5		41		48.4				2			
63.5	64		42		74.0				1			
64	64.5		43		82.6				0			
				312		36.6	20.44	.52	42.44	5	1.11	
85.5	86.0		117144	.5	68.0				1			
86	86.5		45		85.9				0			
86.5	87		46		87.2				0			

IEA:

E. L. C. F.

HOLE NO.

11-94

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IM.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
90.5	91		117147	.5	15.3				7			
91	91.5		48		59.7				1			
91.5	92		49		6.0				7			
92	92.5		50		39.3				2 1/2			
92.5	93		51		8.0				4 1/2			
93	93.3		52		13.0				3 1/2			
93.5	94		53		20.7				4 1/2			
94	94.5		54		43.4				4			
94.5	95	Compar	55		49.1				3 1/2			
95	95.5	313	56		29.5				2 1/2			
95.5	96		57		20.1				2 1/2			
96	96.3		58		44.0				4			
96.5	97		59		20.8				6			
97	97.5		60		37.1				4 1/2			
97.5	98		61		60.7				1			
98	98.5		C2		82.9				0			
98.5	99		C3	✓	69.8				1			
			313		29.2	20.13	.43	50.24	4 1/2	.50		

EA:

E. I. C. F.

HOLE NO.

11-94

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
			314		41.0	19.67	.34	38.99	5	.61		
100	100.5	prox	117164	0.5	39.5				4			
100.5	101	314	65		56.0				2			
101	101.5		66		85.3				0			
101.5	102		67		66.8				1			
102	102.5		69		21.7				5			
102.5	103		69		11.3				6 1/2			
103	103.5		70		27.8				5 1/2			
103.5	104	Comp	71		41.7				2 1/2			
104	104.5	315	72		50.8				2			
104.5	105		73		26.2				5 1/2			
105	105.5		74		32.7				5 1/2			
105.5	106		75		56.2				1			
106	106.5		76		83.6				0			
106.5	107	prox	77		31.5				5 1/2			
107	107.5	316	79		53.2				2			
107.5	108		79		64.0				1			
108	108.5		80		82.4				0			
108.5	109	prox	81		40.4				5 1/2			
109	109.5	317	82		63.1				1			
109.5	110		83		48.3				4 1/2			
110	110.5		84		29.3				2			
110.5	111	Comp	85		35.8				5			
111	111.5	318	86		11.0				7			
111.5	112		87		20.2				4 1/2			
112	112.5		89		46.1				4			
112.5	113		89		44.8				3 1/2			
113	113.5		90		76.2				1/2			
113.5	114		91		81.0				0			
			315		29.3	21.17	.36	49.17	5	.71		
			316		31.7	21.78	.37	46.15	6	.92		
			317		42.8	21.05	.27	35.88	4 1/2	1.07		
			318		24.6	24.01	.35	51.04	6	.77		

EA:

F... C.F.

PAGE 4 OF 4

HOLE NO. 11.911

HOLE NO.

11-95

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
18	18.5		117426	.5	67.3				0			
18.5	19		27	.5	72.5				0			
20	20.5		117428	.5	15.4				7½			
20.5	21		29		7.2				6½			
21	21.5		30		45.4				5			
21.5	22		31		42.9				4½			
22	22.5		32		14.6				6½			
22.5	23		33		5.5				7			
23	23.5		34		5.1				7½			
23.5	24		35		7.7				7½			
24	24.5	Compo 319	36		16.2				7			
24.5	25		37		8.9				7			
25	25.5		38		34.8				3½			
25.5	26		39		22.9				7½			
26	26.5		40		50.3				2			
26.5	27		41		11.4				8			
27	27.5		42		15.8				7			
27.5	28		43		57.7				1½			
28	28.5		44		81.7				0			
			319		20.8	24.64	.47	54.09	6	1.65		
33	35.5		117445	.5	84.2				0			
35.5	36		46	.5	84.3				0			

REA:

Fagle S.E.

PAGE 1 OF 3

HOLE NO. 11-9.5

HOLE NO.

11-95

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
62	62.5	Compo 320	117441	25	59.4				1 1/2			
62.5	63		48		16.3				6 1/2			
63	63.5		49		64.2				1			
63.5	64		50		9.8				6			
64	64.5		51		12.7				5			
64.5	65		52		29.7				5 1/2			
65	65.5		53		51.4				2			
65.5	66		54		77.9				0			
66	66.5		55		76.7				0			
66.5	67		56		57.6				2 1/2			
67	67.5	57		87.7				0				
67.5	68	58		87.2				0				
			320		27.9	21.62	.44	50.04	4 1/2	.59		
			321		35.6	20.50	.45	43.45	4 1/2	.57		
			322		31.6	21.80	.42	46.18	6	1.06		
68.5	69	Compo 321	117459	25	61.0				1			
69	69.5		60		47.3				4			
69.5	70		61		28.2				6			
70	70.5		62		20.3				5 1/2			
70.5	71		63		23.2				7			
71	71.5		64		68.4				1			
71.5	72		65		31.6				4 1/2			
72	72.5		66		30.9				4 1/2			
72.5	73		67		35.1				5			
73	73.5		68		60.3				1 1/2			
73.5	74	69		52.1				3				
74	74.5	70		54.8				1				
74.5	75	71		26.0				6				
75	75.5	72		16.4				7				
75.5	76	73		32.0				6 1/2				
76	76.5	74		46.2				4				

AREA:

Eagle S.E

PAGE 2 OF 3

HOLE NO.

11-95

HOLE NO. 11-96

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
3	3.5		116751	0.5	12.7				0			
3.5	4		52		23.7				0			
4	4.5		53		56.7				0			
4.5	5		54		15.3				0			
5	5.5		55		9.2				0			
5.5	6		56		10.3				0			
6	6.5		57		8.8				0			
6.5	7		58		7.9				0			
7	7.5		59		10.8				0			
7.5	8		60		12.6				0			
8	8.5		61		8.9				0			
8.5	9		62		14.0				1			
9	9.5		63		50.7				0			
9.5	10	64		31.4				0				
10	10.5	65		66.2				0				
10.5	11	66		17.6				1				
11	11.5	67		23.8				1				
11.5	12	68		44.5				0				
12	12.5	69		75.9				0				
12.5	13	70		75.0				0				
13	13.5	71		79.6				0				
			323		23.0	22.41	2.69	51.90	0	1.46		
			324		17.1	24.38	3.16	55.36	0	1.47		
			325		20.9	23.40	.94	54.76	1	1.72		
21	21.5		116776	1.5	69.9				0			
21.5	22		73		69.3				0			
22	22.5		74		87.2				0			

REA: Eagle S.E.

HOLE NO. 11-96

FILE NO.

11-96

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
51.5	52	Compo 326	116775	.5	27.9				1			
52	52.5		76		9.0				7 1/2			
52.5	53		77		5.3				8			
53	53.5		78		19.4				6 1/2			
53.5	54		79		9.0				7 1/2			
54	54.5		80		10.7				4 1/2			
54.5	55		81		33.5				4 1/2			
55	55.5		82		23.2				7			
55.5	56		83		71.7				1			
56	56.5		84		72.6				1			
			326		16.8	24.22	.36	58.62	6	.62		
58.5	59	prox 328 Compo 3297	116785	.5	24.8				5 1/2			
59	59.5		81		74.0				1			
59.5	60		87		45.0				4 1/2			
60	60.5		88		34.0				7			
60.5	61		89		22.7				7			
61	61.5		90		19.6				4 1/2			
61.5	62		91		9.7				8			
62	62.5		92		21.7				7			
62.5	63		93		53.7				4			
63	63.5		94		39.0				5			
63.5	64	95	56.2				3					
64	64.5	96	31.3				6					
64.5	65	97	83.3				0					
			327		35.2	19.80	.34	44.66	4	.63		
			328		24.9	23.30	.33	51.47	6 1/2	.69		
			329		20.9	23.41	.43	55.26	5 1/2	.72		

A:

EAG S.E.

11-96

HOLE NO.

11-96

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
66	66.5		116798	0.5	28.0				7			
66.5	67		99		34.6				6			
67	67.5	Compos	331		21.0				7			
67.5	68	330	1		42.3				1			
68	68.5		2		43.2				1			
68.5	69		3		86.4				0			
			330		33.0	20.54	.57	45.89	4 1/2	1.00		
			331		26.9	22.11	.41	50.58	6	.98		
			332		30.6	21.89	.42	47.09	6 1/2	.82		
80.5	81	prox	116804	0.5	29.7				6 1/2			
81	81.5	332	5		66.4				1			
81.5	82		6		85.3				0			
			333		16.8	22.02	.40	60.78	2	.54		
			334		30.3	21.84	.45	47.41	5	.72		
82.5	83		116807	.5	18.1				1 1/2			
83	83.5		8		26.9				1			
83.5	84		9		12.7				2			
84	84.5	Compos	10		12.5				1 1/2			
84.5	85	333	11		10.8				2			
85	85.5		12		15.9				3			
85.5	86		13		17.8				5 1/2			
86	86.5		14		53.0				1 1/2			
86.5	87		15		63.4				1			
87	87.5		16		79.8				0			
87.5	88		17		84.8				0			
88	88.5		18		88.7				0			
88.5	89		19		31.3				5			
89	89.5	Compos	20		28.3				5			
89.5	90	334	22		78.3				1/2			
90	90.5		23		78.8				1/2			
90.5	91		24		82.2				0			

YEAR:

Eagle S.E

PAGE 3 OF 4

HOLE NO.

11-96

HOLE NO.

11-96

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
91	91.5	Compo 335	116825	↓	33.5				6			
91.5	92		26		17.3				7			
92	92.5		27		37.5				2			
92.5	93		29		14.6				6			
93	93.5		29		20.7				5			
93.5	94		30		18.7				5			
94	94.5		31		59.7				1 1/2			
94.5	95		32		37.8				4 1/2			
95	95.5		33		62.7				1			
95.5	96		34		47.2				3			
96	96.5	35	73.0				0					
96.5	97	30	86.3				1					
			335		31.4	22.00	.47	46.13	5	.72		
100	100.5	Compo 336	116837	↓	15.6				7			
100.5	101		39		32.8				6			
101	101.5		39		37.5				5			
101.5	102		40		57.5				2			
102	102.5		41		45.2				3			
102.5	103		42		89.6				0			
			336		28.3	22.90	.47	48.33	6 1/2	1.40		

EA:

Eagle SE

PAGE 4 OF 4

HOLE NO.

11-96

HOLE NO.

11-97

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
19	19.5		117326	6.5	61.8				1			
19.5	20		27	5	82.6				0			
21	21.5		117328	5	19.5				6			
21.5	22	Compd	29		11.9				6 1/2			
22	22.5	338	30		51.2				2 1/2			
22.5	23		31		67.8				1			
23	23.5		32		8.4				6 1/2			
23.5	24	Compd	33		4.0				7 1/2			
24	24.5	337	34		5.6				8			
24.5	25		35		3.7				7			
25	25.5		36		6.8				7			
25.5	26	Compd	37		9.6				7			
26	26.5	339	38		11.1				4 1/2			
26.5	27		39		51.8				2 1/2			
27	27.5		40		47.7				5			
27.5	28		41		28.3				7			
28	28.5		42		19.7				6			
28.5	29		43		64.8				1			
			337		22.4	24.01	.39	53.20	6	.87		
			338		14.9	25.31	.31	59.48	6 1/2	.62		
			339		17.6	24.86	.34	57.20	6 1/2	.97		

REA:

Eagle S.E.

PAGE 1 OF 3

HOLE NO. 11-97

HOLE NO.

11-97

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
65.5	66	Comp 340	117251	.5	21.3				5 1/2			
66	66.5		52		7.5				8 1/2			
66.5	67		53		5.4				7			
67	67.5		54		10.2				6 1/2			
67.5	68		55		12.4				5 1/2			
68	68.5		56		23.0				4 1/2			
68.5	69		57		24.7				6 1/2			
69	69.5		58		62.0				1 1/2			
69.5	70		59		81.2				0			
				340		15.6	24.10	.34	59.96	6	.66	
71.5	72	prox	117260	.5	22.3				7			
72	72.5	341	61	.5	66.7				1			
			341		23.8	23.14	.23	52.83	6 1/2	.66		

AREA:

Eagle SE.

PAGE 2 OF 3

HOLE NO.

11-97

11-97

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
73	73.5	Campar 342	117262	.5	39.9				5			
73.5	74		64		22.8				6 1/2			
74	74.5		65		20.4				4 1/2			
74.5	75		66		13.4				7 1/2			
75	75.5		67		22.1				6			
75.5	76		68		47.8				1 1/2			
76	76.5		69		34.6				3 1/2			
76.5	77		70		54.9				1 1/2			
77	77.5		71		80.3				0			
77.5	78		72		90.2				0			
78	78.5	Coyote 343	73	↓	28.8				6 1/2			
78.5	79		74		20.4				7			
79	79.5		75		29.7				5 1/2			
79.5	80		76		38.4				4			
80	80.5		77		77.4				0			
80.5	81	78	81.0				0					
			342		30.0	21.14	.30	48.56	4 1/2	.69		
			343		30.2	21.38	.39	48.03	5 1/2	.96		

IEA:

Eagle S.E.

HOLE NO.

11-98

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
3	3.5		117301	05	49.0				1/2			
3.5	4.0		02	5	79.3				0			
50	50.5		117303	05	25.6				3 1/2			
50.5	51		4		9.1				8			
51	51.5		5		5.7				8			
51.5	52		6		17.6				7			
52	52.5	Campus 344	7		15.6				5 1/2			
52.5	53		8		12.7				7			
53	53.5		9		11.3				5			
53.5	54		10		27.3				4			
54	54.5		11		13.6				7			
54.5	55		12		53.9				3			
55	55.5		13		74.5				1/2			
55.5	56		14		72.2				1			
56	56.5		15		89.4				0			
			Comp #344		16.1	25.10	.35	58.45	7	.62		
57.5	58	prox	117316	05	42.9				4			
58	58.5	345	17		70.7				1			
58.5	59		18		85.6				0			
			PROX #345		44.3	19.14	.35	36.21	4	.50		

IEA:

F.acle S.F.

PAGE 1 OF 3

HOLE NO.

11-98

HOLE NO.

11-98

DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
59.5	60	Cmpo 346	117349	.5	46.4				4			
60	60.5		20		27.1				5			
60.5	61		21		22.9				4			
61	61.5		22		10.2				7 1/2			
61.5	62		23		28.7				5			
62	62.5		24		33.5				5 1/2			
62.5	63		25		31.1				3 1/2			
63	63.5		117351		55.6				2 1/2			
63.5	64		52		54.6				2			
64	64.5		53		54.8				4			
64.5	65	54		88.4				0				
			Chmpo #346		29.9	22.05	.30	47.75	5	-65		
70	70.5	prox 347	117355	.5	53.7				3			
70.5	71		56		55.6				1 1/2			
71	71.5		57		30.7				6			
71.5	72		58		49.7				3			
72	72.5		59		61.8				1 1/2			
72.5	73		60		58.6				1 1/2			
73	73.5		61		74.7				7 1/2			
73.5	74		62		87.7				0			
			prox #347		30.8	22.60	.35	46.25	6 1/2	1.43		
80	80.5	prox 348	117363	.5	41.1				6			
80.5	81		64	.5	85.0				0			
				prox #348		42.8	20.03	.38	36.79	5	-71	

AREA:

Eagle S.E.

PAGE 2 OF 3

HOLE NO.

11-98

HOLE NO. 11-98

HUIAHY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
84.5	85		117365	.5	58.5				2			
85	85.5		66	.5	83.1				0			
104.5	105		117367	.5	64.9				1/2			
105	105.5		68	.5	88.0				0			
106.5	107		117369	.5	58.0				1			
107	107.5		70	↓	83.4				0			
107.5	108		71	↓	85.3				0			
112	112.5		117372	.5	59.5				1/2			
112.5	113		73	↙	47.4				4			
113	113.5		74		81.3				0			
113.5	114		75		38.8				5			
114	114.5		76		61.0				1/2			
114.5	115		77		78.6				0			
		PROC 349	PROC # 349		40.1	19.22	.39	40.29	4	.56		

AREA: Eagle SE.

HOLE NO. 11-98

11-99

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
21.5	22	Compd 350	116901	0.5	16.3				6 1/2			
22	22.5		2		6.3				7 1/2			
22.5	23		3		10.8				8			
23	23.5		4		21.7				5			
23.5	24		5		14.1				5 1/2			
24	24.5		6		15.8				4			
24.5	25		7		36.5				2 1/2			
25	25.5		8		23.1				7 1/2			
25.5	26		9		77.7				0			
26	26.5		10		78.6				0			
			Compd # 350		17.9	23.97	.32	57.81	5 1/2	.59		
28	28.5	Compd 351	116911	.5	26.8				5 1/2			
28.5	29		12		23.8				7			
29	29.5		13		52.4				2			
29.5	30		14		82.4				0			
			Compd # 351		28.0	21.94	.30	49.76	6	.72		
31	31.5	prox 352	116915	0.5	59.2				2			
31.5	32		16		32.4				5			
32	32.5		17		73.9				1			
				prox # 352		33.3	21.75	.34	44.61	5	.67	

REA:

Eagle, S.E.

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO. 11-99

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
33.5	34	Compx 353	116918	.5	27.5				6			
34	34.5		19		25.4				5 1/2			
34.5	35		20		11.8				7 1/2			
35	35.5		21		12.9				7			
35.5	36		22		38.4				4			
36	36.5		354	23		33.9			5			
36.5	37		24		41.7				3			
37	37.5		25		48.0				1			
37.5	38		26		57.6				1			
38	38.5		27		12.7				5			
38.5	39	28		80.1				0				
			Compo # 353		33.0	20.30	.38	46.32	4 1/2	.61		
			Compo # 354		28.9	22.47	.41	48.20	6	.66		
44.5	45	Compx 355	116930	.5	51.6				3 1/2			
45	45.5		31		12.8				7 1/2			
45.5	46		32		41.3				4 1/2			
46	46.5		33		68.1				1			
			Compo # 355			27.0	24.25	.44	48.31	7	1.37	
53.5	54	prox 356	116934	.5	23.4				6			
54	54.5		35		85.5				0			
			Prox # 356		22.8	24.12	.54	52.54	5 1/2	.89		
62	62.5	prox 357	116936	.5	18.9				7 1/2			
62.5	63		37		74.7				1			
			Prox # 357		19.4	26.10	.37	54.13	7	1.01		
74.5	75	prox 358	116938	.5	12.5				6 1/2			
75	75.5		39		77.8				1			
			Prox # 358		13.0	28.20	.36	58.44	7	.97		

AREA: Eagle SE

HOLE NO.

11-100

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
12.5	13		116951	0.5	64.1				0			
13	13.5		57	↓	55.7				0			
13.5	14		53		67.7				0			
14	14.5		54		87.5				0			
44	44.5		116955		0.5	45.4				1		
44.5	45	Comps 359	56		13.0				6			
45	45.5		57		11.2				6 1/2			
45.5	46		58		17.3				6			
46	46.5		59		6.8				5 1/2			
46.5	47		60		14.1				4			
47	47.5		61		10.7				4			
47.5	48		62		29.1				5			
48	48.5		63		34.9				1			
48.5	49		64		63.9				1			
49	49.5		65		73.5				1/2			
49.5	50		66		72.3				1			
			Comp #359		18.7	23.55	.46	57.29	6	.59		

AREA:

Eagle S.E.

PAGE 1 OF 3

HOLE NO.

11-100

HOLE NO.

11-100

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
51	51.5	prox 360	116967	S	40.0				3			
51.5	52		68		58.3				1			
52	52.5		69		83.5				0			
52.5	53		70		62.9				1 1/2			
53	53.5		71		57.0				1			
53.5	54		72		17.5				5			
54	54.5		73		20.8				6 1/2			
54.5	55		74		28.3				5 1/2			
55	55.5		75		49.3				1 1/2			
55.5	56		117280		37.5				2			
56	56.5		81		35.4				4			
56.5	57		82		47.9				2			
57	57.5		83		43.1				2 1/2			
57.5	58		84		52.6				1			
58	58.5		85		83.8				0			
			Prox #360		42.0	18.47	.50	39.03	2 1/2	.58		
			Comp #361		33.0	20.98	.51	45.51	4 1/2	.60		
			Comp #362		23.2	23.50	.48	52.82	6	.67		
66	66.5		117296	SS	54.9				1			
66.5	67		87	S	75.8				1			
75	75.5		117288	S	69.5				0			
75.5	76		89		82.5				0			
76	76.5		90		18.4				6 1/2			
76.5	77		91		34.3				4 1/2			
77	77.5	363	92		66.8				1			
			Comp #363		27.5	22.60	.32	49.58	5 1/2	.76		

AREA:

Eagle S.E.

PAGE 2 OF 3

HOLE NO.

11-100

HOLE NO.

11-100

MINING MINE HULL DRILLING RECORD

FORDING RIVER OPERATI

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
90	90.5	prox 364	117293	.5	19.0				4			
90.5	91		94	.5	81.9				0			
			prox #364			18.7	21.03	.42	59.85	3	.64	
94.5	95	Comp 365	117 295	.5	29.8				1 1/2			
95	95.5		96		28.2				2			
95.5	96		97		11.0				5 1/2			
96	96.5		98		33.9				2			
96.5	97		99		23.8				1			
97	97.5		117 300		10.1				2			
97.5	98		117 477		16.4				5			
98	98.5		78		9.6				2 1/2			
98.5	99		79		18.5				1			
99	99.5		80		31.1				1			
99.5	100		81		9.1				2			
100	100.5		82		32.4				1 1/2			
100.5	101		83		21.9				3			
101	101.5		84		39.7				1			
101.5	102		85		62.1				1			
102	102.5	86		73.6				1				
		Comp #365			24.0	22.35	.39	53.26	2	.42		
106.5	107		117487	.5	55.1				1			
107	107.5		86		54.1				1			
107.5	108		89		80.1				0			

AREA:

Eagle S.E.

PAGE 3 OF 3

HOLE NO.

11-100

HOLE NO.

RH # 2446

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
9.3	10		123351	.5	72.8				1/2			
10	10.5		52		75.4				1/2			
10.5	11		53		77.6				0			
11	11.5		34		63.4				1			
11.5	12		55		63.4				1			
12	12.5		56		58.0				2			
12.5	13		57		44.6				4 1/2			
13	13.5		58		48.2				2 1/2			
13.5	14		59		34.6				5 1/2			
14	14.5	236	60		34.4				5			
14.5	15		61		37.9				4			
15	15.5		62		33.8				5 1/2			
15.5	16		63		48.0				4			
16	16.5		64		79.0				0			
			Comp #236		39.7	22.46	.58	37.26	4 1/2	1.32	120210	
18	18.5		123565	.5	66.7				1/2			
18.5	19	237 prox	66		34.7				5 1/2			
19	19.5		67		73.6				1			
19.5	20		68		81.7				0			
			prox #237		33.7	22.11	.52	43.67	6	.67	122210	

Henretta Ridge

HOLE NO.

RH # 2446

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS		
36	36.5		123569	.5	53.4				1					
36.5	37	} #238	70	}	22.3				5 1/2			} Ro max		
37	37.5		71		10.6	7								
37.5	38		72		12.2	7								
38	38.5		73		9.8	7								
38.5	39		74		9.5	7								
39	39.5		75		13.9	4 1/2								
39.5	40		76		15.1	6								
40	40.5		77		12.4	5								
40.5	41		78		12.0	4								
41	41.5		79		10.3	6 1/2								
41.5	42		80		51.2	1 1/2								
42	42.5		81		60.2	1/2								
		Compo #238			12.9	24.94	.56	61.60	6 1/2	.58	115210			
44	44.5		123582	.5	83.3				0					
44.5	45		83	.5	86.4				0					
51.5	52		123584	.5	67.2				0					
52	52.5		85	}	71.2				0					
52.5	53	239 f. ox	86		40.1	3								
53	53.5		87		51.6	1 1/2								
53.5	54		88		47.5	2 1/2								
54	54.5		89		43.0	3								
54.5	55	} Compo #240	90		22.5	7								
55	55.5		91		27.4	6 1/2								
55.5	56		92		44.6	4								
56	56.5		93		62.2	1								
			Prox #239				41.7	17.96	.47	39.87	3	.60	113210	
			Compo #240				35.6	21.30	.49	42.61	5 1/2	2.06	111210	

AREA:

Henretta Ridge

PAGE 2 OF 5

HOLE NO. RH 2446

HOLE NO.

RH # 2446

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
66	66.5	241 Compo	123594	.5	41.3				1 1/2			
66.5	67		95	↓	15.7				6 1/2			
67	67.5		96	↓	54.3				2			
67.5	68		97	↓	82.5				0			
			Compo #241		29.6	19.31	.50	50.59	4	.70	110210	
69.5	70	242 Compo	123598	.5	40.7				5			
70	70.5		99	↓	59.4				1			
70.5	71		123600		24.7	6 1/2						
71	71.5		1		28.8	6 1/2						
71.5	72		2		42.7	3						
72	72.5	3	24.7		7							
72.5	73	4	↓	80.5				0				
			Compo #242		37.8	19.06	.56	42.58	5	.84	112210	
			Compo #243		30.3	15.21	.48	54.01	6	.79		
103	103.5	244 Compo	123605	.5	79.7				0			
103.5	104		6	↓	70.3				1			
104	104.5		7		89.1	0						
104.5	105		8		27.3	5 1/2						
105	105.5		9		17.7	3						
105.5	106		10		26.4	2						
106	106.5		11		27.5	1						
106.5	107		12		43.7	1						
107	107.5		13		66.9	1						
107.5	108		14		↓	81.5				0		
			Compo #244			29.0	19.71	.49	50.80	3	.56	090210

AREA:

Henretta Ridge

PAGE 3 OF 5

HOLE NO. RH 2446

HOLE NO.

RH # 2446

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
1125	113		123615	.5	80.1				0				
113	1135		16	↓	78.8				1/2				
1135	114		17	↓	80.9				0				
1355	136	245 prox	123618	.5	38.1				1 1/2				
136	1365		19	}	61.1				1				
1365	137		20		73.7				0				
137	1375		21		32.1				1 1/2				
1375	138	246 Compo	22		37.3				1				
138	1385		23		34.9				2				
1385	139		24		65.9				1				
139	1395		25		84.0				0				
			Prox #245		37.9	18.06	.48	43.56	1 1/2	.67			
			Compo #246		34.5	18.74	.37	46.39	1 1/2	.73	080210		
149	1495		124126	.5	57.2				1				
1495	150		27	}	42.0				1				
150	1505		28		50.1				1				
1505	151	Compo 247	29		25.2				1				
151	1515		Compo 248		30	41.8				3			
1515	152	31			33.5				4 1/2				
152	1525		32		52.8				1 1/2				
1525	153		33		50.6				1				
153	1535	249 prox	34		34.2				1 1/2				
1535	154		35		62.2				1				
			Compo #247			38.2	17.01	.37	44.42	1 1/2	.50	082210	
			Compo #248		34.8	17.64	.49	47.07	2	.53			
			Prox #249		36.6	17.20	.35	45.85	1 1/2	.51			

AREA:

Henretta Ridge

PAGE 4 OF 5

HOLE NO. RH 2446

HOLE NO.

RH # 2446

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
176.5	179	124151	no numbr	.5	44.5				1			
179	179.5	Compo 250	124136	↓	28.5				1			
179.5	180		31	↓	67.7				1/2			
			Compo ²⁵⁰		40.4	24.78	.29	34.53	1	.52	1992.10	
180.5	181		124138	.5	84.5				0			
183	183.5		124139	.5	73.2				1/2			
183.5	184		40	.5	86.0				0			
224.5	225	Compo 251	124141	.5	27.2				1			
225	225.5		42	↓	33.8				1			
225.5	226		43	↓	20.9				1			
226	226.5		44	↓	49.4				1			
226.5	227		45	↓	26.5				2			
227	227.5		46	↓	23.8				5			
227.5	228		47	↓	20.8				2 1/2			
228	228.5		48	↓	31.4				2			
228.5	229		49	↓	29.4				3 1/2			
				Compo ²⁵¹		31.7	18.60	.42	49.28	1 1/2	.67	10502.10
229.5	230		124150	.5	70.3				1			

AREA:

Henretta Ridge

PAGE 3 OF 5

HOLE NO. RH 2446

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
29	29.5		124051	.5	68.1				1/2			
29.5	30		52	.5	84.8				0			
34	34.5		124053	.5	84.1				0			
34.5	35		54		63.9				1			
35	35.5	Comp 252	55	↓	33.3				5 1/2			Ro wnc PG-95-080
35.5	36		56		38.7	5						
36	36.5	57	55.6		3 1/2							
36.5	37	58	66.5		1							
37	37.5	59	63.4		2 1/2							
37.5	38	60	64.0		2							
38	38.5	61	84.7		0							
38.5	39	62	64.8		1							
39	39.5	63	37.9		5							
39.5	40	253 prox 64	51.2		2 1/2							
			Compo # 252		35.2	22.70	.67	41.43	5 1/2	.73	199210	
			prox # 253		38.3	21.15	.65	39.90	5 1/2	.70		
51	51.5		124065	.5	61.3				1			
51.5	52		66	↓	65.8				1			
52	52.5		67		80.7	0						
52.5	53		68		68.2	0						

HOLE NO.

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
67	67.5	Copper } 254	124069	S	24.2				7			} Remark PG-95-081
67.5	68		70		31.6				7			
68	68.5		71		36.5				6 1/2			
68.5	69		72		26.8				6 1/2			
69	69.5		73		61.4				1 1/2			
69.5	70		74		MISSING				MISSING			
70	70.5	255 proc.	75	S	35.7				6 1/2			
70.5	71		76		67.8				1			
			Compo #254		32.0	21.84	.57	45.59	6	.57	121210	
			Flux #255		36.7	23.35	.55	39.40	6 1/2	.48	199210	
73	73.5		124077	S	79.3				1/2			
73.5	74		78		78.1				1/2			
74	74.5		79		81.9				0			
74.5	75		80		84.2				0			
75	75.5		81		70.8				1			
75.5	76		82		78.7				1/2			
76	76.5		83		62.1				1			
76.5	77		84		85.9				0			

IEA:

Henretta, Ridge.

PAGE 7 OF 6

HOLE NO. RH # 2447

HOLE NO.

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
78	78.5		124085	.5	67.7				1			
78.5	79		86		55.9				2			
79	79.5		87		65.4				1			
79.5	80		88		71.8				1/2			
80	80.5		90		37.3				6 1/2			
80.5	81		91		12.3				7 1/2			
81	81.5	Compo } 256	92		16.0				7			} Ro mix PG-95-082
81.5	82		93		12.0				8			
82	82.5		94		14.1				7 1/2			
82.5	83		95		7.8				7 1/2			
83	83.5		96		72.8				1			
83.5	84		97		46.9				3 1/2			
84	84.5	257 prof.	98		26.1				6			
84.5	85		99		54.9				3 1/2			
85	85.5		124100		84.9				0			
85.5	86		01	↓	81.6				0			
			Compo #256		17.2	27.52	.41	54.67	7	.60	120210	
			Prox #257		26.1	25.08	.58	48.24	5 1/2	1.18	122210	
105	105.5		124102	.5	23.6				5 1/2			
105.5	106		3		13.7				7			
106	106.5	Compo } 258	4		7.4				8			} Ro mix PG-95-083
106.5	107		5		17.6				8			
107	107.5		6		13.4				8			
107.5	108		7		66.0				1			
108	108.5		8		MISSING				MISSING			
108.5	109		9		72.1				1/2			
109	109.5		10		87.9				0			
109.5	110		11	↓	82.8				0			
			Compo #258		15.0	24.60	.66	59.74	6 1/2	.54	115210	

REA:

Henretta, Ridge

PAGE 3 OF 10

HOLE NO D4 # 7447

HOLE NO.

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
120	1205	259 Compo	124112	.5	29.8				5 1/2			
1205	121		13		51.9				3			
121	121.5		14		24.6				6			
1215	122		15		72.0				1/2			
122	122.5		16		86.9				0			
1225	123		17		69.3				1/2			
123	123.5		18		27.5				6			
1235	124		19		19.8				7			
124	124.5		20		63.8				1/2			
1245	125		21		73.1				1/2			
				Compo # 259		37.1	19.43	.66	42.81	4 1/2	.78	113210
			Compo # 260		25.9	22.85	.59	50.66	6 1/2	.87	111210	
130	1305	Compo # 261	124122	.5	88.5				0			
1305	131		23		18.7				2 1/2			
131	131.5		24		17.2				3			
1315	132		25		28.1				6			
132	132.5		123501		35.6				4 1/2			
132.5	133		02		83.9				0			
				Compo # 261		26.2	19.87	.58	53.35	3 1/2	.71	110210
135	1355	Compo # 262	123503	.5	87.3				0			
1355	136		4		67.0				1			
136	136.5		5		32.3				6			
1365	137		6		49.9				1 1/2			
137	137.5		7		37.2				6			
1375	138		8		69.6				1			
138	138.5		9		82.2				0			
			Compo # 262		38.8	18.71	.60	41.89	4 1/2	.70	112210	

1EA

Henretta, Ridge

PAGE 4 OF 6

HOLE NO RH # 2447

HOLE NO.

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
173	173.5		123510	.5	53.2				2			
173.5	174		11	.5	91.3				0			
193.5	194	263 prox	123512	.5	26.6				1 1/2			
194	194.5		13		51.4				2			
194.5	195		14		87.2				0			
195	195.5		15		29.6				2			
195.5	196	Comp ^o } 264	16		54.6				1			
196	196.5		17		26.1				2			
196.5	197		18		63.7				1/2			
197	197.5		19		72.5				1/2			
197.5	198		20		75.8				0			
			Prox* 263		26.5	18.72	.51	54.27	1 1/2	.54	090210	
			Comp ^o 264		36.0	17.51	.59	45.90	1 1/2	.48	092210	
198.5	199		123521	.5	74.4				0			
199	199.5		22	.5	84.8				0			
203	203.5		123523	.5	83.5				0			
203.5	204		24	.5	78.9				0			
205	205.5		123525	.5	85.5				0			
205.5	206		26	.5	68.8				1/2			
215.5	216		123527	.5	78.6				0			
216	216.5		28	.5	87.8				0			

REA:

Henretta Ridge

PAGE 5 OF 6

HOLE NO. RH # 2447

HOLE NO.

RH # 2447

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
2215	222	marked 1215-122	123529	PS	42.7				1			
222	2225		30		57.3				1			
2225	223	265 proc	31		29.1				1			
223	2235		32		53.7				1			
2235	224		33		54.2				1			
224	2245		34		66.1				1			
2245	225		35		39.0				4			
225	2255		36		47.9				1			
2255	226		37		42.8				1			AG-95-084
226	2265		38		36.4				1			high
2265	227	Compo 266	39		19.0				1			
227	2275		40		26.0				1			
2275	228		41		31.4				1			
228	2285		42		50.5				2			
2285	229		43		70.1				1/2			
229	2295		44		34.4				3/2			
2295	230	Compo 267	45		43.2				1			
230	2305		46		36.9				3/2			
2305	231		47		90.0				0			
			Prox # 265		27.2	18.35	.46	53.99	1	.56		
			Compo # 266		37.0	16.28	.55	46.17	1/2	.51	082210	
			Compo # 267		42.3	16.21	.55	40.94	2	.49		

IEA:

Henretta, Ridse

PAGE 6 OF 6

HOLE NO. RH # 2447

HOLE NO.

RH #2448

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
42.1	42.5	Compo #268	124001	.5	8.2				3 1/2			
42.5	43		2		12.1				4 1/2			
43	43.5		3		7.1				6 1/2			
43.5	44		4		21.4				6			
44	44.5		5		8.8				6 1/2			
44.5	45		6		9.6				6			
45	45.5		7		18.2				3 1/2			
45.5	46.1		8		26.9				6 1/2			
46	46.5		9		62.2				1			
46.5	47		10		46.8				2 1/2			
47	47.5		11		80.8				0			
			Compo #268		15.3	28.53	.84	55.33	6	.56	140210	
93	93.5		124012	.5	65.8				1			
119.5	120		124013	.5	58.9				1			
120	120.5		14	.5	52.0				0			
135	135.5	269 Prox	124015	.5	44.8				3			
135.5	136		16	.5	69.3				0			
			Prox #269		45.7	22.42	.69	31.19	3 1/2	2.02	199210	
156	156.5		124017	.5	58.8				1			
156.5	157		17	.5	80.8				0			
176.5	177		124018	.5	87.7				0			

AREA:

Henretta Ridge.

PAGE 1 OF 3

HOLE NO. RH #2448

HOLE NO.

RH #2448

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
178.5	179		124020	.5	83.7				0			
184.5	185	Sample 270	124021	.5	27.6				5 1/2			} Ro w.c.
185	185.5		22		55.7				1 1/2			
185.5	186		23		18.6				6			
186	186.5		24		25.3				4 1/2			
186.5	187		25		27.4				5			
187	187.5		124226		18.2				6			
187.5	188		27		21.0				6			
188	188.5		28		72.3				1			
188.5	189		29		84.1				0			
189	189.5		271 prod	30		35.7				5 1/2		
189.5	190		31	V	87.9				0			
			Comp 270		28.3	23.34	.70	47.66	5 1/2	.65	121210	
			120271		34.6	27.25	.63	37.52	6	.47		
191.5	191.5	272	124432	.5	33.9				3 1/2			} Ro w.c.
191.5	192		33		13.5				6 1/2			
192	192.5		34		12.1				7			
192.5	193		35		38.6				4 1/2			
193	193.5		36		63.3				1			
193.5	194		37		75.5				1/2			
194	194.5		38		77.5				1			
194.5	195		39		85.4				0			
195	195.5		40		68.9				1			
195.5	196		41		88.7				0			
			Comp 272		24.6	24.16	.73	50.51	6	.64	120210	

REA:

Henrietta Rodco

PAGE 2 OF 3

HOLE NO. RH #2448

HOLE NO.

RH #2448

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1985	199		124242	.5	89.2				0			
199	199.5		43	.5	83.5				0			
2095	210		124244	.5	67.9				1			
210	210.5		45	.5	78.2				1/2			
210.5	211		46	.5	91.4				0			
211.5	212	Compo # 273	124247	.5	44.4				4 1/2			} R O PG-95-089
212	212.5		48		44.3				3 1/2			
212.5	213		49		31.4				6			
213	213.5		50		35.2				5			
213.5	214		124026		53.0				3 1/2			
214	214.5		27		77.5				1/2			
214.5	215		28		77.9				1/2			
215	215.5		29		55.2				2			
215.5	216	30		64.4				1				
216	216.5	31		90.3				0				
216.5	217	32		86.6				0				
		Compo # 273			39.9	21.11	.62	38.37	4	.94	115210	

REA:

Heinrich Roden

PAGE 3 OF 3

HOLE NO. 2448

RH # 2449

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	FEI		CALORIFIC VALUE	REMARKS
30	30.5	prox 179	120126	.5	36.6				5 1/2			
30.5	31		27	↓	62.0				2			
31	31.5		28	↓	70.0				1			
			Comp #179			57.9	22.62	59	39.89	6	.72	1992/10
55	55	Compo 180	120129	.5	38.6				5			} R ₀ mcg PG-95-052
55	55.5		30	↓	35.5				5 1/2			
55.5	56		31	↓	45.8				3 1/2			
56	56.5		32	↓	33.5				6			
56.5	57		33	↓	68.4				1			
		Compo #180			39.7	21.31	56	38.43	5 1/2	.54	1422/10	094
86	86.5		120134	.25	55.6				2 1/2			
86.5	87		35	.5	75.3				0			
102	102	Compo 181	120136	.25	32.6				4 1/2			} R ₀ mcg PG-95-053
102	102.5		37	}	31.9				5			
102.5	103		38		30.8				5 1/2			
103	103.5		39		36.7				6			
103.5	104		40		14.4				7 1/2			
104	104.5		41		18.8				6 1/2			
104.5	105		42		8.0				7 1/2			
105	105.5		43		19.6				8			
105.5	106		44		22.7				7			
106	106.5		45		10.9				7			
106.5	107		46		30.8				5			
107	107.5	47	73.4					1				
107.5	108	48	57.2				2 1/2					
108	108.5	49	69.1				1					

RH # 2449.

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	LOG	DESCRIPTION	SAMPLE NUMBER	DEPTH	ASH	VEG.	LM.	FC.	FBJ.	S	CALORIFIC VALUE	REMARKS
1085	109		120150 (Comp #181)	5	80.5 21.8		52	52.9	0 6 1/2	.61	1302/0	
1175	118		120151	5	62.8				1			
118	118.5		52	} Range	61.9				1			
118.5	119		53		53.4				2 1/2			
119	119.5		54		59.6				1			
119.5	120		55		60.9				2			
120	120.5		36		82.2				0			
120.5	121		57		36.2				4			
121	121.5		58		30.8				5			
121.5	122	} Comp #182	59		57.8				2 1/2			
122	122.5		60		47.0				3			PG-95-054
122.5	123		61		27.7				5			1.01
123	123.5		62		29.6				4			
123.5	124		63		56.3				2			
124	124.5		64		79.3				0			
			Comp #182		38.3	20.15	49	41.06	4	.79	1212/0	
131	131.5			120165	5	66.9				1		
131.5	132		66	} Range	72.3				1			
132	132.5		67		60.9				1 1/2			
132.5	133		68		75.9				1			
133	133.5		69		30.5				5 1/2			
133.5	134		70		11.5				7 1/2			
134	134.5		71		15.1				7 1/2			
134.5	135	} Comp #183	72		15.6				7 1/2			
135	135.5		73		74.9				1			PG-95-055
135.5	136		74		28.4				5 1/2			1.03
136	136.5		75		26.0				5			

Henretta Ridge

RH # 2449

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WHTH	ASH	VEM	IM	FC	F.S.I.		CALORIFIC VALUE	REMARKS
136.5	137		120176	↓	73.2				1			
137	137.5		77	↓	53.6				1			
			Compo #183		30.3	22.60	.43	46.67	6	.72	120210	
150	150.5		120178	↙	19.6				7			
150.5	151		79		27.5				5 1/2			
151	151.5		80		19.2				7			
151.5	152		81		21.0				7 1/2			
152	152.5		82		13.1				7			
152.5	153		83		17.2				6 1/2			
153	153.5		84		20.4				6			
153.5	154		85		62.2				1			
154	154.5		86		30.1				3 1/2			
545	155		87		87.4				0			
			Compo #184		24.7	22.12	.48	52.70	5 1/2	.52	115210	
			compo #185		19.3	23.76	.50	56.44	7 1/2	.55		
162	162.5		120188	.5	68.4				1			
625	163		89	.5	84.2				0			
695	170		120190	.5	23.6				6 1/2			
70	170.5		91		15.1				3			
70.5	171		92		18.3				4			
71	171.5		93		14.4				6 1/2			
71.5	172		94		34.7				6 1/2			
72	172.5		95		82.2				0			
72.5	173		96		87.7				0			
			Compo #186		22.11	21.16	.42	57.32	5 1/2	.72	110210	

ME NO.

RH # 2449.

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.F.	F.S.	W	CALORIFIC VALUE	REMARKS
176	178.5		120191	.5	74.9				0			
178.5	179		99		76.7				0			
179	179.5		99		72.4				1/2			
179.5	180	Camp 187	120200		22.8				7			
180	180.5		1		47.5				2 1/2			
180.5	181		2		30.3				3			
181	181.5		3		27.0				7			
181.5	182		4		71.2				1			
182	182.5		5		78.8				0			
			Comp #187		33.1	79.59	.46	46.85	4 1/2	.70	112210	
192	192.5		120200	.5	80.4				0			
192.5	193		7	.5	87.9				0			
211	211.5		120208	.5	82.8				0			
211.5	212		9		62.5				1			
212	212.5		10		85.5				0			
212.5	213		11		63.5				1			
213	213.5		12		59.8				1 1/2			
213.5	214		13		80.6				0			
214	214.5		14		87.4				0			

Henretta Ridge

DATE

RH # 2449

MULTIPLY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TIME	TO	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	LM	FC	F.S.		CALORIFIC VALUE	REMARKS
2145	2185	Compo 188	120215	.5	42.9				3 1/2			
2145	219		16		27.8				1 1/2			
219	219.5		17		21.6				2 1/2			
2195	220		18		53.8				1 1/2			
220	220.5		19		87.3				0			
2205	221	Compo 189	20		78.2				1/2			
221	221.5		21		22.2				4			
2215	222		22		27.8				2			
222	222.5		23		17.6				1 1/2			
2225	223		24		38.0				1 1/2			
223	223.5	Proc 190	25		77.7				1/2			
2235	224		118466		68.5				1			
224	224.5		67		40.5				1			
2245	225		68		80.0				0			
			Compo * 188		32.2	18.03	.43	49.34	2	.53	090210	
			Compo * 189		28.7	18.23	.42	52.65	2	.48	092210	
			Proc * 190		41.5	15.74	.41	42.35	1	.43		

PG-95-057
1.021

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
33	33	Compd 191	118339	.5	38.8				2 1/2			} R ₀ max PG-95-058 1.00
33	33.5		118340		35.2				5			
33.5	34		43		42.4				4			
34	34.5		44		35.3				5			
34.5	35		45		8.2				7 1/2			
35	35.5		46		30.2				6 1/2			
35.5	36		47		37.3				5			
36	36.5		48		67.7				1			
36.5	37		49		59.0				1			
37	37.5		50		44.2				4 1/2			
37.5	38	192	118287		62.0				1 1/2			
38	38.5		88		66.0				1			
38.5	39		81		78.8				0			
			Compo #191		32.1	23.16	.47	44.27	6	1.16	121210	
			FLOR #192		42.4	19.66	.51	37.43	3 1/2	.68		
24	24.5		118340	.5	64.4				1 1/2			
24.5	25		41	.5	83.0				0			

A:

Henretta Ridge

PAGE 1 OF 6

HOLE NO. RH # 2450

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS			
46.5	47		118290	.5	75.0				0						
47	47.5		91	}	75.5				0						
47.5	48		92		59.4				1 1/2						
48.1	48.5	Camp 193	93		29.9				7						
48.5	49		94		42.3				7						
49	49.5		95		42.5				5						
49.5	50		96		37.2				5						
50	50.5		97		50.5				4						
50.5	51		98		48.2				2						
51	51.5		99		62.0				1						
51.5	52		100		63.0				1						
52	52.5		120001	69.1				1							
52.5	53		2	74.4				0							
		Comp 193			38.5	21.86	.53	39.11	5 1/2	.61	120210				
73.5	74		120003	.5	19.4				7						
74	74.5	Camp 194	4	}	7.2				7 1/2			} Ro work 1.11			
74.5	75		5		10.5				7 1/2						
75	75.5		6		6.2				7 1/2						
75.5	76		7		10.0				4						
76	76.5		8		62.0				7 1/2						
76.5	77		9		59.9				1 1/2						
77	77.5		10		68.0				1						
77.5	78		11		MISSING				MISSING						
78			Comp 194				15.8	23.69	.48	60.03	6 1/2		.521	115210	

A:

Henrette Ridge

PAGE 2 OF 6

HOLE NO D11 # 71157

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
84.5	85	C-ypor 195	120012	0.5	21.8				5		} Ro mk	PG-95-060 1.08
85	85.5		13		28.8				4			
85.5	86		14		51.7				3			
86	86.5		15		26.2				6 1/2			
86.5	87		16		10.0				7 1/2			
87	87.5		17		26.0				7			
87.5	88		18		34.8				5 1/2			
88	88.5		19		49.2				3			
88.5	89		20		55.3				3			
89	89.5		21		27.1				5			
89.5	90	C-ypor 196	22	V	13.6				7			
90	90.5		23		25.0				6 1/2			
90.5	91		24		69.9				1			
91	91.5		25		73.4				1			
			Compo # 195			22.5	21.67	.44	50.34	6	.73	113210
		Compo # 196		21.5	23.63	.50	54.37	6 1/2	1.47	111210		
101	101.5	C-ypor 197	120026	0.5	47.1				1			
101.5	102		27		27.4				2 1/2			
102	102.5		28		15.8				5 1/2			
102.5	103		29		25.5				5 1/2			
103	103.5		30		74.2				1			
103.5	104		31		72.6				1/2			
104	104.5		32		88.1				0			
			Compo # 197			25.0	20.37	.41	54.22	3 1/2	.63	110210

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
108.5	109		120033	.5	62.3				1			
109	109.5		34		77.7				1			
109.5	110		35		52.4				2 1/2			
110	110.5		36		49.3				2 1/2			
110.5	111		37		42.7				2 1/2			
111	111.5		38		29.5				6			
111.5	112	Comp 198	39		76.7				0			
			Comp #198		36.9	19.45	.40	43.25	3 1/2	.67	112,210	
129.5	129		120040	.5	63.6				1			
129	129.5		41		73.1				0			
129.5	130		42		56.1				2 1/2			
130	130.5		43		67.1				1 1/2			
130.5	131		44		79.9				0			
146.5	146		120045	.5	65.9				1			
146	146.5		46		27.2				4			
146.5	147	Comp 199	47		29.0				2			
147	147.5		48		36.1				4			
147.5	148		49		83.0				1/2			
148	148.5		50		74.1				1/2			
148.5	149		51		19.2				6 1/2			
149	149.5	Comp 200	52		25.8				2			} Remsd PG-95-061
149.5	150		53		40.7				1 1/2			
150	150.5		54		70.6				1			
150.5	151		55		87.6				0			
151	151.5		56		69.0				1/2			
151.5	152		57		81.4				0			

1A:

Henrette Ridge

PAGE 4 OF 6

HOLE NO D11 # 7 (LST)

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
152	152.5		120058	.5	88.6				0			
			Comp # 194		32.4	18.80	.38	48.42	3	.53	090210	
			Comp # 200		26.5	19.54	.39	53.57	3	.53	092210	
154	154.5		120059	.5	81.9				1/2			
154.5	155		60	}	71.0				1			
155	155.5		61		75.6				1			
155.5	156		62		78.5				1			
156	156.5		63		87.7				0			
157.5	158		120064	.5	77.6				1/2			
158	158.5		65	}	71.4				1			
158.5	159		66		80.2				1/2			
159	159.5		67		76.9				1/2			
165.5	166		120068	.5	67.5				1			
166	166.5		69	}	64.0				1/2			
166.5	167		70		61.0				1			
167	167.5		71		28.4				1 1/2			
167.5	168		72		55.9				1 1/2			
168	168.5		73		85.5				0			
168.5	169		74		88.2				0			
			prox # 201			29.5	18.24	.36	51.90	1 1/2	.65	081210

SEA:

Henretta Ridge

PAGE 5 OF 6

HOLE NO.

D11 # 71157

HOLE NO.

RH # 2450

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
172	1765		120075	.5	56.6				1				
1765	177	prox 202	76	}	45.6				1				
177	1775		77		51.2				1				
1775	178	78	57.8					1					
178	1785	prox 203	79		43.8				1				
1785	179		80		61.3				1/2				
179	1795		81	88.0				0					
			PROX # 202		43.3	16.81	-36	39.53	1	.34		080210	
			PROX # 203		44.7	15.66	-38	39.26	1	.38			
2025	203		120082	.5	70.0				1/2				
203	2035		3	.5	90.1				0				
214	2145		120084	.5	86.2				0				
2145	215		85	.5	93.8				0				

A:

Henretta Ridge

PAGE 7 OF 6

HOLE NO. RH # 2450

OLE NO.

RH # 2476

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
22.5	23	Compo 169	120101	.5	17.9				6		} Ro 1014	PG-95-048
23	23.5		2	14.7				5				
23.5	24		3	37.4				5 1/2				
24	24.5		4	22.4				6 1/2				
24.5	25		5	9.7				7 1/2				
25	25.5		6	27.1				6				
25.5	26		7	58.7				1 1/2				
26	26.5		8	71.9				1/2				
			Compo #169		22.7	21.73	.55	55.02	6 1/2	.86	113210	
24.5	25	Compo 170	120109	.5	22.3				4 1/2			
24.5	25		10	56.2				1				
25	25.5		11	38.0				5 1/2				
25.5	26		12	68.5				1				
			Compo #170		39.3	17.37	.57	42.76	3 1/2	.63	110210	
39.5	39	Compo 171	120113	.5	75.4				1/2			
39.5	39.5		14	31.9				5 1/2				
39.5	40		15	44.3				3 1/2				
40	40.5		16	45.8				3				
40.5	41		17	61.5				1				
			Compo #171		41.1	17.68	.44	40.78	4 1/2	.67	112210	
53.5	54		120118	.5	53.2				1 1/2			
54	54.5		19	60.9				2				
54.5	55		20	74.3				1/2				

EA:

Hemphre

D.L.

PAGE 1 OF 11

HOLE NO 011 # 71171

HOLE NO.

RH # 2476

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
765	785	Compo # 172	120121	.5	20.4				2		} R or PK. 1.19	PG-95-049
765	79		22		20.1				2 1/2			
79	79.5		23		14.8				5			
79.5	80		24		11.5				6			
80	80.5		25		15.5				6			
80.5	81		117501	.5	17.7				4			
81	81.5		2		52.1				1 1/2			
81.5	82		3		59.8				1 1/2			
82	82.5		4		66.0				1			
			Compo # 172			18.4	20.01	.36	61.23	3 1/2		
845	845	Compo # 173	117505	.5	36.1				6		} R or PK. 1.19	PG-95-049
84.5	85		6		44.5				5			
85	85.5		7		34.9				6			
85.5	86		8		25.8				6 1/2			
86	86.5		9		51.4				1 1/2			
86.5	87		10		25.8				5			
87	87.5		11		27.4				4			
87.5	88		12		66.2				1			
		Compo # 173			38.7	18.47	.41	42.42	5	.72	112210	

A:

Henretta Ricardo,

PAGE 2 OF 4

HOLE NO. RH # 2476

OLE NO.

RH # 2476

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1045	105	Compo 174	117513	.5	32.4				4 1/2			
105	105.5		14		58.1				1			} R ₀ mix PG-95-050
105.5	106		15		22.6				4			
106	106.5		16		59.5				1			
106.5	107		17		24.3				2 1/2			
107	107.5		18		28.3				4 1/2			
107.5	108		19		23.8				4			
108	108.5	20		80.3				0			1024	
108.5	109	21		81.4				0				
			Compo #174		38.9	16.78	.44	42.88	2 1/2	.52	092210	
157	157.5	Prox 175	117522	.5	70.9				1			
157.5	158		23		64.0				1			
158	158.5		24		40.1				2			
158.5	159		25		53.2				1 1/2			
159	159.5		26		84.7				0			
			Prox #175		42.1	17.22	.37	40.31	1	.44	080210	
165.5	166	Compo 176	117527	.5	52.1				1			
166	166.5		28		33.1				1			} R ₀ mix PG-95-051
166.5	167		29		21.8				1 1/2			
167	167.5		30		22.7				1			
167.5	168		31		35.7				3 1/2			
168	168.5		32		53.0				1			
168.5	169		33		36.1				1 1/2			
169	169.5		34		44.4				1			
169.5	170	35		77.7				0				
			Compo #176		34.3	18.23	.37	47.10	1 1/2	.41	082210	

EA:

Henretta Ridge

PAGE 3 OF 4

HOLE NO. RH # 2476

HOLE NO.

RH # 2476

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
191	1915		117536	.5	53.6				1			
1915	192		37		79.2				0			
192	1925		38		38.3				1			
192.5	193		39		37.3				1			
193	1935	177	40		62.1				1/2			
1935	197		41		68.3				0			
			Compl #177		38.5	18.22	40	42.88	1	.51	199210	
1995	200		117542	.5	44.0				1			
200	2005	178	43	.5	70.3				0			
			PLOR #178		43.9	15.08	.38	41.45	1 1/2	.51	199210	
208	2085		117544	.5	53.3				1			
2085	209		45	.5	59.4				1/2			
212	212.5		117546	.5	76.1				0			
212.5	213		47	.5	82.3				0			

AREA:

Henretta Riohio.

PAGE 4 OF 4

HOLE NO. RH # 2476

RH # 2477

DIAMY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	DEPTH	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	WATER	CALORIFIC VALUE	REMARKS
561	565	Compo #159 Compo #160	118926	.5	30.7				6			
565	57		27		46.0				3 1/2			
57	575		28		68.4				1			
575	58		29		14.8				6 1/2			
58	585		30		36.7				4 1/2			
585	59		31		34.6				6			
59	595		32		41.9				5			
595	60		33		63.8				2			
60	605		34		80.9	6.1			1			
			142210	Compo #159		31.2	21.46	.73	38.61	5	.65	
			Compo #160		32.2	23.19	.77	43.84	6	.62		
89	89	Compo #161	118935	.5	34.0				4			
89	89.5		36		4.7				7			
89.5	90		37		32.2				6			
90	90.5		38		58.0				3			
90.5	91		39		74.2				1			
91	91.5		40		76.9				1			
		131210	Compo #161		24.7	22.35	.74	52.21	6	.62		
99	99.5	118941		.5	60.6				1			
99.5	100		42		60.7				1			
100	100.5		43		82.4				0			

Henretta Ridge

WELL NO.

RH # 2477

NOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	P.S.I.	S	CALORIFIC VALUE	REMARKS
101	101.5	Compo 162	118944	S	36.0				6			
101.5	102		45		13.1				7			
102	102.5		46		4.6				8			
102.5	103		47		4.1				7 1/2			
103	103.5		48		13.8				7 1/2			
103.5	104		49		5.1				7 1/2			
104	104.5		50		11.5				7			
104.5	105		51		39.2				4 1/2			
105	105.5		52		67.9				1			
			1302.10	Compo #162		13.9	27.24	.70	58.16	7	.67	
116	116.5	163 PROC	118953	S	66.5				7			
116.5	117		54		53.0				2			
117	117.5		55		55.9				1			
117.5	118		56		48.0				1 1/2			
118	118.5		57		63.2				1			
118.5	119		58		63.7				1			
119	119.5		59		55.2				1 1/2			
119.5	120		60		57.4				3 1/2			
120	120.5		61		80.0				0			
120.5	121		62		84.5				0			
		1152.10	PROC #163		49.7	27.28	.46	22.56	1	3.10		
129	129.5		118963	S	58.8				1			
129.5	130		64		57.9				1			
130	130.5		65		87.1				0			

IN:

Henretta Ridge

RH # 2477

NOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	L.W.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
138	1385	Compo ¹⁶⁴ <	118966	.5	63.5				0			> Ro _{and}
139	139		67		16.9				6			
139	1395		68		36.9				5 1/2			
1395	140		69		53.7				3			
140	1405		70		80.7				0			
		110210	Compo ¹⁶⁴		28.2	20.32	.61	50.87	5 1/2	.81		
147	1475	Compo ¹⁶⁵ }	118971	.5	59.6				1			
1475	148		72		83.6				0			
	1485		73		44.5				3 1/2			
1485	149		74		47.3				2 1/2			
149	1495		75		40.0				3			
1495	150		76		32.9				4			
150	1505		77		86.8				0			
		112210	Compo ¹⁶⁵		43.7	17.73	.61	37.96	2 1/2	.67		
161	1615		118979	.5	72.1				0			
1615	162		79		79.5				0			
162	1625		80		80.2				0			
1625	163		81		79.4				0			
1745	175	166 prox	118982	.5	64.7				1			
175	1755		83		84.0				0			
1755	176		84		69.1				1			
	1765		85		39.4				4 1/2			
1765	177		86		83.9				0			
			1199210	prox ¹⁶⁶		36.0	19.50	.49	44.01	4 1/2	.67	

EA:

Henretta Ridge

RH # 2477

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.C.	F.C.	F.S.I.		CALORIFIC VALUE	REMARKS
185	185.5	1167 } Compal	118987	.5	50.7				1			
185.5	186		88	}	32.7				3 1/2			
186	186.5		89		31.8				3			
186.5	187		90		30.3				3			
187	187.5		91		80.0				1/2			
		0 90210	Comp #167			38.0	19.09	.53	47.38	3	.58	
188.5	189	1168 } Compal	118992	.5	29.6				6		} Ro max	PG-95-046 1-19
189	189.5		93	22.0				5				
189.5	190		94	31.4				1 1/2				
190	190.5		95	52.7				1				
190.5	191		96	68.1				1				
		0 92210	Comp #168		75.1	19.85	.59	50.96	0	.56		
192	192.5		118998	.5	58.1				1			
192.5	193		99	.5	84.1				0			

RH # 2479

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	LM	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
14	14.5		120226	.5	71.0				1/2			
14.5	15		27	.5	74.3				1/2			
75	75	Compo 123	120228	.5	27.6				6		} Ro mix	PG-95-031 0.84
75	75.5		29	.5	29.4				1 1/2			
75.5	76		30	.5	30.3				5			
76	76.5		31	.5	44.3				3 1/2			
76.5	77		32	.5	34.0				5			
77	77.5		33	.5	26.4				6 1/2			
77.5	78		34	.5	8.3				8			
78	78.5		35	.5	18.5				7			
78.5	79		36	.5	47.5				3			
79	79.5		37	.5	73.5				1			
79.5	80	38	.5	82.7				0				
		140210	Compo #123	0.71	29.0	27.04		43.25	6	0.49		
117.5	118		120239	.5	73.8				1			
136	136.5		120240	.5	60.1				1 1/2			
136.5	137		41	.5	86.3				0			
									2			
133	133.5		120242	.5	77.5				1			
133.5	150		43	.5	80.5				1			
163	163.5		120244	.5	73.2				1			
163.5	166		46	.5	85.0				0			

EA: Henretta Ridge

RH # 2479

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
173	1735		120246	.5	76.0				1			
1735	174		47	}	63.1				1			
174	1745		48		75.4				1			
1745	175		49		71.3				1			
175	1755		50		84.9				0			
181	1815		120476	.5	61.5				1 1/2			
1815	182		77	.5	90.1				0			
228	2285	Compo 124	120478	.5	31.9				4 1/2			} R _{MS} PG-95-032 1.00
2285	229		79	}	35.3				4			
229	2295		80		61.9				1			
2295	230		81		23.3				5 1/2			
230	2305		82		34.8				4 1/2			
2305	231		83		72.3				1			
231	2315		84		70.9				1			
2315	232		85		72.4				1			
232	2325		86		14.5				5			
2325	233		87		13.2				7			
233	2335	88	32.2					4				
2335	234	89	20.9				6 1/2					
234	2345	90	21.2				6 1/2					
2345	235	91	73.9				1					
235	2355	92	80.9				0					
	121210		120478 #124	0.59	40.0	22.68	36.73		4	0.97		
	120210		120478 #125	0.67	21.4	25.96	51.97		7	0.56		
2375	238	pt of 126	120493	.5	31.9				6			
238	2385		94	}	86.5				0			
	122210		120493 #126		0.60	35.1	21.82	42.48		6	0.69	

EA: Henretta Ridge

Hole No. KH #2478

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IN	FC	P.L.	W	CALORIFIC VALUE	REMARKS
1	1.5	Compo 204	120251	5	32.8				0		} Ro mo. C	PG-95-062
1.5	2		52	26.4				0				
2	2.5		53	10.6				2				
2.5	3		54	16.8				1 1/2				
3	3.5		55	24.9				1 1/2				
3.5	4		56	24.7				1 1/2				
4	4.5		57	29.0				0				
4.5	5		58	18.9				1				
5	5.5		59	20.0				3 1/2				
5.5	6		60	16.6				4 1/2				
6	6.5	61	21.5				6					
6.5	7	62	17.3				6 1/2					
7	7.5	63	17.5				6 1/2					
7.5	8	64	15.9				6 1/2					
8	8.5	65	74.0	✓			1					
		Compo #204	22.1		24.58	2.00	51.32	2 1/2	-78	130	210	
14.5	15	Compo 205	120266	5	28.3				6 1/2		} Ro mo. C	PG-95-063
15	15.5		67	28.2				6				
15.5	16		68	44.6				3 1/2				
16	16.5		69	48.3				3 1/2				
16.5	17		70	74.3	✓			1/2				
		Compo #205	33.9		21.10	.53	44.47	5 1/2	1.01	121	210	

NEAR: Henretta Ridge

HOLE NO KH #2478

WELL NO.

RH # 2478

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.I.	F.S.I.	W	CALORIFIC VALUE	REMARKS
86	86.5	Compo 206	120273	.5	20.2				7			
86.5	87		74		21.4				6			
87	87.5		75		46.2				5			
87.5	88		76		70.9				1			
88	88.5		77		80.9				0			
88.5	89		78		85.1				0			
			Compo #206			28.3	23.43	.53	47.74	6 1/2	.74	120710
82.5	83	Compo 207	120279	.5	19.0				6			
83	83.5		80		22.3				6			
83.5	84		81		28.2				5			
84	84.5		82		MISSING				MISSING			
84.5	85		83		23.4				6 1/2			
85	85.5		84		9.5				7			
85.5	86		85		18.5				6 1/2			
86	86.5		86		15.9				4 1/2			
86.5	87		87		12.1				5 1/2			
87	87.5		88		48.6				4			
87.5	88		89		85.6				0			
		Compo #207			20.4	22.61	.48	56.51	5 1/2	.53	115210	
88.5	89		120290	.5	61.0				2			
89	89.5		91	.5	82.5				0			

ER: Honretta Ridge

DATE

RH # 2478

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	TIME	DESCRIPTION	SAMPLE NUMBER	WIRTH	ASH	V.C.M.	LM	FC	P.C.I.	W	CALORIFIC VALUE	REMARKS
101	101.5	Compo 208	120292	.5	15.2				4			
101.5	102		93		21.4				5 1/2			
102	102.5		94		43.9				3 1/2			
102.5	103		95		40.7				4 1/2			
103	103.5		96		24.0				6			
103.6	104		97		15.7				6 1/2			
104	104.5		98		17.2				2 1/2			
104.5	105		99		44.3				3 1/2			
105	105.5		120300		86.0				0			
			Compo #208		32.6	20.48	.45	46.47	5	.83	113210	
114	114.5	Compo 209	120301	.5	14.6				3 1/2			
114.5	115		2		22.0				3			
115	115.5		3		18.6				5			
115.5	116		4		35.5				2 1/2			
116	116.5		5		57.0				2			
116.5	117		6		80.6				1/2			
			Compo #209		22.1	19.57	.42	57.91	3	.71	110210	
122	122.5	Prox 210	120307	.5	46.7				3			
122.5	123		8		50.2				1 1/2			
123	123.5		9		85.5				0			
			Prox #210		48.2	15.25	.43	36.12	2 1/2	.69	192210	
124	124.5	Compo 211	120310	.5	54.1				1 1/2			
124.5	125		11		46.2				3 1/2			
125	125.5		12		23.1				6			
125.5	126		13		28.3				5			
126	126.5		14		70.1				1			
				Compo #211		34.3	19.80	.47	45.43	4	.78	112210

IER:

Henretta Ridge

HOLE NO.

RH #2478

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	DEPTH	ASH	V.C.M.	LM	FC	FSI	W	CALORIFIC VALUE	REMARKS
171	171.5		120315	.5	73.7				1/2			
171.5	172		16	↓	80.2				0			
172	172.5		17	↓	86.2				0			
1895	190		120318	.5	55.1				1			
190	190.5		19	↓	54.5				1			
190.5	191		20	↓	38.6				5			
191	191.5	prod 212	21	↓	61.5				1			
			Prod #212		39.2	17.63	.47	42.70	4 1/2	.72	112210	

R:

Henretta Ridge

PAGE 4 OF 4

HOLE NO

RH #2478

RH # 2490

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIRTH	ASH	V.C.M.	LM	FC	FG	W	CALORIFIC VALUE	REMARKS
6.0	6.5	Compo #213	119310	.5	19.4					0		
6.5	7		11		20.4					0		
7	7.5		12		10.8					0		
7.5	8		13		10.8					0		
8	8.5		14		7.4					0		
8.5	9		15		8.8					0		
9	9.5		16		6.0					1/2		
9.5	10		17		16.8					1		
10	10.5		18		7.1					1/2		Ro max
10.5	11		19		18.1					1/2		PG-95-065
11	11.5		20		5.0					3		1.16
11.5	12		21		7.8					3 1/2		
12	12.5		22		15.7					4		
12.5	13		23		8.7					2		
13	13.5		24		9.0					1 1/2		
13.5	14		25		6.3					4		
14	14.5		109263		6.9					3		
14.5	15		64		8.4					2 1/2		
15	15.5		65		23.3					4		
15.5	16		66		54.4					1 1/2		
16	16.5	67		76.6					0			
16.5	17	68		74.7					0			
17	17.5	69		71.2					0			
17.5	18	70		72.3					1/2			
18		Compo #213		↓	12.1	25.01	2.64	60.25	1 1/2	.40	115210	
36	36.5	#214 prox	109271	.5	84.9					1/2		
36.5	37		72		15.3					7 1/2		
37	37.5		73		61.9					1		
		Prox #214		↓	15.3	24.56	.44	59.70	7	.97	110210	

IER:

Henretta Ridge

PAGE 1 OF 5

HOLE NO

RH # 2490

HOLE NO.

RH # 2490

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WATER	GRV	W.C.M.	W.C.M.	W.C.M.	W.C.M.	W.C.M.	W.C.M.	CALORIFIC VALUE	REMARKS
56	565	#215 proc	109274	.5	20.0						7		
595	60		Prox #215		20.6	21.88	.40	57.12	6 1/2	.87			
60	605		109275	.5	53.4				2				
605	61		118851	↓	79.0				1/2				
			52	↓	81.0				0				
67	675		118853	.5	56.7				1				
675	68		54	↓	27.7				5				
68	685		55	↓	45.7				1 1/2				
685	69	Compo #216	56	↓	30.3				3				
69	695		57	↓	37.7				4 1/2				
695	70		58	↓	68.5				1				
			Compo #216		39.0	16.61	.52	43.87	2 1/2	.60	112210	1.20	
765	77		118859	.5	62.9				1				
77	775		60	.5	68.4				1				
785	79		118861	.5	63.6				1				
79	795		62	↓	66.6				1				
795	80		63	↓	74.4				1				
815	815	#217 proc	118864	.5	42.7				4				
815	82		65	↓	77.2				0				
82	825		66	↓	79.5				0				
			Prox #217		44.1	16.33	.45	39.12	3 1/2	.66	199210		

HEA:

Henretta Ridge

PAGE 2 OF 5

HOLE NO

RH # 2490

RH # 2490

NOJANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	GRN	V.C.M.	LM	FC	F.S.	REMARKS	CALORIFIC VALUE	
84	845	Comp # 218	118867	.5	29.0				4 1/2			
845	85		68		39.5				3 1/2			
85	855		69		67.5				1/2			
855	86		70		83.6				1/2			
86	865		71		86.2				0			
865	87		72		80.4				0			
87	875		73		77.3				0			
875	88		74		38.6				2			
88	885		#219 Comp #	118751		33.7				1		
885	89			52		46.7				1/2		
89	895	53			66.0				1/2			
895	90	54			76.7				1/2			
90	905	84.7			84.7				0			
		Comp # 218			35.9	18.36	.41	45.33	4	-62	090210	
		Comp # 219			41.0	15.75	.48	42.77	1	-51	092210	
1415	142		118755	.5	76.4				0			
142	1425		56		85.1				0			
1425	143		57		82.4				0			
143	1435		58		76.9				0			
1435	144		59		57.5				1/2			
144	1445		60		54.9				1/2			
1445	145		61		59.0				1/2			
145	1455		62		65.8				1/2			
1455	146		63		28.7				1			
146	1465		#220 Comp #	64		37.1				1 1/2		
1465	147	65			24.5				1 1/2			
147	1475	66			14.3				5 1/2			
1475	148	67			80.0				0			
		Comp # 220				28.8	17.45	.38	53.37	2	.56	080210
											PG-95-067	
											1.29	

RH # 2490

MOBILY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	UNIT	GRV	V.C.M.	I.M.	F.C.	F.F.	W	CALORIFIC VALUE	REMARKS
159	595	*221 Compd	118769	S	51.3				1/2			
159.5	160		69		51.6				1/2			
166	160.5		70		21.8				1 1/2			
160.5	161		71		34.2				1/2			
161	161.5		72		27.2				3			
161.5	162		73		31.3				1 1/2			
162	162.5		74		34.1				1			
162.5	163		75		80.4				0			
			Compo #221		32.1	4.17.98	.38	49.54	1 1/2	.42	082210	
172.5	173	*222 Compd	118776	S	80.8				1/2			
173	173.5		77		62.6				1/2			
173.5	174		78		30.0				1			
174	174.5		79		15.4				1			
174.5	175		80		13.5				1			
175	175.5		81		20.5				6 1/2			
175.5	176		82		56.2				1			
			Compo #222		21.0	19.69	.34	58.97	1 1/2	.59	189210	
196	196.5		118783	S	81.6				1/2			
196.5	197		84		74.3				1			
197	197.5		85		79.7				0			
197.5	198		86		82.8				0			
200	200.5		118787	S	72.1				1/2			
200.5	201		88		96.3				0			

LOC: Henretta Ridge

HOLE NO RH # 2490

RH # 2490

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	VCM	IM	F.P.	F.S.I.	W	CALORIFIC VALUE	REMARKS
2075	Comp #223	118789	S	43.6				1		3 R _{on} MFC	PG-95-069
2075		90	↓	26.5				4 1/2			
2075		91		69.8				1			
2035		204	92	↓	88.7				0		1.33
		Comp #223		37.5	15.59	.29	46.62	1	.54	199210	
211		118793	.5	66.4				1			
2115		212	94	3	88.9			0			

RH 2491

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS
13.5	14	Camp	120326	S	16.7				7		} Ro max	PG-95-070
13.5	14		27	}	26.7				7 1/2			
14	14.5		28			19.2				7 1/2		
14.5	15		29	↓	66.8				1			
		224	Comp. #224		21.3	24.06	.35	54.29	7	.72	120210	1.04
29.5	30	}	120330	S	25.0				6		} Ro max	PG-95-071
29.5	30		31		35.1				3 1/2			
30	30.5		32		29.5				3			
30.5	31		33		9.5				6 1/2			
31	31.5		34		3.0				7 1/2			
31.5	32		35		6.1				6 1/2			
32	32.5		36		7.4				7			
32.5	33		37		8.0				7			
33	33.5		38		8.1				7			
33.5	34		39		22.6				6 1/2			
34	34.5		40		12.0				4 1/2			
34.5	35		41		40.2				1 1/2			
35	35.5		42		7.2				6 1/2			
35.5	36		43		3.9				7			
36	36.5		44		9.2				6 1/2			
36.5	37		45		5.1				7			
37	37.5		46		20.7				4			
37.5	38		47		10.9				6 1/2			
38	38.5		48		5.7				6			
38.5	39		49		14.9				5 1/2			
39	39.5		50		11.0				5			
39.5	40		51		12.3				7			
40	40.5		52		9.9				8			
40.5	41		53		7.9				7 1/2			
41	41.5		54		9.9				8			

ER:

Hennetta Ridge

RH 2491

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.	REMARKS	CALORIFIC VALUE	REMARKS
41.5	42	↑	120355	↓	6.6				8)	
42	42.5		56		6.1				8			
42.5	43		57		8.1				8			
43	43.5		58		15.4				6 1/2			
43.5	44		59		7.2				6			
44	44.5		60		8.1				7			
44.5	45		61		10.6				7			
45	45.5		62		66.0				1 1/2			
45.5	46		63		29.8				6 1/2			
46	46.5		64		76.8	!			1			
			Compo #225		13.7	24.53	.38	61.39	7	.53	115210	
56.5	57	}	120365	↓	42.6				3			
57	57.5		66		38.3				6 1/2			
57.5	58		67		31.0				6 1/2			
58	58.5		68		10.5				7			
58.5	59		69		6.8				7			
59	59.5		70		32.9				6 1/2			
59.5	60		71		45.9				5 1/2			
60	60.5		72		56.8				1			
60.5	61		73		76.6				0			
					Compo #226		27.6	20.71	.29	51.40		7 1/2
69.5	70	}	120376	↓	44.1				2			
70	70.5		74		47.2				1 1/2			
70.5	71		120377		25.8				6 1/2			
71	71.5		75		76.3				0			
			76		42.6				3			
			Compo #227		17.89	.29	39.22	3	.64	110210		

100

Henretta Ridge

RH 2491

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	L.M.	F.C.	F.S.	REMARKS	CALORIFIC VALUE	
755	76		121753	S	64.5				1			
76	76.5		54	S	84.5				0			
84	84.5	Comp 228	121755	S	16.7				4 1/2			
84.5	85		56	↓	12.0				4 1/2			
85	85.5		57	↓	50.2				1			
85.5	86		58	↓	79.4				0			
			Comp #228			14.6	21.73	.31	63.36	5	.81	199210
107.5	104	Comp 229	121759	S	20.8				4			
104	104.5		60	↓	19.7				5			
104.5	105		61	↓	76.1				0			
			Comp #229			20.9	20.01	.29	58.80	4	.72	110210
109	109.5		Comp 230	121762	S	42.0				3		
109.5	110	63		↓	36.2				4			
110	110.5	64		↓	33.7				3			
110.5	111	65		↓	33.6				4 1/2			
111	111.5	66		↓	46.3				2			
111.5	112	67		↓	83.1				0			
		Comp #230				36.9	18.14	.30	44.66	4	.66	112210
124.5	125		121769	S	49.8				1 1/2			
125	125.5		69	↓	60.4				2			
125.5	126		70	↓	78.3				0			
126	126.5		71	↓	51.9				2			
126.5	127		72	↓	79.8				0			
127	127.5		73	↓	85.6				0			

REA:

Henretta Ridge

} R₀ mnc
PG-95-072
1.18

RH 2491

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS
130	1305	Camp 231	121774	S	30.8				4			
1305	131		75	↓	25.4				4			
131	1315		76	↓	62.7				1			
1315	132		77	↓	78.1				0			
			Compo #231			27.8	19.76	.32	52.12	4	.66	090210
133	1335	Camp 232	121778	S	25.4				5			
1333	134		79	↓	26.5				216			
134	1345		80	↓	53.1				1			
1345	135		81	↓	63.2				1			
135	1355		82	↓	75.9				0			
		Compo #232			25.5	20.07	.30	54.13	3	.57	092210	
176	1765		121783	S	82.5				0			
1765	177		84	↓	82.3				0			
177	1775		85	↓	85.1				0			
195	1935	Camp 233	121786	S	64.9				1			
1935	194		87	↓	42.0				1			
194	1945		88	↓	13.7				4			
1945	195		89	↓	78.3				1			
195	1955		90	↓	88.7				0			
		Compo #233			30.6	16.63	.31	52.46	2	.56	080210	

REA:

Henretta Ridge

RA 2491

DAILY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DATE	TIME	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.M.	I.M.	F.C.	P.S.	W	CALORIC VALUE	REMARKS
2055	2055		Coyne } 234	21791	}	40.5				1		} Ro wd 1.25	PG-95-073
2055	206	92		49.9					1				
206	2065	93		36.2					1				
2055	2071	94		42.3					1				
207	2075	95		55.8					1				
2075	208	96		64.6					1				
208	2085	97	71.3				1						
				Compo *234		43.7	22.60	.26	33.44	1	.36	082210	

IER:

Henretta Ridge

RH #2492

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS			
3	35		120551	5	62.6				0						
3.5	4		52	}	50.4				0						
4	4.5		53		21.7				0						
4.5	5	Compo oil	54		13.3				0		} Ro max	PG-95-001			
5	5.5		55		18.7				0						
5.5	6		56		34.9				0						
6	6.5		57		23.1				1/2						
6.5	7		58	50.3				0							
7	7.5		59	72.3	↓			0							
		142210	Compo #011		26.7	21.45	2.93	48.92	0	.67					
54	54.5		120560	5	59.6				1						
54.5	55		61	}	53.7				2						
55	55.5		62		17.3				7 1/2						
55.5	56	Compo oil 2	63		6.4				7 1/2		} Ro max	PG-95-002			
56	56.5		64		30.6				7						
56.5	57		65		6.8				7 1/2						
57	57.5		66		3.3				8						
57.5	58		67		5.4				7 1/2						
58	58.5		68		9.9				7 1/2						
58.5	59		69		5.6				7						
59	59.5		70		5.2				7						
59.5	60		71		2.6				8						
60	60.5		72		4.3				8						
60.5	61		73		3.8				8						
61	61.5		74		8.2				8						
61.5	62		75		41.6	↓			5						
			130210	Compo #012		8.7	27.76	1.97	62.57	7			.72		

RH #2492

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WTD	ASH	V.C.M.	IN	FC	F.S.I.	W	CALORIFIC VALUE	REMARKS
63	63S	Compo 013	120576	25	35.8				5			
63.5	64		77		20.4				7			
64	64S		78		24.5				6 1/2			
64.5	65		79		28.0				6 1/2			
65	65S		80		21.0				7			
65.5	66		81		16.7				6 1/2			
66	66S		82		32.2				6			
66.5	67		83		16.6				7			
67	67S		84		34.4				5 1/2			
67.5	68		85		14.9				7			
68	68S		86		29.0				7			
68.5	69		87		51.2				3			
69	69S		88		81.6				0			
69.5	70	89		69.8				1				
		130210	Compo #013		25.2	23.85	.93	50.02	6 1/2	.82		
107	107S		120590	5	72.2				0			
107.5	108		91		79.0				0			
108	108S		92		73.0				0			
108.5	109		93		83.9				0			

EA:

Henretta Ridge

NO. 150

RH #2492

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.E.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
112	1125		120594	S	68.0				1				
1125	113		95		58.0				1				
113	1135		96		55.1				2 1/2				
1135	114	Compo ← 014	97		24.3				7				
114	1145		98		11.4				7 1/2				
1145	115		99		55.6				4				
115	1155		120600			71.7				1			
1155	116		1		60.0					2			
116	1165	Compo 015	2		37.2					6 1/2	} R ₀ max 1.09		
1165	117		3		6.7					7 1/2			
117	1175		4		13.5					7 1/2			
1175	118		5		6.5					8			
118	1185		6		5.1					8			
1185	119		7	6.7					8				
119	1195		8	4.4					8				
1195	120		9	7.7					7 1/2				
120	1205		10	36.7					5				
1205	121		11	67.9					1/2				
121	1215	12	72.7					0					
1215	122	13	77.9					0					
		115210	Compo #014		17.9	24.35	.87	56.88	7	155			
		115210	Compo #015		13.5	25.64	.88	59.98	7 1/2	156			

REA:

Henretta Ridge

SOLE NO.

RH #2492

NOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIRTH	ASH	V.E.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
156	156S		120614	S	71.0				1			
157	157		15	S	68.9				1			
157	157S		16		64.0				1			
158	158	prox	17		41.2				5			
158	158S	016	18		55.6				1			
159	159		19		63.5				1			
159	159S		20		57.4				1			
160	160		21		72.6				1			
160	160S		22		81.1				0			
161	161		23		91.7				0			
161	161S		24		90.2				0			
162	162		25	88.0				0				
		112210	prox * 016		41.2	18.22	.86	39.72	4 1/2	.36		
176	176	prox	118517	S	23.8				1 1/2			
176	176S	017	18	S	70.0				0			
		090210	prox * 017		25.4	17.77	.78	56.05	1	.60		
182	182	prox	118519	S	48.9				1 1/2			
182	182S	018	26	S	16.6				2 1/2			
182	183		21		74.2				1/2			
		092210	prox * 018		16.6	19.70	.75	62.95	2	.72		Ro max 1.18

HOLE NO.

RH # 2495

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
20	20.5	Compo oio	11740	5	10.4				7			
20.5	21		2		14.0				6			
21	21.5		3		11.5				6			
21.5	22		4		18.7				6 1/2			
22	22.5		5		5.6				8			
22.5	23		6		8.0				7			
23	23.5		7		12.6				7			
23.5	24		8		13.2				7			
24	24.5		9		39.2				4 1/2			
24.5	25		10		49.8				3			
25	25.5		11		77.6				0			
25.5	26		12		78.4				0			
		115	Compo oio		15.7	22.56	.83	60.91	7	.76		

REA:

Low blnth

PAGE | OF |

HOLE NO

047495

FILE NO. RH #2496

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TIME	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.F.I.	W	CALORIFIC VALUE	REMARKS
14	14.5	Compo 054	117976	5	39.8				5 1/2			
14	14.5		77		13.6				7			
14.5	15		78		8.0				7			
15	15.5		79		10.3				7			
15.5	16		80		12.6				6 1/2			
16	16.5		82		69.1				1			
16.5	17		83		60.0				1 1/2			
17	17.5		84		53.9				1 1/2			
17.5	18		85		73.2				1			
18	18.5		86		57.8				2 1/2			
18.5	19		87		3.5				7 1/2			
19	19.5		88		9.2				7			
19.5	20	Compo 055	89		20.4				6			
20	20.5		90		10.8				7			
20.5	21		91		18.2				7 1/2			
21	21.5		92		25.8				6 1/2			
21.5	22	Compo 056	93		78.2				1			
22	22.5		94		15.3				6			
22.5	23		95		68.7				1			
23	23.5		96		79.0				1			
23.5	24		97		84.5				0			
		121	Compo #54		14.6	25.83	.64	58.93	7	.73		
		120	Compo #55		15.5	26.28	.68	57.54	6 1/2	.60		
		120) F.W.	Compo #56		23.6	24.32	.64	51.44	6 1/2	.61		
		*	117981	*	19.8				7			
			No FOOTAGE MARKED ON ORANGE TAG									

Henretta North

RH # 2496

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TIME	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
70	70.5		117999	-5	18.1	10.9	Re-Assay Avg 8.6		6 1/2			
70.5	71		118000		5.1	4.6		7 1/2				
71	71.5		117951		14.4	13.8		6 1/2				
71.5	72		52		8.3	7.1		7				
72	72.5		53		6.0	5.3		6				
72.5	73		54		9.2	9.6		6				
73	73.5		55		55.5			2				
73.5	74		32		77.9			1				
74	74.5		57		12.1	6.1		7				
74.5	75		58		10.7	6.1		7				
75	75.5	59	11.6		8							
75.5	76	60	48.6		2 1/2							
76	76.5	61	50.8		2							
76.5	77	62	75.7		1							
		Compd #57	21.9	21.83	.72	55.55	6	.61				
		Compd #58	7.8	24.01	.73	67.46	6 1/2	.53				
76.5	78.5		117963	-5	32.4	26.1	Re-Assay Avg 27.1		6 1/2			
78.5	79		64		41.8	28.1		5 1/2				
79	79.5		65		74.7			1				
		Compd #59	25.3	21.19	.69	52.82	6	.72				

1A:

Henve Ha North

MOJAVE DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

BH # 249.7

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LI.	F.C.	F.S.I.	REMARKS	CALORIFIC VALUE	REMARKS
3.3	3.5	Compo 077	117876	.5	25.5				6 1/2			
3.5	4		77		38.1				4 1/2			
4	4.5		78		48.1				2			
4.5	5		79		81.0				0			
			121	Compo #77		29.0	21.73	.75	48.32	6	.74	
20	20.5	Compo 079	117880	.25	53.2				2			
20.5	21		81		51.6				2 1/2			
21	21.5		82		67.8				1 1/2			
21.5	22		83		23.7				6 1/2			
22	22.5		84		10.1				7			
22.5	23		85		12.8				7			
23	23.5		86		22.9				7			
23.5	24		87		72.2				1			
24	24.5		88		29.1				6			
24.5	25		89		60.0				2			
25	25.5		90		77.9				1			
25.5	26		91		87.2				0			
		170	Compo #78		29.0	22.51	.63	47.86	7	.72		
			Compo #79		17.8	25.75	.63	55.82	7 1/2	.76		

RH #2497

DIAMOND DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	FEET	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	VEG	IM	FC	FEI	CALORIFIC VALUE	REMARKS
63	63	Compo 080	117892	5	37.0				5		
63	63.5		93		12.7				7		
63.5	64		94		8.9				7 1/2		
64	64.5		95		6.4				7 1/2		
64.5	65		96		37.4				5		
65	65.5		97		74.2				0		
65.5	66		98		30.6				6		
66	66.5		117899		11.0				7		
66.5	67		117900		59.6				2 1/2		
67	67.5			1		8.0			6 1/2		
67.5	68		2		6.1			7			
68	68.5		3		18.6			6 1/2			
68.5	69		4		12.2			6 1/2			
69	69.5		5		63.6			1			
69.5	70		6		56.0			2			
70	70.5	Compo 082	7		16.8			6 1/2			
70.5	71		8		12.8			8			
71	71.5		9		52.9			3			
71.5	72		10		22.2			6 1/2			
		U.15/11.3	Compo #80		27.0	20.34	.73	51.93	6	.60	
			Compo #81		22.0	22.89	.72	54.39	6 1/2	.46	
			Compo #82		28.2	22.73	.68	48.39	7	.79	
			Compo #83		15.5	24.89	.64	58.97	7	.76	

Henrette North

RH # 2498

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FEET	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	P.E.	P.S.I.	°	CALORIFIC VALUE	REMARKS
6	65		122326	.5	73.8				0			
63	7		27		83.5				0			
7	75	prox 060	28	↓	18.6				2 1/2			
			122329	.5	17.8	22.35	.71	57%				
28	29.5		30		47.1				4			
28.5	29	prox 061	31		33.8				5			
29	29.5		32		47.5				3			
29.5	30		33		79.3				1			
30	30.5		34		35.4				6			
30.5	31	Compox 062	35		63.2				2			
31	31.5		36		46.6				4			
31.5	32	121	37		38.3				5 1/2			
32	32.5		38		78.7				1/2			
32.5	33		39		15.7				6 1/2			
33	33.5		40		66.5				1			
33.5	34		41		60.8				1			
34	34.5		42		51.1				2			
34.5	35		43		68.3				1			
35	35.5		44		66.4				1			
35.5	36		45		72.7				1			
36	36.5		46		58.2				1			
36.5	37		47		66.1				1			
37	37.5		48		11.6				7			
37.5	38		49		6.9				6 1/2			
38	38.5	Compox 064	50		20.8				7			
38.5	39		51		12.3				7 1/2			
39	39.5	Compox 063	52		15.5				7			
39.5	40		53		12.6				7			
40	40.5		54		82.6				0			
40.5	41				29.0				6			

EA:

Henretta North

WELL NO.

RH # 2498

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
41	41.5		122355	0.5	61.8				2			
41.5	42		122356	↓	80.9				0			
42	42.5		57	↓	84.8				0			
			PROC #61		33.6	23.74	.61	54.14				
		121	COMP #62		48.4	19.62	.71	51.21		.55		
			COMP #63		24.7	24.32	.72	51.62		.53		
84	84.5		22358	↓	7.7				6 1/2			
84.5	85		59	↓	12.8				6 1/2			
85	85.5	Compo } 065	60	↓	8.0				7 1/2			
85.5	86		61	↓	11.6				7			
86	86.5		62	↓	15.8				7			
86.5	87		63	↓	16.3				6 1/2			
87	87.5		115	64	↓	74.1				1		
87.5	88		65	↓	72.8				0			
88	88.5		66	↓	67.2				1			
88.5	89		67	↓	64.7				1			
89	89.5		68	↓	74.5				1/2			
89.5	90	Compo } 066	69	↓	45.6				3 1/2			
90	90.5		70	↓	18.6				6			
90.5	91		120	COMP #64		13.9	21.61	.70	57.71	7	.54	
			122371	↓								
91	91.5		122371	↓	22.5				6			
91.5	92	PROC	76	↓	79.3				0			
92	92.5	067	73	↓	MISSING				MISSING			
		115	COMP #65		12.0	23.74	.72	63.29	7	.53		
		113	COMP #66		33.6	19.60	.69	46.11	4	.53		
		PROC	122374	↓	31.5				6			
94.5	95	068	8	↓	89.7				0			
95	95.5		PROC #67		23.5	22.06	.72	53.72	6	.71		
		111	PROC #68		32.1	20.68	.60	46.62	6 1/2	.68		

WELL NO.

RH # 2499

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.C.M.	L.M.	F.C.	F.S.	S	CALORIFIC VALUE	REMARKS
20	205	Compo 084	121526	0.5	78.7				0			
205	21		27		55.3				4			
21	215		28		42.4				5			
215	22		29		12.2				7 1/2			
22	225		30		14.7				7 1/2			
225	23		31		12.7				7 1/2			
23	235		32		11.0				8			
235	24		33		35.2				5			
24	245		34		75.4				1			
245	25		35		76.8				1			
		170	Compo #84		23.2	47.7	66	51.7	1	5		
60	605	Compo 085	121536	0.5	25.4				5 1/2			
605	61		37		21.6				6 1/2			
61	615		38		5.8				7 1/2			
615	62		39		3.0				7			
62	625		40		5.6				6 1/2			
625	63		41		11.7				7 1/2			
63	635		42		4.3				7 1/2			
635	64		43		9.3				7			
64	645		44		25.9				6			
645	65		45		31.0				5 1/2			
65	655	46		81.4				0				
655	66	47		18.4				6				
66	665	48		70.5				1				
		115	Compo #85		21.0	21.37	75	56.88	5 1/2	49		
			Compo #86		16.6	22.55	73	60.12	6 1/2	52		

REA:

Heure Ha North

TIME NO

RH # 2499

RH # 2499

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	IN	FC	F.S.I.	W	CALORIFIC VALUE	REMARKS
71	715	Copo 087 Compo 088 Copo 089	121549	S	5.9				6 1/2			
71.5	72		50		5.8				7 1/2			
72	725		51		47.3				3			
72.5	73		52		MISSING				MISSING			
73	735		53		25.4				6			
73.5	74		54		25.5				6 1/2			
74	745	.113	55	V	28.1				6 1/2			
74.5	75		56		86.5				0			
			Compo # 87		6.4	24.56	.70	68.34	7	.65		
		Compo # 88	23.7	21.33	.68	54.09	6	.72				
		Compo # 89	28.8	21.01	.75	49.44	6 1/2	.69				

EA:

Henrette North

RH # 2500

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	REMARKS	CALORIFIC VALUE		
15.5	16	Compo #90	117926	.5	73.2				1				
16	16.5		27		62.2				2				
16.5	17		28		64.9				1				
17	17.5		29		19.5				7 1/2				
17.5	18		30		15.3				7 1/2				
18	18.5		31		17.3				7				
18.5	19		32		15.4				7 1/2				
19	19.5		33		42.4				4				
19.5	20		34		60.7				1				
20	20.5		35		75.1				1				
		120	Compo #90		22.6	24.45	.73	52.22	7	.76			
54.5	55	Compo #91	117936	.5	7.4				6 1/2				
55	55.5		37		5.7				7 1/2				
55.5	56		38		8.9				7				
56	56.5		39		30.6				6				
56.5	57		40		89.5				0				
57	57.5		41		28.2				4				
57.5	58		42		15.0				6 1/2				
58	58.5		43		81.3				0				
			115		Compo #91		27.6	19.93	.77	51.70	5 1/2	.52	
					Compo #92		13.7	23.16	.75	62.39	7	.55	

ER:

Hewretta North

LINE NO

RH # 2500

WELL NO. RH # 2500.

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.S.M.	IN	FC	FS	W	CALORIFIC VALUE	REMARKS
63	655		117944	5	11.3					7		
65.5	660		45	7.4						7		
66	665		46	9.6						6 1/2		
66.5	670		47	20.2						5		
67	675		48	42.4						3 1/2		
67.5	680		49	63.0						1		
68	685		50	8.9						6		
68.5	690		121501	38.8						6		
69	695		095	2						1		
69.5	70		3	85.7						0		
		113	Compo # 93		26.0	19.48	.74	53.78	5	.77		
			Compo # 94		12.9	21.88	.76	14.46	6	.99		
			Compo # 95		22.9	20.51	.78	55.81	6	.73		

ER:

Henretta North

RH # 2480

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TIME	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	LM	CALORIFIC VALUE	REMARKS
6	6.5		120676	.5	68.1						1 1/2	
6.5	7		77	.5	87.5						0	
13	13.5		120678	.5	49.2						3	
13.5	14		79	.5	79.9						0	
20	20	Compo 127	120680	.5	24.4						1	} Ro 147 X 0.88
20.5	20.5		81		12.4						2 1/2	
20.5	21		82		7.1						6	
21.0	21.5		83		10.0						7 1/2	
21.5	22		84		16.5						6 1/2	
22.0	22.5		85		9.9						7	
22.5	23		86		33.7						5 1/2	
23.0	23.5		87		63.7						1	
23.5	24		88		10.1						7 1/2	
24.0	24.5		89		59.3						2	
24.5	25		90		69.4						1	
25	25.5		91		66.8						1	
25.5	26	92		75.6						1		
26	26.5	93		74.8						1		
26.5	27	94		86.9						0		
27	27.5	95		91.4						0		
27.5	28	96		80.0						1		
		140210	Compo 127	0.81	20.5	26.62	52.07	7		5 1/2	0.57	
37.5	38		120697	.5	89.6						0	
38	38.5		98	.5	90.3						0	

RH # 2480

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	FC	FC	CALORIC VALUE	REMARKS
62	625		120699	.5	79.6					1/2		
63	635		120700	.5	84.1					0		
635	64		1	↓	64.7					1		
64	645		2		74.4					1/2		
645	65		3		55.5					2		
65	655		4		57.4					2 1/2		
655	66		5		66.7					1		
66	665		6		80.7					1/2		
665	67		7		83.8					0		
75	755		120708	.5	82.4					1/2		
755	76		9	↓	73.9					1		
76	765		10		69.1					1/2		
765	77		11		76.7					1/2		
77	775		12		81.0					0		
835	84		120713	.5	85.9					0		
84	845		14	↓	82.9					0		
845	85		15		80.7					0		
85	855		16		76.9					0		
855	86		17		77.8					0		
925	93		18	.5	82.6					0		

REA:

Henretta Ridge

TIME NO

RH # 2400

RH # 2480

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IN	FCI	FCI	CALORIFIC VALUE	REMARKS
975	975	Compos 128	120719	5	37.0				5		
975	975		20		12.7				7 1/2		
985	985		21		57.8				2		
985	99		22		63.0				1 1/2		
99	995		23		54.3				2 1/2		
100	100	Compos 129	24		21.4				7		
100	100.5		25		38.8				6		
100.5	101		120426		74.8				1		
101	101.5		27		89.9				0		
			142210 } Compos *128		0.71	25.0	25.00	49.29	7	6	0.71
				0.71	29.2	28.72			6 1/2	0.88	
102	102.5	30 prox	120428	5	38.6				5		
102.5	103		29		75.6				1		
103	103.5		30		79.6				1/2		
			Prox *130	0.77	39.7	21.67			4	0.60	
107.5	108		120431	5	52.0				3 1/2		
108	108.5		32		69.2				1 1/2		
108.5	109		33		81.3				0		
129	129.5		120434	5	65.5				1		
129.5	130		35		88.4				0		
130	130.5		36		62.7				1		
130.5	131		37		78.7				1/2		
131	131.5		38		81.6				0		

HEA:

Henretta Ridge

PAGE 3 OF 5

HOLE NO

RH # 2480

RH # 2480

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	WATER	CALORIFIC VALUE	REMARKS
134	134S		120439	.5	75.0				1/2			
134.5	135		40	.5	79.2				1/2			
141.5	142		120441	.5	56.8				2			
142	142.5		42	.5	61.3				1/2			
142.5	143		43	.5	86.5				0			
151	151.5		120444	.5	49.6				1 1/2			
151.5	152	Compo # 131	45	}	37.0				4 1/2			
152	152.5		46		27.2				3 1/2			
152.5	153		47		21.4				7			
153	153.5		48		52.8				1			
153.5	154		49		19.4				7 1/2			
154	154.5		50		20.8				7 1/2			
154.5	155		51		9.4				8			
155	155.5		52		8.9				7 1/2			
155.5	156		53		76.8				1/2			
156	156.5		54		89.5				0			
		130210	Compo # 131	0.68	26.7	24.11		48.51	5 1/2	0.55		
176	176.5		120455	.5	89.9				0			
179.5	180		120456	.5	75.6				1/2			
180	180.5		57	.5	83.2				0			

} Ro
mcX
0.99
PG-95-034

REA:

Henretta Ridge

RH # 2480

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	F.F.	REMARKS	CALORIFIC VALUE
201	2015		120458	.5	56.8				2		
2015	202		59	}	40.7				3 1/2		
202	2025		60		29.5				4 1/2		
2025	203	Compo 132	61		34.0				2 1/2		
203	2035		62		46.7				3		
2035	204		63		36.6				5		
204	2045		64		77.4				1		
2045	205		65		74.8				0		
		121210	Compo # 132	0.18	38.8	20.47		40.05	4 1/2	0.79	
207	2075		120466	.5	66.1				1		
2075	208		67	}	74.4				1		
208	2085		68		74.6				1		
2085	209		69		14.3				7 1/2		
209	2095	Compo 133	70		21.3				7		
2095	210		71		25.8				6 1/2		
210	2105		72		27.3				7		
2105	211		73		13.9				7 1/2		
211	2115		74		81.9				1/2		
2115	212		75		74.4				1		
212	2125		119815		31.1				5		
2125	213		14	78.1				0			
213	2135		15	88.7				0			
		120210	Compo # 133	0.60	21.5	24.62		53.28	7	0.49	

} Ro max
PG-95-035
1.07

Loc: Henretta Ridge

RH # 2481

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TIME	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FCI	F&I	W	CALORIFIC VALUE	REMARKS
12.5	13		120726	.5	46.7				3			
		134 prox	27	}	38.2				5 1/2			
13.5	14		28		67.2				1			
14	14.5		29		80.6				0			
		140210	Prox #134		0.67	40.3	22.04	36.99	7	5 1/2	0.67	
18	18.5		120730	.5	75.6				1			
18.5	19		31	}	77.5				1			
19	19.5		32		90.2				0			
42.5	43		120733	.5	80.1				0			
43.5	44		120734	.5	69.5				1			
44	44.5		35	.5	78.4				1/2			
			Comp #135	0.71	44.0	20.80		34.49	5	0.66		
45	45.5		120736	.5	33.1				6 1/2			
45.5	46		37	32.5	6 1/2							
46	46.5		38	40.8	5							
46.5	47		39	64.6	1							
47	47.5		40	50.0	3							
47.5	48		41	25.3	5 1/2							
48	48.5		42	47.4	4 1/2							
48.5	49		43	73.2	1							
49	49.5		44	29.9	7							
49.5	50		45	29.1	6 1/2							
50	50.5	46	81.7	1/2								
		142210	Comp #136	0.69	36.1	23.41		39.83	5 1/2	0.83		
			Comp #137	0.69	61.6	25.89		45.82	6	0.58		
			Comp #138	0.72	29.8	24.63		46.85	6	0.72		

R₀
max
PG-95-036
0.97

RH # 2481

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TIME	DEPTH	DESCRIPTION	SAMPLE NUMBER	WATER	GRAV	V.C.M.	TEMP	PH	P.P.T.	REMARKS
703	71			120747	S	68.2				1	
71	715			48	S	78.4				0	
77	775			120749	S	80.6				1/2	
775	78			120750	RS	76.1				1	
866	865		139 D1025 140 Comp #141 141 Comp #141	120626	S	25.8				5 1/2	
865	867			27		41.3				2 1/2	
87	875			29		67.6				1/2	
875	88			29		64.8				1	
881	865			36		34.6				3	
885	87			31		49.8				1 1/2	
89	875			22		32.8				5	
895	90			33		38.6				3 1/2	
90	905			34		25.3				7 1/2	
905	91			35		11.4				7	
91	915			36		15.0				8	
915	92			37		46.5				4 1/2	
92	925			38		80.2				0	
				130210 } Comp #139		0.68	33.0	20.77	45.55	4	0.54
			Comp #140		0.70	24.4	22.67	47.23	5 1/2	0.47	
			Comp #141		0.70	24.4	24.10	50.80	6	0.51	

PG-95-037

1.00

1A:

Henretta Ridge

RH # 2481

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TO	DESCRIPTION	SAMPLE NUMBER	WTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	CLORIFIC VALUE	REMARKS
117		120639	S	76.6				1/2		
117.5		40	S	76.5				1/2		
118		41		44.7				2 1/2		
118.5	M2. pros	42		50.1				2 1/2		
119		43		47.6				2 1/2		
119.5		44		77.9				1		
120		45		85.0				0		
120.5		46		42.3				5		
121		47		67.7				1		
121.5		48		58.6				1 1/2		
122		49		42.5				3		
122.5	M3 pros	50	70.9				1			
123		51	75.5				1			
	121210	Max # 142	0.53	44.6	18.19		36.68	2	0.51	
		Max # 143	0.63	42.3	18.97		38.10	4	0.66	
133		120652	S	67.7				1		
133.5		53	S	74.4				1		
134		54		63.8				1		
134.5		55		71.1				1		
135		56		23.1				5 1/2		
135.5		57		22.2				7		
136		58		14.5				7 1/2		
136.5		59		35.4				6		
137		60		66.0				1 1/2		
137.5		61		43.6				3		
138		62		76.8				1/2		
138.5		63	85.6				0			
	120210	Comp # 144	0.59	24.4	24.44		50.57	6 1/2	0.51	

Comp # 144

Row 1

PG-95-038
105

RH # 2481

MINIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.	W	CALORIFIC VALUE	REMARKS
169	1695	Compo #145	120664	.5	86.5				0		} Ro	PG-95-039 1.14
170	1705		65	34.6				5 1/2				
176	1705		66	14.7				6				
1705	171		67	16.0				7 1/2				
171	1715		68	28.9				6				
1715	172		69	18.0				5 1/2				
172	1725		70	12.7				6 1/2				
1725	173		71	71.2				1				
173	1735		72	84.5				0				
			115210	Compo #145	0.61	21.2	2204		56.15	6 1/2		
174	1745		120673	.5	59.5				2 1/2			
1745	175		74	.5	84.0				0			
1753	176		120675	.5	75.5				1			
186	1865	Compo #146	121090	.25	62.4				1		} Ro	
187	1875		91	12.4				4				
187	1875		92	23.4				5				
1875	188		93	32.6				5				
188	1885		94	54.2				1 1/2				
1885	189		95	61.2				1				
189	1895		96	83.9				0				
1895	190		97	85.5				0				
190	1905		98	25.7				4				
1905	191		99	16.4				7				
191	1915		121100		39.5				4 1/2			
1915	192		121439		60.0				1			
192	1925		40		88.5				0			

RH # 2481

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TO	DESCRIPTION	SAMPLE NUMBER	DEPTH	GRAV	V.C.M.	I.M.	F.C.	F.S.	W	CALORIFIC VALUE	REMARKS
1985	1985	Comp # 148	121421	.5	16.8				5 1/2			
1985	199		42		17.9				1 1/2			
199	1995		43		20.5				4			
1995	2001		44		21.3				5			
2006	2005		45		52.7				2			
2005	201		46		80.1				0			
		113210	Comp # 146	0.57	24.0	20.11		55.32	4 1/2	0.95		
		111210	Comp # 147	0.58	27.4	20.89		51.13	6	1.10		
		110210	Comp # 148	0.54	19.8	20.41		59.25	4	0.70		

RH # 2482

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TIME	DEPTH	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.C.M.	I.M.	P.C.	P.S.	WATER	CALORIFIC VALUE	REMARKS
19.5	19	Compo 019	118004	.5	19.4				6			
19	19.5		5		9.6				8			
19.5	20		6		44.2				3 1/2			
20	20.5		7		64.5				1 1/2			
20.5	21		8		63.9				1			
		140210	Compo #19		15.6	28.37	.84	55.19	6 1/2	.75		
24.5	25	Compo 020	118009	.5	51.2				2 1/2			
25	25.5		16		59.7				1			
25.5	26		11		80.6				1/2			
26	26.5		12		75.4				1			
41.5	47	Compo 020	118013	.5	23.0				5 1/2			
47	47.5		14		36.8				5			
47.5	48		15		18.4				6			
48	48.5		16		34.3				5			
48.5	49		17		61.6				1 1/2			
49	49.5		18		73.5				1/2			
		142210	Compo #20		30.0	22.81	.83	46.36	5 1/2	.68		
35.5	36	pt ox 021	118019	.5	45.1				4 1/2			
36	36.5		20		83.8				0			
			149210	pt ox #21		48.0	18.12	.84	33.04	4	.72	
39	39.5	Compo 021	118021	.5	68.5				1			
39.5	40		22		64.1				1			

Ro mms PG-95-005
1.00

Hennetta Ridge

DATE NO.

RH # 2482

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	VCM	LM	FC	FCI	CL	CALORIFIC VALUE	REMARKS	
855	86	Compo # 022	118023	S	50.7					3			
86	865		24		70.0						1		
865	87		25		60.6						1		
87	875		122383		20.8						6 1/2		
875	88		84		31.3						6		
88	885		85		9.1						8		
885	89		86		8.0						7 1/2		
89	895		87		12.9						6 1/2		
895	90		88		23.9						6		
90	905		89		9.5						7		
905	91		90		12.6						7 1/2		
91	915		91		15.2						6 1/2		
915	92		92		9.2						7		
92	923	93	80.3						1				
		1302-10	Compo # 22		17.7	26.78	.96	54.56	7	.64			
102	1025	Compo # 023	122394	S	69.0					1			
1025	103		95		31.3						3 1/2		
103	1035		96		21.4						7		
1035	104		97		20.9						6		
104	1045		98		24.6						5 1/2		
1045	105		99		23.2						6 1/2		
105	1055		122400		31.6						6		
1055	106		119081		26.5						5		
106	1065		96		16.2						6 1/2		
1065	107		83		78.7						1		
		1242-10	Compo # 23		26.9	23.48	.78	48.84	6	.66			

PG-95-006
1005

REA:

Hennetta Ridge

WELL NO. KH # 2482

NOVARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	VCM	LM	FC	FS	CL	CLORING VALUE	REMARKS	
1363	137	Compo 024	118084	S	76.8					1/2			
137	137.5		85		69.2						1		
137.5	138		86		68.8						1		
138	138.5		87		11.2						7 1/2		
138.5	139		88		10.6						7		
139	139.5		89		15.5						7		
139.5	140		90		29.6						7		
140	140.5		91		13.4						7 1/2		
140.5	141		92		62.7						1 1/2		
141	141.5		93		63.0						1 1/2		
		120210	Compo #24		17.1	24.82	.82	57.26	7 1/2	.69			
1661	166.5	Compo 025	118094	S	4.8					8			
166.5	169		95		6.4						8		
169	169.5		96		8.5						6 1/2		
169.5	170		97		4.8						6 1/2		
170	170.5		98		8.2						7 1/2		
170.5	171		99		25.1						6		
171	171.5		118100		15.6						6 1/2		
171.5	172		122284		17.7						6 1/2		
172	172.5		85		12.9						7		
172.5	173		86		9.2						5 1/2		
173	173.5	87	11.6						5 1/2				
173.5	174	88	12.9						5 1/2				
174	174.5	89	27.8						4 1/2				
174.5	175	90	51.2						1 1/2				
175	175.5	91	73.4						0				
		115210	Compo #25		14.8	23.14	.85	61.21	6	.51			

NEA: Henvetta Ridge

WELL NO KH # 2482

RH # 2482

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.C.M.	LM	FC	FCI	W	CALORIFIC VALUE	REMARKS
1905	191	Compo #26	122292	S	13.2				5 1/2			
191	1915		93		12.3				5 1/2			
1915	192		94		13.5				4 1/2			
192	1925		95		38.6				4 1/2			
1925	193		96		20.8				6 1/2			
193	1935		97		18.2				7 1/2			
1935	194		98		22.1				7			
194	1945		99		39.3				4 1/2			
1945	195		122300		68.2				1			
195	1955		120538		85.9				0			
		113210	Compo #26		24.6	20.18	.67	54.55	5 1/2	.81		
2045	205	Compo #27	120539	S	40.5				1			
205	2055		40		15.3				4 1/2			
2055	206		41		18.7				4			
206	2065		42		38.6				5			
2065	207		43		57.8				1 1/2			
207	2075		44		74.4				1			
		110210	Compo #27		30.4	18.22	.69	50.69	2 1/2	.63		

LEN:

Hennetta Ridge

RH #2483.

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	LM	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
0.5	1	Compo #28	11751	5	31.7				0		} Ro max 1.07	PG-95-008
1	1.5		52	6.0					1 1/2			
1.5	2		53	6.5					3			
2	2.5		54	8.8					2 1/2			
2.5	3		55	5.6					6			
3	3.5		56	8.0					6			
3.5	4		57	50.6					1 1/2			
4	4.5		58	47.6					1			
4.5	5		59	11.6					7			
5	5.5		60	8.5					7 1/2			
5.5	6	61	17.2					6				
6	6.5	62	15.3					6 1/2				
6.5	7	63	73.9					1				
7	7.5	64	86.7					0				
7.5	8	65	70.6					1				
8		66	78.1					1				
		12-1210	Compo #28		18.6	23.50	1.63	56.27	4	.67		

RH #2483.

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	REMARKS	CALORIFIC VALUE
70	70S		117767	0.5	41.3				1		
70S	71		68		50.2				1		
71	71S		69		61.8				1		
71S	72		70		76.8				0		
72	72S		71		66.2				1		
72S	73		72		70.1				1/2		
73	73S		73		16.5				6		
73S	74		74		26.5				6 1/2		
74	74S		75		8.3				8		
74S	75		76		15.7				8		
75	75S		77		15.2				5 1/2		
75S	76		78		12.4				6 1/2		
76	76S	Compo 029	79		7.7				8		
76S	77		80		12.7				6 1/2		
77	77S		81		8.8				7 1/2		
77S	78		82		29.7				5 1/2		
78	78S		83		18.8				4		
78S	79		84		10.5				6 1/2		
79	79S		85		88.5				0		
79S	80		86	83.9				0			
80	80S		87	77.7				0			
80S	81		88	87.9				0			
		115210	Compo #29		15.0	23.23	.78	60.99	6 1/2	.46	
81	87S		117789	0.5	25.6				3 1/2		
87S	88	Compo	90		36.7				3		
88	88.51		91		39.0				5		
88.5	89		92		45.1				5		
89	89S		93		88.9				0		

Ro PG-95-009
MSC

102

RH #2483.

MINIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FT	IN	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.	S	CALORIFIC VALUE	REMARKS
111	111.5	prox 030	117714	.5	45.7				2 1/2			
111.5	112		95	.5	79.3				0			
			prox #30			45.8	14.35		58.25			
114.5	115	Compt 031	117796	.5	37.4				5 1/2			} Ro we. PC-95-010 1021
115	115.5		97		45.2				2 1/2			
115.5	116		98		45.4				4			
116	116.5		99		36.5				5			
116.5	117		117800		35.2	*			2 1/2			
117	117.5		1		31.3	*			4			
117.5	118		2		33.8				5 1/2			
118	118.5	3		77.1				1/2				
		112 2.10	Compo #31		38.5	17.64	.70	42.96	4	.54		
124	124.5		117804	.5	70.7				1			
125.5	126		117805	.5	57.0				1 1/2			
126	126.5		6	.5	75.9				1/2			
127	127.5		117807	.5	47.5				3 1/2			
127.5	128		8		84.2				0			
128	128.5		9		77.7				1			
129.5	130	prox 032	117810	.5	39.8				4 1/2			
130	130.5		11		59.4				1			
130.5	131		12		53.8				1			
		090 2.10	Prox #32		39.3	17.34	.66	42.70	4 1/2	.66		

EA:

Henretta Ridge

HOLE NO.

RH # 2483.

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	GRH	V.C.M.	L.M.	P.C.	P.G.I.	W	CALORIFIC VALUE	REMARKS
134	134.5	PROC 033	117813	5	23.3				3			
134.5	135		14		16.0				3			
135	135.5		15		47.5				1			
135.5	136		16		74.0				1/2			
		072 210	PROX #33		19.8	19.34	.57	60.21	2 1/2	.65		
185.5	186		117817	5	63.7				1			
191	191.5	PROC 034	117818	5	49.2				2			
191.5	192		19		74.5				1			
192	192.5		20		40.4				3 1/2			
192.5	193		21		91.3				0			
193	193.5		22		60.5				1			
193.5	194		23		31.8				1			
194	194.5		24		38.7				1 1/2			
194.5	195		25		36.1				1			
195	195.5	COMP 035	26	5	52.5				4			
195.5	196		27		77.1				1/2			
			28		89.3				0			
			081210		PROX #34		39.9	16.46	.62	43.02	2 1/2	.56
		0802-10	COMP #35		34.0	16.45	.61	48.94	1	.49		

IEA:

Henretta Ridge

PAGE 4 OF 5

HOLE NO RH # 2483

RH #2483.

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	P.S.I.	S	CALORIFIC VALUE	REMARKS
2065	207	Compo 036	117829	S	59.7				1 1/2		} Ro w/c	PG 95-011 1034
2071	2076		30		33.0					1		
2075	208		31		15.1					2		
208	2085		32		54.1					1		
2085	209		33		24.6					1		
209	2095		34		25.4					3 1/2		
2095	210		35		25.4					3 1/2		
210	2105		36		35.1					1 1/2		
2105	211		37		24.7					2 1/2		
211	2115		38		56.3					1		
2115	212	39	73.2					0				
		082210	Compo #36		30.4	17.23	.60	51.77	1 1/2	.43		

ER:

Henretta Ridge

RH # 2484

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	FB	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	F.S.I.	CL	CALORIFIC VALUE	REMARKS
33	33.5		117851	0.5	68.6				1			
33.5	34		52	↓	70.3				1			
34	34.5		53	↓	78.3				1			
34.5	35		54	↓	84.4				0			
54	54.5		117855	0.5	66.7				1/2			
54.5	55		56	↘	61.5				1/2			
55	55.5		57	↘	66.6				1			
55.5	56		58	↘	58.8				1			
56	56.5		59	↘	81.2				0			
56.5	57		60	↘	76.2				1			
70	70.5		117861	0.5	72.4				1			
70.5	71		62	↘	19.7				7 1/2			
71	71.5		63	↘	9.1				8			
71.5	72		64	↘	6.9				7 1/2			
72	72.5		65	↘	4.9				7 1/2			
72.5	73		66	↘	6.8				8			
73	73.5		67	↘	7.5				7 1/2			
73.5	74		68	↘	23.4				6			
74	74.5		69	↘	6.5				7 1/2			
74.5	75		70	↘	14.1				7			
75	75.5		71	↘	7.7				7 1/2			
75.5			72	↘	5.8				7 1/2			
76			73	↘	7.1				7 1/2			

Campo 037

Rowson PG-95-012
1013

RH # 2484

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.E.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
775	78	↑	119177	↓	5.8				7 1/2		↑	
78	78C		78		11.8				7			
78C	79		79		15.1				7			
79	79S		80		8.8				7			
79S	80		81		8.2				8			
80	80S		82		4.8				7			
80S	81		83		4.6				8			
81	81S		84		10.6				6 1/2			
81S	82		85		7.5				7			
82	82S		86		7.7				7 1/2			
82S	83		87		7.3				7			
83	83S		88		9.7				5			
83S	84		89		10.3				4 1/2			
84	84S		90		8.0				6 1/2			
84S	85		91		6.3				6 1/2			
85	85S		92		7.3				8			
85S	86		93		4.9				8			
86	86S		94		48.8				4 1/2			
86S	87		95		69.5				1			
			115210		Comp #37		9.8	24.23	70	6.5-27		6 1/2
102	102S	Carpo } #38	119196	↓	12.2				6		} Ro noc	
	103		97		12.0				7			
	103S		98		20.8				5			
	104		99		15.8				7 1/2			
	104S		119200		10.1				7			
	105		119105		82.1				0			
		110210	Comp #38		14.3	24.33	.59	60.78	6 1/2	.83		

PG-95-013

1-12

A:

Hennetta Rickard

RH # 2484

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TIME	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.F.I.	S	CALORIFIC VALUE	REMARKS
124	1245		119106	.5	50.3				1			
127	1275	Prox 039	119107	.5	45.8				4			
1275	128		8	.5	74.0				1			
			119108		46.6	15.79			1			
	1295	Carpo 040 112210	119109	.5	30.2				6 1/2			} Row PG-95-014
1295	130		10		32.6				6			
130	1305		11		17.1				7			
1305			12		21.4				6 1/2			
			Comp #40		26.4	20.16	.56	52.88	6 1/2	.78		
137	1375		119113	.5	69.3				1			
1375	138		14		80.5				1/2			
138	1385		15		65.4				1			
1385	139		16		72.7				1			
139	1395		17		68.3				1			
141	1415		119118	.5	54.2				1			
1415	142		19	.5	77.8				1/2			
	1445	Carpo 041 092210	119120	.5	37.0				1			} Row PG-95-015 1.21
1445	145		21		39.0				1			
145	1455		22		61.3				1			
1455	146		23		62.6				1			
			Comp #41		40.1	16.48	.51	42.91	1	.56		
14	145		119124	.5	72.0				1			

A:

Hennetta Rickard

RH # 2484

HOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TO	FROM	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	Moisture	CALORIFIC VALUE	REMARKS
2045	205		119125	S	72.4				1			
205	2055		115123	S	71.4				1			
207	2075		115164	S	62.2				1			
2075	208		65		55.9				1			
208	2085	Comps 1042	66	}	38.1				3 1/2			
2085	209		67		49.0				1			
209	2095		68		9.2				6			
2095	210		69		59.1				1			
210	2105		70		78.9				1/2			
		080210	Comps #42		32.3	20.34	.58	46.78	2 1/2	.67		

} Ro
moisture
PG-95-016
1.28

N: Henrietta Riddle

RH #2485

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	F.S.	W	CALORIFIC VALUE	REMARKS
12.5	13	Compo 43	122426	.5	62.3				0			
13	13.5		27		56.7				1			
13.5	14		28		50.0				1			
14	14.5		29		13.4				7			
14.5	15		30		24.3				1 1/2			
15	15.5		31		6.8				2			
15.5	16		32		6.8				6 1/2			
16	16.5		33		4.4				7 1/2			
16.5	17		34		7.9				7 1/2			PG-95-017
17	17.5		35		8.4				7			
17.5	18		36		3.7				7 1/2			
18	18.5		37		5.4				7 1/2			1.05
18.5	19		38		2.3				7 1/2			
19	19.5		39		2.6				7 1/2			
19.5	20		40		2.4				8			
20	20.5	41		9.5				7 1/2				
20.5	21	42		16.8				7				
21	21.5	43		70.8				7 1/2				
		1302-10	Compo #43		8.4	26.68	.82	64.10	7	.62		

REA:

Henretta Ridge

RH # 2485.

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS
235	24	Compo 044	122444	.5	14.3				7			
235	24		45		15.9				5			
24	245		46		26.4				3 1/2			
245	25		47		15.6				6 1/2			
25	255		48		9.8				7 1/2			
255	26		49		14.9				7			
26	265		50		7.9				7			
265	27		51		29.0				3			
27	275		52		12.0				1 1/2			
275	28		53		34.8				1			
28	285		54		54.7				0			
285	29		55		66.8				0			
29	295	56		82.7				0				
		121210	Compo #44		18.0	23.34	.72	57.74	4 1/2	.62		
68	685		122457	.5	70.1				0			
685	69		58	.5	60.6				1			

RH #2485

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.	W	CALORIFIC VALUE	REMARKS
72	72.5	Compo #45	122487	5	43.9				3			
72.5	73		60		53.7				2			
73	73.5		61		25.6				7			
73.5	74		62		19.8				8			
74	74.5		63		16.4				7			
74.5	75		64		9.8				7 1/2			
75	75.5		65		7.8				7 1/2			
75.5	76		66		8.1				8			
76	76.5		67		7.8				6			
76.5	77		68		8.7				7			
77	77.5		69		7.3				7 1/2			
77.5	78		70		8.9				7			PG-95-018
78	78.5		71		10.1				6 1/2			1.11
78.5	79		72		38.6				4 1/2			
79	79.5		73		6.2				7 1/2			
79.5	80		74		26.4				7			
80	80.5		75		14.1				7 1/2			
80.5	81		76		6.1				8			
81	81.5		77		8.9				7 1/2			
81.5	82		78		9.6				3			
82	82.5		79		8.0				7 1/2			
82.5	83	80		48.8				3 1/2				
83	83.5	81		59.3				1 1/2				
83.5	84	82		85.0				0				
		115 210	Compo #45		13.7	23.79	.69	61.82	6 1/2	.51		
92	92.5	Compo #46	122483	5	12.8				7 1/2			
92.5	93		84		41.0				5			
		110210	Compo #46		28.4	20.51	.75	50.34	6 1/2	.74		

Henretta Ridge

RH #2485

NOBANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
114	1145	proc 047	122495	S	41.6				4 1/2			
117	1175		122496	S	42.6 62.0	16.72	.79	37.89	4 1	.61		
1185	119	Cayer 048	122497	S	31.5				6			
119	1195		88		36.6				3 1/2			
1195	120		89		39.9				3 1/2			
120	1205		90		49.9				1 1/2			
1205	121		91		40.0				4 1/2			
121	1215	112210	122498	S	76.2 40.7	17.30	.65	41.35	0 3	.67		
126	1265		122493	S	81.8				0			
127	1275		122494	S	70.3				1/2			
1275	128		95	S	69.4				1			
1285	129		122496	S	48.4				2 1/2			
129	1295		97	S	82.9				0			
1295	130		98	S	78.9				0			
130	1305		99	S	88.5				0			
131	1315	proc 049	122500	S	38.4				1			
1315	132		120501	S	57.7 42.2	16.73	.57	40.50	1 1	.57		

} R m.c.
PG-95-019
1018

RH #2485.

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

INCH	FEET	DESCRIPTION	SAMPLE NUMBER	DEPTH	ASH	V.C.M.	I.M.	F.C.	F.S.	W	CALORIFIC VALUE	REMARKS
141	141.5		120502	S	30.8				1			
141.5	142	050 prox	3	↓	48.3				1			
142	142.5		4	↓	73.7				1/2			
		092210	PROX#50		30.6	17.72	.51	51.17	1	.70		
180	180.5		120505	S	72.0				1/2			
180.5	181		6	↓	75.6				0			
181	181.5		7	↓	87.2				0			
188	188.5		120508	S	79.7				0			
188.5	189		9	↓	74.2				0			
189	189.5		10	↓	59.7				1			
189.5	190		11	↓	89.1				0			
190	190.5		12	↓	56.6				1			
190.5	191		13	↓	40.4				1			
191	191.5	Comp	14	↓	52.7				1			
191.5	192		15	↓	32.3				1/2			
192	192.5	051	16	↓	83.7				0			
192.5	193		17	↓	87.3				0			
193	193.5		18	↓	91.5				0			
		080210	Comp#51		43.1	19.21	.54	37.15	1	.51		
203	204		120519	S	55.4				1			
204	204.5		20	↓	55.2				1			
204.5	205		21	↓	87.4				0			

ER:

Henretta Ridge

INCH NO

RH #2485

LOG NO.

RH #2485

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	DEPTH	ASH	V.C.M.	IM.	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
2121	2125	Compr 052	120522	.5	38.1				1 1/2			
2125	213		23		37.6				1 1/2			
213	2135		24		27.0				1			
2135	214		25		24.7				1			
214	2145		26		32.8				2			
2145	215		27		38.0				1 1/2			
215	2155		28		34.3				1			
2155	216		29		62.1				1			
216	2165	30		89.7				0				
2165	217	31		90.6				0				
		082210	Compo #52		33.9	17.17	.56	48.37	1	.40		
221	2215	Compr 053	120532	.5	73.7				1/2			
2215	222		33		34.3				1			
222	2225		34		28.2				1			
2225	223		35		14.6				2			
223	2235		36		72.3				0			
2235	224		37		84.4				0			
		199210	Compo #53		28.5	17.90	.55	53.05	1	.57		

} Ro
max
PG-95-020
1.30

RH # 2486

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

HOLE NO.

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.L.	REMARKS	CALORIFIC VALUE	REMARKS
70.5	71	Comp # 149 Comp # 150 Comp # 151	121651	0.5	9.6				7	} Ro max	0.95	PG-95-040
70.5	71		52	7.7				7				
71	71.5		53	45.6				4				
71.5	72		54	78.0				0				
72	72.5		55	44.2				4 1/2				
72.5	73		56	37.5				5 1/2				
73	73.5		57	20.2				6				
73.5	74		58	10.4				6 1/2				
74	74.5		59	9.4				7				
74.5	75		60	69.2				1				
142210			Comp # 149	0.74	31.6	24.41	43.25	7	6	0.77		
			Comp # 150	0.71	8.9	31.16		59.23	7	0.82		
			Comp # 151	0.75	26.4	27.05		45.80	6 1/2	0.74		
116	116.5	Comp # 152	121661	0.5	67.9				1	} Ro max	0.98	PG-95-041
116.5	117		62	59.4				1				
117	117.5		63	25.6				6 1/2				
117.5	118		64	24.1				6 1/2				
118	118.5		65	19.6				7				
118.5	119		66	8.4				7				
119	119.5		67	83.6				1				
130210			Comp # 152	0.65	17.9	29.50		51.95	7			

REA:

Henne Ha Ridge

PAGE 1 OF 3

HOLE NO RH # 2486

RH # 2486

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TIME	DEPTH	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.C.M.	IN.	P.H.	P.L.	W	CALORIFIC VALUE	REMARKS
1591	1595		Compo 154	121668	S	42.1				3 1/2			} Pro mo L 1.01 PG-95-042
1595	160			69		21.5				6 1/2			
160	160.5			70		22.5				6 1/2			
160.5	161			71		25.5				6 1/2			
161	161.5			72		45.5				5			
161.5	162			73		64.1				1 1/2			
162	162.5			74		26.3				3			
162.5	163			75		84.4				0			
163	163.5			76		50.1				2 1/2			
163.5	164			77		48.4				3 1/2			
164	164.5		78		91.6				0				
		121210	Compo # 153	0.66	36.9	20.91		41.53	5	1.34			
			Compo # 154	0.65	31.5	23.66		44.19	6	1.70			
1745	175		Compo 155	121679	S	17.0				6			199210
175	175.5			80		19.0				7			
175.5	176			81		30.5				6			
176	176.5			82		79.5				0			
				Compo # 155	0.60	21.5	25.44		52.46	6	0.83		
177	177.5		121683	83	S	46.0				4			
177.5	178			84	S	84.6				0			
180	180.5		156 pro L	121885	S	35.6				4 1/2			199210
180.5	181			86		47.8				3 1/2			
181	181.5			87		82.0				1/2			
			Compo # 156	0.64	37.3	20.60		41.46	4 1/2	0.64			

ER:

Henretta Ridge

PAGE 2 OF

3

NOTE NO

RH # 2486

RH # 2486

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATI

DATE	TO	DESCRIPTION	SAMPLE NUMBER	DEPTH	ASH	V.C.M.	IM	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
2055	205	157 Calyx	121688	5	22.3				6			
205	2055		87		17.5				6 1/2			} Ho 109
2055	206		90		9.1				7			
206	2065		91		9.8				6 1/2			
2065	207		92		6.2				7 1/2			
207	2075		93		12.6				6 1/2			
2075	208		94		68.0				1			
208	2085	95		91.0				0				
		115210	Comp #157	0.106	11.4	244.62		63.32	6 1/2	0.58		
213	2135	158 (10)	121696	5	9.4				6 1/2			
2135	214		97		63.2				2			
214	2145		98		93.1				0			
		113210	PROX #158	0.57	9.4	23.89		66.14	6	0.90		

H # 2487

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	LM	FC	F&I	W	CALORIFIC VALUE	REMARKS	
37	37.5		121576	.5	61.7				1 1/2				
37.5	38		77	.5	81.0				0				
47	47.5		121578	.5	52.0				2 1/2				
47.5	48		79	↓	62.9				1				
48	48.5		80	↓	88.0				0				
71	71.5	Compo 069	121581	.5	26.7				5 1/2				
71.5	72		82	}	25.7				5 1/2				
72	72.5		83		23.2				6				
72.5	73		84		21.0				7				
73	73.5		85		57.4				2				
73.5	74		86		50.2				2				
74	74.5	87	72.8					1					
74.5	75	Compo 070	88	}	16.3				6				
75	75.5		89		9.4				7 1/2				
75.5	76		90		51.4				2				
76	76.5		91		11.4				7				
76.5	77		92		11.5				8				
77	77.5		93		29.1				5 1/2				
77.5	78	94	36.3				4 1/2						
78	78.5	95	75.8				1						
78.5	79	96	67.0	↓					1 1/2				
		130210	Compo #69		25.6	23.14	.69	50.57	6	.69			
			Compo #70		26.5	27.99	.71	44.80	6	.68			

} Ro max PG-95-621 1.02

EA:

Hennette Ridge

RH # 2487

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.	...	CALORIFIC VALUE	REMARKS
109	1095	PROK 071 199270	121597	↓	47.6				3 1/2			
1095	110		98		43.1				3 1/2			
110	1105		99		81.1				0			
			PROK #71		47.5	17.95	.75	33.80	3 1/2	1.14		
131	131	Compo 072	121600	↓	33.7				4 1/2			
131	1315		1		24.8				6			
1315	132		2		19.0				7			
132	1325		3		13.4				7			
1325	133		4		13.1				7 1/2			
133	1335		5		33.6				6 1/2			
1335	134	6	75.5				1					
		121210	Compo #72		24.3	24.13	.70	50.87	6 1/2	.87		
135	135.5	Compo 073	121607	↓	6.3				7 1/2			} Pro mod PG-95-022 1.08
135.5	136		8		9.4				7 1/2			
136	1365		9		14.9				7 1/2			
1365	137		10		11.7				7 1/2			
137	1375		11		50.4				2			
1375	138		12		86.4				0			
		1210210	Compo #73		10.7	27.03	.67	61.60	7 1/2	.61		
1385	139		121613	↓	18.7				7			
139	1395		14		81.1				0			

RH # 2487

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.E.M.	I.M.	F.C.	F.S.I.	6	CALORIFIC VALUE	REMARKS	
174	Canyon 074	121615	S	26.0				6		} Ro no 2	PG-95-023 1.08	
1745		16	}	8.2				7 1/2				
175		17		8.2				7 1/2				
1755		18		5.8				7				
176		19		10.3				7				
1765		20		27.9				6				
177	21	88.3	↓				0					
	115210	Compo #14		13.7	23.53	.70	62.4	1	.61			
180		121622	S	61.6				1 1/2				
1805		23	S	86.8				0				
184		121624	S	62.8				1				
1845		25	S	56.2				2				
1925	Canyon 075	121626	S	16.9				3		} Ro no 2	PG-95-024 1.13	
195		27	}	22.5				5				
197		28		23.4				6				
1975		29		76.2				7 1/2				
1985		30		88.9	↓				0			
200		30		22.5		19.76	.56	56.98	4			.71
2005	110210	Compo #15										
207	Canyon 076	121631	S	39.1				5		}		
2075		32	}	48.1				1 1/2				
2075		33		52.6				1 1/2				
208		34		44.6				3 1/2				
2085		35		81.8	↓				0			
209		35		49.4		16.52	.60	33.48	2 1/2			.94
	112210	Compo #76										

REA:

Henrette Ridge

HOLE NO

RH # 2487

RH # 2488

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	FB	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.E.M.	I.M.	F.C.	F.F.I.	S	CALORIFIC VALUE	REMARKS
10S	10	Compo 109	121701	.5	6.7				7		} R _{max}	PG-95-029
10	10S		2	7.4					7			
10S	11		3	9.0					7			
11	11S		4	16.8					6 1/2			
11S	12		5	8.2					7			
12	12S		6	33.9					5 1/2			
12S	13		7	71.1					1			
13	13S		8	81.0					0			
		130210	Compo #109		13.7	25.76	.75	59.59	6 1/2	.66		1.09
35D	35S	Compo 110	121709	.5	55.2				3			
35S	36		10	60.7					1 1/2			
36	36S		11	83.2					1/2			
36S	37		12	20.3					7			
37	37S		13	26.2					7 1/2			
37S	38		14	87.9					0			
		132210	Compo #110		23.8	22.74	.74	52.72	7	.78		
39	39S		121715	.5	57.5				4			
39S	40		16	74.6					1			
40S	41	Compo 111	121717	.5	17.5				7 1/2			
41	41S		18	37.9					3 1/2			
41S	42		19	45.0					3			
42	42S		26	39.9					3 1/2			
42S	43		21	59.0					2			
			121210	Compo #111		35.6	20.68	.63	43.09	4 1/2		

EA:

Henretta Ridge

RH # 2488

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WTDTH	ASH	VEM	LM	FC	P.S.I.	S	CALORIFIC VALUE	REMARKS
64	645		121722		70.9				1			
645	65		23		67.9				1			
65	655		24		53.1				4			
655	66		25		55.4				2 1/2			
66	665		26		40.0				6			
665	67		27		25.9				7 1/2			
67	675		28		16.0				7 1/2			
675	68		29		10.0				7 1/2			
68	685		30		32.7				5			
685	69		31		49.4				3			
69	695		32		46.9				3 1/2			
695	70		33		82.0				0			
			120210		Comp# 112		31.5	20.58	.70	47.22		61
			Comp# 113		23.4	22.85	.64	53.11		62		
925	93		121734		16.5				7			
93	935		35		13.6				6 1/2			
935	94		36		7.9				7			
94	945		37		8.7				7			
945	95		38		23.7				7 1/2			
95	955		39		21.1				7			
955	96		40		15.7				7			
96	965		41		17.0				6			
965	97		42		17.7				6			
97	975		43		23.4				6 1/2			
975	98		44		71.7				1			
98	985		45		86.9				0			
			115210		Comp# 114		17.3	22.87	.67	59.16		.58

Ro max
 PG-95-030
 1.05

WELL NO.

RH # 2488

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WHTN	ASH	V.E.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
99	995	procs 115	121746	S	23.7				6 1/2			
99.5	100		47		87.7				0			
			Prox #115			25.9	21.66	.57	52.45	6	.74	
113.5	114	Compo #6	121748	S	14.1				6			
113.5	114		49		14.0				6			
114	114.5		30		44.3				3			
114.5	115		118876		36.7				4 1/2			
115	115.5		77		58.9				2			
115.5	116		78		61.0				1			
116	116.5	procs 117	79	S	37.8				6			
116.5	117		86		57.7				2 1/2			
117	117.5		87		72.0				1			
117.5	118		82		88.1				0			
		113 210	Compo #116		28.5	19.03	.59	51.88	4 1/2	.85		
			Prox #117		35.9	19.02	.74	44.34	6	.71		
125.5	126	Compo #118	118883	S	40.7				2 1/2			
235	126		84		25.0				3			
126	126.5		85		18.6				4 1/2			
126.5	127		86		20.0				4 1/2			
127	127.5		119		87	62.6			1			
275	128		88		26.9				6			
128	128.5	89	81.9				1/2					
		110 210	Compo #118		26.1	18.73	.60	54.57	3	.71		
			Compo #119		33.1	17.64	.61	48.65	3	.68		

HOLE NO.

RH # 2488

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.S.M.	LM.	FC.	F.F.I.	S	CALORIFIC VALUE	REMARKS
142	142.5	Compd	118890	S	54.4				1 1/2			
142.5	143		91		36.1				5			
143	143.5		92		33.7				5 1/2			
143.5	144		93		30.9				5 1/2			
144	144.5		94		87.6				0			
		120	Compd #120		35.1	18.44	.62	45.84	5 1/2	.87		
		112210										
171.5	172	Compd	118895	S	51.3				3			
172	172.5		96		89.1				0			
172.5	173		97		72.2				1			
173	173.5		98		56.2				2			
173.5	174		99		45.4				4			
174	174.5		118900		22.6				4 1/2			
174.5	175		1		33.2				3 1/2			
175	175.5		2		41.6				3 1/2			
175.5	176		3		79.6				1/2			
176	176.5	4	89.5				0					
		121	Compd #121		36.4	17.00	.63	45.97	3	.56		
		090210										
177	177.5	Compd	118905	S	14.6				6 1/2			
177.5	178		6		30.1				1 1/2			
178	178.5		7		23.2				2 1/2			
178.5	179		8		77.8				1/2			
179	179.5		9		64.3				1			
179.5	180		10		78.0				1/2			
180	180.5		11		61.0				1			
180.5	181	12	86.4				0					
		122	Compd #122		23.6	20.74	.53	55.13	3 1/2	.52		
		092210										

EA:

Henretta Ridge

PAGE 4 OF 4

HOLE NO RH # 2488

RH # 2489

INDIAN DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.		CALORIFIC VALUE	REMARKS	
16.5	17		118801	.5	79.7				0				
17.5	18	096 prox	2	↓	34.6				4 1/2				
			3	↓	79.1				0				
		197210	Prox #96		34.6	19.14	.93	45.33	5	.71			
25.1	25.5		118804	.5	19.6				7				
25.5	26	Compo 097	5	}	20.7				7				
26	26.5		6		6.0				7				
26.5	27		7		9.4				7				
27	27.5		8		12.0				7				
27.5	28		9		11.9				7				
28	28.5		10		4.9				7				
28.5	29		11		6.6				7 1/2				
29	29.5		12		8.8				7 1/2				
29.5	30		13		3.7				7 1/2				
30	30.5		14		22.9				6 1/2				
30.5	31	15	59.1	↓					1 1/2				
		130210	Compo #97		12.0	26.22	.78	61.00	7 1/2	.62			
31.5	32		118816	.5	28.4				7				
32	32.5	Compo 098	17	}	29.0				6				
32.5	33		18		25.0				6				
33	33.5		19		22.4				7				
33.5	34		20		16.3				7 1/2				
34	34.5		21		84.0	↓					0		
		132210	Compo #98		126.8	22.34	.77	50.09	7	.62			

Prox
mac

PG-95-025
1.02

RH # 2489.

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS	
525	53		118822	.5	57.9				1 1/2				
53	535		23	}	68.6				1 1/2				
535	54		24		63.5				1				
54	545		25		47.7				2				
545	55		26		13.2				8				
55	555	Compo 099	27		9.2				8				
555	56		28		9.8				8				
56	565		29		11.5				7 1/2				
565	57		30		55.3				4				
57	575		31		77.1				0				
		121210	Compo 099			11.2	26.61	.73	61.46	7 1/2	.68		
82	82.5	prox 100	118832	.05	42.2				4 1/2				
82.5	83		33	}	77.5				0				
83	83.5		34		89.7				0				
83.5	84		35		86.1				0				
		199210	prox 100			46.0	16.28	.74	36.98	4	.43		

1001

Henretta Ridge

HOLE NO RH # 2489

OLE NO.

RH # 2489.

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W.C.	CALORIFIC VALUE	REMARKS
94	94.5		118836	.5	67.8				1			
94.5	95		37		72.0				1			
95	95.5		38		69.2				1			
95.5	96	Compo 101	39		16.6				6			
96	96.5		40		5.8				8			
96.5	97		41		10.2				7			
97	97.5		42		3.8				8			
97.5	98		43		20.5				6 1/2			
98	98.5		44		5.5				7			
98.5	99		45		7.3				7 1/2			
99	99.5		46		6.3				5 1/2			
99.5	100		47		9.4				5 1/2			
100	100.5		48		21.1				7			
100.5	101	49		85.5				0				
		120210	Compo #101		10.7	24.13	.69	64.48	6	.54		
121	121.5	Compo 103	118850	.5	32.1				3 1/2			
121.5	122		120376		18.5				6 1/2			
122	122.5		77		9.4				5 1/2			
122.5	123		79		19.4				5 1/2			
123	123.5		79		22.5				5			
123.5	124		80		51.0				1 1/2			
124	124.5		81		59.5				1			
124.5	125		82		20.7				6 1/2			
125	125.5		83		16.3				5 1/2			
125.5	126		84		7.9				8			
126	126.5	Compo 104	85		50.2				3 1/2			
126.5	127		86		7.1				8			
127	127.5		87		26.3				7 1/2			
127.5	128		88		50.0				3 1/2			

PG-95-026

1.11

PG-95-027

1.15

IER:

Henretta Ridge

RH # 2489

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WHTD	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
128	128.5		120389		53.8				1/2			
129.5	129		90	↓	83.8				0			
		115210	Comp. #102		26.1	20.15	.57	52.36	6	.78		
			Comp. #103		21.8	26.38	60	57.22	7			
			Comp. #104		21.8	22.17	60	55.41	1/2	.84		
131.5	132	105 proc	120391	S	35.6				1			
132	132.5		92	↓	48.5				3			
132.5	133		93	↓	76.0				1/2			
133	133.5		94	↓	77.1				1/2			
133.5	134		95	↓	83.9				0			
		113210	Proc #105		38.6	77.35	.61	43.44	1	.62		
138	138.5		120396	S	62.8				1/2			
138.5	139		97	S	77.9				0			
144	144.5		120398	S	60.3				1/2			
144.5	145		99	↓	69.5				1			
145	145.5		120400	↓	74.0				0			
150	150.5		120401	S	83.3				0			
153	153.5		120402	S	62.1				1/2			
153.5	154		3	↓	72.2				1			
154	154.5		4	↓	75.0				1			
154.5	155		5	↓	79.7				0			
156	156.5		120906	S	82.8				0			

RH # 2489

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DATE	TIME	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS
159	1595		120407	.5	62.0				1			
1595	160		08	.5	82.0				0			
162	1625		120409	S	76.9				1/2			
173	1735		120410	S	52.8				1			
1735	174		11		54.9				1			
174	1745		12		60.7				1			
1745	175		13		71.4				0			
175	1755	106 prox	14		19.1				5 1/2			Romc PG-95-028
1755	176		15		48.7				4 1/2			
176	1765		16		78.8				1/2			1023
			PROX #106		22.8	19.99	.50	56.71	5	.82		
183	1835		120417	S	56.1				2			
1835	184	107 prox	18		38.2				3 1/2			
184	1845		19		78.6				0			
1845	185		20		82.6				0			
185	1855	108 prox	21		42.3				4 1/2			
1855	186		22		74.1				1			
186	1865		23		84.1				0			
		112210	PROX #107		38.7	16.73	.54	44.03	2 1/2	.70		
			PROX #108		42.6	17.81	.60	38.99	4	.68		
192.5	1930		120424	.5	67.6				1			
1930	193.5		25	.5	76.7				0			

RH # 2489.

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WHT	ASH	V.C.M.	LM	FC	P.G.I.	8	CALORIFIC VALUE	REMARKS
194	1945		116643	5	81.5				0			
195	1955		116644	5	57.0				2			
1955	196		45		72.8				1			
196	1963		46		66.4				1 1/2			
1965	197		47	↓	87.2				0			

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
11	11.5		124875	.5	80.8				0			
11.5	12		77	.5	91.4				0			
57	57.5	Compo 721	124878	.5	39.5				3 1/2			} Ro _{max} PG-95-130
57.5	58		79		32.3				5			
58	58.5		80		11.2				7			
58.5	59		81		16.7				6 1/2			
59	59.5		82		60.0				1			
59.5	60		83		83.2				0			
			Compo # 721		27.8	28.49	.47	42.74	5	.82		
94.5	95	Compo 722	124884	.5	41.7				3			} Ro _{max} PG-95-131
95	95.5		85		30.3				5			
95.5	96		86		18.6				6			
96	96.5		87		65.7				1/2			
			Compo # 722		29.4	24.93	.47	45.20	5	.67		
102	102.5	prox 723	124888	.5	57.0				1 1/2			
102.5	103		89		41.9				2 1/2			
103	103.5		90		62.9				1			
			Prox # 723		44.3	19.55	.48	35.67	3	.39		
163.5	164		124891	.5	70.1				1/2			
164	164.5		92		71.6				1/2			
164.5	165		93		61.1				1			
165	165.5		94		66.4				1/2			
165.5	166		95		56.0				1			
166	166.5		96		77.3				0			

AREA:

Turnbull Ridge

PAGE 1 OF 7

HOLE NO RH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1805	181	Comp 724	124897	.5	72.2				7/2			
181	1815		98		15.2				7			
1815	182		99		13.1				7			
182	1825		124900		32.6				5			
1825	183		123951		65.0				1			
183	1835		52		14.8				7			
1835	184		53		20.1				5			
184	1845		54		8.7				7 1/2			
1845	185		55		8.3				7 1/2			
185	1855		56		15.5				7			
1855	186		57		37.2				5 1/2			
186	1865		58		45.1				4 1/2			
1865	187	59		50.7				4				
187	1875	60		66.8				1				
1875	188	61		81.9				0				
			Comp # 724		24.7	24.58	.50	50.22	6 1/2	.65		
224	2245	Comp 725	123962	.5	42.8				3 1/2			
2245	225		63		53.7				1 1/2			
225	2255		64		18.2				6			
2255	226		65		27.4				6			
226	2265		66		40.4				4 1/2			
2265	227		67		89.5				0			
			Comp # 725		40.5	19.96	.49	39.05	4 1/2	.66		

AREA:

Turnbull Ridge

PAGE 7 OF 7

HOLE NO.

RH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
230	230S		123968	.5	49.9				1 1/2			
230S	231		69		47.2				1			
231	231S		70		85.2				0			
231S	232		71		28.3				3 1/2			
232	232S		72		11.7				7			
232S	233		73		8.4				7			
233	233S		74		16.5				6 1/2			
233S	234	Comps 726	75		14.0				6 1/2			
234	234S		76		10.9				7 1/2			
234S	235		77		12.7				7			
235	235S		78		50.3				2 1/2			
235S	236		79		25.1				6			
236	236S		80	↓	86.1				0			
			Comps # 726		22.0	23.68	.44	53.88	6 1/2	.52		
251	251S	Prox 727	123981	.5	22.7				6 1/2			
251S	252		82		66.4				1			
252	252S		83	↓	79.2				0			
			Prox # 727		26.4	22.57	.47	50.54	6 1/2	.61		
267S	268		123984	.5	61.5				1 1/2			
268	268S		85	.5	78.6				1 1/2			

AREA:

Turnbull Ridge

PAGE 3 OF 7

HOLE NO.

RH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
294	294S	Camp 728	123986	S	13.2				7			
294S	295		87		16.8				6 1/2			
295	295S		88		16.5				6 1/2			
295S	296		89		12.0				7 1/2			
296	296S		90		13.3				7			
296S	297		91		9.0				6 1/2			
297	297S		92		9.9				7			
297S	298		93		7.3				7			
298	298S		94		14.9				6			
298S	299		95		10.6				5			
299	299S		96		10.1				6			
299S	300		97		17.4				5 1/2			
300	300S		98		28.9				5 1/2			
300S	301		99		73.8				7 1/2			
			Comp # 728		14.6	23.74	.44	61.22	6	.48		
334	334S	Camp 729	124000	S	26.5				2 1/2			
334S	335		121976	↓	37.0				2			
335	335S		71	↓	73.6				7 1/2			
			Comp # 729			34.9	17.36	.35	47.39	2	.50	
336	336S		121978	S	50.8				2			
336S	337		79	↓	69.3				7 1/2			
337	337S		80	↓	66.6				1			
337S	338		81	↓	81.3				0			

PG-95-135
R₀ max

AREA:

Turnbull Ridge

PAGE 4 OF 7

HOLE NO. DH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
342	342S		121982	S	53.9				1				
342S	343		83	}	55.3				1				
343	343S		84		60.6				1				
343S	344		85		53.8				1				
344	344S		86		67.1				1/2				
344S	345		87		70.3				0				
345	345S		88		84.1				0				
346S	347		121989	S	78.7				1/2				
347	347S		90	S	75.3				1				
362	362S		121991	S	62.9				1				
362S	363		92	S	75.6				1/2				
372	372S		121993	S	68.5				1				
372S	373		94	↓	78.6				0				
373	373S		95	↓	76.9				1/2				
394	394S	Campa 730	121996	S ↓	43.0				5			} Remove PG-95-136	
394S	395		97		27.3				7				
395	395S		98		31.0				6 1/2				
395S	396		99		59.5				1 1/2				
			Campa # 730		37.0	20.37	.37	42.26	5 1/2	.90			

AREA:

Turnbull Ridge.

PAGE 5 OF 7

HOLE NO

RH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
401.5	402	Compa 731	122000	.5	33.4				2 1/2			} Ro _{mv} PG-95-137
402	402.5		124851		37.3				1			
402.5	403		52		18.1				1 1/2			
403	403.5		53		34.2				1			
403.5	404		54		29.2				1			
404	404.5		55		39.2				1			
404.5	405		56		36.1				1			
405	405.5		57		64.0				1/2			
405.5	406		58		87.8				0			
				Compo # 731		32.0	19.24	.34	48.42	1	.33	
422	422.5	prox 732	124859	.5	40.5				1			
422.5	423		60	.5	81.5				0			
				prox # 732		40.3	16.97	.33	42.40	1 1/2	.45	
527	527.5	Compa 733	124861	.5	47.4				1			} Ro _{mv} PG-95-138
527.5	528		62		16.7				1			
528	528.5		63		26.5				1			
528.5	529		64		19.9				1			
529	529.5		65		27.8				1			
529.5	530		66		61.7				1			
530	530.5		67		81.7				0			
			Compo # 733		21.5	18.70	.27	59.53	1	.39		
533	533.5		124868	.5	47.6				1 1/2			
533.5	534		69	.5	90.1				0			

AREA:

Turnbull Ridge

PAGE 6 OF 7

HOLE NO

RH # 293

HOLE NO.

RH # 293

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
560	5605		124870	5	51.0				2			
5605	561		71		55.6				1 1/2			
561	5615		72		78.3				1/2			
5615	562		73		88.6				0			
563	5635		124874	5	54.5				1/2			
5635	564		75		65.5				1/2			
564	5645		124901		81.6				0			
5645	565		02		89.4				0			

AREA:

Turnbull Ridge

PAGE 7 OF 7

HOLE NO. RH # 293

HOLE NO.

RH # 295

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
7.5	8	Compo 734	123751	.5	35.8				1			} Ro max	PG-95-139
8	8.5		52		48.5				2				
8.5	9		53		35.9				1				
9	9.5		54		30.6				1 1/2				
9.5	10		55		87.2				0				
			Compo # 734		37.5	17.31	.37	44.74	1 1/2	.43			
23	25.5	Compo 735	123756	.5	47.0				1 1/2			} Ro max	PG-95-140
25.5	26		57		58.1				1				
26	26.5		58		54.3				1				
26.5	27		59		34.1				1				
27	27.5		60		33.2				1				
27.5	28		61		34.6				1				
28	28.5		62		37.1				0				
28.5	29		63		68.1				0				
29	29.5		64		79.6				0				
			Compo # 735		35.3	17.40	.38	46.92	1	.45			
			PROX # 736		45.1	15.50	.33	39.07	1	.35			
49	49.5	PROX 736	123765	.5	48.1				1			} Ro max	PG-95-141
49.5	50		66		62.5				1				
50	50.5		67		44.7				1				
50.5	51		68		63.0				1/2				
51	51.5		69		58.7				1/2				
51.5	52		70		58.7				1				
52	52.5		71		42.2				1				
52.5	53		72		36.6				2				
53	53.5		73		57.5				1				
53.5	54		74		70.4				1				
54	54.5	75	83.8				0						
			Compo # 737		41.5	15.94	.33	42.23	1	.42			

REA:

Turnbull Ridge

PAGE 1 OF 4

HOLE NO. RH # 295

HOLE NO.

RH # 295

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
67	67.5		123776	.5	82.0				0			
67.5	68	Prox 738	77	}	41.9				3 1/2			
68	68.5		78		77.8				1/2			
68.5	69		79		93.9				0			
			Prox # 738			42.6	16.58	.35	40.47	3 1/2	.50	
167	167.5		123780	.5	49.7				1			
167.5	168	Compo 739	81	}	61.2				1/2			} Remove PG-95-142
168	168.5		82		71.9				1/2			
168.5	169		83		74.0				1/2			
169	169.5		84		33.3				1			
169.5	170		85		32.0				1			
170	170.5		86		29.4				1			
170.5	171		87		20.9				2 1/2			
171	171.5		88		21.0				3			
171.5	172		89		24.7				2 1/2			
172	172.5		90		27.7				2 1/2			
172.5	173		91		21.6				2 1/2			
173	173.5		92		32.2				1 1/2			
173.5	174		93		75.7				1/2			
174	174.5		94		73.8				0			
174.5	175		95		77.7				0			
		Compo # 739			27.6	17.29	.29	54.82	2	.39		

AREA:

Turnbull Ridge

PAGE 2 OF 4

HOLE NO. RH # 295

HOLE NO.

RH # 295

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1755	176	Compo 740	123796	.5	31.7				5 1/2			
176	176.5		97		44.8				3			
176.5	177		98		80.8				0			
177	177.5		99		65.9				1			
177.5	178		123800		80.0				1/2			
178	178.5		1				68.0		1/2			
178.5	179		2				58.8		1/2			
179	179.5		3				79.6		0			
179.5	180		4				83.8		0			
			Compo #740		38.8	16.22	.32	44.66	4	.45		
209	209.5	prox 741	123805	.5	27.3				2			
209.5	210		6		60.5				1			
210	210.5		7		54.8				1			
210.5	211		8		69.8				1/2			
211	211.5		9		46.8				1			
211.5	212		10				55.7		1			
212	212.5		11				53.3		1			
212.5	213		12				86.1		0			
			Prox #741		27.4	16.41	.27	55.92	2	.47		
248	248.5	Compo 742	123813	.5	35.3				1			} Rowe PG-95-143
248.5	249		14		43.1				1			
249	249.5		15		76.8				1/2			
249.5	250		16		85.2				0			
			Compo #742		39.6	15.20	.32	44.88	1	.37		

REA:

Turnbull Ridge

PAGE 3 OF 4

HOLE NO. RH # 295

HOLE NO.

RH # 295

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
251.5	252		123817	5	80.0				0			
252	252.5		18		70.3				1			
252.5	253		19	↓	81.1				0			
255.5	256	Compo } 743	123820	5	19.8				6 1/2			
256	256.5		21		12.1				7 1/2			
256.5	257		22		42.0				5 1/2			
257	257.5		23		83.7				0			
257.5	258		24		91.2				0			
			Compo # 743		25.2	18.46	.26	56.08	6 1/2	.54		
260	260.5	Compo } 744	123825	5	70.0				7 1/2			
260.5	261		26		39.6				1			
261	261.5		27		78.8				0			
261.5	262		28		32.6				4			
262	262.5		29		21.2				3			
262.5	263		30		28.8				6			
263	263.5	31		93.6				0				
			Compo # 744		40.5	14.86	.25	44.39	2	1.13		
265.5	266		123830	5	54.7				1 1/2			
266	266.5		33		55.7				4 1/2			
266.5	267		34		89.6				7 1/2			

PG-95-144

R₀

MAX

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
38.5	39		123851	.5	55.6				1			
39	39.5	prox 745	52	}	37.1				2 1/2			Ro max PG-95-145
39.5	40		53		60.0				1 1/2			
40	40.5		54		51.8				2 1/2			
40.5	41		55		63.8				1 1/2			
41	41.5		56		87.3				0			
			Prox #745		36.7	18.70	.38	44.22	2 1/2	.59		
64	64.5		123857	.5	77.1				1/2			
64.5	65		58	.5	64.6				1			
93.5	94	prox 746	123859	.5	30.9				6			
94	94.5		60	.5	79.9				0			
			Prox #746			31.6	21.56	.27	46.57	6 1/2	.96	
114	114.5	Compo 747	123861	.05	37.8				1			} Ro max PG-95-146
114.5	115		62		24.8				1			
115	115.5		63		10.0				5			
115.5	116		64		11.2				2			
116	116.5		65		15.6				1			
116.5	117		66		17.7				4 1/2			
117	117.5		67		17.4				2 1/2			
117.5	118		68		13.2				2			
118	118.5		69		14.8				1			
118.5	119		70		32.8				3			
119	119.5		71		92.7				0			
			Compo #747		20.4	20.90	.31	58.39	2	.37		

AREA:

Turnbull Ridge

PAGE 1 OF 6

HOLE NO

RH #296

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
134	1345		123872	.5	71.2				1/2			
1345	135		73	↓	65.4				1			
135	1355		74	↓	84.1				0			
136	1365	Compo	123875	.5	26.1				1			
1365	137	748	76	↓	36.8				1			
137	1375		77	↓	89.7				0			
			Compo	748	32.2	17.37	.23	50.20	2	.48		
2315	232		123878	.5	20.5				1			
232	2325	Compo	79	↓	20.8				1			} ROMAX PG-95-147
2325	233	749	80	↓	11.1				1 1/2			
233	2335		81	↓	37.1				1			
2335	234		82	↓	86.0				0			
234	2345		83	↓	92.0				0			
			Compo	749	22.8	17.05	.24	59.91	1 1/2	.45		
237	2375	750 Prox	123884	.5	43.2				1			
2375	238		85	↓	76.7				1/2			
238	2385		86	↓	88.2				0			
2385	239		87	↓	93.6				0			
			Prox	750	44.4	12.87	.28	42.45	1	.34		
2535	254		123888	.5	68.8				1/2			
2545	255		89	.5	89.1				0			

IEA:

T. Hill Rodan

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALDRIFIC VALUE	REMARKS
280	2805	751 Compo	123890	AS	25.9				1		} ROMAX	PG-95-148
2905	281		91		16.0				1			
281	2815		92		14.9				2			
2815	282		93		17.9				2 1/2			
282	282.5		94		67.9				1			
2825	283		95		78.3				1/2			
283	2835		96		69.9				1			
2835	284		97		55.6				1			
			COMPO	751	19.0	18.64	123	62.13	2 1/2	.42		
285	2855	752 PROX	123898	AS	82.2				0			
2855	286		99		53.5				1			
286	2865		123 900		29.6				1			
2865	287		121951		67.5				1/2			
287	2875		52		82.1				0			
2875	288		53		91.3				0			
			PROX	752	30.0	22.55	122	47.23	1 1/2	.34		
3515	352	754 C Compo	121954	AS	22.0				1		} ROMAX	PG-95-149
352	3525		55		29.7				1			
3525	353		56		80.0				0			
3585	359		121957	AS	58.4				1			
359	3595		58		93.9				0			
			COMPO	754	25.8	17.54	132	56.34	1	.49		
		* NOTE *	Renumbered Compos - No # 753 *									

REA:

Turnbull Rodao

.... 2 /

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
3833	3835	Compo } 755	121959	.5	15.1				2 1/2		} Ro max	PG-95-150
3835	384		60	13.6				3 1/2				
384	3845		61	24.5				3 1/2				
3845	385		62	53.9				1 1/2				
385	3855		63	78.9				0				
3855	386		64	68.4				1				
386	3865		65	63.4				1				
3865	387		66	34.9				1 1/2				
387	3875		67	31.2				1 1/2				
3875	388		68	65.8				1/2				
388	3885	69	70.6				1					
3885	389	70	81.4				1/2					
389	3895	71	80.6				0					
3895	390	72	84.8				0					
390	3905	73	90.0				0					
			compo	755	18.3	22.13	.28	59.24	3	.41		
			compo	756	34.5	21.25	.32	43.93	2 1/2	.33		
399	3995		121974	.5	72.9				1/2			
3995	400		75	.5	86.4				0			
4195	420	Compo } 757	123901	.5	24.4				1 1/2		} Ro max	PG-95-151
420	4205		2	31.7				1				
4205	421		3	35.1				1				
421	4215		4	73.3				1/2				
4215	422		5	70.2				1/2				
422	4225		6	68.2				1/2				
			compo	757	31.8	17.74	.33	50.13	1	.35		

AREA:

Turnbull Ridge.

PAGE 4 OF 6

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
435	435S		123908	25	65.0				Y2			
435S	43C		9	↓	63.3				1			
43C	43CS		10		70.1				1			
436S	437		11		72.6				1			
437	437S		12		85.6				0			
474S	475	Compo	123913	25	41.1				1			
475	475S		14	↓	35.6				1/2			
475S	476		15		53.8				1			
476	476S		16		48.9				1			
			758		COMPO	758	38.9	14.91	.34	45.85	1	.34
502	502S	prox	123917	25	34.5				1			
502S	503		18	25	78.0				1/2			
		759										
504S	505	prox	123919	25	75.3				Y2			
505	505S		20	↓	60.5				1			
505S	506		21		79.3				Y2			
506	506S		22		86.0				0			
			759		PROX	759	34.9	15.04	.36	49.70	1	.39
513	513S	Compo	123923	25	31.4				2Y2			} Re mic PG-95-152
513S	514		24	↓	15.8				6Y2			
514	514S		25		21.4				6Y2			
514S	515		26		60.1				1			
515	515S		27		82.7				0			
		760	COMPO	760	23.4	18.45	.33	57.82	5	.46		

AREA:

Turnbull Ridge

PAGE 5 OF 6

D. L. ...

HOLE NO.

RH #296

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
5175	518		123928	5	47.7				1			
518	5185		29	}	61.2				1/2			
5185	519		30		24.6				1 1/2			
519	5195		31		29.3				1			
5195	520		32		21.5				2 1/2			
520	5205	Compo	33		17.8				2			} Romux PG-95-153
5205	521		34		16.9				4 1/2			
521	5215	761	35		36.4				3			
5215	522		36		37.6				3 1/2			
522	5225		37		64.6				1			
			compo		761	27.3	17.72	.26	54.72	2	.49	

REA:

Turnbull Ridge

HOLE NO.

RH # 2466

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
39	39.5	Compo 701	115576	.5	29.2				2			
39.5	40		77		7.8				1 1/2			
40	40.5		78		8.7				1			
40.5	41		79		8.7				1 1/2			
41	41.5		80		11.8				5			
41.5	42		81		18.0				1			
42	42.5		82		12.5				1			
42.5	43		83		20.2				4			
43	43.5		84		70.0				0			
43.5	44		85		84.3				0			
			Compo # 701		15.0	19.34	.41	65.25	1 1/2	.39		
74.5	75	Compo 702	115586	.5	25.9				2			
75	75.5		87		35.6				1 1/2			
75.5	76		88		25.5				4			
76	76.5		89		47.1				1			
76.5	77		90		51.4				1			
77	77.5		91		89.6				0			
77.5	78		92		92.5				0			
			Compo # 702		30.1	17.74	.42	51.74	2	.33		

REA:

Brownie O90 Seamer

PAGE

1 OF

4

HOLE NO.

RH # 2466

HOLE NO.

RH 2466

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
125	125.5		115593	0.5	50.3				1			
125.5	126		94		58.2				1			
126	126.5		95		56.1				1			
126.5	127		96		35.4				1 1/2			
127	127.5		97		20.3				2			
127.5	128		98		14.8				3 1/2			
128	128.5		99		16.0				4			
128.5	129		115600		18.6				1 1/2			
129	129.5		1		27.1				2			
129.5	130		2		50.8				1			
130	130.5		3		35.7				1 1/2			
130.5	131		4		21.5				3			
131	131.5		5		15.0				2 1/2			
131.5	132		6		48.0				0			
132	132.5	Compd	7		13.8				1			
132.5	133		8		18.8				1 1/2			
133	133.5	703	9		19.9				4			
133.5	134		10		13.2				2			
134	134.5		11		22.7				1			
134.5	135		12		21.1				1			
135	135.5		13		22.2				2			
135.5	136		14		25.3				3 1/2			
136	136.5		15		22.5				3			
136.5	137		16		11.0				6			
137	137.5		17		69.9				1/2			
137.5	138		18		87.0				0			
1			Compd #703		24.3	18.83	.35	56.52	1 1/2	.38		

AREA:

Browne O90 Secor

PAGE 2 OF 4

HOLE NO. RH #2466

HOLE NO.

RH 2466

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS	
1643	165		115614	0.5	85.1				0				
165	165.5		20	}	63.9				1				
165.5	166		21		22.4				2 1/2				
166	166.5		22		24.1				2 1/2				
166.5	167		23		24.4				2 1/2				
167	167.5	Compo 704	24		28.3				2			} Po max PG-95-125	
167.5	168		25		35.8				1				
168	168.5		26		26.5				1 1/2				
168.5	169		27		13.2				4 1/2				
169	169.5		28		72.4				1				
169.5	170		29		89.3				0				
			Compo # 704		25.8	18.89	.41	54.90	1 1/2	.31			
1755	176		115630	0.5	35.6				1				
176	176.5		31	}	23.8				3 1/2				
176.5	177		32		23.1				5 1/2				
177	177.5		33		64.0				1				
177.5	178		34		86.1				0				
			Compo # 705			28.0	18.26	.39	53.35	2	.58		

AREA:

Brownie O90 Secur

PAGE 3 OF 4

HOLE NO.

RH #2466

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO. RH #2466

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALDRIFIC VALUE	REMARKS
180	1805	Cango 706	15625	5	20.0				5			
1805	181		36		27.1				4			
181	1815		37		28.9				6			
1815	182		38		33.2				4			
182	1825		39		21.1				6 1/2			
1825	183		40		32.0				1			
183	1835		41		17.1				2 1/2			
1835	184		42		58.8				1			
184	1845		43		66.3				1			
1845	185		44		85.5				0			
			Compo # 706		26.3	19.99	.34	53.37	3	.46		

AREA: Browne 090

HOLE NO. RH 2466

HOLE NO.

RH # 2467

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
21	21.5	Comps 707	115651	.5	10.6				3 1/2			
21.5	22		52		12.3				4			
22	22.3		53		15.0				4			
22.3	23		54		12.7				4 1/2			
23	23.5		55		17.6				6			
23.5	24		56		17.7				6 1/2			
24	24.5		57		32.2				3 1/2			
24.5	25		58		68.2				1			
25	25.5	59		88.3				0				
			Compo # 707		16.9	20.44	.37	62.29	4 1/2	.45		
99	99.5	Prox 708	115660	.5	54.2				1			
99.5	100		61		14.3				4 1/2			
100	100.5		62		91.3				0			
			Prox # 708		13.9	20.66	.42	65.02	3 1/2	.50		
120	120.5		115663	.5	96.4				0			
132	132.5	Comps 709	115664	.5	23.2				4 1/2			
132.3	133		65		32.0				2			
133	133.5		66		21.1				2 1/2			
133.5	134		67		19.6				2 1/2			
134	134.5		68		24.1				1 1/2			
134.5	135		69		66.4				1			
			Compo # 709		24.5	23.62	.31	51.57	1 1/2	.34		

AREA:

Barnum.

PAGE 1 OF 3

HOLE NO

RH # 2467

OLE NO.

RH # 2467

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	VCM	LM	FC	F.S.I	B	CALORIFIC VALUE	REMARKS
139.5	140		11870	5	47.5				1			
140	140.5	Compo 710	71	}	33.8				1			
140.5	141		72		41.9				1 1/2			
141	141.5		73		49.3				1			
141.5	142		74		74.6				1/2			
142	142.5		75		71.3				1/2			
142.5	143		76		37.9				1			
143	143.5		77		25.5				3			
143.5	144		78		14.4				5			
144	144.5		79		48.8				1			
144.5	145		80		36.5				2 1/2			
145	145.5	81	24.7				3					
145.5	146	82	28.4				1					
146	146.5	83	20.2				1 1/2					
146.5	147	84	12.5				3 1/2					
147	147.5	Compo 711	85	}	12.7				3 1/2			Pomag PG-95-127
147.5	148		86		6.9				5			
148	148.5		87		16.7				1 1/2			
148.5	149		88		21.5				1 1/2			
149	149.5		89		20.1				1 1/2			
149.5	150		90		15.0				2			
150	150.5		91		11.7				7 1/2			
150.5	151		92		42.7				1			
151	151.5		93		21.0				5			
151.5	152		94		70.5				1			
152	152.5	95	90.1				0					
152.5	153	96	80.8				1/2					
153	153.5	97	87.0	✓			0					
			Compo # 710		38.3	17.72	.30	43.68	1	.32		
			Compo # 711		23.0	20.91	.35	55.74	2	.28		

REA:

Brownie,

HOIF NO

RH # 2467

HOLE NO.

RH # 2467

HOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	P.S.I.		CALORIFIC VALUE	REMARKS
170	170S		115698	S	70.5				1			
170S	171		99		65.4				1			
171	171S	PROX 712	115700		41.9				1			
171S	172		1		59.3				1			
172	172S		2		56.6				1			
172S	173		3		71.2				1			
173	173S		4		79.2				1			
173S	174		5		70.1				1			
174	174S		6		73.7				1			
174S	175		7		81.4				0			
175	175S		8		58.0				1			
175S	176	Cays 713	9		36.8				1			
176	176S		10		34.3				1/2			
176S	177		11		46.9				3			
177	177S		12		43.3				4/2			
177S	178		13		36.0				1			
178	178S		14		30.4				1			
178S	179		15		51.2				1			
179	179S		16		67.1				1			
179S	180		17	86.9				0				
180	180S		18	88.3				0				
			PROX*712	44.7	16.59		-.34	38.37	1		-.37	
			CONV*713	35.9	19.06		-.32	44.72	1		-.35	
181S	182		115719	.5	80.8				0			
182	182S		20		84.3				0			
182S	183		21		78.9				0			
183	183S		22		86.9				0			

AREA:

Brownie,

PAGE 3 OF 3

HOLE NO

RH # 2467

HOLE NO.

RH #2468

INDIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
26	26.5	Compo 714	121451	.5	32.9				1 1/2			
26.5	27		52		26.3				4			
27	27.5		53		19.3				7			
27.5	28		54		63.6				1			
28	28.5		55		66.0				0			
			Compo #714			28.8	19.34	.36	51.50	3 1/2	.51	
33.5	34	Compo 715	121456	.5	77.5				0			
34	34.5		57		15.8				7			
34.5	35		58		41.5				6			
35	35.5		59		73.2				0			
35.5	36		60		71.6				1			
			Compo #715			29.6	19.92	.34	50.14	6	.45	
37.5	38	Compo 716	121461	.5	15.4				1			
38	38.5		62		12.4				4			
38.5	39		63		13.1				2 1/2			
39	39.5		64		11.7				2			
39.5	40		65		19.9				2			
40	40.5		66		16.3				2			
40.5	41		67		7.9				1 1/2			
41	41.5		68		44.1				1			
41.5	42		69		79.9				0			
			Compo #716			16.7	19.54	.37	63.39	1	.36	

REA:

Brownie

PAGE 1 OF 3

HOLE NO

RH 2468

FILE NO.

RH #2468

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

INCH	FEET	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
55	55.5	Compo 717	121470	.5	77.7				0			
55.5	56		71		30.9				1 1/2			
56	56.5		72		15.8				2 1/2			
56.5	57		73		8.4				1 1/2			
57	57.5		74		13.2				3 1/2			
57.5	58		75		27.6				2 1/2			
58	58.5		76		16.6				1			
58.5	59		77		12.6				1			
59	59.5		78		24.4				1			
59.5	60		79		10.0				1 1/2			
60	60.5		80		14.1				5			
60.5	61		81		11.7				3			
61	61.5		82		74.8				0			
		Compo #717			17.8	19.64	.33	62.23	1 1/2	.36		
63	63.5		121483	.5	57.3				1			
66.5	67		121484	.5	83.2				0			
91	91.5	Compo 718	121485	.5	45.1				1		} Ro mix	PG-95-128
91.5	92		86		15.6				5 1/2			
92	92.5		87		30.4				2 1/2			
92.5	93		88		73.6				1			
93	93.5		89		74.7				0			
93.5	94		90		70.8				0			
		Compo #718			30.5	18.02	.37	51.11	1 1/2	.34		

IEA:

Brownie

BLE NO.

RH #2468

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
137	137.5		121491	0.5	63.7				1/2			
137.5	138		92		55.8				1			
138	138.5		93		75.8				1			
138.5	139		94		73.0				1			
139	139.5		95		72.5				1			
139.5	140		96		72.0				1			
140	140.5		97		49.0				1			
140.5	141		98		22.7			*	3	Correction		
141	141.5		99		23.1				2 1/2			
141.5	142		121500		30.4				2 1/2			
142	142.5		121126		18.4				7 1/2			
142.5	143	Compo 719	27		34.5				2 1/2			Ro max
143	143.5		28		43.0				2 1/2			
143.5	144		29		52.4				1			
144	144.5		30		26.8				2 1/2			
144.5	145		31		23.9				4			
145	145.5		32		23.6				1			
145.5	146		33		32.9				1 1/2			
146	146.5		34		57.5				1			
146.5	147		35		81.7				0			
147	147.5		36		78.1				1/2			
147.5	148		37		43.2			1				
148	148.5		38		38.7			1				
148.5	149	Compo 720	39		32.2				2			
149	149.5		40		18.6				1			
149.5	150		41		30.6				2 1/2			
150	150.5		42		59.6				1			
150.5	151		43		72.7				1			
151	151.5		44		75.1				1/2			
151.5	152		45		81.0				0			
			Compo # 719		32.3	17.79	.34	49.57	2	.39		
			Compo # 720		34.7	15.86	.32	49.12	1	-.39		

EA:

Brownie.

RH #2469

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IN.	FC	P.S.I.	8	CALORIFIC VALUE	REMARKS
4	4.5		118351	.5	55.8				1			
4.5	5		52	.5	79.3				1/2			
46.5	47	Compo 804	118353	.5	11.9				7			
47	47.5		54	↓	21.0				7			
47.5	48		55	↓	60.6				1			
			COMPO	804		16.8	22.60	.35	60.25	7	.51	
30	50.5	Compo 805	118356	.5	23.1				1			
50.5	51		57	↓	17.4				1 1/2			
51	51.5		58	↓	21.5				2 1/2			
51.5	52		59	↓	13.5				1			
52	52.5		60	↓	16.5				1			
52.5	53		61	↓	27.4				5 1/2			
53	53.5		62	↓	73.2				1			
53.5	54		63	↓	75.3				1			
			COMPO	805		20.4	19.03	.33	60.24	12	.38	
55.5	56	Compo 806	118364	.5	26.6				1			
56	56.5		65	↓	42.3				1			
56.5	57		66	↓	56.6				1			
57	57.5		67	↓	42.0				1			
57.5	58		68	↓	29.8				1 1/2			
58	58.5		69	↓	36.4				1			
58.5	59		70	↓	28.2				1 1/2			
59	59.5		71	↓	25.0				1			
			COMPO	806		37.0	16.58	.27	46.15	1	.30	

AREA:

Brownie

HOLE NO

RH #2469

HOLE NO.

RH #2469

NOVARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.G.I.	S	CALORIFIC VALUE	REMARKS
76	76.5	Compo 807	118372	S	22.2				1			
76.5	77		73	15.1					1			
77	77.5		74	14.2					3			
77.5	78		75	34.6					1			
78	78.5		76	15.6					1 1/2			
78.5	79		77	22.2					1			
79	79.5		78	7.2					1 1/2			
79.5	80		79	9.0					1 1/2			
80	80.5		80	19.2					1 1/2			
80.5	81		81	9.0					2			
81	81.5		82	24.4					3 1/2			
81.5	82		83	10.7					3			
82	82.5		84	19.9					2			
82.5	83		85	73.0					1/2			
83	83.5		86	74.6					0			
			COMPO	807	18.5	19.07	.28	62.15	1 1/2	.39		
102	102.5	Compo 808	118387	S	42.2				4			
102.5	103		88	S	42.6				3			
			COMPO	808	44.3	16.20	.27	39.23	3	.36		

REA:

Brownie.

PAGE 2 OF 6

HOLE NO

RH #2469

RH #2469

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
105.5	106		118389	.5	27.3				3		} Ro mch.	PG-95-164
106	106.5		90		20.4				6 1/2			
106.5	107		91		28.4				3			
107	107.5		92		16.6				5			
107.5	108		93		17.9				1			
108	108.5		94		42.2				1			
108.5	109		95		44.0				1			
109	109.5		96		34.6				1			
109.5	110		97		60.7				1 1/2			
110	110.5		98		50.2				1			
110.5	111		99		48.4				1			
			compo	809	30.1	18.55	.38	50.97	2	.35		
			compo	810	23.2	20.56	.39	55.85	3	.37		
118.5	119		118400	.5	55.6				1			
119	119.5		1		65.6				1/2			
119.5	120		2		73.7				0			
121	121.5		118403	.5	70.1				0			
121.5	122		04	.5	70.9				0			

REA:

Brownie.

HOLE NO

RH #2469

RH #2469

MOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	W	CALORIFIC VALUE	REMARKS	
1235	124		18405	.5	41.8				1				
124	1245		6		53.7				1				
1245	125		7		20.5				1 1/2				
125	1255		8		15.4				2 1/2				
1255	126		9		18.6				2				
126	1265		10		13.5				3				
1265	127		11		22.5				2				
127	1275		12		15.4				2 1/2				
1275	128		13		31.7				1				
128	1285		14		22.7				2 1/2				
1285	129		15		10.5				2 1/2				
129	1295		16		28.1				1				
1295	130		17		71.7				1				
130	1305		18		71.0				1				
1305	131		19		78.2				1				
				Compo	811	24.9	18.02	.39	56.69	2	.38		

PG-95-165
R10
R15

IEA:

Brownie

MOIANY


RH #2469

RH #2469

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	DEPTH	DESCRIPTION	SAMPLE NUMBER	WIRTH	ASH	V.E.M.	I.M.	FC	F.G.I.	S	CALORIFIC VALUE	REMARKS
135	135.5		118420	0.5	45.9				1			
135.5	136		21		43.0				1			
136	136.5		22		15.4				3			
136.5	137		23		25.5				3 1/2			
137	137.5		24		13.2				1			
137.5	138		25		17.2				1 1/2			
138	138.5		27		39.2				1			
138.5	139		28		42.0				1			
139	139.5		29		19.3				4			
139.5	140		30		18.5				2			
140	140.5		31		29.2				1 1/2			
140.5	141		32		15.1				1 1/2			
141	141.5		33		13.0				2 1/2			
141.5	142		34		78.6				1/2			
142	142.5		35		9.6				2			
142.5	143	Compo 812	36		36.9				2			
143	143.5		37		17.6				3			
143.5	144		38		23.6				1			
144	144.5		39		50.9				1			
144.5	145		40		18.4				3			
145	145.5		41		15.8				2			
145.5	146		42		22.4				2			
146	146.5		43		18.9				3			
146.5	147		44		12.4				2			
147	147.5		45		46.7				2 1/2			
147.5	148		46	↓	72.0				1			
			Compo	812	26.4	19.03	32	54.25	2	133		



PG-95-166

EA:

Amulino

HOLE NO

011 #21100

HOLE NO.

RH #2469

MONTANA DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

INCH	FEET	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.	W	CALORIFIC VALUE	REMARKS	
166	166.5		118447	S ↓	54.4				1 1/2				
166.5	167	Prox 813	49		28.8					1			
167	167.5		49		66.6					1			
167.5	168		50		71.7					1			
168	168.5		51		60.2					1			
168.5	169		52		50.0					1			
169	169.5		53		22.7					2 1/2			
169.5	170		54		45.4					2 1/2			
170	170.5		55		24.6					4 1/2			
170.5	171		56		24.4					3			
171	171.5	Compo 814	57		26.7					4			
171.5	172		58		33.1					1 1/2			
172	172.5		59		21.5					1 1/2			
172.5	173		60		32.8					1 1/2			
173	173.5		61		43.3					1			
173.5	174		62		75.9					1			
174	174.5		63		67.7					1			
174.5	175		64	8.9					4				
			PROX	813	29.0	18.32	.34	52.34	1	.30			
			COMPO	814	30.3	18.53	.32	50.85	2 1/2	.44			

IER:

Brownie.

PAGE 6 OF 6

HOLE NO

RH #2469

HOLE NO.

RH # 2470

ROTAHY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
645	65	Compo 815	118526	S ↓	22.2				1 1/2			
65	655		27		40.4				2			
655	66		28		76.8				1/2			
66	665		29		88.4				0			
			COMPO		815	31.1	17.82	.31	50.77	1 1/2	.45	
69	6905		118530	S ↓	50.5				2			
695	70		31		80.6				0			
70	705		32		73.9				1			
71	715	Compo 816	118533	.5 ↓	28.3				1 1/2			
715	72		34		26.8				1 1/2			
72	725		35		27.3				1 1/2			
725	73		36		30.8				1			
73	735		37		71.8				1			
735	74		38		86.3				0			
74	745		39		78.3				1/2			
745	75		40		57.0				2 1/2			
		COMPO	816	28.0	18.21	.30	53.49	1 1/2	.33			
79	795	Compo 817	118541	.5 ↓	59.1				1			
795	80		42		60.1				1			
80	805		43		33.5				1			
805	81		44		15.8				1			
81	815		45		42.8				1			
815	82		46		82.2				0			
		COMPO	817	31.2	17.12	.34	51.34	1	.36			

AREA:

Brownie

PAGE | OF 3

HOLE NO. RH # 2470

HOLE NO.

RH # 2470

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
823	83		118547	.5	55.9				2				
98	98.5		118548	.5	27.5				1 1/2				
98.5	99		49		42.4				2				
99	99.5		50		29.6				2				
99.5	100		51		24.1				4 1/2				
106	100.5	Comps 818	52		28.1				1				
100.5	101		53		23.8				1				
101	101.5		54		27.2				3				
101.5	102		55		42.5				1				
102	102.5		56		21.7				1				
102.5	103		57		35.5				1				
103	103.5		58		54.3				1				
103.5	104		59		86.8				0				
				compo	818	30.5	18.31	.43	50.76	1 1/2	.38		
105.5	106			118560	.25	57.1				1 1/2			
106	106.5		61	.5	81.6				0				
107	107.5		118562	.5	85.3				0				
106.5	117		118563	.5	49.6				1				
121	121.5		118564	.5	87.5				0				
121.5	122		65	.5	42.9				1				
		Prox 819	compo	819	43.0	15.71	.39	40.90	1 1/2	.30			

AREA:

Brownie

PAGE

2 OF 3

HOLE NO. RH # 2470

HOLE NO.

RH # 2470

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
123	123.5		118566	.5	75.5				1			
123.5	124		67	.3	66.1				1			
137.5	139		118569	.5	77.9				0			
139	139.5		69	.5	81.2				0			
161	161		118570	.5	78.5				1			
			PROX	820	35.1	18.53	.37	46.00	1 1/2	.46		
			Compo	821	35.6	18.26	.49	45.65	2	.40		
180.5	181		118571	.5	61.2				1			
181	181.5	prox	72		35.4				1 1/2			
181.5	182	820	73		74.7				1			
182	182.5		74		88.5				0			
182.5	183		75		84.9				0			
183	183.5		76		81.1				0			
183.5	184		77		33.7				1 1/2			
184	184.5		78		37.6				1			
184.5	185		79		36.7				3			
185	185.5		80		48.6				3 1/2			
185.5	186	Comps	81		26.3				5 1/2			
186	186.5		82		29.9				2			
186.5	187	821	83		29.1				1			
187	187.5		84		38.6				1			
187.5	188		85		48.9				2			
188	188.5		86		79.2				1			
188.5	189		87		78.2				1			
189	189.5		88		81.7				0			
189.5	190		89		83.5				0			

AREA:

Brownie

PAGE 3 OF 3

HOLE NO. RH # 2470

RH #2471

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.S.L.	...	CALORIFIC VALUE	REMARKS
18	18.5		120801	CS	85.0				0			
20.5	21	Compo 822	120802	CS	15.8				5			
21	21.5		3		25.7				2			
21.5	22		4		24.5				6			
22	22.5		5		69.0				1			
22.5	23		6		50.7				2 1/2			
23	23.5		7		50.5				3			
23.5	24		8		79.6				1/2			
			compo		822		21.9	20.94	.34	56.82	4 1/2	.57
24.5	25	Compo 823	120809	CS	34.0				1			
25	25.3		10		16.6				4 1/2			
25.5	26		11		23.3				3 1/2			
26	26.5		12		54.1				1 1/2			
26.5	27		13		70.8				1			
27	27.5		14		76.6				1/2			
			compo		823		24.7	18.93	.26	56.11	2 1/2	.54
32.5	33	Compo 824	120815	CS	57.1				1			
33	33.5		16		22.8				6			
33.5	34		17		25.5				6 1/2			
34	34.5		18		45.5				4 1/2			
34.5	35		19		79.3				1/2			
35	35.5		20		74.3				1/2			
		compo	824		24.2	20.82	.26	54.72	5 1/2	.50		

RH #2471

HOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IN.	FC	F.S.I.	S	CALORIC VALUE	REMARKS	
36	36.5	Compo 825	120821	85	10.9				1				
36.5	37		22	15.9					2				
37	37.5		23	13.0					2				
37.5	38		24	16.2					1 1/2				
38	38.5		25	10.8					1				
38.5	39		120821	24.3					2				
39	39.5		57	79.9					0				
39.5	40		53	76.1					0				
			COMPO	825		15.1	19.76	.32	61.82	1 1/2	.42		
53.5	54	Compo 826	120821	55	28.2				1				
54	54.5		56	19.3					2				
54.5	55		57	16.0					1 1/2				
55	55.5		58	14.1					2 1/2				
55.5	56		59	20.4					1 1/2				
56	56.5		60	26.2					1				
56.5	57		61	11.1					1 1/2				
57	57.5		62	18.1					3				
57.5	58		63	29.0					1 1/2				
58	58.5		64	19.6					2				
58.5	59		65	67.5					0				
59	59.5		66	84.9					0				
		COMPO	826		20.9	19.74	.39	58.97	1	.35			

AREA:

Brownie

PAGE 2 OF 4

HOLE NO

RH #2471

RH #2471

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	AGH	U.V.M.	LM	FEI	FEI	FEI	CALORIFIC VALUE	REMARKS
86	86.5		120867	85	60.5					0		
86.5	87		69	}	59.9					0		
87	87.5		69		30.3					2		
87.5	88		70		15.5					1		
88	88.5	Compo 827	71		46.4					3 1/2		
88.5	89		72		28.9					1		
89	89.5		73		16.2					3		
89.5	90		74		15.6					2 1/2		
90	90.5		75		80.9					0		
			COMPO		827	24.2	20.86	.36	54.58	1 1/2	.35	
			PROX		828	24.4	21.54	.38	53.68	7	.68	
			COMPO	829	26.9	18.15	.41	54.54	1 1/2	.45		
145	145.5		120846	85	76.1				0			
145.5	146		27	}	69.0				1/2			
146	146.5		28		46.4					1		
146.5	147		29		24.8					7		
147	147.5	PROX 828	30		74.5					1/2		
147.5	148		31		71.1					1		
148	148.5		32		67.7					1		
148.5	149		33		65.7					1		
149	149.5		34		69.5					1		
149.5	150		35		72.7					1/2		
150	150.5		36		32.3					1		
150.5	151	Compo 829	37	21.0					1 1/2			
151	151.5		38	26.7					2 1/2			
151.5	152		39	51.6					1 1/2			
152	152.5		40	75.7					1/2			
152.5	153		41	75.3					1/2			
153	153.5		42	77.5					3 1/2			
153.5	154		43	82.2					0			
154	154.5		44	80.4					0			

Ro
w/c PG-9 5 - 167

EA:

Brownie

RH #2471

JOHNSON DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

DEPTH	FB	DESCRIPTION	SAMPLE NUMBER	WIDTH	AGE	V.C.M.	L.W.	F.C.	F.S.	S	CALORIFIC VALUE	REMARKS
154.5	135		120845	.5	75.2					0		

RH # 2461

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	IN.	F.C.	F.S.		CALORIFIC VALUE	REMARKS
17	17.5	Compo 762	116426	5	22.0				1			
17.5	18		27		39.7				1			
18	18.5		28		11.8				7/2			
18.5	19		29		73.4				1/2			
19	19.5		30		54.4				2			
19.5	20		31		85.3				0			
			Compo	762	24.6	19.84	.39	55.17	3	.57		
41.3	42	Compo 763	116432	5	19.2				3 1/2			
42	42.5		33		37.5				1			
42.5	43		34		14.1				2 1/2			
43	43.5		35		12.5				2			
43.5	44		36		8.7				1			
44	44.5		37		14.1				2 1/2			
44.5	45		38		14.9				1			
45	45.5		39		13.4				2 1/2			
45.5	46		40		22.5				1 1/2			
46	46.5		41		12.2				1			
46.5	47		42		26.3				2 1/2			
47	47.5		43		9.9				2			
47.5	48		44		10.1				2			
48	48.5		45		18.3				3			
48.5	49		46		47.6				1			
49	49.5	47		87.7				0				
			Compo	763	16.6	20.12	.35	62.93	2	.41		

AREA:

Brownie

RH # 246.1

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	L.W.	P.C.	F.C.L.	S	CALORIFIC VALUE	REMARKS
78.3	79	Compo 764	116448	.5	23.8				5		} R ₀ max	PG-95-154
79	79.5		49	78.7				1/2				
79.5	80		50	29.3				1/2				
80	80.5		116326	20.4				1/2				
80.5	81		27	34.7				1				
81	81.5		28	27.2				1/2				
81.5	82		29	21.0				2/2				
82	82.5		30	18.1				4/2				
82.5	83		31	14.3				6				
83	83.5		32	58.8	↓			1				
		Compo	764		28.7	19.62	.33	51.35	2	.33		
86.5	87		116333	.5	74.3				1/2			
87	87.5		34	.5	84.6				0			
93.3	94		116335	.5	57.3				1			
94	94.5		36	.5	83.6				0			

RH # 246.1

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.W.	FC	P.S.I.	S	CALORIFIC VALUE	REMARKS
101.5	102	Compo 76.5	116337	9.5	9.7				4 1/2		Ro max	PG-95-155
102	102.5		38	8.9					5 1/2			
102.5	103		39	10.7					3 1/2			
103	103.5		40	8.7					4			
103.5	104		41	5.3					3			
104	104.5		42	9.5					1 1/2			
104.5	105		43	13.1					1			
105	105.5		44	10.7					1			
105.5	106		45	8.6					4 1/2			
106	106.5		46	24.7					5			
106.5	107		47	18.5					1			
107	107.5	48	35.2					1				
107.5	108	49	39.6					1				
108	108.5	50	10.5					3				
108.5	109	116401	17.8					1 1/2				
109	109.5	2	9.3					3				
109.5	110	3	14.9					7				
110	110.5	4	22.5					2				
110.5	111	5	16.6					4				
111	111.5	6	17.2					3 1/2				
111.5	112	7	10.8					1				
112	112.5	8	7.8					3 1/2				
112.5	113	9	22.4					6				
113	113.3	10	73.5					1/2				
113.5	114	11	77.0					1/2				
		COMPO	76.5	15.4	19.65	39	64.56	3 1/2	39			

EA:

Brownie

RH # 2461

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	F.C.	F.I.	8	CALORIFIC VALUE	REMARKS
1395	140		116412	5	52.5				1			
140	1405		13	↓	77.4				0			
1405	141		14	↓	81.1				0			
142	1425	Compd 766	116415	05	32.9				1			
1425	143		18	26.4				1 1/2				
143	1435		17	21.3				6				
1435	144		19	25.4				5 1/2				
144	1445		19	17.0				7				
1445	145		20	17.9				7				
145	1455		21	24.8				1 1/2				
1455	146		22	16.2				2				
146	1465		23	26.4				6 1/2				
1465	147		24	63.2				1 1/2				
147	1475	25	56.2				1					
1475	148		120876	↓	83.6				1 1/2			
			compo	766	23.3	20.22	.33	56.15	4	.46		

EA:

Brownie

HOLE NO.

RH # 2462

HUTAHY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
55.5	56	Compo E	118601	.5	38.1				2			
56	56.5		2		26.2				5 1/2			
56.5	57		767	3		74.1			1/2			
57	57.5			4		88.4			0			
			COMPO	767	32.8	19.39	.33	47.48	3 1/2	.47		
			PROX	768	39.8	17.69	.36	42.15	3	.36		
60	60.5	prox	118605	.5	38.5				3			
60.5	61		768	6		64.4			1			
61	61.5		7		84.1				0			
61.5	62		8		83.0				0			
62	62.5		9		19.7				1 1/2			
62.5	63		10		17.4				3			
63	63.5		11		16.3				2 1/2			
63.5	64		12		16.4				2 1/2			
64	64.5	Compo	13		29.6				1			
64.5	65		769	14		34.9				1		
65	65.5		15		15.2				1			
65.5	66		16		27.3				1			
66	66.5		17		72.9				1/2			
66.5	67		18		88.4				0			
67	67.5		19		77.2				1			
67.5	68		20		83.9				0			
68	68.5		21		78.1				1/2			
68.5	69		22		88.1				0			
69	69.5		23		72.7				0			
69.5	70		24		25.6				1			
70	70.5		25		24.3				1 1/2			
70.5	71		26		19.2				1			
71	71.5	Compo	27		14.7				1			
71.5	72		770	28		14.5				1 1/2		
72	72.5			29		29.7				1		

AREA:

Brownie ^{over}

PAGE 1 OF 4

HOLE NO. RH #2462

HOLE NO.

RH # 2462

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
725	73	770	118630		17.2				1 1/2			
73	735		31		46.1				1			
735	74		32		65.5				1			
74	745		33		65.1				1			
745	75		34		89.0				0			
			compo	769	23.4	18.87	.33	57.40	1 1/2	.34		
			compo	770	20.7	19.39	.29	59.62	1	.35		
87	875		118635	5	83.7				0			
915	92		118636	5	41.3				1			
92	925		37		31.9				1			
925	93		38		16.3				1			
93	935		39		15.0				2			
935	94		40		11.2				4			
94	945		41		19.7				2			
945	95		42		24.0				2			
95	955		43		23.3				1 1/2			
955	96		44		23.0				1			
96	965		45		19.5				1 1/2			
965	97		46		24.1				2 1/2			
97	975	Compo 771	47		12.3				1 1/2			
975	98		48		19.9				1 1/2			
98	985		49		15.2				2 1/2			
985	99		50		12.1				4			
99	995		51		39.0				1			
995	100		52		19.2				1			
100	1005		53		25.5				1			
1005	101		54		22.9				1			
101	1015		55		24.2				1			
1015	102		56		72.8				1			
			compo	771	22.3	19.16	.34	58.20	1 1/2	.35		

AREA:

Brownie

PAGE 2 OF 4

HOLE NO. RH #2462

RH # 2462

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
1035	104		118657	.5	60.0				1			
104	1045		58	.5	90.0				0			
108	1085		118659	.5	82.2				0			
1085	109		60	.5	79.0				0			
112.5	113		118661	.5	66.8				1			
113	1135		62	} ↓	74.8				1/2			
1135	114		63		70.5				1/2			
114	1145		64		42.3				2			
1145	115	} Compo 772	65		35.5				2 1/2		} Ro 100 lb	PG-95-157
115	1155		66		43.0				1			
1155	116		67		50.1				2			
116	1165		68		81.5				0			
1505	151		118664	.5	82.5				0			
151	1515		70	↓	90.7				0			
1515	152		71	↓	89.2				0			
			Compo	772	41.2	17.37	.32	41.11	1 1/2	.29		

AREA: Brownie

HOLE NO.

RH # 2462

RUIAHY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
173	1735		118672	.5	38.5				1				
1733	174		73		54.7				2				
174	1745		74		75.4								
1745	175		75		70.0								
175	1755		76		75.6								
1755	176		77		56.1								
176	1765		78		50.1								
1765	177		79		34.1					1/2			
177	1775		80		48.7					3/2			
1775	178		81		48.9					2			
178	1785	Compo	82		25.5					3			
1785	179	774 Compo	83	36.8					1				
179	1795		84	16.2					1				
1795	180		85	16.8					5				
180	1805		86	65.4					1				
1805	181		87	50.7					1				
181	1815		88	69.2					1				
1815	182		89	79.8					1/2				
182	1825		90	83.2					0				
			compo	773	39.7	16.98	.40	43.42	1	.53			
			compo	774	34.4	19.72	.43	45.45	2	.40			
			PROX	775	36.9	19.36	.39	43.35	1/2	.34			
			compo	776	24.8	18.96	.46	55.78	1/2	.46			

AREA:

Brownie

PAGE 4 OF 4

HOLE NO. RH #2462

HOLE NO.

RH #2463

RUTAHY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
49	49.5	Compo 777	119526	.5	28.6				1 1/2			
49.5	50		27		26.2				3 1/2			
50	50.5		28		75.1				1/2			
50.5	51		29		65.6				1			
			COMPO	777		27.7	19.60	.31	52.39	3	.50	
53	53.5	Compo 778	119530	.5	78.9				0			
53.5	54		31		69.8				1			
54	54.5		32		64.3				1			
54.5	55		33		67.0				1			
55	55.5		34		71.2				1			
55.5	56		35		56.5				1			
56	56.5		36		56.1				1			
56.5	57		37		12.2				1			
57	57.5		38		12.1				1			
57.5	58		39		26.8				1			
58	58.5		40		28.9				1			
58.5	59		41		11.0				2 1/2			
59	59.5		42		13.9				1			
59.5	60		43		24.8				1			
60	60.5		44		14.5				1 1/2			
60.5	61		45		11.4				3			
61	61.5		46		10.6				2			
61.5	62		47		17.3				1 1/2			
62	62.5		48		22.8				2			
62.5	63		49		23.6				1			
63	63.5	50		8.4				2				
63.5	64	51		37.6				1				
64	64.5	52		70.3				1/2				
		COMPO	778		19.7	19.82	.34	60.14	1 1/2	.37		

AREA:

Rutahy

PAGE 1 OF 5

HOLE NO.

RH #2463

RH #2463

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
65.5	66		119553	.5	63.6				1/2			
82	82.5		119554	.5	44.8				1			
82.5	83		55		25.9				1			
83	83.5		56		16.0				1 1/2			
83.5	84		57		19.8				1			
84	84.5		58		36.1				1 1/2			
84.5	85		59		17.7				1 1/2			
85	85.5		60		16.4				1			
85.5	86		61		11.6				1 1/2			
86	86.5		62		20.2				3			
86.5	87		63		22.8				2 1/2			
87	87.5	64		48.7				1/2				
87.5	88	65		16.1				1				
88	88.5	66		9.6				1 1/2				
88.5	89	67		10.0				2				
89	89.5	68		65.9				1/2				
			compd	779	23.8	19.35	.32	56.53	1	.35		
96.5	97		119569	.5	78.7				.0			
97	97.5		70	.5	83.9				0			

AREA:

Revised

HOLE NO.

RH #2463

DAILY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS		
113	113.5	Compo 780	119571	5	43.4				1/2			} Ro unc		
113.5	114		72		43.1				1/2					
114	114.5		73		12.4				1					
114.5	115		74		22.4				1 1/2					
115	115.5		75		14.3				1 1/2					
115.5	116		119601		15.4				4 1/2					
116	116.5		2		44.3				2 1/2					
116.5	117		3		90.6				0					
			Compo	780	29.2	18.33	.32	52.15	1	.32				
138	138.5	" Compo 781	119604	5	32.9				1 1/2			} Ro unc		
138.5	139		5		65.3				0					
139	139.5		6		28.5				1					
139.5	140		7		20.7				1					
140	140.5		8		12.9				2					
140.5	141		9		8.5				1					
141	141.5		10		10.4				3 1/2					
141.5	142		11		9.1				1 1/2					
142	142.5		12		7.1				4 1/2					
142.5	143		13		52.8				1					
143	143.5		14		84.7				0					
				Compo	781	22.3	21.54	.39	55.77	1 1/2	.38			

AREA:

D. ...

PAGE 3 OF 5

HOLE NO.

RH #2463

HOLE NO.

RH #2463

HUIAHY HILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
151.5	152		119615	0.5	33.6				1				
152	152.5		16		30.0				1				
152.5	153		17		32.4				1 1/2				
153	153.5		18		39.5				1				
153.5	154		19		21.6				2 1/2				
154	154.5		20		35.0				1				
154.5	155		21		34.8				1 1/2				
155	155.5		22		26.4				1 1/2				
155.5	156		23		27.6				1				
156	156.5		24		34.8				1				
156.5	157		25		33.4				1 1/2				
157	157.5		77	119576		35.7			1 1/2				
157.5	158		78			20.4			1 1/2				
158	158.5		79			16.2			2				
158.5	159		79			10.0			2 1/2				
159	159.5		80			15.4			2				
159.5	160		81			16.8			5 1/2				
160	160.5		82			40.2			1				
160.5	161		83			10.3			3 1/2				
161	161.5		84			62.0			1/2				
161.5	162		85			67.5			1/2				
162	162.5		86			78.1			0				
162.5	163		87			80.9			0				
			Compo	782		28.0	18.96	139	52.65	1 1/2		1.33	

AREA:

Brownie

PAGE 4 OF 5

HOLE NO.

RH #2463

HOLE NO.

RH #2463

ROTARY DRILL HOLE SAMPLING RECORD

CORRECTION REVISION INFORMATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.O.	F.S.I.	S	CALORIFIC VALUE	REMARKS
181	1815		119588	.5	34.8				1 1/2			
1815	182	omc 783	89		48.4				1 1/2			
182	1825		90		73.1				1			
1825	183		91		39.8				1			
183	1835		92		22.9				2			
1835	184		93		22.8				7			
184	1845		94		21.0				7 1/2			
1845	185		95		16.8				7 1/2			
185	1855	Compd 784	96		54.5				7 1/2			
1855	186		97		20.1				6 1/2			
186	1865		98		65.6				7 1/2			
1865	187		99	31.2				2				
187	1875		119600	↓	26.2			4				
1875	188		119501	.5	32.9			2				
188	1885		02	110m	62.5			1				
1885	1895	" "	03	.5	64.2			1				
1895	190		04		64.2			1				
190	1905		05		64.9			1				
1905	191		06	↓	64.6			1				
			PROX	783	35.9	16.83	.35	46.92	1 1/2	.58		
			COMPO	784	33.2	19.75	.33	46.72	3 1/2	.48		

AREA:

Brownie

PAGE 5 OF 3

HOLE NO. RH #2463

HOLE NO.

RH # 2464

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
57.5	58		116126	0.5	82.8				0			
58	58.5		27	↓	53.7				1			
58.5	59		28		72.7				1			
59	59.5		29	↓	83.6				0			
61.3	62		116130	5	58.7				1			
62	62.5	prox	31	}	43.9				4 1/2			
62.5	63	785	32		49.7				3			
63	63.5		33		80.2				1/2			
63.5	64		34		61.2				1			
64	64.5		35		80.0				0			
64.5	65		36		13.7				2 1/2			
65	65.5		37		16.7				1 1/2			
65.5	66		38		11.4				2			
66	66.5	Compo	39		14.9				1			
66.5	67	786	40		12.2				3			
67	67.5		41		29.3				1			
67.5	68		42		8.0				3			
68	68.5		43		11.6				1 1/2			
68.5	69		44		70.0				1/2			
69	69.5		45		84.2				0			
69.5	70		46		78.5				0			
70	70.5		47		48.3				2			
70.5	71		48		80.7				1/2			
			PROX	785	44.2	16.82	.37	38.61	4 1/2	1.35		
			COMPO	786	14.9	20.21	.38	64.51	1 1/2	1.39		

REA:

Brownie

PAGE 1 OF 4

HOLE NO

RH 2464

HOLE NO.

RH # 2464

DIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	FB	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	FSI		CALORIFIC VALUE	REMARKS	
86	865	Comp 787	116149	0.5	50.5				1				
86.5	87		50		14.3				1				
87	875		121376		15.2				1				
87.5	88		77		14.7				3/2				
88	885		78		21.5				1/2				
88.5	89		79		9.5				1/2				
89	895		80		20.0				1/2				
89.5	90		81		19.4				1/2				
90	905		82		14.1				1				
90.5	91		83		12.3				2				
91	915		84		13.2				1/2				
91.5	92		85		69.3				1/2				
			COMPO	787		14.7	20.48	.32	64.50	1/2	.36		
			PROX	788		37.3	17.73	.36	44.61	1	.29		
95	95.5			121386	0.5	53.3				1			
95.5	96		87	0.5	78.4				0				
			PROX	789	35.2	18.51	.34	45.95	1/2	.31			
116	1165	phox 788	121380	0.5	36.5				1				
116.5	117		88		65.7				1/2				
117	1175		89		75.4				0				
117.5	118		90		34.8				1/2				
118	1185		91		46.4				1				
118.5	119		92		72.5				1/2				
119	1195		93		78.7				0				
119.5	120		94		74.7				0				
120	1205		95		51.1				1				
120.5	121		96		31.7				1				
121	1215		97		19.7				1/2				
121.5	122		98		15.9				3/2				
			790	99									
				100									

AREA:

Brownie

over

PAGE 2 OF 4

HOLE NO

RH 2464

HOLE NO.

RH #2464

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WBT	ASH	V.C.M.	I.M.	FC	ESL	S	CALORIFIC VALUE	REMARKS
122	1225	Compo 790	121400	}	20.1				4 1/2			
123	123		1		20.9				1			
123	1235		2		14.6				4			
1235	124		3		13.1				6 1/2			
124	1245		4		14.8				5			
1245	125		5		62.3				1			
125	1255	6	88.3	↓				0				
		Compo	790		19.2	20.56	.33	59.91	3 1/2	.37		
167	1675	Compo 791 Compo 792	121407	}	45.6				1 1/2			
1675	168		8		42.6				1			
168	1685		9		42.7				1 1/2			
1685	169		10		11.8				1 1/2			
169	1695		11		13.7				4			
1695	170		12		16.5				3 1/2			
170	1705		13		16.4				3			
1705	171		14		14.4				3 1/2			
171	1715		15		9.7				4			
1715	172		16		7.6				3			
172	1725		17		13.1				2 1/2			
1725	173		18		15.6				4			
173	1735	19	23.1				1 1/2					
1735	174	20	39.4				5					
174	1745	21	82.5				0					
1745	175	22	87.5	↓				0				
		Compo	791		21.3	20.18	.34	58.18	2 1/2	.34		
		Compo	792		17.3	21.17	.35	61.18	3	.35		

AREA:

Brownie

PAGE 3 OF 4

HOLE NO

RH 2464

HOLE NO.

RH #2464

NOTIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	FB	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	LM	FC	F.S.I.	CLORIFIC VALUE	REMARKS
190	190S	Camp 793	121423	.5	40.7				1		
190.5	191		24		48.1				1		
191	191.5		25		44.2				2		
191.5	192		26		55.3				1		
192	192.5		27		66.7				1		
192.5	193	Camp 794	28		41.7				1		
193	193.5		29		29.9				5		
193.5	194		30		22.2				4		
194	194.5		31		24.0				3 1/2		
194.5	195		32		17.0				1		
195	195.5		33		27.0				3 1/2		
195.5	196		34		68.9				1		
196	196.5		35		72.2				1		
			COMPO	793	44.5	16.98	.31	38.21	1	.47	
			COMPO	794	27.6	19.33	.44	52.63	3	.47	
204	204S		121436	.5	75.1				0		
204.5	205		37	.5	79.2				1/2		

AREA:

Brownie

PAGE 4 OF 4

HOLE NO

RH 2464

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

RH #2465

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
29.5	30	Compo 795	121201	.5	41.4				1			
30	30.5		2		25.3				4			
30.5	31		3		58.8				1			
31	31.5		4		73.9				1/2			
31.5	32		5		74.5				1/2			
			compo	795	33.2	19.02	.25	47.53	2	.39		
33.5	34	Compo 796	121206	.5	40.1				1/2			
34	34.5		7		9.2				7			
34.5	35		8		37.1				5 1/2			
35	35.5		9		77.5				1/2			
35.5	36		10		71.5				1			
			compo	796	29.2	19.89	.26	50.65	5 1/2	.41		
37	37.5	Compo 797	121211	.25	10.3				1 1/2			
37.5	38		12		15.1				1 1/2			
38	38.5		13		16.2				1 1/2			
38.5	39		14		16.7				1			
39	39.5		15		34.1				1			
39.5	40		16		32.0				1			
40	40.5		17		7.9				2 1/2			
40.5	41		18		7.8				1			
41	41.5		19		58.9				1			
41.5	42		20		81.4				1/2			
			compo	797	18.0	19.40	.31	62.29	1 1/2	.38		
43	43.5		121221	.5	58.0							

AREA:

Brownie

HOLE NO

RH #2465

HOLE NO.

RH #2465

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
58	58.5	Compo 798	121222	05	30.4				1			
58.5	59		23	20.6					1			
59	59.5		24	11.7					1			
59.5	60		25	23.2					1 1/2			
60	60.5		26	14.2					2			
60.5	61		27	22.6					2 1/2			
61	61.5		28	27.7					1 1/2			
61.5	62		29	11.2					1			
62	62.5		30	7.4					1			
62.5	63		31	17.0					1			
63	63.5		32	25.8					1			
63.5	64		33	9.0					1 1/2			
64	64.5		34	41.8					1			
64.5	65		35	73.7					1/2			
				Compo	798	20.6	18.95	.25	60.20	1 1/2	.35	
90	90.5	Compo 799	121236	05	36.1				2			} Ro mod PG-95-162
90.5	91		37	36.2					4			
91	91.5		38	24.1					6			
91.5	92		39	73.2					0			
92	92.5		40	78.0					0			
92.5	93	Compo 800	41		41.1				1			
93	93.5		42	51.7					1			
93.5	94		43	32.9					1			
94	94.5		44	50.1					1			
			Compo	799	32.3	18.42	.26	49.02	4	.41		
			Compo	800	42.0	15.53	.28	42.19	1	.26		

AREA:

Brownie

PAGE 2 OF 4

HOLE NO

RH #2465

HOLE NO.

RH #2465

HOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
135	1555	Comper 801	121245	65	27.6				2		} Rowc	PG-95-163
1355	156		46	17.4					2			
156	1565		47	32.4					1 1/2			
1565	157		48	29.8					1			
157	1575		49	23.7					2			
1575	158		50	20.2					4			
158	1585		119751	17.3					2 1/2			
1585	159		52	16.3					1 1/2			
159	1595		53	41.9					2			
1595	160		54	55.6					1			
160	1605		55	46.2					1 1/2			
1605	161		56	49.6					1			
		COMPO	801		25.2	19.61	.28	54.91	2	135		
173	1735	prox 802	119757	65	57.8				1/2			
1735	174		58	65.6					1/2			
174	1745		59	47.6					1			
1745	175		60	29.9					1			
		PROX	802		29.1	17.59	.33	52.98	2	.48		

INER:

Brownie

PAGE 3 OF 4

HOLE NO

RH #2465

HOLE NO.

RH # 2465

HOIARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.H.	FC	F.S.I.	S	CALORIFIC VALUE	REMARKS
1755	1760		19761	85	61.2				1			
176	1765		62		61.9				1			
1765	177		63		57.1				1			
177	1775		64		64.3				1			
1775	178		65		55.9				1			
178	1785		66		29.1				2			
1785	179	Compd	67		24.4				3 1/2			
179	1795		68		22.0				2			
1795	180	803	69		48.1				1			
180	1805		70		50.2				1			
1805	181		71		84.6				0			
181	1815		72		84.8				0			
			COMPO	803	25.7	18.05	.24	56.01	2 1/2	.51		

AREA:

Brown

PAGE 4 OF 4

HOLE NO

RH # 2465

HOLE NO.

RH # 2501

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
225	23		121901	25	45.6				1				
23	23.5		2	25	91.6				0				
44	44.5	Compo 830	121903	25	16.8				1 1/2				
44.5	45		4	20.0				4 1/2					
45	45.5		5	13.0				7					
45.5	46		6	15.4				5					
46	46.5		7	25.5				3 1/2					
46.5	47		8	42.5				3					
47	47.5		9	39.8				1 1/2					
47.5	48		10	77.5				1/2					
48	48.5		11	68.7				1					
48.5	49		12	32.1				4					
49	49.5		13	32.0				5					
49.5	50		14	36.4				4 1/2					
50	50.5		15	76.8				1/2					
50.5	51		16	70.7				1/2					
				COMPO	830	25.6	19.57	.35	54.48	4	.56		
				COMPO	831	33.7	19.26	.30	46.74	4	.51		
54.5	55	Compo 832	121917	25	32.8				1				
55	55.5		18	34.9				2					
55.5	56		19	31.6				4 1/2					
56	56.5		20	74.8				0					
			COMPO	832	34.1	18.16	.31	47.43	2 1/2	.64			

AREA:

Turnbull West

PAGE 1 OF 1

HOLE NO. RH # 2501

HOLE NO.

RH # 2502

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
31	31.5		117701	5	72.0				1			
31.5	32		2	↓	73.2				1/2			
32	32.5		3	↓	78.8				1/2			
32.5	33		4	↓	72.5				1/2			
33	33.5		5	↓	60.8				1/2			
36	36.5		117706	5	12.4				7 1/2			
36.5	37	Compo	7	↓	34.3				6 1/2			
37	37.5	833	8	↓	57.4				2 1/2			
37.5	38		9	↓	61.0				1 1/2			
38	38.5		10	↓	54.2				2 1/2			
38.5	39		11	↓	60.2				2 1/2			
39	39.5		12	↓	57.5				3 1/2			
39.5	40		13	↓	80.2				1/2			
			compo	833	23.6	23.01	.36	53.03	7	.37		

AREA:

West Turnbull

PAGE | OF 2

HOLE NO. RH # 2502

HOLE NO.

RH # 2502

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
42.5	43	Compo 834	117714	.5	19.6				7			
43	43.5		15		25.9				4 1/2			
43.5	44		16		70.2				1/2			
44	44.5		17		73.4				0			
44.5	45		18		78.3				1/2			
45	45.5		19		79.7				1/2			
45.5	46		20		76.2				1/2			
46	46.5		21		39.4				1			
46.5	47		22		31.0				2 1/2			
47	47.5		23		15.7				4 1/2			
47.5	48	Compo 835	24		53.2				2			
48	48.5		25		64.4				1			
48.5	49		26		72.6				1/2			
49	49.5		27		81.5				0			
			compo	834		23.8	21.43	.30	54.47	5 1/2	.39	
		compo	835		28.9	18.72	.37	52.01	3 1/2	.58		
52	52.5		117726	.5	66.6				1			
52.5	53		29		65.0				1			
53	53.5		30		52.6				1 1/2			
53.5	54		31		78.4				1/2			
54	54.5		32		79.5				1/2			

AREA:

W. Turnbull

PAGE 2 OF 2

HOLE NO. RH 2502

HOLE NO.

RH # 2503

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
38	385	Compa 836	123626	0.5	28.2				2 1/2			
385	39		27		31.8				2 1/2			
39	395		28		26.3				2			
395	40		29		55.2				3			
40	405		30		79.9				1/2			
405	41		31		79.4				1/2			
			COMPO	836	28.8	20.03	.35	50.82	2	.87		
			COMPO	837	37.6	16.68	.35	45.37	1 1/2	.38		
			COMPO	838	37.2	20.73	.26	41.81	2 1/2	.34		
62	625	Compa 837	123633	0.5	38.8				4			
625	63		34		34.0				4 1/2			
63	635		35		36.0				1			
635	64		36		43.6				1			
64	645		37		47.9				1 1/2			
645	65		38		67.1				1			
65	655		39		80.3				0			
655	66		40		61.7				1			
66	665		41		20.5				3			
665	67		42		42.7				6			
67	675		43		41.0				1			
675	68	Compa 838	44		33.9				3			
68	685		45		46.6				1			
685	69		46		33.0				3 1/2			
69	695		47		41.8				2 1/2			
695	70		48		46.6				2			
70	705		49		46.0				1			
705	71		50		65.8				1/2			
71	715		51		73.9				1/2			
715	72		52		48.5				1 1/2			
72	725		53		83.9				0			

AREA:

West. Turnbull

PAGE 1 OF 2

HOLE NO.

RH # 2503

HOLE NO.

RH # 2503

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
76	76.5		123634	RS	52.1				1			
76.5	77		55	↓	53.2				1			
77	77.5		56	↓	49.7				2 1/2			
77.5	78		57	↓	86.1				0			

AREA:

West Turnbull

PAGE 7 OF 7

HOLE NO.

RH # 2503

HOLE NO.

RH # 2504

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
32	32.5	Compo 839	123676	.5	43.5				2			
32.5	33		77		42.0				2½			
33	33.5		78		41.7				3			
33.5	34		79		88.5				0			
			Compo	839	42.7	16.61	.42	40.27	2½	.61		
			Compo	840	14.4	22.11	.37	63.12	5½	.34		
53	53.5	Compo 840	123680	.5	14.6				4½			
53.5	54		81		10.6				5½			
54	54.5		82		7.7				4½			
54.5	55		83		13.9				6½			
55	55.5		84		22.6				3			
55.5	56		85		12.5				1			
56	56.5		86		9.5				1½			
56.5	57		87		7.7				2			
57	57.5		88		10.7				2½			
57.5	58		89		8.1				2½			
58	58.5		90		8.6				5			
58.5	59		91		9.4				7			
59	59.5		92		22.2				2			
59.5	60		93		10.8				7½			
60	60.5		94		11.4				6			
60.5	61		95		8.5				5½			
61	61.5		96		16.8				7½			
61.5	62		97		10.2				7½			
62	62.5		98		21.5				7½			
62.5	63		99		13.4				7½			
63	63.5	123700		31.7				6½				
63.5	64	1		31.7				5½				
64	64.5	2		65.8				1				
64.5	65	3		62.0				1				
65	65.5	4		76.8				0				

AREA:

West Turnbull

PAGE 1 OF 2

HOLE NO.

2504

HOLE NO.

RH # 2504

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
73	73.5		123705	0.5	56.5				3			
73.5	74		6	}	57.3				2			
74	74.5	prox 841	7		43.7				3 1/2			
74.5	75		8		48.5				3 1/2			
75	75.5		9		77.1				0			
			PROX	841	44.1	18.32	.36	37.22	3 1/2	.26		

AREA:

Wood Turnbull

HOLE NO

2504

HOLE NO.

RH # 2505

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
12	12.5	Compo 842	122751	S	18.8				2			
12.5	13		52	↓	22.0				2			
13	13.5		53		28.5				3 1/2			
13.5	14		54		29.2				5			
14	14.5		55		68.0				1			
14.5	15		56	↓	79.2				0			
32.5	33	Compo 843	122757	S	17.1				4			
33	33.5		58	}	20.0				4			
33.5	34		59		30.0				4 1/2			
34	34.5		60		14.7				2			
34.5	35		61		10.3				2			
35	35.5		62		34.1				2 1/2			
35.5	36		63		14.4				6			
36	36.5		64		17.5				4 1/2			
36.5	37		65		15.2				4 1/2			
37	37.5		66		17.9				3 1/2			
37.5	38		67		12.5				6 1/2			
38	38.5		68		10.0				6			
38.5	39		69		20.5				7			
39	39.5		70		28.4				6 1/2			
39.5	40		71		52.6				4 1/2			
40	40.5		72		44.4				5			
40.5	41	73	59.1					2 1/2				
41	41.5	74	72.0	↓				0				
			COMPO	842	26.5	20.17	.38	52.95	3	1.74		
			COMPO	843	21.7	21.56	.31	56.43	5	1.34		

AREA:

West Turnbull

PAGE 1 OF 2

HOLE NO. RH #2505

HOLE NO.

RH # 2505

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
53.5	54		122775	.05	12.3				5 1/2			
54	54.5		76		10.8				1 1/2			
54.5	55		77		30.8				1/2			
55	55.5		78		7.7				5			
55.5	56		79		10.4				3 1/2			
56	56.5		80		7.4				3			
56.5	57		81		7.4				2			
57	57.5		82		11.8				4 1/2			
57.5	58		83		8.0				2			
58	58.5		84		24.2				1 1/2			
58.5	59		85		14.0				1			
59	59.5	Compo	86		8.3				3 1/2			
59.5	60	844	87		7.3				7			
60	60.5		88		9.5				3 1/2			
60.5	61		89		9.6				2 1/2			
61	61.5		90		13.3				3			
61.5	62		91		17.1				4			
62	62.5		92		33.7				1 1/2			
62.5	63		93		65.2				1			
63	63.5		94		69.5				1			
			compo	844	13.8	21.78	.38	64.04	3 1/2	.28		
68.5	69	prox	122795	.5	20.7				2 1/2			
69	69.5	845	96		63.4				1			
69.5	70		97		81.4				0			
			PROX	845	21.1	18.43	.32	60.15	2	.52		

AREA:

West Turnbull

PAGE 2 OF 2

HOLE NO. RH #2505

HOLE NO.

RH # 2506

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
535	54		117626	.5	60.6				1				
54	54.5	Compo 846	27	}	20.6				4				
54.5	55		28		35.9				1 1/2				
55	55.5		29		42.7				4				
55.5	56		30		70.0				1				
56	56.5		31		87.1				0				
			compo		846	33.4	17.90	.33	48.37	2 1/2	.55		
605	61		compo	847	27.0	20.49	.32	52.19	3	.27			
			117632	.5	71.3				1/2				
61	61.5	}	33	}	16.0				5 1/2				
61.5	62		34		19.7				4				
62	62.5		35		19.8				3 1/2				
62.5	63		36		24.3				2				
63	63.5		37		48.0				1				
63.5	64		38		30.3				3				
64	64.5		39		24.5				3 1/2				
64.5	65		compo		847	40	56.1				1		
65	65.5		41		44.1				1				
65.5	66		42		26.4				1 1/2				
66	66.5		43		32.3				2				
66.5	67		44		11.3				3 1/2				
67	67.5		45		17.2				4 1/2				
67.5	68		46		16.2				5 1/2				
68	68.5		47		19.7				7				
68.5	69	48	21.4				6 1/2						
69	69.5	49	53.2				3						
69.5	70	50	70.2				1						
70	70.5	51	64.3				1						
70.5	71	52	60.4				2 1/2						
71	71.5	53	78.6				1/2						
71.5	72	54	68.1				1						

REA:

West Turnbull

PAGE 1 OF

2

HOLE NO.

RH # 2506

HOLE NO.

RH # 2506

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
81	81.5		117655	5	75.8				1/2			
81.5	82		56	50	77.0				1/2			
82	82.5		57	50	85.2				0			
89.5	90		117658	5	35.3				2			
90	90.5		59		37.7				2			
90.5	91		60		13.3				4			
91	91.5		61		17.3				5 1/2			
91.5	92	Compo 848	62		8.2				3 1/2			
92	92.5		63		17.1				5 1/2			
92.5	93		64		34.5				1			
93	93.5		65		33.3				1			
93.5	94		66		14.2				4 1/2			
94	94.5		67		15.7				2			
94.5	95		68		15.9				1 1/2			
95	95.5		69		10.4				2 1/2			
95.5	96		70		27.8				1 1/2			
96	96.5		71		17.2				2			
96.5	97		72		24.5				1			
97	97.5		73		13.3				1 1/2			
97.5	98		74		18.9				1 1/2			
98	98.5		75		20.5				1 1/2			
98.5	99		76		23.6				2			
99	99.5		77		77.2				1/2			
99.5	100		78		90.4				0			
				COMPO	848	21.4	19.02	.42	59.16	2	.29	

AREA:

West Turnbull

PAGE 2 OF 2

HOLE NO. RH # 2506

HOLE NO.

RH # 2507

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
62	62.5		124926	.5	73.0				1/2			
62.5	63		27	}	72.7				1			
63	63.5		28		82.6				0			
63.5	64	prox	29		27.2				3			
64	64.5	849	30		60.1				1 1/2			
64.5	65		31		76.1				0			
			PROX	849	28.7	21.38	.30	49.62	4	.45		
65	67		124932	.5	21.2				1 1/2			
67	67.5		33	}	14.2				2 1/2			
67.5	68		34		11.5				1			
68	68.5		35		9.0				7			
68.5	69		36		8.6				7 1/2			
69	69.5		37		11.8				2 1/2			
69.5	70	Compo	38		24.1				2 1/2			
70	70.5	850	39		10.7				4 1/2			
70.5	71		40		10.6				4 1/2			
71	71.5		41		22.9				*	7	Correction	
71.5	72		42		12.7				7 1/2			
72	72.5		43		32.2				6 1/2			
72.5	73		44		59.5				1			
73	73.5		45		59.1				1 1/2			
73.5	74		46		74.1				1			
74	74.5		47		52.1				2			
74.5	75		48	88.0				0				
			COMPO	850	17.5	19.65	.35	62.50	5 1/2	.3		

AREA:

West Turnhill

PAGE 1 OF 3

HOLE NO. RH # 2507

HOLE NO:

RH # 2507

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
85	85.5	Compo 851	124949	S	27.6				1			
85.5	86		50		34.0				1			
86	86.5		51		17.1				4			
86.5	87		52		11.9				4			
87	87.5		53		14.4				1 1/2			
87.5	88		54		14.6				1			
88	88.5		55		11.5				3 1/2			
88.5	89		56		10.4				2			
89	89.5		57		11.5				2 1/2			
89.5	90		58		11.6				1 1/2			
90	90.5		59		9.8				1 1/2			
90.5	91		60		8.6				4 1/2			
91	91.5		61		14.5				2 1/2			
91.5	92		62		12.8				1			
92	92.5	63		13.6				3				
92.5	93	64		13.4				3 1/2				
93	93.5	65		42.9				1				
93.5	94	66		61.8				1				
94	94.5	67		77.2				0				
		compo	851		17.1	18.52	.39	63.99	2	.26		
95.5	96	prox 852	124968	S	13.1				1 1/2			
96	96.5		69		57.7				1			
96.5	97		70		83.9				0			
		PROX	852		13.6	19.56	.29	66.55	1 1/2	.52		

TEA:

W. J. T. 11

HOLE NO:

RH # 2507

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
99	99.5	Compo 853	124971	.5	16.5				1			
99.5	100		72		15.0				1			
100	100.5		73		15.0				2			
100.5	101		74		37.5				1			
101	101.5		75		24.5				1			
101.5	102		76		15.8				1			
102	102.5		77		28.2				1			
102.5	103		78		53.0				1			
103	103.5		79		84.4				0			
			Compo	853	23.4	18.54	.30	57.76	1	.25		

IEA:

Went J. h 11

PAGE 3 OF 3

HOLE NO. RH # 2507

RH # 2508

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	TO	DESCRIPTION	SAMPLE NUMBER	WGT	ASH	V.C.M.	I.M.	F.C.	F.G.	S	CALORIFIC VALUE	REMARKS
23	235	854 Compo	121851	.5	18.5				5			
235	24		52	34.8				5				
24	245		53	55.5				1 1/2				
245	25		54	83.2				1/2				
25	255		55	23.0				6 1/2				
255	26	855 Compo	56	33.5				5 1/2				
26	265		57	78.2				1				
265	27		58	63.3				1				
27	275		59	67.4				1				
275	28		60	30.9				1				
28	285	Comp 856	61	19.4				5				
285	29		62	17.9				7 1/2				
29	295		63	20.6				5				
295	30		64	10.5				6 1/2				
30	305		65	12.3				6 1/2				
305	31		66	32.3				2				
31	315		67	20.6				1 1/2				
315	32		68	14.6				3				
32	325		69	15.2				6 1/2				
325	33		70	6.8				6 1/2				
33	335	71	15.9				7					
335	34	72	35.4				6 1/2					
34	345	73	59.0				1					
345	35	74	58.7				1 1/2					
35	355	75	88.4				0					
		compo	854	25.4	20.32	.37	53.91	5	1.58			
		compo	855	29.3	20.67	.32	49.41	6 1/2	1.57			
		compo	856	20.1	21.29	.26	58.35	4 1/2	1.35			

IER:

Turnbull West

RH #2508

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

HOLE NO.

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
42	42.5	Comp 857	121876	.5	25.6				1			
42.5	43		77		17.1				3 1/2			
43	43.5		78		19.8				1			
43.5	44		79		20.1				1			
44	44.5		80		16.6				3			
44.5	45		81		12.4				3			
45	45.5		82		20.5				1 1/2			
45.5	46		83		62.6				1			
46	46.5		84		60.4				1			
46.5	47		85		57.5				1			
47	47.5	86		78.4				0				
			COMPO	857	18.7	19.10	.26	61.94	2	.31		
71	71.5	Comp 858	121881	.5	18.2				3			
71.5	72		88		8.9				6 1/2			
72	72.5		89		32.3				1			
72.5	73		90		29.7				1			
73	73.5		91		21.4				1 1/2			
73.5	74		92		9.7				4			
74	74.5		93		12.5				4 1/2			
74.5	75		94		18.3				4 1/2			
75	75.5		95		26.5				3 1/2			
75.5	76		96		72.2				1/2			
76	76.5	97		74.9				0				
			COMPO	858	20.2	19.39	.35	60.06	3	.44		

EA:

Turnbull West

PAGE 2 OF 2

HOLE NO

RH #2508

WELL NO. KH # 2507

NOTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WATER	ASH	V.C.M.	LM	FC	F.S.	CL	PL	CHLORINE VALUE	REMARKS
32	325	859 Compo	121801	.5	22.8					4 1/2			
32.5	33		2		40.1					4			
33	33.5	Compo 860	3		65.1					1			
33.5	34		4		16.5					6 1/2			
34	34.5		5		73.4					1			
34.5	35		6		87.7					0			
35	35.5		7		20.7					1			
35.5	36		8		24.8					4			
36	36.5		9		22.4					4			
36.5	37		10		16.4					6			
37	37.5		11		20.5					2			
37.5	38		12		13.2					1			
38	38.5		13		8.0					7			
38.5	39	Compo 861	14		12.7					6			
39	39.5		15		36.5					1			
39.5	40		16		18.2					2 1/2			
40	40.5		17		11.8					6 1/2			
40.5	41		18		19.6					6 1/2			
41	41.5		19		9.4					7 1/2			
41.5	42		20		43.3					5			
42	42.5		21		71.1					1			
42.5	43		22		87.5					0			
			compo	859	31.2	19.47	.36	48.97	4 1/2	.55			
			compo	860	37.3	17.94	.41	54.35	4	.50			
			compo	861	20.1	21.35	.33	58.22	4 1/2	.33			

AREA: Turnbull West

WELL NO.

RH # 2509

NOIANY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

DEPTH	LOG	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.P.	F.S.I.	W	CALORIFIC VALUE	REMARKS	
401	49.5	Compo 862	121823	0.5	32.6				1				
405	50		24	15.0					3 1/2				
50	50.5		25	16.3					1				
50.5	51		26	32.9					1				
51	51.5		27	10.8					4 1/2				
51.5	52		28	8.4					1 1/2				
52	52.5		29	11.4					2 1/2				
52.5	53		30	9.9					3 1/2				
53	53.5		31	20.8					1				
53.5	54		32	20.6					1 1/2				
54	54.5		33	6.3					4				
54.5	55		34	13.5					3 1/2				
55	55.5		35	22.8					1				
55.5	56		36	23.5					1				
56	56.5		37	12.7					1				
56.5	57		38	69.2					1/2				
			Compo 862		862	17.8	20.20	.30	61.70	2	129		

HOLE NO. RH2510

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATION

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
65	65.3	Compo 863	124151	0.5	10.0				7			
65.3	66		52		9.6				6 1/2			
66	66.5	Compo 864	53		54.3				1			
66.5	67		54	38.2				5				
67	67.5	Compo 865	55		74.2				1			
67.5	68		56	65.7				1				
68	68.5	Compo 865	57		73.2				1			
68.5	69		58	18.0				1 1/2				
69	69.5	Compo 865	59		9.8				5			
69.5	70		60	12.9				3				
70	70.5	Compo 865	61		14.2				1 1/2			
70.5	71		62	12.8				4				
71	71.5	Compo 865	63		12.8				5			
71.5	72		64	18.7				2 1/2				
72	72.5	Compo 865	65		missing							
72.5	73		66	15.5				4				
73	73.5	Compo 865	67		9.9				6			
73.5	74		68	16.0				6 1/2				
74	74.5	Compo 865	69		21.0				7			
74.5	75		70	52.8				2 1/2				
75	75.5	Compo 865	71		56.8				1			
			COMPO 863		10.6	23.34	.37	65.69	7	16.8		
			COMPO 864		28.7	19.67	.33	51.80	5	15.1		
			COMPO 865		15.2	21.86	.33	62.61	4 1/2	13.3		

AREA:

West Turnbull

PAGE 1 OF 2

HOLE NO.

2510

HOLE NO.

RH2510

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
865	87		12472	.5	56.8				1 1/2			
87	875		73		33.2				1			
875	88		74		12.9				3			
88	885		75		10.3				4 1/2			
885	89		76		19.5				4			
89	895		77		9.3				1			
895	90		78		15.7				2 1/2			
90	905	Compo 866	79		9.5				2 1/2			
905	91		80		26.4				1			
91	915		81		19.4				1			
915	92		82		25.1				1			
92	925		83		16.4				3 1/2			
925	93		84		13.6				2 1/2			
93	935		85		27.8				1			
935	94		86		75.1				1/2			
94	945		87		75.4				1			
				Compo 866	866	18.6	20.67	.31	60.42	2	.30	

AREA:

West Turn bull

HOLE NO.

2510

HOLE NO.

RH # 2511

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS	
36	36.5	867 Compo	117551	.5	40.9				2				
36.5	37		52	↓	28.2				6½				
37	37.5		53	↓	15.1				4½				
			Compo	867	27.6	19.18	.32	52.90	5	.47			
39	39.5	868 Compo	117554	.5	74.4				1				
39.5	40		55	↓	7.3				6½				
40	40.5		56		12.4				2				
40.5	41		57		10.2				2				
41	41.5		58		7.5				5				
41.5	42		59		6.9				7½				
42	42.5		60		32.8				2				
42.5	43		61		11.5				3½				
43	43.5		62		11.6				4½				
43.5	44		63		13.7				6½				
44	44.5		64		8.1				6½				
44.5	45		65		8.8				7				
45	45.5		66		19.3				7				
45.5	46		67		48.0				3½				
46	46.5	68	56.0					1½					
46.5	47	69	62.7				1						
		Compo	868	12.7	22.29	.32	64.69	5½	.34				
		Compo	869	16.2	19.77	.32	63.71	2½	.39				
56.5	57	869 Compo	117570	.5	26.1				2				
57	57.5		71	↓	19.2				3				
57.5	58		72		15.1				5				
58	58.5		73		8.8				4				
58.5	59		74		14.1				3½				
59	59.5		75		10.9				1½				
59.5	60		76		11.3				1½				

IEA:

West Turn bull

PAGE 1 OF 2

HOLE NO. RH # 2511

HOLE NO.

RH # 2511

ROTARY DRILL HOLE SAMPLING RECORD

FORDING RIVER OPERATIONS

FROM	TO	DESCRIPTION	SAMPLE NUMBER	WIDTH	ASH	V.C.M.	I.M.	F.C.	F.S.I.	S	CALORIFIC VALUE	REMARKS
60	60S		117577		13.5				1			
60S	61		78		10.7				1 1/2			
61	61S		79		6.3				2 1/2			
61S	62		80		7.2				2 1/2			
62	62S		81		8.2				1 1/2			
62S	63		82		13.0				4 1/2			
63	63S		83		13.3				2			
63S	64		84		8.8				4			
64	64S		85		12.4				2 1/2			
64S	65		86		9.6				2			
65	65S		87		15.9				3			
65S	66		88		12.0				1			
66	66S		89		8.9				1			
66S	67		90		9.9				3			
67	67S	(comp 869)	91		10.6				2			
67S	68		92		27.6				1 1/2			
68	68S		93		20.5				2			
68S	69		94		10.5				5			
69	69S		95		22.5				2			
69S	70		96		14.7				5 1/2			
70	70S		97		36.6				1			
70S	71		98		17.4				4 1/2			
71	71S		99		13.0				6			
71S	72		117600		10.9				7 1/2			
72	72S		1		74.4				1			
72S	73		2		13.5				5			
73	73S		3		60.3				1			
73S	74		4		64.6				1			
74	74S		5		73.1				1			
74S	75	870 prox	6		28.0				4 1/2			
75	75S		7		70.7				1			
			PROX	870	26.0	19.48	1.28	54.24	472	.69		

AREA:

West Turn bull

PAGE 2 OF 2

HOLE NO. RH # 2511