




Borehole S001



140



170




PLAN VIEW COMPU-LOG DEVIATION

CLIENT: ANGLO COAL
LOCATION: SOUTH RIDGE
HOLE ID: S001
DATE OF LOG: 07/20/06
PROBE: 9056A 33


MAG DECL: 21.0

SCALE: 2 M/CM
TRUE DEPTH: 180.17 M
AZIMUTH: 253.1
DISTANCE: 9.7 M
+ = 20 M INCR
○ = BOTTOM OF HOLE




PLAN VIEW COMPU-LOG DEVIATION

CLIENT: ANGLO COAL
LOCATION: SOUTH RIDGE
HOLE ID: S001
DATE OF LOG: 07/20/06
PROBE: 9411A 390




SCALE: 2 M/CM
TRUE DEPTH: 180.24 M
AZIMUTH: 249.6
DISTANCE: 10.0 M
+ = 20 M INCR
○ = BOTTOM OF HOLE



198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43



198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43

TOOL CALIBRATION SO01 07/20/06 16:02
TOOL 9239C1
SERIAL NUMBER 1268

DATE	TIME	SENSOR	STANDARD	RESPONSE
Jun09.06	15:51:10	GAMMA	0.000 [API-GR]	2.00 [CPS]
Jun09.06	15:51:10	GAMMA	283.000 [API-GR]	320.00 [CPS]
Jun09.06	15:52:19	VOLTAGE	0.800 [MV]	4510.00 [CPS]
Jun09.06	15:52:19	VOLTAGE	2014.000 [MV]	272851.00 [CPS]
Jun09.06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jun09.06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jul15.06	22:07:47	DEN(LS)	2.400 [G/CC]	8013.00 [CPS]
Jul15.06	22:07:47	DEN(LS)	2.400 [G/CC]	803.33 [CPS]
Jul15.06	22:08:07	DEN(SS)	1.106 [G/CC]	15023.00 [CPS]
Jul15.06	22:08:07	DEN(SS)	2.400 [G/CC]	5513.00 [CPS]
Jun29.06	21:02:16	CALIPERL	13.120 [INCH]	122808.00 [CPS]
Jun29.06	21:02:16	CALIPERL	26.240 [INCH]	232352.00 [CPS]
Jun09.06	15:52:39	CURRENT	0.000 [UA]	6452.00 [CPS]
Jun09.06	15:52:39	CURRENT	288.500 [UA]	28645.00 [CPS]
Jun09.06	15:46:25	F	Default [CPS]	

COMPANY	ANGLO COAL	OTHER SERVICES:	
WELL	SO01	FIELD	9056
COUNTY	SOUTH RIDGE		8239
	TUMBLER RIDGE		9411
STATE	BRITISH COLUMBIA		

LOCATION		ELEVATION NS :	
SECTION		ELEVATION DF :	
TOWNSHIP		DRL MEASURED FROM GL :	
RANGE		ELEVATION GL :	
UNIQUE WELL ID :			
API NO.			

PERMANENT DATUM :	GL
LOG MEASURED FROM :	GL
DRL MEASURED FROM :	GL
DATE	07/20/06
DEPTH DRILLER	180
BIT SIZE	11.43
LOG TOP	58.00
LOG BOTTOM	180.00
CASING OD	15.24
CASING BOTTOM	5.09
CASING TYPE	STEEL


BOREHOLE FLUID	
RM TEMPERATURE	
MUD RES	
MUD WEIGHT	
RECORDED BY	T BOOS
REMARKS 1	
REMARKS 2	

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

99 CM LOG, GAMMA-CURRENT-DIP SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 140
MAGNETIC DECL : 21	ELECT. CUTOFF : 99999	BIT SIZE : 11.43



99 CM LOG, GAMMA-CURRENT-DIP SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 140
MAGNETIC DECL : 21	ELECT. CUTOFF : 99999	BIT SIZE : 11.43

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Jul27,05 16:45:12	GAMMA	Default [CPS]	Default [CPS]
2	Aug02,05 15:21:29	VOLTAG	104.800 [MV]	720.00 [CPS]
3	Aug02,05 15:21:29	VOLTAG	350.700 [MV]	2360.00 [CPS]
4	Aug02,05 16:37:25	CUR1	4.213 [UA]	7855.00 [CPS]
5	Aug02,05 15:27:32	CUR2	0.000 [UA]	80.00 [CPS]
6	Aug02,05 15:27:32	CUR3	4.177 [UA]	7910.00 [CPS]
7	Aug02,05 15:24:02	CUR4	0.000 [UA]	105.00 [CPS]
8	Aug02,05 15:24:02	CUR1	4.250 [UA]	7900.00 [CPS]
9	Aug02,05 15:24:02	CUR3	0.000 [UA]	140.00 [CPS]
10	Aug02,05 15:26:09	CUR4	4.270 [UA]	7860.00 [CPS]
11	Aug02,05 15:26:09	CUR1	0.000 [UA]	180.00 [CPS]
12	Feb18,06 17:59:53	CALIPER	15.240 [INCH]	9145.00 [CPS]
13	Feb18,06 17:59:53	CALIPER	30.480 [INCH]	2208.00 [CPS]

Century
GEOPHYSICAL CORP.

GAMMA - CALIPER - RESISTIVITY
DENSITY - LONG SPACE
SO01

Century-geo.com

COMPANY: ANGLO COAL
WELL: SO01
FIELD: SOUTH RIDGE
COUNTY: TUMBLER RIDGE
STATE: BRITISH COLUMBIA

OTHER SERVICES:
8696
8239
8411

LOCATION: SECTION: RANGE: TOWNSHIP: APN NO.:
UNIQUE WELL ID:
PERMANENT DTM: 31
LOG MEASURED FROM: SL
DEL. MEASURED FROM: SL
ELEVATION: 81
ELEVATION D.F.:
ELEVATION G.L.:

DATE: 07/20/06
DEPTH DRIILLER: 180
BIT SIZE: 11.43
LOG TOP: 0.76
LOG BOTTOM: 180.93
CASING OD: 15.24
CASING BOTTOM: 6.99
CASING TYPE: STEEL
ROSBORO FLUID:
ROD TEMPERATURE:
MUD RES:
MUD WEIGHT:


RECORDED BY: J. BOOS
REMARKS 1:
REMARKS 2:

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS.

198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43



198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43

TOOL CALIBRATION SO01 07/20/06 16:02
TOOL 9239C1
SERIAL NUMBER 1268

DATE	TIME	SENSOR	STANDARD	RESPONSE
Jun09 06	15:51:10	GAMMA	0.000 [API-GR]	2.00 [CPS]
Jun09 06	15:51:10	GAMMA	283.000 [API-GR]	320.00 [CPS]
Jun09 06	15:52:19	VOLTAGE	0.800 [MV]	4510.00 [CPS]
Jun09 06	15:52:19	VOLTAGE	2014.000 [MV]	272651.00 [CPS]
Jun09 06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jun09 06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jul15 06	22:07:47	DEN(LS)	1.106 [G/CC]	8013.00 [CPS]
Jul15 06	22:07:47	DEN(LS)	2.400 [G/CC]	603.33 [CPS]
Jul15 06	22:08:07	DEN(SS)	1.106 [G/CC]	15023.00 [CPS]
Jul15 06	22:08:07	DEN(SS)	2.400 [G/CC]	5513.00 [CPS]
Jun29 06	21:02:16	CALIPERL	13.120 [INCH]	122808.00 [CPS]
Jun29 06	21:02:16	CALIPERL	28.240 [INCH]	232352.00 [CPS]
Jun09 06	15:52:39	CURRENT	0.000 [UA]	5452.00 [CPS]
Jun09 06	15:52:39	CURRENT	288.500 [UA]	29645.00 [CPS]
Jun09 06	15:46:25	F	Default [CPS]	

Century
GEOPHYSICAL CORP.

Century-geo.com

GAMMA - CALIPER - RESISTIVITY
DENSITY - SHORT SPACE
SO01

COMPANY: ANGLO COAL
WELL: SO01
FIELD: SOUTH RIDGE
COUNTY: TUMBLER RIDGE
STATE: BRITISH COLUMBIA

OTHER SERVICES:
8696
8239
8411

LOCATION: LOCATION
SECTION: SECTION
TOWNSHIP: TOWNSHIP
RANGE: RANGE
API NO.: API NO.
UNIQUE WELL ID: UNIQUE WELL ID

PERMANENT DATUM: 31
LOG MEASURED FROM: SL
DEL. MEASURED FROM: SL
ELEVATION NB: ELEVATION NB
ELEVATION DF: ELEVATION DF
ELEVATION GL: ELEVATION GL

DATE: 07/20/06
DEPTH DRIILLER: 180
BIT SIZE: 11.43
LOG TOP: 0.76
LOG BOTTOM: 180.93
CASING OD: 15.24
CASING BOTTOM: 6.99


CASING TYPE: STEEL
ROSBORO FLUID
ROD TEMPERATURE
MUD RES
MUD WEIGHT
RECORDED BY: J. BOOS
REMARKS 1
REMARKS 2

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43



198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43

TOOL CALIBRATION SO01 07/20/06 16:02
TOOL 9239C1
SERIAL NUMBER 1268

DATE	TIME	SENSOR	STANDARD	RESPONSE
Jun09 06	15:51:10	GAMMA	0.000 [API-GR]	2.00 [CPS]
Jun09 06	15:51:10	GAMMA	283.000 [API-GR]	320.00 [CPS]
Jun09 06	15:52:19	VOLTAGE	0.800 [MV]	4510.00 [CPS]
Jun09 06	15:52:19	VOLTAGE	2014.000 [MV]	272651.00 [CPS]
Jun09 06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jun09 06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jul15 06	22:07:47	DEN(LS)	1.106 [G/CC]	8013.00 [CPS]
Jul15 06	22:07:47	DEN(LS)	2.400 [G/CC]	603.33 [CPS]
Jul15 06	22:08:07	DEN(SS)	1.106 [G/CC]	15023.00 [CPS]
Jul15 06	22:08:07	DEN(SS)	2.400 [G/CC]	5513.00 [CPS]
Jun29 06	21:02:16	CALIPERL	13.120 [INCH]	122808.00 [CPS]
Jun29 06	21:02:16	CALIPERL	28.240 [INCH]	232352.00 [CPS]
Jun09 06	15:52:39	CURRENT	0.000 [UA]	5452.00 [CPS]
Jun09 06	15:52:39	CURRENT	288.500 [UA]	29645.00 [CPS]
Jun09 06	15:46:25	F	Default [CPS]	

COMPANY: ANGLCO COAL
WELL: SO01
FIELD: SOUTH RIDGE
COUNTY: TUMBLER RIDGE
STATE: BRITISH COLUMBIA

OTHER SERVICES:
9966
9289
9411

LOCATION:
SECTION:
TOWNSHIP:
RANGE:
APRNO.:

PERMANENT DATUM: SL
LOG MEASURED FROM: GL
DRI. MEASURED FROM: GL

DATE: 07/20/06
DEPTH DILLER: 180
BIT SIZE: 11.43

LOG TOP: 0.78
LOG BOTTOM: 180.53
CASING OD: 15.24
CASING BOTTOM: 6.99

ROSBOROUGH FLUID: STEEL
ROD TEMPERATURE:
MUD RES:
MUD WEIGHT:


RECORDED BY: T. BOOS
REMARKS 1:
REMARKS 2:

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43



198 CM LOG, GAMMA-DENSITY-RES SO01 07/20/06

LOG PARAMETERS

MATRIX DENSITY : 2.71 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 140
MAGNETIC DECL : 21 ELECT. CUTOFF : 99999 BIT SIZE : 11.43

TOOL CALIBRATION	SO01	07/20/06	16:02
TOOL	9239C1		
SERIAL NUMBER	1268		


DATE	TIME	SENSOR	STANDARD	RESPONSE
Jun09.06	15:51:10	GAMMA	0.000 [API-GR]	2.00 [CPS]
Jun09.06	15:51:10	GAMMA	283.000 [API-GR]	320.00 [CPS]
Jun09.06	15:52:19	VOLTAGE	0.800 [MV]	4510.00 [CPS]
Jun09.06	15:52:19	VOLTAGE	2014.000 [MV]	272851.00 [CPS]
Jun09.06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jun09.06	15:46:25	CALIPER	Default [CPS]	Default [CPS]
Jul15.06	22:07:47	DEN(LS)	2.400 [G/CC]	8013.00 [CPS]
Jul15.06	22:07:47	DEN(LS)	2.400 [G/CC]	803.33 [CPS]
Jul15.06	22:08:07	DEN(SS)	1.106 [G/CC]	15023.00 [CPS]
Jul15.06	22:08:07	DEN(SS)	2.400 [G/CC]	5513.00 [CPS]
Jun29.06	21:02:16	CALIPERL	13.120 [INCH]	122808.00 [CPS]
Jun29.06	21:02:16	CALIPERL	26.240 [INCH]	232352.00 [CPS]
Jun09.06	15:52:39	CURRENT	0.000 [UA]	6452.00 [CPS]
Jun09.06	15:52:39	CURRENT	288.500 [UA]	28645.00 [CPS]
Jun09.06	15:46:25	F	Default [CPS]	

COMPANY	ANGLO COAL	OTHER SERVICES	
WELL	S001	ELEVIE	NA
COUNTY	SOUTH RIDGE	ELVIE	NA
STATE	BRITISH COLUMBIA		
LOCATION	NA		
SECTION	NA		
TOWNSHIP	NA		
RANGE	NA		
API NO.	NA		
UNIQUE WELL ID.	NA		
PERMANENT DATUM	GL	ELEVATION AB NA	
LOG MEASURED FROM	GL	ELEVATION DF NA	
DRL MEASURED FROM	GL	ELEVATION GL NA	
DATE	09/08/06		
DEPTH DRILLER	180		
BIT SIZE	11.43		
LOG TOP	55.00		
LOG BOTTOM	179.70		
CASING OD	16.51		
CASING BOTTOM	3.05		
CASING TYPE	SURFACE		
BORHOLE FLUID	WATER		
RM TEMPERATURE	NA		
MUD RES	NA		
MUD WEIGHT	NA		
WITNESSED BY	NA		
RECORDED BY	J. SINKWICH		
REMARKS 1	.		
REMARKS 2	.		

100CM LOG, SONIC POROSITY S001 09/08/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
 MAGNETIC DECL : 21 ELECT. CUTOFF : 50000 BIT SIZE : 11.43
 PRESENTATION NAME/DATE = 9300A.0 09/08/2006



100CM LOG, SONIC POROSITY S001 09/08/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
 MAGNETIC DECL : 21 ELECT. CUTOFF : 50000 BIT SIZE : 11.43
 PRESENTATION NAME/DATE = 9300A.0 09/08/2006


TOOL CALIBRATION	S001 09/08/06 10:31			
TOOL	9300A	TM VERSION	5500	
SERIAL NUMBER	703			
DATE	Jun29,09	TIME	06:41:46	
SENSOR	Default	STANDARD	[GPS]	RESPONSE

PLAN VIEW COMPU-LOG DEVIATION

CLIENT: ANGLO COAL
LOCATION: SOUTH RIDGE
HOLE ID: S013
DATE OF LOG: 08/21/06
PROBE: 9411A 390

MAG DECL: 21.0

SCALE: 10 M/CM
TRUE DEPTH: 197.17 M
AZIMUTH: 54.3
DISTANCE: 51.9 M
+ = 20 M INCR
○ = BOTTOM OF HOLE




Century GEOPHYSICAL CORP.		DIPMETER	
Century-geo.com		S013	
COMPANY	ANGLO COAL	WELL	S013
FIELD	SOUTH RIDGE	OTHER SERVICES:	9239
COUNTY	TUMBLER RIDGE	STATE	NA
LOCATION	BRITISH COLUMBIA	SECTION	NA
TOWNSHIP	NA	RANGE	NA
APRNO.	NA	UNIQUE WELL ID.	NA
PERMANENT DATUM	GL	ELEVATION NS	NA
LOG MEASURED FROM	GL	ELEVATION DN	NA
DATE	08/21/06	DEPT. DRILLER	95.0092
LOG MEASURED FROM	GL	ELEVATION GI	NA
BIT SIZE	11.43	LOG TOP	0.57
LOG BOTTOM	15.55	CASING OD	205.50
CASING BOTTOM	3.05	CASING TYPE	WATER
BOREHOLE FLUID	WATER	RM TEMPERATURE	NA
MUD RES	NA	MUD WEIGHT	NA
RECORDED BY	J. SIKKIMICH	WITNESSED BY	NA
REMARKS 1		REMARKS 2	

100CM LOG, DIPMETER S013 08/21/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL : 21 ELECT_CUTOFF : 50000 BIT SIZE : 11.43
PRESENTATION NAME/DATE = dipmcurrent-390.0 03/27/2006



100CM LOG, DIPMETER S013 08/21/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL : 21 ELECT_CUTOFF : 50000 BIT SIZE : 11.43
PRESENTATION NAME/DATE = dipmcurrent-390.0 03/27/2006

TOOL CALIBRATION S013 08/21/06 14:00
TOOL 9411A TM VERSION 9200
SERIAL NUMBER 390

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Jul27,05 10:45:12	GAMMA	Default	Default [CPS]
2	Jul27,05 10:45:12	VOLTAG	104.800	720.00 [CPS]
3	Aug02,05 09:21:29	VOLTAG	350.700	2360.00 [CPS]
3	Aug02,05 10:37:25	CUR1	4.213	7855.00 [CPS]
4	Aug02,05 09:27:32	CUR1	0.000	80.00 [CPS]
4	Aug02,05 09:27:32	CUR2	4.177	7910.00 [CPS]
5	Aug02,05 09:24:02	CUR2	0.000	105.00 [CPS]
5	Aug02,05 09:24:02	CUR3	4.250	7900.00 [CPS]
6	Aug02,05 09:26:09	CUR3	0.000	140.00 [CPS]
6	Aug02,05 09:26:09	CUR4	4.270	7860.00 [CPS]
7	Feb18,06 10:59:53	CALIPER	15.240	180.00 [CPS]
		CALIPER	30.480	9145.00 [CPS]
				2208.00 [CPS]

Century GEOPHYSICAL CORP. **GAMMA - CALIPER - RESISTIVITY COMPENSATED DENSITY S013**

century-geo.com


COMPANY	ANGLO COAL	OTHER SERVICES	
WELL	S013		
FIELD	SOUTH RIDGE		
COUNTY	TUMBLER RIDGE		
STATE	BRITISH COLUMBIA		
LOCATION	NA		
SECTION	NA		
TOWNSHIP	NA		
RANGE	NA		
API NO.	NA		
UNIQUE WELL ID	NA		
PERMANENT DATUM	SEL	ELEVATION KB NA	
LOG MEASURED FROM	SEL	ELEVATION GM NA	
DRI MEASURED FROM	SEL	ELEVATION GI NA	
DATE	08/21/06		
DEPTH DRILLER	11.43		
BIT SIZE	0.25		
LOG TOP	298.10		
LOG BOTTOM	175.95		
CASING O.D.	10.888		
CASING TYPE	WATER		
BOREHOLE FLUID	NA		
RM TEMPERATURE	NA		
MUD RES	NA		
MUD WEIGHT	NA		
WITNESSED BY	JJ SWINCH		
RECORDED BY	REMARKS 1		
REMARKS 2	REMARKS 2		

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS.

100CM LOG, GAMMA-RES-DENSITY S013 08/21/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
 MAGNETIC DECL : 21 ELECT. CUTOFF : 50000 BIT SIZE : 11.43
 PRESENTATION NAME/DATE = 9239C1.0 08/18/2006



100CM LOG, GAMMA-RES-DENSITY S013 08/21/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
 MAGNETIC DECL : 21 ELECT. CUTOFF : 50000 BIT SIZE : 11.43
 PRESENTATION NAME/DATE = 9239C1.0 08/18/2006

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Aug07,06 13:17:25	GAMMA	0.000 [API-GR]	2.00 [CPS]
2	Aug07,06 13:17:25	GAMMA	283.000 [API-GR]	271.00 [CPS]
3	Aug07,06 13:17:52	VOLTAGE	0.000 [MV]	4574.00 [CPS]
4	Aug07,06 13:17:52	VOLTAGE	2064.000 [MV]	277805.00 [CPS]
5	Aug21,06 15:20:58	CALIPER	Default [CPS]	Default [CPS]
6	Aug07,06 13:17:56	CALIPER	Default [CPS]	Default [CPS]
7	Aug21,06 15:20:43	DEN(LS)	1.000 [G/CC]	6923.00 [CPS]
8	Aug07,06 15:20:43	DEN(LS)	2.383 [G/CC]	654.00 [CPS]
9	Aug21,06 15:20:58	DEN(SS)	1.000 [G/CC]	12500.00 [CPS]
10	Aug07,06 15:20:58	DEN(SS)	2.383 [G/CC]	5200.00 [CPS]
11	Aug07,06 15:41:08	CALIPERL	8.800 [INCH]	156135.00 [CPS]
12	Aug07,06 15:41:08	CALIPERL	22.000 [INCH]	331932.00 [CPS]
13	Aug07,06 13:19:15	CURRENT	0.000 [UA]	4675.00 [CPS]
14	Aug07,06 13:19:15	CURRENT	295.000 [UA]	26390.00 [CPS]
15	Apr19,06 09:10:53	F	0.790 []	


PLAN VIEW

COMPU-LOG DEVIATION

CLIENT: ANGLO COAL
LOCATION: SOUTH RIDGE
HOLE ID: S021
DATE OF LOG: 09/06/06
PROBE: 9411A 390

MAG DECL: 21.0

SCALE: 10 M/CM
TRUE DEPTH: 290.93 M
AZIMUTH: 237.0
DISTANCE: 51.4 M
+ = 50 M INCR
○ = BOTTOM OF HOLE



COMPANY	ANGLO COAL	OTHER SERVICES:	
WELL	S021	DENSITY	NA
FIELD	SOUTH RIDGE	COUNTY	NA
COUNTY	TUMBLER RIDGE	STATE	NA
STATE	BRITISH COLUMBIA		

LOCATION	NA	PERMANENT DATUM	3L
SECTION	NA	LOG MEASURED FROM EL	ELEVATION OF NA
TOWNSHIP	NA	DLM MEASURED FROM EL	ELEVATION OL NA
RANGE	NA	UNIQUE WELL ID	NA
API NO.	NA		


DATE	5/20/06
DEPTH DRILLER	300.23
BIT SIZE	11.43
LOG TOP	0.73
LOG BOTTOM	297.50
CASING DC	15.55

CASING BOTTOM	NA	SURFACE	
BORING TYPE	WATER		
BORING FLUID	WATER		
RAM TEMPERATURE	NA		
MUD RES.	NA		
MUD WEIGHT	NA		
WITNESSED BY	NA		
RECORDED BY	J. SINWICH		
REMARKS 1			
REMARKS 2			

100CM LOG, DIPMETER S021 09/06/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 50000	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9411print.j.0 08/24/2006		




100CM LOG, DIPMETER S021 09/06/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 50000	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9411print.j.0 08/24/2006		


TOOL CALIBRATION S021 09/06/06 19:40

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Jul27,05 10:45:12	GAMMA	Default [CPS]	Default [CPS]
2	Jul27,05 10:45:12	VOLTAG	104.800 [MV]	720.00 [CPS]
3	Aug02,05 09:21:29	VOLTAG	350.700 [MV]	2360.00 [CPS]
3	Aug02,05 10:37:25	CUR1	4.213 [UA]	7855.00 [CPS]
4	Aug02,05 09:27:32	CUR1	0.000 [UA]	80.00 [CPS]
4	Aug02,05 09:27:32	CUR2	4.177 [UA]	7910.00 [CPS]
5	Aug02,05 09:24:02	CUR2	0.000 [UA]	105.00 [CPS]
5	Aug02,05 09:24:02	CUR3	4.250 [UA]	7900.00 [CPS]
6	Aug02,05 09:26:09	CUR3	0.000 [UA]	140.00 [CPS]
6	Aug02,05 09:26:09	CUR4	4.270 [UA]	7860.00 [CPS]
7	Feb18,06 10:59:53	CUR4	0.000 [UA]	180.00 [CPS]
		CALIPER	15.240 [INCH]	9145.00 [CPS]
		CALIPER	30.480 [INCH]	2208.00 [CPS]




PLAN VIEW COMPU-LOG DEVIATION

CLIENT: ANGLO COAL
LOCATION: SOUTH RIDGE
HOLE ID: S067
DATE OF LOG: 10/03/06
PROBE: 9411A 390



SCALE: 5 M/CM
TRUE DEPTH: 145.81 M
AZIMUTH: 209.9
DISTANCE: 24.5 M
+ = 20 M INCR
○ = BOTTOM OF HOLE



Century
GEOPHYSICAL CORP.

Century-geo.com

**GAMMA - DENSITY - RESISTIVITY
COMPENSATED DENSITY**

SO67

ANGLO COAL
SO67
SOUTH RIDGE
TUMBLER RIDGE
BRITISH COLUMBIA

OTHER SERVICES:
DIP

LOCATION
SECTION: N/A
TOWNSHIP: N/A
RANGE: N/A
API NO.: N/A
UNIQUE WELL ID: N/A


PERMANENT DATUM: SL
LOG MEASURED FROM SL: ELEVATION 03 N/A
DIL MEASURED FROM SL: ELEVATION 01 N/A

DATE: 10/03/06
DEPTH DRILLER: 152.40
BIT SIZE: 11.43
LOG TOP: 0.21
LOG BOTTOM: 151.38
CASING DD: 16.51
CASING BOTTOM: 3
CASING TYPE: STEEL
BOREHOLE FLUID: WATER
RM TEMPERATURE: N/A
MUD RES: N/A
MUD WEIGHT: N/A
WITNESSED BY: J. BOOS
RECORDED BY: J. BOOS
REMARKS 1:
REMARKS 2:
ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL. : 21 ELECT. CUTOFF : 9500 BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9239C.0 09/17/2006 VERSION = 3.64EB



1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL. : 21 ELECT. CUTOFF : 9500 BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9239C.0 09/17/2006 VERSION = 3.64EB

TOOL CALIBRATION SO67 10/03/06 08:55
TOOL 9239C TM VERSION 2015
SERIAL NUMBER 1245

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep27,06 09:30:09	GAMMA	0.000 [API-GR]	12.00 [CPS]
	Sep27,06 09:30:09	GAMMA	283.000 [API-GR]	290.00 [CPS]
2	Sep27,06 09:30:26	VOLTAGE	31.850 [MV]	5358.30 [CPS]
	Sep27,06 09:30:26	VOLTAGE	572.000 [MV]	76681.10 [CPS]
3	Oct02,06 16:28:08	CALIPER	8.890 [INCH]	218140.00 [CPS]
	Oct02,06 16:28:08	CALIPER	15.240 [INCH]	355650.00 [CPS]
4	Sep27,08 09:32:02	DEN(LS)	1.000 [G/CC]	14011.00 [CPS]
	Sep27,08 09:32:02	DEN(LS)	2.383 [G/CC]	11225.00 [CPS]
5	Sep27,06 09:32:36	DEN(SS)	1.000 [G/CC]	22881.00 [CPS]
	Sep27,06 09:32:36	DEN(SS)	2.383 [G/CC]	9150.00 [CPS]
6	Oct02,06 16:27:50	CALIPERL	15.240 [INCH]	242068.00 [CPS]
	Oct02,06 16:27:50	CALIPERL	25.400 [INCH]	375794.00 [CPS]
7	Sep27,06 09:33:04	CURRENT	99.600 [UA]	10840.00 [CPS]
	Sep27,06 09:33:04	CURRENT	232.300 [UA]	25120.00 [CPS]
8	Apr14,06 08:47:07	F	0.790 []	

COMPANY	ANILCO COAL	OTHER SERVICES	
WELL	SO67	DIP	
COUNTY	SOUTH RIDGE		
STATE	TUMBER RIDGE		
LOCATION	BRITISH COLUMBIA		

SECTION	N/A	
TOWNSHIP	N/A	
RANGE	N/A	
API NO.	N/A	
UNIQUE WELL ID.	N/A	


PERMANENT DATUM	GL	ELEVATION KN N/A
LOG MEASURED FROM	GL	ELEVATION DF N/A
DLL MEASURED FROM	GL	ELEVATION QI N/A

DATE	10/03/06
DEPTH DRILLER	152.40
BIT SIZE	11.43
LOG TOP	0.21
LOG BOTTOM	151.38
CASING OD	16.51
CASING BOTTOM	3
CASING TYPE	STEEL
BORHOLE FLUID	WATER
FLUID TEMPERATURE	N/A
MUD RES	N/A
MUD WEIGHT	N/A
WITNESSED BY	J. BOOS
RECORDED BY	J. BOOS
REMARKS 1	
REMARKS 2	

1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 9500	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9139long space short caliper.0	05/03/2006	VERSION = 3.64EB



1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 9500	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9139long space short caliper.0	05/03/2006	VERSION = 3.64EB

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep27,06 09:30:09	GAMMA	0.000 [API-GR]	12.00 [CPS]
	Sep27,06 09:30:09	GAMMA	283.000 [API-GR]	290.00 [CPS]
2	Sep27,06 09:30:26	VOLTAGE	31.850 [MV]	5358.30 [CPS]
	Sep27,06 09:30:26	VOLTAGE	572.000 [MV]	76681.10 [CPS]
3	Oct02,06 16:28:08	CALIPER	8.890 [INCH]	218140.00 [CPS]
	Oct02,06 16:28:08	CALIPER	15.240 [INCH]	355650.00 [CPS]
4	Sep27,06 09:32:02	DEN(LS)	1.000 [G/CC]	14011.00 [CPS]
	Sep27,06 09:32:02	DEN(LS)	2.383 [G/CC]	1125.00 [CPS]
5	Sep27,06 09:32:36	DEN(SS)	1.000 [G/CC]	22981.00 [CPS]
	Sep27,06 09:32:36	DEN(SS)	2.383 [G/CC]	9150.00 [CPS]
6	Oct02,06 16:27:50	CALIPERL	15.240 [INCH]	242068.00 [CPS]
	Oct02,06 16:27:50	CALIPERL	25.400 [INCH]	375794.00 [CPS]
7	Sep27,06 09:33:04	CURRENT	99.600 [UA]	10840.00 [CPS]
	Sep27,06 09:33:04	CURRENT	292.300 [UA]	25120.00 [CPS]
8	Apr14,06 08:47:07	F	0.790 []	

TOOL CALIBRATION SO67 10/03/06 08:55
 TOOL 9239C TM VERSION 2015
 SERIAL NUMBER 1245

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS.

COMPANY	ANILCO COAL	OTHER SERVICES	
WELL	SO67	DIP	
COUNTY	SOUTH RIDGE		
STATE	TUMBER RIDGE		
LOCATION	BRITISH COLUMBIA		

SECTION	N/A	ELEVATION XG N/A
TOWNSHIP	N/A	ELEVATION DF N/A
RANGE	N/A	ELEVATION QI N/A
API NO.	N/A	
UNIQUE WELL ID.	N/A	
PERMANENT DATUM	GL	
LOG MEASURED FROM	GL	
DLL MEASURED FROM	GL	


DATE	10/03/06
DEPTH DRILLER	152.40
BIT SIZE	11.43
LOG TOP	0.21
LOG BOTTOM	151.38
CASING OD	16.51
CASING BOTTOM	3
CASING TYPE	STEEL
BORHOLE FLUID	WATER
RM TEMPERATURE	N/A
MUD RES	N/A
MUD WEIGHT	N/A
WITNESSED BY	J. BOOS
RECORDED BY	J. BOOS
REMARKS 1	
REMARKS 2	

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS.

1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 9500	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9139short space short caliper.0 05/03/2006		VERSION = 3.64EB



1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS

MATRIX DENSITY : 2.65	NEUTRON MATRIX : SANDSTONE	MATRIX DELTA T : 177
MAGNETIC DECL : 21	ELECT. CUTOFF : 9500	BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9139short space short caliper.0 05/03/2006		VERSION = 3.64EB

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep27,06 09:30:09	GAMMA	0.000 [API-GR]	12.00 [CPS]
	Sep27,06 09:30:09	GAMMA	283.000 [MV]	290.00 [CPS]
2	Sep27,06 09:30:26	VOLTAGE	31.850 [MV]	5358.30 [CPS]
	Sep27,06 09:30:26	VOLTAGE	572.000 [MV]	76681.10 [CPS]
3	Oct02,06 16:28:08	CALIPER	8.890 [INCH]	218140.00 [CPS]
	Oct02,06 16:28:08	CALIPER	15.240 [INCH]	355650.00 [CPS]
4	Sep27,06 09:32:02	DEN(LS)	1.000 [G/CC]	14011.00 [CPS]
	Sep27,06 09:32:02	DEN(LS)	2.383 [G/CC]	1125.00 [CPS]
5	Sep27,06 09:32:36	DEN(SS)	1.000 [G/CC]	22981.00 [CPS]
	Sep27,06 09:32:36	DEN(SS)	2.383 [G/CC]	9150.00 [CPS]
6	Oct02,06 16:27:50	CALIPERL	15.240 [INCH]	242068.00 [CPS]
	Oct02,06 16:27:50	CALIPERL	25.400 [INCH]	375794.00 [CPS]
7	Sep27,06 09:33:04	CURRENT	99.600 [UA]	10840.00 [CPS]
	Sep27,06 09:33:04	CURRENT	292.300 [UA]	25120.00 [CPS]
8	Apr14,06 08:47:07	F	0.790 []	

COMPANY: ANGLCO COAL
WELL: SO67
FIELD: SOUTH RIDGE
COUNTY: TUMBLER RIDGE
STATE: BRITISH COLUMBIA

LOCATION: N/A
SECTION: N/A
TOWNSHIP: N/A
RANGE: N/A
APRNO: N/A
UNIQUE WELL ID: N/A

PERMANENT DATUM: 3L
LOG MEASURED FROM: 3L
ELEVATION MEASUREMENT: N/A
ELEVATION OF N/A
ELEVATION TO: N/A

DATE: 10/03/06
DEPTH PRINLER: 152.40
BIT SIZE: 11.43
LOG TOP: 0.47
LOG BOTTOM: 148.50
CASING O.D.: 16.51
CASING BOTTOM: 3

CASING TYPE: STEEL
BOREHOLE FLUID: WATER
RM TEMPERATURE: N/A
MUD WEIGHT: N/A


RECORDED BY: J. BOOS
REMARKS 1:
REMARKS 2:
REMARKS 3:

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS.

OTHER SERVICES:
DENSITY

1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS
MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL : 21 ELECT. CUTOFF : 9500 BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9411print.j_0 09/24/2006 VERSION = 3.64EB



1:100 CM LOG, GAMMA-RES-DENSITY SO67 10/03/06

LOG PARAMETERS
MATRIX DENSITY : 2.65 NEUTRON MATRIX : SANDSTONE MATRIX DELTA T : 177
MAGNETIC DECL : 21 ELECT. CUTOFF : 9500 BIT SIZE : 11.43
PRESENTATION NAME/DATE = 9411print.j_0 09/24/2006 VERSION = 3.64EB

TOOL CALIBRATION SO67 10/03/06 09:32
TOOL 9411A TM VERSION 1
SERIAL NUMBER 390

DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Jul27,05 09:45:12	GAMMA	Default	Default [CPS]
2	Aug02,05 08:21:29	VOLTAG	104.800 [MV]	720.00 [CPS]
3	Aug02,05 09:37:25	VOLTAG	350.700 [MV]	2360.00 [CPS]
4	Aug02,05 08:27:32	CUR1	4.213 [UA]	7855.00 [CPS]
5	Aug02,05 08:24:02	CUR2	4.177 [UA]	80.00 [CPS]
6	Aug02,05 08:26:09	CUR3	4.250 [UA]	7910.00 [CPS]
7	Aug02,05 10:59:53	CUR4	4.270 [UA]	105.00 [CPS]
8	Feb18,06 10:59:53	CALIPER	15.240 [INCH]	7900.00 [CPS]
		CALIPER	30.480 [INCH]	140.00 [CPS]
				7860.00 [CPS]
				180.00 [CPS]
				9145.00 [CPS]
				2208.00 [CPS]