



ELK VALLEY COAL CORPORATION  
FORDING RIVER OPERATIONS  
P.O. Box 100  
Elkford, BC V0B 1H0  
Telephone (250) 865-5167  
Facsimile (250) 865-5165  
Email:  
Website: [www.elkvalleycoal.ca](http://www.elkvalleycoal.ca)

|   |
|---|
| TITLES DIVISION, MINERAL TITLES<br>VICTORIA, BC |
| MAR 29 2007                                     |
| FILE NO. <u>893</u>                             |
| LOG IN NO. _____                                |

March 12, 2007

Mineral Titles  
Ministry of Energy, Mines & Petroleum Resources  
6<sup>th</sup> Floor, 1810 Blanshard Street  
PO Box 9326 Stn Prov Govt  
Victoria, BC  
V8W 9N3


**ATTN: Mrs. Kim Stone, Coal Administrator**

Dear Mrs. Stone:

Please find enclosed one copy of the report entitled "Summary Report - 2006 Exploration Program."

I trust that this submission will fulfil the requirements under the Coal Act and Coal Act Regulations.

Yours truly,



K.A. Komenac, P. Eng.  
Senior Geologist

KAK:jjn

Enclosure

**Fording River Operations**

**Summary Report**

**2006 Exploration Program**

## Table of Contents

|   |          |
|---|----------|
| <b>I. INTRODUCTION.....</b>             | <b>1</b> |
| 1. GENERAL GEOGRAPHY AND HISTORY.....   | 1        |
| 2. GEOLOGY.....                         | 2        |
| i) Stratigraphy.....                    | 2        |
| ii) Structure.....                      | 4        |
| 3. SUMMARY OF WORK DONE IN 2006.....    | 6        |
| <b>II INDIVIDUAL AREA PROGRAMS.....</b> | <b>8</b> |
| 1. CASTLE MOUNTAIN.....                 | 8        |
| i) Objective.....                       | 8        |
| ii) Summary of Work Done.....           | 8        |
| iii) Results and Conclusions.....       | 8        |
| 2. BARE MOUNTAIN.....                   | 10       |
| i) Objective.....                       | 10       |
| ii) Summary of Work Done.....           | 10       |
| iii) Results and Conclusions.....       | 10       |

*List of Illustrations*

| <b><u>Illustration No.</u></b> | <b><u>Description</u></b>  |
|--------------------------------|--|
| 1.                             | a. Index Map - Coal Properties<br>Scale: 1:50,000                            |
|                                | b. General Geology Map<br>Scale: 1:25,000                                    |
| 2.                             | a. 2006 Completed Exploration - Castle & Bare<br>Mountain<br>Scale: 1:10,000 |
|                                | b. Geological Cross Section 144,000N<br>Scale: 1:4,000                       |
|                                | c. Geological Cross Section 140,800N<br>Scale: 1:4,000                       |

## **List of Appendices**

1. Drillhole Logs
  - i) Geophysical Logs
  - ii) Deviation Logs
  
2. Sample Analyses
  - i) Proximate Analyses, Sulphur FSI Determinations and Reflectance

### **Statements of Author's Academic and Professional Qualifications**

The author of this report, K.A. Komenac, in 1973 received the degree of Bachelor of Science (Geology Major) from the University of British Columbia, and is registered as a Professional Engineer with the Association of Professional Engineers and Geoscientists of the Province of British Columbia. The author has been an employee of Fording Coal Limited at the Fording River Operation since November of 1973, as Assistance Pit Geologist, Exploration Geologist, Senior Exploration Geologist, and since 1989, Senior Geologist.

## SCHEDULE C

PROVINCE OF  
BRITISH COLUMBIA

MINISTRY OF  
ENERGY, MINES AND  
PETROLEUM RESOURCES

TITLE PAGE OF  
ASSESSMENT REPORT

GENERAL NATURE OF WORK

TOTAL COST

Exploration \$2,700,000.00

Author of Landsman \_\_\_\_\_

Signature (s) 

K.A. Komenac (P. Eng.)

Date report filed March 26 107

Year of work 2006

Property Name Fording River Operations

Coal type (if applicable) Medium to High Volatile Bituminous

Mining Division Fort Steele

Longitude 114° 52'

Latitude 50° 12'

Coal Licence Numbers; Coal Leases; Freehold

BC Coal Lease #16 Lot #4588

Coal Licences # 327990, 327991, 327992,  
327993, 327996, 327999

Owner (s)

(1) Elk Valley Coal Corporation

PO Box 100, Elkford, BC V0B 1H0

Operator (s)

(a)

Same

References to Previous Work

Annual Assessment Reports Since 1970

**Fording River Operations**  
**Summary Report**  
**2006 Exploration Program**

I. Introduction

1. **General Geography and History**

The Fording River Coal property is located in the Fording River and Upper Elk Valleys, approximately 25 kilometres north of Elkford, BC. Access is by paved road north from Elkford along the Fording River Valley, or north along the Elk River Valley via the Forestry Service gravel road or the Kan-Elk Powerline road.

The Fording River minesite is situated within the front range of the southern Canadian Rocky Mountains. At least ten major coal seams, generally greater than four metres thick, are contained in the Mist Mountain Formation of the Kootenay Group.

The Elk River portion of the property was actively explored by the Canadian Pacific Railway Company in the period 1902 - 1908. Until 1947, the property was comprised of 10,276 hectares in 40 Crown Granted Lots. In that year, the holdings were reduced to 2,979 hectares in 15 Crown Granted Lots. In 1967 and 1968, Canadian Pacific Oil and Gas reacquired part of the coal lands which had been abandoned in 1947. An additional nine Coal Licences located at the south end of the property were acquired in 2001. At the present time, the Fording River Property consists of 22,635 hectares, held on seven Coal Leases, 9 Coal Licences, and 15 Crown Granted Lots.

Mining operations which commenced in 1971, have produced more than 189.8 million tonnes of clean metallurgical and thermal coal for markets in North and South America, Africa, Europe and Asia. Of this total, 7.8 million tonnes were produced in 2006.

Reference:

- i) Illustration No. 1A: Index Map - Coal Properties



2. **Geology**

i) **Stratigraphy**

The general stratigraphic succession on the Fording River Property is summarized in the following table:

| Period                       | Litho-Stratigraphic Units   |                         | Principal Rock Types   |
|------------------------------|---|-------------------------|--|
| Recent                       |   |                         | Colluvium  |
| Quaternary                   |   |                         | Clay, silt, sand, gravel, cobbles  |
| Lower Cretaceous             | Blairmore Group   |                         | Massive bedded sandstones and conglomerates                                  |
| Lower Cretaceous             | K<br>O<br>O   | Elk Formation           | Sandstone, siltstone, shale, mudstone, chert pebble conglomerate, minor coal |
|                              |   | Mist Mountain Formation | Sandstone, siltstone, shale, mudstone, thick coal seams                      |
| Cretaceous to Upper Jurassic | T<br>E<br>N<br>A<br>Y<br>G<br>R<br>O<br>U<br>P                                    | Moose Mountain Member   | Medium to coarse grained quartz-chart sandstone                              |
|                              |   | Weary Ridge Member      | Fine to coarse grained, slight ferruginous quartz-chart sandstone            |
| Jurassic                     | M<br>F<br>O<br>O<br>R<br>R<br>M<br>I<br>A<br>S<br>T<br>S<br>I<br>E<br>O<br>Y<br>N |                         |  |
| Jurassic                     | Ferne Formation   |                         | Shale, siltstone, fine-grained sandstone                                     |
| Triassic                     | Spray River Formation   |                         | Sandy shale, shale quartzite   |
|                              | Rocky Mountain Formation  |                         | Quartzite  |
| Mississippian                | Rundle Group  |                         | Limestone  |

The oldest rocks present on the Fording River property are the Rundle Group limestones, located on the west bank of the Fording River, near the southern property boundary. They are in faulted contact with the Kootenay Group to the west, and unconformable contact with Rocky Mountain Formation quartzites to the north. The latter are best exposed on the eastern slope of the Brownie Creek Valley.

The Fernie Formation shales occur throughout the area, generally along the sides of the valleys on the lower flanks of the mountains. The shales are recessive and, therefore, poorly exposed. The Fernie Formation is in conformable contact with the Morrissey, through the "Passage Beds," which are a transitional zone from marine to non-marine sedimentation.

The Morrissey Formation, which is the "basal sandstone" of the Kootenay Group, is a prominent cliff-forming marker horizon in many locations. On the Fording River Property, the top of the Moose Mountain member (Morrissey Formation) is in sharp contact with #1 or A seam, the lowermost bed of the Mist Mountain Formation.

The Mist Mountain Formation contains all of the economic coal seams, and is the most widely occurring formation on Fording River Property. This economically important formation is an interbedded sequence of sandstones, siltstones, silty shales, mudstones, and medium to high volatile bituminous coal seams. The volatile content of the coal increases up section, with decreasing rank. Lenticular sandstones comprise about 1/3 of the Mist Mountain sediments at Fording River, but very few laterally extensive sandstone beds exist.

The sandstone above and below seam #4 (B) and above #9 (F), are the most persistent units, and are often cliff-forming marker horizons.

The Mist Mountain Formation is generally overlain conformably by strata of the Elk Formation. On the Fording property, this formation is commonly a succession of sandstones, siltstones, shales, mudstones, chert pebble conglomerates and sporadic, thin, high volatile bituminous coal seams. The coal seams are characterized by a high alginate content and referred to as "Needle" coal. The Elk Formation is observed near the tops of the mountains, mainly on the east side of the Elk Valley on the Greenhills Range, and northward to the Mount Tuxford areas.

The top of the Elk Formation marks the upper boundary of the Kootenay Group, which is unconformably overlain by the basal member of the Blairmore Group. This thick bedded, cliff-forming sandstone and conglomerate unit is observed on the upper slopes of Mount Tuxford.

ii) **Structure**

Subsequent to deposition, the sediments were involved in the mountain building movements of the late Cretaceous to early Tertiary Laramide orogeny. The major structural features of the Fording River property are the north-south trending synclines with near horizontal to steep westerly dipping thrust faults, and a few high angle normal faults. Some of the thrust faults probably were folded late in the tectonic cycle.

The formation of the major fold structures began early in the tectonic cycle. In the current mining area, two asymmetric synclines are evident; the Greenhills Syncline to the west, and the Alexander Creek Synclines to the east of the Fording River.

The thrust faulting (ie: the Ewin Pass and Brownie Ridge Thrusts), was probably contemporaneous with the later stages of folding. The intervening anticline was subsequently faulted (Ericson Fault), then eroded.

The Alexander Creek Syncline can be traced from the southern property boundary on Castle Mountain to the northern end of the property on Weary Ridge. The strata of the west limb, on the west face of Eagle Mountain, dips easterly at 20 to 25<sup>o</sup>, decreasing gradually to zero as the axis is approached. The east limb, however, attains a 20<sup>o</sup> westerly dip within a much shorter (500m) distance of the axis. This asymmetry is possible due, at least in part, to the influence of the Ewin Pass Thrust which subcrops 600 to 800 metres east of the synclinal axis.

Further to the east, on Brownie Ridge, the strata dips westerly at a mean dip of  $42^{\circ}$ . The Brownie Ridge Thrust, which subcrops near the crest of the ridge, probably contributes to this steepening.

Within the mining area, the axis of the Alexander Creek Syncline plunges to the north at an average of  $4^{\circ}$ . Turnbull Mountain exhibits a localized series of an echelon fold structures, plunging both to the north and south. These subsidiary folds may be related to thrust faulting. From the south end of Mount Tuxford, the synclinal axis continues north-northwest along the base of Mount Veits and into the Elk River Valley near Aldridge Creek.

On Mount Tuxford, the beds exposed are those of the Elk Formation and the overlying (non-coal bearing) Cadomin Formation. The area has not been extensively explored. The stratigraphic sequence of the east limb, in the more extensively explored Mist Mountain strata near Aldridge Creek (Elco property), closely resembles the east limb strata found on Henretta Ridge, ten kilometres to the south.

On the northwest corner of Eagle Mountain, the lower Kootenay-upper Fernie section is the locus for a zone of near horizontal thrust faulting. The effect is to cause a double repetition of the lower coal seams and basal sandstone on the west synclinal limb. This fault zone is synclinal in form, and continuous with the Ewin Pass Thrust zone found the east limb.

The Greenhills Syncline in the mining area, is essentially a "mirror-image" of the Alexander Creek structure. The east limb of the asymmetric syncline dips westerly at 15 to  $25^{\circ}$ , except in areas near the Ericson Fault, where 45 to  $55^{\circ}$  dips are common. The west limb exhibits much steeper dips; commonly in the 35 to  $45^{\circ}$  range. The Greenhills Syncline plunges northward ( $340$  to  $350^{\circ}$ ), at less than  $5^{\circ}$ , then apparently dies out to the north in the area of the Osborne Creek Depression.

The Ericson Fault, which locally runs along the base of the Greenhills Range west of the Fording River, is one of the major regional faults. From south to north, this westerly dipping (40 to 70°) normal fault, brings Mist Mountain strata progressively into contact with Rundle, Rock Mountain, Spray River, Fernie and Morrissey strata. The downthrown block is to the west.

Near the south end of Lake Mountain, the Ericson Fault beings to “splay” into two zones. The main fault runs along the eastern margin of Lake Mountain, and the subsidiary fault runs to the west, and appears to “die out” northward. The steep northward dip exhibited in the Lake Mountain strata could be due to influence from these flanking “splays” of the fault. The flat lying region to the north of Lake Mountain (Osborne Creek Depression area) is completely void of outcrop, and the Ericson Fault has not been traced either through or to the north of this area.

Reference:

- i) Illustration No. 1b: General Geology Map

3. **Summary of Work Done in 2006**

66 reverse circulation drill holes were completed for a total of 23,871 metres. Geological field mapping was conducted by staff geologists on Bare and Castle Mountains.

Rotary drilling was done by SDS Drilling using two Ingersol Rand TH100 truck mounted rig and a Jaswell 2400 truck mounted rig.

All holes were geophysically logged through the rods using the gamma-neutron method. Holes that remained open after the rods were pulled were logged for hole deviation, and selected holes were logged for gamma-density. Logging was done by Century Geophysical Corporation.

Coal seams encountered by rotary drilling were samples in 0.5m intervals. Representative composite samples for each coal seam encountered in the hole were prepared at Fording's Process Plant Laboratory. Each seam composite was tested for proximate analysis, % Sulphur and Free Swelling Index. Samples from selected seam composites were sent to David E. Pearson and associates for petrographic analysis.

Fording staff laid out the access roads and drillsite locations. Pre-logging was done by Trucut Logging. Road and drillsite construction was done by Tiegen Contractors Inc. Staff surveyors provided the required survey control and drillhole pickups.

The following table shows the drillhole locations with respect to Coal Lease and Licence boundaries:

| <b><u>Lease / Licence</u></b> | <b><u>Drillholes</u></b>                    |
|-------------------------------|---|
| L4588 (freehold)              | RH # 2876, 2878, 2879, 2882-2884, 2886-2907 |
| BC Coal Lease #16             | RH # 2908-2915                              |
| Coal Licence #327990          | RH # 2867-2871                              |
| Coal Licence #327991          | RH # 2875, 2880, 2881, 2885                 |
| Coal Licence #327992          | RH # 2872-2874                              |
| Coal Licence #327993          | RH # 2852-2866                              |
| Coal Licence #327996          | RH # 2850, 2851                             |
| Coal Licence #327999          | RH # 2849                                   |

Reference:

- 1) Illustration #2a "2006 Completed Exploration - Castle & Bare Mountains"

## **II Individual Area Programs**

### **1. Castle Mountain**

#### **i) Objective**

A recent economic evaluation of the mining potential on the southwest flank of Castle Mountain indicated a good potential for large scale mining in this area. Prior to 2006, approximately 25% of the project area had been drilled to a density sufficient for inclusion in reserves.

The objective of the 2006 drilling and field mapping program was to provide additional seam location, thickness and quality data at a density sufficient to upgrade this area to reserves status. This can be accomplished in two to four years, depending on the size of subsequent programs.

#### **ii) Summary of Work Done**

43 reverse circulation rotary drillholes were completed for a total of 13,147 metres. Seam exposures on all new access roads were mapped and selected exposures were sampled and analyzed for Romax. All holes were geophysically logged through the drill rods using the gamma-neutron method. Holes that remained open after the rods were pulled were open hole logged for gamma-density and hole deviation.

#### **iii) Results and Conclusions**

The 2006 drilling and field mapping program concentrated on the central and southern portions of the project area. In the central region (sections 142,800N to 145,200N), seams #1 through #5 were intersected at a drillholes spacing of approximately 200 metres. This drillhole density is sufficient for inclusion in the proven reserves category, provided that the economic analysis currently in progress continues to show economic feasibility for open-pit mining. A drillhole density of 200 metres was not attained for the southern portion of the project area (section 140,600N to 1425,600N). Information obtained for this area is sufficient to facilitate an economic feasibility study, but additional drilling will be

required before the area can be upgraded to reserves status; should the economic analysis show open-pit mining is feasible.

The project area is structurally dominated by the regional Alexander Creek syncline; primarily the west limb. Several minor thrust faults affect the area resulting in localized repetitions of many of the coal seams. The regional Ewin Pass thrust fault forms the eastern boundary of the project area.

The Mist Mountain Formation in this area is characterized by an unusually large number of thin (1.5 to 3 metre) coal seams. Only seams 14, 13, 11, 7, 5 and 3 maintain a thickness exceeding 5 metres with reasonable continuity. Seam #7 is the most economically important seam in the area.

Results from the 2006 drilling program have been incorporated into the Castle Mountain 3D Block Model. Economic evaluation is currently underway.

Reference:

- i) Illustration 2a: "2006 Completed Exploration - Castle and Bare Mountains."
- ii) Illustration 2b: Geological Cross Section 144,000N.



## 2. Bare Mountain

### i) Objective

A regional study conducted in 2000 combined with data from nine reverse circulation rotary drillholes completed since 2001 indicated a potential for large scale open pit mining exists on Bare Mountain.

The objective of the 2006 exploration program was to provide the additional seam location, thickness and quality information required to construct a 3D block model for the northern portion of Bare Mountain. Three additional holes drilled up to 2 kilometres south of the aforementioned area will provide preliminary information on the southward extension of any mining potential.

### ii) Summary of Work Done

23 reverse circulation rotary drillholes were completed in 2006 for a total of 10,724 metres. Coal exposures on all new access roads were mapped and selected seams were sampled and analyzed for Romax.

All holes were geophysically logged through the drill rods using the gamma-neutron method. Holes that remained open after the drillrods were pulled, were also logged for gamma-density and hole deviation. Eight of the drillholes were also logged with the Dipmeter.

### iii) Results and Conclusions

The 2006 drilling and field mapping program concentrated on the north and north-west portions of Bare Mountain. The area is characterized by very steep westerly dipping bedding ( $45^{\circ}$  to  $70^{\circ}$ ) on the east limb of the Alexander Creek syncline; beneath the Ewin Pass Thrust Fault. Several minor thrust faults also affect the area; the easternmost of which is likely the southward extension of the Brownie Ridge thrust.


The entire sequence of the Mist Mountain Formation was intersected in several of the deeper drillholes (re: RH #2861, RH #2864). In RH #2849, the southernmost of the Bare Mountain drillholes, at least 200 metres of Elk Formation was intersected at the top of the hole.

The Mist Mountain Formation on Bare Mountain contains three dominant coal seams (#5, 7 and 11) which are consistently greater than ten metres in thickness, often significantly thicker. The remaining seams are somewhat erratic in thickness, but are generally less than five metres.


The Castle Mountain 3D Block Model is currently being extended to include the 2006 Bare Mountain information. This will be followed by an economic analysis and, if warranted, additional drilling in 2007.

Reference:

- i) Illustration 2a: "2006 Completed Exploration - Castle and Bare Mountains"
- ii) Illustration 2c: Geological Cross Section  
140,800N.



LEGEND




| APPROVAL | DATE | MADE BY | DESCRIPTION |
|----------|------|---------|-------------|
| 1        |      |         |             |
| 2        |      |         |             |
| 3        |      |         |             |
| 4        |      |         |             |
| 5        |      |         |             |

| E.V.C.C.<br>UPPER ELK VALLEY COAL TENURE |         |                |
|--|---------|----------------|
| MAP INDEX NUMBER                         | SCALE   | DRAWING NUMBER |
|  | 1:50000 |                |



illustration 1a

46000



| LEGEND                               |     |
|--------------------------------------|-----|
| BLAIRMORE GROUP                      | — B |
| KOOTENAY GROUP                       | — K |
| FERNIE FORMATION                     | — F |
| SPRAY RIVER FORMATION                | — S |
| RUNDLE GROUP                         | — R |
| SYMBOLS                              |     |
| GEOLOGICAL CONTACT, DEFINED, APPROX. | —   |
| SYNCLINE, DEFINED, APPROX.           | ~   |
| ANTICLINE, DEFINED, APPROX.          | ∩   |
| NORMAL FAULT, DEFINED, APPROX.       | -   |
| THRUST FAULT, DEFINED, APPROX.       | - / |

Job No. 06333-7 Date Plotted: August 1977  
 McELHANNAY SURVEYING & ENGINEERING LTD.  
 1:25000

| Function | Activity | Section | Job |
|----------|----------|---------|-----|
|          |          |         |     |

| Revisions | No. | Made by | Date | Description |
|-----------|-----|---------|------|-------------|
|           |     |         |      |             |


| Drawn by | Checked by | Design Eng. | Proj. Eng. | Approved |
|----------|------------|-------------|------------|----------|
|          |            |             |            |          |

J.S. JUNE 1983

GEOLOGY MAP — ILLUSTRATION 1b



Metric Scale 1:25000  
 0 200 400 800 1200



ELK VALLEY COAL

LEGEND


- EXISTING ACCESS ———
- NEW ACCESS ———
- DRILLSITE ⊙

2006 COMPLETED EXPLORATION  
CASTLE & BARE MOUNTAINS

| DRAWN BY | SCALE    | DRAWING NUMBER |
|----------|----------|----------------|
| GES      | 1:10,000 | EXP-9-81       |

ILLUSTRATION 2A





**ILLUSTRATION 2C**

SUMMARY REPORT

2006 EXPLORATION PROGRAM

# 893

Volume 2



|      |        |           |            |          |       |       |       |
|------|--------|-----------|------------|----------|-------|-------|-------|
| GEOL | 2904   | 25788.411 | 144195.868 | 1775.984 | 0.037 | 0.055 | 1.350 |
| GEOL | 2900   | 25792.944 | 144010.243 | 1758.989 | 0.020 | 0.032 | 1.350 |
| GEOL | 2909   | 25699.242 | 144395.522 | 1794.011 | 0.030 | 0.044 | 1.350 |
| GEOL | 2905   | 26210.953 | 144211.890 | 1834.997 | 0.030 | 0.046 | 1.350 |
| GEOL | 2811   | 26804.722 | 144472.559 | 1977.929 | 0.028 | 0.045 | 1.350 |
| GEOL | 2910   | 26611.747 | 144505.196 | 1863.298 | 0.066 | 0.087 | 1.350 |
| GEOL | 2914   | 26707.137 | 144695.432 | 1883.182 | 0.032 | 0.053 | 1.350 |
| GEOL | 2897   | 26912.942 | 143590.390 | 1816.796 | 0.045 | 0.056 | 1.350 |
| GEOL | 2898   | 26104.190 | 143838.390 | 1761.936 | 0.032 | 0.047 | 1.350 |
| GEOL | 2894   | 26308.085 | 143406.895 | 1787.048 | 0.036 | 0.048 | 1.350 |
| GEOL | 2890   | 26453.162 | 142993.806 | 1722.956 | 0.076 | 0.095 | 1.350 |
| GEOL | 2891   | 26866.592 | 142996.238 | 1760.966 | 0.056 | 0.062 | 1.350 |
| GEOL | 2895   | 26819.493 | 143409.671 | 1782.041 | 0.042 | 0.063 | 1.350 |
| GEOL | 2893   | 26906.163 | 143193.661 | 1777.565 | 0.069 | 0.101 | 2.000 |
| GEOL | 2892   | 26523.078 | 143191.025 | 1737.520 | 0.063 | 0.043 | 1.350 |
| GEOL | 2871   | 29169.794 | 141801.327 | 1656.583 | 0.057 | 0.088 | 1.350 |
| GEOL | 2870   | 28797.304 | 141661.897 | 1632.423 | 0.032 | 0.053 | 1.350 |
| GEOL | 2869   | 29215.370 | 141558.754 | 1732.103 | 0.084 | 0.111 | 1.350 |
| GEOL | 2868   | 29343.199 | 141330.112 | 1830.260 | 0.078 | 0.105 | 1.350 |
| GEOL | 2867   | 29337.551 | 141168.637 | 1892.182 | 0.080 | 0.077 | 1.350 |
| GEOL | 2866   | 29023.458 | 140940.122 | 1937.201 | 0.031 | 0.042 | 1.350 |
| GEOL | 2863   | 29017.809 | 140724.661 | 1942.385 | 0.047 | 0.049 | 1.350 |
| GEOL | 2864   | 29203.610 | 140776.230 | 1976.798 | 0.040 | 0.046 | 1.350 |
| GEOL | 2861   | 29222.441 | 140574.597 | 1988.947 | 0.045 | 0.059 | 1.350 |
| GEOL | 2857   | 29376.915 | 140186.961 | 1973.269 | 0.059 | 0.073 | 1.350 |
| GEOL | 2853   | 29189.261 | 139941.799 | 1994.347 | 0.032 | 0.042 | 1.350 |
| GEOL | 2858   | 29611.528 | 140213.237 | 2082.571 | 0.061 | 0.077 | 1.350 |
| GEOL | 2846   | 29500.037 | 140420.997 | 2111.223 | 0.037 | 0.055 | 1.350 |
| GEOL | 2865   | 29636.071 | 140777.948 | 2162.309 | 0.040 | 0.058 | 1.350 |
| GEOL | 2860   | 29708.050 | 140399.059 | 2197.406 | 0.041 | 0.062 | 1.350 |
| GEOL | 2862   | 29583.114 | 140557.309 | 2133.519 | 0.063 | 0.094 | 1.350 |
| GEOL | 2858   | 29611.537 | 140212.874 | 2082.589 | 0.064 | 0.094 | 1.350 |
| GEOL | 2869   | 29215.436 | 141558.898 | 1732.160 | 0.055 | 0.078 | 1.700 |
| GEOL | 2867   | 29337.196 | 141168.447 | 1892.235 | 0.038 | 0.061 | 1.700 |
| GEOL | 2854   | 29363.608 | 139929.781 | 2038.661 | 0.061 | 0.091 | 1.700 |
| GEOL | 2858   | 29611.438 | 140213.039 | 2082.423 | 0.040 | 0.065 | 1.700 |
| GEOL | 2848   | 30232.252 | 139811.656 | 2295.377 | 0.053 | 0.069 | 1.700 |
| GEOL | 2852   | 30023.568 | 139861.279 | 2263.988 | 0.038 | 0.055 | 1.700 |
| GEOL | 2856   | 29971.326 | 140005.444 | 2245.876 | 0.049 | 0.065 | 1.700 |
| GEOL | 2859   | 29919.323 | 140194.288 | 2228.188 | 0.050 | 0.071 | 1.700 |
| GEOL | 2862   | 29583.100 | 140557.617 | 2133.570 | 0.046 | 0.065 | 1.700 |
| GEOL | 2855   | 29562.846 | 140002.274 | 2059.399 | 0.095 | 0.062 | 1.700 |
| GEOL | 2850   | 29483.622 | 139183.665 | 2046.496 | 0.072 | 0.090 | 1.700 |
| GEOL | 2851   | 29497.577 | 138461.420 | 2019.464 | 0.052 | 0.074 | 1.700 |
| GEOL | 2901   | 26185.275 | 143962.557 | 1770.325 | 0.047 | 0.056 | 1.350 |
| GEOL | 2889   | 26297.838 | 142998.067 | 1737.308 | 0.029 | 0.048 | 1.350 |
| GEOL | 2890   | 26452.769 | 142993.773 | 1721.866 | 0.094 | 0.204 | 1.350 |
| GEOL | 2886   | 26464.663 | 142817.013 | 1698.768 | 0.029 | 0.047 | 1.350 |
| GEOL | 2899   | 26882.915 | 143822.640 | 1899.043 | 0.031 | 0.044 | 1.350 |
| GEOL | 2896   | 27004.159 | 143400.280 | 1859.009 | 0.075 | 0.090 | 1.350 |
| GEOL | 2913   | 26480.183 | 144706.114 | 1924.860 | 0.115 | 0.156 | 2.100 |
| GEOL | 2912   | 25973.209 | 144691.863 | 1866.865 | 0.115 | 0.142 | 2.100 |
| GEOL | 2915   | 26864.450 | 144661.816 | 1951.838 | 0.336 | 0.276 | 2.100 |
| GEOL | 2911   | 26804.364 | 144472.714 | 1978.049 | 0.224 | 0.241 | 2.100 |
| GEOL | 2907   | 26911.418 | 144229.270 | 2005.156 | 0.034 | 0.046 | 2.100 |
| GEOL | 2908   | 27100.143 | 144207.948 | 1995.852 | 0.039 | 0.061 | 2.100 |
| GEOL | 1-48   | 25000.006 | 149249.844 | 1939.695 |       |       |       |
| GEOL | 11-245 | 26084.146 | 149662.969 | 2089.009 |       |       |       |
| GEOL | 11-246 | 26547.013 | 150028.954 | 2104.406 | 0.018 | 0.018 | 1.400 |
| GEOL | 11-247 | 24614.232 | 154835.844 | 1864.606 |       |       |       |
| GEOL | 12-168 | 25866.935 | 149839.133 | 2088.447 | 0.029 | 0.031 | 1.700 |
| GEOL | 12-169 | 25845.533 | 149955.656 | 2090.076 |       |       |       |
| GEOL | 12-170 | 25874.673 | 150112.039 | 2089.430 | 0.016 | 0.019 | 1.400 |
| GEOL | 12-172 | 25730.059 | 150100.274 | 2089.308 | 0.026 | 0.024 | 1.700 |
| GEOL | 12-173 | 25778.057 | 150317.270 | 2106.865 | 0.020 | 0.023 | 1.700 |
| GEOL | 12-178 | 24624.865 | 154677.567 | 1865.369 | 0.021 | 0.027 | 1.400 |
| GEOL | 13-128 | 24466.933 | 155139.180 | 1866.484 | 0.014 | 0.011 | 1.400 |
| GEOL | 13-229 | 24458.430 | 154820.054 | 1879.401 | 0.015 | 0.022 | 1.400 |
| GEOL | 14-200 | 24390.068 | 155071.938 | 1882.942 |       |       |       |
| GEOL | 14-201 | 24357.350 | 154994.317 | 1884.579 | 0.016 | 0.024 | 1.400 |

|      |       |           |            |          |       |       |         |
|------|-------|-----------|------------|----------|-------|-------|---------|
| COL  | 2872  | 27559.583 | 140631.071 | 1649.873 | 0.034 | 0.089 | 1.400   |
| COL  | 2873  | 27209.840 | 141003.277 | 1614.790 | 0.039 | 0.082 | 1.600   |
| COL  | 2874  | 27594.888 | 141009.132 | 1702.741 | 0.038 | 0.084 | 1.400   |
| EOL  | 2875  | 27557.785 | 141166.194 | 1722.439 | 0.030 | 0.051 | 1.600   |
| EOL  | 2876  | 26936.109 | 141818.475 | 1647.794 | 0.034 | 0.056 | 1.600   |
| EOL  | 2878  | 27030.087 | 141413.826 | 1632.328 | 0.034 | 0.054 | 1.600   |
| EOL  | 2879  | 26697.201 | 142207.692 | 1689.913 | 0.033 | 0.051 | 1.600   |
| EOL  | 2880  | 27283.877 | 142177.743 | 1824.553 | 0.036 | 0.045 | 0.300   |
| EOL  | 2881  | 27521.209 | 142184.665 | 1837.130 | 0.038 | 0.049 | 0.400   |
| EOL  | 2882  | 26651.475 | 142392.922 | 1705.035 | 0.028 | 0.039 | 1.600   |
| EOL  | 2883  | 27024.936 | 142393.443 | 1790.831 | 0.038 | 0.043 | 0.400   |
| EOL  | 2884  | 26709.349 | 142601.652 | 1700.014 | 0.028 | 0.037 | 1.800   |
| EOL  | 2885  | 27117.842 | 142579.483 | 1778.593 | 0.037 | 0.043 | 0.300   |
| EOL  | 2887  | 26699.225 | 142814.246 | 1720.355 | 0.024 | 0.029 | 1.800   |
| EOL  | 2888  | 26898.168 | 142807.838 | 1765.757 | 0.047 | 0.082 | 0.300   |
| EOL  | 2899  | 26882.990 | 143822.775 | 1899.005 | 0.020 | 0.031 | 1.600 * |
| EOL  | 2902  | 26698.046 | 144024.898 | 1880.200 | 0.020 | 0.028 | 1.600   |
| EOL  | 2903  | 26889.653 | 144055.074 | 1900.511 | 0.020 | 0.026 | 1.600   |
| EOL  | 2906  | 26580.792 | 144189.048 | 1862.043 | 0.041 | 0.039 | 1.600   |
| GEOL | 4-105 | 25120.998 | 149284.875 | 1939.728 |       |       |         |
| GEOL | 4-106 | 24993.676 | 149393.031 | 1940.588 |       |       |         |
| GEOL | 4-107 | 25077.795 | 149493.125 | 1939.655 |       |       |         |
| GEOL | 4-108 | 25011.744 | 149611.953 | 1940.325 |       |       |         |
| GEOL | 4-110 | 24782.829 | 150044.663 | 1923.838 | 0.016 | 0.028 | 1.700   |
| GEOL | 4-111 | 24706.504 | 150116.717 | 1924.087 | 0.015 | 0.029 | 1.700   |
| GEOL | 4-112 | 24687.417 | 150188.573 | 1925.020 | 0.013 | 0.019 | 1.700   |
| GEOL | 4-113 | 26910.130 | 150786.425 | 2118.941 | 0.022 | 0.026 | 1.700   |
| GEOL | 4-114 | 27127.572 | 149644.109 | 2102.906 |       |       |         |
| GEOL | 4-115 | 26937.116 | 150578.086 | 2120.222 | 0.018 | 0.023 | 1.700   |
| GEOL | 4-116 | 27116.618 | 149928.860 | 2121.565 | 0.025 | 0.029 | 1.700   |
| GEOL | 5-179 | 25254.095 | 149856.082 | 1926.959 | 0.016 | 0.022 | 1.400   |
| GEOL | 5-180 | 25159.159 | 150003.511 | 1928.862 | 0.028 | 0.031 | 1.700   |
| GEOL | 5-181 | 25445.318 | 150040.453 | 1927.134 |       |       |         |
| GEOL | 5-182 | 25067.012 | 150123.089 | 1927.181 | 0.023 | 0.026 | 1.400   |
| GEOL | 5-183 | 25259.258 | 150071.390 | 1929.091 | 0.017 | 0.017 | 1.550   |
| GEOL | 5-184 | 25332.863 | 150148.969 | 1927.146 |       |       |         |
| GEOL | 5-185 | 25181.973 | 150195.033 | 1926.155 | 0.017 | 0.025 | 1.700   |
| GEOL | 5-186 | 25274.308 | 150276.203 | 1927.155 | 0.017 | 0.032 | 1.700   |
| GEOL | 5-187 | 25186.633 | 150338.961 | 1926.130 | 0.016 | 0.033 | 1.700   |
| GEOL | 5-188 | 25105.021 | 150375.496 | 1926.136 | 0.016 | 0.033 | 1.700   |
| GEOL | 5-189 | 24990.302 | 150475.265 | 1923.751 | 0.020 | 0.023 | 1.700   |
| GEOL | 7-189 | 25426.631 | 150298.283 | 1924.795 | 0.023 | 0.028 | 1.550   |
| GEOL | 7-191 | 25175.165 | 150441.536 | 1923.804 | 0.013 | 0.023 | 1.700   |
| GEOL | 7-193 | 25269.400 | 150475.533 | 1924.809 | 0.015 | 0.037 | 1.700   |
| GEOL | 7-194 | 25122.574 | 150523.060 | 1923.379 | 0.013 | 0.020 | 1.700   |
| GEOL | 7-195 | 26924.038 | 149788.938 | 2102.911 | 0.020 | 0.033 | 1.700   |
| GEOL | 9-197 | 26110.471 | 150142.828 | 2105.120 |       |       |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2909        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                    |
| 16                                | 16.5  |             | 189801        | 0.5   | 64.2 |        |      | 35.8  |        |                          |      |                            |
| 16.5                              | 17    |             | 189802        | 0.5   | 61.8 |        |      | 38.2  |        |                          |      |                            |
| 17                                | 17.5  |             | 189803        | 0.5   | 71.3 |        |      | 28.7  |        |                          |      |                            |
| 17.5                              | 18    |             | 189804        | 0.5   | 77.4 |        |      | 22.6  |        |                          |      |                            |
| 18                                | 18.5  |             | 189805        | 0.5   | 70.3 |        |      | 29.7  |        |                          |      |                            |
| 22                                | 22.5  | 511         | 189806        | 0.5   | 44.3 |        |      | 55.7  |        |                          |      | ROMAX<br>RO-097-06<br>1.19 |
| 22.5                              | 23    |             | 189807        | 0.5   | 36.9 |        |      | 63.1  |        |                          |      |                            |
| 23                                | 23.5  |             | 189808        | 0.5   | 79.1 |        |      | 20.9  |        |                          |      |                            |
| 23.5                              | 24    |             | 189809        | 0.5   | 77.9 |        |      | 22.1  |        |                          |      |                            |
|                                   |       |             | compo 511     |       | 42.0 | 15.89  | 0.47 | 41.64 | 1.5    | 0.49                     |      |                            |
| 122                               | 122.5 |             | 189810        | 0.5   | 32.2 |        |      | 67.8  |        |                          |      |                            |
| 122.5                             | 123   | 512         | 189811        | 0.5   | 35.0 |        |      | 65    |        |                          |      |                            |
| 123                               | 123.5 |             | 189812        | 0.5   | 29.4 |        |      | 70.6  |        |                          |      |                            |
| 123.5                             | 124   |             | 189813        | 0.5   | 69.1 |        |      | 30.9  |        |                          |      |                            |
| 124                               | 124.5 |             | 189814        | 0.5   | 72.0 |        |      | 28    |        |                          |      |                            |
| 124.5                             | 125   |             | 189815        | 0.5   | 87.4 |        |      | 12.6  |        |                          |      |                            |
|                                   |       |             | compo 512     |       | 32.2 | 21.8   | 0.55 | 45.45 | 1.5    | 0.37                     |      |                            |
| 132                               | 132.5 |             | 189816        | 0.5   | 54.1 |        |      | 45.9  |        |                          |      |                            |
| 132.5                             | 133   |             | 189817        | 0.5   | 74.0 |        |      | 26    |        |                          |      |                            |
| 133                               | 133.5 |             | 189818        | 0.5   | 53.3 |        |      | 46.7  |        |                          |      |                            |
| 133.5                             | 134   |             | 189819        | 0.5   | 83.9 |        |      | 16.1  |        |                          |      |                            |
| 134                               | 134.5 |             | 189820        | 0.5   | 73.4 |        |      | 26.6  |        |                          |      |                            |
| 134.5                             | 135   |             | 189821        | 0.5   | 82.2 |        |      | 17.8  |        |                          |      |                            |
| 136.5                             | 137   |             | 189822        | 0.5   | 74.0 |        |      | 26    |        |                          |      |                            |
| 137                               | 137.5 |             | 189823        | 0.5   | 83.4 |        |      | 16.6  |        |                          |      |                            |
|                                   |       |             | compo 513     |       | 43.2 | 13.94  | 0.46 | 42.4  | 2      | 0.52                     |      |                            |
| 140                               | 140.5 | 513         | 189824        | 0.5   | 29.7 |        |      | 70.3  |        |                          |      |                            |
| 140.5                             | 141   |             | 189825        | 0.5   | 53.5 |        |      | 46.5  |        |                          |      |                            |
| 141                               | 141.5 |             | 189926        | 0.5   | 60.6 |        |      | 39.4  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2909        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 141.5                             | 142   |             | 189927        | 0.5   | 84.7 |        |      | 15.3                     |        |      |      |         |
| 229.5                             | 230   |             | 189928        | 0.5   | 79.0 |        |      | 21                       |        |      |      |         |
| 230                               | 230.5 |             | 189929        | 0.5   | 88.9 |        |      | 11.1                     |        |      |      |         |
| 230.5                             | 231   |             | 189930        | 0.5   | 88.7 |        |      | 11.3                     |        |      |      |         |
| 240                               | 240.5 |             | 189931        | 0.5   | 69.6 |        |      | 30.4                     |        |      |      |         |
| 240.5                             | 241   |             | 189932        | 0.5   | 48.1 |        |      | 51.9                     |        |      |      |         |
| 241                               | 241.5 |             | 189933        | 0.5   | 44.5 |        |      | 55.5                     |        |      |      |         |
| 241.5                             | 242   |             | 189934        | 0.5   | 40.7 |        |      | 59.3                     |        |      |      |         |
| 242                               | 242.5 | 514         | 189935        | 0.5   | 42.1 |        |      | 57.9                     |        |      |      |         |
| 242.5                             | 243   |             | 189936        | 0.5   | 48.8 |        |      | 51.2                     |        |      |      |         |
| 243                               | 243.5 |             | 189937        | 0.5   | 70.8 |        |      | 29.2                     |        |      |      |         |
|                                   |       |             | compo 514     |       | 42.1 | 14.79  | 0.48 | 42.63                    | 1      | 0.59 |      |         |
| 272.5                             | 273   |             | 189938        | 0.5   | 50.5 |        |      | 49.5                     |        |      |      |         |
| 273                               | 273.5 |             | 189939        | 0.5   | 75.5 |        |      | 24.5                     |        |      |      |         |
| 273.5                             | 274   |             | 189940        | 0.5   | 63.7 |        |      | 36.3                     |        |      |      |         |
| 274                               | 274.5 |             | 189941        | 0.5   | 30.2 |        |      | 69.8                     |        |      |      |         |
| 274.5                             | 275   |             | 189942        | 0.5   | 33.9 |        |      | 66.1                     |        |      |      |         |
| 275                               | 275.5 |             | 189943        | 0.5   | 21.3 |        |      | 78.7                     |        |      |      |         |
| 275.5                             | 276   |             | 189944        | 0.5   | 28.2 |        |      | 71.8                     |        |      |      |         |
| 276                               | 276.5 |             | 189945        | 0.5   | 17.9 |        |      | 82.1                     |        |      |      |         |
| 276.5                             | 277   |             | 189946        | 0.5   | 33.3 |        |      | 66.7                     |        |      |      |         |
| 277                               | 277.5 |             | 189947        | 0.5   | 30.6 |        |      | 69.4                     |        |      |      |         |
| 277.5                             | 278   |             | 189948        | 0.5   | 43.0 |        |      | 57                       |        |      |      |         |
| 278                               | 278.5 |             | 189949        | 0.5   | 30.4 |        |      | 69.6                     |        |      |      |         |
| 278.5                             | 279   |             | 189950        | 0.5   | 42.2 |        |      | 57.8                     |        |      |      |         |
| 279                               | 279.5 | 515         | 189851        | 0.5   | 41.2 |        |      | 58.8                     |        |      |      |         |
| 279.5                             | 280   |             | 189852        | 0.5   | 40.4 |        |      | 59.6                     |        |      |      |         |
| 280                               | 280.5 |             | 189853        | 0.5   | 33.1 |        |      | 66.9                     |        |      |      |         |
| 280.5                             | 281   |             | 189854        | 0.5   | 17.2 |        |      | 82.8                     |        |      |      |         |

ROMAX  
RO-098-06  
1.33

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       | ELKVALLEY COAL CORP.     |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------------------------|------|------|---------|
| HOLE NUMBER:                      |       | 2909        |               | AREA: | CASTLE  |        |      |       | FORDING RIVER OPERATIONS |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. |       | F.S.I.                   | S    | PHOS | REMARKS |
| 281                               | 281.5 | 515         | 189855        |       | 23.6    |        |      | 76.4  |                          |      |      |         |
| 281.5                             | 282   |             | 189856        |       | 48.5    |        |      | 51.5  |                          |      |      |         |
| 282                               | 282.5 |             | 189857        |       | 35.3    |        |      | 64.7  |                          |      |      |         |
| 282.5                             | 283   |             | 189858        |       | 60.0    |        |      | 40    |                          |      |      |         |
| 283                               | 283.5 |             | 189859        |       | 83.9    |        |      | 16.1  |                          |      |      |         |
|                                   |       |             | compo 515     |       | 32.1    | 16.51  | 0.5  | 50.89 | 3                        | 0.38 |      |         |
| 298                               | 298.5 |             | 189860        |       | 20.7    |        |      | 79.3  |                          |      |      |         |
| 298.5                             | 299   |             | 189861        |       | 25.9    |        |      | 74.1  |                          |      |      |         |
| 299                               | 299.5 |             | 189862        |       | 27.8    |        |      | 72.2  |                          |      |      | ROMAX   |
| 299.5                             | 300   | 516         | 189863        |       | 18.4    |        |      | 81.6  |                          |      |      | 1.30    |
| 300                               | 300.5 |             | 189864        |       | 17.4    |        |      | 82.6  |                          |      |      |         |
| 300.5                             | 301   |             | 189865        |       | 13.3    |        |      | 86.7  |                          |      |      |         |
| 301                               | 301.5 |             | 189866        |       | 10.7    |        |      | 89.3  |                          |      |      |         |
|                                   |       |             | compo 516     |       | 19.4    | 19.39  | 0.52 | 60.69 | 7                        | 0.5  |      |         |
| 306                               | 306.5 |             | 189867        |       | 26.6    |        |      | 73.4  |                          |      |      |         |
| 306.5                             | 307   | 517         | 189868        |       | missing |        |      |       |                          |      |      |         |
| 307                               | 307.5 |             | 189869        |       | 19.4    |        |      | 80.6  |                          |      |      |         |
| 307.5                             | 308   |             | 189870        |       | 86.0    |        |      | 14    |                          |      |      |         |
|                                   |       |             | compo 517     |       | 23.2    | 19.81  | 0.44 | 56.55 | 8                        | 0.63 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |      | 2910        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 14.5                              | 15   |             | 191251        | 0.5   | 11.6    |        |      | 88.4                     |        |                      |      |         |
| 15                                | 15.5 | 518         | 191252        | 0.5   | 39.9    |        |      | 60.1                     |        |                      |      |         |
| 15.5                              | 16   |             | 191253        | 0.5   | 23.2    |        |      | 76.8                     |        |                      |      |         |
| 16                                | 16.5 |             | 191254        | 0.5   | 74.3    |        |      | 25.7                     |        |                      |      |         |
|                                   |      |             | compo 518     |       | 25.6    | 21.04  | 0.46 | 52.9                     | 8.5    | 0.69                 |      |         |
| 18                                | 18.5 |             | 191255        | 0.5   | 54.3    |        |      | 45.7                     |        |                      |      |         |
| 18.5                              | 19   | 519         | 191256        | 0.5   | 43.3    |        |      | 56.7                     |        |                      |      |         |
| 19                                | 19.5 |             | 191257        | 0.5   | 75.5    |        |      | 24.5                     |        |                      |      |         |
| 19.5                              | 20   |             | 191258        | 0.5   | 68.4    |        |      | 31.6                     |        |                      |      |         |
| 20                                | 20.5 |             | 191259        | 0.5   | 77.1    |        |      | 22.9                     |        |                      |      |         |
| 20.5                              | 21   |             | 191260        | 0.5   | 75.5    |        |      | 24.5                     |        |                      |      |         |
| 21                                | 21.5 |             | 191261        | 0.5   | 77.9    |        |      | 22.1                     |        |                      |      |         |
| 21.5                              | 22   |             | 191262        | 0.5   | 74.6    |        |      | 25.4                     |        |                      |      |         |
| 22                                | 22.5 |             | 191263        | 0.5   | 77.6    |        |      | 22.4                     |        |                      |      |         |
| 22.5                              | 23   |             | 191264        | 0.5   | 82.0    |        |      | 18                       |        |                      |      |         |
|                                   |      |             | PROX 519      |       | 44.9    | 16.19  | 0.57 | 38.34                    | 5      | 0.42                 |      |         |
| 60                                | 60.5 |             | 191265        | 0.5   | 38.2    |        |      | 61.8                     |        |                      |      |         |
| 60.5                              | 61   | 520         | 191266        | 0.5   | 24.2    |        |      | 75.8                     |        |                      |      |         |
| 61                                | 61.5 |             | 191267        | 0.5   | 43.0    |        |      | 57                       |        |                      |      |         |
| 61.5                              | 62   |             | 191268        | 0.5   | 25.8    |        |      | 74.2                     |        |                      |      |         |
| 62                                | 62.5 |             | 191269        | 0.5   | 18.6    |        |      | 81.4                     |        |                      |      |         |
| 62.5                              | 63   |             | 191270        | 0.5   | 37.0    |        |      | 63                       |        |                      |      |         |
| 63                                | 63.5 |             | 191271        | 0.5   | 73.4    |        |      | 26.6                     |        |                      |      |         |
| 63.5                              | 64   |             | 191272        | 0.5   | 66.6    |        |      | 33.4                     |        |                      |      |         |
| 64                                | 64.5 |             | 191273        | 0.5   | 26.8    |        |      | 73.2                     |        |                      |      |         |
| 64.5                              | 65   |             | 191274        | 0.5   | 22.7    |        |      | 77.3                     |        |                      |      |         |
| 65                                | 65.5 |             | 191275        | 0.5   | 35.9    |        |      | 64.1                     |        |                      |      |         |
| 65.5                              | 66   | 521         | 191276        | 0.5   | 24.4    |        |      | 75.6                     |        |                      |      |         |
| 66                                | 66.5 |             | 191277        | 0.5   | 25.5    |        |      | 74.5                     |        |                      |      |         |
| 66.5                              | 67   |             | 191278        | 0.5   | 32.6    |        |      | 67.4                     |        |                      |      |         |
| 67                                | 67.5 |             |               | 0.5   | missing |        |      |                          |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|----------------------------|
| HOLE NUMBER:                      |       | 2910        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS                    |
| 67.5                              | 68    | 521         | 191279        | 0.5   | 34.4 |        |      | 65.6                     |        |      |      |                            |
| 68                                | 68.5  |             | 191280        | 0.5   | 74.6 |        |      | 25.4                     |        |      |      |                            |
| 68.5                              | 69    |             | 191281        | 0.5   | 83.7 |        |      | 16.3                     |        |      |      |                            |
|                                   |       |             | compo 520     |       | 32.3 | 18.4   | 0.54 | 48.76                    | 1.5    | 0.34 |      |                            |
| 145.5                             | 146   |             | 191282        | 0.5   | 22.2 |        |      | 77.8                     |        |      |      | ROMAX<br>RO-100-06<br>1.20 |
| 146                               | 146.5 | 522         | 191283        | 0.5   | 35.5 |        |      | 64.5                     |        |      |      |                            |
| 146.5                             | 147   |             | 191284        | 0.5   | 44.4 |        |      | 55.6                     |        |      |      |                            |
| 147                               | 147.5 |             | 191285        | 0.5   | 46.3 |        |      | 53.7                     |        |      |      |                            |
| 147.5                             | 148   |             | 191286        | 0.5   | 75.8 |        |      | 24.2                     |        |      |      |                            |
|                                   |       |             | compo 521     |       | 29.7 | 20.04  | 0.5  | 49.76                    | 1.5    | 0.38 |      |                            |
| 185                               | 185.5 |             | 191287        | 0.5   | 31.9 |        |      | 68.1                     |        |      |      | ROMAX<br>RO-101-06<br>1.29 |
| 185.5                             | 186   |             | 191288        | 0.5   | 31.7 |        |      | 68.3                     |        |      |      |                            |
| 186                               | 186.5 |             | 191289        | 0.5   | 38.1 |        |      | 61.9                     |        |      |      |                            |
| 186.5                             | 187   |             | 191290        | 0.5   | 41.3 |        |      | 58.7                     |        |      |      |                            |
| 187                               | 187.5 |             | 191291        | 0.5   | 63.0 |        |      | 37                       |        |      |      |                            |
| 187.5                             | 188   |             | 191292        | 0.5   | 42.5 |        |      | 57.5                     |        |      |      |                            |
| 188                               | 188.5 | 523         | 191293        | 0.5   | 32.2 |        |      | 67.8                     |        |      |      |                            |
| 188.5                             | 189   |             | 191294        | 0.5   | 22.4 |        |      | 77.6                     |        |      |      |                            |
| 189                               | 189.5 |             | 191295        | 0.5   | 38.1 |        |      | 61.9                     |        |      |      |                            |
| 189.5                             | 190   |             | 191296        | 0.5   | 61.7 |        |      | 38.3                     |        |      |      |                            |
|                                   |       |             | compo 522     |       | 34.8 | 17.71  | 0.48 | 47.01                    | 1      | 0.47 |      |                            |
| 208.5                             | 209   |             | 191297        | 0.5   | 73.4 |        |      | 26.6                     |        |      |      |                            |
|                                   |       |             | compo 523     |       | 39.8 | 16.75  | 0.52 | 42.93                    | 1      | 0.36 |      |                            |
| 237                               | 237.5 |             | 191298        | 0.5   | 72.9 |        |      | 27.1                     |        |      |      |                            |
| 237.5                             | 238   |             | 191299        | 0.5   | 67.5 |        |      | 32.5                     |        |      |      |                            |
|                                   |       |             | compo 524     |       | 26.1 | 19.2   | 0.46 | 54.24                    | 3      | 0.42 |      |                            |
| 239                               | 239.5 |             | 191300        | 0.5   | 24.3 |        |      | 75.7                     |        |      |      | ROMAX<br>RO-102-06<br>1.28 |
| 239.5                             | 240   |             | 191301        | 0.5   | 31.0 |        |      | 69                       |        |      |      |                            |
| 240                               | 240.5 | 524         | 191302        | 0.5   | 26.4 |        |      | 73.6                     |        |      |      |                            |
| 240.5                             | 241   |             | 191303        | 0.5   | 17.5 |        |      | 82.5                     |        |      |      |                            |
| 241                               | 241.5 |             | 191304        | 0.5   | 25.6 |        |      | 74.4                     |        |      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |       | 2910        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I. | S                        | PHOS | REMARKS   |
| 242.5                             | 243   |             | 191305        | 0.5   | 66.3 |        |      | 33.7  |        |                          |      |           |
| 243.5                             | 244   |             | 191306        | 0.5   | 47.3 |        |      | 52.7  |        |                          |      |           |
| 244                               | 244.5 |             | 191307        | 0.5   | 50.6 |        |      | 49.4  |        |                          |      |           |
| 263                               | 263.5 |             | 191308        | 0.5   | 74.9 |        |      | 25.1  |        |                          |      |           |
|                                   |       |             | PROX 525      |       | 29.3 | 19.23  | 0.38 | 51.09 | 1      | 0.4                      |      |           |
| 265                               | 265.5 |             | 191309        | 0.5   | 77.6 |        |      | 22.4  |        |                          |      |           |
| 265.5                             | 266   |             | 191310        | 0.5   | 69.3 |        |      | 30.7  |        |                          |      |           |
| 266                               | 266.5 |             | 191312        | 0.5   | 60.5 |        |      | 39.5  |        |                          |      |           |
| 266.5                             | 267   | 525         | 191314        | 0.5   | 27.4 |        |      | 72.6  |        |                          |      |           |
|                                   |       |             | PROX 526      |       | 40.9 | 14.66  | 0.5  | 43.94 | 1      | 0.37                     |      |           |
| 267.5                             | 268   | 526         | 191315        | 0.5   | 38.6 |        |      | 61.4  |        |                          |      |           |
| 268                               | 268.5 |             | 191316        | 0.5   | 63.5 |        |      | 36.5  |        |                          |      |           |
| 269                               | 269.5 |             | 191317        | 0.5   | 39.0 |        |      | 61    |        |                          |      | ROMAX     |
| 269.5                             | 270   |             | 191318        | 0.5   | 21.8 |        |      | 78.2  |        |                          |      | RO-103-06 |
| 270                               | 270.5 | 527         | 191319        | 0.5   | 29.8 |        |      | 70.2  |        |                          |      | 1.32      |
| 270.5                             | 271   |             | 191320        | 0.5   | 18.2 |        |      | 81.8  |        |                          |      |           |
| 271                               | 271.5 |             | 191321        | 0.5   | 20.1 |        |      | 79.9  |        |                          |      |           |
|                                   |       |             | compo 527     |       | 26.2 | 17.21  | 0.41 | 56.18 | 2      | 0.42                     |      |           |
| 281                               | 281.5 |             | 191322        | 0.5   | 24.7 |        |      | 75.3  |        |                          |      |           |
| 281.5                             | 282   |             | 191323        | 0.5   | 23.6 |        |      | 76.4  |        |                          |      |           |
| 282                               | 282.5 |             | 191324        | 0.5   | 40.9 |        |      | 59.1  |        |                          |      |           |
| 282.5                             | 283   | 528         | 193301        | 0.5   | 21.3 |        |      | 78.7  |        |                          |      | ROMAX     |
| 283                               | 283.5 |             | 193302        | 0.5   | 10.1 |        |      | 89.9  |        |                          |      | RO-104-06 |
| 283.5                             | 284   |             | 193303        | 0.5   | 10.8 |        |      | 89.2  |        |                          |      | 1.28      |
| 284                               | 284.5 |             | 193304        | 0.5   | 19.1 |        |      | 80.9  |        |                          |      |           |
|                                   |       |             | compo 528     |       | 22.0 | 18.96  | 0.42 | 58.62 | 6      | 0.46                     |      |           |
| 285                               | 285.5 |             | 193305        | 0.5   | 26.5 |        |      | 73.5  |        |                          |      |           |





| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2911        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 6                                 | 6.5   |             | 185751        | 0.5   | 65.5 |        |      | 34.5  |        |                          |      |         |
| 6.5                               | 7     |             | 185752        | 0.5   | 82.3 |        |      | 17.7  |        |                          |      |         |
| 33                                | 33.5  |             | 185753        | 0.5   | 40.8 |        |      | 59.2  |        |                          |      |         |
| 33.5                              | 34    |             | 185754        | 0.5   | 45.8 |        |      | 54.2  |        |                          |      |         |
| 34                                | 34.5  |             | 185755        | 0.5   | 78.5 |        |      | 21.5  |        |                          |      |         |
|                                   |       |             | PROX 530      |       | 34.3 | 19.91  | 0.56 | 45.23 | 2.5    | 0.65                     |      |         |
| 55                                | 55.5  |             | 185756        | 0.5   | 56.3 |        |      | 43.7  |        |                          |      |         |
| 55.5                              | 56    | 530         | 185757        | 0.5   | 26.5 |        |      | 73.5  |        |                          |      |         |
| 56                                | 56.5  |             | 185758        | 0.5   | 84.9 |        |      | 15.1  |        |                          |      |         |
| 58                                | 58.5  |             | 185759        | 0.5   | 64.6 |        |      | 35.4  |        |                          |      |         |
| 58.5                              | 59    | 531         | 185760        | 0.5   | 30.1 |        |      | 69.9  |        |                          |      |         |
| 59                                | 59.5  |             | 185761        | 0.5   | 84.0 |        |      | 16    |        |                          |      |         |
|                                   |       |             | PROX 531      |       | 36.1 | 18.22  | 0.61 | 45.07 | 3      | 0.66                     |      |         |
| 65.5                              | 66    |             | 185762        | 0.5   | 81.8 |        |      | 18.2  |        |                          |      |         |
| 66                                | 66.5  |             | 185763        | 0.5   | 46.9 |        |      | 53.1  |        |                          |      |         |
| 66.5                              | 67    |             | 185764        | 0.5   | 56.1 |        |      | 43.9  |        |                          |      |         |
| 67                                | 67.5  |             | 185765        | 0.5   | 42.9 |        |      | 57.1  |        |                          |      |         |
| 67.5                              | 68    | 532         | 185766        | 0.5   | 34.0 |        |      | 66    |        |                          |      |         |
| 68                                | 68.5  |             | 185767        | 0.5   | 49.6 |        |      | 50.4  |        |                          |      |         |
| 68.5                              | 69    |             | 185768        | 0.5   | 61.2 |        |      | 38.8  |        |                          |      |         |
| 69                                | 69.5  |             | 185769        | 0.5   | 76.3 |        |      | 23.7  |        |                          |      |         |
|                                   |       |             | compo 532     |       | 42.6 | 17.9   | 0.6  | 38.9  | 5.5    | 0.62                     |      |         |
| 73.5                              | 74    |             | 185770        | 0.5   | 50.5 |        |      | 49.5  |        |                          |      |         |
| 74                                | 74.5  |             | 185771        | 0.5   | 57.0 |        |      | 43    |        |                          |      |         |
| 74.5                              | 75    |             | 185772        | 0.5   | 69.3 |        |      | 30.7  |        |                          |      |         |
| 75                                | 75.5  |             | 185773        | 0.5   | 81.7 |        |      | 18.3  |        |                          |      |         |
| 132.5                             | 133   |             | 185774        | 0.5   | 14.6 |        |      | 85.4  |        |                          |      |         |
| 133                               | 133.5 | 533         | 185775        | 0.5   | 16.0 |        |      | 84    |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2911        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS                    |
| 133.5                             | 134   | 533         | 185776        | 0.5   | 21.2 |        |      | 78.8                     |        |                      |      |                            |
| 134                               | 134.5 |             | 185777        | 0.5   | 37.7 |        |      | 62.3                     |        |                      |      |                            |
| 134.5                             | 135   |             | 185778        | 0.5   | 77.4 |        |      | 22.6                     |        |                      |      |                            |
| 135                               | 135.5 |             | 185779        | 0.5   | 84.8 |        |      | 15.2                     |        |                      |      |                            |
|                                   |       |             | compo 533     |       | 24.5 | 20.7   | 0.53 | 54.27                    | 4.5    | 0.61                 |      |                            |
| 136                               | 136.5 |             | 185780        | 0.5   | 73.4 |        |      | 26.6                     |        |                      |      |                            |
| 136.5                             | 137   |             | 185781        | 0.5   | 53.6 |        |      | 46.4                     |        |                      |      |                            |
| 137                               | 137.5 |             | 185782        | 0.5   | 11.9 |        |      | 88.1                     |        |                      |      |                            |
| 137.5                             | 138   | 534         | 185783        | 0.5   | 20.8 |        |      | 79.2                     |        |                      |      |                            |
| 138                               | 138.5 |             | 185784        | 0.5   | 42.9 |        |      | 57.1                     |        |                      |      |                            |
| 138.5                             | 139   |             | 185785        | 0.5   | 65.2 |        |      | 34.8                     |        |                      |      |                            |
| 139                               | 139.5 |             | 185786        | 0.5   | 79.1 |        |      | 20.9                     |        |                      |      |                            |
| 139.5                             | 140   |             | 185787        | 0.5   | 75.1 |        |      | 24.9                     |        |                      |      |                            |
| 140                               | 140.5 |             | 185788        | 0.5   | 67.9 |        |      | 32.1                     |        |                      |      |                            |
| 140.5                             | 141   |             | 185789        | 0.5   | 76.5 |        |      | 23.5                     |        |                      |      |                            |
| 141                               | 141.5 |             | 185790        | 0.5   | 75.8 |        |      | 24.2                     |        |                      |      |                            |
| 141.5                             | 142   |             | 185791        | 0.5   | 80.6 |        |      | 19.4                     |        |                      |      |                            |
|                                   |       |             | compo 534     |       | 29.9 | 19.41  | 0.54 | 50.15                    | 3      | 0.5                  |      |                            |
| 143                               | 143.5 |             | 185792        | 0.5   | 72.3 |        |      | 27.7                     |        |                      |      |                            |
| 143.5                             | 144   |             | 185793        | 0.5   | 85.4 |        |      | 14.6                     |        |                      |      |                            |
| 162                               | 162.5 |             | 185794        | 0.5   | 23.6 |        |      | 76.4                     |        |                      |      |                            |
| 162.5                             | 163   |             | 185795        | 0.5   | 23.5 |        |      | 76.5                     |        |                      |      |                            |
| 163                               | 163.5 | 535         | 185796        | 0.5   | 25.2 |        |      | 74.8                     |        |                      |      | ROMAX<br>RO-105-06<br>1.12 |
| 163.5                             | 164   |             | 185797        | 0.5   | 38.4 |        |      | 61.6                     |        |                      |      |                            |
| 164                               | 164.5 |             | 185798        | 0.5   | 58.4 |        |      | 41.6                     |        |                      |      |                            |
| 164.5                             | 165   |             | 185799        | 0.5   | 70.9 |        |      | 29.1                     |        |                      |      |                            |
| 165                               | 165.5 |             | 185800        | 0.5   | 77.5 |        |      | 22.5                     |        |                      |      |                            |
|                                   |       |             | compo 535     |       | 30.3 | 19.37  | 0.49 | 49.84                    | 4.5    | 0.59                 |      |                            |
| 166                               | 166.5 |             | 185801        | 0.5   | 50.8 |        |      | 49.2                     |        |                      |      |                            |
| 166.5                             | 167   | 536         | 185802        | 0.5   | 37.9 |        |      | 62.1                     |        |                      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |           |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|-----------|--|
| HOLE NUMBER:                      |       | 2911        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |           |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS   |  |
| 167                               | 167.5 |             | 185803        | 0.5   | 18.9 |        |      | 81.1                     |                      |      | ROMAX     |  |
| 167.5                             | 168   | 536         | 185804        | 0.5   | 21.8 |        |      | 78.2                     |                      |      | RO-106-06 |  |
| 168                               | 168.5 |             | 185805        | 0.5   | 44.4 |        |      | 55.6                     |                      |      | 1.16      |  |
| 168.5                             | 169   |             | 185806        | 0.5   | 88.0 |        |      | 12                       |                      |      |           |  |
|                                   |       |             | compo 536     |       | 34.9 | 17.27  | 0.53 | 47.3                     | 1.5                  | 0.47 |           |  |
| 170.5                             | 171   |             | 185807        | 0.5   | 21.9 |        |      | 78.1                     |                      |      |           |  |
| 171                               | 171.5 |             | 185808        | 0.5   | 27.1 |        |      | 72.9                     |                      |      | ROMAX     |  |
| 171.5                             | 172   | 537         | 185809        | 0.5   | 21.8 |        |      | 78.2                     |                      |      | RO-107-06 |  |
| 172                               | 172.5 |             | 185810        | 0.5   | 45.1 |        |      | 54.9                     |                      |      | 1.15      |  |
| 172.5                             | 173   |             | 185811        | 0.5   | 66.6 |        |      | 33.4                     |                      |      |           |  |
| 173                               | 173.5 |             | 185812        | 0.5   | 79.4 |        |      | 20.6                     |                      |      |           |  |
|                                   |       |             | compo 537     |       | 29.7 | 19.07  | 0.5  | 50.73                    | 2                    | 0.51 |           |  |
| 179.5                             | 180   | 539         | 185813        | 0.5   | 35.5 |        |      | 64.5                     |                      |      |           |  |
| 180                               | 180.5 |             | 185814        | 0.5   | 17.4 |        |      | 82.6                     |                      |      |           |  |
| 180.5                             | 181   |             | 185815        | 0.5   | 13.5 |        |      | 86.5                     |                      |      |           |  |
| 181                               | 181.5 |             | 185816        | 0.5   | 20.8 |        |      | 79.2                     |                      |      |           |  |
| 181.5                             | 182   |             | 185817        | 0.5   | 21.4 |        |      | 78.6                     |                      |      |           |  |
| 182                               | 182.5 |             | 185818        | 0.5   | 15.4 |        |      | 84.6                     |                      |      |           |  |
| 182.5                             | 183   |             | 538 185819    | 0.5   | 28.1 |        |      | 71.9                     |                      |      |           |  |
| 183                               | 183.5 |             | 185820        | 0.5   | 27.6 |        |      | 72.4                     |                      |      |           |  |
| 183.5                             | 184   |             | 185821        | 0.5   | 41.3 |        |      | 58.7                     |                      |      |           |  |
| 184                               | 184.5 |             | 185822        | 0.5   | 83.7 |        |      | 16.3                     |                      |      |           |  |
| 184.5                             | 185   | 540         | 185823        | 0.5   | 31.9 |        |      | 68.1                     |                      |      |           |  |
| 185                               | 185.5 |             | 185824        | 0.5   | 21.8 |        |      | 78.2                     |                      |      |           |  |
| 185.5                             | 186   |             | 185825        | 0.5   | 16.5 |        |      | 83.5                     |                      |      |           |  |
| 186                               | 186.5 |             | 185826        | 0.5   | 20.1 |        |      | 79.9                     |                      |      |           |  |
| 186.5                             | 187   |             | 185827        | 0.5   | 22.3 |        |      | 77.7                     |                      |      |           |  |
| 187                               | 187.5 |             | 185828        | 0.5   | 22.4 |        |      | 77.6                     |                      |      |           |  |
| 187.5                             | 188   |             | 185829        | 0.5   | 24.9 |        |      | 75.1                     |                      |      |           |  |
| 188                               | 188.5 |             | 185830        | 0.5   | 17.0 |        |      | 83                       |                      |      |           |  |
| 188.5                             | 189   |             | 185831        | 0.5   | 51.0 |        |      | 49                       |                      |      |           |  |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2912        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 104.5                             | 105   |             | 187526        | 0.5   | 27.2 |        |      | 72.8                     |        |                      |      |         |
| 105                               | 105.5 |             | 187527        | 0.5   | 61.3 |        |      | 38.7                     |        |                      |      |         |
| 105.5                             | 106   |             | 187528        | 0.5   | 43.7 |        |      | 56.3                     |        |                      |      |         |
| 106                               | 106.5 |             | 187529        | 0.5   | 12.6 |        |      | 87.4                     |        |                      |      |         |
| 106.5                             | 107   |             | 187530        | 0.5   | 13.5 |        |      | 86.5                     |        |                      |      |         |
| 107                               | 107.5 |             | 187531        | 0.5   | 24.2 |        |      | 75.8                     |        |                      |      |         |
| 107.5                             | 108   | 541         | 187532        | 0.5   | 22.5 |        |      | 77.5                     |        |                      |      |         |
| 108                               | 108.5 |             | 187533        | 0.5   | 12.0 |        |      | 88                       |        |                      |      |         |
| 108.5                             | 109   |             | 187534        | 0.5   | 19.2 |        |      | 80.8                     |        |                      |      |         |
| 109                               | 109.5 |             | 187535        | 0.5   | 10.4 |        |      | 89.6                     |        |                      |      |         |
| 109.5                             | 110   |             | 187536        | 0.5   | 19.6 |        |      | 80.4                     |        |                      |      |         |
| 110                               | 110.5 |             | 187537        | 0.5   | 22.3 |        |      | 77.7                     |        |                      |      |         |
| 110.5                             | 111   |             | 187538        | 0.5   | 13.5 |        |      | 86.5                     |        |                      |      |         |
| 111                               | 111.5 |             | 187539        | 0.5   | 71.1 |        |      | 28.9                     |        |                      |      |         |
| 111.5                             | 112   |             | 187540        | 0.5   | 84.5 |        |      | 15.5                     |        |                      |      |         |
|                                   |       |             | compo 541     |       | 19.9 | 18.35  | 0.48 | 61.27                    | 1      | 0.48                 |      |         |
| 119                               | 119.5 |             | 187541        | 0.5   | 61.1 |        |      | 38.9                     |        |                      |      |         |
| 119.5                             | 120   |             | 187542        | 0.5   | 80.6 |        |      | 19.4                     |        |                      |      |         |
| 178.5                             | 179   | 542         | 187543        | 0.5   | 36.1 |        |      | 63.9                     |        |                      |      |         |
| 179                               | 179.5 |             | 187544        | 0.5   | 27.6 |        |      | 72.4                     |        |                      |      |         |
| 179.5                             | 180   |             | 187545        | 0.5   | 74.9 |        |      | 25.1                     |        |                      |      |         |
|                                   |       |             | compo 542     |       | 34.4 | 16.41  | 0.45 | 48.74                    | 1.5    | 0.53                 |      |         |
| 181.5                             | 182   |             | 187546        | 0.5   | 28.9 |        |      | 71.1                     |        |                      |      |         |
| 182                               | 182.5 |             | 187547        | 0.5   | 62.3 |        |      | 37.7                     |        |                      |      |         |
| 199                               | 199.5 |             | 187548        | 0.5   | 81.4 |        |      | 18.6                     |        |                      |      |         |
| 199.5                             | 200   |             | 187549        | 0.5   | 71.7 |        |      | 28.3                     |        |                      |      |         |
| 200                               | 200.5 |             | 187550        | 0.5   | 72.0 |        |      | 28                       |        |                      |      |         |
| 200.5                             | 201   |             | 187551        | 0.5   | 75.8 |        |      | 24.2                     |        |                      |      |         |
| 201                               | 201.5 |             | 187552        | 0.5   | 74.1 |        |      | 25.9                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2912        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 201.5                             | 202   |             | 187553        | 0.5   | 52.3 |        |      | 47.7                     |        |                      |      |         |
| 202                               | 202.5 |             | 187554        | 0.5   | 57.8 |        |      | 42.2                     |        |                      |      |         |
| 202.5                             | 203   |             | 187555        | 0.5   | 33.1 |        |      | 66.9                     |        |                      |      |         |
| 203                               | 203.5 |             | 187556        | 0.5   | 57.6 |        |      | 42.4                     |        |                      |      |         |
| 203.5                             | 204   | 543         | 187557        | 0.5   | 31.8 |        |      | 68.2                     |        |                      |      |         |
| 204                               | 204.5 |             | 187558        | 0.5   | 45.6 |        |      | 54.4                     |        |                      |      |         |
| 204.5                             | 205   |             | 187559        | 0.5   | 65.8 |        |      | 34.2                     |        |                      |      |         |
| 205                               | 205.5 |             | 187560        | 0.5   | 47.4 |        |      | 52.6                     |        |                      |      |         |
| 205.5                             | 206   |             | 187561        | 0.5   | 37.9 |        |      | 62.1                     |        |                      |      |         |
| 207                               | 207.5 |             | 187562        | 0.5   | 49.4 |        |      | 50.6                     |        |                      |      |         |
| 207.5                             | 208   | 544         | 187563        | 0.5   | 38.6 |        |      | 61.4                     |        |                      |      |         |
| 208                               | 208.5 |             | 187564        | 0.5   | 57.8 |        |      | 42.2                     |        |                      |      |         |
| 208.5                             | 209   |             | 187565        | 0.5   | 64.6 |        |      | 35.4                     |        |                      |      |         |
|                                   |       |             | compo 543     |       | 48.4 | 13.72  | 0.58 | 37.3                     | 1      | 0.33                 |      |         |
|                                   |       |             | compo 544     |       | 46.1 | 15.02  | 0.48 | 38.4                     | 1      | 0.36                 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |      | 2913        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 60                                | 60.5 |             | 185926        | 0.5   | 36.0 |        |      | 64                       |        |                      |      |         |
| 60.5                              | 61   |             | 185927        | 0.5   | 21.3 |        |      | 78.7                     |        |                      |      |         |
| 61                                | 61.5 | 545         | 185928        | 0.5   | 47.7 |        |      | 52.3                     |        |                      |      |         |
| 61.5                              | 62   |             | 185929        | 0.5   | 28.9 |        |      | 71.1                     |        |                      |      |         |
| 62                                | 62.5 |             | 185930        | 0.5   | 57.1 |        |      | 42.9                     |        |                      |      |         |
| 62.5                              | 63   |             | 185931        | 0.5   | 48.7 |        |      | 51.3                     |        |                      |      |         |
| 63                                | 63.5 |             | 185932        | 0.5   | 83.6 |        |      | 16.4                     |        |                      |      |         |
|                                   |      |             | compo 545     |       | 35.6 | 17.99  | 0.57 | 45.84                    | 4      | 0.54                 |      |         |
| 67                                | 67.5 |             | 185933        | 0.5   | 66.0 |        |      | 34                       |        |                      |      |         |
| 67.5                              | 68   |             | 185934        | 0.5   | 36.6 |        |      | 63.4                     |        |                      |      |         |
| 68                                | 68.5 | 546         | 185935        | 0.5   | 22.6 |        |      | 77.4                     |        |                      |      |         |
| 68.5                              | 69   |             | 185936        | 0.5   | 21.4 |        |      | 78.6                     |        |                      |      |         |
| 69                                | 69.5 |             | 185937        | 0.5   | 25.2 |        |      | 74.8                     |        |                      |      |         |
| 69.5                              | 70   |             | 185938        | 0.5   | 47.8 |        |      | 52.2                     |        |                      |      |         |
| 70                                | 70.5 |             | 185939        | 0.5   | 45.8 |        |      | 54.2                     |        |                      |      |         |
| 70.5                              | 71   |             | 185940        | 0.5   | 59.7 |        |      | 40.3                     |        |                      |      |         |
| 71                                | 71.5 |             | 185941        | 0.5   | 56.9 |        |      | 43.1                     |        |                      |      |         |
| 71.5                              | 72   |             | 185942        | 0.5   | 53.4 |        |      | 46.6                     |        |                      |      |         |
| 72                                | 72.5 |             | 185943        | 0.5   | 64.5 |        |      | 35.5                     |        |                      |      |         |
| 72.5                              | 73   |             | 185944        | 0.5   | 75.6 |        |      | 24.4                     |        |                      |      |         |
|                                   |      |             | compo 546     |       | 28.7 | 19.1   | 0.55 | 51.65                    | 3.5    | 0.54                 |      |         |
| 74.5                              | 75   |             | 185945        | 0.5   | 71.7 |        |      | 28.3                     |        |                      |      |         |
| 75                                | 75.5 |             | 185946        | 0.5   | 87.6 |        |      | 12.4                     |        |                      |      |         |
| 96                                | 96.5 |             | 185947        | 0.5   | 28.1 |        |      | 71.9                     |        |                      |      |         |
| 96.5                              | 97   | 547         | 185948        | 0.5   | 32.6 |        |      | 67.4                     |        |                      |      |         |
| 97                                | 97.5 |             | 185949        | 0.5   | 52.8 |        |      | 47.2                     |        |                      |      |         |
| 97.5                              | 98   |             | 185950        | 0.5   | 56.9 |        |      | 43.1                     |        |                      |      |         |
| 98                                | 98.5 |             | 185951        | 0.5   | 66.1 |        |      | 33.9                     |        |                      |      |         |
|                                   |      |             | compo 547     |       | 32.3 | 19.28  | 0.49 | 47.93                    | 7      | 0.58                 |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER: 2913                 |       |             |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 100.5                             | 101   |             | 185952        | 0.5   | 42.0   |        |      | 58                       |        |      |      |         |
| 101                               | 101.5 |             | 185953        | 0.5   | 30.6   |        |      | 69.4                     |        |      |      |         |
| 101.5                             | 102   | 548         | 185954        | 0.5   | 12.1   |        |      | 87.9                     |        |      |      |         |
| 102                               | 102.5 |             | 185955        | 0.5   | 28.4   |        |      | 71.6                     |        |      |      |         |
| 102.5                             | 103   |             | 185956        | 0.5   | 58.5   |        |      | 41.5                     |        |      |      |         |
|                                   |       |             | compo 548     |       | 30.3   | 18.29  | 0.54 | 50.87                    | 2.5    | 0.42 |      |         |
| 105                               | 105.5 |             | 185957        | 0.5   | 71.2   |        |      | 28.8                     |        |      |      |         |
| 105.5                             | 106   |             | 185958        | 0.5   | 40.7   |        |      | 59.3                     |        |      |      |         |
| 106                               | 106.5 | 549         | 185959        | 0.5   | 20.7   |        |      | 79.3                     |        |      |      |         |
| 106.5                             | 107   |             | 185961        | 0.5   | 16.3   |        |      | 83.7                     |        |      |      |         |
| 107                               | 107.5 |             | 185962        | 0.5   | 48.9   |        |      | 51.1                     |        |      |      |         |
| 107.5                             | 108   |             | 185963        | 0.5   | 59.8   |        |      | 40.2                     |        |      |      |         |
| 108                               | 108.5 |             | 185964        | 0.5   | 34.0   |        |      | 66                       |        |      |      |         |
| 108.5                             | 109   |             | 185965        | 0.5   | 21.1   |        |      | 78.9                     |        |      |      |         |
| 109                               | 109.5 | 550         | 185966        | 0.5   | 19.1   |        |      | 80.9                     |        |      |      |         |
| 109.5                             | 110   |             | 185967        | 0.5   | 17.9   |        |      | 82.1                     |        |      |      |         |
| 110                               | 110.5 |             | 185968        | 0.5   | 18.1   |        |      | 81.9                     |        |      |      |         |
| 110.5                             | 111   |             | 185969        | 0.5   | 23.0   |        |      | 77                       |        |      |      |         |
| 111                               | 111.5 |             | 185970        | 0.5   | 30.5   |        |      | 69.5                     |        |      |      |         |
| 111.5                             | 112   |             | 185971        | 0.5   | 15.3   |        |      | 84.7                     |        |      |      |         |
| 112                               | 112.5 |             | 185972        | 0.5   | 62.1   |        |      | 37.9                     |        |      |      |         |
| 112.5                             | 113   |             | 185973        | 0.5   | 75.2   |        |      | 24.8                     |        |      |      |         |
|                                   |       |             | compo 549     |       | 30.9   | 18.72  | 0.59 | 49.79                    | 1.5    | 0.34 |      |         |
| 188                               | 188.5 |             | 185974        | 0.5   | 25.6   |        |      | 74.4                     |        |      |      |         |
| 188.5                             | 189   | 551         | 185975        | 0.5   | 30.9   |        |      | 69.1                     |        |      |      |         |
| 189                               | 189.5 |             | 189976        | 0.5   | 24.9   |        |      | 75.1                     |        |      |      |         |
| 189.5                             | 190   |             | 189977        | 0.5   | 30     |        |      | 70                       |        |      |      |         |
| 190                               | 190.5 |             | 189978        | 0.5   | 81.7   |        |      | 18.3                     |        |      |      |         |
|                                   |       |             | compo 550     |       | 24.6   | 19.36  | 0.61 | 55.43                    | 1.5    | 0.38 |      |         |
| 222.5                             | 223   |             | 189979        | 0.5   | 37.2   |        |      | 62.8                     |        |      |      |         |
| 223                               | 223.5 | 552         | 189980        | 0.5   | 30.1   |        |      | 69.9                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2913        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. |       | F.S.I. | S                        | PHOS | REMARKS |
| 223.5                             | 224   |             | 189981        | 0.5   | 23.8    |        |      | 76.2  |        |                          |      |         |
| 224                               | 224.5 |             | 189982        | 0.5   | 17.7    |        |      | 82.3  |        |                          |      |         |
| 224.5                             | 225   | 552         | 189983        | 0.5   | 18.7    |        |      | 81.3  |        |                          |      |         |
| 225                               | 225.5 |             | 189984        | 0.5   | 17.8    |        |      | 82.2  |        |                          |      |         |
| 225.5                             | 226   |             | 189985        | 0.5   | 39.2    |        |      | 60.8  |        |                          |      |         |
| 226                               | 226.5 |             | 189986        | 0.5   | 22.7    |        |      | 77.3  |        |                          |      |         |
| 226.5                             | 227   |             | 189987        | 0.5   | 19.7    |        |      | 80.3  |        |                          |      |         |
| 227                               | 227.5 |             | 189988        | 0.5   | 10.6    |        |      | 89.4  |        |                          |      |         |
| 227.5                             | 228   |             | 189989        | 0.5   | missing |        |      |       |        |                          |      |         |
| 228                               | 228.5 |             | 189990        | 0.5   | 14.9    |        |      | 85.1  |        |                          |      |         |
| 228.5                             | 229   |             | 189991        | 0.5   | 25.8    |        |      | 74.2  |        |                          |      |         |
| 229                               | 229.5 |             | 189992        | 0.5   | 66      |        |      | 34    |        |                          |      |         |
| 229.5                             | 230   |             | 189993        | 0.5   | 78.4    |        |      | 21.6  |        |                          |      |         |
|                                   |       |             | compo 551     |       | 28.9    | 18.84  | 0.48 | 51.78 | 2.5    | 0.53                     |      |         |
| 246                               | 246.5 |             | 189994        | 0.5   | 76.5    |        |      | 23.5  |        |                          |      |         |
| 246.5                             | 247   |             | 189995        | 0.5   | 56.4    |        |      | 43.6  |        |                          |      |         |
| 247                               | 247.5 |             | 189996        | 0.5   | 75.7    |        |      | 24.3  |        |                          |      |         |
| 247.5                             | 248   |             | 189997        | 0.5   | 84.6    |        |      | 15.4  |        |                          |      |         |
|                                   |       |             | compo 552     |       | 25.7    | 16.99  | 0.52 | 56.79 | 1.5    | 0.44                     |      |         |
| 278.5                             | 279   |             | 189998        | 0.5   | 64.1    |        |      | 35.9  |        |                          |      |         |
| 279                               | 279.5 |             | 189999        | 0.5   | 72.8    |        |      | 27.2  |        |                          |      |         |
|                                   |       |             | compo 553     |       | 37.3    | 15.65  | 0.57 | 46.48 | 3      | 0.4                      |      |         |
| 281                               | 281.5 |             | 190000        | 0.5   | 49.5    |        |      | 50.5  |        |                          |      |         |
| 281.5                             | 282   |             | 187476        | 0.5   | 51.9    |        |      | 48.1  |        |                          |      |         |
| 282                               | 282.5 |             | 187477        | 0.5   | 49.1    |        |      | 50.9  |        |                          |      |         |
| 282.5                             | 283   |             | 187478        | 0.5   | 39.1    |        |      | 60.9  |        |                          |      |         |
| 283                               | 283.5 |             | 187479        | 0.5   | 32.2    |        |      | 67.8  |        |                          |      |         |
| 283.5                             | 284   | 553         | 187480        | 0.5   | 23.0    |        |      | 77    |        |                          |      |         |
| 284                               | 284.5 |             | 187481        | 0.5   | 42.3    |        |      | 57.7  |        |                          |      |         |
| 284.5                             | 285   |             | 187482        | 0.5   | 81.6    |        |      | 18.4  |        |                          |      |         |
| 285                               | 285.5 |             | 187483        | 0.5   | 65.4    |        |      | 34.6  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2913        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 285.5                             | 286   |             | 187484        | 0.5   | 55.8 |        |      | 44.2                     |        |                      |      |         |
| 286                               | 286.5 |             | 187485        | 0.5   | 63.0 |        |      | 37                       |        |                      |      |         |
|                                   |       |             | compo 554     |       | 24.1 | 18.73  | 0.48 | 56.69                    | 6      | 0.54                 |      |         |
| 303                               | 303.5 | 554         | 187486        | 0.5   | 21.6 |        |      | 78.4                     |        |                      |      |         |
| 303.5                             | 304   |             | 187487        | 0.5   | 22.5 |        |      | 77.5                     |        |                      |      |         |
| 304                               | 304.5 |             | 187488        | 0.5   | 60.9 |        |      | 39.1                     |        |                      |      |         |
| 304.5                             | 305   |             | 187489        | 0.5   | 80.0 |        |      | 20                       |        |                      |      |         |
|                                   |       |             | compo 555     |       | 33.6 | 15.45  | 0.53 | 50.42                    | 3      | 0.5                  |      |         |
| 305.5                             | 306   |             | 187490        | 0.5   | 31.8 |        |      | 68.2                     |        |                      |      |         |
| 306                               | 306.5 |             | 187491        | 0.5   | 52.6 |        |      | 47.4                     |        |                      |      |         |
| 306.5                             | 307   |             | 187492        | 0.5   | 64.0 |        |      | 36                       |        |                      |      |         |
| 307                               | 307.5 |             | 187493        | 0.5   | 51.9 |        |      | 48.1                     |        |                      |      |         |
| 307.5                             | 308   |             | 187494        | 0.5   | 27.8 |        |      | 72.2                     |        |                      |      |         |
| 308                               | 308.5 |             | 187495        | 0.5   | 81.8 |        |      | 18.2                     |        |                      |      |         |
| 308.5                             | 309   | 555         | 187496        | 0.5   | 22.0 |        |      | 78                       |        |                      |      |         |
| 309                               | 309.5 |             | 187497        | 0.5   | 19.6 |        |      | 80.4                     |        |                      |      |         |
| 309.5                             | 310   |             | 187498        | 0.5   | 12.9 |        |      | 87.1                     |        |                      |      |         |
| 310                               | 310.5 |             | 187499        | 0.5   | 78.9 |        |      | 21.1                     |        |                      |      |         |
|                                   |       |             | compo 556     |       | 25.9 | 18.24  | 0.52 | 55.34                    | 6      | 0.49                 |      |         |
| 322.5                             | 323   |             | 187500        | 0.5   | 28.5 |        |      | 71.5                     |        |                      |      |         |
| 323                               | 323.5 |             | 187501        | 0.5   | 12.1 |        |      | 87.9                     |        |                      |      |         |
| 323.5                             | 324   | 556         | 187502        | 0.5   | 16.7 |        |      | 83.3                     |        |                      |      |         |
| 324                               | 324.5 |             | 187503        | 0.5   | 45.3 |        |      | 54.7                     |        |                      |      |         |
| 324.5                             | 325   |             | 187505        | 0.5   | 15.5 |        |      | 84.5                     |        |                      |      |         |
| 325                               | 325.5 |             | 187506        | 0.5   | 58.0 |        |      | 42                       |        |                      |      |         |
|                                   |       |             | compo 557     |       | 12.5 | 20.51  | 0.47 | 66.52                    | 7.5    | 0.62                 |      |         |
| 326.5                             | 327   |             | 187507        | 0.5   | 9.0  |        |      | 91                       |        |                      |      |         |
| 327                               | 327.5 | 557         | 187508        | 0.5   | 14.7 |        |      | 85.3                     |        |                      |      |         |
| 327.5                             | 328   |             | 187509        | 0.5   | 10.7 |        |      | 89.3                     |        |                      |      |         |
| 328                               | 328.5 |             | 187510        | 0.5   | 80.4 |        |      | 19.6                     |        |                      |      |         |

ROTARY DRILL HOLE SAMPLING RECORD

ELKVALLEY COAL CORP.

| HOLE NUMBER: |       | 2913        |               | AREA: | CASTLE |        | FORDING RIVER OPERATIONS |       |        |      |      |         |
|--------------|-------|-------------|---------------|-------|--------|--------|--------------------------|-------|--------|------|------|---------|
| FROM         | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M.                     | FC    | F.S.I. | S    | PHOS | REMARKS |
| 331          | 331.5 |             | 187511        | 0.5   | 66.3   |        |                          | 33.7  |        |      |      |         |
| 331.5        | 332   |             | 187512        | 0.5   | 64.4   |        |                          | 35.6  |        |      |      |         |
| 332          | 332.5 |             | 187513        | 0.5   | 64.5   |        |                          | 35.5  |        |      |      |         |
| 332.5        | 333   |             | 187514        | 0.5   | 56.5   |        |                          | 43.5  |        |      |      |         |
| 335          | 335.5 | 558         | 187515        | 0.5   | 24.5   |        |                          | 75.5  |        |      |      |         |
| 335.5        | 336   |             | 187516        | 0.5   | 9.8    |        |                          | 90.2  |        |      |      |         |
| 336          | 336.5 |             | 187517        | 0.5   | 70.3   |        |                          | 29.7  |        |      |      |         |
|              |       |             | compo 558     |       | 18.7   | 19.82  | 0.45                     | 61.03 | 7      | 0.52 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |      | 2914        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 27.5                              | 28   |             | 189826        | 0.5   | 24.4    |        |      | 75.6  |        |                          |      |         |
| 28                                | 28.5 | 559         | 189827        | 0.5   | 33.0    |        |      | 67    |        |                          |      |         |
| 28.5                              | 29   |             | 189828        | 0.5   | 28.6    |        |      | 71.4  |        |                          |      |         |
| 29                                | 29.5 |             | 189829        | 0.5   | 39.7    |        |      | 60.3  |        |                          |      |         |
| 29.5                              | 30   |             | 189830        | 0.5   | 68.5    |        |      | 31.5  |        |                          |      |         |
|                                   |      |             | compo 559     |       | 34.5    | 18.13  | 0.61 | 46.76 | 1.5    | 0.53                     |      |         |
| 31.5                              | 32   |             | 189831        | 0.5   | 76.1    |        |      | 23.9  |        |                          |      |         |
| 32                                | 32.5 |             | 189832        | 0.5   | 73.5    |        |      | 26.5  |        |                          |      |         |
| 32.5                              | 33   |             | 189833        | 0.5   | 70.5    |        |      | 29.5  |        |                          |      |         |
| 33                                | 33.5 |             | 189834        | 0.5   | missing |        |      |       |        |                          |      |         |
| 33.5                              | 34   | 560         | 189835        | 0.5   | 41.4    |        |      | 58.6  |        |                          |      |         |
| 34                                | 34.5 |             | 189836        | 0.5   | 58.8    |        |      | 41.2  |        |                          |      |         |
| 34.5                              | 35   |             | 189837        | 0.5   | 53.9    |        |      | 46.1  |        |                          |      |         |
| 35                                | 35.5 |             | 189838        | 0.5   | 77.6    |        |      | 22.4  |        |                          |      |         |
| 35.5                              | 36   |             | 189839        | 0.5   | 68.0    |        |      | 32    |        |                          |      |         |
| 36                                | 36.5 |             | 189840        | 0.5   | 68.2    |        |      | 31.8  |        |                          |      |         |
| 36.5                              | 37   |             | 189841        | 0.5   | 77.0    |        |      | 23    |        |                          |      |         |
|                                   |      |             | PROX 560      |       | 46.0    | 17.16  | 0.69 | 36.15 | 1      | 0.38                     |      |         |
| 37.5                              | 38   |             | 189842        | 0.5   | 55.4    |        |      | 44.6  |        |                          |      |         |
| 38                                | 38.5 |             | 189843        | 0.5   | 62.5    |        |      | 37.5  |        |                          |      |         |
| 38.5                              | 39   |             | 189844        | 0.5   | 76.9    |        |      | 23.1  |        |                          |      |         |
|                                   |      |             | 189845        | 0.5   | 53.7    |        |      | 46.3  |        |                          |      |         |
| 57                                | 57.5 |             | 189846        | 0.5   | 59.4    |        |      | 40.6  |        |                          |      |         |
| 57.5                              | 58   |             | 189847        | 0.5   | 70.9    |        |      | 29.1  |        |                          |      |         |
| 58                                | 58.5 |             | 189848        | 0.5   | 66.5    |        |      | 33.5  |        |                          |      |         |
| 58.5                              | 59   |             | compo 561     |       | 22.3    | 19.33  | 0.54 | 57.83 | 2      | 0.49                     |      |         |
| 61                                | 61.5 |             | 189849        | 0.5   | 11.7    |        |      | 88.3  |        |                          |      |         |
| 61.5                              | 62   |             | 189850        | 0.5   | 17.9    |        |      | 82.1  |        |                          |      |         |
| 62                                | 62.5 | 561         | 189876        | 0.5   | 31.3    |        |      | 68.7  |        |                          |      |         |
| 62.5                              | 63   |             | 189877        | 0.5   | 18.4    |        |      | 81.6  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|----------------------------|
| HOLE NUMBER:                      |       | 2914        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS                    |
| 63                                | 63.5  |             | 189878        | 0.5   | 55.0   |        |      | 45                       |        |      |      |                            |
| 63.5                              | 64    |             | 189879        | 0.5   | 72.0   |        |      | 28                       |        |      |      |                            |
|                                   |       |             | compo 562     |       | 24.1   | 20.7   | 0.53 | 54.67                    | 3      | 0.36 |      |                            |
| 67.5                              | 68    |             | 189880        | 0.5   | 19.9   |        |      | 80.1                     |        |      |      |                            |
| 68                                | 68.5  | 562         | 189881        | 0.5   | 19.4   |        |      | 80.6                     |        |      |      |                            |
| 68.5                              | 69    |             | 189882        | 0.5   | 24.6   |        |      | 75.4                     |        |      |      |                            |
| 69                                | 69.5  |             | 189883        | 0.5   | 18.3   |        |      | 81.7                     |        |      |      |                            |
| 69.5                              | 70    |             | 189884        | 0.5   | 56.2   |        |      | 43.8                     |        |      |      |                            |
| 70                                | 70.5  |             | 189885        | 0.5   | 45.7   |        |      | 54.3                     |        |      |      |                            |
| 70.5                              | 71    |             | 189886        | 0.5   | 41.5   |        |      | 58.5                     |        |      |      |                            |
| 71                                | 71.5  |             | 189887        | 0.5   | 29.9   |        |      | 70.1                     |        |      |      |                            |
| 71.5                              | 72    |             | 189888        | 0.5   | 27.3   |        |      | 72.7                     |        |      |      |                            |
| 72                                | 72.5  | 563         | 189889        | 0.5   | 27.8   |        |      | 72.2                     |        |      |      |                            |
| 72.5                              | 73    |             | 189890        | 0.5   | 19.5   |        |      | 80.5                     |        |      |      |                            |
| 73                                | 73.5  |             | 189891        | 0.5   | 22.3   |        |      | 77.7                     |        |      |      |                            |
| 73.5                              | 74    |             | 189892        | 0.5   | 20.8   |        |      | 79.2                     |        |      |      |                            |
| 74                                | 74.5  |             | 189893        | 0.5   | 23.2   |        |      | 76.8                     |        |      |      |                            |
| 74.5                              | 75    |             | 189894        | 0.5   | 46.3   |        |      | 53.7                     |        |      |      |                            |
| 75                                | 75.5  |             | 189895        | 0.5   | 72.5   |        |      | 27.5                     |        |      |      |                            |
|                                   |       |             | compo 563     |       | 27.9   | 19.4   | 0.56 | 52.14                    | 1.5    | 0.35 |      |                            |
| 137                               | 137.5 |             | 189896        | 0.5   | 25.7   |        |      | 74.3                     |        |      |      |                            |
| 137.5                             | 138   | 564         | 189897        | 0.5   | 34.3   |        |      | 65.7                     |        |      |      | ROMAX<br>RO-111-06<br>1.25 |
| 138                               | 138.5 |             | 189898        | 0.5   | 53.9   |        |      | 46.1                     |        |      |      |                            |
|                                   |       |             | compo 564     |       | 33.1   | 16.25  | 0.54 | 50.11                    | 1      | 0.63 |      |                            |
| 177                               | 177.5 |             | 189899        | 0.5   | 40.5   |        |      | 59.5                     |        |      |      |                            |
| 177.5                             | 178   |             | 189900        | 0.5   | 28.6   |        |      | 71.4                     |        |      |      |                            |
| 178                               | 178.5 |             | 189901        | 0.5   | 58.4   |        |      | 41.6                     |        |      |      |                            |
| 178.5                             | 179   | 565         | 189902        | 0.5   | 39.2   |        |      | 60.8                     |        |      |      | ROMAX<br>RO-112-06<br>1.31 |
| 179                               | 179.5 |             | 189903        | 0.5   | 16.9   |        |      | 83.1                     |        |      |      |                            |
| 179.5                             | 180   |             | 189904        | 0.5   | 14.4   |        |      | 85.6                     |        |      |      |                            |
| 180                               | 180.5 |             | 189905        | 0.5   | 22.8   |        |      | 77.2                     |        |      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------|
| HOLE NUMBER:                      |       | 2914        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I. | S                        | PHOS | REMARKS        |
| 180.5                             | 181   | 565         | 189906        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      |                |
|                                   |       |             | compo 565     |       | 32.7 | 16.36  | 0.52 | 50.42 | 1      | 0.39                     |      |                |
| 223                               | 223.5 |             | 189908        | 0.5   | 46.5 |        |      | 53.5  |        |                          |      |                |
| 223.5                             | 224   |             | 189909        | 0.5   | 45.1 |        |      | 54.9  |        |                          |      |                |
| 224                               | 224.5 |             | 189910        | 0.5   | 36.9 |        |      | 63.1  |        |                          |      | ROMAX          |
| 224.5                             | 225   | 566         | 189911        | 0.5   | 40.0 |        |      | 60    |        |                          |      | RO-113-06      |
| 225                               | 225.5 |             | 189912        | 0.5   | 61.0 |        |      | 39    |        |                          |      | 1.28           |
| 225.5                             | 226   |             | 189913        | 0.5   | 30.3 |        |      | 69.7  |        |                          |      |                |
| 226                               | 226.5 |             | 189914        | 0.5   | 51.0 |        |      | 49    |        |                          |      |                |
|                                   |       |             | compo 566     |       | 43.2 | 15.85  | 0.49 | 40.46 | 1      | 0.3                      |      |                |
| 227                               | 227.5 |             | 189915        | 0.5   | 57.4 |        |      | 42.6  |        |                          |      |                |
| 227.5                             | 228   | 567         | 189916        | 0.5   | 34.4 |        |      | 65.6  |        |                          |      |                |
| 228                               | 228.5 |             | 189917        | 0.5   | 49.7 |        |      | 50.3  |        |                          |      |                |
|                                   |       |             | PROX 567      |       | 36.2 | 15.42  | 0.5  | 47.88 | 1      | 0.42                     |      |                |
| 245.5                             | 246   |             | 189918        | 0.5   | 26.9 |        |      | 73.1  |        |                          |      |                |
| 246                               | 246.5 | 568         | 189919        | 0.5   | 25.6 |        |      | 74.4  |        |                          |      |                |
| 246.5                             | 247   |             | 189920        | 0.5   | 69.6 |        |      | 30.4  |        |                          |      |                |
|                                   |       |             | compo 568     |       | 26.6 | 16.56  | 0.47 | 56.37 | 1.5    | 0.51                     |      |                |
| 247.5                             | 248   |             | 189921        | 0.5   | 27.4 |        |      | 72.6  |        |                          |      |                |
| 248                               | 248.5 | 569         | 189922        | 0.5   | 28.4 |        |      | 71.6  |        |                          |      |                |
| 248.5                             | 249   |             | 189923        | 0.5   | 62.7 |        |      | 37.3  |        |                          |      |                |
|                                   |       |             | compo 569     |       | 28.3 | 19.44  | 0.45 | 51.81 | 1      | 0.44                     |      |                |
| 249.5                             | 250   |             | 189924        | 0.5   | 28.0 |        |      | 72    |        |                          |      |                |
| 250                               | 250.5 |             | 189925        | 0.5   | 26.3 |        |      | 73.7  |        |                          |      |                |
| 250.5                             | 251   | 570         | 191426        | 0.5   | 14.0 |        |      | 86    |        |                          |      | ROMAX          |
| 251                               | 251.5 |             | 191427        | 0.5   | 34.2 |        |      | 65.8  |        |                          |      | RO-114-06      |
| 251.5                             | 252   |             | 191428        | 0.5   | 20.4 |        |      | 79.6  |        |                          |      | 1.34           |
| 252                               | 252.5 |             | 191429        | 0.5   | 84.1 |        |      | 15.9  |        |                          |      |                |
|                                   |       |             | compo 570     |       | 25.1 | 18.06  | 0.45 | 56.39 | 2      | 0.43                     |      |                |
| 269                               | 269.5 |             | 191430        | 0.5   | 13.8 |        |      | 86.2  |        |                          |      | ROMAX          |
| 269.5                             | 270   | 571         | 191431        | 0.5   | 10.9 |        |      | 89.1  |        |                          |      | RO-115-06 1.29 |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2914        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 270                               | 270.5 | 571         | 191432        | 0.5   | 20.7 |        |      | 79.3                     |        |                      |      |         |
| 270.5                             | 271   |             | 191433        | 0.5   | 26.5 |        |      | 73.5                     |        |                      |      |         |
| 271                               | 271.5 |             | 191434        | 0.5   | 45.4 |        |      | 54.6                     |        |                      |      |         |
|                                   |       |             | compo 571     |       | 18.8 | 19.01  | 0.46 | 61.73                    | 4      | 0.48                 |      |         |
| 272.5                             | 273   |             | 191435        | 0.5   | 24.9 |        |      | 75.1                     |        |                      |      |         |
| 273                               | 273.5 |             | 191436        | 0.5   | 80.4 |        |      | 19.6                     |        |                      |      |         |
| 276                               | 276.5 | 572         | 191437        | 0.5   | 34.4 |        |      | 65.6                     |        |                      |      |         |
| 276.5                             | 277   |             | 191438        | 0.5   | 24.2 |        |      | 75.8                     |        |                      |      |         |
| 277                               | 277.5 |             | 191439        | 0.5   | 69.5 |        |      | 30.5                     |        |                      |      |         |
|                                   |       |             | compo 572     |       | 30.4 | 15.79  | 0.48 | 53.33                    | 2.5    | 0.66                 |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |         |        |      |       |                          | ELKVALLEY COAL CORP. |      |                            |
|-----------------------------------|------|-------------|---------------|-------|---------|--------|------|-------|--------------------------|----------------------|------|----------------------------|
| HOLE NUMBER: 2915                 |      |             |               | AREA: | CASTLE  |        |      |       | FORDING RIVER OPERATIONS |                      |      |                            |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.  | F.S.I.                   | S                    | PHOS | REMARKS                    |
| 3.5                               | 4    |             | 185851        | 0.5   | 20.5    |        |      | 79.5  |                          |                      |      |                            |
| 4                                 | 4.5  | 573         | 185852        | 0.5   | 35.7    |        |      | 64.3  |                          |                      |      |                            |
| 4.5                               | 5    |             | 185853        | 0.5   | 31.5    |        |      | 68.5  |                          |                      |      |                            |
| 5                                 | 5.5  |             | 185854        | 0.5   | 51.9    |        |      | 48.1  |                          |                      |      |                            |
| 5.5                               | 6    |             | 185855        | 0.5   | 39.1    |        |      | 60.9  |                          |                      |      |                            |
| 6                                 | 6.5  |             | 185856        | 0.5   | 81.1    |        |      | 18.9  |                          |                      |      |                            |
|                                   |      |             | compo 573     |       | 36.6    | 19.94  | 1.13 | 42.33 | 1                        | 0.61                 |      |                            |
| 18                                | 18.5 |             | 185857        | 0.5   | 25.0    |        |      | 75    |                          |                      |      |                            |
| 18.5                              | 19   | 574         | 185858        | 0.5   | 45.5    |        |      | 54.5  |                          |                      |      |                            |
| 19                                | 19.5 |             | 185859        | 0.5   | 64.6    |        |      | 35.4  |                          |                      |      |                            |
| 19.5                              | 20   |             | 185860        | 0.5   | 77.2    |        |      | 22.8  |                          |                      |      |                            |
|                                   |      |             | compo 574     |       | 35.7    | 20.05  | 0.62 | 43.63 | 6                        | 0.66                 |      |                            |
| 31                                | 31.5 |             | 185861        | 0.5   | 53.7    |        |      | 46.3  |                          |                      |      |                            |
| 31.5                              | 32   | 575         | 185862        | 0.5   | 44.8    |        |      | 55.2  |                          |                      |      |                            |
| 32                                | 32.5 |             | 185863        | 0.5   | 58.2    |        |      | 41.8  |                          |                      |      |                            |
| 32.5                              | 33   |             | 185864        | 0.5   | 81.2    |        |      | 18.8  |                          |                      |      |                            |
|                                   |      |             | PROX 575      |       | 44.6    | 17.09  | 0.53 | 37.78 | 1                        | 0.47                 |      |                            |
| 34                                | 34.5 |             | 185865        | 0.5   | 58.8    |        |      | 41.2  |                          |                      |      |                            |
| 34.5                              | 35   |             | 185866        | 0.5   | missing |        |      |       |                          |                      |      |                            |
| 49.5                              | 50   |             | 185867        | 0.5   | 75.4    |        |      | 24.6  |                          |                      |      |                            |
| 50                                | 50.5 |             | 185868        | 0.5   | 62.3    |        |      | 37.7  |                          |                      |      |                            |
| 50.5                              | 51   |             | 185869        | 0.5   | 26.3    |        |      | 73.7  |                          |                      |      |                            |
| 54                                | 54.5 | 576         | 185870        | 0.5   | 22.9    |        |      |       |                          |                      |      | ROMAX<br>RO-116-06<br>1.12 |
| 54.5                              | 55   |             | 185871        | 0.5   | 26.4    |        |      | 73.6  |                          |                      |      |                            |
| 55                                | 55.5 |             | 185872        | 0.5   | 48.1    |        |      | 51.9  |                          |                      |      |                            |
| 55.5                              | 56   |             | 185873        | 0.5   | 84.2    |        |      | 15.8  |                          |                      |      |                            |
|                                   |      |             | compo 576     |       | 27.2    | 19.08  | 0.56 | 53.16 | 2                        | 0.65                 |      |                            |
| 74.5                              | 75   |             | 185874        | 0.5   | 66.8    |        |      | 33.2  |                          |                      |      |                            |
| 75                                | 75.5 |             | 185875        | 0.5   | 78.3    |        |      | 21.7  |                          |                      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2915        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 78.5                              | 79    |             | 185876        | 0.5   | 67.2    |        |      | 32.8                     |        |      |      |         |
| 79                                | 79.5  |             | 185877        | 0.5   | 81.1    |        |      | 18.9                     |        |      |      |         |
|                                   |       |             | compo 577     |       | 16.0    | 21.93  | 0.52 | 61.55                    | 6.5    | 0.67 |      |         |
| 121.5                             | 122   |             | 185878        | 0.5   | 19.5    |        |      | 80.5                     |        |      |      |         |
| 122                               | 122.5 |             | 185879        | 0.5   | 10.5    |        |      | 89.5                     |        |      |      |         |
| 122.5                             | 123   | 577         | 185880        | 0.5   | 8.5     |        |      | 91.5                     |        |      |      |         |
| 123                               | 123.5 |             | 185881        | 0.5   | 24.5    |        |      | 75.5                     |        |      |      |         |
| 123.5                             | 124   |             | 185882        | 0.5   | 18.6    |        |      | 81.4                     |        |      |      |         |
| 124                               | 124.5 |             | 185883        | 0.5   | 85.0    |        |      | 15                       |        |      |      |         |
| 125.5                             | 126   |             | 185884        | 0.5   | 56.2    |        |      | 43.8                     |        |      |      |         |
| 126                               | 126.5 |             | 185885        | 0.5   | 30.0    |        |      | 70                       |        |      |      |         |
| 126.5                             | 127   | 578         | 185886        | 0.5   | 31.0    |        |      | 69                       |        |      |      |         |
| 127                               | 127.5 |             | 185887        | 0.5   | 22.8    |        |      | 77.2                     |        |      |      |         |
| 127.5                             | 128   |             | 185888        | 0.5   | 23.0    |        |      | 77                       |        |      |      |         |
| 128                               | 128.5 |             | 185889        | 0.5   | 63.7    |        |      | 36.3                     |        |      |      |         |
| 128.5                             | 129   |             | 185890        | 0.5   | 75.1    |        |      | 24.9                     |        |      |      |         |
|                                   |       |             | compo 578     |       | 26.6    | 20.24  | 0.63 | 52.53                    | 3.5    | 0.56 |      |         |
| 132                               | 132.5 |             | 185891        | 0.5   | 29.3    |        |      | 70.7                     |        |      |      |         |
| 132.5                             | 133   |             | 185892        | 0.5   | missing |        |      |                          |        |      |      |         |
| 133                               | 133.5 |             | 185893        | 0.5   | 84.5    |        |      | 15.5                     |        |      |      |         |
| 151.5                             | 152   |             | 185894        | 0.5   | 14.4    |        |      | 85.6                     |        |      |      |         |
| 152                               | 152.5 |             | 185895        | 0.5   | 21.8    |        |      | 78.2                     |        |      |      |         |
| 152.5                             | 153   | 580         | 185896        | 0.5   | 23.4    |        |      | 76.6                     |        |      |      |         |
| 153                               | 153.5 |             | 185897        | 0.5   | 22.6    |        |      | 77.4                     |        |      |      |         |
| 153.5                             | 154   |             | 185898        | 0.5   | 71.1    |        |      | 28.9                     |        |      |      |         |
|                                   |       |             | compo 580     |       | 20.0    | 21.22  | 0.61 | 58.17                    | 5.5    | 0.66 |      |         |
| 156.5                             | 157   |             | 185899        | 0.5   | 11.9    |        |      | 88.1                     |        |      |      |         |
| 157                               | 157.5 | 581         | 185900        | 0.5   | 14.0    |        |      | 86                       |        |      |      |         |

ROTARY DRILL HOLE SAMPLING RECORD

ELKVALLEY COAL CORP.

| HOLE NUMBER: |       | 2915        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |     |      |                            |  |
|--------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|-----|------|----------------------------|--|
| FROM         | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS                    |  |
| 157.5        | 158   |             | 185901        | 0.5   | 14.5    |        |      | 85.5                     |     |      |                            |  |
| 158          | 158.5 |             | 185902        | 0.5   | 13.9    |        |      | 86.1                     |     |      |                            |  |
| 158.5        | 159   | 581         | 185903        | 0.5   | 18.7    |        |      | 81.3                     |     |      | ROMAX<br>RO-117-06<br>1.16 |  |
| 159          | 159.5 |             | 185904        | 0.5   | 13.3    |        |      | 86.7                     |     |      |                            |  |
| 159.5        | 160   |             | 185905        | 0.5   | 20.1    |        |      | 79.9                     |     |      |                            |  |
| 160          | 160.5 |             | 185906        | 0.5   | 74.5    |        |      | 25.5                     |     |      |                            |  |
|              |       |             | compo 581     |       | 14.9    | 21.24  | 0.63 | 63.23                    | 3.5 | 0.61 |                            |  |
| 166          | 166.5 |             | 185907        | 0.5   | 20.6    |        |      | 79.4                     |     |      |                            |  |
| 166.5        | 167   |             | 185908        | 0.5   | 12.2    |        |      | 87.8                     |     |      |                            |  |
| 167          | 167.5 | 582         | 185909        | 0.5   | 18.6    |        |      | 81.4                     |     |      |                            |  |
| 167.5        | 168   |             | 185910        | 0.5   | 21.2    |        |      | 78.8                     |     |      |                            |  |
| 168          | 168.5 |             | 185911        | 0.5   | missing |        |      |                          |     |      |                            |  |
| 168.5        | 169   |             | 185912        | 0.5   | missing |        |      |                          |     |      |                            |  |
| 169          | 169.5 |             | 185913        | 0.5   | 78.2    |        |      | 21.8                     |     |      |                            |  |
| 169.5        | 170   |             | 185914        | 0.5   | 20.1    |        |      | 79.9                     |     |      | ROMAX<br>RO-118-06<br>1.24 |  |
| 170          | 170.5 |             | 185915        | 0.5   | 22.2    |        |      | 77.8                     |     |      |                            |  |
| 170.5        | 171   |             | 185916        | 0.5   | 40.7    |        |      | 59.3                     |     |      |                            |  |
| 171          | 171.5 |             | 185917        | 0.5   | 14.2    |        |      | 85.8                     |     |      |                            |  |
| 171.5        | 172   | 583         | 185918        | 0.5   | 23.5    |        |      | 76.5                     |     |      |                            |  |
| 172          | 172.5 |             | 185919        | 0.5   | 20.6    |        |      | 79.4                     |     |      |                            |  |
| 172.5        | 173   |             | 185920        | 0.5   | 23.1    |        |      | 76.9                     |     |      |                            |  |
| 173          | 173.5 |             | 185921        | 0.5   | 22.3    |        |      | 77.7                     |     |      |                            |  |
| 173.5        | 174   |             | 185922        | 0.5   | 10.5    |        |      | 89.5                     |     |      |                            |  |
| 174          | 174.5 |             | 185923        | 0.5   | 43.1    |        |      | 56.9                     |     |      |                            |  |
| 174.5        | 175   |             | 185924        | 0.5   | 63.1    |        |      | 36.9                     |     |      |                            |  |
| 175          | 175.5 |             | 185925        | 0.5   | 74.4    |        |      | 25.6                     |     |      |                            |  |
|              |       |             | compo 582     |       | 18.2    | 21.10  | 0.65 | 60.05                    | 2   | 0.44 |                            |  |
|              |       |             | compo 583     |       | 24.1    | 19.34  | 0.68 | 55.88                    | 2.5 | 0.42 |                            |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|-----------|
| HOLE NUMBER:                      |       | 2901        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS   |
| 11.5                              | 12    |             | 193276        | 0.5   | 44.6 |        |      | 55.4                     |        |                      |      |           |
| 12                                | 12.5  |             | 193277        | 0.5   | 28.7 |        |      | 71.3                     |        |                      |      |           |
| 12.5                              | 13    |             | 193278        | 0.5   | 64.3 |        |      | 35.7                     |        |                      |      |           |
|                                   |       |             | compo 445     |       | 36.4 | 27.91  | 0.32 | 35.37                    | 1      | 0.32                 |      |           |
| 117.5                             | 118   |             | 193279        | 0.5   | 13.7 |        |      | 86.3                     |        |                      |      |           |
| 118                               | 118.5 |             | 193280        | 0.5   | 17.4 |        |      | 82.6                     |        |                      |      |           |
| 118.5                             | 119   |             | 193281        | 0.5   | 17.8 |        |      | 82.2                     |        |                      |      | ROMAX     |
| 119                               | 119.5 |             | 193282        | 0.5   | 62.8 |        |      | 37.2                     |        |                      |      | RO-068-06 |
| 119.5                             | 120   |             | 193283        | 0.5   | 40.0 |        |      | 60                       |        |                      |      | 1.28      |
| 120                               | 120.5 |             | 193284        | 0.5   | 39.2 |        |      | 60.8                     |        |                      |      |           |
| 120.5                             | 121   |             | 193285        | 0.5   | 13.1 |        |      | 86.9                     |        |                      |      |           |
| 121                               | 121.5 |             | 193286        | 0.5   | 15.2 |        |      | 84.8                     |        |                      |      |           |
| 121.5                             | 122   |             | 193287        | 0.5   | 18.3 |        |      | 81.7                     |        |                      |      |           |
| 122                               | 122.5 |             | 193288        | 0.5   | 30.9 |        |      | 69.1                     |        |                      |      |           |
|                                   |       |             | compo 446     |       | 28.7 | 17.55  | 0.42 | 53.33                    | 1      | 0.4                  |      |           |
| 127.5                             | 128   |             | 193289        | 0.5   | 62.0 |        |      | 38                       |        |                      |      |           |
| 128                               | 128.5 |             | 193290        | 0.5   | 20.0 |        |      | 80                       |        |                      |      | ROMAX     |
| 128.5                             | 129   |             | 193291        | 0.5   | 34.3 |        |      | 65.7                     |        |                      |      | RO-069-06 |
| 129                               | 129.5 |             | 193292        | 0.5   | 86.3 |        |      | 13.7                     |        |                      |      | 1.3       |
|                                   |       |             | compo 447     |       | 26.9 | 17.29  | 0.39 | 55.42                    | 1      | 0.52                 |      |           |
| 178.5                             | 179   |             | 191501        | 0.5   | 37.0 |        |      | 63                       |        |                      |      | ROMAX     |
| 179                               | 179.5 |             | 191502        | 0.5   | 36.5 |        |      | 63.5                     |        |                      |      | RO-070-06 |
| 179.5                             | 180   |             | 191503        | 0.5   | 59.4 |        |      | 40.6                     |        |                      |      | 1.23      |
| 180                               | 180.5 |             | 191504        | 0.5   | 80.1 |        |      | 19.9                     |        |                      |      |           |
|                                   |       |             | compo 448     |       | 37.7 | 15.48  | 0.38 | 46.44                    | 1      | 0.53                 |      |           |
| 203                               | 203.5 |             | 191505        | 0.5   | 60.6 |        |      | 39.4                     |        |                      |      |           |
| 203.5                             | 204   |             | 191506        | 0.5   | 69.8 |        |      | 30.2                     |        |                      |      |           |
|                                   |       |             | compo 449     |       | 19.6 | 19.06  | 0.33 | 61.01                    | 3      | 0.4                  |      |           |
| 205                               | 205.5 |             | 449--191507   | 0.5   | 19.7 |        |      | 80.3                     |        |                      |      |           |
| 205.5                             | 206   | 451         | 191508        | 0.5   | 20.3 |        |      | 79.7                     |        |                      |      |           |
| 206                               | 206.5 |             | 191509        | 0.5   | 22.0 |        |      | 78                       |        |                      |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|-----------|
| HOLE NUMBER:                      |       | 2901        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS   |
| 206.5                             | 207   | 451         | 191510        | 0.5   | 10.8   |        |      | 89.2                     |        |      |      |           |
| 207                               | 207.5 |             | 191511        | 0.5   | 16.4   |        |      | 83.6                     |        |      |      | ROMAX     |
| 207.5                             | 208   |             | 191512        | 0.5   | 49.7   |        |      | 50.3                     |        |      |      | RO-071-06 |
| 208                               | 208.5 |             | 191513        | 0.5   | 56.8   |        |      | 43.2                     |        |      |      | 1.3       |
| 208.5                             | 209   |             | 450---191514  | 0.5   | 27.3   |        |      | 72.7                     |        |      |      |           |
| 209                               | 209.5 |             | 191515        | 0.5   | 20.6   |        |      | 79.4                     |        |      |      |           |
| 209.5                             | 210   |             | 191516        | 0.5   | 13.9   |        |      | 86.1                     |        |      |      |           |
| 210                               | 210.5 |             | 191517        | 0.5   | 64.3   |        |      | 35.7                     |        |      |      |           |
| 210.5                             | 211   |             | 191518        | 0.5   | 74.9   |        |      | 25.1                     |        |      |      |           |
| 211                               | 211.5 |             | 191519        | 0.5   | 27.3   |        |      | 72.7                     |        |      |      |           |
| 211.5                             | 212   | 452         | 191520        | 0.5   | 25.0   |        |      | 75                       |        |      |      | ROMAX     |
| 212                               | 212.5 |             | 191521        | 0.5   | 32.3   |        |      | 67.7                     |        |      |      | RO-072-06 |
| 212.5                             | 213   |             | 191522        | 0.5   | 34.9   |        |      | 65.1                     |        |      |      | 1.35      |
| 213                               | 213.5 |             | 191523        | 0.5   | 16.7   |        |      | 83.3                     |        |      |      |           |
| 213.5                             | 214   |             | 191524        | 0.5   | 67.1   |        |      | 32.9                     |        |      |      |           |
| 214                               | 214.5 |             | 191525        | 0.5   | 84.5   |        |      | 15.5                     |        |      |      |           |
|                                   |       |             | compo 450     |       | 21.8   | 18.29  | 0.34 | 59.57                    | 3      | 0.42 |      |           |
| 222                               | 222.5 | 453         | 191526        | 0.5   | 19.9   |        |      | 80.1                     |        |      |      |           |
| 222.5                             | 223   |             | 191527        | 0.5   | 12.0   |        |      | 88                       |        |      |      | ROMAX     |
| 223                               | 223.5 |             | 191528        | 0.5   | 19.7   |        |      | 80.3                     |        |      |      | RO-073-06 |
| 223.5                             | 224   |             | 191529        | 0.5   | 19.6   |        |      | 80.4                     |        |      |      | 1.36      |
| 224                               | 224.5 |             | 191530        | 0.5   | 17.9   |        |      | 82.1                     |        |      |      |           |
| 224.5                             | 225   |             | 191531        | 0.5   | 23.1   |        |      | 76.9                     |        |      |      |           |
| 225                               | 225.5 |             | 191532        | 0.5   | 15.1   |        |      | 84.9                     |        |      |      |           |
| 225.5                             | 226   |             | 191533        | 0.5   | 9.7    |        |      | 90.3                     |        |      |      |           |
| 226                               | 226.5 |             | 191534        | 0.5   | 73.1   |        |      | 26.9                     |        |      |      |           |
| 232.5                             | 233   | 454         | 191535        | 0.5   | 21.8   |        |      | 78.2                     |        |      |      |           |
| 233                               | 233.5 |             | 191536        | 0.5   | 16.9   |        |      | 83.1                     |        |      |      | ROMAX     |
| 233.5                             | 234   |             | 191537        | 0.5   | 8.5    |        |      | 91.5                     |        |      |      | RO-074-06 |
| 234                               | 234.5 |             | 191538        | 0.5   | 71.6   |        |      | 28.4                     |        |      |      | 1.32      |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |      | 2902        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS   |
| 6                                 | 6.5  |             | 189651        | 0.5   | 27.8 |        |      | 72.2  |        |                          |      |           |
| 6.5                               | 7    | 455         | 189652        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |           |
| 7                                 | 7.5  |             | 189653        | 0.5   | 70.1 |        |      | 29.9  |        |                          |      |           |
| 7.5                               | 8    |             | 189654        | 0.5   | 76.8 |        |      | 23.2  |        |                          |      |           |
| 8                                 | 8.5  |             | 189655        | 0.5   | 86.5 |        |      | 13.5  |        |                          |      |           |
|                                   |      |             | Compo 455     |       | 23.6 | 21.42  | 0.7  | 54.28 | 3.5    | 0.57                     |      |           |
| 36                                | 36.5 |             | 189656        | 0.5   | 58.6 |        |      | 41.4  |        |                          |      |           |
| 36.5                              | 37   |             | 189657        | 0.5   | 79.2 |        |      | 20.8  |        |                          |      |           |
| 37                                | 37.5 |             | 189658        | 0.5   | 44.4 |        |      | 55.6  |        |                          |      |           |
| 37.5                              | 38   |             | 189659        | 0.5   | 33.2 |        |      | 66.8  |        |                          |      |           |
| 38                                | 38.5 |             | 189660        | 0.5   | 36.9 |        |      | 63.1  |        |                          |      | ROMAX     |
| 38.5                              | 39   |             | 189661        | 0.5   | 27.2 |        |      | 72.8  |        |                          |      | RO-078-06 |
| 39                                | 39.5 |             | 189662        | 0.5   | 46.2 |        |      | 53.8  |        |                          |      | 1.02      |
| 39.5                              | 40   |             | 189663        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      |           |
| 40                                | 40.5 |             | 189664        | 0.5   | 23.1 |        |      | 76.9  |        |                          |      |           |
| 40.5                              | 41   |             | 189665        | 0.5   | 26.4 |        |      | 73.6  |        |                          |      |           |
| 41                                | 41.5 |             | 189666        | 0.5   | 41.7 |        |      | 58.3  |        |                          |      |           |
| 41.5                              | 42   |             | 189667        | 0.5   | 24.2 |        |      | 75.8  |        |                          |      |           |
| 42                                | 42.5 |             | 189668        | 0.5   | 20.6 |        |      | 79.4  |        |                          |      |           |
| 42.5                              | 43   |             | 189669        | 0.5   | 36.4 |        |      | 63.6  |        |                          |      |           |
| 43                                | 43.5 | 456         | 189670        | 0.5   | 46.0 |        |      | 54    |        |                          |      |           |
| 43.5                              | 44   |             | 189671        | 0.5   | 41.9 |        |      | 58.1  |        |                          |      |           |
| 44                                | 44.5 |             | 189672        | 0.5   | 34.0 |        |      | 66    |        |                          |      |           |
| 44.5                              | 45   |             | 189673        | 0.5   | 60.8 |        |      | 39.2  |        |                          |      |           |
| 45                                | 45.5 |             | 189674        | 0.5   | 35.2 |        |      | 64.8  |        |                          |      |           |
| 45.5                              | 46   |             | 189675        | 0.5   | 37.5 |        |      | 62.5  |        |                          |      |           |
| 46                                | 46.5 |             | 189551        | 0.5   | 62.7 |        |      | 37.3  |        |                          |      |           |
| 46.5                              | 47   |             | 189552        | 0.5   | 65.2 |        |      | 34.8  |        |                          |      |           |
| 47                                | 47.5 |             | 189553        | 0.5   | 58.6 |        |      | 41.4  |        |                          |      |           |
| 47.5                              | 48   |             | 189554        | 0.5   | 51.8 |        |      | 48.2  |        |                          |      |           |
| 48                                | 48.5 |             | 189555        | 0.5   | 31.3 |        |      | 68.7  |        |                          |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      | ELKVALLEY COAL CORP.     |        |      |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|------|------|----------------------------|
| HOLE NUMBER:                      |       | 2902        | AREA:         |       | CASTLE  |        |      | FORDING RIVER OPERATIONS |        |      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS                    |
| 48.5                              | 49    |             | 189556        | 0.5   | 22.0    |        |      | 78                       |        |      |      |                            |
| 49                                | 49.5  | 457         | 189557        | 0.5   | 30.1    |        |      | 69.9                     |        |      |      | ROMAX<br>RO-079-06<br>1.14 |
| 49.5                              | 50    |             | 189558        | 0.5   | 30.3    |        |      | 69.7                     |        |      |      |                            |
| 50                                | 50.5  |             | 189559        | 0.5   | 34.6    |        |      | 65.4                     |        |      |      |                            |
| 50.5                              | 51    |             | 189560        | 0.5   | 32.8    |        |      | 67.2                     |        |      |      |                            |
| 51                                | 51.5  |             | 189561        | 0.5   | 58.9    |        |      | 41.1                     |        |      |      |                            |
| 51.5                              | 52    |             | 189562        | 0.5   | 55.9    |        |      | 44.1                     |        |      |      |                            |
|                                   |       |             | Compo 456     |       | 35.7    | 18.71  | 0.53 | 45.06                    | 3      | 0.96 |      |                            |
| 127                               | 127.5 |             | 189563        | 0.5   | 18.6    |        |      | 81.4                     |        |      |      |                            |
| 127.5                             | 128   | 458         | 189564        | 0.5   | 15.0    |        |      | 85                       |        |      |      |                            |
| 128                               | 128.5 |             | 189565        | 0.5   | 16.8    |        |      | 83.2                     |        |      |      |                            |
| 128.5                             | 129   |             | 189566        | 0.5   | 29.6    |        |      | 70.4                     |        |      |      |                            |
| 129                               | 129.5 |             | 189567        | 0.5   | 47.5    |        |      | 52.5                     |        |      |      |                            |
|                                   |       |             | Compo 457     |       | 29.5    | 19.3   | 0.47 | 50.73                    | 1      | 0.74 |      |                            |
| 132                               | 132.5 |             | 189568        | 0.5   | 10.7    |        |      | 89.3                     |        |      |      |                            |
| 132.5                             | 133   |             | 189569        | 0.5   | 14.4    |        |      | 85.6                     |        |      |      |                            |
| 133                               | 133.5 |             | 189570        | 0.5   | 15.7    |        |      | 84.3                     |        |      |      | ROMAX<br>RO-080-06<br>1.14 |
| 133.5                             | 134   | 459         | 189571        | 0.5   | 30.1    |        |      | 69.9                     |        |      |      |                            |
| 134                               | 134.5 |             | 189572        | 0.5   | 16.9    |        |      | 83.1                     |        |      |      |                            |
| 134.5                             | 135   |             | 189573        | 0.5   | 26.9    |        |      | 73.1                     |        |      |      |                            |
| 135                               | 135.5 |             | 189574        | 0.5   | 46.9    |        |      | 53.1                     |        |      |      |                            |
| 135.5                             | 136   |             | 189575        | 0.5   | 40.2    |        |      | 59.8                     |        |      |      |                            |
| 136                               | 136.5 |             | 189501        | 0.5   | 38.3    |        |      | 61.7                     |        |      |      |                            |
| 136.5                             | 137   |             | 189502        | 0.5   | 70.4    |        |      | 29.6                     |        |      |      |                            |
| 137                               | 137.5 |             | 189503        | 0.5   | 60.2    |        |      | 39.8                     |        |      |      |                            |
| 137.5                             | 138   |             | 189504        | 0.5   | missing |        |      |                          |        |      |      |                            |
|                                   |       |             | Compo 458     |       | 19.9    | 21.73  | 0.48 | 57.89                    | 5.5    | 0.69 |      |                            |
| 177                               | 177.5 |             | 189505        | 0.5   | 54.9    |        |      | 45.1                     |        |      |      |                            |
| 177.5                             | 178   | 460         | 189506        | 0.5   | 37.0    |        |      | 63                       |        |      |      |                            |
| 178                               | 178.5 |             | 189507        | 0.5   | 62.1    |        |      | 37.9                     |        |      |      |                            |
| 178.5                             | 179   |             | 189508        | 0.5   | 69.8    |        |      | 30.2                     |        |      |      |                            |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2902        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 179                               | 179.5 |             | 189509        | 0.5   | 65.4    |        |      | 34.6                     |                      |      |         |  |
|                                   |       |             | Compo 459     |       | 26      | 19.02  | 0.45 | 54.53                    | 2                    | 0.54 |         |  |
| 182.5                             | 183   |             | 189510        | 0.5   | 16.3    |        |      | 83.7                     |                      |      |         |  |
| 183                               | 183.5 | 461         | 189511        | 0.5   | 22.0    |        |      | 78                       |                      |      |         |  |
| 183.5                             | 184   |             | 189512        | 0.5   | 30.6    |        |      | 69.4                     |                      |      |         |  |
| 184                               | 184.5 |             | 189513        | 0.5   | missing |        |      |                          |                      |      |         |  |
|                                   |       |             | PROX 460      |       | 37.2    | 17.9   | 0.38 | 44.52                    | 1.5                  | 0.49 |         |  |
| 194.5                             | 195   |             | 189514        | 0.5   | 33.2    |        |      | 66.8                     |                      |      |         |  |
| 195                               | 195.5 | 462         | 189515        | 0.5   | 36.4    |        |      | 63.6                     |                      |      |         |  |
| 195.5                             | 196   |             | 189516        | 0.5   | 33.3    |        |      | 66.7                     |                      |      |         |  |
| 196                               | 196.5 |             | 189517        | 0.5   | 32.2    |        |      | 67.8                     |                      |      |         |  |
| 196.5                             | 197   |             | 189518        | 0.5   | 32.5    |        |      | 67.5                     |                      |      |         |  |
| 197                               | 197.5 |             | 189519        | 0.5   | 45.7    |        |      | 54.3                     |                      |      |         |  |
| 197.5                             | 198   |             | 189520        | 0.5   | 83.0    |        |      | 17                       |                      |      |         |  |
|                                   |       |             | Compo 461     |       | 23.03   | 18.73  | 0.44 | 57.8                     | 1                    | 0.55 |         |  |
| 199                               | 199.5 |             | 189521        | 0.5   | 42.2    |        |      | 57.8                     |                      |      |         |  |
| 199.5                             | 200   |             | 189522        | 0.5   | 57.0    |        |      | 43                       |                      |      |         |  |
| 200                               | 200.5 |             | 189523        | 0.5   | 39.0    |        |      | 61                       |                      |      |         |  |
| 200.5                             | 201   |             | 189524        | 0.5   | 29.5    |        |      | 70.5                     |                      |      |         |  |
| 201                               | 201.5 | 463         | 189525        | 0.5   | 27.8    |        |      | 72.2                     |                      |      |         |  |
| 201.5                             | 202   |             | 189576        | 0.5   | 23.9    |        |      | 76.1                     |                      |      |         |  |
| 202                               | 202.5 |             | 189577        | 0.5   | 27.5    |        |      | 72.5                     |                      |      |         |  |
| 202.5                             | 203   |             | 189578        | 0.5   | 29.8    |        |      | 70.2                     |                      |      |         |  |
| 203                               | 203.5 |             | 189579        | 0.5   | 22.5    |        |      | 77.5                     |                      |      |         |  |
| 203.5                             | 204   |             | 189580        | 0.5   | 23.8    |        |      | 76.2                     |                      |      |         |  |
| 204                               | 204.5 |             | 189581        | 0.5   | 22.5    |        |      | 77.5                     |                      |      |         |  |
| 204.5                             | 205   |             | 189582        | 0.5   | 21.3    |        |      | 78.7                     |                      |      |         |  |
| 205                               | 205.5 |             | 189583        | 0.5   | 11.3    |        |      | 88.7                     |                      |      |         |  |
| 205.5                             | 206   |             | 189584        | 0.5   | 26.5    |        |      | 73.5                     |                      |      |         |  |
| 206                               | 206.5 |             | 189585        | 0.5   | 19.9    |        |      | 80.1                     |                      |      |         |  |
| 206.5                             | 207   |             | 189586        | 0.5   | 17.1    |        |      | 82.9                     |                      |      |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2902        |               | AREA: | CASTLE  |        |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 207                               | 207.5 |             | 189587        | 0.5   | 30.2    |        |      | 69.8  |        |                          |      |         |
| 207.5                             | 208   |             | 189588        | 0.5   | 21.1    |        |      | 78.9  |        |                          |      |         |
| 208                               | 208.5 |             | 189589        | 0.5   | 15.6    |        |      | 84.4  |        |                          |      |         |
| 208.5                             | 209   |             | 189590        | 0.5   | 14.0    |        |      | 86    |        |                          |      |         |
| 209                               | 209.5 |             | 189591        | 0.5   | 23.5    |        |      | 76.5  |        |                          |      |         |
| 303                               | 303.5 |             | 189592        | 0.5   | 49.3    |        |      | 50.7  |        |                          |      |         |
| 303.5                             | 304   |             | 189593        | 0.5   | 63.9    |        |      | 36.1  |        |                          |      |         |
| 304                               | 304.5 |             | 189594        | 0.5   | 76.8    |        |      | 23.2  |        |                          |      |         |
| 304.5                             | 305   |             | 189595        | 0.5   | 58.4    |        |      | 41.6  |        |                          |      |         |
| 305                               | 305.5 |             | 189596        | 0.5   | missing |        |      |       |        |                          |      |         |
|                                   |       |             | Compo 462     |       | 34.7    | 19.62  | 0.41 | 45.27 | 1      | 0.36                     |      |         |
|                                   |       |             | Compo 463     |       | 26.1    | 20.62  | 0.56 | 52.72 | 1      | 0.35                     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |                            |
|-----------------------------------|------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|----------------------------|
| HOLE NUMBER:                      |      | 2903        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                            |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS                    |
| 16                                | 16.5 |             | 189526        | 0.5   | 74.3    |        |      | 25.7                     |        |                      |      |                            |
| 16.5                              | 17   |             | 189527        | 0.5   | 83.1    |        |      | 16.9                     |        |                      |      |                            |
| 17                                | 17.5 |             | 189528        | 0.5   | 50.5    |        |      | 49.5                     |        |                      |      |                            |
| 17.5                              | 18   |             | 189529        | 0.5   | 46.0    |        |      | 54                       |        |                      |      |                            |
|                                   |      |             | Compo 464     |       | 36.9    | 19.39  | 0.67 | 43.04                    | 4      | 0.87                 |      |                            |
| 37                                | 37.5 |             | 189530        | 0.5   | 39.7    |        |      | 60.3                     |        |                      |      |                            |
| 37.5                              | 38   |             | 189531        | 0.5   | 84.4    |        |      | 15.6                     |        |                      |      |                            |
| 38                                | 38.5 |             | 189532        | 0.5   | 16.6    |        |      | 83.4                     |        |                      |      |                            |
| 38.5                              | 39   |             | 189533        | 0.5   | 34.5    |        |      | 65.5                     |        |                      |      |                            |
| 39.5                              | 40   | 464         | 189534        | 0.5   | 31.9    |        |      | 68.1                     |        |                      |      | ROMAX<br>RO-081-06<br>1.07 |
| 40                                | 40.5 |             | 189535        | 0.5   | 39.7    |        |      | 60.3                     |        |                      |      |                            |
| 40.5                              | 41   |             | 189536        | 0.5   | 54.0    |        |      | 46                       |        |                      |      |                            |
| 41                                | 41.5 |             | 189537        | 0.5   | 9.3     |        |      | 90.7                     |        |                      |      |                            |
| 41.5                              | 42   |             | 189538        | 0.5   | 42.9    |        |      | 57.1                     |        |                      |      |                            |
| 42                                | 42.5 |             | 189539        | 0.5   | 40.9    |        |      | 59.1                     |        |                      |      |                            |
| 42.5                              | 43   |             | 189540        | 0.5   | 19.0    |        |      | 81                       |        |                      |      |                            |
| 43                                | 43.5 |             | 189541        | 0.5   | 12.1    |        |      | 87.9                     |        |                      |      |                            |
| 43.5                              | 44   |             | 189542        | 0.5   | missing |        |      |                          |        |                      |      |                            |
| 44                                | 44.5 |             | 189543        | 0.5   | 20.5    |        |      | 79.5                     |        |                      |      |                            |
| 44.5                              | 45   |             | 189544        | 0.5   | 42.4    |        |      | 57.6                     |        |                      |      |                            |
| 45                                | 45.5 |             | 189545        | 0.5   | 65.1    |        |      | 34.9                     |        |                      |      |                            |
| 45.5                              | 46   |             | 189546        | 0.5   | 83.8    |        |      | 16.2                     |        |                      |      |                            |
| 46                                | 46.5 |             | 189547        | 0.5   | 72.5    |        |      | 27.5                     |        |                      |      |                            |
| 46.5                              | 47   |             | 189548        | 0.5   | 50.1    |        |      | 49.9                     |        |                      |      |                            |
| 47                                | 47.5 |             | 189549        | 0.5   | 76.9    |        |      | 23.1                     |        |                      |      |                            |
| 47.5                              | 48   |             | 189550        | 0.5   | 78.9    |        |      | 21.1                     |        |                      |      |                            |
| 48                                | 48.5 |             | 189701        | 0.5   | 83.9    |        |      | 16.1                     |        |                      |      |                            |
| 48.5                              | 49   |             | 189702        | 0.5   | 68.7    |        |      | 31.3                     |        |                      |      |                            |
| 49                                | 49.5 |             | 189703        | 0.5   | 78.6    |        |      | 21.4                     |        |                      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |                      |               |       |        |        |                          | ELKVALLEY COAL CORP. |        |      |      |         |
|-----------------------------------|-------|----------------------|---------------|-------|--------|--------|--------------------------|----------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2903                 | AREA:         |       | CASTLE |        | FORDING RIVER OPERATIONS |                      |        |      |      |         |
| FROM                              | TO    | DESCRIPTION          | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M.                     | FC                   | F.S.I. | S    | PHOS | REMARKS |
| 56                                | 56.5  |                      | 189704        | 0.5   | 76.8   |        |                          | 23.2                 |        |      |      |         |
| 56.5                              | 57    |                      | 189705        | 0.5   | 81.3   |        |                          | 18.7                 |        |      |      |         |
| 87                                | 87.5  | 465                  | 189706        | 0.5   | 22.7   |        |                          | 77.3                 |        |      |      |         |
| 87.5                              | 88    |                      | 189707        | 0.5   | 25.1   |        |                          | 74.9                 |        |      |      |         |
| 88                                | 88.5  |                      | 189708        | 0.5   | 64.2   |        |                          | 35.8                 |        |      |      |         |
| 88.5                              | 89    |                      | 189709        | 0.5   | 77.7   |        |                          | 22.3                 |        |      |      |         |
|                                   |       |                      | Compo 465     |       | 24.8   | 20.04  | 0.54                     | 54.62                | 3.5    | 0.6  |      |         |
| 92                                | 92.5  |                      | 189710        | 0.5   | 47.2   |        |                          | 52.8                 |        |      |      |         |
| 92.5                              | 93    |                      | 189711        | 0.5   | 53.1   |        |                          | 46.9                 |        |      |      |         |
| 93                                | 93.5  |                      | 189712        | 0.5   | 49.6   |        |                          | 50.4                 |        |      |      |         |
| 93.5                              | 94    |                      | 189713        | 0.5   | 35.4   |        |                          | 64.6                 |        |      |      |         |
| 94                                | 94.5  |                      | 189714        | 0.5   | 60.6   |        |                          | 39.4                 |        |      |      |         |
| 94.5                              | 95    |                      | 189715        | 0.5   | 49.6   |        |                          | 50.4                 |        |      |      |         |
| 118.5                             | 119   |                      | 189716        | 0.5   | 79.0   |        |                          | 21                   |        |      |      |         |
| 119                               | 119.5 | 466                  | 189717        | 0.5   | 11.2   |        |                          | 88.8                 |        |      |      |         |
| 119.5                             | 120   |                      | 189718        | 0.5   | 44.4   |        |                          | 55.6                 |        |      |      |         |
|                                   |       |                      | Compo 466     |       | 28.4   | 18.95  | 0.58                     | 52.07                | 2.5    | 0.59 |      |         |
| 122                               | 122.5 | 467                  | 189719        | 0.5   | 21.6   |        |                          | 78.4                 |        |      |      |         |
| 122.5                             | 123   |                      | 189720        | 0.5   | 21.4   |        |                          | 78.6                 |        |      |      |         |
| 123                               | 123.5 |                      | 189721        | 0.5   | 35.7   |        |                          | 64.3                 |        |      |      |         |
| 123.5                             | 124   |                      | 189722        | 0.5   | 62.7   |        |                          | 37.3                 |        |      |      |         |
|                                   |       |                      | Compo 467     |       | 27     | 18.87  | 0.58                     | 53.55                | 1.5    | 0.53 |      |         |
| 136                               | 136.5 |                      | 189723        | 0.5   | 55.6   |        |                          | 44.4                 |        |      |      |         |
| 136.5                             | 137   |                      | 189724        | 0.5   | 50.5   |        |                          | 49.5                 |        |      |      |         |
| 137                               | 137.5 |                      | 189725        | 0.5   | 74.7   |        |                          | 25.3                 |        |      |      |         |
| 137.5                             | 138   | added this one after | 189504        | 0.5   | 46.0   |        |                          | 54                   |        |      |      |         |
| 139.5                             | 140   |                      | 189676        | 0.5   | 24.2   |        |                          | 75.8                 |        |      |      |         |
| 140                               | 140.5 | 468                  | 189677        | 0.5   | 22.7   |        |                          | 77.3                 |        |      |      |         |
| 140.5                             | 141   |                      | 189678        | 0.5   | 20.1   |        |                          | 79.9                 |        |      |      |         |

ROMAX  
RO-082-06  
1.17

| ROTARY DRILL HOLE SAMPLING RECORD |       |                  |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|------------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2903             |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION      | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 141                               | 141.5 | 468              | 189679        | 0.5   | 43.5 |        |      | 56.5                     |                      |      |         |  |
| 141.5                             | 142   |                  | 189680        | 0.5   | 37.8 |        |      | 62.2                     |                      |      |         |  |
| 182.5                             | 183   |                  | 189681        | 0.5   | 81.2 |        |      | 18.8                     |                      |      |         |  |
| 183                               | 183.5 |                  | 189682        | 0.5   | 74.2 |        |      | 25.8                     |                      |      |         |  |
| 183.5                             | 184   |                  | 189683        | 0.5   | 89.4 |        |      | 10.6                     |                      |      |         |  |
| 184                               | 184.5 | added this after | 189513        | 0.5   | 58.6 |        |      | 41.4                     |                      |      |         |  |
|                                   |       |                  | Compo 468     |       | 28.3 | 18.02  | 0.6  | 53.08                    | 1.5                  | 0.42 |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |       | 2904        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS   |
| 111.5                             | 112   |             | 187701        | 0.5   | 43.0 |        |      | 57    |        |                          |      |           |
| 112                               | 112.5 |             | 187702        | 0.5   | 48.9 |        |      | 51.1  |        |                          |      |           |
| 112.5                             | 113   | 470         | 187703        | 0.5   | 38.8 |        |      | 61.2  |        |                          |      |           |
| 113                               | 113.5 |             | 187704        | 0.5   | 35.3 |        |      | 64.7  |        |                          |      | ROMAX     |
| 113.5                             | 114   |             | 187705        | 0.5   | 28.2 |        |      | 71.8  |        |                          |      | RO-083-06 |
| 114                               | 114.5 |             | 187706        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      | 1.27      |
| 114.5                             | 115   |             | 187707        | 0.5   | 28.3 |        |      | 71.7  |        |                          |      |           |
| 115                               | 115.5 |             | 187708        | 0.5   | 45.3 |        |      | 54.7  |        |                          |      |           |
| 115.5                             | 116   | 469         | 187709        | 0.5   | 48.7 |        |      | 51.3  |        |                          |      |           |
| 116                               | 116.5 |             | 187710        | 0.5   | 45.7 |        |      | 54.3  |        |                          |      |           |
| 116.5                             | 117   |             | 187711        | 0.5   | 39.4 |        |      | 60.6  |        |                          |      |           |
| 117                               | 117.5 |             | 187712        | 0.5   | 31.9 |        |      | 68.1  |        |                          |      |           |
| 117.5                             | 118   | 471         | 187713        | 0.5   | 32.3 |        |      | 67.7  |        |                          |      |           |
| 118                               | 118.5 |             | 187714        | 0.5   | 52.1 |        |      | 47.9  |        |                          |      |           |
|                                   |       |             | Compo 469     |       | 38   | 16.46  | 0.62 | 44.92 | 1      | 0.35                     |      |           |
| 123.5                             | 124   |             | 187715        | 0.5   | 31.5 |        |      | 68.5  |        |                          |      |           |
| 124                               | 124.5 |             | 187716        | 0.5   | 50.7 |        |      | 49.3  |        |                          |      | ROMAX     |
| 124.5                             | 125   | 472         | 187717        | 0.5   | 37.9 |        |      | 62.1  |        |                          |      | RO-084-06 |
| 125                               | 125.5 |             | 187718        | 0.5   | 34.8 |        |      | 65.2  |        |                          |      | 1.26      |
| 125.5                             | 126   |             | 187719        | 0.5   | 43.3 |        |      | 56.7  |        |                          |      |           |
| 126                               | 126.5 |             | 187720        | 0.5   | 65.1 |        |      | 34.9  |        |                          |      |           |
| 126.5                             | 127   |             | 187721        | 0.5   | 73.6 |        |      | 26.4  |        |                          |      |           |
| 127                               | 127.5 |             | 187722        | 0.5   | 79.5 |        |      | 20.5  |        |                          |      |           |
|                                   |       |             | Compo 470     |       | 32.2 | 16.83  | 0.62 | 50.35 | 1.5    | 0.38                     |      |           |
| 138                               | 138.5 |             | 187723        | 0.5   | 68.1 |        |      | 31.9  |        |                          |      |           |
| 138.5                             | 139   |             | 187724        | 0.5   | 78.6 |        |      | 21.4  |        |                          |      |           |
|                                   |       |             | Compo 471     |       | 36.1 | 18.4   | 0.6  | 44.9  | 1      | 0.37                     |      |           |
| 141                               | 141.5 |             | 187725        | 0.5   | 32.4 |        |      | 67.6  |        |                          |      |           |
| 141.5                             | 142   |             | 189751        | 0.5   | 30.2 |        |      | 69.8  |        |                          |      | ROMAX     |
| 142                               | 142.5 | 473         | 189752        | 0.5   | 36.5 |        |      | 63.5  |        |                          |      | RO-085-06 |
| 142.5                             | 143   |             | 189753        | 0.5   | 21.3 |        |      | 78.7  |        |                          |      | 1.27      |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |              |                          |        | ELKVALLEY COAL CORP. |       |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|--------------|--------------------------|--------|----------------------|-------|--------|------|------|---------|
| HOLE NUMBER: 2904                 |       |             |               | AREA: CASTLE | FORDING RIVER OPERATIONS |        |                      |       |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH        | ASH                      | V.C.M. | I.M.                 | FC    | F.S.I. | S    | PHOS | REMARKS |
| 143                               | 143.5 | 473         | 189754        | 0.5          | 30.7                     |        |                      | 69.3  |        |      |      |         |
| 143.5                             | 144   |             | 189755        | 0.5          | 21.4                     |        |                      | 78.6  |        |      |      |         |
|                                   |       |             | Compo 472     |              | 41.2                     | 14.58  | 0.58                 | 43.64 | 1      | 0.46 |      |         |
| 151                               | 151.5 |             | 189756        | 0.5          | 71.6                     |        |                      | 28.4  |        |      |      |         |
| 151.5                             | 152   |             | 189757        | 0.5          | 70.8                     |        |                      | 29.2  |        |      |      |         |
|                                   |       |             | Compo 473     |              | 30.6                     | 17.51  | 0.62                 | 51.27 | 1      | 0.41 |      |         |
| 157                               | 157.5 |             | 189758        | 0.5          | 51.5                     |        |                      | 48.5  |        |      |      |         |
| 157.5                             | 158   |             | 189759        | 0.5          | 52.9                     |        |                      | 47.1  |        |      |      |         |
| 158                               | 158.5 |             | 189760        | 0.5          | 46.7                     |        |                      | 53.3  |        |      |      |         |
| 158.5                             | 159   |             | 189761        | 0.5          | 61.6                     |        |                      | 38.4  |        |      |      |         |
| 210                               | 210.5 | 474         | 189762        | 0.5          | 44.4                     |        |                      | 55.6  |        |      |      |         |
| 210.5                             | 211   |             | 189764        | 0.5          | 40.7                     |        |                      | 59.3  |        |      |      |         |
| 211                               | 211.5 |             | 189765        | 0.5          | 83.1                     |        |                      | 16.9  |        |      |      |         |
|                                   |       |             | Compo 474     |              | 42.8                     | 14.82  | 0.66                 | 41.72 | 1      | 0.46 |      |         |
| 239.5                             | 240   |             | 189766        | 0.5          | 42.7                     |        |                      | 57.3  |        |      |      |         |
| 240                               | 240.5 |             | 189767        | 0.5          | 70.5                     |        |                      | 29.5  |        |      |      |         |
|                                   |       |             | Compo 475     |              | 32.8                     | 15.82  | 0.68                 | 50.7  | 1      | 0.32 |      |         |
| 242                               | 242.5 |             | 189768        | 0.5          | 48.9                     |        |                      | 51.1  |        |      |      |         |
| 242.5                             | 243   |             | 189769        | 0.5          | 45.3                     |        |                      | 54.7  |        |      |      |         |
| 243                               | 243.5 |             | 189770        | 0.5          | 41.3                     |        |                      | 58.7  |        |      |      |         |
| 243.5                             | 244   |             | 189771        | 0.5          | 60.6                     |        |                      | 39.4  |        |      |      |         |
| 244                               | 244.5 |             | 189772        | 0.5          | 60.7                     |        |                      | 39.3  |        |      |      |         |
| 244.5                             | 245   |             | 189773        | 0.5          | 68.3                     |        |                      | 31.7  |        |      |      |         |
| 245                               | 245.5 |             | 189774        | 0.5          | 70.3                     |        |                      | 29.7  |        |      |      |         |
| 245.5                             | 246   |             | 189775        | 0.5          | 51.3                     |        |                      | 48.7  |        |      |      |         |
| 246                               | 246.5 | 475         | 189776        | 0.5          | 34.3                     |        |                      | 65.7  |        |      |      |         |
| 246.5                             | 247   |             | 189777        | 0.5          | 40.4                     |        |                      | 59.6  |        |      |      |         |
| 247                               | 247.5 |             | 189778        | 0.5          | 61.4                     |        |                      | 38.6  |        |      |      |         |
| 247.5                             | 248   |             | 189779        | 0.5          | 71.3                     |        |                      | 28.7  |        |      |      |         |
| 248                               | 248.5 |             | 189780        | 0.5          | 57.0                     |        |                      | 43    |        |      |      |         |





| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |           |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|-----------|
| HOLE NUMBER:                      |       | 2905        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS   |
| 120                               | 120.5 |             | 187576        | 0.5   | 64.2    |        |      | 35.8                     |        |                      |      |           |
| 120.5                             | 121   |             | 187577        | 0.5   | 37.2    |        |      | 62.8                     |        |                      |      |           |
| 121                               | 121.5 |             | 187578        | 0.5   | 16.5    |        |      | 83.5                     |        |                      |      | ROMAX     |
| 121.5                             | 122   |             | 187579        | 0.5   | 19.8    |        |      | 80.2                     |        |                      |      | RO-086-06 |
| 122                               | 122.5 |             | 187580        | 0.5   | 25.5    |        |      | 74.5                     |        |                      |      | 1.25      |
| 122.5                             | 123   | 476         | 187581        | 0.5   | 31.1    |        |      | 68.9                     |        |                      |      |           |
| 123                               | 123.5 |             | 187582        | 0.5   | 40.7    |        |      | 59.3                     |        |                      |      |           |
| 123.5                             | 124   |             | 187583        | 0.5   | 38.6    |        |      | 61.4                     |        |                      |      |           |
| 124                               | 124.5 |             | 187584        | 0.5   | 22.7    |        |      | 77.3                     |        |                      |      |           |
| 124.5                             | 125   |             | 187585        | 0.5   | 22.6    |        |      | 77.4                     |        |                      |      |           |
| 125                               | 125.5 |             | 187586        | 0.5   | 17.7    |        |      | 82.3                     |        |                      |      |           |
| 125.5                             | 126   |             | 187587        | 0.5   | 61.2    |        |      | 38.8                     |        |                      |      |           |
| 126                               | 126.5 |             | 187588        | 0.5   | 78.8    |        |      | 21.2                     |        |                      |      |           |
| 126.5                             | 127   |             | 187589        | 0.5   | 86.4    |        |      | 13.6                     |        |                      |      |           |
|                                   |       |             | Compo 476     |       | 27.4    | 17.67  | 0.68 | 54.25                    | 1      | 0.43                 |      |           |
| 132                               | 132.5 |             | 187590        | 0.5   | 27.3    |        |      | 72.7                     |        |                      |      |           |
| 132.5                             | 133   |             | 187591        | 0.5   | 83.9    |        |      | 16.1                     |        |                      |      |           |
| 134                               | 134.5 |             | 187592        | 0.5   | 63.4    |        |      | 36.6                     |        |                      |      |           |
| 134.5                             | 135   |             | 187593        | 0.5   | 80.9    |        |      | 19.1                     |        |                      |      |           |
| 180                               | 180.5 |             | 187594        | 0.5   | missing |        |      |                          |        |                      |      |           |
| 180.5                             | 181   |             | 187595        | 0.5   | 66.5    |        |      | 33.5                     |        |                      |      |           |
| 181                               | 181.5 |             | 187596        | 0.5   | 68.9    |        |      | 31.1                     |        |                      |      |           |
| 183                               | 183.5 |             | 187597        | 0.5   | 70.2    |        |      | 29.8                     |        |                      |      |           |
| 183.5                             | 184   |             | 187598        | 0.5   | 47.9    |        |      | 52.1                     |        |                      |      |           |
| 184                               | 184.5 |             | 187599        | 0.5   | 43.2    |        |      | 56.8                     |        |                      |      |           |
| 184.5                             | 185   |             | 187600        | 0.5   | 50.2    |        |      | 49.8                     |        |                      |      |           |
| 185                               | 185.5 |             | 187601        | 0.5   | 64.7    |        |      | 35.3                     |        |                      |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|-----------|
| HOLE NUMBER:                      |       | 2905        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS   |
| 207                               | 207.5 |             | 187602        | 0.5   | 45.5   |        |      | 54.5                     |        |      |      |           |
| 207.5                             | 208   |             | 187603        | 0.5   | 43.4   |        |      | 56.6                     |        |      |      |           |
| 208                               | 208.5 |             | 187604        | 0.5   | 56.3   |        |      | 43.7                     |        |      |      |           |
| 208.5                             | 209   |             | 187605        | 0.5   | 60.9   |        |      | 39.1                     |        |      |      |           |
| 209                               | 209.5 |             | 187606        | 0.5   | 48.9   |        |      | 51.1                     |        |      |      |           |
| 209.5                             | 210   |             | 187607        | 0.5   | 39.0   |        |      | 61                       |        |      |      | ROMAX     |
| 210                               | 210.5 | 477         | 187608        | 0.5   | 28.5   |        |      | 71.5                     |        |      |      | RO-087-06 |
| 210.5                             | 211   |             | 187609        | 0.5   | 26.5   |        |      | 73.5                     |        |      |      | 1.3       |
| 211                               | 211.5 |             | 187610        | 0.5   | 27.6   |        |      | 72.4                     |        |      |      |           |
| 211.5                             | 212   |             | 187611        | 0.5   | 40.7   |        |      | 59.3                     |        |      |      |           |
| 212                               | 212.5 |             | 187612        | 0.5   | 64.1   |        |      | 35.9                     |        |      |      |           |
|                                   |       |             | Compo 477     |       | 33.6   | 16.04  | 0.63 | 49.73                    | 2      | 0.43 |      |           |
| 213.5                             | 214   |             | 187613        | 0.5   | 41.5   |        |      | 58.5                     |        |      |      |           |
| 214                               | 214.5 | 478         | 187614        | 0.5   | 26.2   |        |      | 73.8                     |        |      |      |           |
| 214.5                             | 215   |             | 187615        | 0.5   | 30.0   |        |      | 70                       |        |      |      |           |
| 215                               | 215.5 |             | 187616        | 0.5   | 65.2   |        |      | 34.8                     |        |      |      |           |
| 215.5                             | 216   |             | 187617        | 0.5   | 69.4   |        |      | 30.6                     |        |      |      |           |
|                                   |       |             | Compo 478     |       | 31.8   | 16.14  | 0.67 | 51.39                    | 1.5    | 0.4  |      |           |
| 223                               | 223.5 |             | 187618        | 0.5   | 33.9   |        |      | 66.1                     |        |      |      |           |
| 223.5                             | 224   |             | 187619        | 0.5   | 36.5   |        |      | 63.5                     |        |      |      |           |
| 224                               | 224.5 | 479         | 187620        | 0.5   | 30.8   |        |      | 69.2                     |        |      |      | ROMAX     |
| 224.5                             | 225   |             | 187621        | 0.5   | 24.0   |        |      | 76                       |        |      |      | RO-088-06 |
| 225                               | 225.5 |             | 187622        | 0.5   | 26.0   |        |      | 74                       |        |      |      | 1.27      |
| 225.5                             | 226   |             | 187623        | 0.5   | 20.8   |        |      | 79.2                     |        |      |      |           |
|                                   |       |             | Compo 479     |       | 29.8   | 16.9   | 0.66 | 52.64                    | 3.5    | 0.44 |      |           |
| 230.5                             | 231   |             | 187624        | 0.5   | 29.1   |        |      | 70.9                     |        |      |      |           |
| 231                               | 231.5 | 480         | 187625        | 0.5   | 33.7   |        |      | 66.3                     |        |      |      |           |
| 231.5                             | 232   |             | 187626        | 0.5   | 39.6   |        |      | 60.4                     |        |      |      |           |
|                                   |       |             | Compo 480     |       | 32.6   | 17.06  | 0.59 | 49.75                    | 6      | 0.46 |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2906        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 46                                | 46.5  |             | 189351        | 0.5   | 29.3 |        |      | 70.7  |        |                          |      |         |
| 46.5                              | 47    |             | 189352        | 0.5   | 31.7 |        |      | 68.3  |        |                          |      |         |
| 47                                | 47.5  |             | 189353        | 0.5   | 57.4 |        |      | 42.6  |        |                          |      |         |
| 47.5                              | 48    |             | 189354        | 0.5   | 46.8 |        |      | 53.2  |        |                          |      |         |
| 48                                | 48.5  |             | 189355        | 0.5   | 61.2 |        |      | 38.8  |        |                          |      |         |
| 48.5                              | 49    |             | 189356        | 0.5   | 76.3 |        |      | 23.7  |        |                          |      |         |
|                                   |       |             | compo 481     |       | 31   | 20.38  | 0.72 | 47.9  | 6.5    | 0.74                     |      |         |
| 50.5                              | 51    |             | 189357        | 0.5   | 24.9 |        |      | 75.1  |        |                          |      |         |
| 51                                | 51.5  |             | 189358        | 0.5   | 39.8 |        |      | 60.2  |        |                          |      |         |
| 51.5                              | 52    |             | 189359        | 0.5   | 32.7 |        |      | 67.3  |        |                          |      |         |
| 52                                | 52.5  |             | 189360        | 0.5   | 30.7 |        |      | 69.3  |        |                          |      |         |
| 52.5                              | 53    |             | 189361        | 0.5   | 20.3 |        |      | 79.7  |        |                          |      |         |
| 53                                | 53.5  |             | 189362        | 0.5   | 71.1 |        |      | 28.9  |        |                          |      |         |
| 53.5                              | 54    |             | 189363        | 0.5   | 45.7 |        |      | 54.3  |        |                          |      |         |
|                                   |       |             | compo 482     |       | 31.3 | 19.39  | 0.66 | 48.65 | 4      | 0.54                     |      |         |
| 54.5                              | 55    |             | 189364        | 0.5   | 45.6 |        |      | 54.4  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      |       |        |                          |      |         |
| 85                                | 85.5  |             | 189365        | 0.5   | 50.8 |        |      | 49.2  |        |                          |      |         |
| 85.5                              | 86    |             | 189366        | 0.5   | 62.7 |        |      | 37.3  |        |                          |      |         |
| 86                                | 86.5  |             | 189367        | 0.5   | 79.3 |        |      | 20.7  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      |       |        |                          |      |         |
| 90                                | 90.5  |             | 189368        | 0.5   | 72.0 |        |      | 28    |        |                          |      |         |
| 90.5                              | 91    |             | 189369        | 0.5   | 48.2 |        |      | 51.8  |        |                          |      |         |
| 91                                | 91.5  |             | 189370        | 0.5   | 33.9 |        |      | 66.1  |        |                          |      |         |
| 91.5                              | 92    |             | 189371        | 0.5   | 45.7 |        |      | 54.3  |        |                          |      |         |
| 92                                | 92.5  |             | 189372        | 0.5   | 34.6 |        |      | 65.4  |        |                          |      |         |
| 92.5                              | 93    |             | 189373        | 0.5   | 60.0 |        |      | 40    |        |                          |      |         |
| 93                                | 93.5  |             | 189374        | 0.5   | 74.0 |        |      | 26    |        |                          |      |         |
|                                   |       |             | compo 483     |       | 42.7 | 15.49  | 0.65 | 41.16 | 1.5    | 0.39                     |      |         |
| 102                               | 102.5 |             | 189375        | 0.5   | 33.2 |        |      | 66.8  |        |                          |      |         |
| 102.5                             | 103   |             | 189226        | 0.5   | 32.5 |        |      | 67.5  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|----------------------------|
| HOLE NUMBER:                      |       | 2906        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS                    |
| 103                               | 103.5 |             | 189227        | 0.5   | 25.2 |        |      | 74.8                     |        |      |      |                            |
| 103.5                             | 104   |             | 189228        | 0.5   | 39.9 |        |      | 60.1                     |        |      |      |                            |
| 104                               | 104.5 |             | 189229        | 0.5   | 81.7 |        |      | 18.3                     |        |      |      |                            |
| 104.5                             | 105   |             | 189230        | 0.5   | 77.0 |        |      | 23                       |        |      |      |                            |
| 105                               | 105.5 |             | 189231        | 0.5   | 70.8 |        |      | 29.2                     |        |      |      |                            |
| 105.5                             | 106   |             | 189232        | 0.5   | 65.9 |        |      | 34.1                     |        |      |      |                            |
| 106                               | 106.5 |             | 189233        | 0.5   | 56.1 |        |      | 43.9                     |        |      |      |                            |
| 106.5                             | 107   |             | 189234        | 0.5   | 44.9 |        |      | 55.1                     |        |      |      | ROMAX<br>Ro-089-06<br>1.19 |
| 107                               | 107.5 |             | 189235        | 0.5   | 34.5 |        |      | 65.5                     |        |      |      |                            |
| 107.5                             | 108   |             | 189236        | 0.5   | 35.1 |        |      | 64.9                     |        |      |      |                            |
| 108                               | 108.5 |             | 189237        | 0.5   | 26.9 |        |      | 73.1                     |        |      |      |                            |
| 108.5                             | 109   |             | 189238        | 0.5   | 38.7 |        |      | 61.3                     |        |      |      |                            |
| 109                               | 109.5 |             | 189239        | 0.5   | 50.1 |        |      | 49.9                     |        |      |      |                            |
|                                   |       |             | compo 484     |       | 34.3 | 18.53  | 0.6  | 46.57                    | 1.5    | 0.33 |      |                            |
| 202                               | 202.5 |             | 189240        | 0.5   | 52.3 |        |      | 47.7                     |        |      |      |                            |
| 202.5                             | 203   |             | 189241        | 0.5   | 43.8 |        |      | 56.2                     |        |      |      |                            |
| 203                               | 203.5 |             | 189242        | 0.5   | 68.6 |        |      | 31.4                     |        |      |      |                            |
|                                   |       |             | compo 485     |       | 38.7 | 21.67  | 0.56 | 39.07                    | 1      | 0.26 |      |                            |
| 204                               | 204.5 |             | 189243        | 0.5   | 55.8 |        |      | 44.2                     |        |      |      |                            |
| 204.5                             | 205   |             | 189244        | 0.5   | 54.4 |        |      | 45.6                     |        |      |      |                            |
|                                   |       |             | PROX 486      |       | 42.1 | 17.93  | 0.54 | 39.43                    | 1      | 0.37 |      |                            |
| 244.5                             | 245   |             | 189246        | 0.5   | 64.9 |        |      | 35.1                     |        |      |      |                            |
| 245                               | 245.5 |             | 189247        | 0.5   | 45.3 |        |      | 54.7                     |        |      |      |                            |
| 245.5                             | 246   |             | 189248        | 0.5   | 26.7 |        |      | 73.3                     |        |      |      | ROMAX<br>Ro-090-06<br>1.23 |
| 246                               | 246.5 |             | 189249        | 0.5   | 29.4 |        |      | 70.6                     |        |      |      |                            |
| 246.5                             | 247   |             | 189250        | 0.5   | 17.0 |        |      | 83                       |        |      |      |                            |
| 247                               | 247.5 |             | 189726        | 0.5   | 45.4 |        |      | 54.6                     |        |      |      |                            |
| 247.5                             | 248   |             | 189727        | 0.5   | 81.7 |        |      | 18.3                     |        |      |      |                            |
|                                   |       |             | compo 487     |       | 34.3 | 17.4   | 0.59 | 47.71                    | 1      | 0.39 |      |                            |
| 254.5                             | 255   |             | 189728        | 0.5   | 48.2 |        |      | 51.8                     |        |      |      |                            |
| 255                               | 255.5 |             | 189729        | 0.5   | 76.4 |        |      | 23.6                     |        |      |      |                            |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |      | 2907        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS   |
| 17.5                              | 18   |             | 193352        | 0.5   | 61.8    |        |      | 38.2  |        |                          |      |           |
| 18                                | 18.5 |             | 193353        | 0.5   | 55.6    |        |      | 44.4  |        |                          |      |           |
| 24                                | 24.5 |             | 193354        | 0.5   | 49.9    |        |      | 50.1  |        |                          |      |           |
| 24.5                              | 25   |             | 193355        | 0.5   | 37.7    |        |      | 62.3  |        |                          |      |           |
| 25                                | 25.5 |             | 193357        | 0.5   | 81.0    |        |      | 19    |        |                          |      |           |
|                                   |      |             | PROX 488      |       | 38.4    | 19.17  | 1.6  | 40.83 | 0      | 0.51                     |      |           |
| 33                                | 33.5 |             | 193356        | 0.5   | 62.3    |        |      | 37.7  |        |                          |      |           |
| 33.5                              | 34   |             | 193358        | 0.5   | 54.2    |        |      | 45.8  |        |                          |      |           |
| 34                                | 34.5 |             | 193359        | 0.5   | 60.1    |        |      | 39.9  |        |                          |      |           |
| 34.5                              | 35   |             | 193360        | 0.5   | 65.1    |        |      | 34.9  |        |                          |      |           |
| 35                                | 35.5 |             | 193361        | 0.5   | missing |        |      |       |        |                          |      |           |
| 45                                | 45.5 |             | 193362        | 0.5   | 52.9    |        |      | 47.1  |        |                          |      |           |
| 45.5                              | 46   |             | 193363        | 0.5   | 21.3    |        |      | 78.7  |        |                          |      |           |
| 46                                | 46.5 |             | 193364        | 0.5   | 22.6    |        |      | 77.4  |        |                          |      | ROMAX     |
| 46.5                              | 47   |             | 193365        | 0.5   | 39.3    |        |      | 60.7  |        |                          |      | Ro-091-06 |
| 47                                | 47.5 |             | 193366        | 0.5   | 37.7    |        |      | 62.3  |        |                          |      | 0.99      |
| 47.5                              | 48   |             | 193367        | 0.5   | 32.7    |        |      | 67.3  |        |                          |      |           |
| 48                                | 48.5 |             | 193368        | 0.5   | 51.3    |        |      | 48.7  |        |                          |      |           |
| 48.5                              | 49   |             | 193369        | 0.5   | 34.9    |        |      | 65.1  |        |                          |      |           |
| 49                                | 49.5 |             | 193370        | 0.5   | 25.1    |        |      | 74.9  |        |                          |      |           |
| 49.5                              | 50   |             | 193371        | 0.5   | 65.1    |        |      | 34.9  |        |                          |      |           |
| 50                                | 50.5 |             | 193372        | 0.5   | 45.8    |        |      | 54.2  |        |                          |      |           |
| 50.5                              | 51   |             | 193373        | 0.5   | 64.8    |        |      | 35.2  |        |                          |      |           |
|                                   |      |             | compo 489     |       | 36.6    | 20.17  | 0.91 | 42.32 | 2.5    | 0.39                     |      |           |
| 60                                | 60.5 |             | 193374        | 0.5   | 76.9    |        |      | 23.1  |        |                          |      |           |
| 61.5                              | 62   |             | 193375        | 0.5   | missing |        |      |       |        |                          |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |              |                          |        |      |       |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|--------------|--------------------------|--------|------|-------|--------|----------------------|------|---------|
| HOLE NUMBER: 2907                 |       |             |               | AREA: CASTLE | FORDING RIVER OPERATIONS |        |      |       |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH        | ASH                      | V.C.M. | I.M. | FC    | F.S.I. | S                    | PHOS | REMARKS |
| 82                                | 82.5  |             | 193376        | 0.5          | 58.6                     |        |      | 41.4  |        |                      |      |         |
| 82.5                              | 83    |             | 193377        | 0.5          | 80.6                     |        |      | 19.4  |        |                      |      |         |
|                                   |       |             | compo 490     |              | 18.1                     | 25.82  | 0.7  | 55.38 | 8      | 0.84                 |      |         |
| 90.5                              | 91    |             | 193378        | 0.5          | 12.3                     |        |      | 87.7  |        |                      |      |         |
| 91                                | 91.5  |             | 193379        | 0.5          | 19.6                     |        |      | 80.4  |        |                      |      |         |
| 91.5                              | 92    |             | 193380        | 0.5          | 81.2                     |        |      | 18.8  |        |                      |      |         |
| 92                                | 92.5  |             | 193381        | 0.5          | 82.4                     |        |      | 17.6  |        |                      |      |         |
|                                   |       |             | compo 491     |              | 27.8                     | 23.13  | 0.62 | 48.45 | 6.5    | 0.74                 |      |         |
| 125.5                             | 126   |             | 193382        | 0.5          | 38.8                     |        |      | 61.2  |        |                      |      |         |
| 126                               | 126.5 |             | 193383        | 0.5          | 13.8                     |        |      | 86.2  |        |                      |      |         |
| 126.5                             | 127   |             | 193384        | 0.5          | 68.3                     |        |      | 31.7  |        |                      |      |         |
| 127                               | 127.5 |             | 193385        | 0.5          | 86.0                     |        |      | 14    |        |                      |      |         |
|                                   |       |             | compo 492     |              | 36.5                     | 19.56  | 0.75 | 43.19 | 4.5    | 0.93                 |      |         |
| 131.5                             | 132   |             | 193386        | 0.5          | 43.8                     |        |      | 56.2  |        |                      |      |         |
| 132                               | 132.5 |             | 193387        | 0.5          | 43.1                     |        |      | 56.9  |        |                      |      |         |
| 132.5                             | 133   |             | 193388        | 0.5          | 21.3                     |        |      | 78.7  |        |                      |      |         |
| 133                               | 133.5 |             | 193389        | 0.5          | 68.2                     |        |      | 31.8  |        |                      |      |         |
|                                   |       |             | compo 493     |              | 36.1                     | 19.17  | 0.72 | 44.01 | 4.5    | 0.74                 |      |         |
| 134                               | 134.5 |             | 193390        | 0.5          | 44.9                     |        |      | 55.1  |        |                      |      |         |
| 134.5                             | 135   |             | 193391        | 0.5          | 43.1                     |        |      | 56.9  |        |                      |      |         |
| 135                               | 135.5 |             | 193392        | 0.5          | 31.9                     |        |      | 68.1  |        |                      |      |         |
| 135.5                             | 136   |             | 193393        | 0.5          | 24.8                     |        |      | 75.2  |        |                      |      |         |
| 136                               | 136.5 |             | 193394        | 0.5          | 42.3                     |        |      | 57.7  |        |                      |      |         |
| 136.5                             | 137   |             | 193395        | 0.5          | 40.0                     |        |      | 60    |        |                      |      |         |
| 137                               | 137.5 |             | 193396        | 0.5          | 15.3                     |        |      | 84.7  |        |                      |      |         |
| 137.5                             | 138   |             | 193397        | 0.5          | 13.9                     |        |      | 86.1  |        |                      |      |         |
| 138                               | 138.5 |             | 193398        | 0.5          | 15.3                     |        |      | 84.7  |        |                      |      |         |
| 138.5                             | 139   |             | 193399        | 0.5          | 47.4                     |        |      | 52.6  |        |                      |      |         |
| 139                               | 139.5 |             | 193400        | 0.5          | 78.1                     |        |      | 21.9  |        |                      |      |         |
|                                   |       |             | compo 494     |              | 33.7                     | 19.94  | 0.73 | 45.63 | 5      | 0.65                 |      |         |

ROMAX  
Ro-092-06  
1.06

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|-----|------|---------|
| HOLE NUMBER:                      |       | 2907        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |     |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS |
| 140                               | 140.5 |             | 193401        | 0.5   | 58.6 |        |      | 41.4                     |     |      |         |
| 140.5                             | 141   |             | 193402        | 0.5   | 70.4 |        |      | 29.6                     |     |      |         |
| 141                               | 141.5 |             | 193403        | 0.5   | 83.8 |        |      | 16.2                     |     |      |         |
| 188                               | 188.5 |             | 193404        | 0.5   | 19.0 |        |      | 81                       |     |      |         |
| 188.5                             | 189   |             | 193405        | 0.5   | 30.7 |        |      | 69.3                     |     |      |         |
| 189                               | 189.5 |             | 193406        | 0.5   | 47.6 |        |      | 52.4                     |     |      |         |
| 189.5                             | 190   |             | 193407        | 0.5   | 79.2 |        |      | 20.8                     |     |      |         |
|                                   |       |             | compo 495     |       | 30.2 | 19.44  | 0.66 | 49.7                     | 3.5 | 0.57 |         |
| 192                               | 192.5 |             | 193408        | 0.5   | 17.3 |        |      | 82.7                     |     |      |         |
| 192.5                             | 193   |             | 193409        | 0.5   | 14.1 |        |      | 85.9                     |     |      |         |
| 193                               | 193.5 |             | 193410        | 0.5   | 15.9 |        |      | 84.1                     |     |      |         |
| 193.5                             | 194   |             | 193411        | 0.5   | 75.0 |        |      | 25                       |     |      |         |
|                                   |       |             | compo 496     |       | 16.8 | 21.98  | 0.65 | 60.57                    | 4   | 0.62 |         |
| 216.5                             | 217   |             | 193412        | 0.5   | 62.5 |        |      | 37.5                     |     |      |         |
| 217                               | 217.5 |             | 193413        | 0.5   | 74.2 |        |      | 25.8                     |     |      |         |
| 217.5                             | 218   |             | 193414        | 0.5   | 84.3 |        |      | 15.7                     |     |      |         |
| 219                               | 219.5 |             | 193415        | 0.5   | 18.7 |        |      | 81.3                     |     |      |         |
| 219.5                             | 220   |             | 193416        | 0.5   | 19.0 |        |      | 81                       |     |      |         |
| 220                               | 220.5 |             | 193417        | 0.5   | 30.0 |        |      | 70                       |     |      |         |
| 220.5                             | 221   |             | 193418        | 0.5   | 76.2 |        |      | 23.8                     |     |      |         |
|                                   |       |             | compo 497     |       | 23.6 | 19.87  | 0.53 | 56                       | 2.5 | 0.54 |         |
| 232.5                             | 233   |             | 193419        | 0.5   | 53.7 |        |      | 46.3                     |     |      |         |
| 233                               | 233.5 |             | 193420        | 0.5   | 20.0 |        |      | 80                       |     |      |         |
| 233.5                             | 234   |             | 193421        | 0.5   | 22.9 |        |      | 77.1                     |     |      |         |
| 234                               | 234.5 |             | 193422        | 0.5   | 82.5 |        |      | 17.5                     |     |      |         |
|                                   |       |             | compo 498     |       | 21.7 | 19.88  | 0.56 | 57.86                    | 3   | 0.47 |         |
| 235                               | 235.5 |             | 193423        | 0.5   | 44.6 |        |      | 55.4                     |     |      |         |
| 235.5                             | 236   |             | 193424        | 0.5   | 44.8 |        |      | 55.2                     |     |      |         |
| 236                               | 236.5 |             | 193425        | 0.5   | 24.3 |        |      | 75.7                     |     |      |         |





|             |
|-------------|
| HOLE NUMBER |
| FROM        |
| 70          |
| 70.5        |
| 71          |
| 71.5        |
| 72          |
| 72.5        |
| 109         |
| 109.5       |
| 151         |
| 155.5       |
| 151         |
| 156.5       |
| 157         |
| 157.5       |
| 158         |
| 158.5       |
| 159         |
| 159.5       |
| 160         |
| 160.5       |
| 161         |
| 161.5       |
| 162         |
| 162.5       |
| 163         |
| 163.5       |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          |        |      | ELKVALLEY COAL CORP. |           |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|----------------------|-----------|
| HOLE NUMBER:                      |      | 2908        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |                      |           |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S    | PHOS                 | REMARKS   |
| 26.5                              | 27   |             | 193026        | 0.5   | 60.6 |        |      | 39.4                     |        |      |                      |           |
| 27                                | 27.5 |             | 193027        | 0.5   | 37.3 |        |      | 62.7                     |        |      |                      | ROMAX     |
| 27.5                              | 28   |             | 193028        | 0.5   | 47.1 |        |      | 52.9                     |        |      |                      | Ro-093-06 |
| 28                                | 28.5 |             | 193029        | 0.5   | 37.1 |        |      | 62.9                     |        |      |                      | 0.95      |
| 28.5                              | 29   |             | 193030        | 0.5   | 12.5 |        |      | 87.5                     |        |      |                      |           |
| 29                                | 29.5 |             | 193031        | 0.5   | 19.8 |        |      | 80.2                     |        |      |                      |           |
| 29.5                              | 30   |             | 193032        | 0.5   | 18.1 |        |      | 81.9                     |        |      |                      |           |
| 30                                | 30.5 |             | 193033        | 0.5   | 51.5 |        |      | 48.5                     |        |      |                      |           |
|                                   |      |             | compo 500     |       | 27.5 | 25.06  | 0.76 | 46.68                    | 5      | 0.99 |                      |           |
| 31.5                              | 32   |             | 193034        | 0.5   | 33.4 |        |      | 66.6                     |        |      |                      |           |
| 32                                | 32.5 |             | 193035        | 0.5   | 13.9 |        |      | 86.1                     |        |      |                      |           |
| 32.5                              | 33   |             | 193036        | 0.5   | 10.6 |        |      | 89.4                     |        |      |                      |           |
| 33                                | 33.5 |             | 193037        | 0.5   | 63.3 |        |      | 36.7                     |        |      |                      |           |
|                                   |      |             | compo 501     |       | 20.7 | 24.33  | 1.36 | 53.61                    | 1.5    | 0.84 |                      |           |
| 57.5                              | 58   |             | 193038        | 0.5   | 24.6 |        |      | 75.4                     |        |      |                      |           |
| 58                                | 58.5 |             | 193039        | 0.5   | 28.6 |        |      | 71.4                     |        |      |                      |           |
| 58.5                              | 59   |             | 193040        | 0.5   | 9.0  |        |      | 91                       |        |      |                      | ROMAX     |
| 59                                | 59.5 |             | 193041        | 0.5   | 16.3 |        |      | 83.7                     |        |      |                      | Ro-094-06 |
| 59.5                              | 60   |             | 193042        | 0.5   | 26.3 |        |      | 73.7                     |        |      |                      | 1.03      |
| 60                                | 60.5 |             | 193043        | 0.5   | 40.9 |        |      | 59.1                     |        |      |                      |           |
| 60.5                              | 61   |             | 193044        | 0.5   | 44.0 |        |      | 56                       |        |      |                      |           |
| 61                                | 61.5 |             | 193045        | 0.5   | 71.3 |        |      | 28.7                     |        |      |                      |           |
|                                   |      |             | compo 502     |       | 26.1 | 22.99  | 0.68 | 50.23                    | 5.5    | 0.65 |                      |           |
| 66                                | 66.5 |             | 193046        | 0.5   | 8.4  |        |      | 91.6                     |        |      |                      |           |
| 66.5                              | 67   |             | 193047        | 0.5   | 8.9  |        |      | 91.1                     |        |      |                      | ROMAX     |
| 67                                | 67.5 |             | 193048        | 0.5   | 13.0 |        |      | 87                       |        |      |                      | Ro-095-06 |
| 67.5                              | 68   |             | 193049        | 0.5   | 52.2 |        |      | 47.8                     |        |      |                      | 1.01      |
| 68                                | 68.5 |             | 193050        | 0.5   | 28.2 |        |      | 71.8                     |        |      |                      |           |
| 68.5                              | 69   |             | 193051        | 0.5   | 22.1 |        |      | 77.9                     |        |      |                      |           |
| 69                                | 69.5 |             | 193052        | 0.5   | 11.1 |        |      | 88.9                     |        |      |                      |           |
| 69.5                              | 70   |             | 193053        | 0.5   | 33.1 |        |      | 66.9                     |        |      |                      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2908        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 215.5                             | 216   |             | 193081        | 0.5   | 45.3    |        |      | 54.7                     |                      |      |         |  |
| 216                               | 216.5 |             | 193082        | 0.5   | 39.0    |        |      | 61                       |                      |      |         |  |
| 216.5                             | 217   |             | 193083        | 0.5   | 14.1    |        |      | 85.9                     |                      |      |         |  |
| 217                               | 217.5 |             | 193084        | 0.5   | 65.4    |        |      | 34.6                     |                      |      |         |  |
|                                   |       |             | compo 506     |       | 33.8    | 18.03  | 0.58 | 47.59                    | 2                    | 0.49 |         |  |
| 219                               | 219.5 |             | 193085        | 0.5   | 47.9    |        |      | 52.1                     |                      |      |         |  |
| 219.5                             | 220   |             | 193086        | 0.5   | 34.6    |        |      | 65.4                     |                      |      |         |  |
| 220                               | 220.5 |             | 193087        | 0.5   | 41.9    |        |      | 58.1                     |                      |      |         |  |
| 220.5                             | 221   |             | 193088        | 0.5   | 37.8    |        |      | 62.2                     |                      |      |         |  |
| 221                               | 221.5 |             | 193089        | 0.5   | missing |        |      |                          |                      |      |         |  |
|                                   |       |             | compo 507     |       | 38.0    | 17.53  | 0.58 | 43.89                    | 1.5                  | 0.49 |         |  |
| 244                               | 244.5 |             | 193090        | 0.5   | 63.4    |        |      | 36.6                     |                      |      |         |  |
| 244.5                             | 245   |             | 193091        | 0.5   | 69.3    |        |      | 30.7                     |                      |      |         |  |
|                                   |       |             | compo 510     |       | 27.5    | 20.18  | 0.59 | 51.73                    | 4                    | 0.69 |         |  |
| 248.5                             | 249   |             | 193092        | 0.5   | 69.0    |        |      | 31                       |                      |      |         |  |
| 266                               | 266.5 |             | 193093        | 0.5   | 37.9    |        |      | 62.1                     |                      |      |         |  |
| 266.5                             | 267   |             | 193094        | 0.5   | missing |        |      |                          |                      |      |         |  |
| 267                               | 267.5 |             | 193095        | 0.5   | 69.4    |        |      | 30.6                     |                      |      |         |  |
|                                   |       |             | PROX 508      |       | 37.1    | 18.54  | 0.56 | 43.8                     | 1                    | 0.37 |         |  |
| 268.5                             | 269   |             | 193096        | 0.5   | 47.9    |        |      | 52.1                     |                      |      |         |  |
| 269                               | 269.5 |             | 193097        | 0.5   | 68.6    |        |      | 31.4                     |                      |      |         |  |
| 269.5                             | 270   |             | 193098        | 0.5   | 32.4    |        |      | 67.6                     |                      |      |         |  |
| 270                               | 270.5 |             | 193099        | 0.5   | 28.4    |        |      | 71.6                     |                      |      |         |  |
| 270.5                             | 271   |             | 193100        | 0.5   | 23.4    |        |      | 76.6                     |                      |      |         |  |
| 271                               | 271.5 |             | 193476        | 0.5   | 20.1    |        |      | 79.9                     |                      |      |         |  |
| 271.5                             | 272   |             | 193477        | 0.5   | 25.3    |        |      | 74.7                     |                      |      |         |  |
| 272                               | 272.5 |             | 193478        | 0.5   | 19.2    |        |      | 80.8                     |                      |      |         |  |
| 272.5                             | 273   |             | 193479        | 0.5   | 34.6    |        |      | 65.4                     |                      |      |         |  |
| 273                               | 273.5 |             | 193480        | 0.5   | 73.3    |        |      | 26.7                     |                      |      |         |  |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |      | 2893        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 28.5                              | 29   |             | 191726        | 0.5   | 17.7 |        |      | 82.3                     |        |                      |      |         |
| 29                                | 29.5 |             | 191727        | 0.5   | 33.7 |        |      | 66.3                     |        |                      |      |         |
| 29.5                              | 30   |             | 191728        | 0.5   | 23.4 |        |      | 76.6                     |        |                      |      |         |
| 30                                | 30.5 |             | 191729        | 0.5   | 17.6 |        |      | 82.4                     |        |                      |      |         |
| 30.5                              | 31   |             | 191730        | 0.5   | 19.1 |        |      | 80.9                     |        |                      |      |         |
| 31                                | 31.5 |             | 191731        | 0.5   | 15.2 |        |      | 84.8                     |        |                      |      |         |
| 31.5                              | 32   |             | 191732        | 0.5   | 18.1 |        |      | 81.9                     |        |                      |      |         |
| 32                                | 32.5 |             | 191733        | 0.5   | 15.6 |        |      | 84.4                     |        |                      |      |         |
| 32.5                              | 33   |             | 191734        | 0.5   | 19.3 |        |      | 80.7                     |        |                      |      |         |
| 33                                | 33.5 |             | 191735        | 0.5   | 16.9 |        |      | 83.1                     |        |                      |      |         |
| 33.5                              | 34   |             | 191736        | 0.5   | 17.4 |        |      | 82.6                     |        |                      |      |         |
| 34                                | 34.5 |             | 191737        | 0.5   | 20.7 |        |      | 79.3                     |        |                      |      |         |
| 34.5                              | 35   |             | 191738        | 0.5   | 25.1 |        |      | 74.9                     |        |                      |      |         |
| 35                                | 35.5 |             | 191739        | 0.5   | 19.7 |        |      | 80.3                     |        |                      |      |         |
| 35.5                              | 36   |             | 191740        | 0.5   | 33.1 |        |      | 66.9                     |        |                      |      |         |
| 36                                | 36.5 |             | 191741        | 0.5   | 66.3 |        |      | 33.7                     |        |                      |      |         |
| 36.5                              | 37   |             | 191742        | 0.5   | 27.5 |        |      | 72.5                     |        |                      |      |         |
| 37                                | 37.5 |             | 191743        | 0.5   | 37.1 |        |      | 62.9                     |        |                      |      |         |
| 37.5                              | 38   |             | 191744        | 0.5   | 25.1 |        |      | 74.9                     |        |                      |      |         |
| 38                                | 38.5 |             | 191745        | 0.5   | 43.3 |        |      | 56.7                     |        |                      |      |         |
| 38.5                              | 39   |             | 191746        | 0.5   | 69.8 |        |      | 30.2                     |        |                      |      |         |
|                                   |      |             | compo360      |       | 24.9 | 20.49  | 0.59 | 54.02                    | 5      | 0.67                 |      |         |
| 67.5                              | 68   |             | 191747        | 0.5   | 22.7 |        |      | 77.3                     |        |                      |      |         |
| 68                                | 68.5 |             | 191748        | 0.5   | 9.9  |        |      | 90.1                     |        |                      |      |         |
| 68.5                              | 69   |             | 191749        | 0.5   | 14.4 |        |      | 85.6                     |        |                      |      |         |
| 69                                | 69.5 |             | 191750        | 0.5   | 32.7 |        |      | 67.3                     |        |                      |      |         |
| 69.5                              | 70   |             | 190451        | 0.5   | 70.8 |        |      | 29.2                     |        |                      |      |         |
|                                   |      |             | compo361      |       | 18.6 | 22.05  | 0.68 | 58.67                    | 4.5    | 0.71                 |      |         |
| 73                                | 73.5 |             | 190452        | 0.5   | 12.1 |        |      | 87.9                     |        |                      |      |         |
| 73.5                              | 74   |             | 190453        | 0.5   | 13.7 |        |      | 86.3                     |        |                      |      |         |
| 74                                | 74.5 |             | 190454        | 0.5   | 20.8 |        |      | 79.2                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2893        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 74.5                              | 75    |             | 190455        | 0.5   | 36.5   |        |      | 63.5                     |        |      |      |         |
| 75                                | 75.5  |             | 190456        | 0.5   | 57.3   |        |      | 42.7                     |        |      |      |         |
|                                   |       |             | compo362      |       | 18.6   | 22.62  | 0.55 | 58.23                    | 6.5    | 0.63 |      |         |
| 106.5                             | 107   |             | 190457        | 0.5   | 21.1   |        |      | 78.9                     |        |      |      |         |
| 107                               | 107.5 |             | 190458        | 0.5   | 20.2   |        |      | 79.8                     |        |      |      |         |
| 107.5                             | 108   |             | 190460        | 0.5   | 82.1   |        |      | 17.9                     |        |      |      |         |
| 108                               | 108.5 |             | 190459        | 0.5   | 54.1   |        |      | 45.9                     |        |      |      |         |
|                                   |       |             | compo363      |       | 21.1   | 20.98  | 0.56 | 57.36                    | 6      | 0.64 |      |         |
| 110.5                             | 111   |             | 190461        | 0.5   | 16.8   |        |      | 83.2                     |        |      |      |         |
| 111                               | 111.5 |             | 190462        | 0.5   | 17.6   |        |      | 82.4                     |        |      |      |         |
| 111.5                             | 112   |             | 190463        | 0.5   | 39.8   |        |      | 60.2                     |        |      |      |         |
| 112                               | 112.5 |             | 190464        | 0.5   | 78.6   |        |      | 21.4                     |        |      |      |         |
|                                   |       |             | compo364      |       | 21.8   | 19.32  | 0.56 | 58.32                    | 2.5    | 0.58 |      |         |
| 126.5                             | 127   |             | 190465        | 0.5   | 26.9   |        |      | 73.1                     |        |      |      |         |
| 127                               | 127.5 |             | 190466        | 0.5   | 42.1   |        |      | 57.9                     |        |      |      |         |
| 127.5                             | 128   |             | 190467        | 0.5   | 28.8   |        |      | 71.2                     |        |      |      |         |
| 128                               | 128.5 |             | 190468        | 0.5   | 47.9   |        |      | 52.1                     |        |      |      |         |
| 128.5                             | 129   |             | 190469        | 0.5   | 89.6   |        |      | 10.4                     |        |      |      |         |
|                                   |       |             | compo365      |       | 32.5   | 18.32  | 0.57 | 48.61                    | 1.5    | 0.42 |      |         |
| 129.5                             | 130   |             | 190470        | 0.5   | 82.2   |        |      | 17.8                     |        |      |      |         |
| 131                               | 131.5 |             | 190471        | 0.5   | 64.6   |        |      | 35.4                     |        |      |      |         |
| 131.5                             | 132   |             | 190472        | 0.5   | 22.5   |        |      | 77.5                     |        |      |      |         |
| 132                               | 132.5 |             | 190473        | 0.5   | 20.2   |        |      | 79.8                     |        |      |      |         |
| 132.5                             | 133   |             | 190474        | 0.5   | 22.9   |        |      | 77.1                     |        |      |      |         |
| 133                               | 133.5 |             | 190475        | 0.5   | 14.9   |        |      | 85.1                     |        |      |      |         |
| 133.5                             | 134   |             | 190476        | 0.5   | 32.6   |        |      | 67.4                     |        |      |      |         |
| 134                               | 134.5 |             | 190477        | 0.5   | 27.3   |        |      | 72.7                     |        |      |      |         |
| 134.5                             | 135   |             | 190478        | 0.5   | 17.9   |        |      | 82.1                     |        |      |      |         |
| 135                               | 135.5 |             | 190479        | 0.5   | 19.1   |        |      | 80.9                     |        |      |      |         |
| 135.5                             | 136   |             | 190480        | 0.5   | 19.4   |        |      | 80.6                     |        |      |      |         |

romax  
RO-109-06  
1.18

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2893        |               | AREA: | CASTLE  |        |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. |                          | F.S.I. | S                    | PHOS | REMARKS |
| 136                               | 136.5 |             | 190481        | 0.5   | 33.1    |        |      |                          | 66.9   |                      |      |         |
| 136.5                             | 137   |             | 190482        | 0.5   | 18.7    |        |      |                          | 81.3   |                      |      |         |
| 137                               | 137.5 |             | 190483        | 0.5   | missing |        |      |                          |        |                      |      |         |
| 137.5                             | 138   |             | 190484        | 0.5   | 29.1    |        |      |                          | 70.9   |                      |      |         |
| 138                               | 138.5 |             | 190485        | 0.5   | 18.8    |        |      |                          | 81.2   |                      |      |         |
| 138.5                             | 139   |             | 190486        | 0.5   | 23.1    |        |      |                          | 76.9   |                      |      |         |
| 139                               | 139.5 |             | 190487        | 0.5   | 33.2    |        |      |                          | 66.8   |                      |      |         |
| 139.5                             | 140   |             | 190488        | 0.5   | 28.5    |        |      |                          | 71.5   |                      |      |         |
| 140                               | 140.5 |             | 190489        | 0.5   | 22.1    |        |      |                          | 77.9   |                      |      |         |
| 140.5                             | 141   |             | 190490        | 0.5   | 11.2    |        |      |                          | 88.8   |                      |      |         |
| 141                               | 141.5 |             | 190491        | 0.5   | missing |        |      |                          |        |                      |      |         |
| 141.5                             | 142   |             | 190492        | 0.5   | 31.1    |        |      |                          | 68.9   |                      |      |         |
| 142                               | 142.5 |             | 190493        | 0.5   | 26.8    |        |      |                          | 73.2   |                      |      |         |
| 142.5                             | 143   |             | 190494        | 0.5   | 23.9    |        |      |                          | 76.1   |                      |      |         |
| 143                               | 143.5 |             | 190495        | 0.5   | 26.1    |        |      |                          | 73.9   |                      |      |         |
| 143.5                             | 144   |             | 190496        | 0.5   | 24.8    |        |      |                          | 75.2   |                      |      |         |
| 144                               | 144.5 |             | 190497        | 0.5   | 21.7    |        |      |                          | 78.3   |                      |      |         |
| 144.5                             | 145   |             | 190498        | 0.5   | 14.9    |        |      |                          | 85.1   |                      |      |         |
| 145                               | 145.5 |             | 190499        | 0.5   | 24.6    |        |      |                          | 75.4   |                      |      |         |
| 145.5                             | 146   |             | 190500        | 0.5   | 17.9    |        |      |                          | 82.1   |                      |      |         |
| 146                               | 146.5 |             | 191676        | 0.5   | 19.1    |        |      |                          | 80.9   |                      |      |         |
| 146.5                             | 147   |             | 191677        | 0.5   | 13.7    |        |      |                          | 86.3   |                      |      |         |
| 147                               | 147.5 |             | 191678        | 0.5   | 16.6    |        |      |                          | 83.4   |                      |      |         |
| 147.5                             | 148   |             | 191679        | 0.5   | 25.1    |        |      |                          | 74.9   |                      |      |         |
| 148                               | 148.5 |             | 191680        | 0.5   | 65.8    |        |      |                          | 34.2   |                      |      |         |
| 148.5                             | 149   |             | 191681        | 0.5   | 68.2    |        |      |                          | 31.8   |                      |      |         |
|                                   |       |             | compo366      |       | 24.3    | 20.32  | 0.6  |                          | 54.78  | 1.5                  | 0.38 |         |
| 159                               | 159.5 |             | 191682        | 0.5   | missing |        |      |                          |        |                      |      |         |
| 159.5                             | 160   |             | 191683        | 0.5   | 15.6    |        |      |                          | 84.4   |                      |      |         |
| 160                               | 160.5 |             | 191684        | 0.5   | 44.4    |        |      |                          | 55.6   |                      |      |         |
| 160.5                             | 161   |             | 191685        | 0.5   | 64.9    |        |      |                          | 35.1   |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |       | 2893        |               | AREA: | CASTLE |        |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS   |
|                                   |       |             | compo367      |       | 27.5   | 18.93  | 0.51 | 53.06 | 2      | 0.52                     |      |           |
| 177.5                             | 178   |             | 191686        | 0.5   | 16.4   |        |      | 83.6  |        |                          |      |           |
| 178                               | 178.5 |             | 191687        | 0.5   | 19.7   |        |      | 80.3  |        |                          |      |           |
| 178.5                             | 179   |             | 191688        | 0.5   | 22.5   |        |      | 77.5  |        |                          |      |           |
| 179                               | 179.5 |             | 191689        | 0.5   | 28.4   |        |      | 71.6  |        |                          |      |           |
| 179.5                             | 180   |             | 191690        | 0.5   | 84.9   |        |      | 15.1  |        |                          |      |           |
|                                   |       |             | compo368      |       | 23.1   | 19.12  | 0.53 | 57.25 | 1.5    | 0.48                     |      |           |
| 181                               | 181.5 |             | 191691        | 0.5   | 47.1   |        |      | 52.9  |        |                          |      |           |
| 181.5                             | 182   |             | 191692        | 0.5   | 30.9   |        |      | 69.1  |        |                          |      |           |
| 182                               | 182.5 |             | 191693        | 0.5   | 24.6   |        |      | 75.4  |        |                          |      | ROMAX     |
| 182.5                             | 183   |             | 191694        | 0.5   | 23.3   |        |      | 76.7  |        |                          |      | RO-110-06 |
| 183                               | 183.5 |             | 191695        | 0.5   | 26.4   |        |      | 73.6  |        |                          |      | 1.21      |
| 183.5                             | 184   |             | 191696        | 0.5   | 22.7   |        |      | 77.3  |        |                          |      |           |
| 184                               | 184.5 |             | 191697        | 0.5   | 43.9   |        |      | 56.1  |        |                          |      |           |
| 184.5                             | 185   |             | 191698        | 0.5   | 25.1   |        |      | 74.9  |        |                          |      |           |
| 185                               | 185.5 |             | 191699        | 0.5   | 26.1   |        |      | 73.9  |        |                          |      |           |
| 185.5                             | 186   |             | 191700        | 0.5   | 82.1   |        |      | 17.9  |        |                          |      |           |
|                                   |       |             | compo369      |       | 30.1   | 20.66  | 0.49 | 48.75 | 1      | 0.34                     |      |           |
| 257                               | 257.5 |             | 194851        | 0.5   | 37.5   |        |      | 62.5  |        |                          |      |           |
| 257.5                             | 258   |             | 194852        | 0.5   | 46.3   |        |      | 53.7  |        |                          |      |           |
|                                   |       |             |               |       |        |        |      |       |        |                          |      |           |
| 298                               | 298.5 |             | 194853        | 0.5   | 12.9   |        |      | 87.1  |        |                          |      |           |
| 298.5                             | 299   |             | 194854        | 0.5   | 18.3   |        |      | 81.7  |        |                          |      |           |
| 299                               | 299.5 |             | 194855        | 0.5   | 26.1   |        |      | 73.9  |        |                          |      |           |
| 299.5                             | 300   |             | 194856        | 0.5   | 41.6   |        |      | 58.4  |        |                          |      |           |
| 300                               | 300.5 |             | 194857        | 0.5   | 68.4   |        |      | 31.6  |        |                          |      |           |
|                                   |       |             | compo370      |       | 25.3   | 17.51  | 0.46 | 56.73 | 1.5    | 0.41                     |      |           |
| 301                               | 301.5 |             | 194858        | 0.5   | 20.2   |        |      | 79.8  |        |                          |      |           |
| 301.5                             | 302   |             | 194859        | 0.5   | 26.3   |        |      | 73.7  |        |                          |      |           |
| 302                               | 302.5 |             | 194860        | 0.5   | 22.9   |        |      | 77.1  |        |                          |      |           |
| 302.5                             | 303   |             | 194861        | 0.5   | 14.2   |        |      | 85.8  |        |                          |      |           |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       | ELKVALLEY COAL CORP. |                          |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|----------------------|--------------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2893        |               | AREA: |      | CASTLE |      |       |                      | FORDING RIVER OPERATIONS |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I.               | S                        | PHOS | REMARKS |  |
| 303                               | 303.5 |             | 194862        | 0.5   | 14.5 |        |      | 85.5  |                      |                          |      |         |  |
| 303.5                             | 304   |             | 194863        | 0.5   | 24.6 |        |      | 75.4  |                      |                          |      |         |  |
| 304                               | 304.5 |             | 194864        | 0.5   | 54.6 |        |      | 45.4  |                      |                          |      |         |  |
|                                   |       |             | compo371      |       | 23.1 | 18.16  | 0.51 | 56.24 | 2                    | 0.38                     |      |         |  |
| 313.5                             | 314   |             | 194865        | 0.5   | 17.9 |        |      | 82.1  |                      |                          |      |         |  |
| 314                               | 314.5 |             | 194866        | 0.5   | 15.4 |        |      | 84.6  |                      |                          |      |         |  |
| 314.5                             | 315   |             | 194867        | 0.5   | 82.8 |        |      | 17.2  |                      |                          |      |         |  |
|                                   |       |             | compo372      |       | 17.1 | 18.63  | 0.51 | 63.76 | 3                    | 0.62                     |      |         |  |
| 338.5                             | 339   |             | 194868        | 0.5   | 61.2 |        |      | 38.8  |                      |                          |      |         |  |
| 351                               | 351.5 |             | 194869        | 0.5   | 39.4 |        |      | 60.6  |                      |                          |      |         |  |
| 351.5                             | 352   |             | 194870        | 0.5   | 74.1 |        |      | 25.9  |                      |                          |      |         |  |
| 359                               | 359.5 |             | 194871        | 0.5   | 29.9 |        |      | 70.1  |                      |                          |      |         |  |
| 359.5                             | 360   |             | 194872        | 0.5   | 45.9 |        |      | 54.1  |                      |                          |      |         |  |
| 360                               | 360.5 |             | 194873        | 0.5   | 81.5 |        |      | 18.5  |                      |                          |      |         |  |
|                                   |       |             | compo373      |       | 39.7 | 14.81  | 0.54 | 44.95 | 1                    | 0.48                     |      |         |  |
| 398                               | 398.5 |             | 194874        | 0.5   | 14.6 |        |      | 85.4  |                      |                          |      |         |  |
| 398.5                             | 399   |             | 194875        | 0.5   | 12.9 |        |      | 87.1  |                      |                          |      |         |  |
| 399                               | 399.5 |             | 194876        | 0.5   | 12.4 |        |      | 87.6  |                      |                          |      |         |  |
| 399.5                             | 400   |             | 194877        | 0.5   | 15.1 |        |      | 84.9  |                      |                          |      |         |  |
| 400                               | 400.5 |             | 194878        | 0.5   | 12.9 |        |      | 87.1  |                      |                          |      |         |  |
| 400.5                             | 401   |             | 194879        | 0.5   | 60.5 |        |      | 39.5  |                      |                          |      |         |  |
| 401                               | 401.5 |             | 194880        | 0.5   | 38.5 |        |      | 61.5  |                      |                          |      |         |  |
| 401.5                             | 402   |             | 194881        | 0.5   | 54.3 |        |      | 45.7  |                      |                          |      |         |  |
| 402                               | 402.5 |             | 194882        | 0.5   | 52.7 |        |      | 47.3  |                      |                          |      |         |  |
| 402.5                             | 403   |             | 194883        | 0.5   | 55.3 |        |      | 44.7  |                      |                          |      |         |  |
| 403                               | 403.5 |             | 194884        | 0.5   | 17.1 |        |      | 82.9  |                      |                          |      |         |  |
| 403.5                             | 404   |             | 194885        | 0.5   | 27.4 |        |      | 72.6  |                      |                          |      |         |  |
| 404                               | 404.5 |             | 194886        | 0.5   | 25.2 |        |      | 74.8  |                      |                          |      |         |  |
| 404.5                             | 405   |             | 194887        | 0.5   | 80.4 |        |      | 19.6  |                      |                          |      |         |  |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |      | 2894        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 8.5                               | 9    |             | 193101        | 0.5   | 65.3 |        |      | 34.7  |        |                          |      |         |
| 9                                 | 9.5  |             | 193102        | 0.5   | 59.3 |        |      | 40.7  |        |                          |      |         |
| 9.5                               | 10   |             | 193103        | 0.5   | 63.9 |        |      | 36.1  |        |                          |      |         |
| 10                                | 10.5 |             | 193104        | 0.5   | 70.5 |        |      | 29.5  |        |                          |      |         |
| 10.5                              | 11   |             | 193105        | 0.5   | 90.5 |        |      | 9.5   |        |                          |      |         |
|                                   |      |             |               |       |      |        |      | 100   |        |                          |      |         |
| 23                                | 23.5 |             | 193107        | 0.5   | 78.1 |        |      | 21.9  |        |                          |      |         |
| 23.5                              | 24   |             | 193108        | 0.5   | 77.4 |        |      | 22.6  |        |                          |      |         |
| 24                                | 24.5 |             | 193109        | 0.5   | 47.5 |        |      | 52.5  |        |                          |      |         |
| 24.5                              | 25   |             | 193110        | 0.5   | 59.2 |        |      | 40.8  |        |                          |      |         |
| 25                                | 25.5 |             | 193111        | 0.5   | 81.7 |        |      | 18.3  |        |                          |      |         |
| 25.5                              | 26   |             | 193112        | 0.5   | 77.5 |        |      | 22.5  |        |                          |      |         |
|                                   |      |             | compo377      |       | 37.8 | 19.03  | 0.48 | 42.69 | 1      | 0.31                     |      |         |
| 47.5                              | 48   |             | 193113        | 0.5   | 61.2 |        |      | 38.8  |        |                          |      |         |
| 48                                | 48.5 |             | 193114        | 0.5   | 66.3 |        |      | 33.7  |        |                          |      |         |
| 48.5                              | 49   |             | 193115        | 0.5   | 50.5 |        |      | 49.5  |        |                          |      |         |
| 49                                | 49.5 |             | 193116        | 0.5   | 50.2 |        |      | 49.8  |        |                          |      |         |
| 49.5                              | 50   |             | 193117        | 0.5   | 51.6 |        |      | 48.4  |        |                          |      |         |
| 50                                | 50.5 |             | 193118        | 0.5   | 80.9 |        |      | 19.1  |        |                          |      |         |
|                                   |      |             |               |       |      |        |      | 100   |        |                          |      |         |
| 53                                | 53.5 |             | 193119        | 0.5   | 27.1 |        |      | 72.9  |        |                          |      |         |
| 53.5                              | 54   |             | 193120        | 0.5   | 30.3 |        |      | 69.7  |        |                          |      |         |
| 54                                | 54.5 |             | 193121        | 0.5   | 46.8 |        |      | 53.2  |        |                          |      |         |
| 54.5                              | 55   |             | 193122        | 0.5   | 35.6 |        |      | 64.4  |        |                          |      |         |
| 55                                | 55.5 |             | 193123        | 0.5   | 39.6 |        |      | 60.4  |        |                          |      |         |
| 55.5                              | 56   |             | 193124        | 0.5   | 41.6 |        |      | 58.4  |        |                          |      |         |
| 56                                | 56.5 |             | 193125        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      |         |
| 56.5                              | 57   |             | 193151        | 0.5   | 32.2 |        |      | 67.8  |        |                          |      |         |
| 57                                | 57.5 |             | 193152        | 0.5   | 39.9 |        |      | 60.1  |        |                          |      |         |
| 57.5                              | 58   |             | 193153        | 0.5   | 44.2 |        |      | 55.8  |        |                          |      |         |
| 58                                | 58.5 |             | 193154        | 0.5   | 36.3 |        |      | 63.7  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2894        | AREA:         |       | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 58.5                              | 59    |             | 193155        | 0.5   | 58.2   |        |      | 41.8                     |        |      |      |         |
| 59                                | 59.5  |             | 192156        | 0.5   | 75.1   |        |      | 24.9                     |        |      |      |         |
| 59.5                              | 60    |             | 193157        | 0.5   | 59.1   |        |      | 40.9                     |        |      |      |         |
| 60                                | 60.5  |             | 193158        | 0.5   | 61.2   |        |      | 38.8                     |        |      |      |         |
| 60.5                              | 61    |             | 193159        | 0.5   | 78.5   |        |      | 21.5                     |        |      |      |         |
| 61                                | 61.5  |             | 193160        | 0.5   | 85.7   |        |      | 14.3                     |        |      |      |         |
| 61.5                              | 62    |             | 193161        | 0.5   | 85.6   |        |      | 14.4                     |        |      |      |         |
| 62                                | 62.5  |             | 193162        | 0.5   | 81.4   |        |      | 18.6                     |        |      |      |         |
| 62.5                              | 63    |             | 193163        | 0.5   | 83.8   |        |      | 16.2                     |        |      |      |         |
|                                   |       |             |               |       |        |        |      | 100                      |        |      |      |         |
| 83                                | 83.5  |             | 193164        | 0.5   | 57.1   |        |      | 42.9                     |        |      |      |         |
| 83.5                              | 84    |             | 193165        | 0.5   | 68.9   |        |      | 31.1                     |        |      |      |         |
| 84                                | 84.5  |             | 193166        | 0.5   | 80.1   |        |      | 19.9                     |        |      |      |         |
| 84.5                              | 85    |             | 193167        | 0.5   | 82.6   |        |      | 17.4                     |        |      |      |         |
|                                   |       |             | compo378      |       | 21.4   | 17.87  | 0.52 | 60.21                    | 1.5    | 0.42 |      |         |
| 87                                | 87.5  |             | 193168        | 0.5   | 52.3   |        |      | 47.7                     |        |      |      |         |
| 87.5                              | 88    |             | 193169        | 0.5   | 74.3   |        |      | 25.7                     |        |      |      |         |
| 88                                | 88.5  |             | 193170        | 0.5   | 90.1   |        |      | 9.9                      |        |      |      |         |
|                                   |       |             | compo379      |       | 26.4   | 17.43  | 0.53 | 55.64                    | 2      | 0.43 |      |         |
| 166                               | 166.5 |             | 193171        | 0.5   | 22.1   |        |      | 77.9                     |        |      |      |         |
| 166.5                             | 167   |             | 193172        | 0.5   | 13.1   |        |      | 86.9                     |        |      |      |         |
| 167                               | 167.5 |             | 193173        | 0.5   | 23.3   |        |      | 76.7                     |        |      |      |         |
| 167.5                             | 168   |             | 193174        | 0.5   | 22.9   |        |      | 77.1                     |        |      |      |         |
| 168                               | 168.5 |             | 193175        | 0.5   | 66.2   |        |      | 33.8                     |        |      |      |         |
| 168.5                             | 169   |             | 193176        | 0.5   | 48.4   |        |      | 51.6                     |        |      |      |         |
| 169                               | 169.5 |             | 193177        | 0.5   | 48.2   |        |      | 51.8                     |        |      |      |         |
| 169.5                             | 170   |             | 193178        | 0.5   | 56.4   |        |      | 43.6                     |        |      |      |         |
| 170                               | 170.5 |             | 193179        | 0.5   | 55.9   |        |      | 44.1                     |        |      |      |         |
| 170.5                             | 171   |             | 193180        | 0.5   | 34.3   |        |      | 65.7                     |        |      |      |         |
| 171                               | 171.5 |             | 193181        | 0.5   | 23.7   |        |      | 76.3                     |        |      |      |         |
| 171.5                             | 172   |             | 193182        | 0.5   | 20.2   |        |      | 79.8                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |              |        |      |       | ELKVALLEY COAL CORP.     |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------------|--------|------|-------|--------------------------|------|------|---------|
| HOLE NUMBER: 2894                 |       |             |               |       | AREA: CASTLE |        |      |       | FORDING RIVER OPERATIONS |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH          | V.C.M. | I.M. |       | F.S.I.                   | S    | PHOS | REMARKS |
| 172                               | 172.5 |             | 193183        | 0.5   | 71.1         |        |      | 28.9  |                          |      |      |         |
|                                   |       |             | compo380      |       | 21.1         | 17.88  | 0.47 |       | 1                        | 0.47 |      |         |
| 175.5                             | 176   |             | 193184        | 0.5   | 16.4         |        |      | 83.6  |                          |      |      |         |
| 176                               | 176.5 |             | 193185        | 0.5   | 19.6         |        |      | 80.4  |                          |      |      |         |
| 176.5                             | 177   |             | 193186        | 0.5   | 24.9         |        |      | 75.1  |                          |      |      |         |
| 177                               | 177.5 |             | 193187        | 0.5   | 78.1         |        |      | 21.9  |                          |      |      |         |
|                                   |       |             | compo381      |       | 35.6         | 15.11  | 0.53 | 48.76 | 1                        | 0.49 |      |         |
| 222.5                             | 223   |             | 193188        | 0.5   | 43.2         |        |      | 56.8  |                          |      |      |         |
| 223                               | 223.5 |             | 193189        | 0.5   | 28.2         |        |      | 71.8  |                          |      |      |         |
| 223.5                             | 224   |             | 193190        | 0.5   | 75.5         |        |      | 24.5  |                          |      |      |         |
| 224                               | 224.5 |             | 193225        | 0.5   | 88.2         |        |      | 11.8  |                          |      |      |         |
|                                   |       |             | compo382      |       | 34.4         | 15.86  | 0.53 | 49.21 | 1.5                      | 0.3  |      |         |
| 264.5                             | 265   |             | 193191        | 0.5   | 67.3         |        |      | 32.7  |                          |      |      |         |
| 265                               | 265.5 |             | 193192        | 0.5   | 71.5         |        |      | 28.5  |                          |      |      |         |
| 265.5                             | 266   |             | 193193        | 0.5   | 40.4         |        |      | 59.6  |                          |      |      |         |
| 266                               | 266.5 |             | 193194        | 0.5   | 23.2         |        |      | 76.8  |                          |      |      |         |
| 266.5                             | 267   |             | 193195        | 0.5   | 16.9         |        |      | 83.1  |                          |      |      | ROMAX   |
| 267                               | 267.5 |             | 193196        | 0.5   | 14.9         |        |      | 85.1  |                          |      |      | 1.32    |
| 267.5                             | 268   |             | 193197        | 0.5   | 21.1         |        |      | 78.9  |                          |      |      |         |
| 268                               | 268.5 |             | 193198        | 0.5   | 30.2         |        |      | 69.8  |                          |      |      |         |
| 268.5                             | 269   |             | 193199        | 0.5   | 68.7         |        |      | 31.3  |                          |      |      |         |
| 269                               | 269.5 |             | 193200        | 0.5   | 50.7         |        |      | 49.3  |                          |      |      |         |
| 269.5                             | 270   |             | 193201        | 0.5   | 30.9         |        |      | 69.1  |                          |      |      |         |
| 270                               | 270.5 |             | 193202        | 0.5   | 21.8         |        |      | 78.2  |                          |      |      |         |
| 270.5                             | 271   |             | 193203        | 0.5   | 64.1         |        |      | 35.9  |                          |      |      |         |
| 271                               | 271.5 |             | 193204        | 0.5   | 32.8         |        |      | 67.2  |                          |      |      |         |
| 271.5                             | 272   |             | 193205        | 0.5   | 22.8         |        |      | 77.2  |                          |      |      |         |
| 272                               | 272.5 |             | 193206        | 0.5   | 38.9         |        |      | 61.1  |                          |      |      |         |
| 272.5                             | 273   |             | 193207        | 0.5   | 23.1         |        |      | 76.9  |                          |      |      |         |
| 273                               | 273.5 |             | 193208        | 0.5   | 67.7         |        |      | 32.3  |                          |      |      |         |
| 273.5                             | 274   |             | 193209        | 0.5   | 86.8         |        |      | 13.2  |                          |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |               |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------------|
| HOLE NUMBER:                      |       | 2894        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |               |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS       |
| 276.5                             | 277   |             | 193210        | 0.5   | 28.6 |        |      | 71.4  |        |                          |      |               |
| 277                               | 277.5 |             | 193211        | 0.5   | 42.1 |        |      | 57.9  |        |                          |      |               |
| 277.5                             | 278   |             | 193212        | 0.5   | 31.1 |        |      | 68.9  |        |                          |      |               |
| 278                               | 278.5 |             | 193213        | 0.5   | 18.3 |        |      | 81.7  |        |                          |      |               |
| 278.5                             | 279   |             | 193214        | 0.5   | 62.6 |        |      | 37.4  |        |                          |      |               |
| 279                               | 279.5 |             | 193215        | 0.5   | 88.9 |        |      | 11.1  |        |                          |      |               |
|                                   |       |             | compo383      |       | 30.7 | 16.1   | 0.48 | 52.72 | 1.5    | 0.38                     |      |               |
| 283.5                             | 284   |             | 193216        | 0.5   | 70.5 |        |      | 29.5  |        |                          |      |               |
| 284                               | 284.5 |             | 193217        | 0.5   | 71.3 |        |      | 28.7  |        |                          |      |               |
| 284.5                             | 285   |             | 193218        | 0.5   | 47.4 |        |      | 52.6  |        |                          |      |               |
| 285                               | 285.5 |             | 193219        | 0.5   | 65.2 |        |      | 34.8  |        |                          |      |               |
| 285.5                             | 286   |             | 193220        | 0.5   | 64.9 |        |      | 35.1  |        |                          |      |               |
| 286                               | 286.5 |             | 193221        | 0.5   | 46.4 |        |      | 53.6  |        |                          |      |               |
| 286.5                             | 287   |             | 193222        | 0.5   | 38.7 |        |      | 61.3  |        |                          |      | ROMAX<br>1.35 |
| 287                               | 287.5 |             | 193223        | 0.5   | 19.9 |        |      | 80.1  |        |                          |      |               |
| 287.5                             | 288   |             | 193224        | 0.5   | 17.9 |        |      | 82.1  |        |                          |      |               |
| 288                               | 288.5 |             | 193226        | 0.5   | 16.4 |        |      | 83.6  |        |                          |      |               |
| 288.5                             | 289   |             | 193227        | 0.5   | 11.2 |        |      | 88.8  |        |                          |      |               |
| 289                               | 289.5 |             | 193228        | 0.5   | 42.9 |        |      | 57.1  |        |                          |      |               |
| 289.5                             | 290   |             | 193229        | 0.5   | 85.5 |        |      | 14.5  |        |                          |      |               |
|                                   |       |             | compo384      |       | 25.5 | 16.13  | 0.48 | 57.89 | 2.5    | 0.45                     |      |               |
| 292.5                             | 293   |             | 193230        | 0.5   | 49.6 |        |      | 50.4  |        |                          |      |               |
| 293                               | 293.5 |             | 193231        | 0.5   | 49.7 |        |      | 50.3  |        |                          |      |               |
| 293.5                             | 294   |             | 193232        | 0.5   | 52.3 |        |      | 47.7  |        |                          |      |               |
| 294                               | 294.5 |             | 193233        | 0.5   | 29.6 |        |      | 70.4  |        |                          |      |               |
| 294.5                             | 295   |             | 193234        | 0.5   | 20.1 |        |      | 79.9  |        |                          |      | ROMAX<br>1.33 |
| 295                               | 295.5 |             | 193235        | 0.5   | 22.1 |        |      | 77.9  |        |                          |      |               |
| 295.5                             | 296   |             | 193236        | 0.5   | 32.4 |        |      | 67.6  |        |                          |      |               |
| 296                               | 296.5 |             | 193237        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |               |
| 296.5                             | 297   |             | 193238        | 0.5   | 84.8 |        |      | 15.2  |        |                          |      |               |
|                                   |       |             | compo385      |       | 25.3 | 16.33  | 0.5  | 57.87 | 2      | 0.49                     |      |               |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2895        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                    |
| 47.5                              | 48    |             | 194901        | 0.5   | 12.9 |        |      | 87.1  |        |                          |      | ROMAX<br>RO-051-06<br>1.14 |
| 48                                | 48.5  | 387         | 194902        | 0.5   | 9.1  |        |      | 90.9  |        |                          |      |                            |
| 48.5                              | 49    |             | 194903        | 0.5   | 15.6 |        |      | 84.4  |        |                          |      |                            |
| 49                                | 49.5  |             | 194904        | 0.5   | 48.8 |        |      | 51.2  |        |                          |      |                            |
| 49.5                              | 50    |             | 194905        | 0.5   | 84.9 |        |      | 15.1  |        |                          |      |                            |
|                                   |       |             | COMPO 387     |       | 11.9 | 22.36  | 0.62 | 65.12 | 7.5    | 0.76                     |      |                            |
| 53                                | 53.5  |             | 194906        | 0.5   | 11.8 |        |      | 88.2  |        |                          |      | ROMAX<br>RO-052-06<br>1.18 |
| 53.5                              | 54    | 388         | 194907        | 0.5   | 11.7 |        |      | 88.3  |        |                          |      |                            |
| 54                                | 54.5  |             | 194908        | 0.5   | 13.7 |        |      | 86.3  |        |                          |      |                            |
| 54.5                              | 55    |             | 194909        | 0.5   | 59.6 |        |      | 40.4  |        |                          |      |                            |
| 55                                | 55.5  |             | 194910        | 0.5   | 56.4 |        |      | 43.6  |        |                          |      |                            |
| 55.5                              | 56    |             | 194911        | 0.5   | 83.8 |        |      | 16.2  |        |                          |      |                            |
|                                   |       |             | COMPO388      |       | 23.2 | 19.44  | 0.67 | 56.69 | 6      | 0.57                     |      |                            |
| 94                                | 94.5  |             | 194912        | 0.5   | 10.1 |        |      | 89.9  |        |                          |      | ROMAX<br>RO-052-06<br>1.18 |
| 94.5                              | 95    | 389         | 194913        | 0.5   | 9.8  |        |      | 90.2  |        |                          |      |                            |
| 95                                | 95.5  |             | 194914        | 0.5   | 19.1 |        |      | 80.9  |        |                          |      |                            |
| 95.5                              | 96    |             | 194915        | 0.5   | 48.3 |        |      | 51.7  |        |                          |      |                            |
| 96                                | 96.5  |             | 194916        | 0.5   | 75.3 |        |      | 24.7  |        |                          |      |                            |
|                                   |       |             | COMPO389      |       | 12.2 | 22.05  | 0.62 | 65.13 | 7      | 0.77                     |      |                            |
| 100                               | 100.5 |             | 194917        | 0.5   | 64.8 |        |      | 35.2  |        |                          |      |                            |
| 100.5                             | 101   |             | 194918        | 0.5   | 22.3 |        |      | 77.7  |        |                          |      | ROMAX<br>RO-052-06<br>1.18 |
| 101                               | 101.5 | 390         | 194919        | 0.5   | 18.9 |        |      | 81.1  |        |                          |      |                            |
| 101.5                             | 102   |             | 194920        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |                            |
| 102                               | 102.5 |             | 194921        | 0.5   | 46.4 |        |      | 53.6  |        |                          |      |                            |
|                                   |       |             | COMPO 390     |       | 19.5 | 19.36  | 0.6  | 60.54 | 2.5    | 0.59                     |      |                            |
| 132.5                             | 133   |             | 194922        | 0.5   | 30.5 |        |      | 69.5  |        |                          |      | ROMAX<br>RO-052-06<br>1.18 |
| 133                               | 133.5 | 391         | 194923        | 0.5   | 29.4 |        |      | 70.6  |        |                          |      |                            |
| 133.5                             | 134   |             | 194924        | 0.5   | 67.8 |        |      | 32.2  |        |                          |      |                            |
| 134                               | 134.5 |             | 194925        | 0.5   | 77.5 |        |      | 22.5  |        |                          |      |                            |
| 134.5                             | 135   |             | 194951        | 0.5   | 77.3 |        |      | 22.7  |        |                          |      |                            |
|                                   |       | COMPO 391   |               |       | 29.1 | 18.7   | 0.6  | 51.7  | 4.0    | 0.6                      |      |                            |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2895        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 137.5                             | 138   |             | 194952        | 0.5   | 25.1 |        |      | 74.9                     |        |      |      |         |
| 138                               | 138.5 | 392         | 194953        | 0.5   | 18.6 |        |      | 81.4                     |        |      |      |         |
| 138.5                             | 139   |             | 194954        | 0.5   | 18.4 |        |      | 81.6                     |        |      |      |         |
| 139                               | 139.5 |             | 194955        | 0.5   | 46.7 |        |      | 53.3                     |        |      |      |         |
| 139.5                             | 140   |             | 194956        | 0.5   | 77.4 |        |      | 22.6                     |        |      |      |         |
|                                   |       |             | COMPO 392     |       | 21.1 | 19.18  | 0.6  | 59.12                    | 1.5    | 0.57 |      |         |
| 151                               | 151.5 |             | 194957        | 0.5   | 30.2 |        |      | 69.8                     |        |      |      |         |
| 151.5                             | 152   | 393         | 194958        | 0.5   | 12.6 |        |      | 87.4                     |        |      |      |         |
| 152                               | 152.5 |             | 194959        | 0.5   | 29.7 |        |      | 70.3                     |        |      |      |         |
| 152.5                             | 153   |             | 194960        | 0.5   | 47.1 |        |      | 52.9                     |        |      |      |         |
|                                   |       |             | COMPO 393     |       | 24.2 | 19.28  | 0.53 | 55.99                    | 2      | 0.5  |      |         |
| 158.5                             | 159   |             | 194961        | 0.5   | 66.8 |        |      | 33.2                     |        |      |      |         |
| 159                               | 159.5 |             | 194962        | 0.5   | 48.3 |        |      | 51.7                     |        |      |      |         |
| 159.5                             | 160   |             | 194963        | 0.5   | 25.8 |        |      | 74.2                     |        |      |      |         |
| 160                               | 160.5 |             | 194964        | 0.5   | 26.3 |        |      | 73.7                     |        |      |      |         |
| 160.5                             | 161   | 394         | 194965        | 0.5   | 20.4 |        |      | 79.6                     |        |      |      |         |
| 161                               | 161.5 |             | 194966        | 0.5   | 30.4 |        |      | 69.6                     |        |      |      |         |
| 161.5                             | 162   |             | 194967        | 0.5   | 45.4 |        |      | 54.6                     |        |      |      |         |
| 162                               | 162.5 |             | 194968        | 0.5   | 20.2 |        |      | 79.8                     |        |      |      |         |
| 162.5                             | 163   |             | 194969        | 0.5   | 31.9 |        |      | 68.1                     |        |      |      |         |
|                                   |       |             | COMPO 394     |       | 28.2 | 21.34  | 0.5  | 49.96                    | 2      | 0.38 |      |         |
| 235                               | 235.5 |             | 194970        | 0.5   | 43.6 |        |      | 56.4                     |        |      |      |         |
| 235.5                             | 236   | 395         | 194971        | 0.5   | 41.1 |        |      | 58.9                     |        |      |      |         |
| 236                               | 236.5 |             | 194972        | 0.5   | 75.4 |        |      | 24.6                     |        |      |      |         |
| 236.5                             | 237   |             | 194973        | 0.5   | 68.7 |        |      | 31.3                     |        |      |      |         |
| 237                               | 237.5 |             | 194974        | 0.5   | 76.3 |        |      | 23.7                     |        |      |      |         |
|                                   |       |             | COMPO 395     |       | 44.6 | 15.01  | 0.43 | 39.96                    | 1.5    | 0.42 |      |         |
| 238                               | 238.5 |             | 194975        | 0.5   | 76.9 |        |      | 23.1                     |        |      |      |         |
| 238.5                             | 239   |             | 194926        | 0.5   | 74.1 |        |      | 25.9                     |        |      |      |         |
| 247.5                             | 248   |             | 194927        | 0.5   | 85.3 |        |      | 14.7                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|-----|------|---------|
| HOLE NUMBER:                      |       | 2895        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |     |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS |
| 248                               | 248.5 |             | 194928        | 0.5   | 90.7 |        |      | 9.3                      |     |      |         |
| 250.5                             | 251   |             | 194929        | 0.5   | 76.8 |        |      | 23.2                     |     |      |         |
| 251                               | 251.5 |             | 194930        | 0.5   | 91.3 |        |      | 8.7                      |     |      |         |
| 277.5                             | 278   |             | 194931        | 0.5   | 14.9 |        |      | 85.1                     |     |      |         |
| 278                               | 278.5 |             | 194932        | 0.5   | 21.1 |        |      | 78.9                     |     |      |         |
| 278.5                             | 279   | 396         | 194933        | 0.5   | 18.5 |        |      | 81.5                     |     |      |         |
| 279                               | 279.5 |             | 194934        | 0.5   | 43.1 |        |      | 56.9                     |     |      |         |
| 279.5                             | 280   |             | 194935        | 0.5   | 45.3 |        |      | 54.7                     |     |      |         |
| 280                               | 280.5 |             | 194936        | 0.5   | 30.3 |        |      | 69.7                     |     |      |         |
| 280.5                             | 281   |             | 194937        | 0.5   | 14.3 |        |      | 85.7                     |     |      |         |
| 281                               | 281.5 |             | 194938        | 0.5   | 22.9 |        |      | 77.1                     |     |      |         |
| 281.5                             | 282   |             | 194939        | 0.5   | 31.7 |        |      | 68.3                     |     |      |         |
| 282                               | 282.5 |             | 194940        | 0.5   | 38.2 |        |      | 61.8                     |     |      |         |
| 282.5                             | 283   |             | 194941        | 0.5   | 22.7 |        |      | 77.3                     |     |      |         |
| 283                               | 283.5 |             | 194942        | 0.5   | 73.3 |        |      | 26.7                     |     |      |         |
| 283.5                             | 284   |             | 194945        | 0.5   | 37.8 |        |      | 62.2                     |     |      |         |
| 284                               | 284.5 |             | 194943        | 0.5   | 65.6 |        |      | 34.4                     |     |      |         |
| 284.5                             | 285   |             | 194944        | 0.5   | 85.1 |        |      | 14.9                     |     |      |         |
|                                   |       |             | COMPO 396     |       | 27.3 | 18.21  | 0.49 | 54                       | 2.5 | 0.38 |         |
| 290                               | 290.5 |             | 194946        | 0.5   | 40.2 |        |      | 59.8                     |     |      |         |
| 290.5                             | 291   | 397         | 194947        | 0.5   | 26.3 |        |      | 73.7                     |     |      |         |
| 291                               | 291.5 |             | 194948        | 0.5   | 37.4 |        |      | 62.6                     |     |      |         |
| 291.5                             | 292   |             | 194949        | 0.5   | 78.8 |        |      | 21.2                     |     |      |         |
|                                   |       |             | COMPO 397     |       | 36.4 | 18.06  | 0.58 | 44.96                    | 1   | 0.37 |         |
| 328.5                             | 329   |             | 194950        | 0.5   | 27.2 |        |      | 72.8                     |     |      |         |
| 329                               | 329.5 |             | 193751        | 0.5   | 78.7 |        |      | 21.3                     |     |      |         |
| 329.5                             | 330   |             | 193752        | 0.5   | 67.7 |        |      | 32.3                     |     |      |         |
| 335.5                             | 336   |             | 193753        | 0.5   | 40.2 |        |      | 59.8                     |     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2895        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 336                               | 336.5 |             | 193754        | 0.5   | 77.2 |        |      | 22.8  |        |                          |      |         |
| 336.5                             | 337   |             | 193755        | 0.5   | 84.6 |        |      | 15.4  |        |                          |      |         |
| 375                               | 375.5 |             | 193756        | 0.5   | 40.6 |        |      | 59.4  |        |                          |      |         |
| 375.5                             | 376   | 398         | 193757        | 0.5   | 25.4 |        |      | 74.6  |        |                          |      |         |
| 376                               | 376.5 |             | 193758        | 0.5   | 16.8 |        |      | 83.2  |        |                          |      |         |
| 376.5                             | 377   |             | 193759        | 0.5   | 29.1 |        |      | 70.9  |        |                          |      |         |
| 377                               | 377.5 |             | 193760        | 0.5   | 54.9 |        |      | 45.1  |        |                          |      |         |
| 377.5                             | 378   |             | 193761        | 0.5   | 58.1 |        |      | 41.9  |        |                          |      |         |
| 378                               | 378.5 |             | 193762        | 0.5   | 31.1 |        |      | 68.9  |        |                          |      |         |
| 378.5                             | 379   |             | 193763        | 0.5   | 19.6 |        |      | 80.4  |        |                          |      |         |
| 379                               | 379.5 | 399         | 193764        | 0.5   | 30.6 |        |      | 69.4  |        |                          |      |         |
| 379.5                             | 380   |             | 193765        | 0.5   | 18.8 |        |      | 81.2  |        |                          |      |         |
| 380                               | 380.5 |             | 193766        | 0.5   | 26.6 |        |      | 73.4  |        |                          |      |         |
| 380.5                             | 381   |             | 193767        | 0.5   | 24.8 |        |      | 75.2  |        |                          |      |         |
| 381                               | 381.5 |             | 193768        | 0.5   | 19.6 |        |      | 80.4  |        |                          |      |         |
| 381.5                             | 382   |             | 193769        | 0.5   | 70.7 |        |      | 29.3  |        |                          |      |         |
|                                   |       |             | COMPO 398     |       | 28.2 | 17.16  | 0.48 | 54.16 | 2      | 0.38                     |      |         |
| 383                               | 383.5 |             | 193770        | 0.5   | 42.1 |        |      | 57.9  |        |                          |      |         |
| 383.5                             | 384   |             | 193771        | 0.5   | 66.9 |        |      | 33.1  |        |                          |      |         |
| 384                               | 384.5 |             | 193772        | 0.5   | 57.6 |        |      | 42.4  |        |                          |      |         |
| 384.5                             | 385   |             | 193773        | 0.5   | 27.6 |        |      | 72.4  |        |                          |      |         |
| 385                               | 385.5 | 400         | 193774        | 0.5   | 38.5 |        |      | 61.5  |        |                          |      |         |
| 385.5                             | 386   |             | 193775        | 0.5   | 34.1 |        |      | 65.9  |        |                          |      |         |
| 386                               | 386.5 |             | 193976        | 0.5   | 60.2 |        |      | 39.8  |        |                          |      |         |
|                                   |       |             | COMPO 399     |       | 23.6 | 17.88  | 0.49 | 58.03 | 3      | 0.38                     |      |         |
| 391.5                             | 392   |             | 193977        | 0.5   | 31.2 |        |      | 68.8  |        |                          |      |         |
| 392                               | 392.5 |             | 193978        | 0.5   | 78.1 |        |      | 21.9  |        |                          |      |         |
|                                   |       |             | COMPO 400     |       | 32.1 | 16.17  | 0.53 | 51.2  | 2      | 0.4                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2896        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                    |
| 60                                | 60.5  |             | 189251        | 0.5   | 45.7 |        |      | 54.3  |        |                          |      |                            |
| 60.5                              | 61    |             | 189252        | 0.5   | 31.5 |        |      | 68.5  |        |                          |      | ROMAX<br>RO-053-06<br>1.05 |
| 61                                | 61.5  | 401         | 189253        | 0.5   | 12.6 |        |      | 87.4  |        |                          |      |                            |
| 61.5                              | 62    |             | 189254        | 0.5   | 24.7 |        |      | 75.3  |        |                          |      |                            |
| 62                                | 62.5  |             | 189255        | 0.5   | 24.5 |        |      | 75.5  |        |                          |      |                            |
| 62.5                              | 63    |             | 189256        | 0.5   | 23.1 |        |      | 76.9  |        |                          |      |                            |
|                                   |       |             | COMPO 401     |       | 25.9 | 22.69  | 0.58 | 50.83 | 6.5    | 0.55                     |      |                            |
| 86                                | 86.5  |             | 189257        | 0.5   | 31.1 |        |      | 68.9  |        |                          |      |                            |
| 86.5                              | 87    | 402         | 189258        | 0.5   | 36.1 |        |      | 63.9  |        |                          |      |                            |
| 87                                | 87.5  |             | 189259        | 0.5   | 12.9 |        |      | 87.1  |        |                          |      |                            |
| 87.5                              | 88    |             | 189260        | 0.5   | 13.1 |        |      | 86.9  |        |                          |      |                            |
| 88                                | 88.5  |             | 189261        | 0.5   | 55.6 |        |      | 44.4  |        |                          |      |                            |
| 88.5                              | 89    |             | 189262        | 0.5   | 67.5 |        |      | 32.5  |        |                          |      |                            |
|                                   |       |             | COMPO402      |       | 20.4 | 22.99  | 0.59 | 56.02 | 5.5    | 0.68                     |      |                            |
| 95                                | 95.5  |             | 189263        | 0.5   | 42.1 |        |      | 57.9  |        |                          |      |                            |
| 95.5                              | 96    |             | 189264        | 0.5   | 51.2 |        |      | 48.8  |        |                          |      |                            |
|                                   |       |             | COMPO 403     |       | 17.1 | 23.31  | 0.6  | 58.99 | 7      | 0.76                     |      |                            |
| 97                                | 97.5  |             | 189265        | 0.5   | 10.9 |        |      | 89.1  |        |                          |      |                            |
| 97.5                              | 98    |             | 189266        | 0.5   | 18.1 |        |      | 81.9  |        |                          |      |                            |
| 98                                | 98.5  | 403         | 189267        | 0.5   | 16.4 |        |      | 83.6  |        |                          |      |                            |
| 98.5                              | 99    |             | 189268        | 0.5   | 26.7 |        |      | 73.3  |        |                          |      |                            |
| 99                                | 99.5  |             | 189269        | 0.5   | 14.1 |        |      | 85.9  |        |                          |      |                            |
| 99.5                              | 100   |             | 189270        | 0.5   | 12.8 |        |      | 87.2  |        |                          |      |                            |
| 100                               | 100.5 |             | 189271        | 0.5   | 15.8 |        |      | 84.2  |        |                          |      |                            |
| 100.5                             | 101   |             | 189272        | 0.5   | 19.1 |        |      | 80.9  |        |                          |      |                            |
| 101                               | 101.5 |             | 189273        | 0.5   | 13.7 |        |      | 86.3  |        |                          |      |                            |
| 101.5                             | 102   |             | 189274        | 0.5   | 14.8 |        |      | 85.2  |        |                          |      |                            |
| 102                               | 102.5 |             | 189275        | 0.5   | 11.1 |        |      | 88.9  |        |                          |      |                            |
| 102.5                             | 103   |             | 189276        | 0.5   | 25.5 |        |      | 74.5  |        |                          |      |                            |
| 103                               | 103.5 |             | 189277        | 0.5   | 47.9 |        |      | 52.1  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2896        | AREA:         |       | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | F.C.                     | F.S.I. | S    | PHOS | REMARKS |
| 105                               | 105.5 |             | 189278        | 0.5   | 19.4   |        |      | 80.6                     |        |      |      |         |
| 105.5                             | 106   | 404         | 189279        | 0.5   | 17.2   |        |      | 82.8                     |        |      |      |         |
|                                   |       |             | COMPO 404     |       | 19.5   | 23.84  | 0.56 |                          | 8      | 0.95 |      |         |
| 116                               | 116.5 |             | 189280        | 0.5   | 69.8   |        |      | 30.2                     |        |      |      |         |
| 119                               | 119.5 |             | 189281        | 0.5   | 69.5   |        |      | 30.5                     |        |      |      |         |
| 119.5                             | 120   |             | 189282        | 0.5   | 71.5   |        |      | 28.5                     |        |      |      |         |
| 120                               | 120.5 |             | 189283        | 0.5   | 71.9   |        |      | 28.1                     |        |      |      |         |
|                                   |       |             | COMPO 405     |       | 19.6   | 20.9   | 0.5  | 59                       | 3      | 0.61 |      |         |
| 126.5                             | 127   | 405         | 189284        | 0.5   | 13.2   |        |      | 86.8                     |        |      |      |         |
| 127                               | 127.5 |             | 189285        | 0.5   | 29.1   |        |      | 70.9                     |        |      |      |         |
| 127.5                             | 128   |             | 189286        | 0.5   | 47.8   |        |      | 52.2                     |        |      |      |         |
| 130                               | 130.5 |             | 189287        | 0.5   | 14.6   |        |      | 85.4                     |        |      |      |         |
| 130.5                             | 131   |             | 189288        | 0.5   | 10.2   |        |      | 89.8                     |        |      |      |         |
| 131                               | 131.5 | 406         | 189289        | 0.5   | 34.2   |        |      | 65.8                     |        |      |      |         |
| 131.5                             | 132   |             | 189290        | 0.5   | 37.8   |        |      | 62.2                     |        |      |      |         |
| 132                               | 132.5 |             | 189291        | 0.5   | 42.9   |        |      | 57.1                     |        |      |      |         |
|                                   |       |             | COMPO 406     |       | 30.4   | 18.05  | 0.51 | 51.04                    | 1.5    | 0.51 |      |         |
| 167                               | 167.5 |             | 189292        | 0.5   | 22.7   |        |      | 77.3                     |        |      |      |         |
| 167.5                             | 168   |             | 189293        | 0.5   | 53.9   |        |      | 46.1                     |        |      |      |         |
| 168                               | 168.5 |             | 189294        | 0.5   | 63.3   |        |      | 36.7                     |        |      |      |         |
|                                   |       |             | COMPO 407     |       | 22.5   | 19.14  | 0.49 | 57.87                    | 1.5    | 0.55 |      |         |
| 170.5                             | 171   | 407         | 189295        | 0.5   | 17.4   |        |      | 82.6                     |        |      |      |         |
| 171                               | 171.5 |             | 189296        | 0.5   | 29.1   |        |      | 70.9                     |        |      |      |         |
| 171.5                             | 172   |             | 189297        | 0.5   | 71.3   |        |      | 28.7                     |        |      |      |         |
|                                   |       |             | COMPO 408     |       | 22.5   | 18.28  | 0.5  | 58.72                    | 1      | 0.55 |      |         |
| 180                               | 180.5 | 408         | 189298        | 0.5   | 23.4   |        |      | 76.6                     |        |      |      |         |
| 180.5                             | 181   |             | 189299        | 0.5   | 23.3   |        |      | 76.7                     |        |      |      |         |
| 181                               | 181.5 |             | 189300        | 0.5   | 45.9   |        |      | 54.1                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2896        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 191                               | 191.5 |             | 189301        | 0.5   | 37.1 |        |      | 62.9  |        |                          |      |         |
| 191.5                             | 192   | 409         | 189302        | 0.5   | 41.8 |        |      | 58.2  |        |                          |      |         |
| 192                               | 192.5 |             | 189303        | 0.5   | 15.6 |        |      | 84.4  |        |                          |      |         |
| 192.5                             | 193   |             | 189304        | 0.5   | 20.7 |        |      | 79.3  |        |                          |      |         |
| 193                               | 193.5 |             | 189305        | 0.5   | 16.3 |        |      | 83.7  |        |                          |      |         |
| 193.5                             | 194   |             | 189306        | 0.5   | 21.2 |        |      | 78.8  |        |                          |      |         |
| 194                               | 194.5 |             | 189307        | 0.5   | 17.3 |        |      | 82.7  |        |                          |      |         |
| 194.5                             | 195   |             | 189308        | 0.5   | 16.8 |        |      | 83.2  |        |                          |      |         |
| 195                               | 195.5 |             | 189309        | 0.5   | 58.5 |        |      | 41.5  |        |                          |      |         |
| 195.5                             | 196   |             | 189310        | 0.5   | 76.1 |        |      | 23.9  |        |                          |      |         |
| 196                               | 196.5 |             | 189311        | 0.5   | 83.1 |        |      | 16.9  |        |                          |      |         |
|                                   |       |             | COMPO 409     |       | 25.5 | 18.18  | 0.51 | 55.81 | 1.5    | 0.46                     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |              |               |                          |         |        |      |       |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|------|--------------|---------------|--------------------------|---------|--------|------|-------|--------|----------------------|------|---------|
| HOLE NUMBER: 2897                 |      | AREA: CASTLE |               | FORDING RIVER OPERATIONS |         |        |      |       |        |                      |      |         |
| FROM                              | TO   | DESCRIPTION  | SAMPLE NUMBER | WIDTH                    | ASH     | V.C.M. | I.M. | F.C.  | F.S.I. | S                    | PHOS | REMARKS |
| 11                                | 11.5 |              | 189326        | 0.5                      | 25.4    |        |      | 74.6  |        |                      |      |         |
| 11.5                              | 12   |              | 189327        | 0.5                      | 43.7    |        |      | 56.3  |        |                      |      |         |
| 12                                | 12.5 |              | 189328        | 0.5                      | 78.8    |        |      | 21.2  |        |                      |      |         |
|                                   |      |              | compo 410     |                          | 35.7    | 21.14  | 0.63 |       | 6.5    | 0.63                 |      |         |
| 27.5                              | 28   |              | 189329        | 0.5                      | 76.7    |        |      | 23.3  |        |                      |      |         |
| 28                                | 28.5 |              | 189330        | 0.5                      | 61.5    |        |      | 38.5  |        |                      |      |         |
| 28.5                              | 29   |              | 189331        | 0.5                      | 13.4    |        |      | 86.6  |        |                      |      |         |
| 29                                | 29.5 |              | 189332        | 0.5                      | 7.9     |        |      | 92.1  |        |                      |      |         |
| 29.5                              | 30   |              | 189333        | 0.5                      | missing |        |      |       |        |                      |      |         |
| 30                                | 30.5 |              | 189334        | 0.5                      | 13.2    |        |      | 86.8  |        |                      |      |         |
| 30.5                              | 31   |              | 189335        | 0.5                      | 13.6    |        |      | 86.4  |        |                      |      |         |
| 31                                | 31.5 |              | 189336        | 0.5                      | 14.9    |        |      | 85.1  |        |                      |      |         |
| 31.5                              | 32   |              | 189337        | 0.5                      | 10.1    |        |      | 89.9  |        |                      |      |         |
| 32                                | 32.5 |              | 189338        | 0.5                      | 15.6    |        |      | 84.4  |        |                      |      |         |
| 32.5                              | 33   |              | 189339        | 0.5                      | 39.5    |        |      | 60.5  |        |                      |      |         |
| 33                                | 33.5 |              | 189340        | 0.5                      | 50.6    |        |      | 49.4  |        |                      |      |         |
|                                   |      |              | compo 411     |                          | 16.2    | 23.53  | 0.61 | 59.66 | 7.5    | 0.81                 |      |         |
| 36                                | 36.5 |              | 189341        | 0.5                      | 66.5    |        |      | 33.5  |        |                      |      |         |
| 36.5                              | 37   |              | 189342        | 0.5                      | 75.1    |        |      | 24.9  |        |                      |      |         |
|                                   |      |              | compo 412     |                          | 28.6    | 19.33  | 0.54 | 51.53 | 2.5    | 0.55                 |      |         |
| 68                                | 68.5 |              | 189343        | 0.5                      | 30.8    |        |      | 69.2  |        |                      |      |         |
| 68.5                              | 69   |              | 189344        | 0.5                      | 22.7    |        |      | 77.3  |        |                      |      |         |
| 69                                | 69.5 |              | 189345        | 0.5                      | 54.3    |        |      | 45.7  |        |                      |      |         |
|                                   |      |              | compo 413     |                          | 39.4    | 16.57  | 0.55 | 43.48 | 1.5    | 0.48                 |      |         |
| 72                                | 72.5 |              | 189346        | 0.5                      | 73.2    |        |      | 26.8  |        |                      |      |         |
| 72.5                              | 73   |              | 189347        | 0.5                      | 64.5    |        |      | 35.5  |        |                      |      |         |
| 73                                | 73.5 |              | 189348        | 0.5                      | 42.7    |        |      | 57.3  |        |                      |      |         |
| 73.5                              | 74   |              | 189349        | 0.5                      | 25.1    |        |      | 74.9  |        |                      |      |         |
| 74                                | 74.5 |              | 189350        | 0.5                      | 44.5    |        |      | 55.5  |        |                      |      |         |
| 74.5                              | 75   |              | 189476        | 0.5                      | 62.3    |        |      | 37.7  |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |              |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|--------------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER: 2897                 |       |             |               | AREA: CASTLE |      |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH        | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 100                               | 100.5 |             | 189477        | 0.5          | 30.3 |        |      | 69.7                     |        |      |      |         |
| 100.5                             | 101   |             | 189478        | 0.5          | 24.2 |        |      | 75.8                     |        |      |      |         |
| 101                               | 101.5 |             | 189479        | 0.5          | 38.0 |        |      | 62                       |        |      |      |         |
| 101.5                             | 102   |             | 189480        | 0.5          | 67.0 |        |      | 33                       |        |      |      |         |
|                                   |       |             | compo 414     |              | 31.4 | 19.23  | 0.53 | 48.84                    | 3.5    | 0.55 |      |         |
| 103                               | 103.5 |             | 189481        | 0.5          | 40.9 |        |      | 59.1                     |        |      |      |         |
| 114.5                             | 115   |             | 189482        | 0.5          | 17.1 | 19.2   |      | 63.7                     |        |      |      |         |
| 115                               | 115.5 |             | 189483        | 0.5          | 12.4 | 27.9   |      | 59.7                     |        |      |      |         |
| 115.5                             | 116   |             | 189484        | 0.5          | 54.3 |        |      | 45.7                     |        |      |      |         |
| 116                               | 116.5 |             | 189485        | 0.5          | 89.9 |        |      | 10.1                     |        |      |      |         |
|                                   |       |             | compo 415     |              | 21.4 | 19.91  | 0.56 | 58.13                    | 1.5    | 0.54 |      |         |
| 121                               | 121.5 |             | 189486        | 0.5          | 36.0 |        |      | 64                       |        |      |      |         |
| 121.5                             | 122   |             | 189487        | 0.5          | 33.2 |        |      | 66.8                     |        |      |      |         |
| 122                               | 122.5 |             | 189488        | 0.5          | 23.5 |        |      | 76.5                     |        |      |      |         |
| 122.5                             | 123   |             | 189489        | 0.5          | 25.6 |        |      | 74.4                     |        |      |      |         |
| 123                               | 123.5 |             | 189490        | 0.5          | 20.5 |        |      | 79.5                     |        |      |      |         |
| 123.5                             | 124   |             | 189491        | 0.5          | 39.3 |        |      | 60.7                     |        |      |      |         |
| 124                               | 124.5 |             | 189492        | 0.5          | 25.3 |        |      | 74.7                     |        |      |      |         |
| 124.5                             | 125   |             | 189493        | 0.5          | 35.0 |        |      | 65                       |        |      |      |         |
| 125                               | 125.5 |             | 189494        | 0.5          | 49.1 |        |      | 50.9                     |        |      |      |         |
| 125.5                             | 126   |             | 189495        | 0.5          | 80.1 |        |      | 19.9                     |        |      |      |         |
|                                   |       |             | compo 416     |              | 29.4 | 18.16  | 0.58 | 51.86                    | 1      | 0.45 |      |         |
| 256                               | 256.5 |             | 189496        | 0.5          | 54.7 |        |      | 45.3                     |        |      |      |         |
| 286                               | 286.5 |             | 189497        | 0.5          | 23.0 |        |      | 77                       |        |      |      |         |
| 286.5                             | 287   |             | 189498        | 0.5          | 36.0 |        |      | 64                       |        |      |      |         |
| 287                               | 287.5 |             | 189499        | 0.5          | 51.8 |        |      | 48.2                     |        |      |      |         |
| 287.5                             | 288   |             | 189500        | 0.5          | 84.2 |        |      | 15.8                     |        |      |      |         |
|                                   |       |             | compo 417     |              | 31.5 | 17.41  | 0.52 | 50.57                    | 1      | 0.52 |      |         |



ROTARY DRILL HOLE SAMPLING RECORD

ELKVALLEY COAL CORP.

| HOLE NUMBER: 2897 |       | AREA: CASTLE |               |       |      |        |      |        | FORDING RIVER OPERATIONS |      |         |  |
|-------------------|-------|--------------|---------------|-------|------|--------|------|--------|--------------------------|------|---------|--|
| FROM              | TO    | DESCRIPTION  | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I. | S                        | PHOS | REMARKS |  |
| 288.5             | 289   |              | 189626        | 0.5   | 77.2 |        |      | 22.8   |                          |      |         |  |
| 343               | 343.5 |              | 189627        |       | 16.5 |        |      | 83.5   |                          |      |         |  |
| 343.5             | 344   |              | 189628        |       | 16.8 |        |      | 83.2   |                          |      |         |  |
| 344               | 344.5 |              | 189629        |       | 14.0 |        |      | 86     |                          |      |         |  |
| 344.5             | 345   |              | 189630        |       | 78.4 |        |      | 21.6   |                          |      |         |  |
| 345               | 345.5 |              | 189631        |       | 58.5 |        |      | 41.5   |                          |      |         |  |
| 345.5             | 346   |              | 189632        |       | 38.0 |        |      | 62     |                          |      |         |  |
| 346               | 346.5 |              | 189633        |       | 23.4 |        |      | 76.6   |                          |      |         |  |
| 346.5             | 347   |              | 189634        |       | 13.5 |        |      | 86.5   |                          |      |         |  |
| 347               | 347.5 |              | 189635        |       | 12.6 |        |      | 87.4   |                          |      |         |  |
| 347.5             | 348   |              | 189636        |       | 6.2  |        |      | 93.8   |                          |      |         |  |
| 348               | 348.5 |              | 189637        |       | 11.7 |        |      | 88.3   |                          |      |         |  |
| 348.5             | 349   |              | 189638        |       | 24.1 |        |      | 75.9   |                          |      |         |  |
| 349               | 349.5 |              | 189639        |       | 47.3 |        |      | 52.7   |                          |      |         |  |
|                   |       |              | compo 418     |       | 16.3 | 18.91  | 0.5  | 64.29  | 1                        | 0.46 |         |  |
|                   |       |              | compo 419     |       | 18.7 | 18.67  | 0.51 | 62.12  | 1                        | 0.42 |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2898        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 14                                | 14.5  |             | 191551        | 0.5   | 11.4 |        |      | 88.6  |        |                          |      |         |
| 14.5                              | 15    |             | 191552        | 0.5   | 30.2 |        |      | 69.8  |        |                          |      |         |
| 15                                | 15.5  |             | 191553        | 0.5   | 24.3 |        |      | 75.7  |        |                          |      |         |
| 15.5                              | 16    |             | 191554        | 0.5   | 76.2 |        |      | 23.8  |        |                          |      |         |
|                                   |       |             | compo 420     |       | 21.1 | 19.49  | 0.57 | 58.84 | 3      | 0.46                     |      |         |
| 17.5                              | 18    |             | 191555        | 0.5   | 21.5 |        |      | 78.5  |        |                          |      |         |
| 18                                | 18.5  |             | 191556        | 0.5   | 13.3 |        |      | 86.7  |        |                          |      |         |
| 18.5                              | 19    |             | 191557        | 0.5   | 17.6 |        |      | 82.4  |        |                          |      |         |
| 19                                | 19.5  |             | 191558        | 0.5   | 18.6 |        |      | 81.4  |        |                          |      |         |
| 19.5                              | 20    |             | 191559        | 0.5   | 15.4 |        |      | 84.6  |        |                          |      |         |
| 20                                | 20.5  |             | 191560        | 0.5   | 21.4 |        |      | 78.6  |        |                          |      |         |
| 20.5                              | 21    |             | 191561        | 0.5   | 13.4 |        |      | 86.6  |        |                          |      |         |
| 21                                | 21.5  |             | 191562        | 0.5   | 37.4 |        |      | 62.6  |        |                          |      |         |
| 21.5                              | 22    |             | 191563        | 0.5   | 58.6 |        |      | 41.4  |        |                          |      |         |
| 22                                | 22.5  |             | 191564        | 0.5   | 56.2 |        |      | 43.8  |        |                          |      |         |
| 22.5                              | 23    |             | 191565        | 0.5   | 63.5 |        |      | 36.5  |        |                          |      |         |
|                                   |       |             | compo 421     |       | 21.9 | 20.44  | 0.54 | 57.12 | 2      | 0.4                      |      |         |
| 150.5                             | 151   |             | 191566        | 0.5   | 10.6 |        |      | 89.4  |        |                          |      |         |
| 151                               | 151.5 |             | 191567        | 0.5   | 13.7 |        |      | 86.3  |        |                          |      |         |
| 151.5                             | 152   |             | 191568        | 0.5   | 20.5 |        |      | 79.5  |        |                          |      |         |
| 152                               | 152.5 |             | 191569        | 0.5   | 44.6 |        |      | 55.4  |        |                          |      |         |
| 152.5                             | 153   |             | 191570        | 0.5   | 29.7 |        |      | 70.3  |        |                          |      |         |
| 153                               | 153.5 |             | 191571        | 0.5   | 36.3 |        |      | 63.7  |        |                          |      |         |
| 153.5                             | 154   |             | 191572        | 0.5   | 34.1 |        |      | 65.9  |        |                          |      |         |
| 154                               | 154.5 |             | 191573        | 0.5   | 21.9 |        |      | 78.1  |        |                          |      |         |
| 154.5                             | 155   |             | 191574        | 0.5   | 15.9 |        |      | 84.1  |        |                          |      |         |
| 155                               | 155.5 |             | 191575        | 0.5   | 20.0 |        |      | 80    |        |                          |      |         |
| 155.5                             | 156   |             | 191576        | 0.5   | 11.9 |        |      | 88.1  |        |                          |      |         |
| 156                               | 156.5 |             | 191577        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |         |
| 156.5                             | 157   |             | 191578        | 0.5   | 40.4 |        |      | 59.6  |        |                          |      |         |
| 157                               | 157.5 |             | 191579        | 0.5   | 75.4 |        |      | 24.6  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|-----------|
| HOLE NUMBER:                      |       | 2898        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS   |
|                                   |       |             | compo 422     |       | 25.8   | 17.38  | 0.56 | 56.26                    | 1.5    | 0.43 |      |           |
| 161.5                             | 162   |             | 191580        | 0.5   | 12.1   |        |      | 87.9                     |        |      |      |           |
| 162                               | 162.5 |             | 191581        | 0.5   | 13.4   |        |      | 86.6                     |        |      |      |           |
| 162.5                             | 163   |             | 191582        | 0.5   | 55.4   |        |      | 44.6                     |        |      |      |           |
| 163                               | 163.5 |             | 191583        | 0.5   | 30     |        |      | 70                       |        |      |      |           |
| 163.5                             | 164   |             | 191584        | 0.5   | 79.4   |        |      | 20.6                     |        |      |      |           |
|                                   |       |             | compo 423     |       | 31.3   | 16.19  | 0.5  | 52.01                    | 1      | 0.47 |      |           |
| 197.5                             | 198   |             | 191585        | 0.5   | 25.1   |        |      | 74.9                     |        |      |      |           |
| 198                               | 198.5 |             | 191586        | 0.5   | 84.4   |        |      | 15.6                     |        |      |      |           |
| 242                               | 242.5 |             | 191587        | 0.5   | 74     |        |      | 26                       |        |      |      |           |
| 242.5                             | 243   |             | 191588        | 0.5   | 79.8   |        |      | 20.2                     |        |      |      |           |
| 249.5                             | 250   |             | 191589        | 0.5   | 36     |        |      | 64                       |        |      |      | ROMAX     |
| 250                               | 250.5 |             | 191590        | 0.5   | 39.6   |        |      | 60.4                     |        |      |      | RO-054-06 |
| 250.5                             | 251   |             | 191591        | 0.5   | 34.1   |        |      | 65.9                     |        |      |      | 1.26      |
| 251                               | 251.5 |             | 191592        | 0.5   | 27.5   |        |      | 72.5                     |        |      |      |           |
| 251.5                             | 252   |             | 191593        | 0.5   | 48.4   |        |      | 51.6                     |        |      |      |           |
| 252                               | 252.5 |             | 191594        | 0.5   | 82     |        |      | 18                       |        |      |      |           |
|                                   |       |             | compo 424     |       | 36.3   | 15.94  | 0.52 | 47.24                    | 1      | 0.5  |      |           |
| 282.5                             | 283   |             | 191595        | 0.5   | 39.3   |        |      | 60.7                     |        |      |      |           |
| 283                               | 283.5 |             | 191596        | 0.5   | 66.2   |        |      | 33.8                     |        |      |      |           |
| 285                               | 285.5 |             | 191597        | 0.5   | 22.5   |        |      | 77.5                     |        |      |      | ROMAX     |
| 285.5                             | 286   |             | 191598        | 0.5   | 16.1   |        |      | 83.9                     |        |      |      | RO-055-06 |
| 286                               | 286.5 |             | 191599        | 0.5   | 17.2   |        |      | 82.8                     |        |      |      | 1.34      |
| 286.5                             | 287   |             | 191600        | 0.5   | 25.6   |        |      | 74.4                     |        |      |      |           |
| 287                               | 287.5 |             | 191601        | 0.5   | 66     |        |      | 34                       |        |      |      |           |
| 287.5                             | 288   |             | 191602        | 0.5   | 27.7   |        |      | 72.3                     |        |      |      |           |
| 288                               | 288.5 |             | 191611        | 0.5   | 21.1   |        |      | 100                      |        |      |      |           |
| 288.5                             | 289   |             | 191603        | 0.5   | 34.1   |        |      | 100                      |        |      |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|-----------|
| HOLE NUMBER:                      |       | 2898        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |                          | F.S.I. | S    | PHOS | REMARKS   |
| 289                               | 289.5 |             | 191604        | 0.5   | 53.6 |        |      | 46.4                     |        |      |      |           |
| 289.5                             | 290   |             | 191605        | 0.5   | 17.4 |        |      | 82.6                     |        |      |      |           |
| 290                               | 290.5 |             | 191606        | 0.5   | 27.6 |        |      | 72.4                     |        |      |      |           |
| 290.5                             | 291   |             | 191607        | 0.5   | 28.2 |        |      | 71.8                     |        |      |      |           |
| 291                               | 291.5 |             | 191608        | 0.5   | 45   |        |      | 55                       |        |      |      |           |
| 291.5                             | 292   |             | 191609        | 0.5   | 77   |        |      | 23                       |        |      |      |           |
| 292                               | 292.5 |             | 191610        | 0.5   | 84.5 |        |      | 15.5                     |        |      |      |           |
|                                   |       |             | compo 425     |       | 31.7 | 16.67  | 0.56 | 51.07                    | 1      | 0.35 |      |           |
| 300                               | 300.5 |             | 191612        | 0.5   | 21.4 |        |      | 78.6                     |        |      |      | ROMAX     |
| 300.5                             | 301   |             | 191613        | 0.5   | 37.4 |        |      | 62.6                     |        |      |      | RO-056-06 |
| 301                               | 301.5 |             | 191614        | 0.5   | 23.1 |        |      | 76.9                     |        |      |      | 1.36      |
| 301.5                             | 302   |             | 191615        | 0.5   | 29.9 |        |      | 70.1                     |        |      |      |           |
| 302                               | 302.5 |             | 191616        | 0.5   | 11.4 |        |      | 88.6                     |        |      |      |           |
| 302.5                             | 303   |             | 191617        | 0.5   | 55.3 |        |      | 44.7                     |        |      |      |           |
| 303                               | 303.5 |             | 191618        | 0.5   | 73.5 |        |      | 26.5                     |        |      |      |           |
| 307.5                             | 308   |             | 191619        | 0.5   | 24.4 |        |      | 75.6                     |        |      |      | ROMAX     |
| 308                               | 308.5 |             | 191620        | 0.5   | 18.1 |        |      | 81.9                     |        |      |      | RO-057-06 |
| 308.5                             | 309   |             | 191621        | 0.5   | 73.7 |        |      | 26.3                     |        |      |      | 1.31      |
|                                   |       |             | compo 426     |       | 27.6 | 17.08  | 0.59 | 54.73                    | 2.5    | 0.41 |      |           |
|                                   |       |             | compo 427     |       | 22.5 | 19.7   | 0.5  | 57.3                     | 7.5    | 0.99 |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |           |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|-----------|
| HOLE NUMBER:                      |      | 2899        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |           |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS   |
| 16                                | 16.5 |             | 193001        | 0.5   | 45.2 |        |      | 54.8                     |        |                      |      |           |
| 16.5                              | 17   |             | 193002        | 0.5   | 28.5 |        |      | 71.5                     |        |                      |      |           |
| 17                                | 17.5 |             | 193003        | 0.5   | 35.6 |        |      | 64.4                     |        |                      |      |           |
| 17.5                              | 18   |             | 193004        | 0.5   | 60.8 |        |      | 39.2                     |        |                      |      |           |
| 18                                | 18.5 |             | 193005        | 0.5   | 66.9 |        |      | 33.1                     |        |                      |      |           |
| 18.5                              | 19   |             | 193006        | 0.5   | 73.6 |        |      | 26.4                     |        |                      |      |           |
|                                   |      |             | compo 428     |       | 34.3 | 21.03  | 0.82 | 43.85                    | 7      | 0.84                 |      |           |
| 27.5                              | 28   |             | 193007        | 0.5   | 63.6 |        |      | 36.4                     |        |                      |      |           |
| 28                                | 28.5 |             | 193008        | 0.5   | 44.5 |        |      | 55.5                     |        |                      |      | ROMAX     |
| 28.5                              | 29   |             | 193009        | 0.5   | 23.0 |        |      | 77                       |        |                      |      | RO-058-06 |
| 29                                | 29.5 |             | 193010        | 0.5   | 17.8 |        |      | 82.2                     |        |                      |      | 1.05      |
| 29.5                              | 30   |             | 193011        | 0.5   | 23.8 |        |      | 76.2                     |        |                      |      |           |
| 30                                | 30.5 |             | 193012        | 0.5   | 79.4 |        |      | 20.6                     |        |                      |      |           |
|                                   |      |             | compo 429     |       | 27.4 | 19.5   | 0.75 | 52.35                    | 5.5    | 0.71                 |      |           |
| 55.5                              | 56   |             | 193013        | 0.5   | 57.6 |        |      | 42.4                     |        |                      |      |           |
| 56                                | 56.5 |             | 193014        | 0.5   | 58.5 |        |      | 41.5                     |        |                      |      |           |
| 56.5                              | 57   |             | 193015        | 0.5   | 25.2 |        |      | 74.8                     |        |                      |      | ROMAX     |
| 57                                | 57.5 |             | 193016        | 0.5   | 18.4 |        |      | 81.6                     |        |                      |      | RO-059-06 |
|                                   |      |             | compo 430     |       | 22.0 | 23.09  | 0.66 | 54.25                    | 5.5    | 0.85                 |      | 1.09      |
| 75                                | 75.5 |             | 193017        | 0.5   | 69.3 |        |      | 30.7                     |        |                      |      |           |
| 75.5                              | 76   |             | 193018        | 0.5   | 50.2 |        |      | 49.8                     |        |                      |      |           |
| 76                                | 76.5 |             | 193019        | 0.5   | 56.9 |        |      | 43.1                     |        |                      |      |           |
| 76.5                              | 77   |             | 193020        | 0.5   | 62.0 |        |      | 38                       |        |                      |      |           |
| 79.5                              | 80   |             | 193021        | 0.5   | 29.4 |        |      | 70.6                     |        |                      |      |           |
| 80                                | 80.5 |             | 193022        | 0.5   | 22.3 |        |      | 77.7                     |        |                      |      |           |
| 80.5                              | 81   |             | 193023        | 0.5   | 29.4 |        |      | 70.6                     |        |                      |      |           |
| 81                                | 81.5 |             | 193024        | 0.5   | 70.7 |        |      | 29.3                     |        |                      |      |           |
| 81.5                              | 82   |             | 193025        | 0.5   | 62.6 |        |      | 37.4                     |        |                      |      |           |
|                                   |      |             | compo 431     |       | 32.9 | 21.34  | 0.45 | 45.31                    | 4.5    | 0.72                 |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2899        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 120                               | 120.5 |             | 193326        | 0.5   | 20.1 |        |      | 79.9                     |        |      |      |         |
| 120.5                             | 121   |             | 193327        | 0.5   | 24.7 |        |      | 75.3                     |        |      |      |         |
| 121                               | 121.5 |             | 193328        | 0.5   | 18.5 |        |      | 81.5                     |        |      |      |         |
| 121.5                             | 122   |             | 193329        | 0.5   | 18.4 |        |      | 81.6                     |        |      |      |         |
| 122                               | 122.5 |             | 193330        | 0.5   | 55.6 |        |      | 44.4                     |        |      |      |         |
| 122.5                             | 123   |             | 193331        | 0.5   | 63.4 |        |      | 36.6                     |        |      |      |         |
|                                   |       |             | compo 432     |       | 21.3 | 20.97  | 0.44 | 57.29                    | 4.5    | 0.72 |      |         |
| 124.5                             | 125   |             | 193332        | 0.5   | 24.6 |        |      | 75.4                     |        |      |      |         |
| 125                               | 125.5 |             | 193333        | 0.5   | 31.9 |        |      | 68.1                     |        |      |      |         |
| 125.5                             | 126   |             | 193334        | 0.5   | 28.9 |        |      | 71.1                     |        |      |      |         |
| 126                               | 126.5 |             | 193335        | 0.5   | 34.2 |        |      | 65.8                     |        |      |      |         |
| 126.5                             | 127   |             | 193336        | 0.5   | 27.2 |        |      | 72.8                     |        |      |      |         |
| 127                               | 127.5 |             | 193337        | 0.5   | 48.1 |        |      | 51.9                     |        |      |      |         |
|                                   |       |             | compo433      |       | 30.9 | 19.31  | 0.4  | 49.39                    | 4      | 0.59 |      |         |
| 152                               | 152.5 |             | 193338        | 0.5   | 66.4 |        |      | 33.6                     |        |      |      |         |
| 152.5                             | 153   |             | 193339        | 0.5   | 43.3 |        |      | 56.7                     |        |      |      |         |
| 153                               | 153.5 |             | 193340        | 0.5   | 35.0 |        |      | 65                       |        |      |      |         |
| 153.5                             | 154   |             | 193341        | 0.5   | 30.3 |        |      | 69.7                     |        |      |      |         |
|                                   |       |             | compo 434     |       | 38.0 | 18.37  | 0.45 | 43.18                    | 5.5    | 0.56 |      |         |
| 156                               | 156.5 |             | 193342        | 0.5   | 60.0 |        |      | 40                       |        |      |      |         |
| 168.5                             | 169   |             | 193343        | 0.5   | 28.6 |        |      | 71.4                     |        |      |      |         |
| 169                               | 169.5 |             | 193344        | 0.5   | 42.8 |        |      | 57.2                     |        |      |      |         |
|                                   |       |             | compo 435     |       | 34.5 | 18.19  | 0.44 | 46.87                    | 1.5    | 0.44 |      |         |
| 173                               | 173.5 |             | 193345        | 0.5   | 33.2 |        |      | 66.8                     |        |      |      |         |
| 173.5                             | 174   |             | 193346        | 0.5   | 20.7 |        |      | 79.3                     |        |      |      |         |
| 174                               | 174.5 |             | 193347        | 0.5   | 15.6 |        |      | 84.4                     |        |      |      |         |
| 174.5                             | 175   |             | 193348        | 0.5   | 14.0 |        |      | 86                       |        |      |      |         |
| 175                               | 175.5 |             | 193349        | 0.5   | 10.1 |        |      | 89.9                     |        |      |      |         |
| 175.5                             | 176   |             | 193350        | 0.5   | 15.2 |        |      | 84.8                     |        |      |      |         |
| 176                               | 176.5 |             | 193451        | 0.5   | 16.4 |        |      | 83.6                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          | ELKVALLEY COAL CORP. |      |           |  |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|----------------------|------|-----------|--|
| HOLE NUMBER:                      |       | 2899        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |           |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS   |  |
| 176.5                             | 177   |             | 193452        | 0.5   | 15.0    |        |      | 85                       |                      |      |           |  |
| 177                               | 177.5 |             | 193453        | 0.5   | 14.2    |        |      | 85.8                     |                      |      |           |  |
| 177.5                             | 178   |             | 193454        | 0.5   | 27.4    |        |      | 72.6                     |                      |      |           |  |
| 178                               | 178.5 |             | 193455        | 0.5   | 26.6    |        |      | 73.4                     |                      |      |           |  |
| 178.5                             | 179   |             | 193456        | 0.5   | 17.5    |        |      | 82.5                     |                      |      |           |  |
|                                   |       |             | compo 436     |       | 18.2    | 20.85  | 0.35 | 60.6                     | 3                    | 0.48 |           |  |
| 267.5                             | 268   |             | 193457        | 0.5   | 87.1    |        |      | 12.9                     |                      |      |           |  |
| 268                               | 268.5 |             | 193458        | 0.5   | 87.2    |        |      | 12.8                     |                      |      |           |  |
| 268.5                             | 269   |             | 193459        | 0.5   | 85.7    |        |      | 14.3                     |                      |      |           |  |
| 269                               | 269.5 |             | 193460        | 0.5   | missing |        |      |                          |                      |      | ROMAX     |  |
| 269.5                             | 270   |             | 193461        | 0.5   | 77.5    |        |      | 22.5                     |                      |      | RO-060-06 |  |
| 270                               | 270.5 |             | 193462        | 0.5   | 24.8    |        |      | 75.2                     |                      |      | 1.23      |  |
| 270.5                             | 271   |             | 193463        | 0.5   | 26.5    |        |      | 73.5                     |                      |      |           |  |
| 271                               | 271.5 |             | 193464        | 0.5   | 57.6    |        |      | 42.4                     |                      |      |           |  |
| 271.5                             | 272   |             | 193465        | 0.5   | 67.6    |        |      | 32.4                     |                      |      |           |  |
| 272                               | 272.5 |             | 193466        | 0.5   | 80.2    |        |      | 19.8                     |                      |      |           |  |
| 272.5                             | 273   |             | 193467        | 0.5   | 72.2    |        |      | 27.8                     |                      |      |           |  |
| 273                               | 273.5 |             | 193468        | 0.5   | 60.2    |        |      | 39.8                     |                      |      |           |  |
| 273.5                             | 274   |             | 193469        | 0.5   | 71.7    |        |      | 28.3                     |                      |      |           |  |
|                                   |       |             | compo 437     |       | 30.3    | 17.48  | 0.36 | 51.86                    | 1.5                  | 0.52 |           |  |
| 276.5                             | 277   |             | 193470        | 0.5   | 79.5    |        |      | 20.5                     |                      |      |           |  |
| 277                               | 277.5 |             | 193471        | 0.5   | 72.7    |        |      | 27.3                     |                      |      |           |  |
| 277.5                             | 278   |             | 193472        | 0.5   | 67.2    |        |      | 32.8                     |                      |      |           |  |
| 278                               | 278.5 |             | 193473        | 0.5   | 80.9    |        |      | 19.1                     |                      |      |           |  |
| 333                               | 333.5 |             | 193474        | 0.5   | missing |        |      |                          |                      |      |           |  |
| 333.5                             | 334   |             | 193475        | 0.5   | 19.0    |        |      | 81                       |                      |      | ROMAX     |  |
| 334                               | 334.5 |             | 189601        | 0.5   | 23.6    |        |      | 76.4                     |                      |      | RO-061-06 |  |
| 334.5                             | 335   |             | 189602        | 0.5   | 20.6    |        |      | 79.4                     |                      |      | 1.20      |  |
| 335                               | 335.5 |             | 189603        | 0.5   | 80.2    |        |      | 19.8                     |                      |      |           |  |
| 335.5                             | 336   |             | 189604        | 0.5   | 39.6    |        |      | 60.4                     |                      |      |           |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2899        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 336                               | 336.5 |             | 189605        | 0.5   | 34.2    |        |      | 65.8  |        |                          |      |         |
| 336.5                             | 337   |             | 189606        | 0.5   | 21.7    |        |      | 78.3  |        |                          |      |         |
| 337                               | 337.5 |             | 189607        | 0.5   | 21.1    |        |      | 78.9  |        |                          |      |         |
| 337.5                             | 338   |             | 189608        | 0.5   | 19.4    |        |      | 80.6  |        |                          |      |         |
| 338                               | 338.5 |             | 189609        | 0.5   | 30.4    |        |      | 69.6  |        |                          |      |         |
| 338.5                             | 339   |             | 189610        | 0.5   | 33.0    |        |      | 67    |        |                          |      |         |
| 339                               | 339.5 |             | 189611        | 0.5   | 47.3    |        |      | 52.7  |        |                          |      |         |
| 339.5                             | 340   |             | 189612        | 0.5   | 59.7    |        |      | 40.3  |        |                          |      |         |
| 340                               | 340.5 |             | 189613        | 0.5   | 52.9    |        |      | 47.1  |        |                          |      |         |
|                                   |       |             | compo 438     |       | 36.9    | 16.47  | 0.46 | 46.17 | 1.5    | 0.38                     |      |         |
| 354.5                             | 355   |             | 189614        | 0.5   | 71.5    |        |      | 28.5  |        |                          |      |         |
| 355                               | 355.5 |             | 189615        | 0.5   | 66.4    |        |      | 33.6  |        |                          |      |         |
| 355.5                             | 356   |             | 189616        | 0.5   | 77.7    |        |      | 22.3  |        |                          |      |         |
| 356                               | 356.5 |             | 189617        | 0.5   | missing |        |      |       |        |                          |      |         |
| 356.5                             | 357   |             | 189618        | 0.5   | 76.3    |        |      | 23.7  |        |                          |      |         |
| 357                               | 357.5 |             | 189619        | 0.5   | 58.6    |        |      | 41.4  |        |                          |      |         |
|                                   |       |             |               |       |         |        |      |       |        |                          |      |         |
| 378.5                             | 379   |             | 189620        | 0.5   | 49.6    |        |      | 50.4  |        |                          |      |         |
| 379                               | 379.5 |             | 189621        | 0.5   | 49.8    |        |      | 50.2  |        |                          |      |         |
| 379.5                             | 380   |             | 189622        | 0.5   | 59.8    |        |      | 40.2  |        |                          |      |         |
| 380                               | 380.5 |             | 189623        | 0.5   | 67.0    |        |      | 33    |        |                          |      |         |
| 380.5                             | 381   |             | 189624        | 0.5   | 68.4    |        |      | 31.6  |        |                          |      |         |
| 381                               | 381.5 |             | 189625        | 0.5   | 68.2    |        |      | 31.8  |        |                          |      |         |
| 381.5                             | 382   |             | 185726        | 0.5   | 64.8    |        |      | 35.2  |        |                          |      |         |
| 382                               | 382.5 |             | 185727        | 0.5   | missing |        |      |       |        |                          |      |         |
| 382.5                             | 383   |             | 185728        | 0.5   | 58.7    |        |      | 41.3  |        |                          |      |         |
| 383                               | 383.5 |             | 185729        | 0.5   | 67.7    |        |      | 32.3  |        |                          |      |         |
| 383.5                             | 384   |             | 185730        | 0.5   | 78.4    |        |      | 21.6  |        |                          |      |         |
| 384                               | 384.5 |             | 185731        | 0.5   | 78.2    |        |      | 21.8  |        |                          |      |         |
| 384.5                             | 385   |             | 185732        | 0.5   | 68.8    |        |      | 31.2  |        |                          |      |         |
| 385                               | 385.5 |             | 185733        | 0.5   | 58.8    |        |      | 41.2  |        |                          |      |         |





| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------|
| HOLE NUMBER:                      |       | 2900        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS   |
| 61.5                              | 62    |             | 187651        | 0.5   | 80.0 |        |      | 20    |        |                          |      |           |
| 62                                | 62.5  |             | 187652        | 0.5   | 79.7 |        |      | 20.3  |        |                          |      |           |
|                                   |       |             | compo 439     |       | 31.4 | 16.48  | 0.44 | 51.68 | 1      | 0.4                      |      |           |
| 85                                | 85.5  |             | 187653        | 0.5   | 28.3 |        |      | 71.7  |        |                          |      | ROMAX     |
| 85.5                              | 86    |             | 187654        | 0.5   | 30.4 |        |      | 69.6  |        |                          |      | RO-062-06 |
| 86                                | 86.5  |             | 187655        | 0.5   | 31.5 |        |      | 68.5  |        |                          |      | 1.26      |
| 86.5                              | 87    |             | 187656        | 0.5   | 46.3 |        |      | 53.7  |        |                          |      |           |
| 87                                | 87.5  |             | 187657        | 0.5   | 38.9 |        |      | 61.1  |        |                          |      |           |
| 87.5                              | 88    |             | 187658        | 0.5   | 23.3 |        |      | 76.7  |        |                          |      |           |
| 88                                | 88.5  |             | 187659        | 0.5   | 24.1 |        |      | 75.9  |        |                          |      |           |
| 88.5                              | 89    |             | 187660        | 0.5   | 48.3 |        |      | 51.7  |        |                          |      |           |
| 89                                | 89.5  |             | 187661        | 0.5   | 81.3 |        |      | 18.7  |        |                          |      |           |
|                                   |       |             | compo 440     |       | 29.1 | 16.13  | 0.39 | 54.38 | 1      | 0.47                     |      |           |
| 94.5                              | 95    |             | 187662        | 0.5   | 27.7 |        |      | 72.3  |        |                          |      |           |
| 95                                | 95.5  |             | 187663        | 0.5   | 29.8 |        |      | 70.2  |        |                          |      | ROMAX     |
| 95.5                              | 96    |             | 187664        | 0.5   | 28.9 |        |      | 71.1  |        |                          |      | RO-063-06 |
| 96                                | 96.5  |             | 187665        | 0.5   | 59.7 |        |      | 40.3  |        |                          |      | 1.30      |
|                                   |       |             | compo 441     |       | 29.6 | 16.43  | 0.4  | 53.57 | 1      | 0.37                     |      |           |
| 184.5                             | 185   |             | 187666        | 0.5   | 12.8 |        |      | 87.2  |        |                          |      |           |
| 185                               | 185.5 |             | 187667        | 0.5   | 41.0 |        |      | 59    |        |                          |      |           |
| 185.5                             | 186   |             | 187668        | 0.5   | 59.5 |        |      | 40.5  |        |                          |      | ROMAX     |
| 186                               | 186.5 |             | 187669        | 0.5   | 41.7 |        |      | 58.3  |        |                          |      | RO-064-06 |
| 186.5                             | 187   |             | 187670        | 0.5   | 25.1 |        |      | 74.9  |        |                          |      | 1.30      |
| 187                               | 187.5 |             | 187671        | 0.5   | 20.1 |        |      | 79.9  |        |                          |      |           |
| 187.5                             | 188   |             | 187672        | 0.5   | 18.1 |        |      | 81.9  |        |                          |      |           |
| 188                               | 188.5 |             | 187673        | 0.5   | 18.7 |        |      | 81.3  |        |                          |      |           |
| 188.5                             | 189   |             | 187674        | 0.5   | 21.2 |        |      | 78.8  |        |                          |      |           |
| 189                               | 189.5 |             | 187675        | 0.5   | 32.7 |        |      | 67.3  |        |                          |      |           |
| 189.5                             | 190   |             | 187676        | 0.5   | 25.8 |        |      | 74.2  |        |                          |      |           |
| 190                               | 190.5 |             | 187677        | 0.5   | 58.6 |        |      | 41.4  |        |                          |      |           |
| 190.5                             | 191   |             | 187678        | 0.5   | 46.6 |        |      | 53.4  |        |                          |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      | ELKVALLEY COAL CORP.     |        |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|------|------|-----------|
| HOLE NUMBER:                      |       | 2900        | AREA:         |       | CASTLE  |        |      | FORDING RIVER OPERATIONS |        |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS   |
| 191                               | 191.5 |             | 187679        | 0.5   | 63.6    |        |      | 36.4                     |        |      |      |           |
| 192                               | 192.5 |             | 187680        | 0.5   | 28.6    |        |      | 71.4                     |        |      |      |           |
| 192.5                             | 193   |             | 187681        | 0.5   | 48.1    |        |      | 51.9                     |        |      |      | ROMAX     |
| 193                               | 193.5 |             | 187682        | 0.5   | 29.8    |        |      | 70.2                     |        |      |      | RO-065-06 |
| 193.5                             | 194   |             | 187683        | 0.5   | missing |        |      |                          |        |      |      | 1.31      |
| 194                               | 194.5 |             | 187684        | 0.5   | 40.9    |        |      | 59.1                     |        |      |      |           |
| 194.5                             | 195   |             | 187685        | 0.5   | 82.0    |        |      | 18                       |        |      |      |           |
|                                   |       |             | compo 442     |       | 38.6    | 15.41  | 0.35 | 45.64                    | 1      | 0.3  |      |           |
| 206.5                             | 207   |             | 187686        | 0.5   | 24.4    |        |      | 75.6                     |        |      |      |           |
| 207                               | 207.5 |             | 187687        | 0.5   | 20.0    |        |      | 80                       |        |      |      |           |
| 207.5                             | 208   |             | 187688        | 0.5   | 22.8    |        |      | 77.2                     |        |      |      |           |
| 208                               | 208.5 |             | 187689        | 0.5   | 17.1    |        |      | 82.9                     |        |      |      | ROMAX     |
| 208.5                             | 209   |             | 187690        | 0.5   | 18.9    |        |      | 81.1                     |        |      |      | RO-066-06 |
| 209                               | 209.5 |             | 187691        | 0.5   | 32.8    |        |      | 67.2                     |        |      |      | 1.32      |
| 209.5                             | 210   |             | 187692        | 0.5   | 39.7    |        |      | 60.3                     |        |      |      |           |
| 210                               | 210.5 |             | 187693        | 0.5   | 79.5    |        |      | 20.5                     |        |      |      |           |
|                                   |       |             | compo 443     |       | 26.7    | 17.39  | 0.35 | 55.56                    | 2      | 0.68 |      |           |
| 214                               | 214.5 |             | 187694        | 0.5   | 28.8    |        |      | 71.2                     |        |      |      |           |
| 214.5                             | 215   |             | 187695        | 0.5   | 17.4    |        |      | 82.6                     |        |      |      | ROMAX     |
| 215                               | 215.5 |             | 187696        | 0.5   | 59.0    |        |      | 41                       |        |      |      | RO-067-06 |
|                                   |       |             | compo 444     |       | 23.8    | 17.56  | 0.32 | 58.32                    | 3      | 0.65 |      | 1.33      |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |              |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|--------------|
| HOLE NUMBER:                      |       | 2888        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |              |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS      |
| 19.5                              | 20    |             | 188476        | 0.5   | 32.9 |        |      | 67.1  |        |                          |      |              |
| 20                                | 20.5  |             | 188477        | 0.5   | 9.7  |        |      | 90.3  |        |                          |      |              |
| 20.5                              | 21    |             | 188478        | 0.5   | 11.6 |        |      | 88.4  |        |                          |      |              |
| 21                                | 21.5  |             | 188479        | 0.5   | 8.1  |        |      | 91.9  |        |                          |      |              |
| 21.5                              | 22    |             | 188480        | 0.5   | 11.8 |        |      | 88.2  |        |                          |      |              |
| 22                                | 22.5  |             | 188481        | 0.5   | 16.9 |        |      | 83.1  |        |                          |      |              |
| 22.5                              | 23    |             | 188482        | 0.5   | 28.1 |        |      | 71.9  |        |                          |      |              |
| 23                                | 23.5  |             | 188483        | 0.5   | 28.2 |        |      | 71.8  |        |                          |      |              |
| 23.5                              | 24    |             | 188484        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      |              |
| 24                                | 24.5  |             | 188485        | 0.5   | 49.7 |        |      | 50.3  |        |                          |      |              |
| 24.5                              | 25    |             | 188486        | 0.5   | 22.1 |        |      | 77.9  |        |                          |      |              |
| 25                                | 25.5  |             | 188487        | 0.5   | 65.1 |        |      | 34.9  |        |                          |      |              |
| 25.5                              | 26    |             | 188488        | 0.5   | 62.1 |        |      | 37.9  |        |                          |      |              |
| 26                                | 26.5  |             | 188489        | 0.5   | 50.3 |        |      | 49.7  |        |                          |      |              |
| 26.5                              | 27    |             | 188490        | 0.5   | 67.1 |        |      | 32.9  |        |                          |      |              |
|                                   |       |             | COMPO 310     |       | 20.6 | 22.29  | 0.82 | 56.29 | 5.5    | 0.8                      |      |              |
| 91                                | 91.5  |             | 188491        | 0.5   | 52.6 |        |      | 47.4  |        |                          |      |              |
| 91.5                              | 92    |             | 188492        | 0.5   | 76.7 |        |      | 23.3  |        |                          |      |              |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |              |
| 96                                | 96.5  |             | 188493        | 0.5   | 85.6 |        |      | 14.4  |        |                          |      |              |
| 96.5                              | 97    |             | 188494        | 0.5   | 35.2 |        |      | 64.8  |        |                          |      |              |
| 97                                | 97.5  |             | 188495        | 0.5   | 62.9 |        |      | 37.1  |        |                          |      |              |
| 97.5                              | 98    |             | 188496        | 0.5   | 62.7 |        |      | 37.3  |        |                          |      |              |
|                                   |       |             | PROX. 311     |       | 32.7 | 18.36  | 0.65 | 48.29 | 1.5    | 0.53                     |      |              |
| 119                               | 119.5 |             | 188497        | 0.5   | 36.6 |        |      | 63.4  |        |                          |      |              |
| 119.5                             | 120   |             | 188498        | 0.5   | 21.3 |        |      | 78.7  |        |                          |      |              |
| 120                               | 120.5 |             | 188499        | 0.5   | 59.3 |        |      | 40.7  |        |                          |      |              |
|                                   |       |             | COMPO 312     |       | 30   | 21.19  | 0.61 | 48.2  | 2      | 0.46                     |      |              |
| 121.5                             | 122   |             | 188500        | 0.5   | 46.5 |        |      | 53.5  |        |                          |      |              |
| 122                               | 122.5 |             | 188701        | 0.5   | 32.1 |        |      | 67.9  |        |                          |      | ROMAX - 1.21 |
| 122.5                             | 123   |             | 188702        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      | RO-042-06    |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          | ELKVALLEY COAL CORP. |     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|----------------------|-----|------|-----------|
| HOLE NUMBER:                      |       | 2888        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |                      |     |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. |                          | F.S.I.               | S   | PHOS | REMARKS   |
| 123                               | 123.5 |             | 188703        | 0.5   | 21.3    |        |      |                          | 78.7                 |     |      |           |
| 123.5                             | 124   |             | 188704        | 0.5   | 20.4    |        |      |                          | 79.6                 |     |      |           |
| 124                               | 124.5 |             | 188705        | 0.5   | 24.4    |        |      |                          | 75.6                 |     |      |           |
| 124.5                             | 125   |             | 188706        | 0.5   | 26      |        |      |                          | 74                   |     |      |           |
| 125                               | 125.5 |             | 188707        | 0.5   | 29.7    |        |      |                          | 70.3                 |     |      |           |
| 125.5                             | 126   |             | 188708        | 0.5   | 56.1    |        |      |                          | 43.9                 |     |      |           |
| 126                               | 126.5 |             | 188709        | 0.5   | 82.9    |        |      |                          | 17.1                 |     |      |           |
|                                   |       |             | COMPO 313     |       | 24.8    | 18.95  | 0.66 |                          | 55.59                | 1.5 | 0.42 |           |
| 128                               | 128.5 |             | 188710        | 0.5   | 69.4    |        |      |                          | 30.6                 |     |      |           |
| 128.5                             | 129   |             | 188711        | 0.5   | 83.9    |        |      |                          | 16.1                 |     |      |           |
|                                   |       |             |               |       |         |        |      |                          | 100                  |     |      |           |
| 141                               | 141.5 |             | 188712        | 0.5   | 19.8    |        |      |                          | 80.2                 |     |      |           |
| 141.5                             | 142   |             | 188713        | 0.5   | 22.4    |        |      |                          | 77.6                 |     |      |           |
| 142                               | 142.5 |             | 188714        | 0.5   | 18.7    |        |      |                          | 81.3                 |     |      |           |
| 142.5                             | 143   |             | 188715        | 0.5   | 42.8    |        |      |                          | 57.2                 |     |      |           |
| 143                               | 143.5 |             | 188716        | 0.5   | 69.6    |        |      |                          | 30.4                 |     |      |           |
| 143.5                             | 144   |             | 188717        | 0.5   | 85.2    |        |      |                          | 14.8                 |     |      |           |
|                                   |       |             | COMPO 314     |       | 26      | 18.8   | 0.64 |                          | 54.56                | 5   | 0.64 |           |
| 163                               | 163.5 |             | 188718        | 0.5   | 31.9    |        |      |                          | 68.1                 |     |      |           |
| 163.5                             | 164   |             | 188719        | 0.5   | 18.2    |        |      |                          | 81.8                 |     |      |           |
| 164                               | 164.5 |             | 188720        | 0.5   | 29.7    |        |      |                          | 70.3                 |     |      |           |
| 164.5                             | 165   |             | 188721        | 0.5   | 32.2    |        |      |                          | 67.8                 |     |      |           |
| 165                               | 165.5 |             | 188722        | 0.5   | 69.2    |        |      |                          | 30.8                 |     |      |           |
| 165.5                             | 166   |             | 188723        | 0.5   | 75.8    |        |      |                          | 24.2                 |     |      |           |
| 166                               | 166.5 |             | 188724        | 0.5   | 60.2    |        |      |                          | 39.8                 |     |      |           |
| 166.5                             | 167   |             | 188725        | 0.5   | 42.9    |        |      |                          | 57.1                 |     |      |           |
| 167                               | 167.5 |             | 188451        | 0.5   | 21.2    |        |      |                          | 78.8                 |     |      | ROMAX     |
| 167.5                             | 168   |             | 188452        | 0.5   | 24.2    |        |      |                          | 75.8                 |     |      | RO-043-06 |
| 168                               | 168.5 |             | 188453        | 0.5   | 20.9    |        |      |                          | 79.1                 |     |      | 1.2       |
| 168.5                             | 169   |             | 188454        | 0.5   | 19.2    |        |      |                          | 80.8                 |     |      |           |
| 169                               | 169.5 |             | 188455        | 0.5   | missing |        |      |                          | #VALUE!              |     |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |  |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2888        |               | AREA: |      | CASTLE |      |  |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |  | F.S.I. | S                        | PHOS | REMARKS |
| 169.5                             | 170   |             | 188456        | 0.5   | 19.3 |        |      |  | 80.7   |                          |      |         |
| 170                               | 170.5 |             | 188457        | 0.5   | 36.4 |        |      |  | 63.6   |                          |      |         |
| 170.5                             | 171   |             | 188458        | 0.5   | 63.7 |        |      |  | 36.3   |                          |      |         |
| 171                               | 171.5 |             | 188459        | 0.5   | 73.4 |        |      |  | 26.6   |                          |      |         |
| 171.5                             | 172   |             | 188460        | 0.5   | 79.2 |        |      |  | 20.8   |                          |      |         |
| 172                               | 172.5 |             | 188461        | 0.5   | 64.3 |        |      |  | 35.7   |                          |      |         |
| 172.5                             | 173   |             | 188462        | 0.5   | 71.5 |        |      |  | 28.5   |                          |      |         |
|                                   |       |             | COMPO 315     |       | 27.2 | 18.83  | 0.66 |  | 53.31  | 1.5                      | 0.45 |         |
| 230                               | 230.5 |             | 188463        | 0.5   | 71.5 |        |      |  | 28.5   |                          |      |         |
| 230.5                             | 231   |             | 188464        | 0.5   | 64   |        |      |  | 36     |                          |      |         |
| 231                               | 231.5 |             | 188465        | 0.5   | 62.3 |        |      |  | 37.7   |                          |      |         |
| 231.5                             | 232   |             | 188466        | 0.5   | 69.3 |        |      |  | 30.7   |                          |      |         |
| 232                               | 232.5 |             | 188467        | 0.5   | 69.9 |        |      |  | 30.1   |                          |      |         |
| 232.5                             | 233   |             | 188468        | 0.5   | 82.5 |        |      |  | 17.5   |                          |      |         |
|                                   |       |             | COMPO 316     |       | 26.8 | 18.74  | 0.55 |  | 53.91  | 1                        | 0.39 |         |
| 247                               | 247.5 |             | 188469        | 0.5   | 92.4 |        |      |  | 7.6    |                          |      |         |
| 247.5                             | 248   |             | 188470        | 0.5   | 66.6 |        |      |  | 33.4   |                          |      |         |
|                                   |       |             |               |       |      |        |      |  | 100    |                          |      |         |
| 275.5                             | 276   |             | 188471        | 0.5   | 15.9 |        |      |  | 84.1   |                          |      |         |
| 276                               | 276.5 |             |               | 0.5   | 31   |        |      |  | 69     |                          |      |         |
| 276.5                             | 277   |             | 188473        | 0.5   | 11.5 |        |      |  | 88.5   |                          |      |         |
| 277                               | 277.5 |             | 188474        | 0.5   | 14.9 |        |      |  | 85.1   |                          |      |         |
| 277.5                             | 278   |             | 188475        | 0.5   | 20.8 |        |      |  | 79.2   |                          |      |         |
| 278                               | 278.5 |             | 188251        | 0.5   | 15.7 |        |      |  | 84.3   |                          |      |         |
| 278.5                             | 279   |             | 188252        | 0.5   | 16.8 |        |      |  | 83.2   |                          |      |         |
| 279                               | 279.5 |             | 188253        | 0.5   | 51   |        |      |  | 49     |                          |      |         |
| 279.5                             | 280   |             | 188254        | 0.5   | 78.5 |        |      |  | 21.5   |                          |      |         |
| 280                               | 280.5 |             | 188255        | 0.5   | 27.7 |        |      |  | 72.3   |                          |      |         |
| 280.5                             | 281   |             | 188256        | 0.5   | 30.4 |        |      |  | 69.6   |                          |      |         |
| 281                               | 281.5 |             | 188257        | 0.5   | 32.7 |        |      |  | 67.3   |                          |      |         |
| 281.5                             | 282   |             | 188258        | 0.5   | 79.2 |        |      |  | 20.8   |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2888        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 282                               | 282.5 |             | 188259        | 0.5   | 64.9 |        |      | 35.1                     |                      |      |         |  |
| 282.5                             | 283   |             | 188260        | 0.5   | 31.9 |        |      | 68.1                     |                      |      |         |  |
| 283                               | 283.5 |             | 188261        | 0.5   | 57.4 |        |      | 42.6                     |                      |      |         |  |
| 283.5                             | 284   |             | 188262        | 0.5   | 42.8 |        |      | 57.2                     |                      |      |         |  |
| 284                               | 284.5 |             | 188263        | 0.5   | 56.8 |        |      | 43.2                     |                      |      |         |  |
| 284.5                             | 285   |             | 188264        | 0.5   | 51   |        |      | 49                       |                      |      |         |  |
| 285                               | 285.5 |             | 188265        | 0.5   | 81.3 |        |      | 18.7                     |                      |      |         |  |
| 285.5                             | 286   |             | 188266        | 0.5   | 85.4 |        |      | 14.6                     |                      |      |         |  |
| 286                               | 286.5 |             | 188267        | 0.5   | 80.2 |        |      | 19.8                     |                      |      |         |  |
| 286.5                             | 287   |             | 188268        | 0.5   | 82   |        |      | 18                       |                      |      |         |  |
| 287                               | 287.5 |             | 188269        | 0.5   | 87.3 |        |      | 12.7                     |                      |      |         |  |
|                                   |       |             | COMPO 317     |       | 18.3 | 18.87  | 0.47 | 62.36                    | 3                    | 0.43 |         |  |
| 308                               | 308.5 |             | 188270        | 0.5   | 52.5 |        |      | 47.5                     |                      |      |         |  |
| 308.5                             | 309   |             | 188271        | 0.5   | 80.6 |        |      | 19.4                     |                      |      |         |  |
| 309                               | 309.5 |             | 188272        | 0.5   | 71.2 |        |      | 28.8                     |                      |      |         |  |
| 309.5                             | 310   |             | 188273        | 0.5   | 82.5 |        |      | 17.5                     |                      |      |         |  |
| 310                               | 310.5 |             | 188274        | 0.5   | 84.7 |        |      | 15.3                     |                      |      |         |  |
|                                   |       |             | COMPO 318     |       | 31   | 16.86  | 0.6  | 51.54                    | 2                    | 0.38 |         |  |
| 322.5                             | 323   |             | 188275        | 0.5   | 71.3 |        |      | 28.7                     |                      |      |         |  |
|                                   |       |             | COMPO 319     |       | 43.1 | 14.57  | 0.57 | 41.76                    | 1                    | 0.28 |         |  |
| 363                               | 363.5 |             | 188501        | 0.5   | 84.1 |        |      | 15.9                     |                      |      |         |  |
| 363.5                             | 364   |             | 188502        | 0.5   | 89.5 |        |      | 10.5                     |                      |      |         |  |
|                                   |       |             |               |       |      |        |      | 100                      |                      |      |         |  |
| 365                               | 365.5 |             | 188503        | 0.5   | 31.8 |        |      | 68.2                     |                      |      |         |  |
| 365.5                             | 366   |             | 188504        | 0.5   | 21.8 |        |      | 78.2                     |                      |      |         |  |
| 366                               | 366.5 |             | 188505        | 0.5   | 24   |        |      | 76                       |                      |      |         |  |
| 366.5                             | 367   |             | 188506        | 0.5   | 48.4 |        |      | 51.6                     |                      |      |         |  |
| 367                               | 367.5 |             | 188507        | 0.5   | 75.4 |        |      | 24.6                     |                      |      |         |  |
| 367.5                             | 368   |             | 188508        | 0.5   | 61   |        |      | 39                       |                      |      |         |  |
| 368                               | 368.5 |             | 188509        | 0.5   | 29.7 |        |      | 70.3                     |                      |      |         |  |
| 368.5                             | 369   |             | 188510        | 0.5   | 21.1 |        |      | 78.9                     |                      |      |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |              |               |                          |      |        |      |        |     | ELKVALLEY COAL CORP. |                           |  |
|-----------------------------------|-------|--------------|---------------|--------------------------|------|--------|------|--------|-----|----------------------|---------------------------|--|
| HOLE NUMBER: 2888                 |       | AREA: CASTLE |               | FORDING RIVER OPERATIONS |      |        |      |        |     |                      |                           |  |
| FROM                              | TO    | DESCRIPTION  | SAMPLE NUMBER | WIDTH                    | ASH  | V.C.M. | I.M. | F.S.I. | S   | PHOS                 | REMARKS                   |  |
| 369                               | 369.5 |              | 188511        | 0.5                      | 19.9 |        |      | 80.1   |     |                      |                           |  |
| 369.5                             | 370   |              | 188512        | 0.5                      | 13.7 |        |      | 86.3   |     |                      |                           |  |
| 370                               | 370.5 |              | 188513        | 0.5                      | 59.2 |        |      | 40.8   |     |                      |                           |  |
| 370.5                             | 371   |              | 188514        | 0.5                      | 78.4 |        |      | 21.6   |     |                      |                           |  |
| 371                               | 371.5 |              | 188515        | 0.5                      | 85.9 |        |      | 14.1   |     |                      |                           |  |
|                                   |       |              | COMPO 320     |                          | 26.6 | 19.6   | 0.56 | 53.24  | 5.5 | 0.46                 |                           |  |
| 380.5                             | 381   |              | 188516        | 0.5                      | 71.9 |        |      | 28.1   |     |                      |                           |  |
| 381                               | 381.5 |              | 188517        | 0.5                      | 86.3 |        |      | 13.7   |     |                      |                           |  |
|                                   |       |              | COMPO 321     |                          | 21.8 | 18.1   | 0.51 | 59.59  | 2.5 | 0.45                 |                           |  |
| 408                               | 408.5 |              | 188518        | 0.5                      | 69.1 |        |      | 30.9   |     |                      |                           |  |
| 408.5                             | 409   |              | 188519        | 0.5                      | 68.9 |        |      | 31.1   |     |                      |                           |  |
| 409                               | 409.5 |              | 188520        | 0.5                      | 71.6 |        |      | 28.4   |     |                      |                           |  |
| 409.5                             | 410   |              | 188521        | 0.5                      | 67.5 |        |      | 32.5   |     |                      |                           |  |
| 410                               | 410.5 |              | 188522        | 0.5                      | 61.4 |        |      | 38.6   |     |                      |                           |  |
| 410.5                             | 411   |              | 188523        | 0.5                      | 60.5 |        |      | 39.5   |     |                      |                           |  |
| 411                               | 411.5 |              | 188527        | 0.5                      | 52.6 |        |      | 47.4   |     |                      |                           |  |
| 411.5                             | 412   |              | 188524        | 0.5                      | 54.3 |        |      | 45.7   |     |                      |                           |  |
| 412                               | 412.5 |              | 188525        | 0.5                      | 50.3 |        |      | 49.7   |     |                      |                           |  |
| 412.5                             | 413   |              | 188526        | 0.5                      | 60.6 |        |      | 39.4   |     |                      |                           |  |
| 413                               | 413.5 |              | 188528        | 0.5                      | 72.2 |        |      | 27.8   |     |                      |                           |  |
| 413.5                             | 414   |              | 188529        | 0.5                      | 75.9 |        |      | 24.1   |     |                      |                           |  |
|                                   |       |              |               |                          |      |        |      | 100    |     |                      |                           |  |
| 416                               | 416.5 |              | 188531        | 0.5                      | 52.9 |        |      | 47.1   |     |                      |                           |  |
| 416.5                             | 417   |              | 188532        | 0.5                      | 62.9 |        |      | 37.1   |     |                      |                           |  |
| 417                               | 417.5 |              | 188533        | 0.5                      | 78.1 |        |      | 21.9   |     |                      |                           |  |
|                                   |       |              |               |                          |      |        |      | 100    |     |                      |                           |  |
| 418                               | 418.5 |              | 188534        | 0.5                      | 47.2 |        |      | 52.8   |     |                      |                           |  |
| 418.5                             | 419   |              | 188535        | 0.5                      | 54.1 |        |      | 45.9   |     |                      |                           |  |
| 419                               | 419.5 |              | 188536        | 0.5                      | 60   |        |      | 40     |     |                      |                           |  |
| 419.5                             | 420   |              | 188537        | 0.5                      | 62.6 |        |      | 37.4   |     |                      |                           |  |
| 420                               | 420.5 |              | 188538        | 0.5                      | 38.2 |        |      | 61.8   |     |                      |                           |  |
|                                   |       |              |               |                          |      |        |      |        |     |                      | ROMAX - 1.30<br>RO-044-06 |  |





| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |      | 2889        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 16                                | 16.5 |             | 189951        | 0.5   | 76.2 |        |      | 23.8  |        |                          |      |         |
| 16.5                              | 17   |             | 189952        | 0.5   | 78.8 |        |      | 21.2  |        |                          |      |         |
| 17                                | 17.5 |             | 189953        | 0.5   | 89.7 |        |      | 10.3  |        |                          |      |         |
|                                   |      |             |               |       |      |        |      | 100   |        |                          |      |         |
| 82.5                              | 83   |             | 189954        | 0.5   | 45.2 |        |      | 54.8  |        |                          |      |         |
| 83                                | 83.5 |             | 189955        | 0.5   | 17.5 |        |      | 82.5  |        |                          |      |         |
| 83.5                              | 84   |             | 189956        | 0.5   | 13.6 |        |      | 86.4  |        |                          |      |         |
| 84                                | 84.5 |             | 189957        | 0.5   | 26.1 |        |      | 73.9  |        |                          |      |         |
| 84.5                              | 85   |             | 189958        | 0.5   | 24.4 |        |      | 75.6  |        |                          |      |         |
| 85                                | 85.5 |             | 189959        | 0.5   | 64.3 |        |      | 35.7  |        |                          |      |         |
| 85.5                              | 86   |             | 189960        | 0.5   | 68.3 |        |      | 31.7  |        |                          |      |         |
| 86                                | 86.5 |             | 189961        | 0.5   | 59.3 |        |      | 40.7  |        |                          |      |         |
| 86.5                              | 87   |             | 189962        | 0.5   | 47.3 |        |      | 52.7  |        |                          |      |         |
| 87                                | 87.5 |             | 189963        | 0.5   | 49.6 |        |      | 50.4  |        |                          |      |         |
| 87.5                              | 88   |             | 189964        | 0.5   | 67.9 |        |      | 32.1  |        |                          |      |         |
| 88                                | 88.5 |             | 189965        | 0.5   | 75.5 |        |      | 24.5  |        |                          |      |         |
| 88.5                              | 89   |             | 189966        | 0.5   | 71.3 |        |      | 28.7  |        |                          |      |         |
| 89                                | 89.5 |             | 189967        | 0.5   | 81.6 |        |      | 18.4  |        |                          |      |         |
| 89.5                              | 90   |             | 189968        | 0.5   | 70.3 |        |      | 29.7  |        |                          |      |         |
| 90                                | 90.5 |             | 189969        | 0.5   | 74.3 |        |      | 25.7  |        |                          |      |         |
| 90.5                              | 91   |             | 189970        | 0.5   | 66.7 |        |      | 33.3  |        |                          |      |         |
| 91                                | 91.5 |             | 189971        | 0.5   | 78.9 |        |      | 21.1  |        |                          |      |         |
| 91.5                              | 92   |             | 189972        | 0.5   | 88.9 |        |      | 11.1  |        |                          |      |         |
|                                   |      |             | COMPO 323     |       | 20.2 | 18.84  | 0.53 | 60.43 | 1      | 0.47                     |      |         |
| 93.5                              | 94   |             | 189973        | 0.5   | 47.4 |        |      | 52.6  |        |                          |      |         |
| 94                                | 94.5 |             | 189974        | 0.5   | 23.8 |        |      | 76.2  |        |                          |      |         |
| 94.5                              | 95   |             | 189975        | 0.5   | 27.9 |        |      | 72.1  |        |                          |      |         |
| 95                                | 95.5 |             | 191326        | 0.5   | 21.4 |        |      | 78.6  |        |                          |      |         |
| 95.5                              | 96   |             | 191327        | 0.5   | 66.2 |        |      | 33.8  |        |                          |      |         |
| 96                                | 96.5 |             | 191328        | 0.5   | 74.8 |        |      | 25.2  |        |                          |      |         |
| 96.5                              | 97   |             | 191329        | 0.5   | 85.5 |        |      | 14.5  |        |                          |      |         |

| ELKVALLEY COAL CORP. |       |              |               |       |      |        |      |       | FORDING RIVER OPERATIONS |      |      |           |
|----------------------|-------|--------------|---------------|-------|------|--------|------|-------|--------------------------|------|------|-----------|
| HOLE NUMBER: 2889    |       | AREA: CASTLE |               |       |      |        |      |       |                          |      |      |           |
| FROM                 | TO    | DESCRIPTION  | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I.                   | S    | PHOS | REMARKS   |
| 97                   | 97.5  |              | 191330        | 0.5   | 84.3 |        |      | 15.7  |                          |      |      |           |
| 97.5                 | 98    |              | 191331        | 0.5   | 83.5 |        |      | 16.5  |                          |      |      |           |
| 98                   | 98.5  |              | 191332        | 0.5   | 79.8 |        |      | 20.2  |                          |      |      |           |
| 98.5                 | 99    |              | 191333        | 0.5   | 87.6 |        |      | 12.4  |                          |      |      |           |
|                      |       |              | COMPO 324     |       | 25   | 17.52  | 0.56 | 56.92 | 1                        | 0.46 |      |           |
| 166                  | 166.5 |              | 191334        | 0.5   | 68.4 |        |      | 31.6  |                          |      |      |           |
| 166.5                | 167   |              | 191335        | 0.5   | 60.2 |        |      | 39.8  |                          |      |      |           |
| 167                  | 167.5 |              | 191336        | 0.5   | 26.9 |        |      | 73.1  |                          |      |      | ROMAX     |
| 167.5                | 168   |              | 191337        | 0.5   | 17.9 |        |      | 82.1  |                          |      |      | RO-045-06 |
| 168                  | 168.5 |              | 191338        | 0.5   | 24.1 |        |      | 75.9  |                          |      |      | 1.28      |
| 168.5                | 169   |              | 191339        | 0.5   | 23.4 |        |      | 76.6  |                          |      |      |           |
| 169                  | 169.5 |              | 191340        | 0.5   | 22.6 |        |      | 77.4  |                          |      |      |           |
| 169.5                | 170   |              | 191341        | 0.5   | 41.3 |        |      | 58.7  |                          |      |      |           |
| 170                  | 170.5 |              | 191342        | 0.5   | 71.1 |        |      | 28.9  |                          |      |      |           |
| 170.5                | 171   |              | 191343        | 0.5   | 50.2 |        |      | 49.8  |                          |      |      |           |
| 171                  | 171.5 |              | 191344        | 0.5   | 55.7 |        |      | 44.3  |                          |      |      |           |
| 171.5                | 172   |              | 191345        | 0.5   | 25.6 |        |      | 74.4  |                          |      |      |           |
| 172                  | 172.5 |              | 191346        | 0.5   | 33.7 |        |      | 66.3  |                          |      |      |           |
| 172.5                | 173   |              | 191347        | 0.5   | 39.3 |        |      | 60.7  |                          |      |      |           |
| 173                  | 173.5 |              | 191348        | 0.5   | 83.7 |        |      | 16.3  |                          |      |      |           |
| 173.5                | 174   |              | 191349        | 0.5   | 87.1 |        |      | 12.9  |                          |      |      |           |
| 174                  | 174.5 |              | 191350        | 0.5   | 80.6 |        |      | 19.4  |                          |      |      |           |
| 174.5                | 175   |              | 191351        | 0.5   | 92.3 |        |      | 7.7   |                          |      |      |           |
|                      |       |              | COMPO 325     |       | 27.2 | 16.66  | 0.53 | 55.61 | 1.5                      | 0.34 |      |           |
| 195                  | 195.5 |              | 191352        | 0.5   | 17.3 |        |      | 82.7  |                          |      |      |           |
| 195.5                | 196   |              | 191353        | 0.5   | 49.2 |        |      | 50.8  |                          |      |      |           |
| 196                  | 196.5 |              | 191354        | 0.5   | 61.1 |        |      | 38.9  |                          |      |      |           |
| 196.5                | 197   |              | 191355        | 0.5   | 45.1 |        |      | 54.9  |                          |      |      |           |
| 197                  | 197.5 |              | 191356        | 0.5   | 88.5 |        |      | 11.5  |                          |      |      |           |
|                      |       |              | COMPO 326     |       | 33.8 | 18.42  | 0.52 | 47.26 | 1.5                      | 0.36 |      |           |
| 206                  | 206.5 |              | 191357        | 0.5   | 13.9 |        |      | 86.1  |                          |      |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       | ELKVALLEY COAL CORP. |                          |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|----------------------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2889        |               | AREA: |      |        |      |       |                      | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I.               | S                        | PHOS | REMARKS |
| 206.5                             | 207   |             | 191358        | 0.5   | 23.1 |        |      | 76.9  |                      |                          |      |         |
| 207                               | 207.5 |             | 191359        | 0.5   | 58.4 |        |      | 41.6  |                      |                          |      | ROMAX   |
| 207.5                             | 208   |             | 191360        | 0.5   | 29.4 |        |      | 70.6  |                      |                          |      | 1.28    |
| 208                               | 208.5 |             | 191361        | 0.5   | 15.7 |        |      | 84.3  |                      |                          |      |         |
| 208.5                             | 209   |             | 191362        | 0.5   | 60.8 |        |      | 39.2  |                      |                          |      |         |
| 209                               | 209.5 |             | 191363        | 0.5   | 30.6 |        |      | 69.4  |                      |                          |      |         |
| 209.5                             | 210   |             | 191364        | 0.5   | 14.8 |        |      | 85.2  |                      |                          |      |         |
| 210                               | 210.5 |             | 191365        | 0.5   | 15.8 |        |      | 84.2  |                      |                          |      |         |
| 210.5                             | 211   |             | 191366        | 0.5   | 12.6 |        |      | 87.4  |                      |                          |      |         |
| 211                               | 211.5 |             | 191367        | 0.5   | 81.5 |        |      | 18.5  |                      |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |                      |                          |      |         |
| 218.5                             | 219   |             | 191368        | 0.5   | 27.7 |        |      | 72.3  |                      |                          |      |         |
| 219                               | 219.5 |             | 191369        | 0.5   | 88.4 |        |      | 11.6  |                      |                          |      |         |
|                                   |       |             | COMPO 327     |       | 34.8 | 16.79  | 0.63 | 47.78 | 4.5                  | 0.41                     |      |         |
|                                   |       |             | COMPO 328     |       | 28.6 | 17.26  | 0.59 | 53.55 | 5.5                  | 0.43                     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2890        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 98.5                              | 99    |             | 193128        | 0.5   | 44.8 |        |      | 55.2  |        |                          |      |         |
| 99                                | 99.5  |             | 193129        | 0.5   | 74.4 |        |      | 25.6  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |
| 118                               | 118.5 |             | 193130        | 0.5   | 31.5 |        |      | 68.5  |        |                          |      |         |
| 118.5                             | 119   |             | 193131        | 0.5   | 19.2 |        |      | 80.8  |        |                          |      |         |
| 119                               | 119.5 |             | 193132        | 0.5   | 14.2 |        |      | 85.8  |        |                          |      |         |
| 119.5                             | 120   |             | 193133        | 0.5   | 25.1 |        |      | 74.9  |        |                          |      |         |
| 120                               | 120.5 |             | 193134        | 0.5   | 35.5 |        |      | 64.5  |        |                          |      |         |
| 120.5                             | 121   |             | 193135        | 0.5   | 51.3 |        |      | 48.7  |        |                          |      |         |
| 121                               | 121.5 |             | 193136        | 0.5   | 55.8 |        |      | 44.2  |        |                          |      |         |
| 121.5                             | 122   |             | 193137        | 0.5   | 12.1 |        |      | 87.9  |        |                          |      |         |
| 122                               | 122.5 |             | 193138        | 0.5   | 66.8 |        |      | 33.2  |        |                          |      |         |
| 122.5                             | 123   |             | 193139        | 0.5   | 79.2 |        |      | 20.8  |        |                          |      |         |
|                                   |       |             | COMPO 329     | G050  | 26.1 | 17.27  | 0.56 | 56.07 | 1      | 0.42                     |      |         |
| 125                               | 125.5 |             | 193140        | 0.5   | 51.1 |        |      | 48.9  |        |                          |      |         |
| 125.5                             | 126   |             | 193141        | 0.5   | 32.5 |        |      | 67.5  |        |                          |      |         |
| 126                               | 126.5 |             | 193142        | 0.5   | 50.9 |        |      | 49.1  |        |                          |      |         |
| 126.5                             | 127   |             | 193143        | 0.5   | 47.5 |        |      | 52.5  |        |                          |      |         |
| 127                               | 127.5 |             | 193144        | 0.5   | 84.7 |        |      | 15.3  |        |                          |      |         |
| 127.5                             | 128   |             | 193145        | 0.5   | 55.2 |        |      | 44.8  |        |                          |      |         |
| 128                               | 128.5 |             | 193146        | 0.5   | 21.1 |        |      | 78.9  |        |                          |      |         |
| 128.5                             | 129   |             | 193147        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |         |
| 129                               | 129.5 |             | 193148        | 0.5   | 20.8 |        |      | 79.2  |        |                          |      |         |
| 129.5                             | 130   |             | 193149        | 0.5   | 66.2 |        |      | 33.8  |        |                          |      |         |
| 130                               | 130.5 |             | 193150        | 0.5   | 88.8 |        |      | 11.2  |        |                          |      |         |
|                                   |       |             | COMPO 330     | G054  | 23.1 | 17.82  | 0.55 | 58.53 | 1      | 0.41                     |      |         |
| 139                               | 139.5 |             | 191401        | 0.5   | 82.7 |        |      | 17.3  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      |       |        |                          |      |         |
| 173                               | 173.5 |             | 191402        | 0.5   | 56.5 |        |      | 43.5  |        |                          |      |         |
| 173.5                             | 174   |             | 191403        | 0.5   | 77.6 |        |      | 22.4  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2890        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 204                               | 204.5 |             | 191404        | 0.5   | 44.1 |        |      | 55.9                     |        |      |      |         |
| 204.5                             | 205   |             | 191405        | 0.5   | 74.2 |        |      | 25.8                     |        |      |      |         |
| 205                               | 205.5 |             | 191406        | 0.5   | 73.4 |        |      | 26.6                     |        |      |      |         |
| 205.5                             | 206   |             | 191407        | 0.5   | 60.8 |        |      | 39.2                     |        |      |      |         |
| 206                               | 206.5 |             | 191408        | 0.5   | 27.7 |        |      | 72.3                     |        |      |      |         |
| 206.5                             | 207   |             | 191409        | 0.5   | 21.8 |        |      | 78.2                     |        |      |      |         |
| 207                               | 207.5 |             | 191410        | 0.5   | 37.9 |        |      | 62.1                     |        |      |      |         |
| 207.5                             | 208   |             | 191411        | 0.5   | 24.6 |        |      | 75.4                     |        |      |      |         |
| 208                               | 208.5 |             | 191412        | 0.5   | 17.3 |        |      | 82.7                     |        |      |      |         |
| 208.5                             | 209   |             | 191413        | 0.5   | 23.9 |        |      | 76.1                     |        |      |      |         |
| 209                               | 209.5 |             | 191414        | 0.5   | 41.1 |        |      | 58.9                     |        |      |      |         |
| 209.5                             | 210   |             | 191415        | 0.5   | 41.2 |        |      | 58.8                     |        |      |      |         |
| 210                               | 210.5 |             | 191416        | 0.5   | 63.4 |        |      | 36.6                     |        |      |      |         |
| 210.5                             | 211   |             | 191417        | 0.5   | 73.6 |        |      | 26.4                     |        |      |      |         |
| 211                               | 211.5 |             | 191418        | 0.5   | 53.1 |        |      | 46.9                     |        |      |      |         |
| 211.5                             | 212   |             | 191419        | 0.5   | 46.5 |        |      | 53.5                     |        |      |      |         |
| 212                               | 212.5 |             | 191420        | 0.5   | 29.7 |        |      | 70.3                     |        |      |      |         |
| 212.5                             | 213   |             | 191421        | 0.5   | 30.9 |        |      | 69.1                     |        |      |      |         |
| 213                               | 213.5 |             | 191422        | 0.5   | 40.6 |        |      | 59.4                     |        |      |      |         |
| 213.5                             | 214   |             | 191423        | 0.5   | 67.7 |        |      | 32.3                     |        |      |      |         |
| 214                               | 214.5 |             | 191424        | 0.5   | 42.3 |        |      | 57.7                     |        |      |      |         |
| 214.5                             | 215   |             | 191425        | 0.5   | 31.4 |        |      | 68.6                     |        |      |      |         |
| 215                               | 215.5 |             | 191376        | 0.5   | 42.9 |        |      | 57.1                     |        |      |      |         |
| 215.5                             | 216   |             | 191377        | 0.5   | 28.8 |        |      | 71.2                     |        |      |      |         |
| 216                               | 216.5 |             | 191378        | 0.5   | 32.4 |        |      | 67.6                     |        |      |      |         |
| 216.5                             | 217   |             | 191379        | 0.5   | 85.1 |        |      | 14.9                     |        |      |      |         |
| 217                               | 217.5 |             | 191380        | 0.5   | 76.8 |        |      | 23.2                     |        |      |      |         |
|                                   |       |             | COMPO 331     | G030  | 30.1 | 17.44  | 0.58 | 51.88                    | 1      | 0.33 |      |         |
| 227.5                             | 228   |             | 191381        | 0.5   | 21.1 |        |      | 78.9                     |        |      |      |         |
| 228                               | 228.5 |             | 191382        | 0.5   | 27.6 |        |      | 72.4                     |        |      |      |         |
| 228.5                             | 229   |             | 191383        | 0.5   | 58.9 |        |      | 41.1                     |        |      |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |      | 2891        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 27.5                              | 28   |             | 190376        | 0.5   | 56   |        |      | 44                       |                      |      |         |  |
| 28                                | 28.5 |             | 190377        | 0.5   | 52   |        |      | 48                       |                      |      |         |  |
| 28.5                              | 29   |             | 190378        | 0.5   | 49.4 |        |      | 50.6                     |                      |      |         |  |
| 29                                | 29.5 |             | 190379        | 0.5   | 42.9 |        |      | 57.1                     |                      |      |         |  |
| 29.5                              | 30   |             | 190380        | 0.5   | 70.2 |        |      | 29.8                     |                      |      |         |  |
|                                   |      |             | COMPO 334     |       | 43.6 | 16.89  | 0.65 | 38.86                    | 3.5                  | 0.52 |         |  |
| 33.5                              | 34   |             | 190381        | 0.5   | 48   |        |      | 52                       |                      |      |         |  |
| 34                                | 34.5 |             | 190382        | 0.5   | 54   |        |      | 46                       |                      |      |         |  |
| 34.5                              | 35   |             | 190383        | 0.5   | 35.8 |        |      | 64.2                     |                      |      |         |  |
| 35                                | 35.5 |             | 190384        | 0.5   | 46.6 |        |      | 53.4                     |                      |      |         |  |
| 35.5                              | 36   |             | 190385        | 0.5   | 56.1 |        |      | 43.9                     |                      |      |         |  |
| 36                                | 36.5 |             | 190386        | 0.5   | 71   |        |      | 29                       |                      |      |         |  |
|                                   |      |             | Compo335      |       | 40.5 | 18.16  | 0.61 | 40.73                    | 5                    | 0.52 |         |  |
| 68.5                              | 69   |             | 190387        | 0.5   | 39.1 |        |      | 60.9                     |                      |      |         |  |
| 69                                | 69.5 |             | 190388        | 0.5   | 26.8 |        |      | 73.2                     |                      |      |         |  |
| 69.5                              | 70   |             | 190390        | 0.5   | 76.6 |        |      | 23.4                     |                      |      |         |  |
| 70                                | 70.5 |             | 190389        | 0.5   | 54.7 |        |      | 45.3                     |                      |      |         |  |
|                                   |      |             | Compo336      |       | 33   | 20.28  | 0.47 | 46.25                    | 6                    | 0.56 |         |  |
| 74                                | 74.5 |             | 190391        | 0.5   | 12.2 |        |      | 87.8                     |                      |      |         |  |
| 74.5                              | 75   |             | 190392        | 0.5   | 24   |        |      | 76                       |                      |      |         |  |
| 75                                | 75.5 |             | 190393        | 0.5   | 23.3 |        |      | 76.7                     |                      |      |         |  |
| 75.5                              | 76   |             | 190394        | 0.5   | 46.1 |        |      | 53.9                     |                      |      |         |  |
| 76                                | 76.5 |             | 190395        | 0.5   | 88.3 |        |      | 11.7                     |                      |      |         |  |
|                                   |      |             | Compo337      |       | 20.2 | 20.75  | 0.52 | 58.53                    | 2.5                  | 0.58 |         |  |
| 94                                | 94.5 |             | 190396        | 0.5   | 21.8 |        |      | 78.2                     |                      |      |         |  |
| 94.5                              | 95   |             | 190397        | 0.5   | 70   |        |      | 30                       |                      |      |         |  |
| 95                                | 95.5 |             | 190398        | 0.5   | 83.5 |        |      | 16.5                     |                      |      |         |  |
| 95.5                              | 96   |             | 190399        | 0.5   | 84.8 |        |      | 15.2                     |                      |      |         |  |
|                                   |      |             | Compo338      |       | 34.3 | 18.09  | 0.53 | 47.08                    | 3.5                  | 0.5  |         |  |
| 97.5                              | 98   |             | 190400        | 0.5   | 25.4 |        |      | 74.6                     |                      |      |         |  |
| 98                                | 98.5 |             | 190401        | 0.5   | 43.7 |        |      | 56.3                     |                      |      |         |  |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2891        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 98.5                              | 99    |             | 190402        | 0.5   | 79.1 |        |      | 20.9  |        |                          |      |         |
| 129                               | 129.5 |             | 190407        | 0.5   | 34.6 |        |      | 65.4  |        |                          |      |         |
| 129.5                             | 130   |             | 190403        | 0.5   | 15.8 |        |      | 84.2  |        |                          |      |         |
| 130                               | 130.5 |             | 190404        | 0.5   | 21.8 |        |      | 78.2  |        |                          |      |         |
| 130.5                             | 131   |             | 190405        | 0.5   | 43.2 |        |      | 56.8  |        |                          |      |         |
| 131                               | 131.5 |             | 190406        | 0.5   | 90.4 |        |      | 9.6   |        |                          |      |         |
|                                   |       |             | Compo339      |       | 30   | 18.43  | 0.55 | 51.02 | 1      | 0.42                     |      |         |
| 132.5                             | 133   |             | 190408        | 0.5   | 39.4 |        |      | 60.6  |        |                          |      |         |
| 133                               | 133.5 |             | 190409        | 0.5   | 27.1 |        |      | 72.9  |        |                          |      |         |
| 133.5                             | 134   |             | 190410        | 0.5   | 31.2 |        |      | 68.8  |        |                          |      |         |
| 134                               | 134.5 |             | 190411        | 0.5   | 19.1 |        |      | 80.9  |        |                          |      |         |
| 134.5                             | 135   |             | 190412        | 0.5   | 32.7 |        |      | 67.3  |        |                          |      |         |
| 135                               | 135.5 |             | 190413        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |         |
| 135.5                             | 136   |             | 190414        | 0.5   | 22.8 |        |      | 77.2  |        |                          |      |         |
| 136                               | 136.5 |             | 190415        | 0.5   | 16.4 |        |      | 83.6  |        |                          |      |         |
| 136.5                             | 137   |             | 190416        | 0.5   | 13.7 |        |      | 86.3  |        |                          |      |         |
| 137                               | 137.5 |             | 190417        | 0.5   | 32.3 |        |      | 67.7  |        |                          |      |         |
| 137.5                             | 138   |             | 190418        | 0.5   | 26.9 |        |      | 73.1  |        |                          |      |         |
| 138                               | 138.5 |             | 190419        | 0.5   | 44   |        |      | 56    |        |                          |      |         |
| 138.5                             | 139   |             | 190420        | 0.5   | 16   |        |      | 84    |        |                          |      |         |
| 139                               | 139.5 |             | 190421        | 0.5   | 19.6 |        |      | 80.4  |        |                          |      |         |
| 139.5                             | 140   |             | 190422        | 0.5   | 60.9 |        |      | 39.1  |        |                          |      |         |
| 140                               | 140.5 |             | 190423        | 0.5   | 68.3 |        |      | 31.7  |        |                          |      |         |
| 140.5                             | 141   |             | 190424        | 0.5   | 86   |        |      | 14    |        |                          |      |         |
|                                   |       |             | compo340      |       | 25.7 | 21.74  | 0.51 | 52.05 | 1.5    | 0.39                     |      |         |
| 216                               | 216.5 |             | 190425        | 0.5   | 36.6 |        |      | 63.4  |        |                          |      |         |
| 216.5                             | 217   |             | 190426        | 0.5   | 31.7 |        |      | 68.3  |        |                          |      |         |
| 217                               | 217.5 |             | 190427        | 0.5   | 71.2 |        |      | 28.8  |        |                          |      |         |
|                                   |       |             | compo341      |       | 34.7 | 20.68  | 0.41 | 44.21 | 1      | 0.36                     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2891        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 232                               | 232.5 |             | 190428        | 0.5   | 61.5 |        |      | 38.5                     |                      |      |         |  |
| 232.5                             | 233   |             | 190429        | 0.5   | 69.1 |        |      | 30.9                     |                      |      |         |  |
| 233                               | 233.5 |             | 190430        | 0.5   | 89.9 |        |      | 10.1                     |                      |      |         |  |
| 259.5                             | 260   |             | 190431        | 0.5   | 13.7 |        |      | 86.3                     |                      |      |         |  |
| 260                               | 260.5 |             | 190432        | 0.5   | 19.4 |        |      | 80.6                     |                      |      |         |  |
| 260.5                             | 261   |             | 190433        | 0.5   | 31.6 |        |      | 68.4                     |                      |      |         |  |
| 261                               | 261.5 |             | 190434        | 0.5   | 37.2 |        |      | 62.8                     |                      |      |         |  |
| 261.5                             | 262   |             | 190435        | 0.5   | 60.5 |        |      | 39.5                     |                      |      |         |  |
| 262                               | 262.5 |             | 190436        | 0.5   | 45.9 |        |      | 54.1                     |                      |      |         |  |
| 262.5                             | 263   |             | 190437        | 0.5   | 32.3 |        |      | 67.7                     |                      |      |         |  |
| 263                               | 263.5 |             | 190438        | 0.5   | 39.1 |        |      | 60.9                     |                      |      |         |  |
| 263.5                             | 264   |             | 190439        | 0.5   | 14.3 |        |      | 85.7                     |                      |      |         |  |
| 264                               | 264.5 |             | 190440        | 0.5   | 21.9 |        |      | 78.1                     |                      |      |         |  |
| 264.5                             | 265   |             | 190441        | 0.5   | 36.7 |        |      | 63.3                     |                      |      |         |  |
|                                   |       |             | compo342      |       | 29   | 19.75  | 0.57 | 50.68                    | 1.5                  | 0.34 |         |  |
| 266                               | 266.5 |             | 190442        | 0.5   | 29.5 |        |      | 70.5                     |                      |      |         |  |
| 266.5                             | 267   |             | 190443        | 0.5   | 21.3 |        |      | 78.7                     |                      |      |         |  |
| 267                               | 267.5 |             | 190444        | 0.5   | 27.3 |        |      | 72.7                     |                      |      |         |  |
| 267.5                             | 268   |             | 190445        | 0.5   | 24.6 |        |      | 75.4                     |                      |      |         |  |
| 268                               | 268.5 |             | 190446        | 0.5   | 31.6 |        |      | 68.4                     |                      |      |         |  |
| 268.5                             | 269   |             | 190447        | 0.5   | 83.9 |        |      | 16.1                     |                      |      |         |  |
|                                   |       |             | compo343      |       | 30.1 | 17.26  | 0.51 | 52.13                    | 1                    | 0.37 |         |  |
| 270                               | 270.5 |             | 190448        | 0.5   | 54.7 |        |      | 45.3                     |                      |      |         |  |
| 270.5                             | 271   |             | 190449        | 0.5   | 79.1 |        |      | 20.9                     |                      |      |         |  |
|                                   |       |             | compo344A     |       | 30.2 | 18.7   | 0.45 | 50.65                    | 1                    | 0.38 |         |  |
| 299                               | 299.5 |             | 190450        | 0.5   | 56.1 |        |      | 43.9                     |                      |      |         |  |
| 299.5                             | 300   |             | 191701        | 0.5   | 70.9 |        |      | 29.1                     |                      |      |         |  |
| 312.5                             | 313   |             | 191702        | 0.5   | 34.5 |        |      | 65.5                     |                      |      |         |  |
| 313                               | 313.5 |             | 191703        | 0.5   | 78.2 |        |      | 21.8                     |                      |      |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2891        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 351.5                             | 352   |             | 191704        | 0.5   | 56.6 |        |      | 43.4  |        |                          |      |         |
| 352                               | 352.5 |             | 191705        | 0.5   | 74.1 |        |      | 25.9  |        |                          |      |         |
|                                   |       |             | compo344B     |       | 21.2 | 19     | 0.57 | 59.23 | 2      | 0.35                     |      |         |
| 354                               | 354.5 |             | 191706        | 0.5   | 19.2 |        |      | 80.8  |        |                          |      |         |
| 354.5                             | 355   |             | 191707        | 0.5   | 17.9 |        |      | 82.1  |        |                          |      |         |
| 355                               | 355.5 |             | 191708        | 0.5   | 16.1 |        |      | 83.9  |        |                          |      |         |
| 355.5                             | 356   |             | 191709        | 0.5   | 18.4 |        |      | 81.6  |        |                          |      |         |
| 356                               | 356.5 |             | 191710        | 0.5   | 22.1 |        |      | 77.9  |        |                          |      |         |
| 356.5                             | 357   |             | 191711        | 0.5   | 26.2 |        |      | 73.8  |        |                          |      |         |
| 357                               | 357.5 |             | 191712        | 0.5   | 74.4 |        |      | 25.6  |        |                          |      |         |
| 357.5                             | 358   |             | 191713        | 0.5   | 64.1 |        |      | 35.9  |        |                          |      |         |
| 358                               | 358.5 |             | 191714        | 0.5   | 31.6 |        |      | 68.4  |        |                          |      |         |
| 358.5                             | 359   |             | 191715        | 0.5   | 18.1 |        |      | 81.9  |        |                          |      |         |
| 359                               | 359.5 |             | 191716        | 0.5   | 32.9 |        |      | 67.1  |        |                          |      |         |
| 359.5                             | 360   |             | 191717        | 0.5   | 26.4 |        |      | 73.6  |        |                          |      |         |
| 360                               | 360.5 |             | 191718        | 0.5   | 36.8 |        |      | 63.2  |        |                          |      |         |
| 360.5                             | 361   |             | 191719        | 0.5   | 56.8 |        |      | 43.2  |        |                          |      |         |
| 361                               | 361.5 |             | 191720        | 0.5   | 25.4 |        |      | 74.6  |        |                          |      |         |
| 361.5                             | 362   |             | 191721        | 0.5   | 12.8 |        |      | 87.2  |        |                          |      |         |
| 362                               | 362.5 |             | 191722        | 0.5   | 16.9 |        |      | 83.1  |        |                          |      |         |
| 362.5                             | 363   |             | 191723        | 0.5   | 12.3 |        |      | 87.7  |        |                          |      |         |
| 363                               | 363.5 |             | 191724        | 0.5   | 12.6 |        |      | 87.4  |        |                          |      |         |
| 363.5                             | 364   |             | 191725        | 0.5   | 9.9  |        |      | 90.1  |        |                          |      |         |
| 364                               | 364.5 |             | 191626        | 0.5   | 10.6 |        |      | 89.4  |        |                          |      |         |
| 364.5                             | 365   |             | 191627        | 0.5   | 10.3 |        |      | 89.7  |        |                          |      |         |
| 365                               | 365.5 |             | 191628        | 0.5   | 19.8 |        |      | 80.2  |        |                          |      |         |
| 365.5                             | 366   |             | 191629        | 0.5   | 15.1 |        |      | 84.9  |        |                          |      |         |
| 366                               | 366.5 |             | 191630        | 0.5   | 73.6 |        |      | 26.4  |        |                          |      |         |
| 366.5                             | 367   |             | 191631        | 0.5   | 69.9 |        |      | 30.1  |        |                          |      |         |
| 367                               | 367.5 |             | 191632        | 0.5   | 66.6 |        |      | 33.4  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2891        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 367.5                             | 368   |             | 191633        | 0.5   | 47.2 |        |      | 52.8                     |                      |      |         |  |
| 368                               | 368.5 |             | 191634        | 0.5   | 30.9 |        |      | 69.1                     |                      |      |         |  |
| 368.5                             | 369   |             | 191635        | 0.5   | 22.4 |        |      | 77.6                     |                      |      |         |  |
| 369                               | 369.5 |             | 191636        | 0.5   | 26.7 |        |      | 73.3                     |                      |      |         |  |
| 369.5                             | 370   |             | 191637        | 0.5   | 50.6 |        |      | 49.4                     |                      |      |         |  |
| 370                               | 370.5 |             | 191638        | 0.5   | 20.2 |        |      | 79.8                     |                      |      |         |  |
| 370.5                             | 371   |             | 191639        | 0.5   | 17.4 |        |      | 82.6                     |                      |      |         |  |
| 371                               | 371.5 |             | 191640        | 0.5   | 12.8 |        |      | 87.2                     |                      |      |         |  |
| 371.5                             | 372   |             | 191641        | 0.5   | 52.7 |        |      | 47.3                     |                      |      |         |  |
| 372                               | 372.5 |             | 191642        | 0.5   | 17.3 |        |      | 82.7                     |                      |      |         |  |
| 372.5                             | 373   |             | 191643        | 0.5   | 13.3 |        |      | 86.7                     |                      |      |         |  |
| 373                               | 373.5 |             | 191644        | 0.5   | 18.9 |        |      | 81.1                     |                      |      |         |  |
| 373.5                             | 374   |             | 191645        | 0.5   | 20.2 |        |      | 79.8                     |                      |      |         |  |
| 374                               | 374.5 |             | 191646        | 0.5   | 15.3 |        |      | 84.7                     |                      |      |         |  |
| 374.5                             | 375   |             | 191647        | 0.5   | 55.1 |        |      | 44.9                     |                      |      |         |  |
| 375                               | 375.5 |             | 191648        | 0.5   | 29.1 |        |      | 70.9                     |                      |      |         |  |
| 375.5                             | 376   |             | 191649        | 0.5   | 46.6 |        |      | 53.4                     |                      |      |         |  |
| 376                               | 376.5 |             | 191650        | 0.5   | 46.9 |        |      | 53.1                     |                      |      |         |  |
| 376.5                             | 377   |             | 191651        | 0.5   | 24.1 |        |      | 75.9                     |                      |      |         |  |
| 377                               | 377.5 |             | 191652        | 0.5   | 48.5 |        |      | 51.5                     |                      |      |         |  |
| 377.5                             | 378   |             | 191653        | 0.5   | 78.3 |        |      | 21.7                     |                      |      |         |  |
|                                   |       |             | compo345      |       | 23.9 | 19.02  | 0.5  | 56.58                    | 2.5                  | 0.37 |         |  |
| 378.5                             | 379   |             | 191654        | 0.5   | 17.6 |        |      | 82.4                     |                      |      |         |  |
| 379                               | 379.5 |             | 191655        | 0.5   | 8.7  |        |      | 91.3                     |                      |      |         |  |
| 379.5                             | 380   |             | 191656        | 0.5   | 18.5 |        |      | 81.5                     |                      |      |         |  |
| 380                               | 380.5 |             | 191657        | 0.5   | 52.1 |        |      | 47.9                     |                      |      |         |  |
| 380.5                             | 381   |             | 191658        | 0.5   | 27.2 |        |      | 72.8                     |                      |      |         |  |
| 381                               | 381.5 |             | 191659        | 0.5   | 12.6 |        |      | 87.4                     |                      |      |         |  |
| 381.5                             | 382   |             | 191660        | 0.5   | 13.7 |        |      | 86.3                     |                      |      |         |  |
| 382                               | 382.5 |             | 191661        | 0.5   | 68.9 |        |      | 31.1                     |                      |      |         |  |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2892        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 30.5                              | 31    |             | 193979        | 0.5   | 43.5 |        |      | 56.5  |        |                          |      |         |
| 31                                | 31.5  |             | 193980        | 0.5   | 19.2 |        |      | 80.8  |        |                          |      |         |
| 31.5                              | 32    |             | 193981        | 0.5   | 23.3 |        |      | 76.7  |        |                          |      |         |
| 32                                | 32.5  |             | 193982        | 0.5   | 84.3 |        |      | 15.7  |        |                          |      |         |
|                                   |       |             | compo348      |       | 31.8 | 17.84  | 0.55 | 49.81 | 2      | 0.43                     |      |         |
| 33.5                              | 34    |             | 193983        | 0.5   | 61.1 |        |      | 38.9  |        |                          |      |         |
| 34                                | 34.5  |             | 193984        | 0.5   | 45.9 |        |      | 54.1  |        |                          |      |         |
| 34.5                              | 35    |             | 193985        | 0.5   | 30.7 |        |      | 69.3  |        |                          |      |         |
| 35                                | 35.5  |             | 193986        | 0.5   | 24.9 |        |      | 75.1  |        |                          |      |         |
| 35.5                              | 36    |             | 193987        | 0.5   | 29.1 |        |      | 70.9  |        |                          |      |         |
| 36                                | 36.5  |             | 193988        | 0.5   | 23.9 |        |      | 76.1  |        |                          |      |         |
| 36.5                              | 37    |             | 193989        | 0.5   | 22.8 |        |      | 77.2  |        |                          |      |         |
| 37                                | 37.5  |             | 193990        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |         |
| 37.5                              | 38    |             | 193991        | 0.5   | 17.7 |        |      | 82.3  |        |                          |      |         |
| 38                                | 38.5  |             | 193992        | 0.5   | 53.5 |        |      | 46.5  |        |                          |      |         |
| 38.5                              | 39    |             | 193993        | 0.5   | 56.1 |        |      | 43.9  |        |                          |      |         |
| 39                                | 39.5  |             | 193994        | 0.5   | 66.7 |        |      | 33.3  |        |                          |      |         |
| 39.5                              | 40    |             | 193995        | 0.5   | 56.9 |        |      | 43.1  |        |                          |      |         |
| 40                                | 40.5  |             | 193996        | 0.5   | 77.1 |        |      | 22.9  |        |                          |      |         |
|                                   |       |             | compo349      |       | 25.9 | 19.34  | 0.48 | 54.28 | 1.5    | 0.38                     |      |         |
| 85.5                              | 86    |             | 193951        | 0.5   | 92.6 |        |      | 7.4   |        |                          |      |         |
| 86                                | 86.5  |             | 193952        | 0.5   | 86.6 |        |      | 13.4  |        |                          |      |         |
| 109                               | 109.5 |             | 193953        | 0.5   | 84.3 |        |      | 15.7  |        |                          |      |         |
| 109.5                             | 110   |             | 193954        | 0.5   | 63.1 |        |      | 36.9  |        |                          |      |         |
| 110                               | 110.5 |             | 193955        | 0.5   | 87.2 |        |      | 12.8  |        |                          |      |         |
|                                   |       |             | compo350      |       | 21.1 | 21.01  | 0.42 | 57.47 | 1.5    | 0.41                     |      |         |
| 135                               | 135.5 |             | 193956        | 0.5   | 29.9 |        |      | 70.1  |        |                          |      |         |
| 135.5                             | 136   |             | 193957        | 0.5   | 9.7  |        |      | 90.3  |        |                          |      |         |
| 136                               | 136.5 |             | 193958        | 0.5   | 14.9 |        |      | 85.1  |        |                          |      |         |
| 136.5                             | 137   |             | 193959        | 0.5   | 15.6 |        |      | 84.4  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |     |      |             |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|-----|------|-------------|
| HOLE NUMBER:                      |       | 2892        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |     |      |             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S   | PHOS | REMARKS     |
| 137                               | 137.5 |             | 193960        | 0.5   | 51.9   |        |      | 48.1                     |        |     |      |             |
| 137.5                             | 138   |             | 193961        | 0.5   | 69.4   |        |      | 30.6                     |        |     |      |             |
| 138                               | 138.5 |             | 193962        | 0.5   | 34.1   |        |      | 65.9                     |        |     |      |             |
| 138.5                             | 139   |             | 193963        | 0.5   | 45.6   |        |      | 54.4                     |        |     |      |             |
| 139                               | 139.5 |             | 193964        | 0.5   | 78.3   |        |      | 21.7                     |        |     |      |             |
| 139.5                             | 140   |             | 193965        | 0.5   | 80.4   |        |      | 19.6                     |        |     |      |             |
| 140                               | 140.5 |             | 193966        | 0.5   | 47.2   |        |      | 52.8                     |        |     |      | first ashes |
| 140.5                             | 141   |             | 193967        | 0.5   | 14.3   |        |      | 85.7                     |        |     |      | 13.1        |
| 141                               | 141.5 |             | 193968        | 0.5   | 34.7   |        |      | 65.3                     |        |     |      | 81.4        |
| 141.5                             | 142   |             | 193969        | 0.5   | 14.1   |        |      | 85.9                     |        |     |      | 11.7        |
| 142                               | 142.5 |             | 193970        | 0.5   | 71.5   |        |      | 28.5                     |        |     |      |             |
| 142.5                             | 143   |             | 193971        | 0.5   | 88.7   |        |      | 11.3                     |        |     |      |             |
|                                   |       |             | compo351      |       | 21.3   | 19.77  | 0.44 | 58.49                    | 1.5    | 0.4 |      |             |
| 143.5                             | 144   |             | 193972        | 0.5   | 45.1   |        |      | 54.9                     |        |     |      |             |
| 144                               | 144.5 |             | 193973        | 0.5   | 51.6   |        |      | 48.4                     |        |     |      |             |
| 144.5                             | 145   |             | 193974        | 0.5   | 37.5   |        |      | 62.5                     |        |     |      |             |
| 145                               | 145.5 |             | 193975        | 0.5   | 12.4   |        |      | 87.6                     |        |     |      |             |
| 145.5                             | 146   |             | 187826        | 0.5   | 26.9   |        |      | 73.1                     |        |     |      |             |
| 146                               | 146.5 |             | 187827        | 0.5   | 34.1   |        |      | 65.9                     |        |     |      |             |
| 146.5                             | 147   |             | 187828        | 0.5   | 17.7   |        |      | 82.3                     |        |     |      |             |
| 147                               | 147.5 |             | 187829        | 0.5   | 10.8   |        |      | 89.2                     |        |     |      |             |
| 147.5                             | 148   |             | 187830        | 0.5   | 14.7   |        |      | 85.3                     |        |     |      |             |
| 148                               | 148.5 |             | 187831        | 0.5   | 68.2   |        |      | 31.8                     |        |     |      |             |
| 148.5                             | 149   |             | 187832        | 0.5   | 49.5   |        |      | 50.5                     |        |     |      |             |
| 149                               | 149.5 |             | 187833        | 0.5   | 24.1   |        |      | 75.9                     |        |     |      |             |
| 149.5                             | 150   |             | 187834        | 0.5   | 37.5   |        |      | 62.5                     |        |     |      |             |
| 150                               | 150.5 |             | 187835        | 0.5   | 51.7   |        |      | 48.3                     |        |     |      |             |
| 150.5                             | 151   |             | 187836        | 0.5   | 87.3   |        |      | 12.7                     |        |     |      |             |
| 151                               | 151.5 |             | 187837        | 0.5   | 67.8   |        |      | 32.2                     |        |     |      |             |
| 151.5                             | 152   |             | 187838        | 0.5   | 55.1   |        |      | 44.9                     |        |     |      |             |
| 152                               | 152.5 |             | 187839        | 0.5   | 17.2   |        |      | 82.8                     |        |     |      |             |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2892        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 152.5                             | 153   |             | 187840        | 0.5   | 28.3 |        |      | 71.7                     |                      |      |         |  |
| 153                               | 153.5 |             | 187841        | 0.5   | 35.9 |        |      | 64.1                     |                      |      |         |  |
| 153.5                             | 154   |             | 187842        | 0.5   | 19.9 |        |      | 80.1                     |                      |      |         |  |
| 154                               | 154.5 |             | 187843        | 0.5   | 39.6 |        |      | 60.4                     |                      |      |         |  |
| 154.5                             | 155   |             | 187844        | 0.5   | 85.1 |        |      | 14.9                     |                      |      |         |  |
| 155                               | 155.5 |             | 187845        | 0.5   | 78.9 |        |      | 21.1                     |                      |      |         |  |
| 155.5                             | 156   |             | 187846        | 0.5   | 88.2 |        |      | 11.8                     |                      |      |         |  |
| 156                               | 156.5 |             | 187847        | 0.5   | 81.1 |        |      | 18.9                     |                      |      |         |  |
| 156.5                             | 157   |             | 187848        | 0.5   | 67.2 |        |      | 32.8                     |                      |      |         |  |
| 157                               | 157.5 |             | 187849        | 0.5   | 70.3 |        |      | 29.7                     |                      |      |         |  |
|                                   |       |             | compo352      |       | 23.5 | 18.94  | 0.46 | 57.1                     | 1                    | 0.4  |         |  |
| 202.5                             | 203   |             | 187850        | 0.5   | 29.9 |        |      | 70.1                     |                      |      |         |  |
| 203                               | 203.5 |             | 187801        | 0.5   | 86.4 |        |      | 13.6                     |                      |      |         |  |
|                                   |       |             | compo353      |       | 30.3 | 17.97  | 0.49 | 51.24                    | 1                    | 0.39 |         |  |
| 241.5                             | 242   |             | 187802        | 0.5   | 22.4 |        |      | 77.6                     |                      |      |         |  |
| 242                               | 242.5 |             | 187803        | 0.5   | 65.7 |        |      | 34.3                     |                      |      |         |  |
| 242.5                             | 243   |             | 187804        | 0.5   | 76.3 |        |      | 23.7                     |                      |      |         |  |
| 243                               | 243.5 |             | 187805        | 0.5   | 58.1 |        |      | 41.9                     |                      |      |         |  |
| 243.5                             | 244   |             | 187806        | 0.5   | 24.4 |        |      | 75.6                     |                      |      |         |  |
| 244                               | 244.5 |             | 187807        | 0.5   | 18.8 |        |      | 81.2                     |                      |      |         |  |
| 244.5                             | 245   |             | 187808        | 0.5   | 14.1 |        |      | 85.9                     |                      |      |         |  |
| 245                               | 245.5 |             | 187809        | 0.5   | 37.6 |        |      | 62.4                     |                      |      |         |  |
| 245.5                             | 246   |             | 187810        | 0.5   | 67.1 |        |      | 32.9                     |                      |      |         |  |
| 246                               | 246.5 |             | 187811        | 0.5   | 75.3 |        |      | 24.7                     |                      |      |         |  |
| 246.5                             | 247   |             | 187812        | 0.5   | 61.4 |        |      | 38.6                     |                      |      |         |  |
| 247                               | 247.5 |             | 187813        | 0.5   | 17.9 |        |      | 82.1                     |                      |      |         |  |
| 247.5                             | 248   |             | 187814        | 0.5   | 16.2 |        |      | 83.8                     |                      |      |         |  |
| 248                               | 248.5 |             | 187815        | 0.5   | 14.9 |        |      | 85.1                     |                      |      |         |  |
| 248.5                             | 249   |             | 187816        | 0.5   | 13.9 |        |      | 86.1                     |                      |      |         |  |
| 249                               | 249.5 |             | 187817        | 0.5   | 12.9 |        |      | 87.1                     |                      |      |         |  |
| 249.5                             | 250   |             | 187818        | 0.5   | 16.4 |        |      | 83.6                     |                      |      |         |  |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2892        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 250                               | 250.5 |             | 187819        | 0.5   | 46.6 |        |      | 53.4  |        |                          |      |         |
| 250.5                             | 251   |             | 187820        | 0.5   | 60.6 |        |      | 39.4  |        |                          |      |         |
| 251                               | 251.5 |             | 187821        | 0.5   | 16.5 |        |      | 83.5  |        |                          |      |         |
| 251.5                             | 252   |             | 187822        | 0.5   | 23.6 |        |      | 76.4  |        |                          |      |         |
| 252                               | 252.5 |             | 187823        | 0.5   | 13.8 |        |      | 86.2  |        |                          |      |         |
| 252.5                             | 253   |             | 187824        | 0.5   | 21.6 |        |      | 78.4  |        |                          |      |         |
| 253                               | 253.5 |             | 187825        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |         |
| 253.5                             | 254   |             | 193801        | 0.5   | 29.1 |        |      | 70.9  |        |                          |      |         |
| 254                               | 254.5 |             | 193802        | 0.5   | 29.7 |        |      | 70.3  |        |                          |      |         |
| 254.5                             | 255   |             | 193803        | 0.5   | 73.6 |        |      | 26.4  |        |                          |      |         |
| 255                               | 255.5 |             | 193804        | 0.5   | 76.1 |        |      | 23.9  |        |                          |      |         |
|                                   |       |             | compo354      |       | 27.3 | 18.31  | 0.46 | 53.93 | 1      | 0.39                     |      |         |
| 256                               | 256.5 |             | 193805        | 0.5   | 60.6 |        |      | 39.4  |        |                          |      |         |
| 256.5                             | 257   |             | 193806        | 0.5   | 72.9 |        |      | 27.1  |        |                          |      |         |
|                                   |       |             | compo355      |       | 24.3 | 18.03  | 0.49 | 57.18 | 2.5    | 0.35                     |      |         |
| 257.5                             | 258   |             | 193807        | 0.5   | 17.5 |        |      | 82.5  |        |                          |      |         |
| 258                               | 258.5 |             | 193808        | 0.5   | 10.3 |        |      | 89.7  |        |                          |      |         |
| 258.5                             | 259   |             | 193809        | 0.5   | 37.2 |        |      | 62.8  |        |                          |      |         |
| 259                               | 259.5 |             | 193810        | 0.5   | 23.1 |        |      | 76.9  |        |                          |      |         |
| 259.5                             | 260   |             | 193811        | 0.5   | 16.1 |        |      | 83.9  |        |                          |      |         |
| 260                               | 260.5 |             | 193812        | 0.5   | 15.4 |        |      | 84.6  |        |                          |      |         |
| 260.5                             | 261   |             | 193813        | 0.5   | 10.2 |        |      | 89.8  |        |                          |      |         |
| 261                               | 261.5 |             | 193814        | 0.5   | 36.6 |        |      | 63.4  |        |                          |      |         |
| 261.5                             | 262   |             | 193815        | 0.5   | 71.6 |        |      | 28.4  |        |                          |      |         |
|                                   |       |             | compo356      |       | 16.7 | 18.59  | 0.48 | 64.23 | 3      | 0.39                     |      |         |
| 264.5                             | 265   |             | 193816        | 0.5   | 23.5 |        |      | 76.5  |        |                          |      |         |
| 265                               | 265.5 |             | 193817        | 0.5   | 17.6 |        |      | 82.4  |        |                          |      |         |
| 265.5                             | 266   |             | 193818        | 0.5   | 50.2 |        |      | 49.8  |        |                          |      |         |
| 266                               | 266.5 |             | 193819        | 0.5   | 22.4 |        |      | 77.6  |        |                          |      |         |
| 266.5                             | 267   |             | 193820        | 0.5   | 16.8 |        |      | 83.2  |        |                          |      |         |
| 267                               | 267.5 |             | 193821        | 0.5   | 53.5 |        |      | 46.5  |        |                          |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2880        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                     |
| 36                                | 36.5  |             | 187201        | 0.5   | 7.6  |        |      | 92.4  |        |                          |      |                             |
| 36.5                              | 37    |             | 187202        | 0.5   | 39.4 |        |      | 60.6  |        |                          |      |                             |
| 37                                | 37.5  |             | 187203        | 0.5   | 45.9 |        |      | 54.1  |        |                          |      |                             |
| 37.5                              | 38    |             | 187204        | 0.5   | 58.3 |        |      | 41.7  |        |                          |      |                             |
| 38                                | 38.5  |             | 187205        | 0.5   | 67.8 |        |      | 32.2  |        |                          |      |                             |
|                                   |       | COMPO 107   |               |       | 23.4 | 25.84  | 1.04 | 49.72 | 8      | 0.63                     |      |                             |
| 41.5                              | 42    |             | 187206        | 0.5   | 34.6 |        |      | 65.4  |        |                          |      |                             |
| 42                                | 42.5  |             | 187207        | 0.5   | 55.1 |        |      | 44.9  |        |                          |      |                             |
| 42.5                              | 43    |             | 187208        | 0.5   | 80.9 |        |      | 19.1  |        |                          |      |                             |
| 102.5                             | 103   |             | 187209        | 0.5   | 20.1 |        |      | 79.9  |        |                          |      |                             |
| 103                               | 103.5 |             | 187210        | 0.5   | 9.6  |        |      | 90.4  |        |                          |      |                             |
| 103.5                             | 104   |             | 187211        | 0.5   | 59.7 |        |      | 40.3  |        |                          |      |                             |
| 104                               | 104.5 |             | 187212        | 0.5   | 48.5 |        |      | 51.5  |        |                          |      |                             |
| 104.5                             | 105   |             | 187213        | 0.5   | 66   |        |      | 34    |        |                          |      |                             |
| 105                               | 105.5 |             | 187214        | 0.5   | 46.5 |        |      | 53.5  |        |                          |      |                             |
|                                   |       | COMPO 108   |               |       | 15.8 | 24.62  | 0.98 | 58.6  | 5.5    | 0.65                     |      |                             |
| 115                               | 115.5 |             | 187215        | 0.5   | 15.4 |        |      | 84.6  |        |                          |      |                             |
| 115.5                             | 116   |             | 187216        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |                             |
| 116                               | 116.5 |             | 187217        | 0.5   | 58   |        |      | 42    |        |                          |      |                             |
|                                   |       | COMPO 109   |               |       | 19.4 | 27.46  | 0.87 | 52.27 | 8      | 0.81                     |      |                             |
| 130                               | 130.5 |             | 187218        | 0.5   | 53.4 |        |      | 46.6  |        |                          |      |                             |
| 130.5                             | 131   |             | 187219        | 0.5   | 45.6 |        |      | 54.4  |        |                          |      |                             |
| 131                               | 131.5 |             | 187220        | 0.5   | 29.5 |        |      | 70.5  |        |                          |      |                             |
| 131.5                             | 132   |             | 187221        | 0.5   | 22.6 |        |      | 77.4  |        |                          |      |                             |
| 132                               | 132.5 |             | 187222        | 0.5   | 22.1 |        |      | 77.9  |        |                          |      |                             |
| 132.5                             | 133   |             | 187223        | 0.5   | 13.2 |        |      | 86.8  |        |                          |      |                             |
| 133                               | 133.5 |             | 187224        | 0.5   | 33.5 |        |      | 66.5  |        |                          |      |                             |
| 133.5                             | 134   |             | 187225        | 0.5   | 78.5 |        |      | 21.5  |        |                          |      |                             |
|                                   |       | COMPO 110   |               |       | 24.4 | 23.74  | 0.84 | 51.02 | 7      | 0.72                     |      | RO-001-06<br>Ro Max<br>1.07 |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2880        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 161                               | 161.5 |             | 186976        | 0.5   | 16.8 |        |      | 83.2                     |        |                      |      |         |
| 161.5                             | 162   |             | 186977        | 0.5   | 17.9 |        |      | 82.1                     |        |                      |      |         |
| 162                               | 162.5 |             | 186978        | 0.5   | 26.6 |        |      | 73.4                     |        |                      |      |         |
| 162.5                             | 163   |             | 186979        | 0.5   | 34.5 |        |      | 65.5                     |        |                      |      |         |
| 163                               | 163.5 |             | 186980        | 0.5   | 72.1 |        |      | 27.9                     |        |                      |      |         |
|                                   |       | COMPO 111   |               |       | 24.5 | 24.61  | 0.78 | 50.11                    | 8      | 1.06                 |      |         |
| 164                               | 164.5 |             | 186981        | 0.5   | 68.8 |        |      | 31.2                     |        |                      |      |         |
| 164.5                             | 165   |             | 186982        | 0.5   | 84.8 |        |      | 15.2                     |        |                      |      |         |
|                                   |       |             |               |       |      |        |      | 100                      |        |                      |      |         |
| 170                               | 170.5 |             | 186983        | 0.5   | 22.5 |        |      | 77.5                     |        |                      |      |         |
| 170.5                             | 171   |             | 186984        | 0.5   | 64.7 |        |      | 35.3                     |        |                      |      |         |
|                                   |       |             |               |       |      |        |      |                          |        |                      |      |         |
| 188                               | 188.5 |             | 186985        | 0.5   | 37   |        |      | 63                       |        |                      |      |         |
| 188.5                             | 189   |             | 186987        | 0.5   | 20.6 |        |      | 79.4                     |        |                      |      |         |
| 189                               | 189.5 |             | 186988        | 0.5   | 27.2 |        |      | 72.8                     |        |                      |      |         |
| 189.5                             | 190   |             | 186989        | 0.5   | 70.9 |        |      | 29.1                     |        |                      |      |         |
|                                   |       | COMPO 112   |               |       | 29.2 | 22.28  | 0.78 | 47.74                    | 7      | 0.84                 |      |         |
| 191.5                             | 192   |             | 186990        | 0.5   | 75   |        |      | 25                       |        |                      |      |         |
| 192                               | 192.5 |             | 186991        | 0.5   | 83.4 |        |      | 16.6                     |        |                      |      |         |
|                                   |       |             |               |       |      |        |      |                          |        |                      |      |         |
| 213.5                             | 214   |             | 186992        | 0.5   | 17.4 |        |      | 82.6                     |        |                      |      |         |
| 214                               | 214.5 |             | 186993        | 0.5   | 14.9 |        |      | 85.1                     |        |                      |      |         |
| 214.5                             | 215   |             | 186994        | 0.5   | 25.1 |        |      | 74.9                     |        |                      |      |         |
| 215                               | 215.5 |             | 186995        | 0.5   | 15.5 |        |      | 84.5                     |        |                      |      |         |
| 215.5                             | 216   |             | 186996        | 0.5   | 13.4 |        |      | 86.6                     |        |                      |      |         |
| 216                               | 216.5 |             | 186997        | 0.5   | 42.3 |        |      | 57.7                     |        |                      |      |         |
| 216.5                             | 217   |             | 186998        | 0.5   | 24.6 |        |      | 75.4                     |        |                      |      |         |
| 217                               | 217.5 |             | 186999        | 0.5   | 13   |        |      | 87                       |        |                      |      |         |
| 217.5                             | 218   |             | 187000        | 0.5   | 15.5 |        |      | 84.5                     |        |                      |      |         |
| 218                               | 218.5 |             | 184976        | 0.5   | 31.8 |        |      | 68.2                     |        |                      |      |         |
| 218.5                             | 219   |             | 184977        | 0.5   | 29.2 |        |      | 70.8                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2880        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS                     |
| 219                               | 219.5 |             | 184978        | 0.5   | 82.2 |        |      | 17.8                     |        |                      |      | RO-002-06<br>Ro Max<br>1.13 |
|                                   |       | COMPO 113   |               |       | 22.2 | 21.98  | 0.76 | 55.06                    | 7      | 0.73                 |      |                             |
| 246                               | 246.5 |             | 184979        | 0.5   | 77.5 |        |      | 22.5                     |        |                      |      |                             |
| 246.5                             | 247   |             | 184980        | 0.5   | 66.7 |        |      | 33.3                     |        |                      |      |                             |
| 247                               | 247.5 |             | 184981        | 0.5   | 72.6 |        |      | 27.4                     |        |                      |      |                             |
| 247.5                             | 248   |             | 184982        | 0.5   | 80.1 |        |      | 19.9                     |        |                      |      |                             |
| 248                               | 248.5 |             | 184983        | 0.5   | 60.7 |        |      | 39.3                     |        |                      |      |                             |
| 248.5                             | 249   |             | 184984        | 0.5   | 87.7 |        |      | 12.3                     |        |                      |      |                             |
| 249.5                             | 250   |             | 184985        | 0.5   | 11.5 |        |      | 88.5                     |        |                      |      |                             |
| 250                               | 250.5 |             | 184986        | 0.5   | 15.9 |        |      | 84.1                     |        |                      |      |                             |
| 250.5                             | 251   |             | 184987        | 0.5   | 25.5 |        |      | 74.5                     |        |                      |      |                             |
| 251                               | 251.5 |             | 184988        | 0.5   | 75.9 |        |      | 24.1                     |        |                      |      |                             |
|                                   |       | COMPO 114   |               |       | 17.8 | 21.41  | 0.82 | 59.97                    | 6      | 0.69                 |      |                             |
| 255                               | 255.5 |             | 184989        | 0.5   | 89.4 |        |      | 10.6                     |        |                      |      |                             |
| 255.5                             | 256   |             | 184990        | 0.5   | 83.1 |        |      | 16.9                     |        |                      |      |                             |
| 256                               | 256.5 |             | 184991        | 0.5   | 77.3 |        |      | 22.7                     |        |                      |      |                             |
| 256.5                             | 257   |             | 184992        | 0.5   | 44.4 |        |      | 55.6                     |        |                      |      |                             |
| 257                               | 257.5 |             | 184993        | 0.5   | 24.2 |        |      | 75.8                     |        |                      |      |                             |
| 257.5                             | 258   |             | 184994        | 0.5   | 45.3 |        |      | 54.7                     |        |                      |      |                             |
| 258                               | 258.5 |             | 184995        | 0.5   | 56.4 |        |      | 43.6                     |        |                      |      |                             |
| 258.5                             | 259   |             | 184996        | 0.5   | 78.5 |        |      | 21.5                     |        |                      |      |                             |
| 259                               | 259.5 |             | 184997        | 0.5   | 75.9 |        |      | 24.1                     |        |                      |      |                             |
|                                   |       | COMPO 115   |               |       | 35.3 | 19.47  | 0.82 | 44.41                    | 1      | 0.79                 |      |                             |
| 267.5                             | 268   |             | 184998        | 0.5   | 80.7 |        |      | 19.3                     |        |                      |      |                             |
| 268                               | 268.5 |             | 184999        | 0.5   | 83.3 |        |      | 16.7                     |        |                      |      |                             |
| 277                               | 277.5 |             | 185000        | 0.5   | 27.2 |        |      | 72.8                     |        |                      |      |                             |
| 277.5                             | 278   |             | 184926        | 0.5   | 47.6 |        |      | 52.4                     |        |                      |      |                             |
| 278                               | 278.5 |             | 184927        | 0.5   | 63.1 |        |      | 36.9                     |        |                      |      |                             |
| 278.5                             | 279   |             | 184928        | 0.5   | 78.1 |        |      | 21.9                     |        |                      |      |                             |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2880        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS                     |
| 281                               | 281.5 |             | 184929        | 0.5   | 22.2    |        |      | 77.8                     |        |                      |      |                             |
| 281.5                             | 282   |             | 184930        | 0.5   | 34.1    |        |      | 65.9                     |        |                      |      |                             |
| 282                               | 282.5 |             | 184931        | 0.5   | 49.8    |        |      | 50.2                     |        |                      |      |                             |
| 282.5                             | 283   |             | 184932        | 0.5   | 61.7    |        |      | 38.3                     |        |                      |      |                             |
| 283                               | 283.5 |             | 184933        | 0.5   | 77.2    |        |      | 22.8                     |        |                      |      |                             |
|                                   |       | COMPO 116   |               |       | 27.8    | 18.79  | 0.83 | 52.58                    | 2.5    | 0.58                 |      |                             |
| 300.5                             | 301   |             | 184934        | 0.5   | 27.9    |        |      | 72.1                     |        |                      |      |                             |
| 301                               | 301.5 |             | 184935        | 0.5   | 34.3    |        |      | 65.7                     |        |                      |      |                             |
| 301.5                             | 302   |             | 184936        | 0.5   | 30.4    |        |      | 69.6                     |        |                      |      |                             |
| 302                               | 302.5 |             | 184937        | 0.5   | missing |        |      |                          |        |                      |      |                             |
| 302.5                             | 303   |             | 184938        | 0.5   | 76.5    |        |      | 23.5                     |        |                      |      |                             |
| 303                               | 303.5 |             | 184939        | 0.5   | 84.3    |        |      | 15.7                     |        |                      |      |                             |
|                                   |       | COMPO 117   |               |       | 31.8    | 19     | 0.66 | 48.54                    | 1.5    | 0.48                 |      |                             |
| 304                               | 304.5 |             | 184940        | 0.5   | 37.7    |        |      | 62.3                     |        |                      |      |                             |
| 304.5                             | 305   |             | 184941        | 0.5   | 50.3    |        |      | 49.7                     |        |                      |      |                             |
| 305                               | 305.5 |             | 184942        | 0.5   | 50.9    |        |      | 49.1                     |        |                      |      |                             |
| 305.5                             | 306   |             | 184943        | 0.5   | 29.1    |        |      | 70.9                     |        |                      |      |                             |
| 306                               | 306.5 |             | 184944        | 0.5   | 29.9    |        |      | 70.1                     |        |                      |      |                             |
| 306.5                             | 307   |             | 184945        | 0.5   | 40.1    |        |      | 59.9                     |        |                      |      |                             |
| 307                               | 307.5 |             | 184946        | 0.5   | 32.2    |        |      | 67.8                     |        |                      |      |                             |
| 307.5                             | 308   |             | 184947        | 0.5   | 44.1    |        |      | 55.9                     |        |                      |      |                             |
| 308                               | 308.5 |             | 184948        | 0.5   | 62.4    |        |      | 37.6                     |        |                      |      |                             |
| 308.5                             | 309   |             | 184949        | 0.5   | 68.6    |        |      | 31.4                     |        |                      |      |                             |
| 309                               | 309.5 |             | 184950        | 0.5   | 85.4    |        |      | 14.6                     |        |                      |      |                             |
|                                   |       | COMPO 118   |               |       | 35.7    | 19.69  | 0.68 | 43.93                    | 1      | 0.41                 |      | RO-003-06<br>Ro Max<br>1.24 |
| 355.5                             | 356   |             | 184901        | 0.5   | 72.3    |        |      | 27.7                     |        |                      |      |                             |
| 356                               | 356.5 |             | 184902        | 0.5   | 76.7    |        |      | 23.3                     |        |                      |      |                             |
| 356.5                             | 357   |             | 184903        | 0.5   | 89.2    |        |      | 10.8                     |        |                      |      |                             |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2881        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                     |
| 60                                | 60.5  |             | 184776        | 0.5   | 56.5 |        |      | 43.5  |        |                          |      |                             |
| 60.5                              | 61    |             | 184777        | 0.5   | 53.8 |        |      | 46.2  |        |                          |      |                             |
| 83                                | 83.5  |             | 184778        | 0.5   | 44.4 |        |      | 55.6  |        |                          |      |                             |
| 83.5                              | 84    |             | 184779        | 0.5   | 75.6 |        |      | 24.4  |        |                          |      |                             |
| 93                                | 93.5  |             | 184780        | 0.5   | 52.7 |        |      | 47.3  |        |                          |      |                             |
| 127.5                             | 128   |             | 184781        | 0.5   | 62.9 |        |      | 37.1  |        |                          |      |                             |
| 128                               | 128.5 |             | 184782        | 0.5   | 71.5 |        |      | 28.5  |        |                          |      |                             |
| 128.5                             | 129   |             | 184783        | 0.5   | 34.6 |        |      | 65.4  |        |                          |      |                             |
| 129                               | 129.5 |             | 184784        | 0.5   | 13.2 |        |      | 86.8  |        |                          |      |                             |
| 129.5                             | 130   |             | 184785        | 0.5   | 7.7  |        |      | 92.3  |        |                          |      |                             |
| 130                               | 130.5 |             | 184786        | 0.5   | 4.7  |        |      | 95.3  |        |                          |      |                             |
| 130.5                             | 131   |             | 184788        | 0.5   | 8.3  |        |      | 91.7  |        |                          |      |                             |
| 131                               | 131.5 |             | 184789        | 0.5   | 6.5  |        |      | 93.5  |        |                          |      |                             |
| 131.5                             | 132   |             | 184790        | 0.5   | 4.5  |        |      | 95.5  |        |                          |      |                             |
| 132                               | 132.5 |             | 184791        | 0.5   | 73.3 |        |      | 26.7  |        |                          |      |                             |
| 132.5                             | 133   |             | 184792        | 0.5   | 65.9 |        |      | 34.1  |        |                          |      |                             |
| 133                               | 133.5 |             | 184793        | 0.5   | 81.2 |        |      | 18.8  |        |                          |      |                             |
|                                   |       | COMPO 119   |               |       | 11.6 | 27.21  | 1.2  | 59.99 | 7.5    | 0.6                      |      | RO-004-06<br>Ro Max<br>1.01 |
| 135                               | 135.5 |             | 184794        | 0.5   | 35.6 |        |      | 64.4  |        |                          |      |                             |
| 135.5                             | 136   |             | 184795        | 0.5   | 16.2 |        |      | 83.8  |        |                          |      |                             |
| 136                               | 136.5 |             | 184796        | 0.5   | 47.3 |        |      | 52.7  |        |                          |      |                             |
| 136.5                             | 137   |             | 184797        | 0.5   | 80.2 |        |      | 19.8  |        |                          |      |                             |
|                                   |       | COMPO 120   |               |       | 25.4 | 25.91  | 0.98 | 47.71 | 6.5    | 0.85                     |      |                             |
| 140                               | 140.5 |             | 184798        | 0.5   | 53.6 |        |      | 46.4  |        |                          |      |                             |
| 140.5                             | 141   |             | 184799        | 0.5   | 85.5 |        |      | 14.5  |        |                          |      |                             |
| 148                               | 148.5 |             | 184800        | 0.5   | 80.1 |        |      | 19.9  |        |                          |      |                             |
| 148.5                             | 149   |             | 184801        | 0.5   | 54.1 |        |      | 45.9  |        |                          |      |                             |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2881        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                     |
| 149                               | 149.5 |             | 184802        | 0.5   | 75.5 |        |      | 24.5  |        |                          |      |                             |
| 149.5                             | 150   |             | 184803        | 0.5   | 66.8 |        |      | 33.2  |        |                          |      |                             |
| 151                               | 151.5 |             | 184804        | 0.5   | 75.3 |        |      | 24.7  |        |                          |      |                             |
| 151.5                             | 152   |             | 184805        | 0.5   | 90.8 |        |      | 9.2   |        |                          |      |                             |
| 152                               | 152.5 |             | 184806        | 0.5   | 25.6 |        |      | 74.4  |        |                          |      |                             |
| 152.5                             | 153   |             | 184807        | 0.5   | 26.2 |        |      | 73.8  |        |                          |      |                             |
| 153                               | 153.5 |             | 184808        | 0.5   | 16.9 |        |      | 83.1  |        |                          |      |                             |
| 153.5                             | 154   |             | 184809        | 0.5   | 23.9 |        |      | 76.1  |        |                          |      |                             |
| 154                               | 154.5 |             | 184810        | 0.5   | 15.5 |        |      | 84.5  |        |                          |      |                             |
| 154.5                             | 155   |             | 184811        | 0.5   | 19.3 |        |      | 80.7  |        |                          |      |                             |
| 155                               | 155.5 |             | 184812        | 0.5   | 63.5 |        |      | 36.5  |        |                          |      |                             |
|                                   |       | COMPO 121   |               |       | 22.4 | 24.37  | 1.11 | 52.12 | 6      | 0.65                     |      | RO-005-06<br>Ro Max<br>1.02 |
| 161.5                             | 162   |             | 184813        | 0.5   | 81.2 |        |      | 18.8  |        |                          |      |                             |
| 162                               | 162.5 |             | 184814        | 0.5   | 65.3 |        |      | 34.7  |        |                          |      |                             |
| 162.5                             | 163   |             | 184815        | 0.5   | 71.9 |        |      | 28.1  |        |                          |      |                             |
| 163                               | 163.5 |             | 184816        | 0.5   | 9.1  |        |      | 90.9  |        |                          |      |                             |
| 163.5                             | 164   |             | 184817        | 0.5   | 15.6 |        |      | 84.4  |        |                          |      |                             |
| 164                               | 164.5 |             | 184818        | 0.5   | 45.2 |        |      | 54.8  |        |                          |      |                             |
| 164.5                             | 165   |             | 184819        | 0.5   | 73.4 |        |      | 26.6  |        |                          |      |                             |
|                                   |       | COMPO 122   |               |       | 24.6 | 25.46  | 1.06 | 48.88 | 7      | 0.8                      |      |                             |
| 180.5                             | 181   |             | 184821        | 0.5   | 24.1 |        |      | 75.9  |        |                          |      |                             |
| 181                               | 181.5 |             | 184822        | 0.5   | 31.6 |        |      | 68.4  |        |                          |      |                             |
| 181.5                             | 182   |             | 184823        | 0.5   | 51.4 |        |      | 48.6  |        |                          |      |                             |
| 182                               | 182.5 |             | 184824        | 0.5   | 13.2 |        |      | 86.8  |        |                          |      |                             |
| 182.5                             | 183   |             | 184825        | 0.5   | 21.9 |        |      | 78.1  |        |                          |      |                             |
| 183                               | 183.5 |             | 184826        | 0.5   | 12.4 |        |      | 87.6  |        |                          |      |                             |
| 183.5                             | 184   |             | 184827        | 0.5   | 16.1 |        |      | 83.9  |        |                          |      |                             |
| 184                               | 184.5 |             | 184828        | 0.5   | 61.9 |        |      | 38.1  |        |                          |      |                             |
| 184.5                             | 185   |             | 184829        | 0.5   | 86.9 |        |      | 13.1  |        |                          |      |                             |
|                                   |       | COMPO 123   |               |       | 25   | 23.82  | 1.07 | 50.11 | 6.5    | 0.72                     |      | RO-006-06<br>Ro Max - 1.06  |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |                |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|----------------|
| HOLE NUMBER:                      |       | 2881        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS        |
| 207.5                             | 208   |             | 184830        | 0.5   | 21.4 |        |      | 78.6                     |        |                      |      |                |
| 208                               | 208.5 |             | 184831        | 0.5   | 26.1 |        |      | 73.9                     |        |                      |      |                |
| 208.5                             | 209   |             | 184832        | 0.5   | 15.2 |        |      | 84.8                     |        |                      |      |                |
| 209                               | 209.5 |             | 184833        | 0.5   | 31.7 |        |      | 68.3                     |        |                      |      |                |
| 209.5                             | 210   |             | 184834        | 0.5   | 50.2 |        |      | 49.8                     |        |                      |      |                |
| 210                               | 210.5 |             | 184835        | 0.5   | 90.1 |        |      | 9.9                      |        |                      |      |                |
|                                   |       | COMPO 124   |               |       | 23.8 | 24.83  | 0.95 | 50.42                    | 7.5    | 1.06                 |      |                |
| 236                               | 236.5 |             | 184836        | 0.5   | 34.1 |        |      | 65.9                     |        |                      |      |                |
| 236.5                             | 237   |             | 184837        | 0.5   | 58.4 |        |      | 41.6                     |        |                      |      |                |
| 237                               | 237.5 |             | 184838        | 0.5   | 81.2 |        |      | 18.8                     |        |                      |      |                |
| 265.5                             | 266   |             | 184839        | 0.5   | 26.1 |        |      | 73.9                     |        |                      |      |                |
| 266                               | 266.5 |             | 184840        | 0.5   | 9.2  |        |      | 90.8                     |        |                      |      |                |
| 266.5                             | 267   |             | 184841        | 0.5   | 36.9 |        |      | 63.1                     |        |                      |      |                |
| 267                               | 267.5 |             | 184842        | 0.5   | 27.6 |        |      | 72.4                     |        |                      |      |                |
| 267.5                             | 268   |             | 184843        | 0.5   | 16.1 |        |      | 83.9                     |        |                      |      |                |
| 268                               | 268.5 |             | 184844        | 0.5   | 15.4 |        |      | 84.6                     |        |                      |      |                |
| 268.5                             | 269   |             | 184845        | 0.5   | 29.3 |        |      | 70.7                     |        |                      |      |                |
| 269                               | 269.5 |             | 184846        | 0.5   | 53.5 |        |      | 46.5                     |        |                      |      | RO-007-06      |
|                                   |       | COMPO 125   |               |       | 23.2 | 22.27  | 0.9  | 53.63                    | 6      | 0.61                 |      | Ro Max<br>1.14 |
| 304.5                             | 305   |             | 184847        | 0.5   | 76.2 |        |      | 23.8                     |        |                      |      |                |
| 305                               | 305.5 |             | 184848        | 0.5   | 86.5 |        |      | 13.5                     |        |                      |      |                |
| 305.5                             | 306   |             | 184849        | 0.5   | 69.4 |        |      | 30.6                     |        |                      |      |                |
| 306                               | 306.5 |             | 184850        | 0.5   | 59.4 |        |      | 40.6                     |        |                      |      |                |
| 306.5                             | 307   |             | 184851        | 0.5   | 78.6 |        |      | 21.4                     |        |                      |      |                |
| 308.5                             | 309   |             | 184852        | 0.5   | 15.8 |        |      | 84.2                     |        |                      |      |                |
| 309                               | 309.5 |             | 184853        | 0.5   | 14.9 |        |      | 85.1                     |        |                      |      |                |
| 309.5                             | 310   |             | 184854        | 0.5   | 68.1 |        |      | 31.9                     |        |                      |      |                |
| 310                               | 310.5 |             | 184855        | 0.5   | 87.9 |        |      | 12.1                     |        |                      |      |                |
|                                   |       | COMPO 126   |               |       | 15.6 | 23.91  | 0.73 | 59.76                    | 6      | 0.63                 |      |                |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2881        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS                    |
| 315                               | 315.5 |             | 184856        | 0.5   | 15.9 |        |      | 84.1                     |        |                      |      |                            |
| 315.5                             | 316   |             | 184857        | 0.5   | 71.2 |        |      | 28.8                     |        |                      |      |                            |
| 316                               | 316.5 |             | 184858        | 0.5   | 82.8 |        |      | 17.2                     |        |                      |      |                            |
| 343.5                             | 344   |             | 184859        | 0.5   | 19.3 |        |      | 80.7                     |        |                      |      |                            |
| 344                               | 344.5 |             | 184860        | 0.5   | 64.3 |        |      | 35.7                     |        |                      |      |                            |
| 344.5                             | 345   |             | 184861        | 0.5   | 86.1 |        |      | 13.9                     |        |                      |      |                            |
| 345                               | 345.5 |             | 184862        | 0.5   | 90.5 |        |      | 9.5                      |        |                      |      |                            |
| 345.5                             | 346   |             | 184863        | 0.5   | 87.7 |        |      | 12.3                     |        |                      |      |                            |
| 347                               | 347.5 |             | 184864        | 0.5   | 31.8 |        |      | 68.2                     |        |                      |      |                            |
| 347.5                             | 348   |             | 184865        | 0.5   | 53.3 |        |      | 46.7                     |        |                      |      |                            |
| 348                               | 348.5 |             | 184866        | 0.5   | 55.4 |        |      | 44.6                     |        |                      |      |                            |
| 348.5                             | 349   |             | 184867        | 0.5   | 86.1 |        |      | 13.9                     |        |                      |      |                            |
| 366                               | 366.5 |             | 184868        | 0.5   | 28.4 |        |      | 71.6                     |        |                      |      |                            |
| 366.5                             | 367   |             | 184869        | 0.5   | 41.6 |        |      | 58.4                     |        |                      |      |                            |
| 367                               | 367.5 |             | 184870        | 0.5   | 31.1 |        |      | 68.9                     |        |                      |      |                            |
| 367.5                             | 368   |             | 184871        | 0.5   | 84.7 |        |      | 15.3                     |        |                      |      |                            |
|                                   |       | COMPO 127   |               |       | 34.3 | 17.41  | 0.71 | 47.58                    | 1      | 0.48                 |      |                            |
| 370                               | 370.5 |             | 184872        | 0.5   | 46.5 |        |      | 53.5                     |        |                      |      |                            |
| 370.5                             | 371   |             | 184873        | 0.5   | 68.9 |        |      | 31.1                     |        |                      |      |                            |
| 371                               | 371.5 |             | 184874        | 0.5   | 29.5 |        |      | 70.5                     |        |                      |      |                            |
| 371.5                             | 372   |             | 184875        | 0.5   | 21.2 |        |      | 78.8                     |        |                      |      |                            |
| 372                               | 372.5 |             | 184876        | 0.5   | 29.5 |        |      | 70.5                     |        |                      |      |                            |
| 372.5                             | 373   |             | 184877        | 0.5   | 52.8 |        |      | 47.2                     |        |                      |      |                            |
| 373                               | 373.5 |             | 184878        | 0.5   | 32.4 |        |      | 67.6                     |        |                      |      |                            |
| 373.5                             | 374   |             | 184879        | 0.5   | 36.8 |        |      | 63.2                     |        |                      |      |                            |
| 374                               | 374.5 |             | 184880        | 0.5   | 69.6 |        |      | 30.4                     |        |                      |      |                            |
| 374.5                             | 375   |             | 184881        | 0.5   | 78.8 |        |      | 21.2                     |        |                      |      |                            |
|                                   |       | COMPO 128   |               |       | 33   | 21.17  | 0.66 | 45.17                    | 1      | 0.3                  |      | RO-008-06<br>Ro Max - 1.22 |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2882        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 25                                | 25.5  |             | 192951        | 0.5   | 48.8 |        |      | 51.2                     |        |                      |      |         |
| 25.5                              | 26    |             | 192952        | 0.5   | 35.9 |        |      | 64.1                     |        |                      |      |         |
| 26                                | 26.5  |             | 192953        | 0.5   | 54.5 |        |      | 45.5                     |        |                      |      |         |
| 26.5                              | 27    |             | 192954        | 0.5   | 55.3 |        |      | 44.7                     |        |                      |      |         |
| 27                                | 27.5  |             | 192955        | 0.5   | 86.4 |        |      | 13.6                     |        |                      |      |         |
|                                   |       |             | COMPO 251     |       | 43.2 | 15.59  | 0.69 | 40.52                    | 1.5    | 0.59                 |      |         |
| 44                                | 44.5  |             | 192956        | 0.5   | 85.7 |        |      | 14.3                     |        |                      |      |         |
| 44.5                              | 45    |             | 192957        | 0.5   | 88   |        |      | 12                       |        |                      |      |         |
| 45                                | 45.5  |             | 192958        | 0.5   | 88   |        |      | 12                       |        |                      |      |         |
| 45.5                              | 46    |             | 192959        | 0.5   | 81.9 |        |      | 18.1                     |        |                      |      |         |
| 46                                | 46.5  |             | 192960        | 0.5   | 28.8 |        |      | 71.2                     |        |                      |      |         |
| 46.5                              | 47    |             | 192961        | 0.5   | 25.9 |        |      | 74.1                     |        |                      |      |         |
| 47                                | 47.5  |             | 192962        | 0.5   | 38.1 |        |      | 61.9                     |        |                      |      |         |
| 47.5                              | 48    |             | 192963        | 0.5   | 22.5 |        |      | 77.5                     |        |                      |      |         |
| 48                                | 48.5  |             | 192964        | 0.5   | 20.9 |        |      | 79.1                     |        |                      |      |         |
| 48.5                              | 49    |             | 192965        | 0.5   | 26.4 |        |      | 73.6                     |        |                      |      |         |
| 49                                | 49.5  |             | 192966        | 0.5   | 22.4 |        |      | 77.6                     |        |                      |      |         |
| 49.5                              | 50    |             | 192967        | 0.5   | 29.3 |        |      | 70.7                     |        |                      |      |         |
| 50                                | 50.5  |             | 192968        | 0.5   | 15.3 |        |      | 84.7                     |        |                      |      |         |
| 50.5                              | 51    |             | 192969        | 0.5   | 30.4 |        |      | 69.6                     |        |                      |      |         |
| 51                                | 51.5  |             | 192970        | 0.5   | 39.1 |        |      | 60.9                     |        |                      |      |         |
| 51.5                              | 52    |             | 192971        | 0.5   | 59.1 |        |      | 40.9                     |        |                      |      |         |
| 52                                | 52.5  |             | 192973        | 0.5   | 77.8 |        |      | 22.2                     |        |                      |      |         |
| 52.5                              | 53    |             | 192974        | 0.5   | 34   |        |      | 66                       |        |                      |      |         |
| 53                                | 53.5  |             | 192975        | 0.5   | 41.7 |        |      | 58.3                     |        |                      |      |         |
| 53.5                              | 54    |             | 192976        | 0.5   | 81.9 |        |      | 18.1                     |        |                      |      |         |
|                                   |       |             | COMPO 252     |       | 27.6 | 19.56  | 0.6  | 52.24                    | 2.5    | 0.37                 |      |         |
| 129                               | 129.5 |             | 192978        | 0.5   | 72.7 |        |      | 27.3                     |        |                      |      |         |
| 129.5                             | 130   |             | 192979        | 0.5   | 62.2 |        |      | 37.8                     |        |                      |      |         |
| 130                               | 130.5 |             | 192980        | 0.5   | 63.6 |        |      | 36.4                     |        |                      |      |         |
| 130.5                             | 131   |             | 192981        | 0.5   | 63.7 |        |      | 36.3                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2882        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 131                               | 131.5 |             | 192982        | 0.5   | 31.1 |        |      | 68.9                     |        |      |      |         |
| 131.5                             | 132   |             | 192983        | 0.5   | 36.4 |        |      | 63.6                     |        |      |      |         |
| 132                               | 132.5 |             | 192984        | 0.5   | 49.4 |        |      | 50.6                     |        |      |      |         |
| 132.5                             | 133   |             | 192985        | 0.5   | 89.8 |        |      | 10.2                     |        |      |      |         |
|                                   |       |             | COMPO 253     |       | 36.1 | 15.18  | 0.59 | 48.13                    | 1      | 0.38 |      |         |
| 149                               | 149.5 |             | 192986        | 0.5   | 43.7 |        |      | 56.3                     |        |      |      |         |
| 149.5                             | 150   |             | 192987        | 0.5   | 34.6 |        |      | 65.4                     |        |      |      |         |
| 150                               | 150.5 |             | 192988        | 0.5   | 22.4 |        |      | 77.6                     |        |      |      |         |
| 150.5                             | 151   |             | 192989        | 0.5   | 24.7 |        |      | 75.3                     |        |      |      |         |
| 151                               | 151.5 |             | 192990        | 0.5   | 33.5 |        |      | 66.5                     |        |      |      |         |
| 151.5                             | 152   |             | 192991        | 0.5   | 44   |        |      | 56                       |        |      |      |         |
| 152                               | 152.5 |             | 192992        | 0.5   | 59.3 |        |      | 40.7                     |        |      |      |         |
| 152.5                             | 153   |             | 192993        | 0.5   | 80.5 |        |      | 19.5                     |        |      |      |         |
| 153                               | 153.5 |             | 192994        | 0.5   | 76   |        |      | 24                       |        |      |      |         |
| 153.5                             | 154   |             | 192995        | 0.5   | 48.5 |        |      | 51.5                     |        |      |      |         |
| 154                               | 154.5 |             | 192996        | 0.5   | 53.3 |        |      | 46.7                     |        |      |      |         |
| 154.5                             | 155   |             | 192997        | 0.5   | 64.8 |        |      | 35.2                     |        |      |      |         |
|                                   |       |             | COMPO 254     |       | 32.5 | 18.78  | 0.53 | 48.19                    | 4.5    | 0.51 |      |         |
| 163                               | 163.5 |             | 192998        | 0.5   | 43.5 |        |      | 56.5                     |        |      |      |         |
| 163.5                             | 164   |             | 192999        | 0.5   | 42.4 |        |      | 57.6                     |        |      |      |         |
| 164                               | 164.5 |             | 193000        | 0.5   | 58.9 |        |      | 41.1                     |        |      |      |         |
| 164.5                             | 165   |             | 190726        | 0.5   | 33.7 |        |      | 66.3                     |        |      |      |         |
| 165                               | 165.5 |             | 190727        | 0.5   | 27.9 |        |      | 72.1                     |        |      |      |         |
| 165.5                             | 166   |             | 190728        | 0.5   | 22.7 |        |      | 77.3                     |        |      |      |         |
| 166                               | 166.5 |             | 190729        | 0.5   | 25.6 |        |      | 74.4                     |        |      |      |         |
| 166.5                             | 167   |             | 190730        | 0.5   | 77.3 |        |      | 22.7                     |        |      |      |         |
|                                   |       |             | COMPO 255     |       | 34   | 17.95  | 0.5  | 47.55                    | 1      | 0.37 |      |         |
| 189                               | 189.5 |             | 190731        | 0.5   | 76.9 |        |      | 23.1                     |        |      |      |         |
| 189.5                             | 190   |             | 190732        | 0.5   | 63.5 |        |      | 36.5                     |        |      |      |         |
| 190                               | 190.5 |             | 190733        | 0.5   | 78.8 |        |      | 21.2                     |        |      |      |         |
|                                   |       |             | COMPO 256     |       | 37.8 | 16.17  | 0.57 | 45.46                    | 1      | 0.4  |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |   |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|---|------|---------|
| HOLE NUMBER:                      |       | 2882        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |   |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S | PHOS | REMARKS |
| 196.5                             | 197   |             | 190734        | 0.5   | 30.1 |        |      | 69.9                     |   |      |         |
| 197                               | 197.5 |             | 190736        | 0.5   | 51.7 |        |      | 48.3                     |   |      |         |
| 197.5                             | 198   |             | 190737        | 0.5   | 87.1 |        |      | 12.9                     |   |      |         |
| 216.5                             | 217   |             | 190738        | 0.5   | 10.6 |        |      | 89.4                     |   |      |         |
| 217                               | 217.5 |             | 190739        | 0.5   | 47.5 |        |      | 52.5                     |   |      |         |
| 217.5                             | 218   |             | 190740        | 0.5   | 32.3 |        |      | 67.7                     |   |      |         |
| 218                               | 218.5 |             | 190741        | 0.5   | 56   |        |      | 44                       |   |      |         |
| 218.5                             | 219   |             | 190742        | 0.5   | 20.8 |        |      | 79.2                     |   |      |         |
| 219                               | 219.5 |             | 190743        | 0.5   | 18.1 |        |      | 81.9                     |   |      |         |
| 219.5                             | 220   |             | 190744        | 0.5   | 25.4 |        |      | 74.6                     |   |      |         |
| 220                               | 220.5 |             | 190745        | 0.5   | 25.8 |        |      | 74.2                     |   |      |         |
| 220.5                             | 221   |             | 190746        | 0.5   | 34.8 |        |      | 65.2                     |   |      |         |
| 221                               | 221.5 |             | 190747        | 0.5   | 31.1 |        |      | 68.9                     |   |      |         |
| 221.5                             | 222   |             | 190748        | 0.5   | 19.9 |        |      | 80.1                     |   |      |         |
| 222                               | 222.5 |             | 190749        | 0.5   | 22.7 |        |      | 77.3                     |   |      |         |
| 222.5                             | 223   |             | 190750        | 0.5   | 26.8 |        |      | 73.2                     |   |      |         |
| 223                               | 223.5 |             | 190576        | 0.5   | 21.7 |        |      | 78.3                     |   |      |         |
| 223.5                             | 224   |             | 190577        | 0.5   | 30.5 |        |      | 69.5                     |   |      |         |
| 224                               | 224.5 |             | 190578        | 0.5   | 24.8 |        |      | 75.2                     |   |      |         |
| 224.5                             | 225   |             | 190579        | 0.5   | 35.8 |        |      | 64.2                     |   |      |         |
| 225                               | 225.5 |             | 190580        | 0.5   | 39.9 |        |      | 60.1                     |   |      |         |
| 225.5                             | 226   |             | 190581        | 0.5   | 53.3 |        |      | 46.7                     |   |      |         |
| 226                               | 226.5 |             | 190582        | 0.5   | 43   |        |      | 57                       |   |      |         |
| 226.5                             | 227   |             | 190583        | 0.5   | 37.8 |        |      | 62.2                     |   |      |         |
| 227                               | 227.5 |             | 190584        | 0.5   | 48.7 |        |      | 51.3                     |   |      |         |
| 227.5                             | 228   |             | 190585        | 0.5   | 39.2 |        |      | 60.8                     |   |      |         |
| 228                               | 228.5 |             | 190586        | 0.5   | 18.8 |        |      | 81.2                     |   |      |         |
| 228.5                             | 229   |             | 190587        | 0.5   | 53.5 |        |      | 46.5                     |   |      |         |
| 229                               | 229.5 |             | 190588        | 0.5   | 45.9 |        |      | 54.1                     |   |      |         |
| 229.5                             | 230   |             | 190589        | 0.5   | 68.2 |        |      | 31.8                     |   |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2882        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 230                               | 230.5 |             | 190590        | 0.5   | 55.6 |        |      | 44.4                     |        |      |      |         |
| 230.5                             | 231   |             | 190591        | 0.5   | 39.7 |        |      | 60.3                     |        |      |      |         |
| 231                               | 231.5 |             | 190592        | 0.5   | 51.4 |        |      | 48.6                     |        |      |      |         |
| 231.5                             | 232   |             | 190593        | 0.5   | 82.9 |        |      | 17.1                     |        |      |      |         |
|                                   |       |             | COMPO 257     |       | 31.8 | 16.73  | 0.62 | 50.85                    | 1.5    | 0.39 |      |         |
| 247                               | 247.5 |             | 190594        | 0.5   | 67.6 |        |      | 32.4                     |        |      |      |         |
| 247.5                             | 248   |             | 190595        | 0.5   | 83.9 |        |      | 16.1                     |        |      |      |         |
| 249                               | 249.5 |             | 190596        | 0.5   | 70.1 |        |      | 29.9                     |        |      |      |         |
| 249.5                             | 250   |             | 190597        | 0.5   | 70.7 |        |      | 29.3                     |        |      |      |         |
| 250                               | 250.5 |             | 190598        | 0.5   | 20.3 |        |      | 79.7                     |        |      |      |         |
| 250.5                             | 251   |             | 190599        | 0.5   | 30.4 |        |      | 69.6                     |        |      |      |         |
| 251                               | 251.5 |             | 190600        | 0.5   | 85.6 |        |      | 14.4                     |        |      |      |         |
| 251.5                             | 252   |             | 190601        | 0.5   | 82.4 |        |      | 17.6                     |        |      |      |         |
|                                   |       |             | COMPO 258     | 0     | 26.5 | 16.42  | 0.54 | 56.54                    | 1      | 0.43 |      |         |
| 257                               | 257.5 |             | 190602        | 0.5   | 69.7 |        |      | 30.3                     |        |      |      |         |
| 257.5                             | 258   |             | 190603        | 0.5   | 64.6 |        |      | 35.4                     |        |      |      |         |
| 258                               | 258.5 |             | 190604        | 0.5   | 75.4 |        |      | 24.6                     |        |      |      |         |
| 258.5                             | 259   |             | 190605        | 0.5   | 79.8 |        |      | 20.2                     |        |      |      |         |
| 259                               | 259.5 |             | 190606        | 0.5   | 63.3 |        |      | 36.7                     |        |      |      |         |
| 259.5                             | 260   |             | 190607        | 0.5   | 53.5 |        |      | 46.5                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2883        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 19                                | 19.5  |             | 187176        | 0.5   | 44   |        |      | 56    |        |                          |      |         |
| 19.5                              | 20    |             | 187177        | 0.5   | 68.8 |        |      | 31.2  |        |                          |      |         |
| 20                                | 20.5  |             | 187178        | 0.5   | 55.6 |        |      | 44.4  |        |                          |      |         |
| 20.5                              | 21    |             | 187179        | 0.5   | 27.1 |        |      | 72.9  |        |                          |      |         |
| 21                                | 21.5  |             | 187180        | 0.5   | 28.3 |        |      | 71.7  |        |                          |      |         |
| 21.5                              | 22    |             | 187181        | 0.5   | 9.1  |        |      | 90.9  |        |                          |      |         |
| 22                                | 22.5  |             | 187182        | 0.5   | 14.9 |        |      | 85.1  |        |                          |      |         |
| 22.5                              | 23    |             | 187183        | 0.5   | 58.1 |        |      | 41.9  |        |                          |      |         |
| 23                                | 23.5  |             | 187184        | 0.5   | 78   |        |      | 22    |        |                          |      |         |
| 23.5                              | 24    |             | 187185        | 0.5   | 85.6 |        |      | 14.4  |        |                          |      |         |
|                                   |       | compo 129   |               |       | 19.6 | 27.51  | 1.01 | 51.88 | 7.5    | 1.27                     |      |         |
| 40                                | 40.5  |             | 187186        | 0.5   | 65.7 |        |      | 34.3  |        |                          |      |         |
| 40.5                              | 41    |             | 187187        | 0.5   | 84.3 |        |      | 15.7  |        |                          |      |         |
| 48                                | 48.5  |             | 187188        | 0.5   | 21   |        |      | 79    |        |                          |      |         |
| 48.5                              | 49    |             | 187189        | 0.5   | 55.3 |        |      | 44.7  |        |                          |      |         |
| 49                                | 49.5  |             | 187190        | 0.5   | 41   |        |      | 59    |        |                          |      |         |
| 49.5                              | 50    |             | 187191        | 0.5   | 79.7 |        |      | 20.3  |        |                          |      |         |
|                                   |       | compo 130   |               |       | 38.2 | 22.62  | 1.03 | 38.15 | 6.5    | 1.34                     |      |         |
| 72.5                              | 73    |             | 187192        | 0.5   | 41.7 |        |      | 58.3  |        |                          |      |         |
| 73                                | 73.5  |             | 187193        | 0.5   | 50.2 |        |      | 49.8  |        |                          |      |         |
| 73.5                              | 74    |             | 187194        | 0.5   | 72.4 |        |      | 27.6  |        |                          |      |         |
| 107.5                             | 108   |             | 187195        | 0.5   | 21.7 |        |      | 78.3  |        |                          |      |         |
| 108                               | 108.5 |             | 187196        | 0.5   | 13.7 |        |      | 86.3  |        |                          |      |         |
| 108.5                             | 109   |             | 187197        | 0.5   | 15   |        |      | 85    |        |                          |      |         |
| 109                               | 109.5 |             | 187198        | 0.5   | 13.4 |        |      | 86.6  |        |                          |      |         |
| 109.5                             | 110   |             | 187199        | 0.5   | 18.4 |        |      | 81.6  |        |                          |      |         |
| 110                               | 110.5 |             | 187200        | 0.5   | 27   |        |      | 73    |        |                          |      |         |
| 110.5                             | 111   |             | 187051        | 0.5   | 37   |        |      | 63    |        |                          |      |         |
| 111                               | 111.5 |             | 187052        | 0.5   | 14.8 |        |      | 85.2  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2883        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 111.5                             | 112   |             | 187053        | 0.5   | 17.4 |        |      | 82.6  |        |                          |      |         |
| 112                               | 112.5 |             | 187054        | 0.5   | 23.4 |        |      | 76.6  |        |                          |      |         |
| 112.5                             | 113   |             | 187055        | 0.5   | 53.7 |        |      | 46.3  |        |                          |      |         |
| 113                               | 113.5 |             | 187056        | 0.5   | 65.9 |        |      | 34.1  |        |                          |      |         |
| 113.5                             | 114   |             | 187057        | 0.5   | 85   |        |      | 15    |        |                          |      |         |
|                                   |       | compo 131   |               |       | 19.8 | 23.7   | 0.94 | 55.56 | 7.5    | 0.77                     |      |         |
| 116.5                             | 117   |             | 187058        | 0.5   | 37.7 |        |      | 62.3  |        |                          |      |         |
| 117                               | 117.5 |             | 187059        | 0.5   | 46.3 |        |      | 53.7  |        |                          |      |         |
| 117.5                             | 118   |             | 187060        | 0.5   | 80.9 |        |      | 19.1  |        |                          |      |         |
| 119.5                             | 120   |             | 187061        | 0.5   | 81.8 |        |      | 18.2  |        |                          |      |         |
| 120                               | 120.5 |             | 187062        | 0.5   | 80.8 |        |      | 19.2  |        |                          |      |         |
| 131.5                             | 132   |             | 187063        | 0.5   | 66.6 |        |      | 33.4  |        |                          |      |         |
| 132                               | 132.5 |             | 187064        | 0.5   | 66.3 |        |      | 33.7  |        |                          |      |         |
| 134                               | 134.5 |             | 187065        | 0.5   | 74   |        |      | 26    |        |                          |      |         |
| 151.5                             | 152   |             | 187066        | 0.5   | 56.7 |        |      | 43.3  |        |                          |      |         |
| 152                               | 152.5 |             | 187067        | 0.5   | 16.8 |        |      | 83.2  |        |                          |      |         |
| 152.5                             | 153   |             | 187068        | 0.5   | 27.5 |        |      | 72.5  |        |                          |      |         |
| 153                               | 153.5 |             | 187069        | 0.5   | 47.1 |        |      | 52.9  |        |                          |      |         |
| 153.5                             | 154   |             | 187070        | 0.5   | 57.8 |        |      | 42.2  |        |                          |      |         |
|                                   |       | compo 132   |               |       | 21.7 | 21.04  | 0.75 | 56.51 | 4.5    | 1.81                     |      |         |
| 154.5                             | 155   |             | 187071        | 0.5   | 59.8 |        |      | 40.2  |        |                          |      |         |
| 161                               | 161.5 |             | 187072        | 0.5   | 24.5 |        |      | 75.5  |        |                          |      |         |
| 161.5                             | 162   |             | 187073        | 0.5   | 21.4 |        |      | 78.6  |        |                          |      |         |
| 162                               | 162.5 |             | 187074        | 0.5   | 27.2 |        |      | 72.8  |        |                          |      |         |
| 162.5                             | 163   |             | 187075        | 0.5   | 49.8 |        |      | 50.2  |        |                          |      |         |
| 163                               | 163.5 |             | 187076        | 0.5   | 64   |        |      | 36    |        |                          |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                             |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|-----------------------------|
| HOLE NUMBER:                      |       | 2883        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                             |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                     |
| 163.5                             | 164   |             | 187077        | 0.5   | 26.6 |        |      | 73.4  |        |                          |      |                             |
|                                   |       | compo 133   |               |       | 24.5 | 20.04  | 0.7  | 54.76 | 3      | 0.56                     |      |                             |
| 167.5                             | 168   |             | 187078        | 0.5   | 69.7 |        |      | 30.3  |        |                          |      |                             |
| 184.5                             | 185   |             | 187079        | 0.5   | 76.4 |        |      | 23.6  |        |                          |      |                             |
| 189                               | 189.5 |             | 187080        | 0.5   | 37.3 |        |      | 62.7  |        |                          |      |                             |
| 189.5                             | 190   |             | 187081        | 0.5   | 43.1 |        |      | 56.9  |        |                          |      |                             |
| 190                               | 190.5 |             | 187082        | 0.5   | 46.1 |        |      | 53.9  |        |                          |      |                             |
| 190.5                             | 191   |             | 187083        | 0.5   | 72.4 |        |      | 27.6  |        |                          |      |                             |
|                                   |       | compo 134   |               |       | 39.3 | 18.92  | 0.7  | 43.08 | 1.5    | 0.49                     |      |                             |
| 204.5                             | 205   |             | 187084        | 0.5   | 32.2 |        |      | 67.8  |        |                          |      |                             |
| 205                               | 205.5 |             | 187085        | 0.5   | 28.5 |        |      | 71.5  |        |                          |      |                             |
| 205.5                             | 206   |             | 187086        | 0.5   | 27.1 |        |      | 72.9  |        |                          |      |                             |
| 206                               | 206.5 |             | 187087        | 0.5   | 46.6 |        |      | 53.4  |        |                          |      |                             |
| 206.5                             | 207   |             | 187088        | 0.5   | 85   |        |      | 15    |        |                          |      |                             |
|                                   |       | compo 135   |               |       | 28.8 | 19.53  | 0.7  | 50.97 | 2      | 0.43                     |      |                             |
| 207.5                             | 208   |             | 187089        | 0.5   | 25.3 |        |      | 74.7  |        |                          |      |                             |
| 208                               | 208.5 |             | 187090        | 0.5   | 20.4 |        |      | 79.6  |        |                          |      |                             |
| 208.5                             | 209   |             | 187091        | 0.5   | 68.8 |        |      | 31.2  |        |                          |      |                             |
| 209                               | 209.5 |             | 187092        | 0.5   | 31.1 |        |      | 68.9  |        |                          |      |                             |
| 209.5                             | 210   |             | 187093        | 0.5   | 31.9 |        |      | 68.1  |        |                          |      |                             |
| 210                               | 210.5 |             | 187094        | 0.5   | 27.9 |        |      | 72.1  |        |                          |      |                             |
| 210.5                             | 211   |             | 187095        | 0.5   | 30.9 |        |      | 69.1  |        |                          |      |                             |
| 211                               | 211.5 |             | 187096        | 0.5   | 62.9 |        |      | 37.1  |        |                          |      |                             |
| 211.5                             | 212   |             | 187097        | 0.5   | 59.3 |        |      | 40.7  |        |                          |      |                             |
|                                   |       | compo 136   |               |       | 34   | 20.07  | 0.64 | 45.29 | 1      | 0.39                     |      |                             |
| 228                               | 228.5 |             | 187098        | 0.5   | 52.1 |        |      | 47.9  |        |                          |      |                             |
| 228.5                             | 229   |             | 187099        | 0.5   | 18.3 |        |      | 81.7  |        |                          |      |                             |
| 229                               | 229.5 |             | 187100        | 0.5   | 22.5 |        |      | 77.5  |        |                          |      |                             |
| 229.5                             | 230   |             | 187126        | 0.5   | 37.3 |        |      | 62.7  |        |                          |      |                             |
|                                   |       |             |               |       |      |        |      |       |        |                          |      | RO-009-06<br>Ro Max<br>1.17 |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2883        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 230                               | 230.5 |             | 187127        |       | 50.3 |        |      | 49.7  |        |                          |      |         |
| 230.5                             | 231   |             | 187128        |       | 67.2 |        |      | 32.8  |        |                          |      |         |
| 231                               | 231.5 |             | 187129        |       | 80.8 |        |      | 19.2  |        |                          |      |         |
|                                   |       | compo 137   |               |       | 27.4 | 20.55  | 0.66 | 51.39 | 1.5    | 0.56                     |      |         |
| 232.5                             | 233   |             | 187130        |       | 77.5 |        |      | 22.5  |        |                          |      |         |
| 233                               | 233.5 |             | 187131        |       | 61.3 |        |      | 38.7  |        |                          |      |         |
| 233.5                             | 234   |             | 187132        |       | 44.3 |        |      | 55.7  |        |                          |      |         |
| 234                               | 234.5 |             | 187133        |       | 66.2 |        |      | 33.8  |        |                          |      |         |
| 234.5                             | 235   |             | 187134        |       | 79.6 |        |      | 20.4  |        |                          |      |         |
| 236.5                             | 237   |             | 187135        |       | 84.4 |        |      | 15.6  |        |                          |      |         |
| 237                               | 237.5 |             | 187136        |       | 50.3 |        |      | 49.7  |        |                          |      |         |
| 245.5                             | 246   |             | 187137        |       | 25.6 |        |      | 74.4  |        |                          |      |         |
| 246                               | 246.5 |             | 187138        |       | 27.5 |        |      | 72.5  |        |                          |      |         |
| 246.5                             | 247   |             | 187139        |       | 42.6 |        |      | 57.4  |        |                          |      |         |
|                                   |       | compo 138   |               |       | 31.9 | 18.83  | 0.63 | 48.64 | 3.5    | 0.61                     |      |         |
| 251                               | 251.5 |             | 187140        |       | 16.5 |        |      | 83.5  |        |                          |      |         |
| 251.5                             | 252   |             | 187141        |       | 36.2 |        |      | 63.8  |        |                          |      |         |
| 252                               | 252.5 |             | 187142        |       | 27.2 |        |      | 72.8  |        |                          |      |         |
| 252.5                             | 253   |             | 187143        |       | 44.1 |        |      | 55.9  |        |                          |      |         |
| 253                               | 253.5 |             | 187144        |       | 78.1 |        |      | 21.9  |        |                          |      |         |
| 253.5                             | 254   |             | 187145        |       | 84   |        |      | 16    |        |                          |      |         |
|                                   |       | compo 139   |               |       | 30.1 | 17.91  | 0.65 | 51.34 | 2.5    | 0.57                     |      |         |
| 267.5                             | 268   |             | 187146        |       | 28   |        |      | 72    |        |                          |      |         |
| 268                               | 268.5 |             | 187147        |       | 29   |        |      | 71    |        |                          |      |         |
| 268.5                             | 269   |             | 187148        |       | 35.5 |        |      | 64.5  |        |                          |      |         |
| 269                               | 269.5 |             | 187149        |       | 48.7 |        |      | 51.3  |        |                          |      |         |
| 269.5                             | 270   |             | 187150        |       | 78.5 |        |      | 21.5  |        |                          |      |         |
| 270                               | 270.5 |             | 187151        |       | 84.3 |        |      | 15.7  |        |                          |      |         |
| 270.5                             | 271   |             | 187152        |       | 55.3 |        |      | 44.7  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      |                          |        | ELKVALLEY COAL CORP. |      |                |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|----------------------|------|----------------|
| HOLE NUMBER:                      |       | 2883        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |                      |      |                |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS        |
| 271                               | 271.5 |             | 187153        |       | 45.5   |        |      | 54.5                     |        |                      |      |                |
| 271.5                             | 272   |             | 187154        |       | 35.9   |        |      | 64.1                     |        |                      |      |                |
| 272                               | 272.5 |             | 187155        |       | 26.3   |        |      | 73.7                     |        |                      |      |                |
| 272.5                             | 273   |             | 187156        |       | 27.7   |        |      | 72.3                     |        |                      |      |                |
| 273                               | 273.5 |             | 187157        |       | 30.3   |        |      | 69.7                     |        |                      |      |                |
| 273.5                             | 274   |             | 187158        |       | 25.7   |        |      | 74.3                     |        |                      |      |                |
| 274                               | 274.5 |             | 187159        |       | 26.6   |        |      | 73.4                     |        |                      |      |                |
| 274.5                             | 275   |             | 187160        |       | 26.8   |        |      | 73.2                     |        |                      |      |                |
| 275                               | 275.5 |             | 187161        |       | 43.1   |        |      | 56.9                     |        |                      |      |                |
| 275.5                             | 276   |             | 187162        |       | 68.7   |        |      | 31.3                     |        |                      |      |                |
| 276                               | 276.5 |             | 187163        |       | 72.7   |        |      | 27.3                     |        |                      |      |                |
| 276.5                             | 277   |             | 187164        |       | 80     |        |      | 20                       |        |                      |      |                |
| 277                               | 277.5 |             | 187165        |       | 74     |        |      | 26                       |        |                      |      |                |
| 277.5                             | 278   |             | 187166        |       | 58.2   |        |      | 41.8                     |        |                      |      |                |
| 278                               | 278.5 |             | 187167        |       | 80.5   |        |      | 19.5                     |        |                      |      |                |
| 278.5                             | 279   |             | 187168        |       | 87.8   |        |      | 12.2                     |        |                      |      |                |
|                                   |       | compo 140   |               |       | 30.9   | 19.03  | 0.7  | 49.37                    | 1      | 0.43                 |      | RO-010-06      |
|                                   |       | compo 141   |               |       | 30.1   | 19.84  | 0.68 | 49.38                    | 1.5    | 0.39                 |      | Ro Max<br>1.23 |

| ROTARY DRILL HOLE SAMPLING RECORD |      |              |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|------|--------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER: 2884                 |      | AREA: CASTLE |               |       |      |        |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO   | DESCRIPTION  | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 15                                | 15.5 |              | 190626        | 0.5   | 47.1 |        |      | 52.9  |        |                          |      |         |
| 15.5                              | 16   |              | 190627        | 0.5   | 61.5 |        |      | 38.5  |        |                          |      |         |
| 16                                | 16.5 |              | 190628        | 0.5   | 52.9 |        |      | 47.1  |        |                          |      |         |
| 16.5                              | 17   |              | 190629        | 0.5   | 61.6 |        |      | 38.4  |        |                          |      |         |
| 28.5                              | 29   |              | 190630        | 0.5   | 71.6 |        |      | 28.4  |        |                          |      |         |
| 29                                | 29.5 |              | 190631        | 0.5   | 42.6 |        |      | 57.4  |        |                          |      |         |
| 29.5                              | 30   |              | 190632        | 0.5   | 18.7 |        |      | 81.3  |        |                          |      |         |
| 30                                | 30.5 |              | 190633        | 0.5   | 21.6 |        |      | 78.4  |        |                          |      |         |
| 30.5                              | 31   |              | 190634        | 0.5   | 30.3 |        |      | 69.7  |        |                          |      |         |
| 31                                | 31.5 |              | 190635        | 0.5   | 76.9 |        |      | 23.1  |        |                          |      |         |
|                                   |      |              | compo 271B    |       | 24.8 | 21.43  | 0.53 | 53.24 | 3      | 0.58                     |      |         |
| 32                                | 32.5 |              | 190636        | 0.5   | 60.9 |        |      | 39.1  |        |                          |      |         |
| 32.5                              | 33   |              | 190637        | 0.5   | 53.9 |        |      | 46.1  |        |                          |      |         |
| 33                                | 33.5 |              | 190638        | 0.5   | 19.8 |        |      | 80.2  |        |                          |      |         |
| 33.5                              | 34   |              | 190639        | 0.5   | 44.7 |        |      | 55.3  |        |                          |      |         |
|                                   |      |              | compo 272B    |       | 34.3 | 17.37  | 0.59 | 47.74 | 2.5    | 0.49                     |      |         |
| 47.5                              | 48   |              | 190640        | 0.5   | 72.6 |        |      | 27.4  |        |                          |      |         |
| 48                                | 48.5 |              | 190641        | 0.5   | 82.9 |        |      | 17.1  |        |                          |      |         |
| 54                                | 54.5 |              | 190642        | 0.5   | 34.9 |        |      | 65.1  |        |                          |      |         |
| 54.5                              | 55   |              | 190643        | 0.5   | 30.2 |        |      | 69.8  |        |                          |      |         |
| 55                                | 55.5 |              | 190644        | 0.5   | 63.3 |        |      | 36.7  |        |                          |      |         |
| 55.5                              | 56   |              | 190645        | 0.5   | 73.6 |        |      | 26.4  |        |                          |      |         |
|                                   |      |              | compo 273     |       | 34.6 | 17.26  | 0.58 | 47.56 | 2      | 0.53                     |      |         |
| 74                                | 74.5 | compo 274    | (275)190646   | 0.5   | 20.6 |        |      | 79.4  |        |                          |      |         |
| 74.5                              | 75   |              | 190647        | 0.5   | 27.6 |        |      | 72.4  |        |                          |      |         |
| 75                                | 75.5 |              | 190648        | 0.5   | 39.1 |        |      | 60.9  |        |                          |      |         |
| 75.5                              | 76   |              | 190649        | 0.5   | 39.2 |        |      | 60.8  |        |                          |      |         |
| 76                                | 76.5 |              | 190650        | 0.5   | 77.1 |        |      | 22.9  |        |                          |      |         |
| 76.5                              | 77   |              | (276)190701   | 0.5   | 27.9 |        |      | 72.1  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2884        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 77                                | 77.5  | compo 274   | (276)190702   | 0.5   | 45.7   |        |      | 54.3                     |        |      |      |         |
| 77.5                              | 78    |             | 190703        | 0.5   | 23.4   |        |      | 76.6                     |        |      |      |         |
| 78                                | 78.5  |             | 190704        | 0.5   | 21.1   |        |      | 78.9                     |        |      |      |         |
| 78.5                              | 79    |             | 190705        | 0.5   | 24.5   |        |      | 75.5                     |        |      |      |         |
| 79                                | 79.5  |             | 190706        | 0.5   | 19.1   |        |      | 80.9                     |        |      |      |         |
| 79.5                              | 80    |             | 190707        | 0.5   | 23.2   |        |      | 76.8                     |        |      |      |         |
| 80                                | 80.5  |             | 190708        | 0.5   | 24.9   |        |      | 75.1                     |        |      |      |         |
| 80.5                              | 81    |             | 190709        | 0.5   | 14.1   |        |      | 85.9                     |        |      |      |         |
| 81                                | 81.5  |             | 190710        | 0.5   | 41.6   |        |      | 58.4                     |        |      |      |         |
| 81.5                              | 82    |             | 190711        | 0.5   | 60.9   |        |      | 39.1                     |        |      |      |         |
| 82                                | 82.5  | 190712      | 0.5           | 70.2  |        |        | 29.8 |                          |        |      |      |         |
| 82.5                              | 83    | 190713      | 0.5           | 70.3  |        |        | 29.7 |                          |        |      |      |         |
| 83                                | 83.5  | 190714      | 0.5           | 37.6  |        |        | 62.4 |                          |        |      |      |         |
| 83.5                              | 84    | 190715      | 0.5           | 83.3  |        |        | 16.7 |                          |        |      |      |         |
| 84                                | 84.5  | 190716      | 0.5           | 86.6  |        |        | 13.4 |                          |        |      |      |         |
|                                   |       |             | compo 274     |       | 32.4   | 18.21  | 0.56 | 48.83                    | 1.5    | 0.35 |      |         |
| 154                               | 154.5 |             | 190651        | 0.5   | 57.3   |        |      | 42.7                     |        |      |      |         |
| 154.5                             | 155   |             | 190652        | 0.5   | 64.9   |        |      | 35.1                     |        |      |      |         |
| 155                               | 155.5 |             | 190653        | 0.5   | 64.1   |        |      | 35.9                     |        |      |      |         |
| 155.5                             | 156   |             | 190654        | 0.5   | 75.3   |        |      | 24.7                     |        |      |      |         |
| 156                               | 156.5 |             | 190655        | 0.5   | 88.1   |        |      | 11.9                     |        |      |      |         |
| 156.5                             | 157   |             | 190656        | 0.5   | 86.8   |        |      | 13.2                     |        |      |      |         |
| 157                               | 157.5 |             | 190657        | 0.5   | 72.7   |        |      | 27.3                     |        |      |      |         |
| 157.5                             | 158   |             | 190658        | 0.5   | 69.8   |        |      | 30.2                     |        |      |      |         |
| 158                               | 158.5 |             | 190659        | 0.5   | 82.8   |        |      | 17.2                     |        |      |      |         |
| 158.5                             | 159   |             | 190660        | 0.5   | 28.3   |        |      | 71.7                     |        |      |      |         |
| 159                               | 159.5 |             | 190661        | 0.5   | 31.5   |        |      | 68.5                     |        |      |      |         |
| 159.5                             | 160   |             | 190662        | 0.5   | 88.9   |        |      | 11.1                     |        |      |      |         |
|                                   |       |             | compo 277     |       | 29.5   | 20.87  | 0.55 | 49.08                    | 7      | 0.61 |      |         |
| 179                               | 179.5 |             | 190717        | 0.5   | 23.5   |        |      | 76.5                     |        |      |      |         |
| 179.5                             | 180   |             | 190718        | 0.5   | 11.3   |        |      | 88.7                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      |                          | ELKVALLEY COAL CORP. |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|----------------------|------|---------|--|
| HOLE NUMBER:                      |       | 2884        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |                      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS |  |
| 180                               | 180.5 |             | 190719        | 0.5   | 10.5   |        |      | 89.5                     |                      |      |         |  |
| 180.5                             | 181   |             | 190720        | 0.5   | 11.8   |        |      | 88.2                     |                      |      |         |  |
| 181                               | 181.5 |             | 190721        | 0.5   | 19.4   |        |      | 80.6                     |                      |      |         |  |
| 181.5                             | 182   |             | 190722        | 0.5   | 34.2   |        |      | 65.8                     |                      |      |         |  |
| 182                               | 182.5 |             | 190723        | 0.5   | 83.4   |        |      | 16.6                     |                      |      |         |  |
| 182.5                             | 183   |             | 190724        | 0.5   | 52.4   |        |      | 47.6                     |                      |      |         |  |
| 183                               | 183.5 |             | 190725        | 0.5   | 24.7   |        |      | 75.3                     |                      |      |         |  |
| 183.5                             | 184   | #279        | 190776        | 0.5   | 29.2   |        |      | 70.8                     |                      |      |         |  |
| 184                               | 184.5 |             | 190777        | 0.5   | 35.7   |        |      | 64.3                     |                      |      |         |  |
| 184.5                             | 185   |             | 190778        | 0.5   | 83.5   |        |      | 16.5                     |                      |      |         |  |
| 185                               | 185.5 |             | 190779        | 0.5   | 88.4   |        |      | 11.6                     |                      |      |         |  |
|                                   |       |             | compo 278     |       | 19.6   | 18.63  | 0.53 | 61.24                    | 1.5                  | 0.48 |         |  |
| 187.5                             | 188   |             | 190780        | 0.5   | 82.8   |        |      | 17.2                     |                      |      |         |  |
| 188                               | 188.5 |             | 190781        | 0.5   | 53.1   |        |      | 46.9                     |                      |      |         |  |
| 188.5                             | 189   |             | 190782        | 0.5   | 17.1   |        |      | 82.9                     |                      |      |         |  |
| 189                               | 189.5 |             | 190783        | 0.5   | 43.2   |        |      | 56.8                     |                      |      |         |  |
| 189.5                             | 190   |             | 190784        | 0.5   | 65.7   |        |      | 34.3                     |                      |      |         |  |
| 190                               | 190.5 |             | 190785        | 0.5   | 22.2   |        |      | 77.8                     |                      |      |         |  |
| 190.5                             | 191   |             | 190786        | 0.5   | 22.7   |        |      | 77.3                     |                      |      |         |  |
| 191                               | 191.5 |             | 190787        | 0.5   | 15.6   |        |      | 84.4                     |                      |      |         |  |
| 191.5                             | 192   |             | 190788        | 0.5   | 12.8   |        |      | 87.2                     |                      |      |         |  |
| 192                               | 192.5 |             | 190789        | 0.5   | 15.1   |        |      | 84.9                     |                      |      |         |  |
| 192.5                             | 193   |             | 190790        | 0.5   | 79.4   |        |      | 20.6                     |                      |      |         |  |
| 193                               | 193.5 |             | 190791        | 0.5   | 84.8   |        |      | 15.2                     |                      |      |         |  |
| 193.5                             | 194   |             | 190792        | 0.5   | 87.3   |        |      | 12.7                     |                      |      |         |  |
| 194                               | 194.5 |             | 190793        | 0.5   | 75.3   |        |      | 24.7                     |                      |      |         |  |
| 194.5                             | 195   |             | 190794        | 0.5   | 86.7   |        |      | 13.3                     |                      |      |         |  |
| 195                               | 195.5 |             | 190795        | 0.5   | 77.9   |        |      | 22.1                     |                      |      |         |  |
|                                   |       |             | compo 280     |       | 30.9   | 18.29  | 0.62 | 52.19                    | 1                    | 0.39 |         |  |
| 203                               | 203.5 |             | 190796        | 0.5   | 86.7   |        |      | 13.3                     |                      |      |         |  |
| 203.5                             | 204   |             | 190797        | 0.5   | 90.4   |        |      | 9.6                      |                      |      |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |      |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2884        |               | AREA: |      | CASTLE |      |      |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC   | F.S.I. | S                        | PHOS | REMARKS |
| 207                               | 207.5 |             | 190798        | 0.5   | 77.2 |        |      | 22.8 |        |                          |      |         |
| 207.5                             | 208   |             | 190799        | 0.5   | 91.3 |        |      | 8.7  |        |                          |      |         |
| 213                               | 213.5 |             | 190800        | 0.5   | 78.2 |        |      | 21.8 |        |                          |      |         |
| 213.5                             | 214   |             | 190751        | 0.5   | 62.1 |        |      | 37.9 |        |                          |      |         |
| 214                               | 214.5 |             | 190752        | 0.5   | 83.3 |        |      | 16.7 |        |                          |      |         |
| 214.5                             | 215   |             | 190753        | 0.5   | 68.9 |        |      | 31.1 |        |                          |      |         |
| 215                               | 215.5 |             | 190754        | 0.5   | 81.4 |        |      | 18.6 |        |                          |      |         |
| 215.5                             | 216   |             | 190755        | 0.5   | 87.4 |        |      | 12.6 |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100  |        |                          |      |         |
| 220.5                             | 221   |             | 190756        | 0.5   | 29.7 |        |      | 70.3 |        |                          |      |         |
| 221                               | 221.5 |             | 190757        | 0.5   | 64.1 |        |      | 35.9 |        |                          |      |         |
| 221.5                             | 222   |             | 190758        | 0.5   | 83.4 |        |      | 16.6 |        |                          |      |         |
| 247                               | 247.5 |             | 190759        | 0.5   | 12.5 |        |      | 87.5 |        |                          |      |         |
| 247.5                             | 248   |             | 190760        | 0.5   | 66.6 |        |      | 33.4 |        |                          |      |         |
| 248                               | 248.5 |             | 190761        | 0.5   | 71.6 |        |      | 28.4 |        |                          |      |         |
| 248.5                             | 249   |             | 190762        | 0.5   | 23.7 |        |      | 76.3 |        |                          |      |         |
| 249                               | 249.5 |             | 190763        | 0.5   | 19.4 |        |      | 80.6 |        |                          |      |         |
| 249.5                             | 250   |             | 190764        | 0.5   | 17.1 |        |      | 82.9 |        |                          |      |         |
| 250                               | 250.5 |             | 190765        | 0.5   | 17.4 |        |      | 82.6 |        |                          |      |         |
| 250.5                             | 251   |             | 190766        | 0.5   | 13.6 |        |      | 86.4 |        |                          |      |         |
| 251                               | 251.5 |             | 190767        | 0.5   | 14.3 |        |      | 85.7 |        |                          |      |         |
| 251.5                             | 252   |             | 190768        | 0.5   | 13.8 |        |      | 86.2 |        |                          |      |         |
| 252                               | 252.5 |             |               | 0.5   | 19.7 |        |      | 80.3 |        |                          |      |         |
| 252.5                             | 253   |             | 190769        | 0.5   | 54.7 |        |      | 45.3 |        |                          |      |         |
| 253                               | 253.5 |             | 190770        | 0.5   | 25.9 |        |      | 74.1 |        |                          |      |         |
| 253.5                             | 254   |             | 190771        | 0.5   | 69.2 |        |      | 30.8 |        |                          |      |         |
| 254                               | 254.5 |             | 190772        | 0.5   | 48.5 |        |      | 51.5 |        |                          |      |         |
| 254.5                             | 255   |             | 190773        | 0.5   | 30.1 |        |      | 69.9 |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2884        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS |
| 255                               | 255.5 |             | 190774        | 0.5   | 29.7 |        |      | 70.3  |        |                          |      |         |
| 255.5                             | 256   |             | 190775        | 0.5   | 41.4 |        |      | 58.6  |        |                          |      |         |
| 256                               | 256.5 |             | 190676        | 0.5   | 23.2 |        |      | 76.8  |        |                          |      |         |
| 256.5                             | 257   |             | 190677        | 0.5   | 14.2 |        |      | 85.8  |        |                          |      |         |
| 257                               | 257.5 |             | 190678        | 0.5   | 60.6 |        |      | 39.4  |        |                          |      |         |
| 257.5                             | 258   |             | 190679        | 0.5   | 61.8 |        |      | 38.2  |        |                          |      |         |
| 258                               | 258.5 |             | 190680        | 0.5   | 79.9 |        |      | 20.1  |        |                          |      |         |
|                                   |       |             | compo 282     |       | 29.2 | 18.41  | 0.61 | 53.78 | 2.5    | 0.37                     |      |         |
| 279                               | 279.5 |             | 190681        | 0.5   | 21.6 |        |      | 78.4  |        |                          |      |         |
| 279.5                             | 280   |             | 190682        | 0.5   | 15.1 |        |      | 84.9  |        |                          |      |         |
| 280                               | 280.5 |             | 190683        | 0.5   | 52.5 |        |      | 47.5  |        |                          |      |         |
| 280.5                             | 281   |             | 190684        | 0.5   | 86.6 |        |      | 13.4  |        |                          |      |         |
|                                   |       |             | compo 283     |       | 18.8 | 17.28  | 0.58 | 63.34 | 1.5    | 0.49                     |      |         |
| 288                               | 288.5 |             | 190685        | 0.5   | 14.7 |        |      | 85.3  |        |                          |      |         |
| 288.5                             | 289   |             | 190686        | 0.5   | 11.1 |        |      | 88.9  |        |                          |      |         |
| 289                               | 289.5 |             | 190687        | 0.5   | 53.9 |        |      | 46.1  |        |                          |      |         |
|                                   |       |             | compo 284     |       | 13   | 21.91  | 0.49 | 64.6  | 8.5    | 0.55                     |      |         |
| 292.5                             | 293   |             | 190688        | 0.5   | 19.2 |        |      | 80.8  |        |                          |      |         |
| 293                               | 293.5 |             | 190689        | 0.5   | 78.7 |        |      | 21.3  |        |                          |      |         |
|                                   |       |             | compo 275     |       | 33.3 | 17.74  | 0.56 | 48.4  | 1      | 0.37                     |      |         |
|                                   |       |             | compo 276     |       | 26.6 | 19.9   | 0.55 | 52.95 | 3      | 0.36                     |      |         |
|                                   |       |             | Compo 279     |       | 30.2 | 16.84  | 0.52 | 52.44 | 1      | 0.47                     |      |         |
|                                   |       |             | compo 281     |       | 17.8 | 18.66  | 0.55 | 62.99 | 1.5    | 0.43                     |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2885        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 92                                | 92.5  |             | 187101        | 0.5   | 70.2 |        |      | 29.8  |        |                          |      |         |
| 92.5                              | 93    |             | 187102        | 0.5   | 33.7 |        |      | 66.3  |        |                          |      |         |
| 93                                | 93.5  |             | 187103        | 0.5   | 17.5 |        |      | 82.5  |        |                          |      |         |
| 93.5                              | 94    |             | 187104        | 0.5   | 33.3 |        |      | 66.7  |        |                          |      |         |
| 94                                | 94.5  |             | 187105        | 0.5   | 9.9  |        |      | 90.1  |        |                          |      |         |
| 94.5                              | 95    |             | 187106        | 0.5   | 10.6 |        |      | 89.4  |        |                          |      |         |
| 95                                | 95.5  |             | 187107        | 0.5   | 23.9 |        |      | 76.1  |        |                          |      |         |
| 95.5                              | 96    |             | 187108        | 0.5   | 11.8 |        |      | 88.2  |        |                          |      |         |
| 96                                | 96.5  |             | 187109        | 0.5   | 13.8 |        |      | 86.2  |        |                          |      |         |
| 96.5                              | 97    |             | 187110        | 0.5   | 24.8 |        |      | 75.2  |        |                          |      |         |
| 97                                | 97.5  |             | 187111        | 0.5   | 24.9 |        |      | 75.1  |        |                          |      |         |
| 97.5                              | 98    |             | 187112        | 0.5   | 52.1 |        |      | 47.9  |        |                          |      |         |
| 98                                | 98.5  |             | 187113        | 0.5   | 61.3 |        |      | 38.7  |        |                          |      |         |
| 98.5                              | 99    |             | 187114        | 0.5   | 78.9 |        |      | 21.1  |        |                          |      |         |
|                                   |       |             | compo 285     |       | 21.1 | 22.85  | 0.71 | 55.34 | 7      | 0.75                     |      |         |
| 101                               | 101.5 |             | 187115        | 0.5   | 52.8 |        |      | 47.2  |        |                          |      |         |
| 101.5                             | 102   |             | 187116        | 0.5   | 47.9 |        |      | 52.1  |        |                          |      |         |
| 102                               | 102.5 |             | 187117        | 0.5   | 40.4 |        |      | 59.6  |        |                          |      |         |
| 102.5                             | 103   |             | 187118        | 0.5   | 78.1 |        |      | 21.9  |        |                          |      |         |
| 103                               | 103.5 |             | 187119        | 0.5   | 82.1 |        |      | 17.9  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |
| 104                               | 104.5 |             | 187120        | 0.5   | 70.2 |        |      | 29.8  |        |                          |      |         |
| 104.5                             | 105   |             | 187121        | 0.5   | 77.2 |        |      | 22.8  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |
| 107.5                             | 108   |             | 187122        | 0.5   | 80.4 |        |      | 19.6  |        |                          |      |         |
| 108                               | 108.5 |             | 187123        | 0.5   | 69.9 |        |      | 30.1  |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |
| 112.5                             | 113   |             | 187124        | 0.5   | 82.5 |        |      | 17.5  |        |                          |      |         |
| 113                               | 113.5 |             | 187125        | 0.5   | 90.6 |        |      | 9.4   |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2885        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 114                               | 114.5 |             | 188226        | 0.5   | 70.3 |        |      | 29.7  |        |                          |      |         |
| 114.5                             | 115   |             | 188227        | 0.5   | 82.4 |        |      | 17.6  |        |                          |      |         |
| 123                               | 123.5 |             | 188228        | 0.5   | 75.1 |        |      | 24.9  |        |                          |      |         |
| 123.5                             | 124   |             | 188229        | 0.5   | 73.3 |        |      | 26.7  |        |                          |      |         |
| 124                               | 124.5 |             | 188230        | 0.5   | 67.3 |        |      | 32.7  |        |                          |      |         |
| 124.5                             | 125   |             | 188231        | 0.5   | 65.6 |        |      | 34.4  |        |                          |      |         |
| 125                               | 125.5 |             | 188232        | 0.5   | 61.1 |        |      | 38.9  |        |                          |      |         |
| 125.5                             | 126   |             | 188233        | 0.5   | 81.7 |        |      | 18.3  |        |                          |      |         |
| 126                               | 126.5 |             | 188234        | 0.5   | 79.7 |        |      | 20.3  |        |                          |      |         |
| 129                               | 129.5 |             | 188235        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |         |
| 129.5                             | 130   |             | 188236        | 0.5   | 11.5 |        |      | 88.5  |        |                          |      |         |
| 130                               | 130.5 |             | 188237        | 0.5   | 19.2 |        |      | 80.8  |        |                          |      |         |
| 130.5                             | 131   |             | 188238        | 0.5   | 34.1 |        |      | 65.9  |        |                          |      |         |
| 131                               | 131.5 |             | 188239        | 0.5   | 84.9 |        |      | 15.1  |        |                          |      |         |
|                                   |       |             | compo 286     |       | 22.3 | 20.39  | 0.67 | 56.64 | 4      | 0.63                     |      |         |
| 134.5                             | 135   |             | 188240        | 0.5   | 68.9 |        |      | 31.1  |        |                          |      |         |
| 135                               | 135.5 |             | 188241        | 0.5   | 45.1 |        |      | 54.9  |        |                          |      |         |
| 135.5                             | 136   |             | 188242        | 0.5   | 34.1 |        |      | 65.9  |        |                          |      |         |
| 136                               | 136.5 |             | 188243        | 0.5   | 31.4 |        |      | 68.6  |        |                          |      |         |
| 136.5                             | 137   |             | 188244        | 0.5   | 52.4 |        |      | 47.6  |        |                          |      |         |
| 137                               | 137.5 |             | 188245        | 0.5   | 77.3 |        |      | 22.7  |        |                          |      |         |
| 137.5                             | 138   |             | 188246        | 0.5   | 79.9 |        |      | 20.1  |        |                          |      |         |
|                                   |       |             | compo 287     |       | 33.5 | 18.67  | 0.57 | 47.26 | 1      | 0.6                      |      |         |
| 149.5                             | 150   |             | 188247        | 0.5   | 74.8 |        |      | 25.2  |        |                          |      |         |
| 150                               | 150.5 |             | 188248        | 0.5   | 83.6 |        |      | 16.4  |        |                          |      |         |
| 155.5                             | 156   |             | 188249        | 0.5   | 21.8 |        |      | 78.2  |        |                          |      |         |
| 156                               | 156.5 |             | 188250        | 0.5   | 21.7 |        |      | 78.3  |        |                          |      |         |
| 156.5                             | 157   |             | 187001        | 0.5   | 44.4 |        |      | 55.6  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |       |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|-------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2885        |               | AREA: |       | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH   | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 157                               | 157.5 |             | 187002        | 0.5   | 73.4  |        |      | 26.6                     |        |                      |      |         |
| 157.5                             | 158   |             | 187003        | 0.5   | 75.9  |        |      | 24.1                     |        |                      |      |         |
| 158                               | 158.5 |             | 187004        | 0.5   | 88.2  |        |      | 11.8                     |        |                      |      |         |
|                                   |       |             | compo 288     |       | 22.2  | 19.74  | 0.64 | 57.42                    | 2.5    | 0.6                  |      |         |
| 162.5                             | 163   |             | 187005        | 0.5   | 74.1  |        |      | 25.9                     |        |                      |      |         |
| 163                               | 163.5 |             | 187006        | 0.5   | 68.6  |        |      | 31.4                     |        |                      |      |         |
| 163.5                             | 164   |             | 187007        | 0.5   | 32.8  |        |      | 67.2                     |        |                      |      |         |
| 164                               | 164.5 |             | 187008        | 0.5   | 23.9  |        |      | 76.1                     |        |                      |      |         |
| 164.5                             | 165   |             | 187009        | 0.5   | 23.3  |        |      | 76.7                     |        |                      |      |         |
| 165                               | 165.5 |             | 187010        | 0.5   | 16.1  |        |      | 83.9                     |        |                      |      |         |
|                                   |       |             | compo 289     |       | 24.9  | 19.4   | 0.66 | 55.04                    | 2.5    | 0.56                 |      |         |
| 181                               | 181.5 |             | 187011        | 0.5   | 31.3  |        |      | 68.7                     |        |                      |      |         |
| 181.5                             | 182   |             | 187012        | 0.5   | 39.3  |        |      | 60.7                     |        |                      |      |         |
| 182                               | 182.5 |             | 187013        | 0.5   | 19.1  |        |      | 80.9                     |        |                      |      |         |
| 182.5                             | 183   |             | 187014        | 0.5   | 71.5  |        |      | 28.5                     |        |                      |      |         |
|                                   |       |             | compo 290     |       | 32.2  | 18.51  | 0.66 | 48.63                    | 1      | 0.44                 |      |         |
| 184.5                             | 185   |             | 187015        | 0.5   | 49.5  |        |      | 50.5                     |        |                      |      |         |
| 185                               | 185.5 |             | 187016        | 0.5   | 38.9  |        |      | 61.1                     |        |                      |      |         |
| 185.5                             | 186   |             | 187017        | 0.5   | 21.9  |        |      | 78.1                     |        |                      |      |         |
| 186                               | 186.5 |             | 187018        | 0.5   | 22.1  |        |      | 77.9                     |        |                      |      |         |
| 186.5                             | 187   |             | 187019        | 0.5   | 19.8  |        |      | 80.2                     |        |                      |      |         |
| 187                               | 187.5 |             | 187020        | 0.5   | 23.7  |        |      | 76.3                     |        |                      |      |         |
| 187.5                             | 188   |             | 187021        | 0.5   | 25.3  |        |      | 74.7                     |        |                      |      |         |
| 188                               | 188.5 |             | 187022        | 0.5   | 28.6  |        |      | 71.4                     |        |                      |      |         |
| 188.5                             | 189   |             | 187023        | 0.5   | 23.7  |        |      | 76.3                     |        |                      |      |         |
| 189                               | 189.5 |             | 187024        | 0.5   | 22.7  |        |      | 77.3                     |        |                      |      |         |
| 189.5                             | 190   |             | 187025        | 0.5   | 37.2  |        |      | 62.8                     |        |                      |      |         |
| 190                               | 190.5 |             | 187026        | 0.5   | 54.2  |        |      | 45.8                     |        |                      |      |         |
| 190.5                             | 191   |             | 187027        | 0.5   | 75.2  |        |      | 24.8                     |        |                      |      |         |
|                                   |       |             | compo 291     |       | 25.66 | 19.04  | 0.65 | 54.65                    | 1      | 0.42                 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2886        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 69                                | 69.5  |             | 191451        | 0.5   | 81.6 |        |      | 18.4                     |        |                      |      |         |
| 69.5                              | 70    |             | 191452        | 0.5   | 85.2 |        |      | 14.8                     |        |                      |      |         |
| 93                                | 93.5  |             | 191453        | 0.5   | 20.8 |        |      | 79.2                     |        |                      |      |         |
| 93.5                              | 94    |             | 191454        | 0.5   | 15.2 |        |      | 84.8                     |        |                      |      |         |
| 94                                | 94.5  |             | 191455        | 0.5   | 24.2 |        |      | 75.8                     |        |                      |      |         |
| 94.5                              | 95    |             | 191456        | 0.5   | 20.4 |        |      | 79.6                     |        |                      |      |         |
| 95                                | 95.5  |             | 191457        | 0.5   | 38.7 |        |      | 61.3                     |        |                      |      |         |
| 95.5                              | 96    |             | 191458        | 0.5   | 34.5 |        |      | 65.5                     |        |                      |      |         |
| 96                                | 96.5  |             | 191459        | 0.5   | 78.8 |        |      | 21.2                     |        |                      |      |         |
| 96.5                              | 97    |             | 191460        | 0.5   | 43.1 |        |      | 56.9                     |        |                      |      |         |
| 97                                | 97.5  |             | 191461        | 0.5   | 28.4 |        |      | 71.6                     |        |                      |      |         |
| 97.5                              | 98    |             | 191462        | 0.5   | 30.5 |        |      | 69.5                     |        |                      |      |         |
| 98                                | 98.5  |             | 191463        | 0.5   | 72.3 |        |      | 27.7                     |        |                      |      |         |
| 98.5                              | 99    |             | 191464        | 0.5   | 88.4 |        |      | 11.6                     |        |                      |      |         |
|                                   |       |             | compo 292     | G050  | 33.2 | 16.91  | 0.61 | 49.28                    | 1      | 0.43                 |      |         |
| 104.5                             | 105   |             | 191465        | 0.5   | 72.4 |        |      | 27.6                     |        |                      |      |         |
| 105                               | 105.5 |             | 191466        | 0.5   | 88.6 |        |      | 11.4                     |        |                      |      |         |
| 105.5                             | 106   |             | 191467        | 0.5   | 47.9 |        |      | 52.1                     |        |                      |      |         |
| 106                               | 106.5 |             | 191468        | 0.5   | 67.9 |        |      | 32.1                     |        |                      |      |         |
| 106.5                             | 107   |             | 191469        | 0.5   | 33.1 |        |      | 66.9                     |        |                      |      |         |
| 107                               | 107.5 |             | 191470        | 0.5   | 15.9 |        |      | 84.1                     |        |                      |      |         |
| 107.5                             | 108   |             | 191471        | 0.5   | 39.1 |        |      | 60.9                     |        |                      |      |         |
| 108                               | 108.5 |             | 191472        | 0.5   | 25.1 |        |      | 74.9                     |        |                      |      |         |
| 108.5                             | 109   |             | 191473        | 0.5   | 15.3 |        |      | 84.7                     |        |                      |      |         |
| 109                               | 109.5 |             | 191474        | 0.5   | 74.9 |        |      | 25.1                     |        |                      |      |         |
|                                   |       |             | compo 293     | G054  | 26.5 | 19.46  | 0.57 | 53.47                    | 1.5    | 0.42                 |      |         |
| 111.5                             | 112   |             | 191475        | 0.5   | 29.8 |        |      | 70.2                     |        |                      |      |         |
| 112                               | 112.5 |             | 191476        | 0.5   | 87.5 |        |      | 12.5                     |        |                      |      |         |
| 139                               | 139.5 |             | 191477        | 0.5   | 82.1 |        |      | 17.9                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        | ELKVALLEY COAL CORP. |                          |        |      |      |         |  |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|----------------------|--------------------------|--------|------|------|---------|--|
| HOLE NUMBER:                      |       | 2886        |               | AREA: |      | CASTLE |                      | FORDING RIVER OPERATIONS |        |      |      |         |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M.                 | FC                       | F.S.I. | S    | PHOS | REMARKS |  |
| 139.5                             | 140   |             | 191478        | 0.5   | 76.1 |        |                      | 23.9                     |        |      |      |         |  |
| 140                               | 140.5 |             | 191479        | 0.5   | 77.8 |        |                      | 22.2                     |        |      |      |         |  |
| 140.5                             | 141   |             | 191480        | 0.5   | 82.3 |        |                      | 17.7                     |        |      |      |         |  |
| 141                               | 141.5 |             | 191481        | 0.5   | 89.5 |        |                      | 10.5                     |        |      |      |         |  |
| 146.5                             | 147   |             | 191482        | 0.5   | 77.9 |        |                      | 22.1                     |        |      |      |         |  |
| 147                               | 147.5 |             | 191483        | 0.5   | 34.5 |        |                      | 65.5                     |        |      |      |         |  |
| 147.5                             | 148   |             | 191484        | 0.5   | 48.1 |        |                      | 51.9                     |        |      |      |         |  |
| 148                               | 148.5 |             | 191485        | 0.5   | 81.3 |        |                      | 18.7                     |        |      |      |         |  |
|                                   |       |             | compo 294     | G042  | 16   | 18.27  | 0.47                 | 65.26                    | 2.5    | 0.55 |      |         |  |
| 172.5                             | 173   |             | 191486        | 0.5   | 14.2 |        |                      | 85.8                     |        |      |      |         |  |
| 173                               | 173.5 |             | 191487        | 0.5   | 14.9 |        |                      | 85.1                     |        |      |      |         |  |
| 173.5                             | 174   |             | 191488        | 0.5   | 48.8 |        |                      | 51.2                     |        |      |      |         |  |
| 174                               | 174.5 |             | 191489        | 0.5   | 53.1 |        |                      | 46.9                     |        |      |      |         |  |
| 174.5                             | 175   |             | 191490        | 0.5   | 29.8 |        |                      | 70.2                     |        |      |      |         |  |
| 175                               | 175.5 |             | 191491        | 0.5   | 18.1 |        |                      | 81.9                     |        |      |      |         |  |
| 175.5                             | 176   |             | 191492        | 0.5   | 17.1 |        |                      | 82.9                     |        |      |      |         |  |
| 176                               | 176.5 |             | 191493        | 0.5   | 11.6 |        |                      | 88.4                     |        |      |      |         |  |
| 176.5                             | 177   |             | 191494        | 0.5   | 18.2 |        |                      | 81.8                     |        |      |      |         |  |
| 177                               | 177.5 |             | 191495        | 0.5   | 39.2 |        |                      | 60.8                     |        |      |      |         |  |
| 177.5                             | 178   |             | 191496        | 0.5   | 38.1 |        |                      | 61.9                     |        |      |      |         |  |
| 178                               | 178.5 |             | 191497        | 0.5   | 76.3 |        |                      | 23.7                     |        |      |      |         |  |
| 178.5                             | 179   |             | 191498        | 0.5   | 63.2 |        |                      | 36.8                     |        |      |      |         |  |
| 179                               | 179.5 |             | 191499        | 0.5   | 34.6 |        |                      | 65.4                     |        |      |      |         |  |
| 179.5                             | 180   |             | 191500        | 0.5   | 33.4 |        |                      | 66.6                     |        |      |      |         |  |
| 180                               | 180.5 |             | 193251        | 0.5   | 57.6 |        |                      | 42.4                     |        |      |      |         |  |
| 180.5                             | 181   |             | 193252        | 0.5   | 49.7 |        |                      | 50.3                     |        |      |      |         |  |
| 181                               | 181.5 |             | 193253        | 0.5   | 91.5 |        |                      | 8.5                      |        |      |      |         |  |
|                                   |       |             | compo 295     | G030  | 24.7 | 16.7   | 0.53                 | 58.07                    | 1.5    | 0.37 |      |         |  |
|                                   |       |             | compo 296     | G032  | 35   | 14.89  | 0.57                 | 49.54                    | 1      | 0.36 |      |         |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       | ELKVALLEY COAL CORP. |                          |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|----------------------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2886        |               | AREA: |      |        |      |       |                      | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I.               | S                        | PHOS | REMARKS |
| 206.5                             | 207   |             | 193254        | 0.5   | 32.6 |        |      | 67.4  |                      |                          |      |         |
| 207                               | 207.5 |             | 193255        | 0.5   | 12.9 |        |      | 87.1  |                      |                          |      |         |
| 207.5                             | 208   |             | 193256        | 0.5   | 28.3 |        |      | 71.7  |                      |                          |      |         |
| 208                               | 208.5 |             | 193257        | 0.5   | 88.9 |        |      | 11.1  |                      |                          |      |         |
|                                   |       |             | compo 297     | G020  | 25.5 | 17.28  | 0.51 | 56.71 | 2                    | 0.45                     |      |         |
| 212.5                             | 213   |             | 193258        | 0.5   | 67.5 |        |      | 32.5  |                      |                          |      |         |
| 213                               | 213.5 |             | 193259        | 0.5   | 67.1 |        |      | 32.9  |                      |                          |      |         |
| 213.5                             | 214   |             | 193260        | 0.5   | 75.1 |        |      | 24.9  |                      |                          |      |         |
| 214                               | 214.5 |             | 193261        | 0.5   | 80.7 |        |      | 19.3  |                      |                          |      |         |
| 214.5                             | 215   |             | 193262        | 0.5   | 73.7 |        |      | 26.3  |                      |                          |      |         |
| 215                               | 215.5 |             | 193263        | 0.5   | 53.1 |        |      | 46.9  |                      |                          |      |         |
| 215.5                             | 216   |             | 193264        | 0.5   | 35.3 |        |      | 64.7  |                      |                          |      |         |
| 216                               | 216.5 |             | 193265        | 0.5   | 53.9 |        |      | 46.1  |                      |                          |      |         |
| 216.5                             | 217   |             | 193266        | 0.5   | 93.9 |        |      | 6.1   |                      |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |      | 2887        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.                     | F.S.I. | S                    | PHOS | REMARKS |
| 8                                 | 8.5  |             | 190801        | 0.5   | 64.1 |        |      | 35.9                     |        |                      |      |         |
| 8.5                               | 9    |             | 190802        | 0.5   | 22.7 |        |      | 77.3                     |        |                      |      |         |
| 9                                 | 9.5  |             | 190803        | 0.5   | 39.7 |        |      | 60.3                     |        |                      |      |         |
| 9.5                               | 10   |             | 190804        | 0.5   | 33.6 |        |      | 66.4                     |        |                      |      |         |
| 10                                | 10.5 |             | 190805        | 0.5   | 87.1 |        |      | 12.9                     |        |                      |      |         |
|                                   |      |             | COMPO 298     |       | 33.2 | 19.06  | 0.69 | 47.05                    | 4.5    | 0.83                 |      |         |
| 21                                | 21.5 |             | 190806        | 0.5   | 36.3 |        |      | 63.7                     |        |                      |      |         |
| 21.5                              | 22   |             | 190807        | 0.5   | 20.1 |        |      | 79.9                     |        |                      |      |         |
| 22                                | 22.5 |             | 190808        | 0.5   | 25.4 |        |      | 74.6                     |        |                      |      |         |
| 22.5                              | 23   |             | 190809        | 0.5   | 47.5 |        |      | 52.5                     |        |                      |      |         |
| 23                                | 23.5 |             | 190810        | 0.5   | 74.8 |        |      | 25.2                     |        |                      |      |         |
|                                   |      |             | COMPO 299     |       | 25.9 | 19.28  | 0.63 | 54.19                    | 3      | 0.59                 |      |         |
| 24                                | 24.5 |             | 190811        | 0.5   | 74.1 |        |      | 25.9                     |        |                      |      |         |
| 24.5                              | 25   |             | 190812        | 0.5   | 72.9 |        |      | 27.1                     |        |                      |      |         |
| 25                                | 25.5 |             | 190813        | 0.5   | 52.2 |        |      | 47.8                     |        |                      |      |         |
| 25.5                              | 26   |             | 190814        | 0.5   | 49.3 |        |      | 50.7                     |        |                      |      |         |
| 26                                | 26.5 |             | 190815        | 0.5   | 83.3 |        |      | 16.7                     |        |                      |      |         |
| 44                                | 44.5 |             | 190816        | 0.5   | 31.6 |        |      | 68.4                     |        |                      |      |         |
| 44.5                              | 45   |             | 190817        | 0.5   | 48.9 |        |      | 51.1                     |        |                      |      |         |
| 45                                | 45.5 |             | 190818        | 0.5   | 62.8 |        |      | 37.2                     |        |                      |      |         |
|                                   |      |             | COMPO 300     |       | 41.8 | 16.08  | 0.58 | 41.54                    | 1      | 0.5                  |      |         |
| 66                                | 66.5 |             | 190819        | 0.5   | 42.9 |        |      | 57.1                     |        |                      |      |         |
| 66.5                              | 67   |             | 190820        | 0.5   | 43.1 |        |      | 56.9                     |        |                      |      |         |
| 67                                | 67.5 |             | 190821        | 0.5   | 35.2 |        |      | 64.8                     |        |                      |      |         |
| 67.5                              | 68   |             | 190822        | 0.5   | 37.6 |        |      | 62.4                     |        |                      |      |         |
| 68                                | 68.5 |             | 190823        | 0.5   | 59.1 |        |      | 40.9                     |        |                      |      |         |
| 68.5                              | 69   |             | 190824        | 0.5   | 48.7 |        |      | 51.3                     |        |                      |      |         |
| 69                                | 69.5 |             | 190825        | 0.5   | 45.6 |        |      | 54.4                     |        |                      |      |         |
| 69.5                              | 70   |             | 190826        | 0.5   | 34.1 |        |      | 65.9                     |        |                      |      |         |
| 70                                | 70.5 |             | 190827        | 0.5   | 22.9 |        |      | 77.1                     |        |                      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2887        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 70.5                              | 71    |             | 190828        | 0.5   | 24.2    |        |      | 75.8                     |        |                      |      |         |
| 71                                | 71.5  |             | 190829        | 0.5   | 31.6    |        |      | 68.4                     |        |                      |      |         |
| 71.5                              | 72    |             | 190830        | 0.5   | 20.7    |        |      | 79.3                     |        |                      |      |         |
| 72                                | 72.5  |             | 190831        | 0.5   | 19.2    |        |      | 80.8                     |        |                      |      |         |
| 72.5                              | 73    |             | 190832        | 0.5   | 61.8    |        |      | 38.2                     |        |                      |      |         |
| 73                                | 73.5  |             | 190833        | 0.5   | 59.6    |        |      | 40.4                     |        |                      |      |         |
| 73.5                              | 74    |             | 190834        | 0.5   | 54.2    |        |      | 45.8                     |        |                      |      |         |
| 74                                | 74.5  |             | 190835        | 0.5   | 60.3    |        |      | 39.7                     |        |                      |      |         |
| 74.5                              | 75    |             | 190836        | 0.5   | 60.4    |        |      | 39.6                     |        |                      |      |         |
| 75                                | 75.5  |             | 190837        | 0.5   | 75.2    |        |      | 24.8                     |        |                      |      |         |
| 75.5                              | 76    |             | 190838        | 0.5   | 80.6    |        |      | 19.4                     |        |                      |      |         |
|                                   |       |             | COMPO 301     |       | 42.3    | 15.74  | 0.67 | 41.29                    | 1      | 0.39                 |      |         |
| 158.5                             | 159   |             | 190839        | 0.5   | 56.6    |        |      | 43.4                     |        |                      |      |         |
| 159                               | 159.5 |             | 190840        | 0.5   | 89.4    |        |      | 10.6                     |        |                      |      |         |
|                                   |       |             | COMPO 302     |       | 28      | 18.84  | 0.63 | 52.53                    | 1.5    | 0.41                 |      |         |
| 182.5                             | 183   |             | 190841        | 0.5   | 13.9    |        |      | 86.1                     |        |                      |      |         |
| 183                               | 183.5 |             | 190842        | 0.5   | 12.7    |        |      | 87.3                     |        |                      |      |         |
| 183.5                             | 184   |             | 190843        | 0.5   | 12.4    |        |      | 87.6                     |        |                      |      |         |
| 184                               | 184.5 |             | 190844        | 0.5   | 20.5    |        |      | 79.5                     |        |                      |      |         |
| 184.5                             | 185   |             | 190845        | 0.5   | missing |        |      |                          |        |                      |      |         |
|                                   |       |             | COMPO 303     |       | 14.8    | 18.74  | 0.58 |                          | 1      | 0.47                 |      |         |
| 185.5                             | 186   |             | 190846        | 0.5   | 24.1    |        |      | 75.9                     |        |                      |      |         |
| 186                               | 186.5 |             | 190847        | 0.5   | 28.9    |        |      | 71.1                     |        |                      |      |         |
| 186.5                             | 187   |             | 190848        | 0.5   | 61.6    |        |      | 38.4                     |        |                      |      |         |
|                                   |       |             | COMPO 304     |       | 27.3    | 17.02  | 0.59 | 55.09                    | 1      | 0.44                 |      |         |
| 190                               | 190.5 |             | 190849        | 0.5   | 21.6    |        |      | 78.4                     |        |                      |      |         |
| 190.5                             | 191   |             | 190850        | 0.5   | 67.7    |        |      | 32.3                     |        |                      |      |         |
|                                   |       |             | prox 305      |       | 23.6    | 17.17  | 0.61 | 58.62                    | 1      | 0.45                 |      |         |
| 191.5                             | 192   |             | 189401        | 0.5   | 22.3    |        |      | 77.7                     |        |                      |      |         |
| 192                               | 192.5 |             | 189402        | 0.5   | 25.6    |        |      | 74.4                     |        |                      |      |         |
| 192.5                             | 193   |             | 189403        | 0.5   | 22.3    |        |      | 77.7                     |        |                      |      |         |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |      |      |           |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|------|------|-----------|
| HOLE NUMBER:                      |       | 2887        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |      |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |                          | F.S.I.               | S    | PHOS | REMARKS   |
| 193                               | 193.5 |             | 189404        | 0.5   | 37.9 |        |      | 62.1                     |                      |      |      |           |
|                                   |       |             | COMPO 306     |       | 27.5 | 17.63  | 0.56 | 54.31                    | 1                    | 0.37 |      |           |
| 213                               | 213.5 |             | 189405        | 0.5   | 80.2 |        |      | 19.8                     |                      |      |      |           |
| 213.5                             | 214   |             | 189406        | 0.5   | 70.7 |        |      | 29.3                     |                      |      |      |           |
| 214                               | 214.5 |             | 189407        | 0.5   | 78.9 |        |      | 21.1                     |                      |      |      |           |
| 214.5                             | 215   |             | 189408        | 0.5   | 80.8 |        |      | 19.2                     |                      |      |      |           |
| 219                               | 219.5 |             | 189409        | 0.5   | 31.1 |        |      | 68.9                     |                      |      |      |           |
| 219.5                             | 220   |             | 189410        | 0.5   | 73.7 |        |      | 26.3                     |                      |      |      |           |
| 254.5                             | 255   |             | 189411        | 0.5   | 32.8 |        |      | 67.2                     |                      |      |      |           |
| 255                               | 255.5 |             | 189412        | 0.5   | 54.2 |        |      | 45.8                     |                      |      |      |           |
| 255.5                             | 256   |             | 189413        | 0.5   | 76.7 |        |      | 23.3                     |                      |      |      |           |
| 256                               | 256.5 |             | 189414        | 0.5   | 60.2 |        |      | 39.8                     |                      |      |      |           |
| 256.5                             | 257   |             | 189415        | 0.5   | 24.6 |        |      | 75.4                     |                      |      |      | ROMAX     |
| 257                               | 257.5 |             | 189416        | 0.5   | 15.1 |        |      | 84.9                     |                      |      |      | 1.26      |
| 257.5                             | 258   |             | 189417        | 0.5   | 16.8 |        |      | 83.2                     |                      |      |      | RO-039-06 |
| 258                               | 258.5 |             | 189418        | 0.5   | 17.2 |        |      | 82.8                     |                      |      |      |           |
| 258.5                             | 259   |             | 189419        | 0.5   | 22.4 |        |      | 77.6                     |                      |      |      |           |
| 259                               | 259.5 |             | 189420        | 0.5   | 68.3 |        |      | 31.7                     |                      |      |      |           |
| 259.5                             | 260   |             | 189421        | 0.5   | 40.1 |        |      | 59.9                     |                      |      |      |           |
| 260                               | 260.5 |             | 189422        | 0.5   | 23.5 |        |      | 76.5                     |                      |      |      |           |
| 260.5                             | 261   |             | 189423        | 0.5   | 16.3 |        |      | 83.7                     |                      |      |      |           |
| 261                               | 261.5 |             | 189424        | 0.5   | 9.6  |        |      | 90.4                     |                      |      |      |           |
| 261.5                             | 262   |             | 189425        | 0.5   | 48.4 |        |      | 51.6                     |                      |      |      |           |
| 262                               | 262.5 |             | 189376        | 0.5   | 72.9 |        |      | 27.1                     |                      |      |      |           |
| 262.5                             | 263   |             | 189377        | 0.5   | 29.9 |        |      | 70.1                     |                      |      |      | ROMAX     |
| 263                               | 263.5 |             | 189378        | 0.5   | 16.6 |        |      | 83.4                     |                      |      |      | RO-040-06 |
| 263.5                             | 264   |             | 189379        | 0.5   | 15.4 |        |      | 84.6                     |                      |      |      | 1.21      |
| 264                               | 264.5 |             | 189380        | 0.5   | 42.8 |        |      | 57.2                     |                      |      |      |           |
| 264.5                             | 265   |             | 189381        | 0.5   | 42.5 |        |      | 57.5                     |                      |      |      |           |

ROTARY DRILL HOLE SAMPLING RECORD

ELKVALLEY COAL CORP.

| HOLE NUMBER: 2887 |       | AREA: CASTLE |               | FORDING RIVER OPERATIONS |      |        |      |       |        |      |      |                            |
|-------------------|-------|--------------|---------------|--------------------------|------|--------|------|-------|--------|------|------|----------------------------|
| FROM              | TO    | DESCRIPTION  | SAMPLE NUMBER | WIDTH                    | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S    | PHOS | REMARKS                    |
| 265               | 265.5 |              | 189382        | 0.5                      | 70.2 |        |      | 29.8  |        |      |      |                            |
| 265.5             | 266   |              | 189383        | 0.5                      | 50.2 |        |      | 49.8  |        |      |      |                            |
| 266               | 266.5 |              | 189384        | 0.5                      | 26.2 |        |      | 73.8  |        |      |      | ROMAX<br>RO-041-06<br>1.24 |
| 266.5             | 267   |              | 189385        | 0.5                      | 19.7 |        |      | 80.3  |        |      |      |                            |
| 267               | 267.5 |              | 189386        | 0.5                      | 32.1 |        |      | 67.9  |        |      |      |                            |
| 267.5             | 268   |              | 189387        | 0.5                      | 29.3 |        |      | 70.7  |        |      |      |                            |
| 268               | 268.5 |              | 189388        | 0.5                      | 42.1 |        |      | 57.9  |        |      |      |                            |
| 268.5             | 269   |              | 189389        | 0.5                      | 21.4 |        |      | 78.6  |        |      |      |                            |
| 269               | 269.5 |              | 189390        | 0.5                      | 48.9 |        |      | 51.1  |        |      |      |                            |
| 269.5             | 270   |              | 189391        | 0.5                      | 66.9 |        |      | 33.1  |        |      |      |                            |
| 270               | 270.5 |              | 189392        | 0.5                      | 57.8 |        |      | 42.2  |        |      |      |                            |
| 270.5             | 271   |              | 189393        | 0.5                      | 64.1 |        |      | 35.9  |        |      |      |                            |
| 271               | 271.5 |              | 189394        | 0.5                      | 83.6 |        |      | 16.4  |        |      |      |                            |
| 271.5             | 272   |              | 189395        | 0.5                      | 86.9 |        |      | 13.1  |        |      |      |                            |
| 272               | 272.5 |              | 189396        | 0.5                      | 78.9 |        |      | 21.1  |        |      |      |                            |
| 272.5             | 273   |              | 189397        | 0.5                      | 92.8 |        |      | 7.2   |        |      |      |                            |
|                   |       |              | COMPO 307     |                          | 25.8 | 18.21  | 0.59 | 55.4  | 1.5    | 0.34 |      |                            |
|                   |       |              | COMPO 308     |                          | 27.4 | 17.25  | 0.79 | 54.56 | 1      | 0.34 |      |                            |
|                   |       |              | COMPO 309     |                          | 29.7 | 17.04  | 0.61 | 52.65 | 3.5    | 0.36 |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2879        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 8                                 | 8.5   |             | 190526        | 0.5   | 53.2 |        |      | 46.8  |        |                          |      |         |
| 8.5                               | 9     |             | 190527        | 0.5   | 22.4 |        |      | 77.6  |        |                          |      |         |
| 9                                 | 9.5   |             | 190528        | 0.5   | 50.7 |        |      | 49.3  |        |                          |      |         |
| 9.5                               | 10    |             | 190529        | 0.5   | 49.4 |        |      | 50.6  |        |                          |      |         |
| 10                                | 10.5  |             | 190530        | 0.5   | 77.8 |        |      | 22.2  |        |                          |      |         |
| 10.5                              | 11    |             | 190531        | 0.5   | 80.3 |        |      | 19.7  |        |                          |      |         |
| 30                                | 30.5  |             | 190532        | 0.5   | 39.7 |        |      | 60.3  |        |                          |      |         |
| 30.5                              | 31    |             | 190533        | 0.5   | 35   |        |      | 65    |        |                          |      |         |
| 31                                | 31.5  |             | 190534        | 0.5   | 40.8 |        |      | 59.2  |        |                          |      |         |
| 31.5                              | 32    |             | 190535        | 0.5   | 37.8 |        |      | 62.2  |        |                          |      |         |
| 32                                | 32.5  |             | 190536        | 0.5   | 43.1 |        |      | 56.9  |        |                          |      |         |
| 32.5                              | 33    |             | 190537        | 0.5   | 41.3 |        |      | 58.7  |        |                          |      |         |
| 33                                | 33.5  |             | 190538        | 0.5   | 32.2 |        |      | 67.8  |        |                          |      |         |
|                                   |       |             | COMPO 242     |       | 39.8 | 17.28  | 0.58 | 42.34 | 1      | 0.36                     |      |         |
| 35.5                              | 36    |             | 190539        | 0.5   | 26.6 |        |      | 73.4  |        |                          |      |         |
| 36                                | 36.5  |             | 190540A       | 0.5   | 17.4 |        |      | 82.6  |        |                          |      |         |
| 36.5                              | 37    |             | 190540B       | 0.5   | 11.9 |        |      | 88.1  |        |                          |      |         |
| 37                                | 37.5  |             | 190541        | 0.5   | 17.3 |        |      | 82.7  |        |                          |      |         |
| 37.5                              | 38    |             | 190542        | 0.5   | 25.6 |        |      | 74.4  |        |                          |      |         |
| 38                                | 38.5  |             | 190543        | 0.5   | 16.9 |        |      | 83.1  |        |                          |      |         |
| 38.5                              | 39    |             | 190544        | 0.5   | 28.3 |        |      | 71.7  |        |                          |      |         |
| 39                                | 39.5  |             | 190545        | 0.5   | 16.4 |        |      | 83.6  |        |                          |      |         |
| 39.5                              | 40    |             | 190546        | 0.5   | 37.5 |        |      | 62.5  |        |                          |      |         |
| 40                                | 40.5  |             | 190547        | 0.5   | 39   |        |      | 61    |        |                          |      |         |
| 40.5                              | 41    |             | 190548        | 0.5   | 50.8 |        |      | 49.2  |        |                          |      |         |
| 41                                | 41.5  |             | 190549        | 0.5   | 66.2 |        |      | 33.8  |        |                          |      |         |
|                                   |       |             | COMPO 243     |       | 23.6 | 20.09  | 0.55 | 55.76 | 3      | 0.41                     |      |         |
| 125.5                             | 126   |             | 190550        | 0.5   | 46.3 |        |      | 53.7  |        |                          |      |         |
| 126                               | 126.5 |             | 190551        | 0.5   | 30.6 |        |      | 69.4  |        |                          |      |         |
| 126.5                             | 127   |             | 190552        | 0.5   | 23   |        |      | 77    |        |                          |      |         |

RoMax  
RO-029-06  
1.13

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2879        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 127                               | 127.5 |             | 190553        | 0.5   | 22.8 |        |      | 77.2                     |        |      |      |         |
| 127.5                             | 128   |             | 190554        | 0.5   | 50.1 |        |      | 49.9                     |        |      |      |         |
| 128                               | 128.5 |             | 190555        | 0.5   | 75.8 |        |      | 24.2                     |        |      |      |         |
|                                   |       |             | COMPO 244     |       | 25.7 | 19.19  | 0.51 | 54.6                     | 4.5    | 0.6  |      |         |
| 149.5                             | 150   |             | 190556        | 0.5   | 31.8 |        |      | 68.2                     |        |      |      |         |
| 150                               | 150.5 |             | 190557        | 0.5   | 30.4 |        |      | 69.6                     |        |      |      |         |
| 150.5                             | 151   |             | 190558        | 0.5   | 17.6 |        |      | 82.4                     |        |      |      |         |
| 151                               | 151.5 |             | 190559        | 0.5   | 17.7 |        |      | 82.3                     |        |      |      |         |
| 151.5                             | 152   |             | 190560        | 0.5   | 30.3 |        |      | 69.7                     |        |      |      |         |
| 152                               | 152.5 |             | 190561        | 0.5   | 30   |        |      | 70                       |        |      |      |         |
| 152.5                             | 153   |             | 190562        | 0.5   | 80.7 |        |      | 19.3                     |        |      |      |         |
| 153                               | 153.5 |             | 190563        | 0.5   | 78.6 |        |      | 21.4                     |        |      |      |         |
| 153.5                             | 154   |             | 190564        | 0.5   | 70   |        |      | 30                       |        |      |      |         |
| 154                               | 154.5 |             | 190565        | 0.5   | 39.1 |        |      | 60.9                     |        |      |      |         |
| 154.5                             | 155   |             | 190566        | 0.5   | 43.9 |        |      | 56.1                     |        |      |      |         |
| 155                               | 155.5 |             | 190567        | 0.5   | 84.9 |        |      | 15.1                     |        |      |      |         |
|                                   |       |             | COMPO 245     |       | 26.3 | 18.31  | 0.49 | 54.9                     | 1      | 0.44 |      |         |
| 164.5                             | 165   |             | 190568        | 0.5   | 36.3 |        |      | 63.7                     |        |      |      |         |
| 165                               | 165.5 |             | 190569        | 0.5   | 20.5 |        |      | 79.5                     |        |      |      |         |
| 165.5                             | 166   |             | 190570        | 0.5   | 28.6 |        |      | 71.4                     |        |      |      |         |
| 166                               | 166.5 |             | 190571        | 0.5   | 24.5 |        |      | 75.5                     |        |      |      |         |
| 166.5                             | 167   |             | 190572        | 0.5   | 23   |        |      | 77                       |        |      |      |         |
| 167                               | 167.5 |             | 190573        | 0.5   | 7.2  |        |      | 92.8                     |        |      |      |         |
| 167.5                             | 168   |             | 190574        | 0.5   | 13.3 |        |      | 86.7                     |        |      |      |         |
| 168                               | 168.5 |             | 190575        | 0.5   | 37   |        |      | 63                       |        |      |      |         |
| 168.5                             | 169   |             | 192901        | 0.5   | 78.1 |        |      | 21.9                     |        |      |      |         |
| 169                               | 169.5 |             | 192902        | 0.5   | 83.8 |        |      | 16.2                     |        |      |      |         |
|                                   |       |             | COMPO 246     |       | 41.6 | 15.74  | 0.53 | 42.13                    | 1      | 0.42 |      |         |
| 192.5                             | 193   |             | 192903        | 0.5   | 81.9 |        |      | 18.1                     |        |      |      |         |
| 193                               | 193.5 |             | 192904        | 0.5   | 78.4 |        |      | 21.6                     |        |      |      |         |
|                                   |       |             |               |       |      |        |      | 100                      |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |   |      |           |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|---|------|-----------|
| HOLE NUMBER:                      |       | 2879        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |   |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | F.S.I.                   | S | PHOS | REMARKS   |
| 200.5                             | 201   |             | 192905        | 0.5   | 76.8   |        |      | 23.2                     |   |      |           |
| 201                               | 201.5 |             | 192906        | 0.5   | 66.1   |        |      | 33.9                     |   |      |           |
| 201.5                             | 202   |             | 192907        | 0.5   | 33.5   |        |      | 66.5                     |   |      |           |
|                                   |       |             | COMPO 247     |       | 24.1   | 19.39  | 0.55 | 55.96                    | 1 | 0.38 |           |
| 220.5                             | 221   |             | 192908        | 0.5   | 42.5   |        |      | 57.5                     |   |      | RoMax     |
| 221                               | 221.5 |             | 192909        | 0.5   | 44.1   |        |      | 55.9                     |   |      | RO-030-06 |
| 221.5                             | 222   |             | 192910        | 0.5   | 16.1   |        |      | 83.9                     |   |      | 1.27      |
| 222                               | 222.5 |             | 192911        | 0.5   | 15     |        |      | 85                       |   |      |           |
| 222.5                             | 223   |             | 192912        | 0.5   | 11.4   |        |      | 88.6                     |   |      |           |
| 223                               | 223.5 |             | 192913        | 0.5   | 16.7   |        |      | 83.3                     |   |      |           |
| 223.5                             | 224   |             | 192914        | 0.5   | 28.4   |        |      | 71.6                     |   |      |           |
| 224                               | 224.5 |             | 192915        | 0.5   | 20.3   |        |      | 79.7                     |   |      |           |
| 224.5                             | 225   |             | 192916        | 0.5   | 11.3   |        |      | 88.7                     |   |      |           |
| 225                               | 225.5 |             | 192917        | 0.5   | 17.7   |        |      | 82.3                     |   |      |           |
| 225.5                             | 226   |             | 192918        | 0.5   | 49.6   |        |      | 50.4                     |   |      |           |
| 226                               | 226.5 |             | 192919        | 0.5   | 64.6   |        |      | 35.4                     |   |      |           |
| 226.5                             | 227   |             | 192920        | 0.5   | 37.9   |        |      | 62.1                     |   |      |           |
| 227                               | 227.5 |             | 192921        | 0.5   | 19.1   |        |      | 80.9                     |   |      |           |
| 227.5                             | 228   |             | 192922        | 0.5   | 81.3   |        |      | 18.7                     |   |      |           |
| 228                               | 228.5 |             | 192923        | 0.5   | 56.6   |        |      | 43.4                     |   |      |           |
| 228.5                             | 229   |             | 192924        | 0.5   | 71.4   |        |      | 28.6                     |   |      |           |
| 229                               | 229.5 |             | 192925        | 0.5   | 22.9   |        |      | 77.1                     |   |      |           |
| 229.5                             | 230   |             | 192926        | 0.5   | 67     |        |      | 33                       |   |      |           |
| 230                               | 230.5 |             | 192927        | 0.5   | 85.6   |        |      | 14.4                     |   |      |           |
| 230.5                             | 231   |             | 192928        | 0.5   | 61.2   |        |      | 38.8                     |   |      |           |
| 231                               | 231.5 |             | 192929        | 0.5   | 50.2   |        |      | 49.8                     |   |      |           |
| 231.5                             | 232   |             | 192930        | 0.5   | 51.6   |        |      | 48.4                     |   |      |           |
| 232                               | 232.5 |             | 192931        | 0.5   | 47.4   |        |      | 52.6                     |   |      |           |
| 232.5                             | 233   |             | 192932        | 0.5   | 55     |        |      | 45                       |   |      |           |
| 233                               | 233.5 |             | 192933        | 0.5   | 67     |        |      | 33                       |   |      |           |
| 233.5                             | 234   |             | 192935        | 0.5   | 27.5   |        |      | 72.5                     |   |      |           |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |              |        |      |       | ELKVALLEY COAL CORP. |                          |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|--------------|--------|------|-------|----------------------|--------------------------|------|----------------------------|
| HOLE NUMBER: 2879                 |       |             |               |       | AREA: CASTLE |        |      |       |                      | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH          | V.C.M. | I.M. | FC    | F.S.I.               | S                        | PHOS | REMARKS                    |
| 234                               | 234.5 |             | 192936        | 0.5   | 75.3         |        |      | 24.7  |                      |                          |      |                            |
|                                   |       |             | COMPO 248     |       | 22.2         | 17.92  | 0.56 | 59.32 | 1                    | 0.36                     |      | RoMax<br>RO-031-06<br>1.26 |
| 251.5                             | 252   |             | 192937        | 0.5   | 59.8         |        |      | 40.2  |                      |                          |      |                            |
| 252                               | 252.5 |             | 192938        | 0.5   | 85.2         |        |      | 14.8  |                      |                          |      |                            |
| 252.5                             | 253   |             | 192939        | 0.5   | 86.4         |        |      | 13.6  |                      |                          |      |                            |
|                                   |       |             | COMPO 249     |       | 29.4         | 15.81  | 0.65 | 54.14 | 1                    | 0.35                     |      |                            |
| 254                               | 254.5 |             | 192940        | 0.5   | 16.1         |        |      | 83.9  |                      |                          |      |                            |
| 254.5                             | 255   |             | 192941        | 0.5   | 21.6         |        |      | 78.4  |                      |                          |      |                            |
| 255                               | 255.5 |             | 192942        | 0.5   | 43.6         |        |      | 56.4  |                      |                          |      |                            |
| 255.5                             | 256   |             | 192943        | 0.5   | 83.1         |        |      | 16.9  |                      |                          |      |                            |
|                                   |       |             | COMPO 250     |       | 27.7         | 16.86  | 0.62 | 54.82 | 1.5                  | 0.45                     |      |                            |
| 263                               | 263.5 |             | 192944        | 0.5   | 82.1         |        |      | 17.9  |                      |                          |      |                            |
| 263.5                             | 264   |             | 192945        | 0.5   | 78.4         |        |      | 21.6  |                      |                          |      |                            |
| 264                               | 264.5 |             | 192946        | 0.5   | 45.2         |        |      | 54.8  |                      |                          |      |                            |
| 264.5                             | 265   |             | 192947        | 0.5   | 21.6         |        |      | 78.4  |                      |                          |      |                            |
| 265                               | 265.5 |             | 192948        | 0.5   | 48.5         |        |      | 51.5  |                      |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |              |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|--------------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER: 2878                 |       |             |               | AREA: CASTLE |      |        |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH        | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 87.5                              | 88    |             | 190976        | 0.5          | 30.4 |        |      | 69.6  |        |                          |      |         |
| 88                                | 88.5  |             | 190977        | 0.5          | 79.8 |        |      | 20.2  |        |                          |      |         |
| 89.5                              | 90    |             | 190978        | 0.5          | 35.4 |        |      | 64.6  |        |                          |      |         |
| 90                                | 90.5  |             | 190979        | 0.5          | 29.6 |        |      | 70.4  |        |                          |      |         |
| 90.5                              | 91    |             | 190980        | 0.5          | 76.4 |        |      | 23.6  |        |                          |      |         |
| 91                                | 91.5  |             | 190981        | 0.5          | 55.9 |        |      | 44.1  |        |                          |      |         |
| 91.5                              | 92    |             | 190982        | 0.5          | 24.1 |        |      | 75.9  |        |                          |      |         |
| 92                                | 92.5  |             | 190983        | 0.5          | 74.4 |        |      | 25.6  |        |                          |      |         |
| 92.5                              | 93    |             | 190984        | 0.5          | 84.3 |        |      | 15.7  |        |                          |      |         |
|                                   |       |             | COMPO 233     | G091         | 33.7 | 18.71  | 0.52 | 47.07 | 4      | 0.48                     |      |         |
| 101                               | 101.5 |             | 190985        | 0.5          | 24.2 |        |      | 75.8  |        |                          |      |         |
| 101.5                             | 102   |             | 190986        | 0.5          | 36.2 |        |      | 63.8  |        |                          |      |         |
| 102                               | 102.5 |             | 190987        | 0.5          | 65.5 |        |      | 34.5  |        |                          |      |         |
| 102.5                             | 103   |             | 190988        | 0.5          | 72.2 |        |      | 27.8  |        |                          |      |         |
|                                   |       |             | COMPO 234     | G090         | 30.9 | 18.34  | 0.49 | 50.27 | 3.5    | 0.59                     |      |         |
| 108                               | 108.5 |             | 190989        | 0.5          | 41.6 |        |      | 58.4  |        |                          |      |         |
| 108.5                             | 109   |             | 190990        | 0.5          | 31.2 |        |      | 68.8  |        |                          |      |         |
| 109                               | 109.5 |             | 190991        | 0.5          | 49.3 |        |      | 50.7  |        |                          |      |         |
| 109.5                             | 110   |             | 190992        | 0.5          | 44.3 |        |      | 55.7  |        |                          |      |         |
| 110                               | 110.5 |             | 190993        | 0.5          | 70.4 |        |      | 29.6  |        |                          |      |         |
|                                   |       |             | COMPO 235     | G073         | 36.9 | 16.02  | 0.55 | 46.53 | 1.5    | 0.49                     |      |         |
| 121                               | 121.5 |             | 190994        | 0.5          | 25.9 |        |      | 74.1  |        |                          |      |         |
| 121.5                             | 122   |             | 190995        | 0.5          | 26.6 |        |      | 73.4  |        |                          |      |         |
| 122                               | 122.5 |             | 190996        | 0.5          | 31.2 |        |      | 68.8  |        |                          |      |         |
| 122.5                             | 123   |             | 190997        | 0.5          | 26.5 |        |      | 73.5  |        |                          |      |         |
| 123                               | 123.5 |             | 190998        | 0.5          | 58   |        |      | 42    |        |                          |      |         |
| 123.5                             | 124   |             | 190999        | 0.5          | 50.3 |        |      | 49.7  |        |                          |      |         |
| 124                               | 124.5 |             | 191000        | 0.5          | 53.7 |        |      | 46.3  |        |                          |      |         |
| 124.5                             | 125   |             | 190951        | 0.5          | 51.4 |        |      | 48.6  |        |                          |      |         |
| 125                               | 125.5 |             | 190952        | 0.5          | 37   |        |      | 63    |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |              |               |                          |      |        |      | ELKVALLEY COAL CORP. |        |      |      |                            |
|-----------------------------------|-------|--------------|---------------|--------------------------|------|--------|------|----------------------|--------|------|------|----------------------------|
| HOLE NUMBER: 2878                 |       | AREA: CASTLE |               | FORDING RIVER OPERATIONS |      |        |      |                      |        |      |      |                            |
| FROM                              | TO    | DESCRIPTION  | SAMPLE NUMBER | WIDTH                    | ASH  | V.C.M. | I.M. | FC                   | F.S.I. | S    | PHOS | REMARKS                    |
| 125.5                             | 126   |              | 190953        | 0.5                      | 27.4 |        |      | 72.6                 |        |      |      |                            |
| 126                               | 126.5 |              | 190954        | 0.5                      | 26.1 |        |      | 73.9                 |        |      |      |                            |
| 126.5                             | 127   |              | 190955        | 0.5                      | 30.1 |        |      | 69.9                 |        |      |      |                            |
| 127                               | 127.5 |              | 190956        | 0.5                      | 30.1 |        |      | 69.9                 |        |      |      |                            |
| 127.5                             | 128   |              | 190957        | 0.5                      | 20.9 |        |      | 79.1                 |        |      |      |                            |
| 128                               | 128.5 |              | 190958        | 0.5                      | 33.8 |        |      | 66.2                 |        |      |      |                            |
| 128.5                             | 129   |              | 190959        | 0.5                      | 80.2 |        |      | 19.8                 |        |      |      |                            |
|                                   |       |              | COMPO 236     | G071                     | 28.4 | 19.36  | 0.48 | 51.76                | 1.5    | 0.39 |      |                            |
| 202                               | 202.5 |              | 190960        | 0.5                      | 68.2 |        |      | 31.8                 |        |      |      |                            |
| 202.5                             | 203   |              | 190961        | 0.5                      | 79.4 |        |      | 20.6                 |        |      |      |                            |
| 203                               | 203.5 |              | 190962        | 0.5                      | 69.7 |        |      | 30.3                 |        |      |      |                            |
| 203.5                             | 204   |              | 190963        | 0.5                      | 87.9 |        |      | 12.1                 |        |      |      |                            |
|                                   |       |              | COMPO 237     | G070                     | 30.5 | 22.12  | 0.48 | 46.9                 | 1.5    | 0.37 |      | RoMax<br>RO-026-06<br>1.18 |
| 244                               | 244.5 |              | 190964        | 0.5                      | 17.8 |        |      | 82.2                 |        |      |      |                            |
| 244.5                             | 245   |              | 190965        | 0.5                      | 25.4 |        |      | 74.6                 |        |      |      |                            |
| 245                               | 245.5 |              | 190966        | 0.5                      | 24.7 |        |      | 75.3                 |        |      |      |                            |
| 245.5                             | 246   |              | 190967        | 0.5                      | 16   |        |      | 84                   |        |      |      |                            |
| 246                               | 246.5 |              | 190968        | 0.5                      | 8.8  |        |      | 91.2                 |        |      |      |                            |
| 246.5                             | 247   |              | 190969        | 0.5                      | 33.1 |        |      | 66.9                 |        |      |      |                            |
| 247                               | 247.5 |              | 190970        | 0.5                      | 22.1 |        |      | 77.9                 |        |      |      |                            |
| 247.5                             | 248   |              | 190971        | 0.5                      | 72.7 |        |      | 27.3                 |        |      |      |                            |
| 248                               | 248.5 |              | 190972        | 0.5                      | 57.6 |        |      | 42.4                 |        |      |      |                            |
| 248.5                             | 249   |              | 190973        | 0.5                      | 59.2 |        |      | 40.8                 |        |      |      |                            |
| 249                               | 249.5 |              | 190974        | 0.5                      | 28   |        |      | 72                   |        |      |      |                            |
| 249.5                             | 250   |              | 190975        | 0.5                      | 35.2 |        |      | 64.8                 |        |      |      |                            |
| 250                               | 250.5 |              | 190926        | 0.5                      | 20.9 |        |      | 79.1                 |        |      |      |                            |
| 250.5                             | 251   |              | 190927        | 0.5                      | 15.9 |        |      | 84.1                 |        |      |      |                            |
| 251                               | 251.5 |              | 190928        | 0.5                      | 29.1 |        |      | 70.9                 |        |      |      |                            |
| 251.5                             | 252   |              | 190929        | 0.5                      | 21   |        |      | 79                   |        |      |      |                            |
| 252                               | 252.5 |              | 190930        | 0.5                      | 8.3  |        |      | 91.7                 |        |      |      |                            |
| 252.5                             | 253   |              | 190931        | 0.5                      | 32.3 |        |      | 67.7                 |        |      |      |                            |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          | ELKVALLEY COAL CORP. |     |      |                    |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|----------------------|-----|------|--------------------|
| HOLE NUMBER:                      |       | 2878        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |                      |     |      |                    |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |                          | F.S.I.               | S   | PHOS | REMARKS            |
| 253                               | 253.5 |             | 190932        | 0.5   | 12.8 |        |      |                          | 87.2                 |     |      |                    |
| 253.5                             | 254   |             | 190933        | 0.5   | 16.1 |        |      |                          | 83.9                 |     |      |                    |
| 254                               | 254.5 |             | 190934        | 0.5   | 55.4 |        |      |                          | 44.6                 |     |      |                    |
| 254.5                             | 255   |             | 190935        | 0.5   | 83.4 |        |      |                          | 16.6                 |     |      |                    |
|                                   |       |             | COMPO 238     | G051  | 21.2 | 19.86  | 0.5  |                          | 58.44                | 3   | 0.45 | RoMax<br>RO-027-06 |
| 256.5                             | 257   |             | 190936        | 0.5   | 82.5 |        |      |                          | 17.5                 |     |      | 1.26               |
|                                   |       |             | COMPO 239     | G050  | 21.8 | 19     | 0.55 |                          | 58.65                | 1.5 | 0.3  |                    |
| 303                               | 303.5 |             | 190937        | 0.5   | 75.8 |        |      |                          | 24.2                 |     |      |                    |
| 329                               | 329.5 |             | 190938        | 0.5   | 26.7 |        |      |                          | 73.3                 |     |      |                    |
| 329.5                             | 330   |             | 190939        | 0.5   | 26.5 |        |      |                          | 73.5                 |     |      |                    |
| 330                               | 330.5 |             | 190940        | 0.5   | 25.1 |        |      |                          | 74.9                 |     |      |                    |
| 330.5                             | 331   |             | 190941        | 0.5   | 47   |        |      |                          | 53                   |     |      |                    |
|                                   |       |             | COMPO 240     | G030  | 26   | 18.71  | 0.54 |                          | 54.75                | 4.5 | 0.39 | RoMax<br>RO-028-06 |
| 331.5                             | 332   |             | 190942        | 0.5   | 39.6 |        |      |                          | 60.4                 |     |      | 1.29               |
| 332                               | 332.5 |             | 190943        | 0.5   | 38.1 |        |      |                          | 61.9                 |     |      |                    |
| 332.5                             | 333   |             | 190944        | 0.5   | 47.9 |        |      |                          | 52.1                 |     |      |                    |
| 333                               | 333.5 |             | 190945        | 0.5   | 45   |        |      |                          | 55                   |     |      |                    |
|                                   |       |             | COMPO 241     | G032  | 38.6 | 21.04  | 0.49 |                          | 39.87                | 4   | 0.35 |                    |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2876        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 6                                 | 6.5   |             | 192776        | 0.5   | 21.4    |        |      | 78.6  |        |                          |      |         |
| 6.5                               | 7     |             | 192777        | 0.5   | 13.7    |        |      | 86.3  |        |                          |      |         |
| 7                                 | 7.5   |             | 192778        | 0.5   | 18.3    |        |      | 81.7  |        |                          |      |         |
| 7.5                               | 8     |             | 192779        | 0.5   | 19.3    |        |      | 80.7  |        |                          |      |         |
| 8                                 | 8.5   |             | 192780        | 0.5   | 22.9    |        |      | 77.1  |        |                          |      |         |
| 8.5                               | 9     |             | 192781        | 0.5   | 10.9    |        |      | 89.1  |        |                          |      |         |
| 9                                 | 9.5   |             | 192782        | 0.5   | 37      |        |      | 63    |        |                          |      |         |
| 9.5                               | 10    |             | 192783        | 0.5   | 39.4    |        |      | 60.6  |        |                          |      |         |
| 10                                | 10.5  |             | 192784        | 0.5   | 35.5    |        |      | 64.5  |        |                          |      |         |
| 10.5                              | 11    |             | 192785        | 0.5   | 20.9    |        |      | 79.1  |        |                          |      |         |
| 11                                | 11.5  |             | 192786        | 0.5   | 17.6    |        |      | 82.4  |        |                          |      |         |
| 11.5                              | 12    |             | 192787        | 0.5   | 26.6    |        |      | 73.4  |        |                          |      |         |
| 12                                | 12.5  |             | 192788        | 0.5   | 39.6    |        |      | 60.4  |        |                          |      |         |
| 12.5                              | 13    |             | 192789        | 0.5   | 61.2    |        |      | 38.8  |        |                          |      |         |
| 13                                | 13.5  |             | 192790        | 0.5   | 73.5    |        |      | 26.5  |        |                          |      |         |
| 13.5                              | 14    |             | 192791        | 0.5   | 81.6    |        |      | 18.4  |        |                          |      |         |
|                                   |       |             | COMPO 220     |       | 24.7    | 22.86  | 0.61 | 51.83 | 7      | 0.79                     |      |         |
| 93                                | 93.5  |             | 192792        | 0.5   | 80.9    |        |      | 19.1  |        |                          |      |         |
| 93.5                              | 94    |             | 192793        | 0.5   | missing |        |      |       |        |                          |      |         |
|                                   |       |             | COMPO-221     |       | 29      | 19.52  | 0.55 | 50.93 | 1.5    | 0.73                     |      |         |
| 95                                | 95.5  |             | 192794        | 0.5   | 54.6    |        |      | 45.4  |        |                          |      |         |
| 95.5                              | 96    |             | 192795        | 0.5   | 31.2    |        |      | 68.8  |        |                          |      |         |
| 96                                | 96.5  |             | 192796        | 0.5   | 28.3    |        |      | 71.7  |        |                          |      |         |
| 96.5                              | 97    |             | 192797        | 0.5   | 59.2    |        |      | 40.8  |        |                          |      |         |
| 97                                | 97.5  |             | 192798        | 0.5   | 57.7    |        |      | 42.3  |        |                          |      |         |
| 97.5                              | 98    |             | 192799        | 0.5   | 56.9    |        |      | 43.1  |        |                          |      |         |
| 98                                | 98.5  |             | 192800        | 0.5   | 71.7    |        |      | 28.3  |        |                          |      |         |
| 98.5                              | 99    |             | 192851        | 0.5   | 83.9    |        |      | 16.1  |        |                          |      |         |
| 99                                | 99.5  |             | 192852        | 0.5   | 71.9    |        |      | 28.1  |        |                          |      |         |
| 99.5                              | 100   |             | 192853        | 0.5   | 38.2    |        |      | 61.8  |        |                          |      |         |
| 100                               | 100.5 |             | 192854        | 0.5   | 47.4    |        |      | 52.6  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER:                      |       | 2876        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 100.5                             | 101   |             | 192855        | 0.5   | 28   |        |      | 72                       |        |      |      |         |
| 101                               | 101.5 |             | 192856        | 0.5   | 27.4 |        |      | 72.6                     |        |      |      |         |
| 101.5                             | 102   |             | 192857        | 0.5   | 59   |        |      | 41                       |        |      |      |         |
|                                   |       |             | COMPO 222     |       | 34.5 | 17.95  | 0.54 | 47.01                    | 3      | 0.42 |      |         |
| 107                               | 107.5 |             | 192858        | 0.5   | 36.2 |        |      | 63.8                     |        |      |      |         |
| 107.5                             | 108   |             | 192859        | 0.5   | 23.7 |        |      | 76.3                     |        |      |      |         |
| 108                               | 108.5 |             | 192860        | 0.5   | 48.6 |        |      | 51.4                     |        |      |      |         |
| 108.5                             | 109   |             | 192861        | 0.5   | 77.6 |        |      | 22.4                     |        |      |      |         |
|                                   |       |             | COMPO 223     |       | 30.8 | 20.23  | 0.46 | 48.51                    | 6      | 0.66 |      |         |
| 110                               | 110.5 |             | 192862        | 0.5   | 75.1 |        |      | 24.9                     |        |      |      |         |
| 110.5                             | 111   |             | 192863        | 0.5   | 84.3 |        |      | 15.7                     |        |      |      |         |
| 114.5                             | 115   |             | 192864        | 0.5   | 45.1 |        |      | 54.9                     |        |      |      |         |
| 115                               | 115.5 |             | 192865        | 0.5   | 32.8 |        |      | 67.2                     |        |      |      |         |
| 115.5                             | 116   |             | 192866        | 0.5   | 31.2 |        |      | 68.8                     |        |      |      |         |
| 116                               | 116.5 |             | 192867        | 0.5   | 42.5 |        |      | 57.5                     |        |      |      |         |
| 116.5                             | 117   |             | 192868        | 0.5   | 73.8 |        |      | 26.2                     |        |      |      |         |
| 117                               | 117.5 |             | 192869        | 0.5   | 86.6 |        |      | 13.4                     |        |      |      |         |
|                                   |       |             | COMPO 224     |       | 37.3 | 17.07  | 0.53 | 45.1                     | 2.5    | 0.53 |      |         |
| 132                               | 132.5 |             | 192870        | 0.5   | 16.9 |        |      | 83.1                     |        |      |      |         |
| 132.5                             | 133   |             | 192871        | 0.5   | 22.7 |        |      | 77.3                     |        |      |      |         |
| 133                               | 133.5 |             | 192872        | 0.5   | 34   |        |      | 66                       |        |      |      |         |
| 133.5                             | 134   |             | 192873        | 0.5   | 70.6 |        |      | 29.4                     |        |      |      |         |
|                                   |       |             | COMPO 225     |       | 25.7 | 19.77  | 0.52 | 54.01                    | 1.5    | 0.41 |      |         |
| 134.5                             | 135   |             | 192874        | 0.5   | 40.9 |        |      | 59.1                     |        |      |      |         |
| 135                               | 135.5 |             | 192875        | 0.5   | 59.4 |        |      | 40.6                     |        |      |      |         |
| 135.5                             | 136   |             | 192826        | 0.5   | 28.6 |        |      | 71.4                     |        |      |      |         |
| 136                               | 136.5 |             | 192827        | 0.5   | 20.3 |        |      | 79.7                     |        |      |      |         |
| 136.5                             | 137   |             | 192828        | 0.5   | 23   |        |      | 77                       |        |      |      |         |
| 137                               | 137.5 |             | 192829        | 0.5   | 29.8 |        |      | 70.2                     |        |      |      |         |
| 137.5                             | 138   |             | 192830        | 0.5   | 26.4 |        |      | 73.6                     |        |      |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      |                          | ELKVALLEY COAL CORP. |      |                            |  |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|----------------------|------|----------------------------|--|
| HOLE NUMBER:                      |       | 2876        |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |                      |      |                            |  |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | F.S.I.                   | S                    | PHOS | REMARKS                    |  |
| 138                               | 138.5 |             | 192831        | 0.5   | 21.7   |        |      | 78.3                     |                      |      |                            |  |
| 138.5                             | 139   |             | 192832        | 0.5   | 46.6   |        |      | 53.4                     |                      |      |                            |  |
| 139                               | 139.5 |             | 192833        | 0.5   | 76.2   |        |      | 23.8                     |                      |      |                            |  |
|                                   |       |             | COMPO 226     |       | 25.7   | 19.91  | 0.53 | 53.86                    | 1.5                  | 0.39 |                            |  |
| 142.5                             | 143   |             | 192834        | 0.5   | 44.1   |        |      | 55.9                     |                      |      | RoMax<br>RO-023-06<br>1.20 |  |
| 143                               | 143.5 |             | 192835        | 0.5   | 77.3   |        |      | 22.7                     |                      |      |                            |  |
| 180                               | 180.5 |             | 192836        | 0.5   | 76.2   |        |      | 23.8                     |                      |      |                            |  |
| 180.5                             | 181   |             | 192837        | 0.5   | 87     |        |      | 13                       |                      |      |                            |  |
| 225                               | 225.5 |             | 192838        | 0.5   | 27     |        |      | 73                       |                      |      |                            |  |
| 225.5                             | 226   |             | 192839        | 0.5   | 32     |        |      | 68                       |                      |      |                            |  |
| 226                               | 226.5 |             | 192840        | 0.5   | 40.1   |        |      | 59.9                     |                      |      |                            |  |
| 226.5                             | 227   |             | 192841        | 0.5   | 30     |        |      | 70                       |                      |      |                            |  |
| 227                               | 227.5 |             | 192842        | 0.5   | 59.1   |        |      | 40.9                     |                      |      |                            |  |
| 227.5                             | 228   |             | 192843        | 0.5   | 51.8   |        |      | 48.2                     |                      |      |                            |  |
| 228                               | 228.5 |             | 192844        | 0.5   | 43.2   |        |      | 56.8                     |                      |      |                            |  |
| 228.5                             | 229   |             | 192845        | 0.5   | 23.7   |        |      | 76.3                     |                      |      |                            |  |
| 229                               | 229.5 |             | 192846        | 0.5   | 31.7   |        |      | 68.3                     |                      |      |                            |  |
| 229.5                             | 230   |             | 192847        | 0.5   | 48.7   |        |      | 51.3                     |                      |      |                            |  |
| 230                               | 230.5 |             | 192848        | 0.5   | 85     |        |      | 15                       |                      |      |                            |  |
|                                   |       |             | COMPO 227     |       | 37.7   | 18.48  | 0.53 | 43.29                    | 1.5                  | 0.38 |                            |  |
| 240.5                             | 241   |             | 192849        | 0.5   | 29.2   |        |      | 70.8                     |                      |      |                            |  |
| 241                               | 241.5 |             | 192850        | 0.5   | 22.3   |        |      | 77.7                     |                      |      |                            |  |
| 241.5                             | 242   |             | 192802        | 0.5   | 20.9   |        |      | 79.1                     |                      |      |                            |  |
| 242                               | 242.5 |             | 192803        | 0.5   | 22.9   |        |      | 77.1                     |                      |      |                            |  |
| 242.5                             | 243   |             | 192804        | 0.5   | 15.9   |        |      | 84.1                     |                      |      |                            |  |
| 243                               | 243.5 |             | 192805        | 0.5   | 80.5   |        |      | 19.5                     |                      |      |                            |  |
| 243.5                             | 244   |             | 192806        | 0.5   | 34.1   |        |      | 65.9                     |                      |      |                            |  |
| 244                               | 244.5 |             | 192807        | 0.5   | 24.3   |        |      | 75.7                     |                      |      |                            |  |
| 244.5                             | 245   |             | 192808        | 0.5   | 17.5   |        |      | 82.5                     |                      |      |                            |  |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2876        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                    |
| 245                               | 245.5 |             | 192809        | 0.5   | 24.2 |        |      | 75.8  |        |                          |      |                            |
| 245.5                             | 246   |             | 192810        | 0.5   | 19.4 |        |      | 80.6  |        |                          |      |                            |
| 246                               | 246.5 |             | 192811        | 0.5   | 28.1 |        |      | 71.9  |        |                          |      |                            |
| 246.5                             | 247   |             | 192812        | 0.5   | 80.8 |        |      | 19.2  |        |                          |      |                            |
| 247                               | 247.5 |             | 192813        | 0.5   | 87   |        |      | 13    |        |                          |      |                            |
| 247.5                             | 248   |             | 192814        | 0.5   | 89.7 |        |      | 10.3  |        |                          |      |                            |
| 248                               | 248.5 |             | 192815        | 0.5   | 62.5 |        |      | 37.5  |        |                          |      |                            |
| 248.5                             | 249   |             | 192816        | 0.5   | 75.7 |        |      | 24.3  |        |                          |      |                            |
| 249                               | 249.5 |             | 192817        | 0.5   | 91.1 |        |      | 8.9   |        |                          |      |                            |
|                                   |       |             | COMPO 228     |       | 28.7 | 16.91  | 0.57 | 53.82 | 1      | 0.39                     |      | RoMax<br>RO-024-06<br>1.27 |
| 280.5                             | 281   |             | 192818        | 0.5   | 21.2 |        |      | 78.8  |        |                          |      |                            |
| 281                               | 281.5 |             | 192819        | 0.5   | 58.3 |        |      | 41.7  |        |                          |      |                            |
| 281.5                             | 282   |             | 192820        | 0.5   | 89.1 |        |      | 10.9  |        |                          |      |                            |
|                                   |       |             | COMPO 229     |       | 26.6 | 16.97  | 0.54 | 55.89 | 1.5    | 0.35                     |      | RoMax<br>RO-025-06<br>1.3  |
| 306                               | 306.5 |             | 192821        | 0.5   | 34.6 |        |      | 65.4  |        |                          |      |                            |
| 306.5                             | 307   |             | 192822        | 0.5   | 30.8 |        |      | 69.2  |        |                          |      |                            |
| 307                               | 307.5 |             | 192823        | 0.5   | 35.4 |        |      | 64.6  |        |                          |      |                            |
| 307.5                             | 308   |             | 192824        | 0.5   | 53.3 |        |      | 46.7  |        |                          |      |                            |
| 308                               | 308.5 |             | 192825        | 0.5   | 56.7 |        |      | 43.3  |        |                          |      |                            |
| 308.5                             | 309   |             | 192876        | 0.5   | 27.5 |        |      | 72.5  |        |                          |      |                            |
| 309                               | 309.5 |             | 192877        | 0.5   | 16.9 |        |      | 83.1  |        |                          |      |                            |
| 309.5                             | 310   |             | 192878        | 0.5   | 14.2 |        |      | 85.8  |        |                          |      |                            |
| 310                               | 310.5 |             | 192879        | 0.5   | 13.8 |        |      | 86.2  |        |                          |      |                            |
| 310.5                             | 311   |             | 192880        | 0.5   | 16.5 |        |      | 83.5  |        |                          |      |                            |
| 311                               | 311.5 |             | 192881        | 0.5   | 29.8 |        |      | 70.2  |        |                          |      |                            |
| 311.5                             | 312   |             | 192882        | 0.5   | 11.7 |        |      | 88.3  |        |                          |      |                            |
| 312                               | 312.5 |             | 192883        | 0.5   | 15.7 |        |      | 84.3  |        |                          |      |                            |
| 312.5                             | 313   |             | 192884        | 0.5   | 19.4 |        |      | 80.6  |        |                          |      |                            |
| 313                               | 313.5 |             | 192885        | 0.5   | 23.5 |        |      | 76.5  |        |                          |      |                            |
| 313.5                             | 314   |             | 192886        | 0.5   | 50.1 |        |      | 49.9  |        |                          |      |                            |
| 314                               | 314.5 |             | 192887        | 0.5   | 47.1 |        |      | 52.9  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2876        |               | AREA: |      | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 314.5                             | 315   |             | 192888        | 0.5   | 26.5 |        |      | 73.5                     |        |                      |      |         |
| 315                               | 315.5 |             | 192889        | 0.5   | 50.8 |        |      | 49.2                     |        |                      |      |         |
| 315.5                             | 316   |             | 192890        | 0.5   | 57.4 |        |      | 42.6                     |        |                      |      |         |
| 316                               | 316.5 |             | 192891        | 0.5   | 64.3 |        |      | 35.7                     |        |                      |      |         |
| 316.5                             | 317   |             | 192892        | 0.5   | 25.5 |        |      | 74.5                     |        |                      |      |         |
| 317                               | 317.5 |             | 192893        | 0.5   | 48.1 |        |      | 51.9                     |        |                      |      |         |
| 317.5                             | 318   |             | 192894        | 0.5   | 36.8 |        |      | 63.2                     |        |                      |      |         |
| 318                               | 318.5 |             | 192895        | 0.5   | 16.2 |        |      | 83.8                     |        |                      |      |         |
| 318.5                             | 319   |             | 192896        | 0.5   | 55.4 |        |      | 44.6                     |        |                      |      |         |
| 319                               | 319.5 |             | 192897        | 0.5   | 46.5 |        |      | 53.5                     |        |                      |      |         |
| 319.5                             | 320   |             | 192898        | 0.5   | 24.8 |        |      | 75.2                     |        |                      |      |         |
| 320                               | 320.5 |             | 192899        | 0.5   | 74.1 |        |      | 25.9                     |        |                      |      |         |
|                                   |       |             | COMPO 230     |       | 32.2 | 19.95  | 0.53 | 47.32                    | 1      | 0.41                 |      |         |
| 346.5                             | 347   |             | 192900        | 0.5   | 14.1 |        |      | 85.9                     |        |                      |      |         |
| 347                               | 347.5 |             | 190501        | 0.5   | 15.4 |        |      | 84.6                     |        |                      |      |         |
| 347.5                             | 348   |             | 190502        | 0.5   | 41.6 |        |      | 58.4                     |        |                      |      |         |
| 348                               | 348.5 |             | 190503        | 0.5   | 86.6 |        |      | 13.4                     |        |                      |      |         |
|                                   |       |             | COMPO 231     |       | 24   | 17.43  | 0.54 | 58.03                    | 3      | 1.35                 |      |         |
| 353                               | 353.5 |             | 190504        | 0.5   | 28.5 |        |      | 71.5                     |        |                      |      |         |
| 353.5                             | 354   |             | 190505        | 0.5   | 17.3 |        |      | 82.7                     |        |                      |      |         |
| 354                               | 354.5 |             | 190506        | 0.5   | 15.7 |        |      | 84.3                     |        |                      |      |         |
| 354.5                             | 355   |             | 190507        | 0.5   | 80.9 |        |      | 19.1                     |        |                      |      |         |
|                                   |       |             | COMPO 232     |       | 20.8 | 20.86  | 0.38 | 57.96                    | 7      | 0.47                 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                    |
| 62                                | 62.5  |             | 188351        | 0.5   | 74.1 |        |      | 25.9  |        |                          |      |                            |
| 62.5                              | 63    |             | 188352        | 0.5   | 60.4 |        |      | 39.6  |        |                          |      |                            |
| 63                                | 63.5  |             | 188353        | 0.5   | 65.5 |        |      | 34.5  |        |                          |      |                            |
| 63.5                              | 64    |             | 188354        | 0.5   | 65.4 |        |      | 34.6  |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 74                                | 74.5  |             | 188355        | 0.5   | 61.6 |        |      | 38.4  |        |                          |      |                            |
| 74.5                              | 75    |             | 188356        | 0.5   | 68.3 |        |      | 31.7  |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      |       |        |                          |      |                            |
| 80.5                              | 81    |             | 188358        | 0.5   | 15.9 |        |      | 84.1  |        |                          |      |                            |
| 81                                | 81.5  |             | 188359        | 0.5   | 22.4 |        |      | 77.6  |        |                          |      |                            |
| 81.5                              | 82    |             | 188360        | 0.5   | 30.1 |        |      | 69.9  |        |                          |      |                            |
|                                   |       |             | COMPO 202     |       | 24   | 27.2   | 0.72 | 48.08 | 7.5    | 0.63                     |      | RoMax<br>RO-017-06<br>0.91 |
| 82.5                              | 83    |             | 188361        | 0.5   | 71.9 |        |      | 28.1  |        |                          |      |                            |
| 83                                | 83.5  |             | 188362        | 0.5   | 44.8 |        |      | 55.2  |        |                          |      |                            |
| 83.5                              | 84    |             | 188363        | 0.5   | 66.8 |        |      |       |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 86                                | 86.5  |             | 188364        | 0.5   | 71.9 |        |      | 28.1  |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 91                                | 91.5  |             | 188365        | 0.5   | 17.8 |        |      |       |        |                          |      |                            |
| 91.5                              | 92    |             | 188366        | 0.5   | 77.7 |        |      | 22.3  |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 98.5                              | 99    |             | 188367        | 0.5   | 31.2 |        |      |       |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 100                               | 100.5 |             | 188368        | 0.5   | 71.8 |        |      | 28.2  |        |                          |      |                            |
| 100.5                             | 101   |             | 188369        | 0.5   | 86.1 |        |      | 13.9  |        |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |        |                          |      |                            |
| 108                               | 108.5 |             | 188370        | 0.5   | 28.1 |        |      | 71.9  |        |                          |      |                            |
| 108.5                             | 109   |             | 188371        | 0.5   | 59.8 |        |      | 40.2  |        |                          |      |                            |
| 109                               | 109.5 |             | 188372        | 0.5   | 65.2 |        |      | 34.8  |        |                          |      |                            |
| 109.5                             | 110   |             | 188373        | 0.5   | 31.4 |        |      | 68.6  |        |                          |      |                            |
| 110                               | 110.5 |             | 188374        | 0.5   | 25.2 |        |      | 74.8  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      | ELKVALLEY COAL CORP.     |     |      |           |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|-----|------|-----------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: | CASTLE  |        |      | FORDING RIVER OPERATIONS |     |      |           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS   |
| 110.5                             | 111   |             | 188375        | 0.5   | 11.3    |        |      | 88.7                     |     |      |           |
| 111                               | 111.5 |             | 188276        | 0.5   | 7.8     |        |      | 92.2                     |     |      |           |
| 111.5                             | 112   |             | 188277        | 0.5   | 12.3    |        |      | 87.7                     |     |      |           |
| 112                               | 112.5 |             | 188278        | 0.5   | 16.9    |        |      | 83.1                     |     |      |           |
| 112.5                             | 113   |             | 188279        | 0.5   | 20.1    |        |      | 79.9                     |     |      |           |
| 113                               | 113.5 |             | 188280        | 0.5   | 57.6    |        |      | 42.4                     |     |      |           |
|                                   |       |             | COMPO203      |       | 18.3    | 29.93  | 0.79 | 50.98                    | 7.5 | 0.54 |           |
| 138.5                             | 139   |             | 188281        | 0.5   | 5.2     |        |      | 94.8                     |     |      | RoMax     |
| 139                               | 139.5 |             | 188282        | 0.5   | 13.1    |        |      | 86.9                     |     |      | RO-018-06 |
| 139.5                             | 140   |             | 188283        | 0.5   | 11.5    |        |      | 88.5                     |     |      | 0.91      |
| 140                               | 140.5 |             | 188284        | 0.5   | 59.7    |        |      | 40.3                     |     |      |           |
|                                   |       |             | COMPO 204     |       | 10.9    | 31.82  | 0.89 | 56.39                    | 8   | 1.04 |           |
| 143                               | 143.5 |             | 188285        | 0.5   | 16.9    |        |      | 83.1                     |     |      |           |
| 143.5                             | 144   |             | 188286        | 0.5   | 34.7    |        |      | 65.3                     |     |      |           |
|                                   |       |             | COMPO 205     |       | 27.6    | 25.21  | 0.75 | 46.44                    | 6.5 | 0.76 |           |
| 145.5                             | 146   |             | 188287        | 0.5   | 13.2    |        |      | 86.8                     |     |      |           |
| 146                               | 146.5 |             | 188288        | 0.5   | 22.3    |        |      | 77.7                     |     |      |           |
| 146.5                             | 147   |             | 188289        | 0.5   | 53.9    |        |      | 46.1                     |     |      |           |
|                                   |       |             | COMPO 206     |       | 20.7    | 26.36  | 0.83 | 52.11                    | 7.5 | 0.78 |           |
| 181                               | 181.5 |             | 188290        | 0.5   | 8.2     |        |      | 91.8                     |     |      |           |
| 181.5                             | 182   |             | 188291        | 0.5   | 6.2     |        |      | 93.8                     |     |      |           |
| 182                               | 182.5 |             | 188292        | 0.5   | missing |        |      |                          |     |      |           |
| 182.5                             | 183   |             | 188293        | 0.5   | 6.1     |        |      | 93.9                     |     |      |           |
| 183                               | 183.5 |             | 188294        | 0.5   | 21.5    |        |      | 78.5                     |     |      |           |
| 183.5                             | 184   |             | 188295        | 0.5   | 8.8     |        |      | 91.2                     |     |      |           |
| 184                               | 184.5 |             | 188296        | 0.5   | 7.3     |        |      | 92.7                     |     |      |           |
| 184.5                             | 185   |             | 188297        | 0.5   | 5.3     |        |      | 94.7                     |     |      |           |
| 185                               | 185.5 |             | 188298        | 0.5   | 16.6    |        |      | 83.4                     |     |      |           |
| 185.5                             | 186   |             | 188299        | 0.5   | 64.5    |        |      | 35.5                     |     |      |           |
| 186                               | 186.5 |             | 188300        | 0.5   | 75.3    |        |      | 24.7                     |     |      |           |
| 186.5                             | 187   |             | 188301        | 0.5   | 48.3    |        |      | 51.7                     |     |      |           |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       | ELKVALLEY COAL CORP.     |      |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------------------------|------|------|----------------------------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: |         |        |      |       | FORDING RIVER OPERATIONS |      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. |       | F.S.I.                   | S    | PHOS | REMARKS                    |
| 187                               | 187.5 |             | 188302        | 0.5   | 64.1    |        |      | 35.9  |                          |      |      |                            |
| 187.5                             | 188   |             | 188303        | 0.5   | 73.2    |        |      | 26.8  |                          |      |      |                            |
|                                   |       |             | COMPO 207     |       | 10.7    | 27.11  | 0.87 | 61.32 | 7                        | 0.63 |      | RoMax<br>RO-019-06<br>1.02 |
| 191.5                             | 192   |             | 188304        | 0.5   | 15.9    |        |      | 84.1  |                          |      |      |                            |
| 192                               | 192.5 |             | 188305        | 0.5   | 61.2    |        |      | 38.8  |                          |      |      |                            |
| 192.5                             | 193   |             | 188306        | 0.5   | 88.1    |        |      | 11.9  |                          |      |      |                            |
|                                   |       |             |               |       |         |        |      | 100   |                          |      |      |                            |
| 197                               | 197.5 |             | 188307        | 0.5   | 6.2     |        |      | 93.8  |                          |      |      |                            |
| 197.5                             | 198   |             | 188308        | 0.5   | missing |        |      |       |                          |      |      |                            |
| 198                               | 198.5 |             | 188309        | 0.5   | 9.7     |        |      | 90.3  |                          |      |      |                            |
| 198.5                             | 199   |             | 188310        | 0.5   | 60.3    |        |      | 39.7  |                          |      |      |                            |
|                                   |       |             | COMPO 208     |       | 8.5     | 26.04  | 0.81 | 64.65 | 6                        | 0.81 |      |                            |
| 204                               | 204.5 |             | 188311        | 0.5   | 7.3     |        |      | 92.7  |                          |      |      |                            |
| 204.5                             | 205   |             | 188312        | 0.5   | 13.1    |        |      | 86.9  |                          |      |      |                            |
| 205                               | 205.5 |             | 188313        | 0.5   | 31.1    |        |      |       |                          |      |      |                            |
| 205.5                             | 206   |             | 188314        | 0.5   | 40.1    |        |      | 59.9  |                          |      |      |                            |
| 206                               | 206.5 |             | 188315        | 0.5   | 70.6    |        |      | 29.4  |                          |      |      |                            |
| 206.5                             | 207   |             | 188316        | 0.5   | 64.9    |        |      | 35.1  |                          |      |      |                            |
|                                   |       |             | COMPO 209     |       | 22.7    | 23.98  | 0.72 | 52.6  | 7                        | 0.69 |      |                            |
| 208.5                             | 209   |             | 188317        | 0.5   | 13.7    |        |      | 86.3  |                          |      |      |                            |
| 209                               | 209.5 |             | 188318        | 0.5   | 9.5     |        |      | 90.5  |                          |      |      |                            |
| 209.5                             | 210   |             | 188319        | 0.5   | 75.2    |        |      |       |                          |      |      |                            |
| 210                               | 210.5 |             | 188320        | 0.5   | 83.9    |        |      | 16.1  |                          |      |      |                            |
|                                   |       |             | COMPO 210     |       | 12.1    | 28.05  | 0.69 | 59.16 | 6.5                      | 0.75 |      |                            |
| 223.5                             | 224   |             | 188321        | 0.5   | 41.9    |        |      | 58.1  |                          |      |      |                            |
| 224                               | 224.5 |             | 188322        | 0.5   | 36.9    |        |      | 63.1  |                          |      |      |                            |
| 224.5                             | 225   |             | 188323        | 0.5   | 16.7    |        |      | 83.3  |                          |      |      |                            |
| 225                               | 225.5 |             | 188324        | 0.5   | 18.1    |        |      | 81.9  |                          |      |      |                            |
| 225.5                             | 226   |             | 188325        | 0.5   | 15.4    |        |      | 84.6  |                          |      |      |                            |
| 226                               | 226.5 |             | 188626        | 0.5   | 14.2    |        |      | 85.8  |                          |      |      |                            |
| 226.5                             | 227   |             | 188627        | 0.5   | 45.2    |        |      | 54.8  |                          |      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       | ELKVALLEY COAL CORP. |                          |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|----------------------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: |      |        |      |       |                      | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. |       | F.S.I.               | S                        | PHOS | REMARKS                    |
| 264.5                             | 265   |             | 188628        | 0.5   | 30.6 |        |      | 69.4  |                      |                          |      |                            |
| 265                               | 265.5 |             | 188629        | 0.5   | 33.2 |        |      | 66.8  |                      |                          |      |                            |
| 265.5                             | 266   |             | 188630        | 0.5   | 84.5 |        |      | 15.5  |                      |                          |      |                            |
|                                   |       |             | COMPO 211     |       | 22.2 | 23.96  | 0.73 | 53.11 | 7.5                  | 0.63                     |      | RoMax<br>RO-020-06<br>1.05 |
| 271                               | 271.5 |             | 188631        | 0.5   | 62.3 |        |      | 37.7  |                      |                          |      |                            |
| 271.5                             | 272   |             | 188632        | 0.5   | 49.5 |        |      | 50.5  |                      |                          |      |                            |
| 272                               | 272.5 |             | 188633        | 0.5   | 87.4 |        |      | 12.6  |                      |                          |      |                            |
|                                   |       |             | COMPO 212     |       | 31.4 | 22.07  | 0.66 | 45.87 | 6                    | 0.72                     |      |                            |
| 315.5                             | 316   |             | 188634        | 0.5   | 18.8 |        |      | 81.2  |                      |                          |      |                            |
| 316                               | 316.5 |             | 188635        | 0.5   | 69   |        |      | 31    |                      |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |                      |                          |      |                            |
| 333.5                             | 334   |             | 188636        | 0.5   | 22.8 |        |      | 77.2  |                      |                          |      |                            |
| 334                               | 334.5 |             | 188637        | 0.5   | 10.8 |        |      | 89.2  |                      |                          |      |                            |
|                                   |       |             | COMPO 213     |       | 16.9 | 23.43  | 0.67 | 59    | 7.5                  | 0.83                     |      |                            |
| 336                               | 336.5 |             | 188638        | 0.5   | 49.6 |        |      |       |                      |                          |      |                            |
| 336.5                             | 337   |             | 188639        | 0.5   | 29.2 |        |      | 70.8  |                      |                          |      |                            |
| 337                               | 337.5 |             | 188640        | 0.5   | 17   |        |      | 83    |                      |                          |      |                            |
| 337.5                             | 338   |             | 188641        | 0.5   | 10   |        |      | 90    |                      |                          |      |                            |
| 338                               | 338.5 |             | 188642        | 0.5   | 30.3 |        |      |       |                      |                          |      |                            |
| 338.5                             | 339   |             | 188643        | 0.5   | 18.1 |        |      | 81.9  |                      |                          |      |                            |
| 339                               | 339.5 |             | 188644        | 0.5   | 12.7 |        |      | 87.3  |                      |                          |      |                            |
| 339.5                             | 340   |             | 188645        | 0.5   | 26   |        |      |       |                      |                          |      |                            |
| 340                               | 340.5 |             | 188646        | 0.5   | 52.7 |        |      | 47.3  |                      |                          |      |                            |
|                                   |       |             | COMPO 214     |       | 20   | 21.95  | 0.68 | 57.37 | 6                    | 0.55                     |      | RoMax<br>RO-021-06<br>1.13 |
| 350.5                             | 351   |             | 188647        | 0.5   | 68.7 |        |      | 31.3  |                      |                          |      |                            |
| 351                               | 351.5 |             | 188648        | 0.5   | 63.1 |        |      | 36.9  |                      |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |                      |                          |      |                            |
| 352.5                             | 353   |             | 188649        | 0.5   | 39.7 |        |      | 60.3  |                      |                          |      |                            |
| 353                               | 353.5 |             | 188650        | 0.5   | 77.3 |        |      | 22.7  |                      |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |                      |                          |      |                            |
|                                   |       |             |               |       |      |        |      | 100   |                      |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|-----|------|---------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: |      |        |      | FORDING RIVER OPERATIONS |     |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS |
| 359.5                             | 360   |             | 188326        | 0.5   | 64.1 |        |      | 35.9                     |     |      |         |
| 360                               | 360.5 |             | 188327        | 0.5   | 82.7 |        |      | 17.3                     |     |      |         |
|                                   |       |             |               |       |      |        |      | 100                      |     |      |         |
| 361.5                             | 362   |             | 188328        | 0.5   | 75.4 |        |      | 24.6                     |     |      |         |
|                                   | 0.5   |             | 188329        | 0.5   | 71.5 |        |      | 28.5                     |     |      |         |
| 362.5                             | 363   |             | 188330        | 0.5   | 61.9 |        |      | 38.1                     |     |      |         |
| 363                               | 363.5 |             | 188331        | 0.5   | 72.9 |        |      | 27.1                     |     |      |         |
| 363.5                             | 364   |             | 188332        | 0.5   | 78.6 |        |      | 21.4                     |     |      |         |
| 364                               | 364.5 |             | 188333        | 0.5   | 73.9 |        |      | 26.1                     |     |      |         |
|                                   |       |             |               |       |      |        |      | 100                      |     |      |         |
| 365.5                             | 366   |             | 188334        | 0.5   | 43.1 |        |      | 56.9                     |     |      |         |
| 366                               | 366.5 |             | 188335        | 0.5   | 20.2 |        |      | 79.8                     |     |      |         |
| 366.5                             | 367   |             | 188336        | 0.5   | 37.8 |        |      | 62.2                     |     |      |         |
|                                   |       |             | COMPO 215     |       | 30.4 | 17.75  | 0.63 | 51.22                    | 2.5 | 0.64 |         |
| 393.5                             | 394   |             | 188337        | 0.5   | 54.2 |        |      |                          |     |      |         |
| 394                               | 394.5 |             | 188338        | 0.5   | 61.3 |        |      | 38.7                     |     |      |         |
| 394.5                             | 395   |             | 188339        | 0.5   | 82.5 |        |      | 17.5                     |     |      |         |
|                                   |       |             |               |       |      |        |      | 100                      |     |      |         |
| 411                               | 411.5 |             | 188340        | 0.5   | 82.6 |        |      |                          |     |      |         |
| 411.5                             | 412   |             | 188341        | 0.5   | 82.2 |        |      | 17.8                     |     |      |         |
| 412                               | 412.5 |             | 188342        | 0.5   | 85.1 |        |      | 14.9                     |     |      |         |
|                                   |       |             |               |       |      |        |      |                          |     |      |         |
| 422.3                             | 422.5 |             | 188343        | 0.2   | 35.1 |        |      | 64.9                     |     |      |         |
| 422.5                             | 423   |             | 188344        | 0.5   | 23.2 |        |      | 76.8                     |     |      |         |
| 423                               | 423.5 |             | 188345        | 0.5   | 14.8 |        |      | 85.2                     |     |      |         |
| 423.5                             | 424   |             | 188346        | 0.5   | 31.3 |        |      | 68.7                     |     |      |         |
| 424                               | 424.5 |             | 188347        | 0.5   | 79.1 |        |      | 20.9                     |     |      |         |
|                                   |       |             | COMPO 216     |       | 28.2 | 19.52  | 0.6  | 51.68                    | 5.5 | 0.55 |         |
| 426.5                             | 427   |             | 188348        | 0.5   | 75.8 |        |      | 24.2                     |     |      |         |
| 427                               | 427.5 |             | 188349        | 0.5   | 26.4 |        |      | 73.6                     |     |      |         |
| 427.5                             | 428   |             | 188350        | 0.5   | 37.5 |        |      | 62.5                     |     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      | ELKVALLEY COAL CORP.     |     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|--------------------------|-----|------|----------------------------|
| HOLE NUMBER:                      |       | 2875        |               | AREA: |      |        |      | FORDING RIVER OPERATIONS |     |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.S.I.                   | S   | PHOS | REMARKS                    |
| 428                               | 428.5 |             | 192751        | 0.5   | 18.7 |        |      | 81.3                     |     |      |                            |
| 428.5                             | 429   |             | 192752        | 0.5   | 31.7 |        |      | 68.3                     |     |      |                            |
| 429                               | 429.5 |             | 192753        | 0.5   | 60.6 |        |      | 39.4                     |     |      |                            |
|                                   |       |             | COMPO 217     |       | 29.7 | 17.58  | 0.63 | 52.09                    | 2   | 0.55 |                            |
| 442.5                             | 443   |             | 192754        | 0.5   | 31.7 |        |      | 68.3                     |     |      |                            |
| 443                               | 443.5 |             | 192755        | 0.5   | 18.4 |        |      | 81.6                     |     |      |                            |
| 443.5                             | 444   |             | 192756        | 0.5   | 62.4 |        |      | 37.6                     |     |      |                            |
| 444                               | 444.5 |             | 192757        | 0.5   | 65.5 |        |      | 34.5                     |     |      |                            |
| 444.5                             | 445   |             | 192758        | 0.5   | 88.2 |        |      | 11.8                     |     |      |                            |
| 445                               | 445.5 |             | 192759        | 0.5   | 49.9 |        |      | 50.1                     |     |      |                            |
| 445.5                             | 446   |             | 192760        | 0.5   | 66.8 |        |      | 33.2                     |     |      |                            |
| 446                               | 446.5 |             | 192761        | 0.5   | 67.9 |        |      | 32.1                     |     |      |                            |
| 446.5                             | 447   |             | 192762        | 0.5   | 64.2 |        |      | 35.8                     |     |      |                            |
| 447                               | 447.5 |             | 192763        | 0.5   | 42.4 |        |      | 57.6                     |     |      |                            |
| 447.5                             | 448   |             | 192764        | 0.5   | 23.4 |        |      |                          |     |      |                            |
| 448                               | 448.5 |             | 192765        | 0.5   | 25.6 |        |      | 74.4                     |     |      |                            |
| 448.5                             | 449   |             | 192766        | 0.5   | 63.9 |        |      | 36.1                     |     |      |                            |
| 449                               | 449.5 |             | 192767        | 0.5   | 73.8 |        |      | 26.2                     |     |      |                            |
| 449.5                             | 450   |             | 192768        | 0.5   | 88.6 |        |      |                          |     |      |                            |
|                                   |       |             | COMPO 218     |       | 23.9 | 19.35  | 0.51 | 56.24                    | 3.5 | 0.59 |                            |
|                                   |       |             | COMPO 219     |       | 30.2 | 18.38  | 0.54 | 50.88                    | 3   | 0.62 | RoMax<br>RO-022-06<br>1.21 |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER: 2874                 |       |             |               | AREA: | CASTLE |        |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS                    |
| 12                                | 12.5  |             | 188676        | 0.5   | 61.8   |        |      | 38.2  |        |                          |      |                            |
| 12.5                              | 13    |             | 188677        | 0.5   | 82.5   |        |      | 17.5  |        |                          |      |                            |
| 96.5                              | 97    |             | 188678        | 0.5   | 69.9   |        |      | 30.1  |        |                          |      |                            |
| 97                                | 97.5  |             | 188679        | 0.5   | 61.9   |        |      | 38.1  |        |                          |      |                            |
| 97.5                              | 98    |             | 188680        | 0.5   | 72.9   |        |      | 27.1  |        |                          |      |                            |
| 98                                | 98.5  |             | 188681        | 0.5   | 74.4   |        |      | 25.6  |        |                          |      |                            |
| 98.5                              | 99    |             | 188682        | 0.5   | 75.6   |        |      | 24.4  |        |                          |      |                            |
| 100                               | 100.5 |             | 188683        | 0.5   | 50.8   |        |      | 49.2  |        |                          |      |                            |
| 100.5                             | 101   |             | 188684        | 0.5   | 37.2   |        |      | 62.8  |        |                          |      |                            |
| 101                               | 101.5 |             | 188685        | 0.5   | 52.1   |        |      | 47.9  |        |                          |      |                            |
| 101.5                             | 102   |             | 188686        | 0.5   | 66.9   |        |      | 33.1  |        |                          |      |                            |
| 118                               | 118.5 |             | 188687        | 0.5   | 50.9   |        |      | 49.1  |        |                          |      |                            |
| 118.5                             | 119   |             | 188688        | 0.5   | 73.3   |        |      | 26.7  |        |                          |      |                            |
| 129.5                             | 130   |             | 188689        | 0.5   | 22.2   |        |      | 77.8  |        |                          |      |                            |
| 130                               | 130.5 |             | 188690        | 0.5   | 14.4   |        |      | 85.6  |        |                          |      |                            |
| 130.5                             | 131   |             | 188691        | 0.5   | 13.9   |        |      | 86.1  |        |                          |      |                            |
| 131                               | 131.5 |             | 188692        | 0.5   | 66.1   |        |      | 33.9  |        |                          |      |                            |
| 131.5                             | 132   |             | 188693        | 0.5   | 61.5   |        |      | 38.5  |        |                          |      |                            |
|                                   |       |             | Compo 191     |       | 17.2   | 30.73  | 0.84 | 51.23 | 8      | 0.47                     |      | RoMax<br>0.96<br>RO-013-06 |
| 193.5                             | 194   |             | 188694        | 0.5   | 11.4   |        |      | 88.6  |        |                          |      |                            |
| 194                               | 194.5 |             | 188695        | 0.5   | 10.4   |        |      | 89.6  |        |                          |      |                            |
| 194.5                             | 195   |             | 188696        | 0.5   | 6.1    |        |      | 93.9  |        |                          |      |                            |
| 195                               | 195.5 |             | 188697        | 0.5   | 10.9   |        |      | 89.1  |        |                          |      |                            |
| 195.5                             | 196   |             | 188698        | 0.5   | 10.3   |        |      | 89.7  |        |                          |      |                            |
| 196                               | 196.5 |             | 188699        | 0.5   | 12.2   |        |      | 87.8  |        |                          |      |                            |
| 196.5                             | 197   |             | 188700        | 0.5   | 15.5   |        |      | 84.5  |        |                          |      |                            |
| 197                               | 197.5 |             | 188576        | 0.5   | 84.9   |        |      | 15.1  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2874        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS                    |
| 198.5                             | 199   |             | 188577        | 0.5   | 13.2    |        |      | 86.8                     |        |                      |      |                            |
| 199                               | 199.5 |             | 188578        | 0.5   | 6.6     |        |      | 93.4                     |        |                      |      |                            |
| 199.5                             | 200   |             | 188579        | 0.5   | 11.9    |        |      | 88.1                     |        |                      |      |                            |
| 200                               | 200.5 |             | 188580        | 0.5   | 43.2    |        |      | 56.8                     |        |                      |      |                            |
| 200.5                             | 201   |             | 188581        | 0.5   | 78.1    |        |      | 21.9                     |        |                      |      |                            |
| 201                               | 201.5 |             | 188582        | 0.5   | 66.8    |        |      | 33.2                     |        |                      |      |                            |
| 201.5                             | 202   |             | 188583        | 0.5   | missing |        |      |                          |        |                      |      |                            |
| 202                               | 202.5 |             | 188584        | 0.5   | 55.9    |        |      | 44.1                     |        |                      |      |                            |
|                                   |       |             | Compo 192     |       | 11.6    | 27.65  | 0.82 | 59.93                    | 7.5    | 0.68                 |      | RoMax<br>0.98<br>RO-014-06 |
| 206                               | 206.5 |             | 188585        | 0.5   | 67.1    |        |      | 32.9                     |        |                      |      |                            |
| 206.5                             | 207   |             | 188586        | 0.5   | 84.2    |        |      | 15.8                     |        |                      |      |                            |
|                                   |       |             | Compo 193     |       | 16.6    | 25.99  | 0.88 | 56.53                    | 7.5    | 0.61                 |      |                            |
| 215                               | 215.5 |             | 188587        | 0.5   | 8.6     |        |      | 91.4                     |        |                      |      |                            |
| 215.5                             | 216   |             | 188588        | 0.5   | 12.3    |        |      | 87.7                     |        |                      |      |                            |
| 216                               | 216.5 |             | 188589        | 0.5   | missing |        |      |                          |        |                      |      |                            |
| 216.5                             | 217   |             | 188590        | 0.5   | 75.7    |        |      | 24.3                     |        |                      |      |                            |
|                                   |       |             | Compo 194     |       | 10.4    | 25.96  | 0.86 | 62.78                    | 7.5    | 0.78                 |      |                            |
| 226                               | 226.5 |             | 188591        | 0.5   | 40.9    |        |      | 59.1                     |        |                      |      |                            |
| 226.5                             | 227   |             | 188592        | 0.5   | 54.2    |        |      | 45.8                     |        |                      |      |                            |
| 227                               | 227.5 |             | 188593        | 0.5   | 36.3    |        |      | 63.7                     |        |                      |      |                            |
| 227.5                             | 228   |             | 188594        | 0.5   | 65.6    |        |      | 34.4                     |        |                      |      |                            |
| 228                               | 228.5 |             | 188595        | 0.5   | 68.9    |        |      | 31.1                     |        |                      |      |                            |
|                                   |       |             | Compo 195     |       | 44.1    | 19.01  | 0.93 | 35.96                    | 4.5    | 0.51                 |      |                            |
| 229                               | 229.5 |             | 188596        | 0.5   | 16.5    |        |      | 83.5                     |        |                      |      |                            |
| 229.5                             | 230   |             | 188597        | 0.5   | 22.9    |        |      | 77.1                     |        |                      |      |                            |
| 230                               | 230.5 |             | 188598        | 0.5   | 23.6    |        |      | 76.4                     |        |                      |      |                            |
| 230.5                             | 231   |             | 188599        | 0.5   | 27.9    |        |      | 72.1                     |        |                      |      |                            |
| 231                               | 231.5 |             | 188600        | 0.5   | 42.1    |        |      | 57.9                     |        |                      |      |                            |
|                                   |       |             | Compo 196     |       | 27.7    | 23.91  | 0.92 | 47.47                    | 8      | 0.7                  |      |                            |
| 245                               | 245.5 |             | 188552        | 0.5   | 46.6    |        |      | 53.4                     |        |                      |      |                            |
| 245.5                             | 246   |             | 188553        | 0.5   | 31.7    |        |      | 68.3                     |        |                      |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2874        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                    |
| 246                               | 246.5 |             | 188554        | 0.5   | 20.4 |        |      | 79.6  |        |                          |      |                            |
| 246.5                             | 247   |             | 188555        | 0.5   | 20.9 |        |      | 79.1  |        |                          |      |                            |
| 247                               | 247.5 |             | 188556        | 0.5   | 25.1 |        |      | 74.9  |        |                          |      |                            |
| 247.5                             | 248   |             | 188557        | 0.5   | 17.2 |        |      | 82.8  |        |                          |      |                            |
| 248                               | 248.5 |             | 188558        | 0.5   | 15.4 |        |      | 84.6  |        |                          |      |                            |
| 248.5                             | 249   |             | 188559        | 0.5   | 55.7 |        |      | 44.3  |        |                          |      |                            |
| 249                               | 249.5 |             | 188560        | 0.5   | 78.8 |        |      | 21.2  |        |                          |      |                            |
|                                   |       |             | Compo 197     |       | 20.2 | 25.23  | 0.86 | 53.71 | 7      | 0.65                     |      | RoMax<br>1.07<br>RO-015-06 |
| 280                               | 280.5 |             | 188561        | 0.5   | 82.9 |        |      | 17.1  |        |                          |      |                            |
| 280.5                             | 281   |             | 188562        | 0.5   | 79.7 |        |      | 20.3  |        |                          |      |                            |
| 281                               | 281.5 |             | 188563        | 0.5   | 54.1 |        |      | 45.9  |        |                          |      |                            |
| 281.5                             | 282   |             | 188564        | 0.5   | 68.1 |        |      | 31.9  |        |                          |      |                            |
| 282                               | 282.5 |             | 188565        | 0.5   | 82.8 |        |      | 17.2  |        |                          |      |                            |
| 282.5                             | 283   |             | 188566        | 0.5   | 86.3 |        |      | 13.7  |        |                          |      |                            |
| 326.5                             | 327   |             | 188567        | 0.5   | 80.3 |        |      | 19.7  |        |                          |      |                            |
| 327                               | 327.5 |             | 188568        | 0.5   | 57.3 |        |      | 42.7  |        |                          |      |                            |
| 327.5                             | 328   |             | 188569        | 0.5   | 75.8 |        |      | 24.2  |        |                          |      |                            |
| 336                               | 336.5 |             | 188570        | 0.5   | 19.1 |        |      | 80.9  |        |                          |      |                            |
| 336.5                             | 337   |             | 188571        | 0.5   | 59.3 |        |      | 40.7  |        |                          |      |                            |
| 338.5                             | 339   |             | 188572        | 0.5   | 34.4 |        |      | 65.6  |        |                          |      |                            |
| 339                               | 339.5 |             | 188573        | 0.5   | 34.4 |        |      | 65.6  |        |                          |      |                            |
| 339.5                             | 340   |             | 188574        | 0.5   | 31.3 |        |      | 68.7  |        |                          |      |                            |
| 340                               | 340.5 |             | 188575        | 0.5   | 29.7 |        |      | 70.3  |        |                          |      |                            |
| 340.5                             | 341   |             | 188651        | 0.5   | 59.8 |        |      | 40.2  |        |                          |      |                            |
| 341                               | 341.5 |             | 188652        | 0.5   | 32.5 |        |      | 67.5  |        |                          |      |                            |
| 341.5                             | 342   |             | 188653        | 0.5   | 74.8 |        |      | 25.2  |        |                          |      |                            |
| 342                               | 342.5 |             | 188654        | 0.5   | 90.1 |        |      | 9.9   |        |                          |      |                            |
| 342.5                             | 343   |             | 188655        | 0.5   | 76.7 |        |      | 23.3  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |       |        | ELKVALLEY COAL CORP.     |      |                           |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|-------|--------|--------------------------|------|---------------------------|
| HOLE NUMBER:                      |       | 2874        |               | AREA: |         | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                           |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                   |
| 350.5                             | 351   |             | 188656        | 0.5   | 75.8    |        |      | 24.2  |        |                          |      |                           |
| 351                               | 351.5 |             | 188657        | 0.5   | 85.2    |        |      | 14.8  |        |                          |      |                           |
|                                   |       |             | Compo 198     |       | 39.6    | 21.19  | 0.74 | 38.47 | 3      | 0.61                     |      | RoMax<br>1.1<br>RO-016-06 |
| 363                               | 363.5 |             | 188658        | 0.5   | 80.3    |        |      | 19.7  |        |                          |      |                           |
| 363.5                             | 364   |             | 188659        | 0.5   | 79.8    |        |      | 20.2  |        |                          |      |                           |
| 364                               | 364.5 |             | 188660        | 0.5   | 75.6    |        |      | 24.4  |        |                          |      |                           |
| 364.5                             | 365   |             | 188661        | 0.5   | 80.9    |        |      | 19.1  |        |                          |      |                           |
| 365                               | 365.5 |             | 188662        | 0.5   | 81.1    |        |      | 18.9  |        |                          |      |                           |
| 367                               | 367.5 |             | 188663        | 0.5   | 73.1    |        |      | 26.9  |        |                          |      |                           |
| 367.5                             | 368   |             | 188664        | 0.5   | 59.8    |        |      | 40.2  |        |                          |      |                           |
| 371                               | 371.5 |             | 188665        | 0.5   | 80.9    |        |      | 19.1  |        |                          |      |                           |
| 371.5                             | 372   |             | 188666        | 0.5   | 85.2    |        |      | 14.8  |        |                          |      |                           |
| 396.5                             | 397   |             | 188667        | 0.5   | 73.1    |        |      | 26.9  |        |                          |      |                           |
| 397                               | 397.5 |             | 188668        | 0.5   | 77.4    |        |      | 22.6  |        |                          |      |                           |
| 397.5                             | 398   |             | 188669        | 0.5   | 79.8    |        |      | 20.2  |        |                          |      |                           |
| 398                               | 398.5 |             | 188670        | 0.5   | 80.9    |        |      | 19.1  |        |                          |      |                           |
| 398.5                             | 399   |             | 188671        | 0.5   | missing |        |      | 100   |        |                          |      |                           |
| 400.5                             | 401   |             | 188672        | 0.5   | 71.7    |        |      | 28.3  |        |                          |      |                           |
| 401                               | 401.5 |             | 188673        | 0.5   | 82.5    |        |      | 17.5  |        |                          |      |                           |
| 402.5                             | 403   |             | 188674        | 0.5   | 77.6    |        |      | 22.4  |        |                          |      |                           |
| 403                               | 403.5 |             | 188675        | 0.5   | 83.1    |        |      | 16.9  |        |                          |      |                           |
| 403.5                             | 404   |             | 188601        | 0.5   | 85.1    |        |      | 14.9  |        |                          |      |                           |
| 407                               | 407.5 |             | 188602        | 0.5   | 33.9    |        |      | 66.1  |        |                          |      |                           |
| 407.5                             | 408   |             | 188603        | 0.5   | 75.1    |        |      | 24.9  |        |                          |      |                           |
| 408                               | 408.5 |             | 188604        | 0.5   | 88.4    |        |      | 11.6  |        |                          |      |                           |



| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |         |        |      |                          |        | ELKVALLEY COAL CORP. |      |         |
|-----------------------------------|-------|-------------|---------------|-------|---------|--------|------|--------------------------|--------|----------------------|------|---------|
| HOLE NUMBER:                      |       | 2874        |               | AREA: |         | CASTLE |      | FORDING RIVER OPERATIONS |        |                      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH     | V.C.M. | I.M. | FC                       | F.S.I. | S                    | PHOS | REMARKS |
| 415.5                             | 416   |             | 188605        | 0.5   | 21.9    |        |      | 78.1                     |        |                      |      |         |
| 416                               | 416.5 |             | 188606        | 0.5   | 24.9    |        |      | 75.1                     |        |                      |      |         |
| 416.5                             | 417   |             | 188607        | 0.5   | 56.4    |        |      | 43.6                     |        |                      |      |         |
| 417                               | 417.5 |             | 188608        | 0.5   | missing |        |      |                          |        |                      |      |         |
| 417.5                             | 418   |             | 188609        | 0.5   | 82.7    |        |      | 17.3                     |        |                      |      |         |
| 418                               | 418.5 |             | 188610        | 0.5   | 87.9    |        |      | 12.1                     |        |                      |      |         |
| 418.5                             | 419   |             | 188611        | 0.5   | 60.5    |        |      | 39.5                     |        |                      |      |         |
| 419                               | 419.5 |             | 188612        | 0.5   | 27.5    |        |      | 72.5                     |        |                      |      |         |
| 419.5                             | 420   |             | 188613        | 0.5   | 22.1    |        |      | 77.9                     |        |                      |      |         |
| 420                               | 420.5 |             | 188614        | 0.5   | 48.6    |        |      | 51.4                     |        |                      |      |         |
|                                   |       |             |               |       | 24.8    |        |      |                          |        |                      |      |         |
|                                   |       |             | Compo 199     |       | 23.8    | 20.01  | 0.68 | 55.51                    | 4.5    | 0.55                 |      |         |
|                                   |       |             | Compo 200     |       | 26.1    | 18.35  | 0.72 | 54.83                    | 1.5    | 0.51                 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |      |             |               |              |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|------|-------------|---------------|--------------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER: 2873                 |      |             |               | AREA: CASTLE |      |        |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO   | DESCRIPTION | SAMPLE NUMBER | WIDTH        | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 36                                | 36.5 |             | 190901        | 0.5          | 13.1 |        |      | 86.9  |        |                          |      |         |
| 36.5                              | 37   |             | 190902        | 0.5          | 8.4  |        |      | 91.6  |        |                          |      |         |
| 37                                | 37.5 |             | 190903        | 0.5          | 44.7 |        |      | 55.3  |        |                          |      |         |
|                                   |      |             | Compo 189     |              | 20.3 | 26.99  | 0.67 | 52.04 | 8.5    | 1.14                     |      |         |
| 49                                | 49.5 |             | 190904        | 0.5          | 22.1 |        |      | 77.9  |        |                          |      |         |
| 49.5                              | 50   |             | 190905        | 0.5          | 19.9 |        |      | 80.1  |        |                          |      |         |
| 50                                | 50.5 |             | 190906        | 0.5          | 5.8  |        |      | 94.2  |        |                          |      |         |
| 50.5                              | 51   |             | 190907        | 0.5          | 29.1 |        |      | 70.9  |        |                          |      |         |
| 51                                | 51.5 |             | 190908        | 0.5          | 13.9 |        |      | 86.1  |        |                          |      |         |
| 51.5                              | 52   |             | 190909        | 0.5          | 9.6  |        |      | 90.4  |        |                          |      |         |
| 52                                | 52.5 |             | 190910        | 0.5          | 19.2 |        |      | 80.8  |        |                          |      |         |
| 52.5                              | 53   |             | 190911        | 0.5          | 15.9 |        |      | 84.1  |        |                          |      |         |
| 53                                | 53.5 |             | 190912        | 0.5          | 32.9 |        |      | 67.1  |        |                          |      |         |
| 53.5                              | 54   |             | 190913        | 0.5          | 7.1  |        |      | 92.9  |        |                          |      |         |
| 54                                | 54.5 |             | 190914        | 0.5          | 9.8  |        |      | 90.2  |        |                          |      |         |
| 54.5                              | 55   |             | 190915        | 0.5          | 34.8 |        |      | 65.2  |        |                          |      |         |
| 55                                | 55.5 |             | 190916        | 0.5          | 20.3 |        |      | 79.7  |        |                          |      |         |
| 55.5                              | 56   |             | 190917        | 0.5          | 18.8 |        |      | 81.2  |        |                          |      |         |
| 56                                | 56.5 |             | 190918        | 0.5          | 10.9 |        |      | 89.1  |        |                          |      |         |
| 56.5                              | 57   |             | 190919        | 0.5          | 13.1 |        |      | 86.9  |        |                          |      |         |
| 57                                | 57.5 |             | 190920        | 0.5          | 15.5 |        |      | 84.5  |        |                          |      |         |
| 57.5                              | 58   |             | 190921        | 0.5          | 14.3 |        |      | 85.7  |        |                          |      |         |
| 58                                | 58.5 |             | 190922        | 0.5          | 9.7  |        |      | 90.3  |        |                          |      |         |
| 58.5                              | 59   |             | 190923        | 0.5          | 11.7 |        |      | 88.3  |        |                          |      |         |
| 59                                | 59.5 |             | 190924        | 0.5          | 6.6  |        |      | 93.4  |        |                          |      |         |
| 59.5                              | 60   |             | 190925        | 0.5          | 8.2  |        |      | 91.8  |        |                          |      |         |
| 60                                | 60.5 |             | 190876        | 0.5          | 8.5  |        |      | 91.5  |        |                          |      |         |
| 60.5                              | 61   |             | 190877        | 0.5          | 7.5  |        |      | 92.5  |        |                          |      |         |
| 61                                | 61.5 |             | 190878        | 0.5          | 7.4  |        |      | 92.6  |        |                          |      |         |
| 61.5                              | 62   |             | 190879        | 0.5          | 11.6 |        |      | 88.4  |        |                          |      |         |
| 62                                | 62.5 |             | 190880        | 0.5          | 13.7 |        |      | 86.3  |        |                          |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |        |        |      | ELKVALLEY COAL CORP.     |        |      |      |         |
|-----------------------------------|-------|-------------|---------------|-------|--------|--------|------|--------------------------|--------|------|------|---------|
| HOLE NUMBER: 2873                 |       |             |               | AREA: | CASTLE |        |      | FORDING RIVER OPERATIONS |        |      |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH    | V.C.M. | I.M. | FC                       | F.S.I. | S    | PHOS | REMARKS |
| 62.5                              | 63    |             | 190881        | 0.5   | 10.9   |        |      | 89.1                     |        |      |      |         |
| 63                                | 63.5  |             | 190882        | 0.5   | 10.6   |        |      | 89.4                     |        |      |      |         |
| 63.5                              | 64    |             | 190883        | 0.5   | 11.1   |        |      | 88.9                     |        |      |      |         |
| 64                                | 64.5  |             | 190884        | 0.5   | 10.4   |        |      | 89.6                     |        |      |      |         |
| 64.5                              | 65    |             | 190885        | 0.5   | 14.6   |        |      | 85.4                     |        |      |      |         |
| 65                                | 65.5  |             | 190886        | 0.5   | 50.7   |        |      | 49.3                     |        |      |      |         |
| 65.5                              | 66    |             | 190887        | 0.5   | 77.1   |        |      | 22.9                     |        |      |      |         |
| 66                                | 66.5  |             | 190888        | 0.5   | 78.1   |        |      | 21.9                     |        |      |      |         |
|                                   |       |             | Compo 190     |       | 15.3   | 27.44  | 0.75 | 56.51                    | 8      | 0.8  |      |         |
| 68                                | 68.5  |             | 190889        | 0.5   | 46.4   |        |      | 53.6                     |        |      |      |         |
| 68.5                              | 69    |             | 190890        | 0.5   | 74.5   |        |      | 25.5                     |        |      |      |         |
| 70.5                              | 71    |             | 190891        | 0.5   | 79.9   |        |      | 20.1                     |        |      |      |         |
| 71                                | 71.5  |             | 190892        | 0.5   | 68.1   |        |      | 31.9                     |        |      |      |         |
| 83.5                              | 84    |             | 190893        | 0.5   | 63.8   |        |      | 36.2                     |        |      |      |         |
| 84                                | 84.5  |             | 190894        | 0.5   | 79.8   |        |      | 20.2                     |        |      |      |         |
| 84.5                              | 85    |             | 190895        | 0.5   | 69.8   |        |      | 30.2                     |        |      |      |         |
| 85                                | 85.5  |             | 190896        | 0.5   | 59.2   |        |      | 40.8                     |        |      |      |         |
| 85.5                              | 86    |             | 190897        | 0.5   | 79.9   |        |      | 20.1                     |        |      |      |         |
| 154                               | 154.5 |             | 190898        | 0.5   | 64.7   |        |      | 35.3                     |        |      |      |         |
| 154.5                             | 155   |             | 190899        | 0.5   | 83.1   |        |      | 16.9                     |        |      |      |         |
| 155                               | 155.5 |             | 190900        | 0.5   | 29.2   |        |      | 70.8                     |        |      |      |         |
| 155.5                             | 156   |             | 190851        | 0.5   | 32.4   |        |      | 67.6                     |        |      |      |         |
| 156                               | 156.5 |             | 190852        | 0.5   | 83     |        |      | 17                       |        |      |      |         |
|                                   |       |             | Comp 201      |       | 31.1   | 20.32  | 0.63 | 47.95                    | 7.5    | 0.84 |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |         |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|---------|
| HOLE NUMBER:                      |       | 2872        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |         |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | F.C.  | F.S.I. | S                        | PHOS | REMARKS |
| 16                                | 16.5  |             | 188426        | 0.5   | 66.6 |        |      | 33.4  |        |                          |      |         |
| 16.5                              | 17    |             | 188427        | 0.5   | 89   |        |      | 11    |        |                          |      |         |
| 48                                | 48.5  |             | 188428        | 0.5   | 74.4 |        |      | 25.6  |        |                          |      |         |
| 48.5                              | 49    |             | 188429        | 0.5   | 82.6 |        |      | 17.4  |        |                          |      |         |
| 49                                | 49.5  |             | 188430        | 0.5   | 79.1 |        |      | 20.9  |        |                          |      |         |
| 49.5                              | 50    |             | 188431        | 0.5   | 82.6 |        |      | 17.4  |        |                          |      |         |
| 82.5                              | 83    |             | 188432        | 0.5   | 70.4 |        |      | 29.6  |        |                          |      |         |
| 83                                | 83.5  |             | 188433        | 0.5   | 65.3 |        |      | 34.7  |        |                          |      |         |
| 87.5                              | 88    |             | 188434        | 0.5   | 71.6 |        |      | 28.4  |        |                          |      |         |
| 88                                | 88.5  |             | 188435        | 0.5   | 76.5 |        |      | 23.5  |        |                          |      |         |
| 94                                | 94.5  |             | 188436        | 0.5   | 69.2 |        |      | 30.8  |        |                          |      |         |
| 94.5                              | 95    |             | 188437        | 0.5   | 63.2 |        |      | 36.8  |        |                          |      |         |
| 99.5                              | 100   |             | 188438        | 0.5   | 60.1 |        |      | 39.9  |        |                          |      |         |
| 103.5                             | 104   |             | 188439        | 0.5   | 27.8 |        |      | 72.2  |        |                          |      |         |
| 104                               | 104.5 |             | 188440        | 0.5   | 60.6 |        |      | 39.4  |        |                          |      |         |
| 104.5                             | 105   |             | 188441        | 0.5   | 56.5 |        |      | 43.5  |        |                          |      |         |
| 109.5                             | 110   |             | 188442        | 0.5   | 67.8 |        |      | 32.2  |        |                          |      |         |
| 113                               | 113.5 |             | 188443        | 0.5   | 20.9 |        |      | 79.1  |        |                          |      |         |
| 113.5                             | 114   |             | 188444        | 0.5   | 28.2 |        |      | 71.8  |        |                          |      |         |
| 114                               | 114.5 |             | 188445        | 0.5   | 71.8 |        |      | 28.2  |        |                          |      |         |
|                                   |       |             | Compo 185     |       | 25.5 | 25.18  | 0.78 | 48.54 | 5.5    | 0.54                     |      |         |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2872        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                    |
| 141.5                             | 142   |             | 188401        | 0.5   | 60.9 |        |      | 39.1  |        |                          |      |                            |
| 142                               | 142.5 |             | 188402        | 0.5   | 60.5 |        |      | 39.5  |        |                          |      |                            |
| 142.5                             | 143   |             | 188403        | 0.5   | 55.9 |        |      | 44.1  |        |                          |      |                            |
| 143                               | 143.5 |             | 188404        | 0.5   | 69.7 |        |      | 30.3  |        |                          |      |                            |
| 143.5                             | 144   |             | 188405        | 0.5   | 45.4 |        |      | 54.6  |        |                          |      |                            |
| 144                               | 144.5 |             | 188406        | 0.5   | 32.4 |        |      | 67.6  |        |                          |      |                            |
| 144.5                             | 145   |             | 188407        | 0.5   | 41.4 |        |      | 58.6  |        |                          |      |                            |
| 145                               | 145.5 |             | 188408        | 0.5   | 62.6 |        |      | 37.4  |        |                          |      |                            |
| 145.5                             | 146   |             | 188409        | 0.5   | 67.1 |        |      | 32.9  |        |                          |      |                            |
| 146                               | 146.5 |             | 188410        | 0.5   | 32.4 |        |      | 67.6  |        |                          |      |                            |
| 146.5                             | 147   |             | 188411        | 0.5   | 74.3 |        |      | 25.7  |        |                          |      |                            |
|                                   |       |             | Compo 186     |       | 36.7 | 22.34  | 0.85 | 40.11 | 6      | 0.69                     |      |                            |
| 158                               | 158.5 |             | 188413        | 0.5   | 52.8 |        |      | 47.2  |        |                          |      |                            |
| 158.5                             | 159   |             | 188414        | 0.5   | 76.5 |        |      | 23.5  |        |                          |      |                            |
| 184                               | 184.5 |             | 188415        | 0.5   | 17.9 |        |      | 82.1  |        |                          |      |                            |
| 184.5                             | 185   |             | 188416        | 0.5   | 10.8 |        |      | 89.2  |        |                          |      |                            |
| 185                               | 185.5 |             | 188417        | 0.5   | 4.3  |        |      | 95.7  |        |                          |      |                            |
| 185.5                             | 186   |             | 188418        | 0.5   | 4.7  |        |      | 95.3  |        |                          |      |                            |
| 186                               | 186.5 |             | 188419        | 0.5   | 10.1 |        |      | 89.9  |        |                          |      |                            |
| 186.5                             | 187   |             | 188420        | 0.5   | 7.2  |        |      | 92.8  |        |                          |      |                            |
| 187                               | 187.5 |             | 188421        | 0.5   | 9.2  |        |      | 90.8  |        |                          |      |                            |
| 187.5                             | 188   |             | 188422        | 0.5   | 54.9 |        |      | 45.1  |        |                          |      |                            |
| 188                               | 188.5 |             | 188423        | 0.5   | 47   |        |      | 53    |        |                          |      |                            |
| 188.5                             | 189   |             | 188424        | 0.5   | 39.9 |        |      | 60.1  |        |                          |      |                            |
| 189                               | 189.5 |             | 188425        | 0.5   | 66.8 |        |      | 33.2  |        |                          |      |                            |
|                                   |       |             | Compo 187     |       | 9.4  | 27.64  | 0.81 | 62.15 | 7      | 0.62                     |      | RoMax<br>RO-011-06<br>0.99 |
| 192.5                             | 193   |             | 188376        | 0.5   | 21.7 |        |      | 78.3  |        |                          |      |                            |
| 193                               | 193.5 |             | 188377        | 0.5   | 81.5 |        |      | 18.5  |        |                          |      |                            |

| ROTARY DRILL HOLE SAMPLING RECORD |       |             |               |       |      |        |      |       |        | ELKVALLEY COAL CORP.     |      |                            |
|-----------------------------------|-------|-------------|---------------|-------|------|--------|------|-------|--------|--------------------------|------|----------------------------|
| HOLE NUMBER:                      |       | 2872        |               | AREA: |      | CASTLE |      |       |        | FORDING RIVER OPERATIONS |      |                            |
| FROM                              | TO    | DESCRIPTION | SAMPLE NUMBER | WIDTH | ASH  | V.C.M. | I.M. | FC    | F.S.I. | S                        | PHOS | REMARKS                    |
| 203                               | 203.5 |             | 188378        | 0.5   | 11.4 |        |      | 88.6  |        |                          |      |                            |
| 203.5                             | 204   |             | 188379        | 0.5   | 54.6 |        |      | 45.4  |        |                          |      |                            |
| 204                               | 204.5 |             | 188380        | 0.5   | 73.2 |        |      | 26.8  |        |                          |      |                            |
| 214                               | 214.5 |             | 188381        | 0.5   | 52.7 |        |      | 47.3  |        |                          |      |                            |
| 214.5                             | 215   |             | 188382        | 0.5   | 51.8 |        |      | 48.2  |        |                          |      |                            |
| 215                               | 215.5 |             | 188383        | 0.5   | 64.6 |        |      | 35.4  |        |                          |      |                            |
| 215.5                             | 216   |             | 188384        | 0.5   | 25.8 |        |      | 74.2  |        |                          |      |                            |
| 216                               | 216.5 |             | 188385        | 0.5   | 17.5 |        |      | 82.5  |        |                          |      |                            |
| 216.5                             | 217   |             | 188386        | 0.5   | 37.6 |        |      | 62.4  |        |                          |      |                            |
| 217                               | 217.5 |             | 188387        | 0.5   | 74.3 |        |      | 25.7  |        |                          |      |                            |
| 217.5                             | 218   |             | 188388        | 0.5   | 16.5 |        |      | 83.5  |        |                          |      |                            |
| 218                               | 218.5 |             | 188389        | 0.5   | 54.5 |        |      | 45.5  |        |                          |      |                            |
| 218.5                             | 219   |             | 188390        | 0.5   | 17.8 |        |      | 82.2  |        |                          |      |                            |
| 219                               | 219.5 |             | 188391        | 0.5   | 6.8  |        |      | 93.2  |        |                          |      |                            |
| 219.5                             | 220   |             | 188392        | 0.5   | 14.8 |        |      | 85.2  |        |                          |      |                            |
| 220                               | 220.5 |             | 188393        | 0.5   | 51.8 |        |      | 48.2  |        |                          |      |                            |
| 220.5                             | 221   |             | 188394        | 0.5   | 79.7 |        |      | 20.3  |        |                          |      |                            |
|                                   |       |             | Compo 188     |       | 29   | 22.44  | 0.8  | 47.76 | 7      | 0.53                     |      | RoMax<br>RO-012-06<br>1.06 |