



Warnock Hersey Professional Services Ltd.

1423 D 45th Avenue N.E. Calgary Alberta T2E 2P3 Tel 264-9120x 276 - 9138

Report of Analysis of

Hat Creek Bulk Sample W 77 X7

Includes Wet Attrition

PART III. "X" only

Submitted,

John Kay, C. Eng., M. Inst. F. F.
Manager of Laboratory

604 H - M036 B.

Warnock Hersey Professional Services Ltd.

Introduction

The Hat Creek Project took the form of a work program to the instructions of Simon Carves of Canada.

This was to examine, using the Warnock Hersey Professional Services Laboratory at Calgary, Canada, the physical properties of the three samples.

This analysis took the form of grading, float & sink characteristics, proximate analysis.

Also included was a scheme whereby the breakdown of the coal / clay could be measured using a Wet Attrition drum constructed to, and complying with, the standards of the Australian Method AS 1161.01 1977 p. 42/3.

Warnock Hersey Professional Services Ltd.

Description of Samples and Methods Used

One sample marked "Z" which was derived from trench "Z" weighing 11115.115 kgms, packed into 73 steel drums was delivered to Calgary on August 11, 1977. On opening these drums, it was immediately noticeable that polythene liners had not been used. A separate moisture sample was not delivered.

The methods used to obtain these samples were outside the terms of reference to Warnock Hersey Professional Services Ltd.

After air drying, the coals very few lumps of clay were to be seen and even after separating the + 4 " material the amounts of pure clay was very small. Discrete inorganic material could be seen occluded in the clay, and when the samples were placed in water, the coal could be seen to separate according to the clay content. High coal content pieces would stay in their original shape, but low coal content pieces, i.e. due to larger amounts of clay clay occlusions, broke up rapidly and became a slurry. After filtering, it was possible to settle the dispersion easily and a clear supernatant could be decanted.

Grading, using a Gilson mechanical sieving apparatus to separate the fractions, and Float & Sink analysis, in organic solutions at prescribed gravities were used to separate the coals further. Drying one down draught benches was followed by preparation of samples for analysis. Riffling was accomplished by means of a manual riffle.

The Flow sheet was supplied by Simon Carves and this was generally adhered to except some shale analysis had to be added, and moisture contents prior to analysis had also to be added to the flow sheets. All three samples were treated in the same way. The weights and % weights are also reported. In some cases a very small fractional weight resulted, but the test was completed noting this. A Float & Sink test on the + 4 " was carried out on "X" and "Z" samples only - "Y" did not produce a fraction at + 4 ". Since separate moisture samples were not received, air drying followed by loss in weight at 107° techniques were used to determine total moisture.

Warnock Hersey Professional Services Ltd.

During the processing of sample "Z" a Simon Carves representative was present in the lab and again during some of the later stages only.

No Ash Examination was requested.

A mechanical type of wet screening apparatus was not available, so careful control over water supplies and hand manipulation had to be used to separate all the fines into respective size fractions. It was found that "conditioning" i.e. soaking in water prior to screening ensured the best separation and each sample was subjected to 10 minutes in water before screening.

Reference to the flow sheet will show a reserve sample was requested after the initial grading at + 4 " & - this amounted to:

3,360 kgms. for "X"

13,000 kgms. for "Y"

800 kgms. for "Z"

Further requests from the flow sheet asked for hand selecting to be used for the "bright, dull clay and rock". In practice this was less than feasible since we found agglomerates of these materials with coal and a reduction in particle size would have accompanied any mechanical breakage. The Simon Carves representative was present during this operation and was in agreement with what was done.

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. - 77 - 8400RAW COAL SIZE / ASH DISTRIBUTION

	<u>WT. %</u>	<u>DRY ASH %</u>	<u>CUM. WT. %</u>	<u>CUM. ASH %</u>	<u>WEIGHT (kg.)</u>
+ 4 "	0.4	24.9	0.4	24.9	35.8
4 " x 2 "	2.2	36.5	2.6	34.7	192.5
2" x 1 "	16.6	35.6	19.2	35.5	1241.6 (SUB)
1 " x ½ "	28.0	40.9	47.2	38.7	2092.0 (SUB)
½ " x ¼ "	18.3	43.2	65.5	40.0	242.1 (SUB)
¼ " x 1/8"	9.3	46.7	74.8	40.8	33.7 (SUB)
1/8" x 1/16"	14.2	52.9	89.0	42.7	25.3 (SUB)
1/16" x 28 M	4.0	58.2	93.0	43.4	4.4 (SUB)
28 M x 0 "	7.0	61.9	100.0	44.7	7.6 (SUB)
Total	100.0	44.7			

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HYDROSAMPLE - HAT CREEK -- Bulk Sample W - 77 - XLAB. NO. - 77 - 8400RAW COAL FRACTIONS - ANALYSIS % - Dry Screened

<u>Size</u>	<u>+ 4"</u>	<u>4" x 2"</u>	<u>2"</u>	<u>2" x 1 & 1"</u>	<u>1" x ½"</u>	<u>½" x ¼"</u>	<u>4" x 0 ½"</u>	<u>½ x 0"</u>
Wt. % Head	0.4	2.2	6	16.6	28.0	0.0	99.6	0
Air Dried Loss	0.7	7.1	1	9.4	4	7.7	7.7	6.5
Inherent Moisture	18.8	18.6	21.6	16	21.0	19	20.5	18.7
Total Moisture	19.4	19.4	27.2	17	28.4	26.6	24.9	24.2
Ash (Air Dried)	20.2	28.6	0	28.2	32.5	5	34.9	30
Sulphur (Air Dried)	2.10	1.1	-	-	-	-	1.11	1.1
Btu / lb. (Air Dried)	7,410	5,841	7	5,972	5,407	407	5,347	647
							4,449	4,449

DRY/BASIS

Ash	24.9	36.5	13	35.6	40.9	9.9	43.4	14	50.1	20	
Sulphur	2.59	3.9	-	-	-	-	1.38	03	1.50	05	
Btu / lb.	9,122	997,454	134	7,555	655	6,803	303	6,662	62	5,386	38

DRY, ASH FREE BASIS

Btu / lb.	12,150	11,738	7	11,733	11,512	11,778	10,788
-----------	--------	--------	---	--------	--------	--------	--------

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HYDRO

SAMPLE - HAT CREEK - Bulk Sample X

LAB. NO. 77 - 8400

RAW COAL FRACTIONS ANALYSIS % (Dry Screen)

Size	<u>1/2" x 1/4"</u>	<u>1/4" x 1/8"</u>	<u>1/8" x 1/16"</u>	<u>1/16" x 28"</u>	<u>28 M x 0"</u>
Wt. % Head	18.3	9.3	14.2	4.0	7.0
Air Dried Loss	13.2	4.2	4.2	3.8	9.3
Inherent Moisture	19.1	18.8	17.5	11.4	13.5
Total Moisture	29.8	22.2	21.0	14.8	21.5
Ash (Air Dried)	34.9	37.9	43.6	51.6	53.5
Sulphur (Air Dried)	1.25	1.13	1.17	1.12	1.29
Btu / lb. (Air Dried)	5,270	4,972	4,176	3,705	2,791
<u>DRY BASIS</u>					
Ash(Ash)	43.2	46.7	52.9	58.2	61.9
Sulphur	1.55	1.39	1.42	1.26	1.48
Btu / lb. / lb.	6,516	6,125	5,064	4,180	3,227
<u>DRY, ASH FREE BASIS</u>					
Btu / lb.	11,469	11,496	10,744	9,992	8,468

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. HYDRO

Sample Identification - Hat Creek - Bulk Sample W 77 X 77

LAB. NO. - 77 - 8400

RAW COAL SIZE / ASH DISTRIBUTION

Wet Screen Analysis of $\frac{1}{2}'' \times 0$

Size	Wt. %	Dry Ash %	Cum. Wt. %	Cum. Ash %	Wt. %	Head Det.
$\frac{1}{2} \times \frac{1}{4}'' M$	22.1	31.81.3	22.12.1	31.81.3	11.71.7	7372
$\frac{1}{4} \times \frac{1}{8}'' M$	13.1	45.30.3	35.21.1	36.86.3	6.91.3	5937
$\frac{1}{8} \times \frac{1}{16}'' M$	10.60	53.11.3	45.80.3	40.60.3	5.63.6	4965
$\frac{1}{16} \times 28M$	10.5	59.40.3	56.36.3	44.14.1	5.63.6	4037
$28 \times 45 M$	2.9	58.80.3	59.20.3	44.81.3	1.51.5	3927
$45 \times 65 M$	6.7	57.10.3	65.90.3	46.16.1	3.54.5	
$65 \times 100 M$	8.2	61.40.4	74.14.1	47.87.6	4.34.3	
$100 \times 200 M$	11.1	69.10.1	85.26.2	50.50.6	5.95.6	
$200 \times 0 M$	14.84.8	70.70.7	100.00.0	53.53.5	7.87.8	
Total	100.0	53.5			52.84.6	

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. Hydro

Sample Identification - Hat Creek Bulk Sample W 77 X

LAB. NO. 77 - 8400

RAW COAL FRACTIONS - ANALYSIS % - Wet Screened

<u>Size</u>	<u>1/2" x 1/4"</u>	<u>1/4" x 1/8"</u>	<u>1/8" x 1/16"</u>	<u>1/16" x 28 M</u>	<u>28 x 45 M</u>
Weight (kg.)	2.15	1.28	1.03	1.02	0.060 (SUB)
Wt. % Head	11.7	6.9	5.6	5.6	1.5
Moisture (As Run)	4.1	5.5	9.1	4.8	2.8
Ash	30.5	42.8	48.3	56.6	57.2
Sulphur	1.51	1.46	1.35	1.46	1.38
Btu / lb.	7,072	5,606	4,513	3,845	3,817

DRY BASIS

Ash	31.81	45.36	53.13	59.43	58.83
Sulphur	1.57	1.55	1.49	1.53	1.42
Btu / lb.	7,372	5,933	4,965	4,037	3,927

DRY, ASH FREE BASIS

Btu / lb.	10,810	10,846	10,585	9,943	9,540
-----------	--------	--------	--------	-------	-------

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. 77 - 8400RAW COAL FRACTIONS - ANALYSIS % - Wet Screened

<u>Size</u>	<u>45 x 65 M</u>	<u>65 x 100 M</u>	<u>100 x 200 M</u>	<u>200 M < 0</u>
Weight (kg.)	0.140	0.170	0.230	0.310
Wt. % Head	3.5	4.34	5.9	7.8
Moisture (As Run)	2.7	5.8	3.4	5.4
Ash	55.5	57.9	66.7	66.9
Sulphur	1.26	1.32	1.37	0.79
Btu / lb.	3,827	n.d.	n.d.	n.d.

DRY BASIS

Ash	57.1	61.4	69.1	70.7
Sulphur	1.30	1.40	1.42	0.84
Btu / lb.	3,935	-	-	-

DRY, ASH FREE BASIS

Btu / lb.	9,173	-	-	-
-----------	-------	---	---	---

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. - 77 - 8400ANALYSIS OF CLEAN COAL - +4" Size Fraction

<u>Elem Float</u>	1.40	1.40	1.45	1.50	1.60	1.80
	1.45	1.45	1.50	1.60	1.80	Sink
<u>Wt. % (OOO.)</u>	80.26	5.8	NIL	8.6	NIL	5.4
<u>Wt.W(Kg.)</u>	22.32	1.6	NIL	2.42	NIL	1.51

As Run

<u>Moisture</u>	21.9	17.5	14.5		9.5
<u>Ash</u>	18.4	23.1	43.7		65.2
<u>Sulphur</u>	1.08	0.86	0.86		0.77
<u>Btu / 1b. lb.</u>	7,177	7,038	4,594	304	N.D.

Dry Basis

<u>Ash</u>	23.5	28.0	51.1		72.12
<u>Sulphur</u>	1.39	1.04	1.01		0.85
<u>Btu / 1b. lb.</u>	9,193	8,529	5,372	372	-

Dry, Ash Free Basis

<u>Btu / 1b. lb.</u>	12,022	11,844	10,980		-
----------------------	--------	--------	--------	--	---

Cum. SinkAs RunWt.Wt.% %MoistureAshSulphurBtu / 1b. lb.Dry BasisAshSulphurBtu / 1b. lb.

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. 77 - 8400ANALYSIS OF CLEAN COAL: 4" x 1/2" Size Fraction

	1.40	1.45	1.50	1.60	1.80	1.80	1.80
Cum. Float	1.40	1.45	1.50	1.60	1.80	1.80	1.80
Wt. % (Cum.)	43.2	53.5	62.6	71.0	87.0	100.0	-
Wt. (kg.)	64.4	81.8	93.1	109.5	123.5	-	-

As Run

Moisture	25.3	26.1	24.9	24.4	24.6	15.0	-
Ash	11.4	13.7	16.0	18.9	25.0	68.3	-
Sulphur	0.97	1.02	1.15	1.20	1.20	0.99	-
Btu / lb.	7,677	7,252	7,084	6,821	6,021	-	-

Dry Basis

Ash	15.3	18.5	21.4	25.0	33.1	80.3	-
Sulphur	1.30	1.38	1.53	1.59	1.59	1.16	-
Btu / lb.	10,283	9,809	9,438	9,024	7,891	-	-

Dry, Ash Free Basis

Btu / lb.	12,139	12,041	12,003	12,024	11,932	-	-
-----------	--------	--------	--------	--------	--------	---	---

Cum. SinkAs Run

Wt. (kg.)	84.6	71.2	55.6	44.8	18.5	-	-
Wt. %	56.8	46.5	37.4	29.0	13.0	-	-
Moisture	21.21	20.4	19.59	18.53	15.01	-	-
Ash	45.4	50.7	55.5	61.8	68.3	-	-
Sulphur	1.29	1.32	1.21	1.08	0.99	-	-

Dry Basis

Ash	57.7	63.7	69.0	75.8	80.3	-	-
Sulphur	1.64	1.66	1.50	1.33	1.16	-	-

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. 77-8400 RKAANALYSIS OF CLEAN COAL $\frac{1}{2}$ " x $\frac{1}{4}$ " Size Fraction

	1.40	1.45	1.50	1.60	1.80	1.80
Cum. Float	1.40	1.45	1.50	1.60	1.80	Sink

Wt. % (Cum.)	35.5	44.7	55.2	66.3	83.7	100.0
--------------	------	------	------	------	------	-------

Wt. (kg.)	11.0	14.0	16.0	18.9	25.6	-
-----------	------	------	------	------	------	---

As Run

Moisture	26.9	26.7	22.5	22.1	22.4	12.4
----------	------	------	------	------	------	------

Ash	10.5	12.8	16.3	20.2	27.2	70.3
-----	------	------	------	------	------	------

Sulphur	1.05	1.05	1.15	1.18	1.16	1.41
---------	------	------	------	------	------	------

Btu / lb.	7,498	7,284	7,277	6,853	5,972	-
-----------	-------	-------	-------	-------	-------	---

Dry Basis

Ash	14.4	17.4	21.0	25.9	35.0	80.3
-----	------	------	------	------	------	------

Sulphur	1.44	1.43	1.48	1.51	1.49	1.61
---------	------	------	------	------	------	------

Btu / lb.	10,259	9,939	9,387	8,794	7,694	-
-----------	--------	-------	-------	-------	-------	---

Dry, Ash Free Basis

Btu / lb.	11,987	12,040	11,887	11,873	11,846	-
-----------	--------	--------	--------	--------	--------	---

Cum. SinkAs Run

Wt. (kg.)	20.0	17.37	13.0	9.69	5.05	-
-----------	------	-------	------	------	------	---

Wt. %	64.5	55.36	44.84	33.75	16.36	-
-------	------	-------	-------	-------	-------	---

Moisture	19.09	17.77	17.07	15.74	12.40	-
----------	-------	-------	-------	-------	-------	---

Ash	46.6	51.41	57.67	63.0	70.3	-
-----	------	-------	-------	------	------	---

Sulphur	1.21	1.27	1.27	1.14	1.41	-
---------	------	------	------	------	------	---

Dry Basis

Ash	57.5	62.42	69.40	74.81	80.30	-
-----	------	-------	-------	-------	-------	---

Sulphur	1.49	1.54	1.53	1.35	1.61	-
---------	------	------	------	------	------	---



Warnock Hersey Professional Services Ltd.

1423 D 45th Avenue, N.E. Calgary, Alberta T2E 2P3 Tel. 264-9128 276 - 9138

1423 D 45th Avenue, N.E. Calgary, Alberta T2E 2P3 Tel. 264-9128 276 - 9138

Sample Identification Hat Creek Bulk Sample W 77 X Size fraction + 4 "

Lab. No. (s) 77 - 8400 Wt % of head sample 0.3 (coal)

Lab. No. (s) 77 - 8400 Wt % of head sample 0.3 (coal)

Specific Gravity

FLOAT AND SINK ANALYSIS %											
Sink Density	Float Density	weight (kg.)	Elementary			Cumulative Float			Cumulative Sink		
			Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur
1.40	22.3	22.3	80.2	23.5		80.2	23.5		100.0	28.8	
1.40	1.45	1.6	5.8	28.0		86.0	23.8		19.8	50.1	
1.45	1.50	NIL	—	—		86.0	23.8		14.0	59.2	
1.50	1.60	2.4	8.6	51.1		94.6	26.3		14.0	59.2	
1.60	1.80	2.4	—	—		94.6	26.3		5.4	72.1	
1.80	1.80	1.5	5.4	72.1		100.0	28.8		5.4	72.1	
		1.5	—	—		100.0	28.8		5.4	72.1	
TOTAL			100.0	28.8							
TOTAL			100.0	28.8							

Sink Density	Float Density	weight (kg.)	Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur
1.40	22.3	22.3	80.2	23.5		80.2	23.5		100.0	28.8	
1.40	1.45	1.6	5.8	28.0		86.0	23.8		19.8	50.1	
1.45	1.50	NIL	—	—		86.0	23.8		14.0	59.2	
1.50	1.60	2.4	8.6	51.1		94.6	26.3		14.0	59.2	
1.60	1.80	2.4	—	—		94.6	26.3		5.4	72.1	
1.80	1.80	1.5	5.4	72.1		100.0	28.8		5.4	72.1	
		1.5	—	—		100.0	28.8		5.4	72.1	
TOTAL			100.0	28.8							
TOTAL			100.0	28.8							



Warnock Hersey Professional Services Ltd.

1423-D, 45th Avenue N.E., Calgary Alberta T2E 2P3 Tel 264-9120 276 - 9138

Sample Identification: B. C. Hydro Hat Creek Bulk Sample W 77 X Size fraction **4 X 1/2**

Lab. No. (s) 77-18400 Wt. % of head sample 46.81

Specific Gravity

FLOAT AND SINK ANALYSIS %



Warnock Hersey Professional Services Ltd.

1423 D, 45th Avenue, N.E., Calgary, Alberta, T2E 2P3 Tel 264-9120 276 - 9138

Sample Identification Hat Creek Bulk Sample W 77 X

Size fraction $\frac{1}{2}'' \times \frac{1}{4}''$

Lab. No. (s) 77 - 8400

Wt % of head sample 18.3

Lab. No. (s) 77 - 8400

Wt % of head sample 18.3

Specific Gravity

FLOAT AND SINK ANALYSIS %

Sink	Float	Elementary			FLOAT AND SINK			Cumulative Float			Cumulative Sink		
		Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur
	1.40	35.5	14.4		35.5	14.4		100.0	42.4		100.0	42.4	
1.40	1.45	9.2	29.0		44.7	17.4		64.5	57.8				
1.45	1.50	10.5	36.3		55.2	21.0		55.3	62.6				
1.50	1.60	11.1	50.3		66.3	25.9		44.8	68.8				
1.60	1.80	17.4	69.7		83.7	35.0		33.7	74.8				
1.80	1.80	16.3	80.3		100.0	42.4		16.3	80.3				
	TOTAL	100.0	42.4		100.0	42.4		100.0	42.4		100.0	42.4	
	TOTAL	100.0	42.4		100.0	42.4		100.0	42.4		100.0	42.4	

Hat Creek Bulk Sample W-77 X X

Wet Attrition Test and Analysis

Warnock Hersey Professional Services Ltd.

Wet Attrition Test

The test apparatus consisted of a cylindrical drum, fabricated to the Australian Standard AS 1661 1977, with a measured volume of water and known amount of coal, together with steel cubes, the whole being subjected to rotation at a prescribed speed for a measured length of time. On completion of the test, the water was filtered through a specially designed cover made up from $\frac{1}{2}$ mm. wedge wire and the attrited coal then subjected to the analysis as laid down per instructions.

The tumbling time was decided by the Hardgrove Index which was determined prior to the test being carried out. A calibration graph (also in the Australian Standard) was provided.

Details

Drum - volume capacity - 200 litres

Steel Cubes - 18 each edge 150 mm

Speed - 20 R.P.M.

Amount coal used - 50 kgm

Water volume - 150 litres

In practice, during early commissioning of the drum, the wedge wire screen was not used as a filter, the drum was allowed to stand for a short while until settlement had taken place and the water decanted off - this shortened the time slightly and this water was collected and used for the subsequent wet screening.

We have in hand a slight alteration to the driving mechanism in so far as an additional crank, which will enable the drum to be slowly turned by hand in order to facilitate emptying.

Determined Hardgrove Indexes

"X"	"Y"	"Z"
53.9	49.7	56.7

The tumbling times from the calibration graph fall under the lowest point of the curve. However, in order to comply with the instructions issued by Simon on Carves the tumbling times used were 30 seconds in all three cases.

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample KW 77 XLAB. NO. 77-8400RAW COAL SIZE / ASH DISTRIBUTION

Wet Screen Analysis After Wet Attrition

<u>Size</u>	<u>Dry Wt.</u>	<u>Ash %</u>	<u>Cum. Wt.</u>	<u>Cum. Ash %</u>	<u>Weight (kg.)</u>
4" x 1/2" ⁽⁺⁾	27.9%	26.7%	27.9%	26.7%	11.7
1/2" x 1/4" ⁽⁺⁾	16.9%	34.1%	44.8%	29.5%	7.1
1/4" x 1/8" ⁽⁺⁾	15.8%	42.5%	60.6%	32.9%	6.65
1/8" x 1/16" ⁽⁺⁾	10.6%	52.8%	71.2%	35.8%	4.45
1/16" x 28 M. M.	6.36	57.0	77.57	37.6	2.64
28 x 45 M. M.	3.53	57.3	81.01	38.4	0.118 (Sub)
45 x 65 M. M.	4.4	58.2	85.4	39.4	0.150 (Sub)
65 x 100 M. M.	0.73	56.7	86.16	39.69	0.025 (Sub)
100 x 200 M. M.	1.9	61.0	88.0	40.0	0.80
200 M. x 0.0	12.0	77.9	100.0	44.6	5.06
Total	100.00	44.6			

(9% - 1/4 mm)

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. 77 - 8400RAW COAL FRACTIONS - ANALYSIS % - After Wet Attrition

<u>Size</u>	<u>4" x 0</u>	<u>4" x 1/2"</u>	<u>1/2" x 1/4"</u>	<u>1/4" x 28 M</u>	<u>1/4" x 0</u>
Weight (kg.)	-	11.7	7.1	-	-
Wt. % Head	99.6	27.9	16.9	32.7	81.2
Moisture (As Run)	10.9	17.6	16.5	8.3	5.95
Ash	40.5	22.0	28.5	44.6	53.2
Sulphur	1.17	1.23	1.27	1.16	1.05
Btu / lb.	5,481	7,340	6,416	5,240	4,384
<u>DRY BASIS</u>					
Ash	44.4	26.7	34.1	48.6	56.5
Sulphur	1.31	1.49	1.52	1.26	1.12
Btu / lb.	6,156	8,907	7,682	10,200	4,660
<u>DRY, ASH FREE BASIS</u>					
Btu / lb.	11,300	12,154	11,657	11,126	10,716

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. Hydro

Sample Identification - Hat Creek Bulk Sample W77 X 100

LAB. NO. 40, 77 - 8400

RAW COAL FRACTIONS - ANALYSIS % - After Wet Attrition

<u>Size</u>	<u>1/4" x 1/8"</u>	<u>1/8" x 1/16"</u>	<u>1/16" x 28M</u>	<u>28M x 45M</u>	<u>45 x 65M</u>
Weight (kg.)	6.7	4.5	2.6	0.1	0.2
Wt. % Head	15.8	10.6	6.3	3.5	4.4
Moisture (As Run)	10.7	8.1	2.8	4.3	3.9
Ash	37.9	48.6	55.4	54.8	56.0
Sulphur	1.38	0.99	0.96	1.06	1.10
Btu / lb.	5,854,624	4,807,597	4,396,694	4,479,418	4,215,215

DRY BASIS

Ash	42.5	52.9	56.9	57.3	58.2
Sulphur	1.55	1.08	0.99	1.11	1.14
Btu / lb.	6,556	5,228	4,186	5,254	4,386

DRY, ASH FREE BASIS

Btu / lb.	11,398	11,089	10,507	10,959	10,500
-----------	--------	--------	--------	--------	--------

Warnock Hersey Professional Services Ltd.

CLIENT - B. C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. - 77 - 8400RAW COAL FRACTIONS - ANALYSIS % - After Wet Attrition

<u>Size</u>	<u>65 x 100M</u>	<u>100 x 200 M</u>	<u>200M x 0.0</u>	<u>28 x 100M</u>
Weight (kg.)	0.03	0.80	5.10	-
Wt. % Head	0.7	1.9	12.0	8.6
Moisture (As Run)	3.3	2.6	1.3	4.0
Ash	54.8	59.4	76.9	53.4
Sulphur	1.05	1.25	0.62	1.05
Btu / lb.	4,555	3,877	-	4,372

DRY BASIS %

Ash	56.7	61.0	77.9	55.7
Sulphur	1.09	1.28	0.63	1.09
Btu / lb.	4,708	3,979	-	4,555

DRY, ASH FREE BASIS %

Btu / lb.	10,866	10,197	-	10,276
-----------	--------	--------	---	--------

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 X 14LAB. NO. 77 - 8400 After Wet AttritionANALYSIS OF CLEAN COAL > ½" x ¼" Size Fraction

Cum. Float	1.40	1.45	1.50	1.60	1.80
------------	------	------	------	------	------

Wt. % (Cum.)	40.2	47.4	59.6	75.0	88.6
--------------	------	------	------	------	------

Wt. (kg.)	0.5	0.50	0.70	0.9	1.0
-----------	-----	------	------	-----	-----

As Run

Moisture	5.0	4.5	5.5	5.4	4.8
----------	-----	-----	-----	-----	-----

Ash	10.10	12.4	16.0	20.90	26.7
-----	-------	------	------	-------	------

Sulphur	1.19	0.96	0.93	1.21	1.19
---------	------	------	------	------	------

Btu / lb.	10,274	9,904	9,271	8,584	7,772
-----------	--------	-------	-------	-------	-------

Dry Basis

Ash	10.6	13.0	16.9	22.1	28.0
-----	------	------	------	------	------

Sulphur	1.25	1.01	0.98	1.27	1.25
---------	------	------	------	------	------

Btu / lb.	10,812	10,368	9,813	9,070	8,167
-----------	--------	--------	-------	-------	-------

Dry, Ash Free Basis

Btu / lb.	12,094	11,918	11,812	11,647	11,349
-----------	--------	--------	--------	--------	--------

Cum. SinkAs Run

Wt. (kg.)	0.7	0.6	0.5	0.3	0.10
-----------	-----	-----	-----	-----	------

Wt. %	59.8	52.6	40.4	25.0	11.4
-------	------	------	------	------	------

Moisture	4.44	4.41	3.21	3.51	3.93
----------	------	------	------	------	------

Ash	44.8	48.7	53.4	61.81	66.48
-----	------	------	------	-------	-------

Sulphur	1.38	1.57	1.86	1.75	2.10
---------	------	------	------	------	------

Btu / lb.	5,701	5,137	4,583	-	-
-----------	-------	-------	-------	---	---

Dry Basis

Ash	46.9	50.9	55.2	64.0	69.19
-----	------	------	------	------	-------

Sulphur	1.44	1.64	1.92	1.81	2.19
---------	------	------	------	------	------

Btu / lb.	5,960	5,373	4,734	-	-
-----------	-------	-------	-------	---	---

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. Hydro

Sample Identification - Hat Creek Bulk Sample W 77 X

LAB. NO. - 77 - 84001 After Wet Attrition

ANALYSIS OF CLEAN COAL / - ¼" x 28 M Size Fraction

Cum. Float	1.40	1.45	1.50	50	1.60	60	1.80	70
------------	------	------	------	----	------	----	------	----

Wt. % (Cum.)	15.5	25.4	27.4	34	37.6	42	57.1	51
--------------	------	------	------	----	------	----	------	----

Wt. (kg.)	0.404	0.617	0.777	1.000	1.000	1.600		
-----------	-------	-------	-------	-------	-------	-------	--	--

As Run

Moisture	4.3	5.1	4.3	5.3	5.5	5.3	7.9	11
----------	-----	-----	-----	-----	-----	-----	-----	----

Ash	8.7	11.5	12.9	17	18.6	20	25.2	27
-----	-----	------	------	----	------	----	------	----

Sulphur	1.01	1.11	1.11	11	1.12	12	1.10	10
---------	------	------	------	----	------	----	------	----

Btu / lb.	10,436	9,890	9,712	11	8,716	70	7,550	10
-----------	--------	-------	-------	----	-------	----	-------	----

Dry Basis

Ash	9.1	12.1	13.5	13	19.7	20	27.4	24
-----	-----	------	------	----	------	----	------	----

Sulphur	1.06	1.17	1.16	10	1.18	12	1.19	17
---------	------	------	------	----	------	----	------	----

Btu / lb.	10,909	10,417	10,145	11	9,221	12	8,201	01
-----------	--------	--------	--------	----	-------	----	-------	----

Dry, Ash Free Basis

Btu / lb.	12,006	11,847	11,728	11	11,476	70	11,294	10
-----------	--------	--------	--------	----	--------	----	--------	----

Cum. Sink

As Run

Wt. (kg.)	2.3	1.8	1.9	1.7	1.7	1.7	1.2	1.9
-----------	-----	-----	-----	-----	-----	-----	-----	-----

Wt. %	84.5	74.6	72.6	69	62.4	55	42.9	46
-------	------	------	------	----	------	----	------	----

Moisture	9.3	6.4	7.5	5	6.5	5.5	5.8	6.8
----------	-----	-----	-----	---	-----	-----	-----	-----

Ash	49.2	55.4	55.6	50	59.8	56	71.3	63
-----	------	------	------	----	------	----	------	----

Sulphur	1.12	1.14	1.11	10	1.08	12	1.08	03
---------	------	------	------	----	------	----	------	----

Dry Basis

Ash	54.24	59.2	60.0	56	63.9	3.9	75.7	57
-----	-------	------	------	----	------	-----	------	----

Sulphur	1.24	1.22	1.20	11	1.16	12	1.15	15
---------	------	------	------	----	------	----	------	----

Btu / lb.	4,925	4,371	-	-	-	-	-	-
-----------	-------	-------	---	---	---	---	---	---

Warnock Hersey Professional Services Ltd.

CLIENT - B.C. HydroSample Identification - Hat Creek Bulk Sample W 77 XLAB. NO. - 77 - 8400 After Wet AttritionANALYSIS OF CLEAN COAL - 28 x 100 M Size Fractionation

Cum. Float	1.40	1.45	1.50	1.60	1.80
Wt. % (Cum.)	4.4	7.6	12.0	18.7	33.2
Wt. (kg.)	0.02	0.04	0.06	0.1	0.2
<u>As Run</u>					
Moisture	4.5	4.4	2.7	2.8	2.8
Ash	8.8	11.3	15.7	21.7	29.5
Sulphur	0.96	0.87	1.09	0.96	0.88
Btu / lb.	10,607	10,153	9,650	8,827	7,670
<u>Dry Basis</u>					
Ash	9.2	11.8	16.1	22.3	30.3
Sulphur	1.01	0.91	1.12	0.99	0.91
Btu / lb.	11,108	10,620	9,917	9,081	7,889
<u>Dry, Ash Free Basis</u>					
Btu / lb.	12,230	12,042	11,820	11,684	11,328
<u>Cum. Sink</u>					
<u>As Run</u>					
Wt. (kg.)	0.6	0.5	0.5	0.5	0.40
Wt. %	95.6	92.4	88.0	81.31	66.8
Moisture	6.8	3.9	5.7	5.6	7.5
Ash	55.5	58.8	59.2	61.51	64.9
Sulphur	0.81	0.8	0.89	0.90	0.82
Btu / lb.	-	-	-	-	-
<u>Dry Basis</u>					
Ash	59.6	61.2	62.8	65.25	70.20
Sulphur	0.87	0.92	0.94	0.95	0.89
Btu / lb.	-	-	-	-	-



Warnock Hersey Professional Services Ltd.

1423-D, 45th Avenue, N.E., Calgary, Alberta T2E 2P3 Tel. 276-9138

1423-D, 45th Avenue, N.E., Calgary, Alberta T2E 2P3 Tel. 276-9138

Sample Identification Hat Creek Bulk Sample W77 X Size fraction 1/2" x 1/4"

Lab. No. (s) W77 - 84.00 After Wet Attrition Wt % of head sample < 16.9

Lab. No. (s) W77 - 84.00 After Wet Attrition Wt % of head sample < 16.9

Specific Gravity

FLOAT AND SINK ANALYSIS %

Sink Density	Float Density	Elementary			FLOAT AND SINK ANALYSIS %			Cumulative Float			Cumulative Sink		
		Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur	Weight	Ash	Sulphur
1.40	1.40	40.2	10.6		40.2	10.6					100.0	32.7	
1.40	1.45	7.2	26.4		47.4	13.0					59.8	47.5	
1.45	1.50	12.2	32.0		59.6	16.9					52.6	50.4	
1.50	1.60	15.4	42.2		75.0	22.1					40.4	56.0	
1.60	1.80	13.6	60.5		88.6	28.0					25.0	64.4	
1.80	1.80	11.4	69.1		100.0	32.7					11.4	69.1	
1.80					100.0								
TOTAL		100.0	32.7										
INITIAL		00.0	00.0										



Warnock Hersey Professional Services Ltd.

1423-D 45th Avenue, N.E., Calgary, Alberta T2E 2P3 Tel. 276-9138

1423 D 45th Avenue N.E. Calgary Alberta T2E 2P3 Tel. 276-9138

Sample Identification Hat Creek Bulk Sample W 77 X Size fraction 1/4" x 28 M

Lab. No. (s) 77-8400 After Wet Attrition Wt % of head sample 32.7

Spec. Gravity 77-8400 Wt % of head sample 32.7

Specific Gravity FLOAT AND SINK ANALYSIS %

Sink	Float	Elementary	Cumulative Float	Cumulative Sink
		Weight Ash Sulphur	Weight Ash Sulphur	Weight Ash Sulphur

1.40		15.5 9.1	15.5 9.1	100.0 48.1
1.40	1.45	9.9 16.8	25.4 12.1	84.5 55.3
1.45	1.50	2.0 31.3	27.4 13.5	74.6 60.4
1.50	1.60	10.2 36.0	37.6 19.6	72.6 61.2
1.60	1.80	19.5 42.4	57.1 27.4	62.4 65.3
1.80		42.9 75.7	100.0 48.1	42.9 75.7
1.40		12.0 7.4	100.0 48.1	2.9 75.7
TOTAL		100.0 48.1		
TOTAL		100.0 48.1		



Warnock Hersey Professional Services Ltd.

1423-D, 45th Avenue, N.E., Calgary, Alberta T2E 2P3 Tel. 276-9138

1423-D, 45th Avenue, N.E., Calgary, Alberta T2E 2P3 Tel. 276-9138

Sample Identification Hat Creek Bulk Sample W 77 X Size fraction 28 x 100 M

Lab. No.(s) if any 77-18400 W 77 X Wt-% of head sample 8.6

Lab. No.(s) 77-18400 W 77 X Wt-% of head sample 8.6

Specific Gravity

FLOAT AND SINK ANALYSIS %

Sink No.	Float No.	Elementary			FLOAT AND SINK			Cumulative Float			Cumulative Sink			
		Weight	Ash	Sulphur	Weight	Ash	Sulphur	Dry	Weight	Ash	Sulphur	Weight	Ash	Sulphur
	1.40	4.4	9.2		4.4	9.2			100.0	57.0				
1.40	1.45	3.2	15.4		7.6	11.8			95.6	59.2				
1.45	1.50	4.4	23.5		12.0	16.1			92.4	60.7				
1.50	1.60	6.7	33.4		18.7	22.3			88.0	62.6				
1.60	1.80	14.5	40.8		33.2	30.4			81.3	65.0				
1.80		66.8	70.2		100.0	57.0			66.8	70.2				
					100.0				100.0					
	TOTAL	100.0	57.0											
	TOTAL	100.0	57.0											