

PRODUCT  
PRODUIT MANGANESE

PROVINCE OR  
TERRITORY PROVINCE OU  
TERRITOIRE

British Columbia

N.T.S. AREA 92 C/16  
RÉGION DU S.N.R.C.

REF. Mm 4  
RÉF.

NAME OF PROPERTY  
NOM DE LA PROPRIÉTÉ WARDROPER CREEK

OBJECT LOCATED - Mn symbol on Geological map  
OBJET LOCALISÉ

UNCERTAINTY - 800 m  
FACTEUR D'INCERTITUDE Lat. 48°56' Long. 124°16'40"

Mining Division Victoria District  
Division minière District

County Township or Parish  
Comté Canton ou paroisse

Lot Concession or Range  
Lot Concession ou rang

Sec Tp. R.  
Sect. Ct. R.

OWNER OR OPERATOR/PROPRIÉTAIRE OU EXPLOITANT

DESCRIPTION OF DEPOSIT/DESCRIPTION DU GISEMENT

The host rock is a cherty tuff of the Palaeozoic Sicker Group. Several lenses of rhodonite and yellow manganeseiferous chert lie parallel to the host rock bedding. Individual lenses are less than a foot thick, but together they total about 10 feet thick and are exposed for about 20 feet along strike.

HISTORY OF EXPLORATION AND DEVELOPMENT  
HISTORIQUE DE L'EXPLORATION ET DE LA MISE EN VALEUR

The showings are located at an elevation of 820 m, east of the upper part of Wardroper Creek some 4 km north of Cowichan Lake and 88 km northwest of Victoria.

121598

HISTORY OF PRODUCTION/HISTORIQUE DE LA PRODUCTION

REFERENCES/BIBLIOGRAPHIE

Fyles, J.T.; Geology of the Cowichan Lake Area; Bulletin No. 37, p. 69, BC Dept. of Mines, 1955.

MAP REFERENCES/RÉFÉRENCES CARTOGRAPHIQUES

#Geological Map of the Cowichan Lake Area, Sc. 1": 1 mile, accomp. Bulletin No. 37, BC Dept. of Mines.

\*Map 92 C/16, Cowichan Lake, (Topo.), Sc. 1: 50 000.

REMARKS/REMARQUES

|                                 |       |  |  |  |  |  |  |
|---------------------------------|-------|--|--|--|--|--|--|
| Comp./Rev. By<br>Comp./rév. par | DMacR |  |  |  |  |  |  |
| Date<br>Date                    | 01-88 |  |  |  |  |  |  |