

PRODUCT
PRODUIT

MANGANESE

PROVINCE OR
TERRITORY

PROVINCE OU
TERRITOIRE

British Columbia

N.T.S. AREA 92 C/16
RÉGION DU S.N.R.C.

REF. Mn 5
RÉF.

NAME OF PROPERTY
NOM DE LA PROPRIÉTÉ

MEADE CREEK

OBJECT LOCATED - Mn occurrence on Geological map
OBJET LOCALISÉ

UNCERTAINTY 500 m
FACTEUR D'INCERTITUDE

Lat. 48°52'10" Long. 124°03'10"
Lat. Long.

Mining Division
Division minière

Victoria

District
District

County
Comté

Township or Parish
Canton ou paroisse

Lot
Lot

Concession or Range
Concession ou rang

Sec
Sect.

Tp.
Ct.

R.
R.

OWNER OR OPERATOR/PROPRIÉTAIRE OU EXPLOITANT

DESCRIPTION OF DEPOSIT/DESCRIPTION DU GISEMENT

The host rocks are cherty tuffs of the Palaeozoic Sicker Group. Lenses containing rhodonite and manganese garnet in red and white northeasterly dipping cherty tuff are as much as 3 feet thick and appear to be more or less continuous along strike between two open cuts about 200 feet apart. The manganese lenses are very thinly coated with oxides.

HISTORY OF EXPLORATION AND DEVELOPMENT
HISTORIQUE DE L'EXPLORATION ET DE LA MISE EN VALEUR

The showings are located at about 820 m elevation some 1.5 km east of Meade Creek, 5 km north of the community of Lake Cowichan, and 65 km northwest of Victoria.

121599

Fyles, J.T.; Geology of the Cowichan Lake Area; Bulletin No. 37, p. 68, BC Dept. of Mines, 1955.

MAP REFERENCES/RÉFÉRENCES CARTOGRAPHIQUES

#Geological Map of the Cowichan Lake Area, Sc. 1": 1 mile -
 accomp. Bulletin No. 37, B.C. Dept. of Mines, 1955.

*Map 92 C/16, Cowichan Lake, (Topo.), Sc. 1: 50 000.

REMARKS/REMARQUES

Comp./Rev. By Comp./rév. par	DMacR						
Date Date	01-88						