

PRODUCT
PRODUIT MANGANESE

PROVINCE OR TERRITORY
PROVINCE OU TERRITOIRE British Columbia

N.T.S. AREA 92 C/16
RÉGION DU S.N.R.C.

REF. Mn 6
RÉF.

NAME OF PROPERTY
NOM DE LA PROPRIÉTÉ STANLEY CREEK

OBJECT LOCATED - Mn symbol on Geological map
OBJET LOCALISÉ

UNCERTAINTY 500 m Lat. 48°51'20" Long. 124°01'30"
FACTEUR D'INCERTITUDE Lat. Long.

Mining Division Victoria
Division minière

District
District

County
Comté Township or Parish
Canton ou paroisse

Lot
Lot Concession or Range
Concession ou rang

Sec. Tp. R.
Sect. Ct. R.

OWNER OR OPERATOR/PROPRIÉTAIRE OU EXPLOITANT

DESCRIPTION OF DEPOSIT/DESCRIPTION DU GISEMENT

The host rocks are cherty tuffs of the Palaeozoic Sicker Group. This occurrence is reported to consist of two irregular lenticular masses of manganese silicate (rhodonite) parallel to the bedding of cherty tuff, a few inches to a foot wide and about 20 feet long.

HISTORY OF EXPLORATION AND DEVELOPMENT
HISTORIQUE DE L'EXPLORATION ET DE LA MISE EN VALEUR

This occurrence is located at about 850 m elevation east of the head of Stanley Creek some 4 km northeast of the community of Lake Cowichan and 65 km northwest of Victoria.

121560

Fyles, J.T.; Geology of the Cowichan Lake Area; Bulletin
 No. 37, p. 68, BC Dept. of Mines, 1955.

MAP REFERENCES/RÉFÉRENCES CARTOGRAPHIQUES

#Geological Map of the Cowichan Lake Area, Sc. 1": 1 mile -
 accomp. Bulletin No. 37, BC Dept. of Mines, 1955.

*Map 92 C/16, Cowichan Lake, (Topo.), Sc. 1: 50 000.

REMARKS/REMARQUES

Comp./Rev. By Comp./rév. par	DMacR						
Date Date	01-88						