OWNER OR OPERATOR AND ADDRESS

DESCRIPTION OF DEPOSIT

The area is underlain by Upper Triassic Karmutsen volcanics near the contact of the Upper Paleozoic Sicker Sediments. Copper occurs in quartz-veins and shear zones as well as in the basic volcanics.

HISTORY OF EXPLORATION AND DEVELOPMENT

The property is located at an elevation of 2,000 feet on Gerald Creek, 7 miles southeast of Schoen Lake.

N.T.S. AREA 92 L/1

REF. CU 3

A geophysical investigation was carried out by Falconbridge Nickel Mines Ltd. in 1969.

MAP REFERENCES

Map 4-1947, Alert Bay-Cape Scott, (Geol.), Sc. 1:250,000 - accomp. Paper 74-8, Geol. Surv. of Canada, 1974.

#Mines and Mineral Occurrences of Alert Bay-Cape Scott area, Sc. 1:250,000, Fig. 15 - accomp. Paper 74-8, Geol. Surv. of Canada, 1974.

*Map 92 L/1 E, Schoen Lake, (Topo.), Sc. 1:50,000.

REMARKS

Comp./Rev. By	IJ			
Date	10-75			

REFERENCES

Geology, Exploration, and Mining; British Columbia Dept. of Mines: 1969, p. 363.

Muller, Northcote, and Carlisle; Geology and Mineral Deposits of Alert-Cape Scott Map-area; Paper 74-8, p. 64, Geol. Surv. of Canada, 1974.

BCI 924-229