

PRODUCT

COPPER

PROVINCE OR
TERRITORY

British Columbia

N.T.S. AREA 103 H/11

REF. CU 2

NAME OF PROPERTY

ABRUZZI

OBJECT LOCATED -Centre of group.

UNCERTAINTY IN METRES 200. Lat. 53°40'15" Long. 129°09'40"

Mining Division Skeena District Range 4 Coast

County Township or Parish

Lot ~~XXXXXXX~~ Range 4

Sec Tp. R.

OWNER OR OPERATOR AND ADDRESS

DESCRIPTION OF DEPOSIT

The mineralization, which for the most part consists of a very sparse distribution of chalcopyrite, is found in a 30 foot belt of folded and altered schists, striking N30°W and dipping 80° south. The schist zone, which occurs as an inclusion in the Coast Range batholith, is very micaceous and garnetiferous in places, and also shows marked alteration to chlorite from hornblende and actinolite.

A few rare stringers of chalcopyrite $\frac{1}{4}$ -2 inches wide cut irregularly through the zone. The best showing was a 9 inch vein of chalcopyrite extending about 10 feet in length.

A sample across 7.7 feet of the best material exposed in the floor of the cut assayed: Gold - trace; silver - 0.30 oz.; copper - 1.4%.

Associated minerals or products of value

HISTORY OF EXPLORATION AND DEVELOPMENT

The property is located on the northwesterly shore of Douglas Channel, approximately 4 miles northeast of where the north shore of Kitkiata Inlet meets Douglas Channel (Gertrude Point).

The Abruzzi group of 9 claims was owned by Messrs. Venanzio, Decaire & associates in 1929 and 1930. During that period the assessment work included several open-cuts, some cross-trenching and one shallow shaft.

120533

Mineral Development Sector, Department of Energy, Mines and Resources, Ottawa.

HISTORY OF PRODUCTION

REFERENCES

Reports of Minister of Mines, British Columbia: 1929, p. 70;
1930, p. 66.

MAP REFERENCES

#Map 103 H/11 E, Kitkiata Inlet, (Topo.), Sc. 1:50,000.

Map 23-1970, Douglas Channel and Hecate Strait, (Geol.),
Sc. 1:250,000 - accomp. Paper 70-41, Geol. Surv. of
Canada.

REMARKS

Comp./Rev. By	DH						
Date	7-75						

BCI 103H-17