

PRODUCT SILVER
PRODUIT

PROVINCE OR PROVINCE OU
TERRITORY TERRITOIRE

British Columbia

N.T.S. AREA 103 P/1
RÉGION DU S.N.R.C.

REF. AG 1
RÉF.

NAME OF PROPERTY
NOM DE LA PROPRIÉTÉ

WHISKY CREEK

OBJECT LOCATED
OBJET LOCALISÉ

UNCERTAINTY
FACTEUR D'INCERTITUDE

Mining Division Omineca
Division minière

County
Comté

Lot
Lot

Sec
Sect.

Lat. 55°02'30"
Lat.

District
District

Township or Parish
Canton ou paroisse

Concession or Range
Concession ou rang

Tp.
Ct.

Long. 128°15'
Long.

Cassiar

OWNER OR OPERATOR/PROPRIÉTAIRE OU EXPLOITANT

DESCRIPTION OF DEPOSIT/DESCRIPTION DU GISEMENT

A small sulphide vein occurs along a fault slip in fine-grained sericitic quartzite. The vein strikes northerly and dips 20°E, averages 6 inches in width, and is heavily mineralized with pyrite and arsenopyrite, with a little galena and sphalerite. A sample of the vein outcrop on the south side of the Creek assayed: Gold, 0.12 ounce a ton; silver, 15.16 ounces a ton; lead, 2.27%; zinc, 2.15%; arsenic, 3.68%.

Several hundred feet farther up the creek the sediments are intruded by small stocks of quartz diorite. Several small veins near the intrusives were prospected by short adits. About a mile up the Creek a considerable area is underlain by shales and argillites intruded by large dykes of quartz diorite. Locally the dykes are altered and impregnated with a little pyrite and arsenopyrite; an assay of the altered rock gave: gold, trace; silver, trace.

Associated minerals or products
Minéraux ou produits associés

- Gold, lead, zinc.

HISTORY OF EXPLORATION AND DEVELOPMENT
HISTORIQUE DE L'EXPLORATION ET DE LA MISE EN VALEUR

This property is located on the south side of the Skeena River about 28 miles southwest of Hazelton. The mineral occurrences are on the lower end of Whisky Creek, which enters the Skeena river from the east about 3 miles northeast of Cedarvale.

Several claims were held prior to 1936 by A. Gray, of Cedarvale. At about the 600 foot elevation, 6 or 7 short adits were driven into the banks of the Creek, but nothing of importance found. About a mile up the creek, at an elevation of 1,100 feet, a 56 foot long adit was driven into one of the quartz diorite dykes without striking any sulphides.

HISTORY OF PRODUCTION/HISTORIQUE DE LA PRODUCTION

REFERENCES/BIBLIOGRAPHIE

Kindle, E.D.; Mineral Resources, Usk to Cedarvale,
Terrace Area, Coast District, British Columbia;
Memoir 212, p. 52, Geol. Surv. of Canada, 1937.

MAP REFERENCES/RÉFÉRENCES CARTOGRAPHIQUES

Map 103 P, Nass River, B.C., (Topo.), Sc. 1:250,000.

REMARKS/REMARQUES

Comp./Rev. By Comp./rév. par							
Date Date	06-68						