


**BRITISH COLUMBIA**  
**PROSPECTORS ASSISTANCE PROGRAM**  
**MINISTRY OF ENERGY AND MINES**  
**GEOLOGICAL SURVEY BRANCH**

PROGRAM YEAR: 1994/95

REPORT #: PAP 94-14

NAME: ROB E. REDING

BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)



B. TECHNICAL REPORT

- \* One technical report to be completed for each project area
- \* Refer to Program Requirements/Regulations, section 15, 16 and 17
- \* If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

LOCATION/COMMODITIES

Project Area (as listed in Part A.) Denison Minfile No. if applicable \_\_\_\_\_

Location of Project Area NTS regional Lat \_\_\_\_\_ Long \_\_\_\_\_

Description of Location and Access 15 km E of Hazelton Hwy #16  
to the best logging road to the Denison logging road  
at 21km

Main Commodities Searched For Cu Ag Pb Zn Au

Known Mineral Occurrences in Project Area M.F. # 032, 031, 116

WORK PERFORMED

1. Conventional Prospecting (area) 30 square km - 20 km of logging roads
2. Geological Mapping (hectares/scale) 30 square km - 20 km of logging roads
3. Geochemical (type and no. of samples) 1 rock 3 Pan concentrates
4. Geophysical (type and line km) 30 element T.C.P. + File for Gold
5. Physical Work (type and amount) \_\_\_\_\_
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

SIGNIFICANT RESULTS (if any)

Commodities \_\_\_\_\_ Claim Name \_\_\_\_\_

Location (show on map) Lat 55°23' Long 127°02' Elevation 2,600


Best assay/sample type 474 Cu. PPM FL rock

Description of mineralization, host rocks, anomalies

Beltley intrusive intruded Hazelton Volcanics causing many  
showings in the area. M.F. # 032 was mined in the 1920s for Ag  
Pb.

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**



**B. TECHNICAL REPORT**

- \* One technical report to be completed for each project area
- \* Refer to Program Requirements/Regulations, section 15, 16 and 17
- \* If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

**LOCATION/COMMODITIES**

Project Area (as listed in Part A.) Morrison Lk Minfile No. if applicable \_\_\_\_\_

Location of Project Area NTS 93M-1-W, 2-E Lat 55° 07' Long \_\_\_\_\_

Description of Location and Access From Tepley Landing take the northward bridge across Babine Lake then go north along the E side of Babine Lake to the Morrison Bridge to Morrison W. Logging road network

Main Commodities Searched For Cu Au Babin Intensive simulated Bell Copper mine

Known Mineral Occurrences in Project Area Bell Copper mine 2 km South of area

WORK PERFORMED	aprox	11/60x
1. Conventional Prospecting (area)	<u>90 square km</u>	<u>34 k. on logging roads</u>
2. Geological Mapping (hectares/scale)	<u>90 square km</u>	<u>34 km on logging roads</u>
3. Geochemical (type and no. of samples)	<u>7 rock 2 - Pan concentrates</u>	<u>30 elements</u>
4. Geophysical (type and line km)	<u>SEIP + Five for Gold</u>	
5. Physical Work (type and amount)	_____	
6. Drilling (no. holes, size, depth in m, total m)	_____	
7. Other (specify)	_____	

**SIGNIFICANT RESULTS (if any)**

Commodities Cu Claim Name \_\_\_\_\_


Location (show on map) Lat 55° 07' Long 126° 22' Elevation 3,500

Best assay/sample type 745-635 PPM Cu Py Chdco. in silica rich rusty rock float 2m x 1m many found in this area

Description of mineralization, host rocks, anomalies  
Rhyolite sediment contact with Babine intrusions all around ring of Rhyolite plugs shown on map

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**



**B. TECHNICAL REPORT**

- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 and 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

**LOCATION/COMMODITIES**

Project Area (as listed in Part A.) Blunt Cr. Minfile No. if applicable \_\_\_\_\_

Location of Project Area NTS 93M3-E Lat 55° 08' Long \_\_\_\_\_

Description of Location and Access 40 km w of Smithers across Bulkley at moose town then down the Bulkley river to the Blunt logging road network

Main Commodities Searched For Cu Au porphyry related to Babb intrusive

Known Mineral Occurrences in Project Area \_\_\_\_\_

**WORK PERFORMED**

1. Conventional Prospecting (area) 60 square km - 45 km on logging roads
2. Geological Mapping (hectares/scale) 60 square km - 45 km on logging roads
3. Geochemical (type and no. of samples) 1 pan concentrate 2 rocks
4. Geophysical (type and line km) 30 element LCP + five for Gold
5. Physical Work (type and amount) \_\_\_\_\_
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS (if any)**

Commodities \_\_\_\_\_ Claim Name \_\_\_\_\_

Location (show on map) Lat 55° 13' Long 127° 08' Elevation 4,700

Best assay/sample type pan. con. 900 P.P.B. Au

Description of mineralization, host rocks, anomalies \_\_\_\_\_


quartz carbonate breccia with PY in subcrop


Supporting data must be submitted with this TECHNICAL REPORT.

## Morrison

This area called the Morrison area was interesting because of the Geology and the activity of hearth hill and other properties that will likely active this summer. Bell copper and Granite are 10 km South East of this area.

Many new logging roads and outblocks are in this area. 10 man days will be spent in this area with pickup quad and by foot mapping outcrop and sampling float and silt on the creeks.





RECEIVED  
OCT 20 1994  
PROSPECTORS PROGRAM  
MEMPR

73 m2

93 m1

ME #141  
ALPHA Yaba  
CU.

NOV 9 89

ME #008  
22100 (1)

ME #008  
100.00

NOV 12  
2259 (1)

NOV 24  
2259 (1)

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

FAL 97  
10110

ME #003  
CU. 22122

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

B  
A  
B  
I  
N

E  
D  
E  
N

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

ME #004  
10110

INKS

INKS

INKS

INKS

INKS

INKS

INKS

INKS

La Hove

La Hove

La Hove

La Hove

Vic Photo

Rob Reddy

The only area that I haven't gotten to at all was the kit west area that would have been only accessed by Helicopter. I could not go to this area because of the lateness of the season and because other interesting areas opened up to me and like a good prospector I listen to my instincts and follow my nose.


Thanks for your time and assistance Vic.

Rob

## Divey area

This area was interesting because of the Geology, Kutchko sediment formation and the U.M.S. deposits associated with this rock type. Normda put 3 drill holes and extensive soil and Geophysics on this ground.

There are many new logging roads in this area where there was no access at all 4 years ago. 10 man days will be spent in this area looking at and mapping outcrop and sampling mineralised rocks and traversing logging roads and cut block with 4x4 pickup and quad and on foot.






PROVINCIAL

FOREST

RANGE





**LEGEND**  
**BURDICK CREEK AREA**  
 Logging roads — Cut blocks — Traversed  
 X Regional Geochem site, Number and Anomalies  
 • → Rock sample site - BU 14 RR 94  
 :::: oc - outcrop size, shape and kind of  
 SC - subcrop FL - float  
 Balkley INT Invasive  
 Babine INT Invasive  
 Key Claims L  
 1-50,000 scale 93M 4W, 5W

Key Claims 1-14  
 Babine INT  
 INT oc  
 FL BU 18-19 RR 94  
 SC BU 6-7 TR 94  
 SC BU 12-13 RR 94  
 SC BU 14-07 RR 94  
 SC BU 01-03 RR 94  
 FL BU 23-24 RR 94  
 FL BU 21-22 RR 94  
 BU 10 RR 94 FL  
 BU 11 TR 94  
 BU 12 TR 94  
 BU 13 TR 94  
 BU 14 TR 94  
 BU 15-17 RR 94  
 BU 27-30 RR 94 FL  
 BU 26 RR 94 oc - INT - Gornite  
 BU 31-34 RR 94 oc  
 1066 Co  
 Ni Fe  
 AS 180  
 Pyrophyllite Knob  
 Coarse Grains in Pan  
 Concentrate  
 Galena sphalerite vein  
 2-3cm  
 Galena sphalerite  
 vein  
 2-4cm  
 INT oc  
 Carbonate altered  
 1067 Ni, Fe  
 AS 25  
 oc sed  
 Sandstone  
 11km  
 SK E E N A  
 Burdick main  
 logging road

PROVINCIAL

FOREST





### LEGEND

**BLUNT CREEK AREA**

- Logging roads traversed
- Cut Blocks traversed
- Rock sample site BLO3RR94
- OC. Outcrop size, kind, shape
- SC. Subcrop EL. Float
- P.C. Pan Concentrate
- Geology Rocky Ridge Volcanic
- Bowser Basin sediments
- + M.F. Min file Number, Name
- X Regional geochem site, Number, Anomalies

Map sheet 93 M 3 E  
Scale 1-50,000

500 m 1 km 2 km 3 km 4 km 5 km

To HY 16 at  
Molictown N

+ MF 231 New



R A N G E











R E S T  
O U N T A I N S )

B A B I


R A N


### LEGEND

**DENISON CREEK AREA**


-  Logging roads traversed
-  Cut Blocks traversed
-  Rock sample site - DN04RR94
-  O.C. Outcrop size and shape
-  S.C. Subcrop FL float
-  P.C. - Pan concentrate
-  Geology Ashman formation sediments
-  Bulkley Intrusions Xenodiorite
-  + MF# - Min file Number Name Commodities
-  X - Regional Geochem site Number - Anomalies

Map sheet 93M6E - 93M7E  
Scale 1:50,000






N



937/12



312188  
 LOON 1  
 e  
 LOON 2  
 12283 (7)  
 ENTAE  
 009  
 93

RECEIVED  
 OCT 20 1994  
 PROSPECTORS PROGRAM  
 MEMPR

DIVER  
 PK.

ANGU




















Creek

Hazelton Cr

93M/5W

305

BB 586  
5049

N

607680

607681

Key 12  
607679

Key 13	Key 14
Key 11	Key 12
Key 9	Key 10
Key 7	Key 8
Key 5	Key 6
Key 3	Key 4
Key 1	Key 2

607679

607677

607701

607702

607678

607676

607703

607701

611288

602705

607681

B.D. 2 8265(A)	B.D. 3 8266(A)
B.D. 1 8264(A)	B.D. 4 8267(A)


BLUEBEARD 2  
10966

BLUEBEARD 1  
10965

N

200

2149

2150

2151

2154

L 290







COMP: MR. ROB REDING  
 PROJ:  
 ATTN: ROB REDDING


MIN-EN LABS — ICP REPORT  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 TEL:(604)980-5814 FAX:(604)980-9621

FILE NO: 4S-0148-RJ1+2  
 DATE: 93/07/20  
 \* rock \* (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	Au-Fire PPB
BU 02 TR	.6	1.41	1	1	184	.4	5	.81	.1	20	388	4.20	.61	5	.43	129	5	.02	26	330	19	14	46	8	.01	15.7	24	5	1	5	70	16
BU 03 TR	.1	.52	1	83	20	.1	1	.08	.1	38	608	>15.00	.17	3	.03	1	1	.02	73	2270	1	1	88	1	.01	13.1	1	1	1	1	12	15
BU 04 TR	.5	2.21	1	1	92	.8	6	1.27	.1	17	362	5.92	.30	17	1.94	382	288	.06	33	1890	23	8	92	12	.01	91.9	40	16	1	8	109	2
BU 05 TR	.1	2.01	1	8	30	.1	1	.77	.1	46	1850	>15.00	.14	29	.88	106	1	.01	67	4010	1	1	104	4	.01	45.9	1	1	1	4	27	9
BU 06 TR	.1	.98	1	43	54	.1	1	1.59	.1	21	1209	>15.00	.14	16	.47	265	1	.03	57	7140	1	1	119	7	.01	25.1	1	1	1	3	37	8
BU 07 TR	5.9	.95	1	41	53	.1	6	.30	.1	45	1604	>15.00	.29	5	.25	145	1	.01	55	1450	5	4	62	5	.01	38.4	8	1	1	3	54	27
BU 08 TR	.1	3.37	1	1	26	.1	3	.21	.1	36	1001	>15.00	.05	46	1.24	91	40	.01	59	1030	13	3	71	11	.01	51.3	4	4	1	5	47	11
BU 09 TR	12.5	.64	1	1	303	.1	158	.73	14.0	7	38	3.00	.27	11	.56	330	4	.06	13	1210	337	2	47	10	.19	60.4	666	10	15	16	115	9
BU 11 TR	.1	.43	237	64	28	.1	1	.10	.1	92	1948	>15.00	.05	8	.12	192	1	.01	65	10	1	1	77	1	.01	17.6	8	1	1	1	76	150
BU 12 TR	.1	.35	86	69	19	.1	8	.05	.1	136	1874	>15.00	.02	4	.04	1	1	.01	65	10	1	1	109	1	.01	10.0	1	1	1	2	75	79
RR 01 BU 94	.8	.97	1	53	165	.4	12	.61	.1	21	352	4.41	.18	18	.98	217	144	.06	18	1340	13	3	54	13	.07	67.6	12	13	1	9	143	68
RR 02 BU 94	.7	.63	1	1	70	.4	7	.90	.1	9	159	2.75	.16	12	.88	292	6	.04	18	1180	14	3	57	13	.04	78.1	18	14	1	7	108	33
RR 03 BU 94	6.5	.55	879	30	121	.1	6	.91	.1	19	393	10.24	.21	3	.32	637	73	.02	38	370	23	1	84	7	.01	15.5	18	1	1	9	179	318
RR 04 BU 94	.1	2.27	1	1	34	.1	1	.17	.1	29	1120	>15.00	.09	23	.96	387	1	.02	65	280	1	1	74	5	.01	39.6	78	1	1	4	62	24
RR 05 BU 94	.1	.59	1	64	41	.1	5	1.05	.1	35	1303	>15.00	.12	11	.27	233	1	.02	61	5580	1	1	99	1	.01	21.4	1	1	1	1	34	17
RR 06 BU 94	1.2	.27	546	87	137	.1	6	5.00	.1	12	241	8.53	.13	3	1.56	3077	1	.01	34	410	30	113	198	8	.01	22.5	19	19	1	6	93	110
RR 07 BU 94	.1	3.10	1	1	37	.1	3	.34	2.6	49	1156	>15.00	.07	49	.44	314	1	.04	60	670	1	1	81	8	.01	67.6	1198	1	1	7	76	22
RR 08 BU 94	.1	.90	1	39	65	.1	4	.74	.1	58	1057	>15.00	.22	8	.42	253	1	.02	57	2560	1	1	72	7	.01	43.2	13	1	1	3	50	13
RR 09 BU 94	.1	1.72	1	11	71	.1	1	2.01	.1	42	948	>15.00	.10	21	.74	385	1	.04	69	>10000	1	1	208	7	.01	75.9	23	1	1	4	51	147
RR 10 BU 94	1.3	.85	1	1	171	.1	26	.53	.1	8	107	3.39	.23	8	.62	344	7	.06	13	1400	8	5	51	9	.19	67.5	54	12	2	60	139	130
RR 11 BU 94	.1	2.07	1	2	54	.1	4	.62	.1	27	396	>15.00	.05	31	.65	552	1	.01	54	2080	1	1	82	7	.01	52.2	20	1	1	4	59	12
RR 12 BU 94	.1	1.33	1	39	53	.1	7	1.00	.1	42	2021	>15.00	.21	18	.54	180	1	.01	59	5650	1	1	101	8	.01	48.5	1	1	1	29	83	13
RR 13 BU 94	.6	2.71	1	1	49	.3	9	10.29	.1	8	38	6.37	.05	35	2.53	1530	1	.01	25	410	30	18	1518	2	.01	39.3	28	26	1	5	43	6
RR 14 BU 94	1.8	2.00	1	1	68	.2	15	.71	.1	14	234	4.10	.56	21	1.82	229	1	.15	22	1170	18	9	69	11	.20	106.8	17	20	3	11	140	5
RR 15 BU 94	.1	2.71	1	1	114	.1	8	.30	.1	15	248	13.53	.11	65	.80	254	1	.02	42	810	19	1	66	7	.01	71.8	1	1	1	7	99	5
RR 16 BU 94	.1	2.46	1	1	27	.1	12	.19	.1	124	1798	>15.00	.37	36	.59	124	1	.01	72	590	2	1	49	7	.01	27.3	3	1	1	4	48	87
RR 17 BU 94	.1	2.98	1	1	59	.1	3	.10	.1	16	460	>15.00	.15	33	.64	93	1	.03	52	580	1	1	65	7	.01	52.0	1	1	1	5	64	10
RR 18 BU 94	.1	.86	1	59	68	.1	24	.05	.1	44	1578	>15.00	.44	3	.08	258	1	.01	54	1250	1	1	63	1	.01	30.2	1	1	1	1	41	14
RR 19 BU 94	2.5	1.60	1	11	46	.1	15	.91	.1	35	1704	>15.00	.21	12	.51	254	3	.02	59	5960	1	1	90	4	.01	45.1	7	1	1	6	112	581



BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)



**B. TECHNICAL REPORT**

- \* One technical report to be completed for each project area
- \* Refer to Program Requirements/Regulations, section 15, 16 and 17
- \* If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

**LOCATION/COMMODITIES**

Project Area (as listed in Part A.) Burdick cr. Minfile No. if applicable \_\_\_\_\_  
Location of Project Area NTS 93m.5-w, 4w Lat <sup>4050m</sup> 50°14' Long 127°52'  
Description of Location and Access West of Hazelton on old Kitwanga road to Burdick Creek Logging road up Burdick Creek on logging rd. Network

Main Commodities Searched For Cu Au Porphyry, Bulkley, and Babine intrusions in contact with Bowser Lake sediments

Known Mineral Occurrences in Project Area \_\_\_\_\_

**WORK PERFORMED**

1. Conventional Prospecting (area) <sup>approx</sup> 40 square km. - 32 km. on logging roads
2. Geological Mapping (hectares/scale) <sup>approx</sup> 40 square km. - 32 km. on logging roads
3. Geochemical (type and no. of samples) 45 rocks - 25 ilts 30 element ICP +
4. Geophysical (type and line km) Five Box Gold
5. Physical Work (type and amount) 1 mon day staking key claims 1-14
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS (if any)**

Commodities Au, Cu Claim Name FL - Key 1-14

Location (show on map) Lat 50°14' Long 127°52' Elevation 3,000 Ft.

Best assay/sample type 5.200 PPB Au FLoot rock 2,214 DPM Cu FL rock

Description of mineralization, host rocks, anomalies  
Bulkley Intrusive in contact with Bowser Basin sediments massive py pyrrh. Chlco. in sed. host rocks Mo. in Intrusive with Bornite along fracture in Intrusive.

Supporting data must be submitted with this TECHNICAL REPORT.

CORP: ROB REDING / PROSPECTING

PROJ:

ATTN: Rob Reding

MIN-EN LABS ICP REPORT


705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1E2

TEL:(604)980-9814 FAX:(604)980-9821

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SA PPM
FA 01 RR 94	2.5	.86	1	1	8	2.1	39	.63	.1	27	69	14.55	.04	5	1.53	752	1	.01	41	830	9	5	26	1	.58	129.3	72	1	1
FA 02 RR 94	3.1	.83	1	1	6	1.5	40	.68	.1	23	42	11.25	.01	5	1.47	652	1	.01	32	1260	7	6	21	1	.58	126.5	77	1	1
FA 03 RR 94	2.7	.76	1	1	7	2.0	39	.66	.1	24	64	11.66	.01	4	1.31	597	1	.01	35	840	6	6	33	1	.54	122.2	64	1	1
FA 04 RR 94	3.2	.62	1	1	7	1.6	39	.67	.1	22	39	11.18	.03	3	1.02	551	1	.01	32	810	2	3	19	1	.57	125.4	48	1	1
FA 05 RR 94	2.5	.92	1	1	8	2.0	39	.72	.1	28	75	14.52	.01	5	1.52	707	1	.01	41	870	4	6	35	1	.57	142.4	77	1	1
FA 06 RR 94	4.7	.96	1	1	9	.7	51	1.02	.1	24	43	8.39	.03	6	1.81	759	1	.02	25	1730	7	9	20	1	.77	181.8	73	1	1
FA 07 RR 94	.5	.22	409	1	36	2.6	6	1.36	.1	10	66	10.49	.07	2	.54	179	1	.01	47	2740	35	5	10	1	.02	39.8	262	1	1
FA 08 RR 94	2.0	.71	1	1	76	.8	17	1.96	.1	10	65	3.76	.15	10	1.16	649	3	.02	31	740	26	15	303	1	.23	50.8	82	1	1
FA 09 RR 94	4.6	1.23	1	1	39	.6	51	1.10	.1	15	29	8.48	.09	8	2.19	957	1	.02	25	1850	13	14	42	1	.78	239.2	117	1	1
FA 10 RR 94	2.9	.56	1	1	33	.7	23	.59	.1	10	23	4.25	.12	5	.73	69	1	.03	14	1680	12	8	23	1	.35	38.6	105	1	1
FA 11 RR 94	3.8	.81	1	1	8	.3	35	.63	.1	14	53	4.31	.01	4	1.76	481	1	.02	24	660	13	10	46	1	.53	112.2	37	1	1
FA 12 RR 94	.1	.18	1	1	11	.3	1	.20	.1	1	8	.92	.02	1	.24	240	2	.01	8	600	4	2	13	1	.01	5.6	24	1	1

93 N 12 W

TO NORTH SEE MAP 93N/13W



LOCATOR'S SKETCH SHEET  
 (SUB) RECORDER'S INFORMATION

CLAIM NAMES: D1 # 1-4

RECORD NUMBERS: 331284-287

MINING DIVISION: OM/NECA

MAP NUMBER: 93N12W

MINERAL TITLES BRANCH  
 DRAFTING INFORMATION

DATE COMPLETED: \_\_\_\_\_

INITIALS: \_\_\_\_\_

DIVER  
PK

# LEGEND


## DIVER LAKE AREA

Logging roads Traversed  
 --- Traverses  
 • → Rock sample site


∴∴∴ OC. Outcrop size, shape, and kind of

Geology SITLIKA ASSEMBLAGE  
 TUFF, Volcanic Breccia, rhyolite, feldspar porphyry

DI Claims 1-4 93 N 12 W  
 1/50,000 Scale



BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)



**B. TECHNICAL REPORT**

- \* One technical report to be completed for each project area
- \* Refer to Program Requirements/Regulations, section 15, 16 and 17
- \* If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

**LOCATION/COMMODITIES**

Project Area (as listed in Part A.) Diver Lk Minfile No. if applicable \_\_\_\_\_

Location of Project Area NTS 93N12-W Lat \_\_\_\_\_ Long \_\_\_\_\_

Description of Location and Access North of Taktla landing to the Diver logging road 210 km - 220 km

Main Commodities Searched For massive sulfides

Known Mineral Occurrences in Project Area \_\_\_\_\_

**WORK PERFORMED**

1. Conventional Prospecting (area) 20 square km, 50 km on logging roads
2. Geological Mapping (hectares/scale) 20 square km, 50 km on logging roads
3. Geochemical (type and no. of samples) 12 rocks 30 elements I.E.P. Fire for Gold
4. Geophysical (type and line km) \_\_\_\_\_
5. Physical Work (type and amount) 1 Monday staking D1 Claims 1-4
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS (if any)**


Commodities AG 2N Claim Name D1 1-4

Location (show on map) Lat 55°41' Long 125°52' Elevation 4,300

Best assay/sample type Rock old Drill core from around Drill site 2N 262 ppm

Description of mineralization, host rocks, anomalies  
Slisty ~~to~~ volcanic tuff pillow basalts with massive py heeding Breccia fragments volcanic eruption may have come through K.M.S.

Supporting data must be submitted with this TECHNICAL REPORT.



**LEGEND**  
**KITSEGUELLA RIVER AREA**

- Logging Roads Traversed
- Cut Blocks Traversed
- Rock Sample Site
- ⋯ o.c. - outcrop size, kind and shape
- SC - Subcrop, FL - Float, PC, Pan Concentrate
- + - Minfile Number, Name and Commodity
- X - Regional geochem site, number, Anomalies
- ↓ - Trout Claims 1-4

**Geology**

- Cretaceous - Skeena Group Sediments
- Tertiary - Bulkeley Intrusions

Map sheets 93L13-W, 93M4-W  
 Scale 1-50,000

K104 RR94-PC  
 OC shale  
 Q12 Calc

1411  
 ZN, CO, PB  
 Ni, CO, Mn, AS, U, SB

1406  
 Ni, CO, Mn, V  
 AS, F

1405  
 Cu, Mn, CO  
 Mn, AS, U, S

1412  
 Ni, CO, AS, U, S  
 SB, F

1416  
 Pb, Ni, CO  
 CO, AS, U

Silt  
 K104 DM94

K103 RR94 PC  
 K104 DM94 Silt

K101 RR94 FL  
 K102 RR94 Silt

93M4-W  
 93L13-W

PC K108 RR94

OC Sed

K105 DM94 Silt  
 K107 RR94 PC

Au, Ag  
 F, S, Pb, Zn

1413  
 Pb, Ni, CO  
 Fe, Ag, V, S, U, Au

1827  
 Ni, S, Pb, Sn

1826  
 Pb, Ni, CO  
 F, S, U

1829  
 V, S, Ni

OC Sed sand st.  
 K116 RR94 PC

K101 DM94 Silt

OC Sed  
 Calcium concretions

K10 DM94 F  
 K109 DM94 S  
 K103 DM94 S

K101 RR94  
 K121 RR94

OC K110-13 RR94  
 OC K119-RR94  
 OC K120-RR94  
 OC K122 RR94

TROUT Sho

K109 RR94 PC  
 K106 DM94 Silt

K118 RR94-PC  
 Feldspar porphyry  
 OC Alt. Int

OC Rhyolite

K102 DM94 Silt  
 K101 DM94 Silt  
 K117 RR94-PC

OC sand stone

B U L K E Y R A N G E S

HUDSON BAY

SMITHERS PROVINCIAL FOREST

THE NIPPLES


ROCKY RIDGE

Kitseguella Lake

N

03.116

BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)



**B. TECHNICAL REPORT**

- \* One technical report to be completed for each project area
- \* Refer to Program Requirements/Regulations, section 15, 16 and 17
- \* If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Rob Reding Reference Number \_\_\_\_\_

**LOCATION/COMMODITIES**

Project Area (as listed in Part A.) Kitsequecla Minfile No. if applicable \_\_\_\_\_

Location of Project Area NTS 93M4-W93213 Lat 50° 00' Long \_\_\_\_\_

Description of Location and Access Logging roads and cut blocks on the Kitsequecla Lake and River headwaters road network and on the lower Kitsequecla River logging road and cut blocks from scenea crossing south and on Kitsequecla Lake road 30 km w of Smithers on H1/6

Main Commodities Searched For Cu, Au, Porphyry along the Bulkley  
Influences in the area

Known Mineral Occurrences in Project Area M.F. # 77 kits # 78 Jon

**WORK PERFORMED**

1. Conventional Prospecting (area) approx. 236 square km, approx. 95 km on logging rds
2. Geological Mapping (hectares/scale) approx. 236 square km approx 95 km on logging rds
3. Geochemical (type and no. of samples) 30 element I.C.P. + Fite for Au - 2 Van for Pt, Pd.
4. Geophysical (type and line km) 5 Yevan for 90 2M 16 tack 19 silts, Pancons
5. Physical Work (type and amount) 1 manday staking T.Yout claims 1-4
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS (if any)**

Commodities Zn Claim Name T.Yout 1-4

Location (show on map) Lat 127° 32' Long 54° 57' Elevation 3,150 Feet

Best assay/sample type Rock from outcrop 14.20%

Description of mineralization, host rocks, anomalies Small vein with sphalerite at Lena Chaleo GdHona .3 m wide 10 m long exposed in contact area with sediments and Rhyolite


Supporting data must be submitted with this TECHNICAL REPORT.

W 3 E M

TO NORTH - SEE MAP 93 W / 4 E

93 E 13 E

127 30



**LOCATOR'S SKETCH STAMP  
(SUB) RECORDER'S INFORMATION**

CLAIM NAMES: Trout #1-4

RECORD NUMBERS: 331744-747

MINERAL DIVISION: OMINECA

SECTION NUMBER: 93 E 13 E

**MINERAL TITLES BRANCH  
DRAFTING INFORMATION**

DATE COMPLETED: \_\_\_\_\_

INITIALS: \_\_\_\_\_

- #1-611284M
- #2-611285M
- #3-611286M
- #4-611287M

#1	#3
EP F	EP F
#2	#4

013



*Kitsquecla L.*  
*Taltzen L.*



COMP: ROB REDING PROSPECTING

MIN-EN LABS -- ICP REPORT

FILE NO: 48-0277-RJ1

PROJ:

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

DATE: 9/10/18

ATTN: Rob Reding

TEL: (604)983-5814 FAX: (604)983-9621

\* T008 \* (ACT:FB31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	AU-Fire PPM
K1 01 PW 94	.4	.21	>10000	1	59	2.7	32	.33	>100.0	117	898	>15.00	.21	2	.09	508	1	.01	83	1430	1	68	61	1	.01	25.6	91	1	8	1	34	1130
K1 02 PW 94	.1	.13	1	1	285	1.1	26	.32	28.5	12	90	12.88	.10	1	.51	>10000	4	.01	149	650	297	81	205	1	.01	20.9	>10000	1	5	12	57	78
K1 08 DM 94	.1	.54	98	1	132	.9	3	.24	.1	3	37	3.02	.57	2	.06	382	2	.01	11	1520	16	13	62	1	.01	11.9	203	1	1	5	65	14
K1 10 DM 94	.4	.21	>10000	1	63	1.4	277	.11	>100.0	29	34	5.94	.21	2	.09	342	3	.01	32	340	35	37	60	1	.01	9.1	189	1	2	11	231	479
K1 10 RR 94	.1	1.12	1	1	77	2.9	19	.28	>100.0	30	296	14.21	.07	20	.53	4255	13	.01	59	920	78	32	107	1	.01	85.4	>10000	1	6	157	28	17
K1 11 RR 94	1.1	1.07	269	1	52	2.7	25	.41	>100.0	60	480	14.76	.06	19	.51	4905	15	.01	61	800	108	37	116	1	.01	74.3	>10000	1	6	237	41	19
K1 12 RR 94	2.7	.93	460	1	63	2.6	18	.23	>100.0	52	410	13.60	.06	23	.44	3898	17	.01	56	800	117	42	106	1	.01	74.0	>10000	1	6	203	17	11
K1 13 RR 94	.1	1.17	1	1	63	2.6	11	.46	.1	27	143	14.03	.14	28	.76	5903	1	.01	57	1130	182	28	78	1	.01	93.7	>10000	1	5	8	21	8
K1 14 RR 94	.1	.45	1	1	71	2.0	6	2.22	.1	8	22	7.92	.07	20	1.39	2270	1	.01	33	930	22	7	122	1	.01	75.5	1548	1	1	4	33	4
K1 15 RR 94	1.0	1.72	1	1	57	1.4	12	.85	.1	8	25	4.37	.15	28	1.06	413	5	.33	23	440	40	25	359	1	.14	42.1	504	5	1	7	50	10

COMP: ROB REDING PROSPECTING

MIN-EN LABS — ICP REPORT  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 TEL:(604)980-5814 FAX:(604)980-9621

FILE NO: 45-0286-LJ1

PROJ:

DATE: 94/10/06

ATTN: Rob Reding

\* silt \* (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	Au-Fire PPB
K1 010 DM 94	.9	1.31	1	67	118	4.1	23	1.66	.1	20	58	12.78	.34	7	1.30	1024	1	.05	47	2570	41	16	375	1	.32	336.3	75	1	1	10	49	4
K1 011 DM 94	.1	.57	1	1	185	1.2	5	.36	.1	8	22	3.27	.10	9	.52	774	1	.02	27	650	26	11	124	1	.05	72.1	74	1	1	3	17	5
K1 012 DM 94	.1	.81	1	1	202	1.3	6	.37	.1	8	21	3.65	.13	13	.57	873	2	.02	34	680	30	14	128	1	.06	79.5	116	1	1	4	22	1
K1 16 RR 94	2.0	.71	1	21	426	2.0	43	.65	.1	29	44	>15.00	.13	7	.58	1465	1	.03	75	1630	1	1	138	1	.73	736.9	166	1	3	16	108	2160
K1 17 RR 94	1.0	.75	1	1	609	1.9	25	.48	.1	17	36	11.39	.18	9	.60	1099	1	.04	50	1280	16	5	156	1	.36	361.6	192	1	2	10	76	17
K1 18 RR 94	2.3	.84	1	1	174	1.8	38	.51	.1	22	33	14.28	.15	11	.71	1333	1	.03	61	1100	92	4	124	1	.61	475.3	156	1	2	13	83	436

COMP: ROB REDING PROSPECTING

PROD:

ATTN: Rob Reding

MIN-EN LABS ICP REPORT

700 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

TEL:(604)980-8874 FAX:(604)980-9621

FILE NO: 45-9277-LJ1

DATE: 94/10/18

\* ppm concentrate \* (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	Au-Fire PPB
K1 01 DM 94	.6	.90	1	1	206	2.3	17	.72	.1	16	31	8.91	.18	10	.80	1057	1	.03	45	1260	28	10	233	1	.23	278.6	116	1	3	9	47	2
K1 04 DM 94	.1	1.03	1	1	858	2.2	5	.34	.1	12	49	5.33	.23	20	.73	827	5	.01	76	660	34	15	151	1	.01	75.3	147	3	2	7	54	87
K1 05 DM 94	.1	1.05	1	1	544	1.8	4	.33	.1	11	40	4.16	.20	33	.95	734	4	.01	68	790	40	16	113	2	.01	73.9	132	4	2	6	50	8
K1 06 DM 94	1.1	1.32	1	1	151	2.7	19	1.30	.1	18	31	9.93	.23	8	1.19	1184	1	.05	39	1800	30	15	408	1	.29	303.1	93	1	2	9	35	1
K1 07 DM 94	.1	1.74	1	1	215	2.1	14	1.64	.1	16	34	6.40	.37	11	1.48	2284	3	.09	32	1670	42	24	516	1	.17	162.8	136	1	1	8	20	2
K1 03 RR 94	1.3	1.07	1	1	330	2.8	22	.86	.1	21	40	12.26	.24	12	.88	1143	1	.05	59	1510	20	9	255	1	.35	390.7	221	1	3	16	158	1
K1 04 RR 94	1.5	.91	1	1	312	2.5	26	.67	.1	20	30	13.09	.15	12	.78	1374	1	.03	60	1210	14	6	177	1	.44	397.3	166	1	3	15	127	81
K1 05 RR 94	.1	1.19	1	1	1549	2.2	7	.36	.1	13	46	5.65	.30	29	1.14	814	6	.02	95	900	44	20	146	3	.02	105.4	198	5	2	11	132	31
K1 06 RR 94	.7	1.01	1	1	407	1.7	15	.62	.1	13	27	6.47	.17	13	.91	901	2	.03	39	920	26	13	195	1	.22	178.3	122	1	2	9	74	52
K1 07 RR 94	.8	.96	1	1	2898	2.6	21	.63	.1	23	42	15.00	.20	13	.76	1344	1	.03	71	1510	15	6	251	1	.34	451.2	222	1	4	15	140	182
K1 08 RR 94	.1	1.21	1	1	1154	2.0	5	.32	.1	11	41	5.02	.25	32	1.04	760	4	.02	74	760	43	19	124	2	.02	94.3	161	3	2	9	85	7
K1 09 RR 94	1.5	1.19	1	1	160	2.9	23	1.62	.1	20	32	12.52	.26	8	1.03	1152	1	.06	49	1860	20	11	341	1	.38	388.3	120	1	2	12	73	4







**MINERAL  
• ENVIRONMENTAL  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
ANALYSIS • ASSAYERS • ANALYTICAL CHEMISTRY

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5811 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TALLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Geochemical Analysis Certificate**


**4S-0286-LG1**

Company: **ROB REDING PROSPECTING**  
Project:  
Att: Rob Reding

Date: **OCT-03-94**  
Order To: Rob Reding Prospecting Smithers  
Fax To: Min En Smithers Att Rob Reding

We hereby certify the following Geochemical Analysis of 6 silt samples submitted SEP-26-94 by Rob Reding.

Sample Number	Pd PPB	Pt PPB
K1 16 RR 94	6	5

Certified by 

**MIN-EN LABORATORIES**

**Geochemical Analysis Certificate**

**4S-0281-LG1**


Company: **ROB REDING PROSPECTING**  
Project:  
Anal: Rob Reding

Date: **OCT-03-94**  
Anal. by: Rob Reding Prospecting Smithers  
Fax To: Min En Smithers At: Rob Reding

We hereby certify the following Geochemical Analysis of 1 soil samples submitted SEP-23-94 by Rob Reding.

Sample Number	Pt PPB
K1 02 RR 94	<5

Certified by



**MIN-EN LABORATORIES**



**MINERAL**  
**ENVIRONMENTAL**  
**LABORATORIES**  
 (DIVISION OF ASSAYERS CORP.)

**SPECIALISTS IN MINERAL ENVIRONMENTS**  
 FOR ANALYSIS OF MINERAL ENVIRONMENTAL SAMPLES

**VANCOUVER OFFICE:**  
 705 WEST 14TH STREET  
 NORTH VANCOUVER, B.C. CANADA V2M 1T2  
 TELEPHONE (604) 661-5014 OR (604) 661-5015  
 FAX (604) 660-9621

**SMITHERS LAB.:**  
 3178 TATLOW ROAD  
 SMITHERS, B.C. CANADA V0J 2N0  
 TELEPHONE (604) 847-5000  
 FAX (604) 847-5000

Assay Certificate

4S-0277-RA1

Company: **ROB REDING PROSPECTING**

Project:

Area: Rob Reding

Date: OCT-18-94

City: Rob Reding Prospecting, Smithers, B.C.

We hereby certify the following Assay of 5 rock samples submitted SEP-22-94 by Rob Reding.

Sample Number	Zn %
K1 02 IW 94	3.02
K1 10 RR 94	10.20
K1 11 RR 94	14.20
K1 12 RR 94	12.80
K1 13 RR 94	2.64

Signature

MINERAL LABORATORIES