BRITISH COLUMBIA

PROSPECTORS ASSISTANCE PROGRAM

MINISTRY OF ENERGY AND MINES

GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR:	1995/1996
REPORT #:	PAP 95-27
NAME:	SHAWN TURFORD

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. **TECHNICAL REPORT**
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 P057

LOCATION/COMMODITIES

Project Area (as listed in Part A) Nic Minfile # if applicable nil
Location of Project Area NTS 93D 1/E Lat 52 07' Long 126 12 -15
Description of Location and Access - Directly West & NW. of Ape Lk. Access by Fixed wing from Francois Lk - Nimpo Lk - Ape Lk & return.

Main Commodities Searched For Cu. Au. Ag. Zn. Pb. Base & precious metals.

Known Mineral Occurrences in Project Area - nil.

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks.
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil in bedrock.

Commodities Au - 68ppb - silt Claim Name nil
Location (show on map) Lat 52 07' Long 126 13' Elevation 1066M
Best assay/sample type Silt as above - Same # 17433

Description of mineralization, host rocks, anomalies : Parallel gossan areas predominently iron with little to no base or precious metals present. One creek silt sample approximately 600M west of Ape Lake gave slight kick in Au. Intruded and highly altered sediments within coast intrusive complex.

Supporting data must be submitted with this TECHNICAL REPORT.



JAN-15-1996 14:13 CRS ANAHIM LK. 6047423363 P.02

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.K. (G.B.) **Date received:** SEP. 05 **LAB CODE:** PR 9509–032

Material: 18 Silts, 44 Rx **Sheet:** 1 of 2 **Date completed:** SEP. 28 R #?

Remarks: * Sample screened @ –35 MESH (0.5 mm)

¤ Organic, & Humus, $ Sulfide

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li, Ga are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	17432	silt NIC	5	0.2	5.00	6	106	0.6	5	2.12	0.4	44	27	54	64	5.54	0.33	14	19	4.16	870	1	0.03	82	0.12	2	203	0.69	157	67
4	17433		68	0.2	2.73	11	142	0.4	5	1.73	0.2	63	19	49	48	4.99	0.36	21	12	1.60	866	1	0.10	41	0.12	2	102	0.51	121	56
5	17434	NIC	8	0.2	2.74	10	149	0.4	5	1.61	0.3	60	16	32	46	3.84	0.42	20	13	1.57	653	3	0.12	41	0.12	2	86	0.42	97	59
6	17435	*CLIN	4	0.2	1.99	7	126	0.4	5	1.98	0.3	39	10	14	32	2.58	0.19	11	7	0.67	561	1	0.05	9	0.15	2	111	0.20	61	40
7	17436	CLIN	4	0.2	2.58	6	141	0.4	5	2.03	0.2	40	16	19	63	3.52	0.26	12	11	1.22	670	1	0.09	15	0.16	2	116	0.28	93	58
8	17437	CLIN	5	0.2	3.42	6	142	0.5	5	1.65	0.2	42	16	20	43	4.21	0.33	12	11	1.28	758	1	0.09	21	0.10	2	108	0.31	113	63
9	17443	NAT	5	0.2	2.86	8	225	0.6	5	1.50	0.4	39	8	43	54	3.14	0.27	16	14	0.43	576	1	0.05	18	0.10	2	78	0.19	80	84
10	17444	NAT	5	0.2	2.61	8	208	0.6	5	1.04	0.3	41	10	52	36	3.39	0.31	15	12	0.49	600	1	0.05	18	0.07	3	64	0.21	92	72
11	2185	TAHL Silt #7	5	0.2	4.25	12	504	0.8	5	0.48	0.6	40	12	44	27	6.02	0.47	15	19	0.50	2173	1	0.05	28	0.12	6	65	0.17	92	117
12	2186	" 8	5	0.2	3.19	16	398	0.6	5	0.51	1.1	44	14	40	20	3.81	0.30	14	15	0.36	3022	1	0.05	23	0.09	4	65	0.13	72	120
13	2187	* " 9	5	0.2	2.19	15	439	0.5	5	1.65	1.1	44	8	28	26	3.41	0.20	13	16	0.35	2452	1	0.03	20	0.12	3	93	0.10	52	122
14	2188	* " 10	5	0.2	3.16	17	619	0.6	5	0.85	1.3	47	13	22	18	3.94	0.35	14	22	0.44	4695	1	0.06	24	0.09	5	76	0.11	71	134
15	17445	Silt #1	5	0.2	3.49	16	356	0.6	5	0.83	1.0	52	12	32	20	3.15	0.39	16	31	0.46	1319	1	0.06	28	0.08	6	78	0.13	74	97
16	17446	" 2	10	0.2	2.99	18	424	0.6	5	1.50	1.3	53	9	34	27	4.07	0.28	15	18	0.44	1132	1	0.05	24	0.11	6	104	0.12	64	94
17	17447	" 3	4	0.2	2.93	19	304	0.6	5	1.10	1.4	52	12	38	27	3.11	0.38	15	19	0.46	1792	1	0.05	25	0.10	11	83	0.13	78	135
18	17448	" 4	5	0.2	3.15	20	386	0.6	5	0.85	1.0	46	12	45	22	2.74	0.31	15	28	0.42	1824	1	0.05	26	0.08	8	76	0.14	72	94
19	17449	" 5	5	0.2	2.58	25	482	0.6	5	1.15	1.9	44	10	29	24	2.83	0.26	14	20	0.42	2622	1	0.04	25	0.09	7	91	0.11	64	164
20	17450	silt TAHL#6	5	0.2	3.38	23	411	0.7	5	0.69	1.2	44	14	33	29	3.58	0.36	15	19	0.47	1797	1	0.05	25	0.10	14	62	0.13	84	146
21	17401	rx NIC Rock	5	0.2	4.95	13	626	0.9	6	3.29	1.5	68	34	86	203	5.74	2.02	15	14	3.14	1137	5	0.06	91	0.12	9	112	0.42	232	177
22	17402	"	5	0.2	4.95	16	287	0.9	5	5.09	0.4	71	23	42	169	4.42	1.57	11	8	0.87	615	2	0.22	39	0.08	2	106	0.26	145	40
23	17403	"	5	0.2	2.64	3	366	0.2	5	0.91	0.2	47	13	47	26	3.80	0.97	14	11	0.85	264	1	0.11	10	0.08	2	117	0.21	83	36
24	17404	"	5	0.2	5.18	2	649	0.4	5	0.50	0.4	47	11	23	29	3.07	1.73	16	9	0.55	128	1	0.25	10	0.06	3	112	0.06	83	30
25	17405	"	5	0.2	2.73	7	137	0.3	5	1.46	1.0	58	15	56	36	3.59	0.30	15	17	1.26	866	1	0.15	11	0.08	28	193	0.13	100	204
26	17406	"	5	0.2	4.16	5	596	0.3	5	0.57	0.2	35	12	20	28	2.65	1.54	13	8	0.60	203	1	0.13	10	0.04	3	99	0.09	63	35
27	17407	"	5	0.2	6.65	4	714	0.6	5	2.26	0.4	66	19	22	25	3.59	1.88	16	13	1.18	431	1	0.16	21	0.11	3	203	0.28	152	59
28	17408	"	5	0.2	2.42	8	77	0.4	5	2.60	0.4	71	3	110	12	2.40	0.24	17	6	0.39	526	1	0.09	4	0.09	5	281	0.37	70	26
29	17409	"	5	0.2	2.33	9	177	0.3	5	1.82	0.2	59	13	100	42	4.25	0.49	17	6	0.37	244	2	0.15	10	0.07	5	121	0.23	67	23
30	17410	"	5	0.2	1.58	9	233	0.3	5	1.07	0.4	48	13	64	25	2.42	0.29	14	7	0.62	370	1	0.13	11	0.03	2	95	0.11	69	65
31	17411	"	5	0.2	2.14	10	305	0.3	5	1.38	0.4	57	13	78	24	3.73	0.63	14	9	0.77	517	1	0.11	12	0.09	2	116	0.25	88	54
32	17412	"	15	0.2	3.51	8	574	0.3	5	1.41	0.5	62	10	42	18	3.40	1.14	17	9	0.93	468	1	0.16	9	0.08	2	162	0.20	120	47
33	17413	"	5	0.2	4.23	5	20	0.3	5	3.85	0.8	64	10	86	14	3.63	0.18	11	10	1.56	686	1	0.10	23	0.11	2	328	0.39	159	70
34	17414	"	5	0.2	3.94	6	808	0.3	5	0.82	0.4	47	12	40	50	2.50	1.51	14	12	1.11	455	1	0.14	11	0.09	2	102	0.09	68	83
35	17415	"	5	0.2	0.68	2	14	0.2	5	0.95	0.7	51	16	107	39	3.05	0.09	11	5	0.66	458	1	0.18	30	0.04	2	12	0.27	99	65
39	17416	"	5	0.2	3.54	4	236	0.5	5	1.91	1.0	73	30	108	75	6.70	1.35	18	21	2.17	1092	8	0.21	62	0.12	2	78	0.69	200	98
41	17417	rx NIC	5	0.2	5.54	12	29	0.5	5	5.42	0.9	69	33	90	53	4.97	0.07	16	9	2.06	545	1	0.08	67	0.11	2	282	0.60	181	47

Sept 5/95

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
42	Rock 17418 rx NIC	10	0.2	1.24	2	12	0.2	5	1.66	0.2	58	25	79	125	3.92	0.08	15	5	0.94	548	1	0.13	29	0.09	2	65	0.32	92	37
46	" 17419	5	0.2	5.11	15	479	0.5	5	1.66	1.3	80	26	107	86	6.56	1.28	22	18	1.50	668	14	0.14	66	0.15	2	152	0.51	256	130
48	" 17420	5	0.2	3.27	12	153	0.5	5	1.86	0.5	69	35	64	58	4.04	0.53	19	10	2.66	543	1	0.07	47	0.07	3	130	0.13	74	64
51	" 17421	5	0.2	3.02	8	143	0.5	5	0.69	0.6	48	23	103	69	5.30	0.64	15	14	3.00	662	12	0.09	55	0.11	4	22	0.42	207	79
52	" 17422	5	0.2	1.62	10	35	0.3	5	4.41	0.6	54	11	116	18	2.62	0.09	9	9	1.46	751	1	0.07	22	0.07	4	95	0.25	95	42
53	" 17423	5	0.2	2.76	10	202	0.3	5	1.51	0.4	62	8	61	12	3.15	1.27	22	8	1.14	600	4	0.07	18	0.07	7	113	0.26	77	69
54	" 17424	5	0.2	3.63	6	14	0.4	5	3.08	0.7	68	27	78	68	4.93	0.06	18	11	2.53	844	1	0.06	67	0.14	10	657	0.72	131	62
55	" 17425	5	0.2	3.28	9	201	0.7	5	4.92	0.9	59	21	35	46	5.61	0.66	12	8	1.31	1259	1	0.06	9	0.09	8	266	0.49	204	89
56	" 17426	5	0.2	2.18	2	289	0.5	5	1.98	0.2	59	19	46	12	2.75	0.69	18	7	0.68	488	2	0.08	4	0.04	4	136	0.13	69	43
57	" 17427	5	0.2	1.53	2	223	0.5	5	1.24	0.3	41	7	77	9	1.43	0.55	11	4	0.33	292	16	0.09	6	0.02	3	75	0.08	36	25
58	" 17428	5	0.2	2.22	2	245	0.3	5	0.85	0.2	40	6	32	44	3.76	0.56	15	8	0.82	294	3	0.10	7	0.07	2	113	0.16	98	27
59	" 17429	5	0.2	3.20	2	597	0.3	5	1.17	0.2	44	13	31	45	4.26	0.79	15	9	0.67	347	1	0.15	9	0.08	3	168	0.17	102	61
60	" 17430	5	0.2	5.48	2	1202	0.3	5	0.41	0.2	29	11	9	26	2.30	1.84	14	11	0.80	269	1	0.12	10	0.05	32	65	0.07	66	53
61	" 17431	5	0.2	2.68	2	144	0.6	5	0.13	0.2	15	7	152	26	2.35	1.26	6	3	0.32	190	1	0.03	10	0.05	99	9	0.05	39	32
62	# 1 – ST NIC	5	0.2	6.35	14	475	1.1	5	5.14	0.5	85	17	32	114	5.00	2.28	18	12	0.77	649	3	0.11	25	0.16	2	101	0.25	168	48
63	Rock 17438 CLIN	5	0.2	2.04	2	224	0.4	5	0.65	0.4	50	5	66	11	4.36	0.62	15	12	1.14	848	1	0.11	1	0.17	2	29	0.25	47	46
64	" 17439	10	0.2	2.57	12	83	0.5	5	1.55	0.3	82	9	37	141	7.18	0.22	22	11	1.07	693	3	0.08	1	0.15	5	155	0.30	97	71
65	" 17440	5	0.2	1.27	2	178	0.3	5	0.14	0.2	45	3	71	32	5.08	0.34	16	6	0.57	351	2	0.09	1	0.04	6	38	0.22	20	94
66	" 17441	5	0.2	4.38	24	239	0.5	5	3.53	0.8	75	27	36	53	5.13	0.64	19	15	1.11	711	1	0.15	17	0.08	16	352	0.40	178	92
67	" 17442 CLIN	5	0.2	0.96	4	86	0.2	5	0.08	0.2	22	18	96	41	2.20	0.42	8	4	0.16	247	1	0.08	1	0.02	2	8	0.04	3	12
68	Rock 2178 SILV	5	0.2	0.74	21	5	0.3	5	1.13	1.3	36	74	658	19	6.85	0.03	12	3	11.91	851	1	0.02	350	0.03	2	10	0.11	61	46
69	" 2179	5	0.2	0.85	2	84	0.4	5	0.56	0.5	40	6	76	18	1.72	0.52	11	7	0.71	281	1	0.09	12	0.04	4	22	0.07	36	45
70	" 2180	5	0.2	0.75	12	4	0.3	5	2.86	1.8	51	33	315	312	5.33	0.03	10	4	6.70	430	1	0.02	174	0.02	2	12	0.12	44	35
71	" 2181	65	0.2	1.07	17	16	0.3	7	3.52	4.0	54	53	202	4891	3.04	0.02	10	4	2.91	299	1	0.02	424	0.09	3	18	0.18	68	57
72	" 2182	15	0.2	0.12	26	7	0.3	5	0.41	1.8	21	129	1454	36	8.33	0.01	13	2	21.45	1857	1	0.01	739	0.03	2	12	0.01	26	78
73	" 2183	5	0.2	2.52	13	8	0.3	5	4.71	1.0	61	38	36	27	4.28	0.03	10	6	3.82	476	1	0.02	137	0.02	2	7	0.65	178	42
74	" 2184 rx SILV	5	0.2	0.73	15	6	0.3	5	2.14	1.2	49	32	414	165	4.73	0.03	10	3	5.65	377	1	0.02	160	0.02	2	12	0.11	50	23

enriched — depleted

mafic Ni ± Co — Al, K

Cr

Fe

Mg

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see sectin 16) required with this TECHNICAL REPORT.

Name Shawn A. Turford Reference Number 95/96 P057

LOCATION/COMMODITIES
Project Area (as listed in Part A) Silv Minfile # if applicable nil
Location of Project Area NTS - 93K 6W, 11W & 12E
Lat 54 28' - 54 31' Long 125 24' - 125 31'
Description of Location and Access - Babine Forest Products - Gullwing West Haul road under construction. - Accessed by fixed wing - Babine Lake.

Main Commodities Searched For - Cu. Au. & Ag. Epithermal & Porphyry

Known Minerial Occurrences in Project Area - nil

WORK PERFORMED
1. Conventional Prospecting (area) - & silting of creeks
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any)
Commodities Au. Cu. Claim Name nil
Location (show on map) Lat 54 31' Long 125 28' Elevation 909M
Best assay/sample type - Au - 65 ppb & Cu - 4891 ppm

Descrition of mineralization, host rocks, anomalies - Visible Cu. in one sample, lying on the fracture of a very dark mafic rock (formation) extra rock sample was carried out on both sides of same with no continuity. Host rock has a lot of similarities to a surpentine. Further road construction (blasting of rocks) to be carrried out in the summer of 96. It is planned to do basic (2 poster staking af same) prior to further road work proposed in July 96. Gullwing East road not constructed to date.

Supporting data must be submitted with this TECHNICAL REPORT.



BA
E
SCALE 1:50
Butterfield Lake
TRAILER Camp
PROPOSED 1991/92
GULLWING ROAD
S.U.P. 19779
Fisheries Cabin
Driftwood Cabin
SUPPLY BLOCK B
SUPPLY BLOCK C
MAFIC INT SAMPLES # 2189 to 2198 incl plus 8
MAFIC INT SAMPLES # 2178 to 2184 incl
SAMPLE 2200 - VOLCANIC
B A B I N E
BABINE
LAKE
Babine Lake
18705
18704
30110
30109
30104
30108
30107
30106
30105
30103
30102
30101
30302
30303
30301
30201
30202
30203
30204
30205
30206
30207
30208
30401
30402
30403
30404
30405
L 6759
L 6753
L 6758
18802
18801
20003

Nov 8/95

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.R.K. **Date received:** NOV. 08 **LAB CODE:** 9511--003
Material: 2 Silts & 19 Rx **Sheet:** 1 of 1 **Date completed:** NOV. 15
Remarks: * Sample screened @ –35 MESH (0.5 mm)
** Organic, 4 Humus, 5 Sulfide

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)
ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 205 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental aqueous.
N.B. The *major oxide* elements and Ba, Be, Co, La, Li, Ge are rarely dissolved completely from geological materials with this mild dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cu ppm	Cr ppm	Ga ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	SILT 2201 slt	6		5.96	5		1.2	5	1.85		52	13	39		5.28	0.47	19		0.68	2617		0.08	52	0.14		109	0.17	111	
4	" 2202 slt	10		4.76	4		1.0	5	0.93		54	9	44		3.65	0.45	21		0.57	735		0.07	28	0.11		99	0.18	91	
5	Rock 2189 rx	5		3.21	11		1.2	5	3.59		38	12	23		4.19	0.86	10		0.88	670		0.07	7	0.20		1166	0.19	195	
6	" 2190	5		4.46	22		1.0	5	5.71		84	21	34		5.48	1.35	20		1.56	818		0.06	19	0.26		706	0.41	233	
7	" 2191	5		1.58	2		0.3	5	0.21		46	2	58		1.42	0.75	17		0.21	50		0.08	2	0.02		27	0.06	9	
8	" 2192	5		0.91	6		0.3	5	0.85		47	11	48		2.43	0.10	17		0.81	314		0.07	10	0.11		29	0.11	30	
9	" 2193	10		1.51	2		0.3	5	0.40		40	2	62		1.43	0.68	17		0.24	84		0.07	2	0.03		17	0.06	12	
10	" 2194	5		3.85	15		1.1	5	4.85		95	30	46		6.09	1.25	36		3.01	879		0.13	38	0.24		294	0.43	204	
12	" 2195	10		3.29	13		0.8	5	3.44		57	28	38		6.36	0.75	13		2.94	827		0.13	47	0.12		120	0.26	187	
13	" 2196	15		3.10	14		0.9	5	1.08		59	18	189		4.59	1.27	10		0.53	980		0.04	25	0.11		17	0.11	156	
14	" 2197	5		0.20	2		0.2	5	0.05		5	1	175		0.44	0.05	2		0.11	71		0.01	3	0.01		4	0.01	13	
15	" 2198	5		5.18	15		0.8	5	5.05		79	29	43		5.81	1.26	21		2.13	723		0.07	40	0.24		443	0.51	231	
17	2199	65		9.41	13		0.7	5	0.22		64	39	13		11.69	2.09	29		0.19	222		0.65	21	0.08		241	0.05	180	
19	" 2200	5		4.40	29		0.8	5	5.08		69	47	149		6.66	0.38	16		6.17	938		0.13	163	0.21		170	0.32	159	
21	" 2203	5		0.87	63		0.2	5	0.15		23	2	69		4.57	0.26	12		0.16	70		0.07	6	0.13		119	0.34	96	
22	43924	10		6.67	4		0.9	5	4.23		49	25	13		6.30	2.59	14		1.83	1805		0.06	10	0.11		196	0.07	196	
23	43924 A	400		10.23	8		0.3	5	0.21		30	29	7		8.03	2.48	15		0.11	183		0.66	13	0.08		252	0.04	273	
25	43925	45		11.14	2		0.4	5	0.34		45	13	5		6.79	2.85	21		0.07	106		0.79	7	0.08		305	0.04	299	
26	43927	20		7.06	29		0.9	5	0.09		68	23	12		8.95	2.68	31		1.54	642		0.15	7	0.07		25	0.07	189	
27	43939	15		4.17	14		0.4	5	3.59		47	20	35		5.67	0.19	9		2.52	956		0.14	19	0.08		88	0.34	185	
28	43942 rx	10		3.07	12		0.3	5	1.38		35	16	52		5.42	0.48	8		0.99	586		0.10	7	0.06		53	0.08	79	

DEV Row Bags – Nichicle Blanc
Silt BAP
STATION – 77
" 78
" 82
" 83
" 85
" 86
" 86½
" 87
" 88
" 89
Re Run
Silt – Grey Lt Brn
Silt – Typ
Clay
"
White
"
Mc
Mc
Re Runs
Done previous Min-EN-LAB

RECEIVED
JAN 25 1996
PROSPECTORS PROGRAM
LABAR

14/11 Gov RK

SEPT 5/95

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
42	Rock 17418 rx NIC	10	0.2	1.24	2	12	0.2	5	1.66	0.2	58	25	79	125	3.92	0.08	15	5	0.94	548	1	0.13	29	0.09	2	65	0.32	92	37
46	" 17419	5	0.2	5.11	15	479	0.5	5	1.66	1.3	80	26	107	86	6.56	1.28	22	18	1.50	668	14	0.14	66	0.15	2	152	0.51	256	130
48	" 17420	5	0.2	3.27	12	153	0.5	5	1.86	0.5	69	35	64	58	4.04	0.53	19	10	2.66	543	1	0.07	47	0.07	3	130	0.13	74	64
51	" 17421	5	0.2	3.02	8	143	0.5	5	0.69	0.6	48	23	103	69	5.30	0.64	15	14	3.00	662	12	0.09	55	0.11	4	22	0.42	207	79
52	" 17422	5	0.2	1.62	10	35	0.3	5	4.41	0.6	54	11	116	18	2.62	0.09	9	9	1.46	751	1	0.07	22	0.07	4	95	0.25	95	42
53	" 17423	5	0.2	2.76	10	202	0.3	5	1.51	0.4	62	8	61	12	3.15	1.27	22	8	1.14	600	4	0.07	18	0.07	7	113	0.26	77	69
54	" 17424	5	0.2	3.63	6	14	0.4	5	3.08	0.7	68	27	78	68	4.93	0.06	18	11	2.53	844	1	0.06	67	0.14	10	657	0.72	131	62
55	" 17425	5	0.2	3.28	9	201	0.7	5	4.92	0.9	59	21	35	46	5.61	0.66	12	8	1.31	1259	1	0.06	9	0.09	8	266	0.49	204	89
56	" 17426	5	0.2	2.18	2	289	0.5	5	1.98	0.2	59	19	46	12	2.75	0.69	18	7	0.68	488	2	0.08	4	0.04	4	136	0.13	69	43
57	" 17427	5	0.2	1.53	2	223	0.5	5	1.24	0.3	41	7	77	9	1.43	0.55	11	4	0.33	292	16	0.09	6	0.02	3	75	0.08	36	25
58	" 17428	5	0.2	2.22	2	245	0.3	5	0.85	0.2	40	6	32	44	3.76	0.56	15	8	0.82	294	3	0.10	7	0.07	2	113	0.16	98	27
59	" 17429	5	0.2	3.20	2	597	0.3	5	1.17	0.2	44	13	31	45	4.26	0.79	15	9	0.67	347	1	0.15	9	0.08	3	168	0.17	102	61
60	" 17430	5	0.2	5.48	2	1202	0.3	5	0.41	0.2	29	11	9	26	2.30	1.84	14	11	0.80	269	1	0.12	10	0.05	32	65	0.07	66	53
61	" 17431	5	0.2	2.68	2	144	0.6	5	0.13	0.2	15	7	152	36	2.35	1.26	6	3	0.32	190	1	0.03	10	0.05	99	9	0.05	39	32
62	# 1 – ST NIC	5	0.2	6.35	14	475	1.1	5	5.14	0.5	85	17	32	114	5.00	2.28	18	12	0.77	649	3	0.11	25	0.16	2	101	0.25	168	48
63	Rock 17438 CLIN	5	0.2	2.04	2	224	0.4	5	0.65	0.4	50	5	66	11	4.36	0.62	15	12	1.14	848	1	0.11	1	0.17	2	29	0.25	47	46
64	" 17439	10	0.2	2.57	12	83	0.5	5	1.55	0.3	82	9	37	141	7.18	0.22	22	11	1.07	693	3	0.08	1	0.15	5	155	0.30	97	71
65	" 17440	5	0.2	1.27	2	178	0.3	5	0.14	0.2	45	3	71	32	5.08	0.34	16	6	0.57	351	2	0.09	1	0.04	6	38	0.22	20	94
66	" 17441	5	0.2	4.38	24	239	0.5	5	3.53	0.8	75	27	36	53	5.13	0.64	19	15	1.11	711	1	0.15	17	0.08	16	352	0.40	178	92
67	" 17442 CLIN	5	0.2	0.96	4	86	0.2	5	0.08	0.2	22	18	96	41	2.20	0.42	8	4	0.16	247	1	0.08	1	0.02	2	8	0.04	3	12
68	Rock 2178 SILV	5	0.2	0.74	21	5	0.3	5	1.13	1.3	36	74	658	19	6.85	0.03	12	3	11.91	851	1	0.02	350	0.03	2	10	0.11	61	46
69	" 2179	5	0.2	0.85	2	84	0.4	5	0.56	0.5	40	6	76	18	1.72	0.52	11	7	0.71	281	1	0.09	12	0.04	4	22	0.07	36	45
70	" 2180	5	0.2	0.75	12	4	0.3	5	2.86	1.8	51	33	315	312	5.33	0.03	10	4	6.70	430	1	0.02	174	0.02	2	12	0.12	44	35
71	" 2181	65	0.2	1.07	17	16	0.3	7	3.52	4.0	54	53	202	4891	3.04	0.02	10	4	2.91	299	1	0.02	424	0.09	3	18	0.18	68	57
72	" 2182	15	0.2	0.12	26	7	0.3	5	0.41	1.8	21	129	1454	36	8.33	0.01	13	2	21.45	1857	1	0.01	739	0.03	2	12	0.01	26	78
73	" 2183	5	0.2	2.52	13	8	0.3	5	4.71	1.0	61	38	36	27	4.28	0.03	10	6	3.82	476	1	0.02	137	0.02	2	7	0.65	178	42
74	" 2184 rx SILV	5	0.2	0.73	15	6	0.3	5	2.14	1.2	49	32	414	165	4.73	0.03	10	3	5.65	377	1	0.02	160	0.02	2	12	0.11	50	23

NICK

CLIN

SILV

enriched: mafic Ni ± Co, Cr, Fe, Mg

depleted: al, K

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

9. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 P057

LOCATION/COMMODITIES

Project Area (as listed in Part A) Clin Minfile # if applicable nil
Location of Project Area NTS 93C 3/W Lat 52 01' Long 125 21'
Description of Location and Access - 1 1/2 km S. of McClinchy Lake. 41 km South of Nimpo Lake by Helicopter.

Main Commodities Searched For Au. & Cu.

Known Mineral Occurrences in Project Area - Cu.

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks.
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil

Commodities Claim Name
Location (show on map) Lat Long Elevation
Best assay/sample type

Description of mineralization, host rocks, anomalies : Follow up to 1994 prospecting was made on the Clin M.C. (recently expired) in addition to follow-up anomalous silt on the S.E. end of McClinchy Lake. No additional assays with higher Au. content could be found. Please note the variance of Min-En-Lab assays of re-run on samples #43924 & #43924A.

Supporting data must be submitted with this TECHNICAL REPORT.

Lake

McClinchy

BC 4299

BC 4299 Cr.

COPPER QUEEN

CAMP

CLIN #1
TAG # 22343
(25-3W)

MT. McCLINCHY

"CLIN"

INDEX
⊗-94 - SAMPLES
●-95 - "

GOSSAN

SCALE
1:20 000

SEE MAP 92N.094

RANGE 3 COAST LAND DISTRICT

125° 24' 00"

336000 337000 338000 339000 340000 341000 342000 343000

THIS MAP HAS BEEN DIGITIZED BY
INVENTORY BRANCH, MINISTRY OF FORESTS.
ORIGINAL BASE MAP FROM SURVEYS AND
RESOURCE MAPPING BRANCH, MINISTRY OF ENVIRONMENT.

U.T.M. GRID ZONE 10 (1975)
BASE : LAYDOWN
COMPILATION SCALE : 1 : 20 000
PUBLICATION DATE : OCT, 1983

TIMBER SUPPLY AREA - WILLIAMS LAKE
OWNERSHIP STATUS - FEB., 1983
LABELS PROJECTED TO - 1983
LAND DISTRICT - RANGE 3 COAST

FOREST COVER MAP SERIES

0 500 1000 1500 Metres
SCALE 1:20 000

THIS MA
MAPPING

MINERAL •ENVIRONMENTS LABORATORIES
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

CLIN

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C. CANADA V5X 4R8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3178 TATLOW ROAD
SMITHERS, B.C. CANADA V0J 2N0
TEL (604) 847-3004
FAX (604) 847-3005

Assay Certificate

5S-0124-RA1

Company: **MR RALPH KEEFE / TECK CORP**
Project: CLIN
Attn: RALPH KEEFE

Date: SEP-15-95

Copy 1. Mr. Ralph Keefe
2. Teck Corporation - Kamloops

We hereby certify the following Assay of 9 ROCK samples submitted SEP-05-95 by R. Keefe.

Sample Number	AU-FIRE g/tonne	AU-FIRE oz/ton
43923	41.36	1.206

CLIN

COMP: MR RALPH KEEFE / TECK CORP
PROJ: CLIN —Rock
ATTN: RALPH KEEFE

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 95-0124-RJ1
DATE: 95/09/15
* rock * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
43916 CLIN	2.0	.79	1	49	.8	14	.51	.1	18	53	136	3.35	3	.07	4	.53	272	1	.03	11	620	26	1	3	13	1	.17	1	70.8	3	41	1
43918 "	.3	.97	1	50	.6	1	8.03	.1	9	110	82	2.21	1	.09	5	1.19	1415	1	.01	12	470	16	1	2	353	1	.01	1	31.2	2	34	1
43919 "	.5	.31	1	99	.6	3	10.61	.1	17	52	88	3.09	1	.13	2	.14	2047	1	.01	17	640	51	4	3	354	1	.01	1	23.6	2	88	7
43920 "	.1	.46	1	1216	.7	4	8.96	.1	13	67	44	3.32	1	.08	3	.92	3417	1	.01	15	360	36	1	3	391	1	.01	1	11.8	1	72	2
43921 "	.1	.68	1	1186	.7	1	9.69	.1	13	65	20	3.23	1	.09	4	1.31	2887	1	.01	13	390	29	1	3	338	1	.01	1	16.4	1	86	1
43922 "	1.9	.22	2	133	.3	1	.72	.1	10	68	170	1.54	1	.13	1	.06	645	1	.01	6	118	31	5	1	1	1	.01	1	2.0	2	42	195
43923 "	100.0	.22	64	80	1.2	111	.08	.1	11	87	465	6.38	2	.12	1	.08	39	32	.02	15	260	79	1	7	21	1	.01	1	7.2	1	95	>10000
43924 "	1.6	1.65	1	97	1.1	3	5.80	.1	26	45	59	4.71	1	.18	12	1.69	1090	1	.01	18	830	27	1	5	106	1	.01	1	42.9	1	76	244
43924 A "	1.2	1.39	1	68	1.4	1	.23	.1	62	53	431	8.76	4	.10	5	.10	128	41	.03	36	386	72	1	9	1	1	.01	1	34.0	1	29	58

RECEIVED
JAN 25 1996
PROSPECTORS PROGRAM
MEMPR

SEP-15-1995 14:44 MIN-EN LABS 604 327 3423 P.07

CLIN

COMP: MR RALPH KEEFE / TECK CORP
PROJ: CLIN — SILT
ATTN: RALPH KEEFE

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 95-0124-LJ1
DATE: 95/09/15
* silt * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
43917	1.0	1.49	1	98	.9	17	.88	.1	22	32	82	3.39	4	.11	8	1.02	1283	8	.03	17	950	31	2	4	1	1	.09	1	76.1	1	70	15

RECEIVED
JAN 25 1996
PROSPECTORS ASSOCIATION
MEMBER

Nov 8/95

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.R.K. **Date received:** NOV. 08 **LAB CODE:** 9511–003

Material: 2 Silts & 19 Rx **Sheet:** 1 of 1 **Date completed:** NOV. 15

Remarks: * Sample screened @ –35 MESH (0.5 mm)

= Organic, & Humus, # Sulfide Au – silt & soil, 15.0 g sample digested with aqua-regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ca, La, Li, Ga are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.		SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	SILT	2201 slt	6	[illegible]	3.96	5	[illegible]	1.2	5	1.05	[illegible]	52	13	39	[illegible]	5.28	0.47	19	[illegible]	0.68	2617	[illegible]	0.08	32	0.14	[illegible]	109	0.17	111	[illegible]
4	"	2202 slt	10	[illegible]	4.76	4	[illegible]	1.0	5	0.93	[illegible]	54	9	44	[illegible]	3.65	0.45	21	[illegible]	0.37	735	[illegible]	0.07	28	0.11	[illegible]	99	0.18	93	[illegible]
5	Rock	2189 rx	5	[illegible]	3.21	11	[illegible]	1.2	5	3.59	[illegible]	58	12	23	[illegible]	4.19	0.86	10	[illegible]	0.86	670	[illegible]	0.07	7	0.20	[illegible]	1166	0.19	135	[illegible]
6	"	2190	5	[illegible]	4.46	22	[illegible]	1.0	5	5.71	[illegible]	84	21	34	[illegible]	5.48	1.35	20	[illegible]	1.56	818	[illegible]	0.06	19	0.26	[illegible]	706	0.43	233	[illegible]
7	"	2191	5	0.2	1.58	2	[illegible]	0.3	5	0.21	[illegible]	46	2	58	[illegible]	1.42	0.75	17	[illegible]	0.21	50	[illegible]	0.08	2	0.02	[illegible]	27	0.06	9	[illegible]
8	"	2192	5	0.2	0.91	6	[illegible]	0.3	5	0.85	[illegible]	47	11	48	[illegible]	2.43	0.30	17	[illegible]	0.81	314	[illegible]	0.07	10	0.11	[illegible]	29	0.13	50	[illegible]
9	"	2193	10	[illegible]	1.51	2	[illegible]	0.3	5	0.40	[illegible]	40	2	62	[illegible]	1.43	0.68	17	[illegible]	0.24	84	[illegible]	0.07	2	0.03	[illegible]	17	0.06	12	[illegible]
10	"	2194	5	[illegible]	3.85	13	[illegible]	1.1	5	4.85	[illegible]	95	30	46	[illegible]	6.09	1.25	36	[illegible]	3.05	879	[illegible]	0.13	38	0.24	6	294	0.43	204	[illegible]
12	"	2195	10	[illegible]	3.29	13	[illegible]	0.8	5	3.44	[illegible]	57	28	58	[illegible]	6.36	0.75	13	[illegible]	2.94	827	[illegible]	0.13	47	0.12	[illegible]	120	0.26	187	[illegible]
13	"	2196	15	[illegible]	3.10	14	[illegible]	0.9	5	1.08	[illegible]	39	18	109	[illegible]	4.59	1.27	10	[illegible]	0.53	910	[illegible]	0.04	25	0.11	[illegible]	17	0.11	156	[illegible]
14	"	2197	5	[illegible]	0.20	2	[illegible]	0.2	5	0.05	[illegible]	5	1	175	[illegible]	0.44	0.05	2	[illegible]	0.11	71	[illegible]	0.01	3	0.01	[illegible]	4	0.01	13	[illegible]
15	"	2198	5	[illegible]	5.18	15	[illegible]	0.8	5	5.05	[illegible]	79	28	43	[illegible]	5.81	1.26	21	[illegible]	2.13	223	[illegible]	0.07	40	0.24	[illegible]	443	0.51	231	[illegible]
17	"	2199	65	[illegible]	9.41	15	[illegible]	0.7	5	0.22	[illegible]	64	39	13	[illegible]	11.69	2.00	29	[illegible]	0.19	222	[illegible]	0.65	21	0.08	[illegible]	241	0.05	180	[illegible]
19	"	2200	5	[illegible]	4.40	29	[illegible]	0.8	5	5.88	[illegible]	69	47	149	[illegible]	6.66	0.38	16	[illegible]	6.17	938	[illegible]	0.13	163	0.21	[illegible]	170	0.32	159	[illegible]
21	?	2203	5	[illegible]	0.87	63	[illegible]	0.2	5	0.15	[illegible]	23	2	69	[illegible]	4.57	0.26	12	[illegible]	0.16	70	[illegible]	0.07	6	0.13	[illegible]	119	0.34	96	[illegible]
22		43924	10	[illegible]	6.67	4	[illegible]	0.9	5	4.23	[illegible]	49	25	13	[illegible]	6.30	2.59	14	[illegible]	1.83	1005	[illegible]	0.06	10	0.11	[illegible]	106	0.07	196	[illegible]
23		43924 A	400	[illegible]	10.23	8	[illegible]	0.3	5	0.21	[illegible]	30	29	7	[illegible]	8.03	2.48	15	[illegible]	0.11	183	[illegible]	0.66	13	0.08	[illegible]	252	0.04	273	[illegible]
25		43925	45	[illegible]	11.14	2	[illegible]	0.4	5	0.24	[illegible]	45	13	5	[illegible]	6.79	2.85	21	[illegible]	0.07	106	[illegible]	0.79	7	0.08	[illegible]	305	0.04	209	[illegible]
26		43927	20	[illegible]	7.06	29	[illegible]	0.9	5	0.09	[illegible]	68	23	12	[illegible]	8.95	2.08	31	[illegible]	1.54	642	[illegible]	0.15	7	0.07	[illegible]	25	0.07	189	[illegible]
27		43939	15	[illegible]	4.17	14	[illegible]	0.4	5	3.59	[illegible]	47	20	35	[illegible]	5.67	0.39	9	[illegible]	2.52	956	[illegible]	0.14	19	0.08	[illegible]	88	0.34	185	[illegible]
28		43942 rx	10	0.4	3.07	12	204	0.3	5	1.18	[illegible]	35	16	52	[illegible]	5.42	0.48	8	[illegible]	0.99	586	[illegible]	0.10	7	0.06	7	55	0.08	79	[illegible]

Re Runs
Done previous
Min-EN-LAB

14/11 GW RK

Nov 8/95

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BCGENEX – 127 (HEMLO) **Geol.:** R.R.K. **Date received:** NOV. 08 **LAB CODE:** 9511-003

Material: 2 Silts & 19 Rx **Sheet:** 1 of 1 **Date completed:** NOV. 15

Remarks: * Sample screened @ -35 MESH (0.5 mm)

¤ Organic, & Humus, $ Sulfide

Au – silt & soil, 15.0 g sample digested with aqua-regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS2000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li, Ga are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.		SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	*SILT*	2201 slt	6	0.3	5.96	5	[illegible]	1.2	5	1.05	[illegible]	52	13	39	[illegible]	5.28	0.47	19	[illegible]	0.68	2617	[illegible]	0.08	32	0.14	[illegible]	109	0.17	111	[illegible]
4	*"*	2202 slt	10	0.3	4.76	4	[illegible]	1.0	5	0.93	[illegible]	54	9	44	[illegible]	3.65	0.45	21	[illegible]	0.57	735	[illegible]	0.07	28	0.11	[illegible]	99	0.18	91	[illegible]
5	*Rock*	2189 rx	5	0.2	3.21	11	[illegible]	1.2	5	3.99	[illegible]	58	12	23	[illegible]	4.19	0.86	10	[illegible]	0.88	670	[illegible]	0.07	7	0.20	[illegible]	1166	0.19	135	[illegible]
6	*"*	2190	5	0.2	4.46	22	[illegible]	1.0	5	5.71	[illegible]	84	21	34	[illegible]	5.48	1.35	20	[illegible]	1.56	818	[illegible]	0.06	19	0.26	[illegible]	706	0.41	233	[illegible]
7	*"*	2191	5	0.2	1.58	2	176	0.3	5	0.21	[illegible]	46	2	58	[illegible]	1.42	0.75	17	[illegible]	0.21	50	[illegible]	0.08	2	0.02	[illegible]	27	0.06	9	[illegible]
8	*"*	2192	5	0.2	0.91	6	45	0.3	5	0.85	0.6	47	11	48	[illegible]	2.43	0.10	17	[illegible]	0.81	314	[illegible]	0.07	10	0.11	11	29	0.11	30	[illegible]
9	*"*	2193	10	0.2	1.51	2	131	0.3	5	0.40	0.2	40	2	62	[illegible]	1.43	0.68	17	[illegible]	0.24	84	[illegible]	0.07	2	0.03	9	17	0.06	12	[illegible]
10	*"*	2194	5	0.2	3.85	13	508	1.1	5	4.85	[illegible]	95	30	46	[illegible]	6.09	1.25	36	[illegible]	3.05	879	[illegible]	0.13	38	0.24	6	294	0.43	204	[illegible]
12	*"*	2195	10	[illegible]	3.29	13	156	0.8	5	3.44	1.6	57	28	58	[illegible]	6.36	0.75	13	[illegible]	2.94	827	[illegible]	0.13	47	0.12	[illegible]	120	0.26	187	[illegible]
13	*"*	2196	15	0.2	3.10	14	89	0.9	5	1.08	1.1	39	18	109	[illegible]	4.59	1.27	10	[illegible]	0.53	910	[illegible]	0.04	25	0.11	[illegible]	17	0.11	156	[illegible]
14	*"*	2197	5	0.3	0.20	2	27	0.2	5	0.05	0.7	5	1	175	[illegible]	0.44	0.05	2	[illegible]	0.11	77	[illegible]	0.01	3	0.01	[illegible]	4	0.01	13	[illegible]
15	*"*	2198	5	0.2	5.18	15	[illegible]	0.8	5	5.05	[illegible]	79	29	43	[illegible]	5.81	1.26	21	[illegible]	2.13	723	[illegible]	0.07	40	0.24	[illegible]	443	0.51	231	[illegible]
17	*"*	2199	65	[illegible]	9.41	15	[illegible]	0.7	5	0.22	[illegible]	64	39	13	[illegible]	11.60	2.00	29	[illegible]	0.19	222	[illegible]	0.65	21	0.08	[illegible]	241	0.05	180	[illegible]
19	*"*	2200	5	[illegible]	4.40	29	[illegible]	0.8	5	5.88	[illegible]	69	47	149	673	6.66	0.38	16	[illegible]	6.17	938	[illegible]	0.13	163	0.21	[illegible]	170	0.32	159	[illegible]
21	*"*	2203	5	0.2	0.87	63	[illegible]	0.2	5	0.15	[illegible]	23	2	69	[illegible]	4.57	0.26	12	7	0.16	70	[illegible]	0.07	6	0.13	[illegible]	119	0.34	96	[illegible]
22		43924	10	0.2	6.67	4	[illegible]	0.9	5	4.23	[illegible]	49	25	13	[illegible]	6.30	2.59	14	[illegible]	1.83	1005	[illegible]	0.06	10	0.11	[illegible]	106	0.07	196	[illegible]
23		43924 A	400	2.0	10.23	8	[illegible]	0.3	5	0.21	[illegible]	30	29	7	[illegible]	8.03	2.48	15	[illegible]	0.11	183	[illegible]	0.66	13	0.08	[illegible]	252	0.04	273	[illegible]
25		43925	45	1.2	11.14	2	[illegible]	0.4	5	0.24	0.2	45	15	5	[illegible]	6.79	2.85	21	14	0.07	106	[illegible]	0.79	7	0.08	8	305	0.04	299	[illegible]
26		43927	20	0.6	7.06	29	[illegible]	0.9	5	0.09	0.6	68	23	12	253	8.95	2.08	31	[illegible]	1.54	642	[illegible]	0.15	7	0.07	11	25	0.07	189	84
27		43939	15	0.6	4.17	14	41	0.4	5	3.39	[illegible]	47	20	35	[illegible]	5.67	0.19	9	[illegible]	2.52	956	[illegible]	0.14	19	0.08	8	88	0.34	185	77
28		43942 rx	10	0.4	3.07	12	204	0.3	5	1.18	0.9	35	16	52	44	5.42	0.48	8	[illegible]	0.99	586	[illegible]	0.10	7	0.06	7	55	0.08	79	[illegible]

Re-Runs Done previous Min-En-Lab

16/11 Gw RK

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.K. (G.B.) **Date received:** SEP. 05 **LAB CODE:** 9509–032

Material: 18 Silts, 44 Rx **Sheet:** 1 of 2 **Date completed:** SEP. 28 R #?

Remarks: * Sample screened @ –35 MESH (0.5 mm)

ª Organic, Δ Humus, S Sulfide

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ce, La, Li, Ga are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	17432	silt NIC	5	0.2	5.00	6	106	0.6	5	2.12	0.4	44	27	54	64	5.54	0.33	14	19	4.16	870	1	0.03	82	0.12	2	203	0.69	157	67
4	17433		68	0.2	2.73	11	142	0.4	5	1.73	0.2	63	19	49	48	4.99	0.36	21	12	1.60	866	1	0.10	41	0.12	2	102	0.51	121	56
5	17434	NIC	8	0.2	2.74	10	149	0.4	5	1.61	0.3	60	16	32	46	3.84	0.42	20	13	1.57	653	3	0.12	41	0.12	2	86	0.42	97	59
6	17435	*CLIN	4	0.2	1.99	7	126	0.4	5	1.98	0.3	39	10	14	32	2.58	0.19	11	7	0.67	561	1	0.05	9	0.15	2	111	0.20	61	40
7	17436	CLIN	4	0.2	2.58	6	141	0.4	5	2.03	0.2	40	16	19	63	3.52	0.26	12	11	1.22	670	1	0.09	15	0.16	2	116	0.28	93	58
8	17437	CLIN	5	0.2	3.42	6	142	0.5	5	1.65	0.2	42	16	20	43	4.21	0.33	12	11	1.28	758	1	0.09	21	0.10	2	108	0.31	113	63
9	17443	NAT	5	0.2	2.86	8	225	0.6	5	1.50	0.4	39	8	43	54	3.14	0.27	16	14	0.43	576	1	0.05	18	0.10	2	78	0.19	80	84
10	17444	NAT	5	0.2	2.61	8	208	0.6	5	1.04	0.3	41	10	52	36	3.39	0.31	15	12	0.49	600	1	0.05	18	0.07	3	64	0.21	92	72
11	2185	TAHL.	5	0.2	4.25	12	504	0.8	5	0.48	0.6	40	12	44	27	6.02	0.47	15	19	0.50	2173	1	0.05	28	0.12	6	65	0.17	92	117
12	2186	"	5	0.2	3.19	16	398	0.6	5	0.51	1.1	44	14	40	20	3.81	0.30	14	15	0.36	3022	1	0.05	23	0.09	4	65	0.13	72	120
13	2187	"	5	0.2	2.19	15	439	0.5	5	1.65	1.1	44	8	28	26	3.41	0.20	13	16	0.35	2452	1	0.03	20	0.12	3	93	0.10	52	122
14	2188	"	5	0.2	3.16	17	619	0.6	5	0.85	1.3	47	13	22	18	3.94	0.35	14	22	0.44	4695	1	0.06	24	0.09	5	76	0.11	71	134
15	17445	"	5	0.2	3.49	16	356	0.6	5	0.83	1.0	52	12	32	20	3.15	0.39	16	31	0.46	1319	1	0.06	28	0.08	6	78	0.13	74	97
16	17446	"	10	0.2	2.99	18	424	0.6	5	1.50	1.3	53	9	34	27	4.07	0.28	15	18	0.44	1132	1	0.05	24	0.11	6	104	0.12	64	94
17	17447	"	4	0.2	2.93	19	304	0.6	5	1.10	1.4	52	12	38	27	3.11	0.38	15	19	0.46	1792	1	0.05	25	0.10	11	83	0.13	78	135
18	17448	"	5	0.2	3.15	20	386	0.6	5	0.85	1.0	46	12	45	22	2.74	0.31	15	28	0.42	1824	1	0.05	26	0.08	8	76	0.14	72	94
19	17449	"	5	0.2	2.58	25	482	0.6	5	1.15	1.9	44	10	29	24	2.83	0.26	14	20	0.42	2622	1	0.04	25	0.09	7	91	0.11	64	164
20	17450	silt TAHL#6	5	0.2	3.38	23	411	0.7	5	0.69	1.2	44	14	33	29	3.58	0.36	15	19	0.47	1797	1	0.05	25	0.10	14	62	0.13	84	146
21	17401	rx NIC Rock	5	0.2	4.95	13	626	0.9	6	3.29	1.5	68	34	86	203	5.74	2.02	15	14	3.14	1137	5	0.06	91	0.12	9	112	0.42	232	177
22	17402	"	5	0.2	4.95	16	287	0.9	5	5.09	0.4	71	23	42	168	4.42	1.57	11	8	0.87	615	2	0.22	39	0.08	2	106	0.26	145	40
23	17403	"	5	0.2	2.64	3	366	0.2	5	0.91	0.2	47	13	47	26	3.80	0.97	14	11	0.85	264	1	0.11	10	0.08	2	117	0.21	83	36
24	17404	"	5	0.2	5.18	2	649	0.4	5	0.50	0.4	47	11	23	29	3.07	1.73	16	9	0.55	128	1	0.25	10	0.06	3	112	0.06	83	30
25	17405	"	5	0.2	2.73	7	137	0.3	5	1.46	1.0	58	15	56	36	3.59	0.30	15	17	1.26	866	1	0.15	11	0.08	28	193	0.13	100	204
26	17406	"	5	0.2	4.16	5	596	0.3	5	0.57	0.2	35	12	20	28	2.65	1.54	13	8	0.60	203	1	0.13	10	0.04	3	99	0.09	63	35
27	17407	"	5	0.2	6.65	4	714	0.6	5	2.26	0.4	66	19	22	25	3.59	1.88	16	13	1.18	431	1	0.16	21	0.11	3	203	0.28	152	59
28	17408	"	5	0.2	2.42	8	77	0.4	5	2.60	0.4	71	3	110	12	2.40	0.24	17	6	0.39	526	1	0.09	4	0.09	5	281	0.37	70	26
29	17409	"	5	0.2	2.33	9	177	0.3	5	1.82	0.2	59	13	100	42	4.25	0.49	17	6	0.37	244	2	0.15	10	0.07	5	121	0.23	67	23
30	17410	"	5	0.2	1.58	9	233	0.3	5	1.07	0.4	48	13	64	25	2.42	0.29	14	7	0.62	370	1	0.13	11	0.03	2	95	0.11	69	65
31	17411	"	5	0.2	2.14	10	305	0.3	5	1.38	0.4	57	13	78	24	3.73	0.63	14	9	0.77	517	1	0.11	12	0.09	2	116	0.25	88	54
32	17412	"	15	0.2	3.51	8	574	0.3	5	1.41	0.5	62	10	42	18	3.40	1.14	17	9	0.93	468	1	0.16	9	0.08	2	162	0.20	120	47
33	17413		5	0.2	4.23	5	20	0.3	5	3.85	0.8	64	10	86	14	3.63	0.18	11	10	1.56	686	1	0.10	23	0.11	2	328	0.39	159	70
34	17414		5	0.2	3.94	6	808	0.3	5	0.82	0.4	47	12	40	50	2.50	1.51	14	12	1.11	455	1	0.14	11	0.09	2	102	0.09	68	83
35	17415		5	0.2	0.68	2	14	0.2	5	0.95	0.7	51	16	107	39	3.05	0.09	11	5	0.66	458	1	0.18	30	0.04	2	12	0.27	99	65
39	17416		5	0.2	3.54	4	236	0.5	5	1.91	1.0	73	30	108	75	6.70	1.35	18	21	2.17	1092	8	0.21	62	0.12	2	78	0.69	200	98
41	17417	rx NIC	5	0.2	5.54	12	29	0.5	5	5.42	0.9	69	33	90	53	4.97	0.07	16	9	2.06	545	1	0.08	67	0.11	2	282	0.60	181	67

Sept 5/95

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
42	Rock 17418 rx NIC	10	0.2	1.24	2	12	0.2	5	1.66	0.2	58	25	79	125	3.92	0.08	15	5	0.94	548	1	0.13	29	0.09	2	65	0.32	92	37
46	" 17419	5	0.2	5.11	15	479	0.5	5	1.66	1.3	80	26	107	86	6.56	1.28	22	18	1.50	668	14	0.14	66	0.15	2	152	0.51	256	130
48	" 17420	5	0.2	3.27	12	153	0.5	5	1.86	0.5	69	35	64	58	4.04	0.53	19	10	2.66	543	1	0.07	47	0.07	3	130	0.13	74	64
51	" 17421	5	0.2	3.02	8	143	0.5	5	0.69	0.6	48	23	103	69	5.30	0.64	15	14	3.00	662	12	0.09	55	0.11	4	22	0.42	207	79
52	" 17422	5	0.2	1.62	10	35	0.3	5	4.41	0.6	54	11	116	18	2.62	0.09	9	9	1.46	751	1	0.07	22	0.07	4	95	0.25	95	42
53	" 17423	5	0.2	2.76	10	202	0.3	5	1.51	0.4	62	8	61	12	3.15	1.27	22	8	1.14	600	4	0.07	18	0.07	7	113	0.26	77	69
54	" 17424	5	0.2	3.63	6	14	0.4	5	3.08	0.7	68	27	78	68	4.93	0.06	18	11	2.53	844	1	0.06	67	0.14	10	657	0.72	131	62
55	" 17425	5	0.2	3.28	9	201	0.7	5	4.92	0.9	59	21	35	46	5.61	0.66	12	8	1.31	1259	1	0.06	9	0.09	8	266	0.49	204	89
56	" 17426	5	0.2	2.18	2	289	0.5	5	1.98	0.2	59	19	46	12	2.75	0.69	18	7	0.68	488	2	0.08	4	0.04	4	136	0.13	69	43
57	" 17427	5	0.2	1.53	2	223	0.5	5	1.24	0.3	41	7	77	9	1.43	0.55	11	4	0.33	292	16	0.09	6	0.02	3	75	0.08	36	25
58	" 17428	5	0.2	2.22	2	245	0.3	5	0.85	0.2	40	6	32	44	3.76	0.56	15	8	0.82	294	3	0.10	7	0.07	2	113	0.16	98	27
59	" 17429	5	0.2	3.20	2	597	0.3	5	1.17	0.2	44	13	31	45	4.26	0.79	15	9	0.67	347	1	0.15	9	0.08	3	168	0.17	102	61
60	" 17430	5	0.2	5.48	2	1202	0.3	5	0.41	0.2	29	11	9	26	2.30	1.84	14	11	0.80	269	1	0.12	10	0.05	32	65	0.07	66	53
61	" 17431	5	0.2	2.68	2	144	0.6	5	0.13	0.2	15	7	152	36	2.35	1.26	6	3	0.32	190	1	0.03	10	0.05	99	9	0.05	39	32
62	#1 – ST NIC	5	0.2	6.35	14	475	1.1	5	5.14	0.5	85	17	32	114	5.00	2.28	18	12	0.77	649	3	0.11	25	0.16	2	101	0.25	168	48
63	Rock 17438 CLIN	5	0.2	2.04	2	224	0.4	5	0.65	0.4	50	5	66	11	4.36	0.62	15	12	1.14	848	1	0.11	1	0.17	2	29	0.25	47	46
64	" 17439	10	0.2	2.57	12	83	0.5	5	1.55	0.3	82	9	37	141	7.18	0.22	22	11	1.07	693	3	0.08	1	0.15	5	155	0.30	97	71
65	" 17440	5	0.2	1.27	2	178	0.3	5	0.14	0.2	45	3	71	32	5.08	0.34	16	6	0.57	351	2	0.09	1	0.04	6	38	0.22	20	94
66	" 17441	5	0.2	4.38	24	239	0.5	5	3.53	0.8	75	27	36	53	5.13	0.64	19	15	1.11	711	1	0.15	17	0.08	16	352	0.40	178	92
67	" 17442 CLIN	5	0.2	0.96	4	86	0.2	5	0.08	0.2	22	18	96	41	2.20	0.42	8	4	0.16	247	1	0.08	1	0.02	2	8	0.04	3	12
68	Rock 2178 SILV	5	0.2	0.74	21	5	0.3	5	1.13	1.3	36	74	658	19	6.85	0.03	12	3	11.91	851	1	0.02	350	0.03	2	10	0.11	61	46
69	" 2179	5	0.2	0.85	2	84	0.4	5	0.56	0.5	40	6	76	18	1.72	0.52	11	7	0.71	281	1	0.09	12	0.04	4	22	0.07	36	45
70	" 2180	5	0.2	0.75	12	4	0.3	5	2.86	1.8	51	33	315	312	5.33	0.03	10	4	6.70	430	1	0.02	174	0.02	2	12	0.12	44	35
71	" 2181	65	0.2	1.07	17	16	0.3	7	3.52	4.0	54	53	202	4891	3.04	0.02	10	4	2.91	299	1	0.02	424	0.09	3	18	0.18	68	57
72	" 2182	15	0.2	0.12	26	7	0.3	5	0.41	1.8	21	129	1454	36	8.33	0.01	13	2	21.45	1857	1	0.01	739	0.03	2	12	0.01	26	78
73	" 2183	5	0.2	2.52	13	8	0.3	5	4.71	1.0	61	38	36	27	4.28	0.03	10	6	3.82	476	1	0.02	137	0.02	2	7	0.65	178	42
74	" 2184 rx SILV	5	0.2	0.73	15	6	0.3	5	2.14	1.2	49	32	414	165	4.73	0.03	10	3	5.65	377	1	0.02	160	0.02	2	12	0.11	50	23

mafic — enriched Ni ± Co, Cr, Fe, Mg — depleted al, K

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM **(continued)**

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see sectin 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 PO57

LOCATION/COMMODITIES
Project Area (as listed in Part A) MC Minfile # if applicable nil
Location of Project Area NTS 93C 3/W Lat 52 03' Long 125 24'
Description of Location and Access 35 km South of Nimpo Lake by helicopter.

Main Commodities Searched For Au, Cu, & Ag.

Known Minerial Occurrences in Project Area None

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil
Commodities Claim Name
Location (show on map) Lat Long Elevation
Best assay/sample type

Descrition of mineralization, host rocks, anomalies - Follow-up prospecting & sampling of rocks both inside the Mc M claim and area to West failed to turn up any further significant mineralization. Please note the variance of Nim-En-Lab and Noranda Lab assays of re-run on samples #4393927 and #43942.

Supporting data must be submitted with this TECHNICAL REPORT.


REAL GOLD
319131
FORFEITED
Mc M.C.
TAG # 659329M
OCT 23/94
Tenure #332133
#1
#2
#3
#4
#5
#6
#7
#8
#9
#10
#11
#12
43439
43440
43441
43442
43443
43444
43445
43446
43447
43448
43958
#34444
43449-SITE MAYDOR M.C.'S (1-12) INCL
FISH LAKE
52
53
54
42
43
44
15
30
CC
306633
4NX5E
S.C. 1697
226672
JAN 25 1996
S.C. 1831

Nov 8/95

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.R.K. **Date received:** NOV. 08 **LAB CODE:** 9511–003

Material: 2 Silts & 19 Rx **Sheet:** 1 of 1 **Date completed:** NOV. 15

Remarks: * Sample screened @ – 35 MESH (0.5 mm)

° Organic, ^ Humus, $ Sulfide

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 293 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ca, La, Li, Ga are rarely dissolved completely from geological materials with this mild dissolution method.

T.T. No.	SAMPLE No.		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cu ppm	Cr ppm	Ga ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	Silt	2201 silt	6	0.2	5.96	5	408	1.2	5	1.05	0.2	52	15	39	22	5.28	0.47	19	22	0.69	2617	4	0.08	32	0.14	32	109	0.17	111	208
4	"	2202 silt	10	0.2	4.76	4	327	1.0	5	0.93	0.2	54	9	44	18	3.65	0.45	21	21	0.57	735	4	0.07	28	0.11	32	99	0.18	91	174
5	Rock	2189 rx	5	0.2	3.21	11	208	1.2	5	3.39	0.2	58	12	23	14	4.19	0.86	10	14	0.88	670	4	0.07	7	0.20	14	1166	0.19	135	59
6	"	2190	5	0.2	4.46	22	98	1.6	5	5.71	0.2	84	21	34	18	5.48	1.35	20	18	1.56	818	4	0.06	19	0.26	46	706	0.41	233	65
7	"	2191	5	0.2	1.58	2	296	0.3	5	0.21	0.2	46	2	58	4	1.42	0.75	17	4	0.21	50	4	0.08	2	0.02	12	27	0.06	9	13
8	"	2192	5	0.2	0.91	6	45	0.3	5	0.85	0.2	47	11	48	4	2.43	0.30	17	4	0.81	314	4	0.07	10	0.11	12	29	0.11	50	86
9	"	2193	10	0.2	1.51	2	131	0.3	5	0.40	0.2	40	2	62	4	1.43	0.68	17	4	0.24	84	4	0.07	2	0.03	8	17	0.06	12	34
10	"	2194	5	0.2	3.85	13	308	1.1	5	4.85	0.2	95	30	46	14	6.09	1.25	36	14	3.05	879	4	0.13	38	0.24	6	294	0.43	204	87
12	"	2195	10	0.2	3.29	13	169	0.8	5	3.44	0.4	57	28	58	12	6.36	0.75	13	12	2.94	827	4	0.13	47	0.12	8	120	0.26	187	68
13	"	2196	15	0.2	3.10	14	89	0.9	5	1.08	0.2	39	18	109	265	4.59	1.27	10	10	0.53	910	4	0.04	25	0.11	4	17	0.11	156	45
14	"	2197	5	0.2	0.20	2	37	0.2	5	0.05	0.2	5	1	175	4	0.44	0.05	2	4	0.11	71	4	0.01	3	0.01	2	4	0.01	13	8
15	"	2198	5	0.2	5.18	15	295	0.8	5	5.05	0.2	79	28	43	4124	5.81	1.36	21	18	2.13	723	4	0.07	40	0.24	32	443	0.51	231	83
17	"	2199	65	0.2	9.41	15	1405	0.7	5	0.22	0.2	64	39	13	28	11.69	2.00	29	27	0.19	222	4	0.65	21	0.08	4	241	0.05	180	27
19	"	2200	5	0.2	4.40	29	90	0.8	5	5.88	0.2	69	47	149	673	6.66	0.18	16	21	6.17	936	4	0.13	163	0.21	4	170	0.32	159	170
21	"	2203	5	0.2	0.87	63	146	0.2	5	0.15	0.2	23	2	69	4	4.57	0.26	12	4	0.16	70	4	0.07	6	0.13	4	119	0.34	96	33
22		43924	10	0.2	6.67	4	527	0.9	5	4.23	0.4	49	25	13	16	6.30	2.59	14	18	1.83	1005	4	0.06	10	0.11	2	106	0.07	196	39
23		43924 A	400	2.0	10.23	8	1826	0.3	5	0.21	0.2	30	29	7	381	8.03	2.48	15	15	0.11	185	4	0.66	13	0.08	2	252	0.04	273	29
25		43925	45	1.2	11.14	2	2150	0.4	5	0.24	0.2	45	15	5	240	6.79	2.85	21	14	0.07	106	4	0.79	7	0.08	4	305	0.04	299	22
26		43927	20	0.6	7.06	29	855	0.9	5	0.09	0.6	68	23	12	433	8.95	2.08	31	18	1.54	642	4	0.13	7	0.07	32	25	0.07	189	84
27		43939	15	0.6	4.17	14	441	0.4	5	3.39	1.0	47	20	35	32	5.67	0.19	9	22	2.52	956	4	0.14	19	0.08	4	88	0.34	185	77
28		43942 rx	10	0.4	3.07	12	204	0.3	5	1.18	0.8	35	16	52	44	5.42	0.48	8	28	0.99	586	4	0.10	7	0.06	2	55	0.08	79	28

DEM Block Boundary — Sample Grid

Silt BKP

STATION 77

78

82

83

85

86

86½

87

88

89

R.P.

Re Run — Light

Swamp Creek Mud

Silt Type

Re Runs

Done previous Min-En-Lab

Clay

White

Mix

Mix

14/11 GN RK

MC

COMP: MR RALPH KEEFE / TECK CORP
PROJ: MC
ATTN: RALPH KEEFE

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 95-0123-RJ
DATE: 95/09/1
* rock * (ACT:F3

SAMPLE NUMBER		AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
43939	MC	2.7	2.22	1	32	.8	10	1.87	.1	19	67	124	3.40	1	.09	20	1.70	647	1	.07	15	560	255	1	4	1	1	.11	1	96.6	1	61	9
43940	"	1.1	1.47	1	25	.5	3	1.58	.1	9	54	100	1.68	1	.09	8	.42	117	1	.23	5	600	7	1	2	22	1	.06	1	46.1	2	22	28
43941	"	.5	1.32	1	32	.8	6	1.56	.1	18	84	27	3.42	1	.11	10	.90	415	7	.05	13	510	25	1	4	1	1	.03	1	42.7	2	59	1
43942	"	1.2	2.83	1	44	1.2	9	2.09	.1	27	57	80	5.14	2	.13	14	.82	444	1	.20	24	580	47	1	6	1	1	.05	1	56.4	1	82	10
43943	"	1.0	1.63	1	22	1.0	6	1.31	.1	21	94	85	4.53	2	.03	9	.76	131	1	.13	25	700	23	1	5	6	1	.04	1	57.7	1	32	8
43944	"	1.3	2.46	1	67	1.0	10	2.09	.1	22	123	89	4.54	3	.04	7	.66	158	2	.22	25	580	61	1	5	1	1	.05	1	63.6	4	40	2
43945	"	1.2	3.36	1	59	.8	14	2.80	.1	21	140	50	3.75	5	.04	7	.58	149	2	.30	23	410	34	4	5	5	1	.04	1	57.4	7	53	1
43946	"	1.0	3.39	1	57	.6	9	3.15	.1	9	90	16	1.77	4	.04	1	.12	96	2	.26	11	200	3	5	2	1	1	.02	1	26.6	4	26	1
43947	"	1.9	2.70	1	64	1.4	9	1.84	.1	34	89	135	6.01	4	.05	9	.81	182	1	.33	23	590	104	1	7	55	1	.07	1	91.5	2	53	1
43948	"	.6	1.20	1	94	.4	2	1.79	.1	10	71	110	1.75	1	.08	8	.59	337	1	.08	10	270	33	1	2	1	1	.04	1	33.9	2	59	2
43949 A	"	1.4	3.72	1	67	.9	18	3.33	.1	12	99	37	2.73	4	.04	3	.32	216	1	.22	20	610	24	7	3	1	1	.06	1	36.6	5	37	4
43950	"	.9	1.56	1	16	.7	4	1.37	.1	18	105	57	2.15	1	.03	10	1.36	327	1	.05	25	720	1	1	2	1	1	.06	1	63.2	3	42	1

SEP-15-1995 14:41 MIN-EN LABS 604 327 3423 P.03

MC

COMP: MR RALPH KEEFE / TECK CORP
PROJ: MC
ATTN: RALPH KEEFE

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 95-0123-LJ1
DATE: 95/09/05
* silt * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
43949	.8	2.30	1	98	1.0	14	.68	.1	21	30	88	3.06	1	.15	12	1.05	577	1	.03	19	1060	21	1	4	1	1	.15	1	70.3	1	110	4

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 P057

LOCATION/COMMODITIES

Project Area (as listed in Part A) Shoe Minfile # if applicable nil
Location of Project Area NTS 93F 3/W Lat 53 20' Long 125 19'
Description of Location and Access - Fixed wing - Float plane from Francois Lake to Shoe Lake and return.

Main Commodities Searched For Epithermal Au.

Known Mineral Occurrences in Project Area - Float rock with indicated Au. & Ag. sulphides.

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks.
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil

Commodities Claim Name
Location (show on map) Lat Long Elevation
Best assay/sample type

Description of mineralization, host rocks, anomalies : Project was intended to be a folluw up to the "Trophy Project" 1994. Upon prospecting on the first day in the area was it determined that area had been just recently staked by Hudson Bay Mining & Smelting. A day and a half were spent to the East and South of said staking, which was predominantly swampy ground.

Supporting data must be submitted with this TECHNICAL REPORT.


INTERIOR PLAT
NAGLICO
Moose Lake
SCALE 1:50000
AREA PROSPECTED 1995
Airfield Condition Unknown
L 121
L 122
L 123
L 148
L 166
LDI 37-1
IWE 35-1
Volcanic
SHOE LAKE
COAST LAND DISTRICT RANGE 4
COAST LAND DISTRICT RANGE 5
125°30'
333000m E
20'

BRITISH COLUMBIA

PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 P057

LOCATION/COMMODITIES

Project Area (as listed in Part A) Nat Minfile # if applicable nil
Location of Project Area NTS 93M 1/E Lat 55 07' Long 125 15'
Description of Location and Access - 3 km East of the N.E. end of Natowite Lake, Access by aircraft from Francois Lake.

Main Commodities Searched For Cu. Au. Ag. Epithermal and porphyry.

Known Mineral Occurrences in Project Area - nil.

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks.
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil

Commodities Claim Name
Location (show on map) Lat Long Elevation
Best assay/sample type

Description of mineralization, host rocks, anomalies : No indication of sulphides. Host rocks all volcanic.

Supporting data must be submitted with this TECHNICAL REPORT.

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) **Geol.:** R.K. (G.E.)
Material: 18 Silts, 44 Rx **Sheet:** 1 of 2
Remarks: * Sample screened @ –35 MESH (0.5 mm)
= Organic, 4 Humus, 5 Sulfide

Date received: SEP. 05
Date completed: SEP. 28

Log #: 9509-032
R #?

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)
ICP – 0.2 g sample digested with 5 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.
N.B. The major oxide elements and Ba, Be, Co, La, Li, Ge are rarely dissolved completely from geological materials with this acid dissolution method.

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	17432 silt NIC	5	0.2	5.00	6	106	0.6	5	2.12	0.4	44	27	54	64	5.54	0.33	14	19	4.16	870	1	0.03	82	0.12	2	205	0.69	157	67
4	17433	68	0.2	2.73	11	142	0.4	5	1.73	0.2	63	19	49	48	4.99	0.36	21	12	1.60	866	1	0.10	41	0.12	2	102	0.51	121	56
5	17434 NIC	8	0.2	2.74	10	149	0.4	5	1.61	0.3	60	16	32	46	3.84	0.42	20	13	1.57	653	3	0.12	41	0.12	2	86	0.42	97	59
6	17435 *CLIN	4	0.2	1.99	7	126	0.4	5	1.98	0.3	39	10	14	32	2.58	0.19	11	7	0.67	561	1	0.05	9	0.15	2	111	0.20	61	40
7	17436 CLIN	4	0.2	2.58	6	141	0.4	5	2.03	0.2	40	16	19	63	3.52	0.26	12	11	1.22	670	1	0.09	15	0.16	2	116	0.28	93	58
8	17437 CLIN	5	0.2	3.42	6	142	0.5	5	1.65	0.2	42	16	20	43	4.21	0.33	12	11	1.28	758	1	0.09	21	0.10	2	108	0.31	113	63
9	17443 NAT	5	0.2	2.86	8	225	0.6	5	1.50	0.4	39	8	43	54	3.14	0.27	16	14	0.43	576	1	0.05	18	0.10	2	78	0.19	80	84
10	17444 NAT	5	0.2	2.61	8	208	0.6	5	1.04	0.3	41	10	52	36	3.39	0.31	15	12	0.49	600	1	0.05	18	0.07	3	64	0.21	92	72
11	2185 TAHL	5	0.2	4.25	12	304	0.8	5	0.48	0.6	40	12	44	27	6.02	0.47	15	19	0.50	2173	1	0.05	28	0.12	6	65	0.17	92	117
12	2186	5	0.2	3.19	16	398	0.6	5	0.51	1.1	44	14	40	20	3.81	0.30	14	15	0.36	3022	1	0.05	23	0.09	4	65	0.13	72	120
13	2187 *	5	0.2	2.19	15	439	0.5	5	1.65	1.1	44	8	28	26	3.41	0.20	13	16	0.35	2452	1	0.03	20	0.12	3	93	0.10	52	122
14	2188 *	5	0.2	3.16	17	619	0.6	5	0.85	1.3	47	13	22	18	3.94	0.35	14	22	0.44	4695	1	0.06	24	0.09	5	76	0.11	71	134
15	17445	5	0.2	3.49	16	356	0.6	5	0.83	1.0	52	12	32	20	3.15	0.39	16	31	0.46	1319	1	0.06	28	0.08	6	78	0.13	74	97
16	17446	10	0.2	2.99	18	424	0.6	5	1.50	1.3	53	9	34	27	4.07	0.28	15	13	0.44	1132	1	0.05	24	0.11	6	104	0.12	64	94
17	17447	4	0.2	2.93	19	304	0.6	5	1.10	1.4	52	12	38	27	3.11	0.38	15	19	0.46	1792	1	0.05	25	0.10	11	83	0.13	78	135
18	17448	5	0.2	3.15	20	386	0.6	5	0.85	1.0	46	12	45	22	2.74	0.31	15	28	0.42	1824	1	0.05	26	0.08	8	76	0.14	72	94
19	17449	5	0.2	2.58	25	482	0.6	5	1.15	1.9	44	10	29	24	2.83	0.26	14	28	0.42	2622	1	0.04	25	0.09	7	91	0.11	64	164
20	17450 silt TAHL	5	0.2	3.38	23	411	0.7	5	0.69	1.2	44	14	33	29	3.58	0.36	15	19	0.47	1797	1	0.05	25	0.10	14	62	0.13	84	146
21	17401 cr NIC	5	0.2	4.95	13	626	0.9	6	3.29	1.5	68	34	86	203	5.74	2.02	15	14	3.14	1137	5	0.06	91	0.12	9	112	0.42	232	177
22	17402	5	0.2	4.95	16	287	0.9	5	5.09	0.4	71	23	42	168	4.42	1.57	11	8	0.87	615	2	0.22	39	0.08	2	106	0.26	145	40
23	17403	5	0.2	2.64	3	366	0.2	5	0.91	0.2	47	13	47	26	3.80	0.97	14	11	0.85	264	1	0.11	10	0.08	2	117	0.21	83	36
24	17404	5	0.2	5.18	2	649	0.4	5	0.50	0.4	47	11	23	29	3.07	1.73	16	9	0.55	128	1	0.25	10	0.06	3	112	0.06	83	30
25	17405	5	0.2	2.73	7	137	0.3	5	1.46	1.0	58	15	56	36	3.59	0.30	15	17	1.26	866	1	0.15	11	0.08	28	193	0.13	100	204
26	17406	5	0.2	4.16	5	396	0.3	5	0.57	0.2	35	12	20	28	2.65	1.54	13	8	0.60	203	1	0.13	10	0.04	5	99	0.09	63	35
27	17407	5	0.2	6.65	4	714	0.6	5	2.26	0.4	66	19	22	25	3.59	1.88	16	33	1.18	431	1	0.16	21	0.11	3	203	0.28	152	59
28	17408	5	0.2	2.42	8	77	0.4	5	2.60	0.4	71	3	110	12	2.40	0.24	17	6	0.39	526	1	0.09	4	0.09	5	281	0.37	70	26
29	17409	5	0.2	2.33	9	177	0.3	5	1.82	0.2	59	13	100	42	4.25	0.49	17	6	0.37	244	2	0.15	10	0.07	5	121	0.23	67	23
30	17410	5	0.2	1.58	9	233	0.3	5	1.07	0.4	48	13	64	25	2.42	0.29	14	7	0.62	370	1	0.13	11	0.03	2	95	0.11	69	65
31	17411	5	0.2	2.14	10	305	0.3	5	1.38	0.4	57	13	78	24	3.73	0.63	14	9	0.77	517	1	0.11	12	0.09	2	116	0.25	88	54
32	17412	15	0.2	3.51	8	574	0.3	5	1.41	0.5	62	10	42	18	3.40	1.14	17	9	0.93	468	1	0.16	9	0.08	2	162	0.20	120	47
33	17413	5	0.2	4.23	5	20	0.3	5	3.85	0.8	64	10	86	14	3.63	0.18	11	10	1.56	686	1	0.10	23	0.11	2	328	0.39	159	78
34	17414	5	0.2	3.94	6	808	0.3	5	0.82	0.4	47	12	40	50	2.50	1.51	14	12	1.11	455	1	0.14	11	0.09	2	102	0.09	68	83
35	17415	5	0.2	0.68	2	14	0.2	5	0.95	0.7	51	16	107	39	3.05	0.09	11	3	0.66	458	1	0.18	30	0.04	2	12	0.27	99	65
39	17416	5	0.2	3.54	4	236	0.5	5	1.91	1.0	73	30	108	75	6.70	1.35	18	21	2.17	1092	8	0.21	62	0.12	2	78	0.69	200	98
41	17417 cr NIC	5	0.2	5.54	12	29	0.5	5	5.42	0.9	69	33	90	53	4.97	0.07	16	9	2.06	545	1	0.08	67	0.11	2	282	0.60	181	67


LEGEND
SCALE 1:50000
AREA PROSPECTED
(MAT PROJECT)
ALL ROCKS - VOLCANIC
Jinx
Road
LAKE
CAMP
Boundary

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see sectin 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 PO57

LOCATION/COMMODITIES
Project Area (as listed in Part A) Whitt Minfile # if applicable nil
Location of Project Area NTS 92N 14/W Lat 51 59' Long 125 18'
Description of Location and Access 4 km South of McClinchy Lake. Approx 43.5 km South of Nimpo Lake by helicopter.

Main Commodities Searched For Au, Cu, & Ag.

Known Minerial Occurrences in Project Area None

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil
Commodities Claim Name
Location (show on map) Lat Long Elevation
Best assay/sample type

Descrition of mineralization, host rocks, anomalies - A further follow-up to 1994 made in sampling additional areas of the existing gossan on the South and West sides of Whitt #2. No higher numbers of Au. assays could be obtained. Please note the variance of Min-En-Lab & Noranda Lab assays of re-run on samples #43925 #43927 and 2199.

Supporting data must be submitted with this TECHNICAL REPORT.


CLIN #1
WHITT #1
SAMPLES 44101 – 44105 TAKEN HERE
92N 14W – QUESNEL STAKING MAP
RANGE 2 COAST LAND DISTRICT
43936
43937
43938
43930
43931
43932
43933
43934
43925
43927
43924
43928
43935
43929
13162
13161
13164
13165
13163
RECEIVED
JAN 25 1996
PROSPECTORS' PROGRAM
MEMPR
INDEX REF
SAMPLES – 1994
44108 – 44105 Incl
44119 – 44121 "
SAMPLES – 1995
43925 – 43938 Incl
13161 – 13145 "
SCALE = ½ Mile = 1 inch
5769424
(2)

WHITT

COMP: MR RALPH KEEFE / TECK CORP
PROJ: WHITT
ATTN: RALPH KEEFE

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 58-0122-RJ
DATE: 95/09/1
* rock * (ACT:F31

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
43925 WHITT	1.6	1.34	1	53	1.5	1	.09	.1	39	67	906	8.88	6	.10	6	.10	126	50	.02	29	460	87	1	12	56	1	.01	1	15.0	1	28	84
43926 "	.9	1.28	1	39	1.1	7	.21	.1	22	51	75	5.47	3	.04	8	.58	248	2	.04	19	280	64	1	12	27	1	.01	1	61.5	1	42	15
43927 "	.8	1.38	1	49	1.6	1	.11	.1	59	83	461	8.62	4	.15	7	.14	265	26	.02	29	220	68	1	12	38	1	.01	1	53.7	1	42	15
43928 "	.1	.51	1	16	.3	1	.10	.1	2	101	21	1.12	1	.06	5	.56	134	3	.03	4	90	9	1	1	1	1	.01	1	19.6	1	15	5
43929 "	1.3	.66	1	64	1.8	14	.52	.1	28	87	283	10.85	7	.09	3	.20	236	7	.02	26	300	92	1	14	124	1	.11	1	120.7	1	43	17
43930 "	1.2	.99	1	67	1.0	1	.10	.1	13	60	318	5.36	5	.11	4	.04	102	35	.03	15	120	62	1	6	19	1	.01	1	21.0	1	18	20
43931 "	1.1	.36	1	55	.7	1	.07	.1	5	27	257	3.09	2	.15	1	.02	1	9	.02	8	170	35	1	3	6	1	.01	1	10.0	1	8	27
43932 "	.8	1.15	1	42	1.1	4	.52	.1	13	62	105	4.80	4	.07	8	.67	279	122	.04	17	510	32	1	3	24	1	.04	1	37.8	1	51	18
43933 "	1.0	2.21	1	52	1.7	2	.18	.1	11	76	232	6.96	3	.10	12	1.64	594	11	.02	21	30	47	1	6	1	1	.01	1	90.8	1	66	28
43934 "	1.0	3.55	1	88	1.5	9	1.22	.1	23	62	92	5.41	1	.28	24	3.56	1739	1	.18	12	570	6	1	7	1	1	.10	1	195.9	1	125	10
43935	2.0	2.38	1	81	1.3	10	.82	.1	39	62	165	5.51	1	.29	13	2.13	1316	10	.06	15	280	33	1	6	1	1	.13	1	140.3	1	124	25
43935 A	2.4	1.70	1	57	1.6	3	.24	.1	27	50	561	7.33	4	.13	10	1.36	754	17	.02	18	220	55	1	8	6	1	.17	1	162.4	1	81	19
43936	1.3	1.70	1	49	1.2	15	.54	.1	19	61	107	5.44	3	.06	11	1.53	792	4	.03	17	550	29	1	6	1	1	.15	1	151.0	2	92	12
43937	2.9	2.44	1	63	2.0	1	.43	.1	50	68	1160	10.56	5	.23	15	1.47	1129	18	.02	29	680	79	1	15	22	1	.10	1	176.1	1	143	14
43938	2.3	2.17	1	67	1.9	1	.20	.1	32	61	817	10.62	7	.23	13	.93	389	6	.02	29	120	77	1	13	16	1	.09	1	159.2	1	78	11
13161	2.1	1.41	1	78	1.4	1	.44	.1	41	83	1899	7.57	6	.18	4	.35	353	9	.04	23	80	68	1	8	22	1	.10	1	132.8	4	62	36
13162	2.7	1.30	1	72	1.5	1	.35	.1	28	62	2861	7.84	6	.22	7	.59	287	44	.04	26	90	71	1	9	12	1	.11	1	98.4	2	48	31
13163	.1	.55	1	79	.7	5	3.95	.1	14	70	155	3.61	1	.08	3	.64	1449	9	.02	13	90	33	1	4	46	1	.05	1	25.8	3	62	4
13164	4.0	1.10	1	71	1.3	1	.12	.1	48	96	2416	6.58	5	.17	3	.32	284	282	.02	22	60	62	1	8	1	1	.09	1	41.5	3	44	26
13165	4.1	4.42	1	104	2.8	1	.47	.1	57	90	1457	14.57	9	.99	25	2.50	1023	1	.03	43	70	87	1	18	1	1	.49	1	224.7	1	137	11

Nov 8/95

NORANDA DELTA LABORATORY

Geochemical Analysis

Project Name & No.: BC GENEX – 127 (HEMLO) Geol.: R.R.K. Date received: NOV. 08 LAB CODE: 9511–003

Material: 2 Silt & 19 Rx Sheet: 1 of 1 Date completed: NOV. 15

Remarks: * Sample screened @ –35 MESH (0.5 mm)

= Organic, ∆ Humus, § Sulfide

Au – silt & soil, 15.0 g sample digested with aqua–regia and determined by A.A. (D.L. 2 PPB); Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP – 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 203 °C for 4 hours diluted to 10 ml with water. Leeman PS1000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Ca, La, Li, Ga are rarely dissolved completely from geological materials with this mild dissolution method.

T.T. No.	SAMPLE No.		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	SILT	2201 slt	6	0.2	5.96	5	1.2	1.2	5	1.05	0.5	52	13	39	29	5.28	0.47	19	0.2	0.68	2617	1	0.08	32	0.14	2	109	0.17	111	208
4	"	2202 slt	10	0.2	4.76	4	1.0	1.0	5	0.93	0.5	56	9	44	48	3.65	0.45	21	0.2	0.57	735	1	0.07	28	0.11	2	99	0.18	91	154
5	Rock	2189 rx	5	0.2	3.21	11	1.2	1.2	5	5.99	0.5	58	12	23	96	4.19	0.86	10	0.2	0.88	670	1	0.07	7	0.20	10	1166	0.19	135	93
6	"	2190	5	0.2	4.46	22	1.6	1.6	5	5.71	0.5	84	21	34	98	5.48	1.35	20	0.2	1.56	818	1	0.06	19	0.26	14	706	0.43	233	93
7	"	2191	5	0.2	1.58	2	0.3	0.3	5	0.21	0.5	46	2	58	32	1.42	0.75	17	0.2	0.21	50	1	0.08	2	0.02	2	27	0.06	9	6
8	"	2192	5	0.2	0.91	6	0.3	0.3	5	0.85	0.5	47	11	48	64	2.43	0.10	17	0.2	0.81	314	1	0.07	10	0.11	11	29	0.13	50	76
9	"	2193	10	0.2	1.51	2	0.3	0.3	5	0.40	0.5	40	2	62	32	1.43	0.68	17	0.2	0.24	84	1	0.07	2	0.03	2	17	0.06	12	24
10	"	2194	5	0.2	3.85	13	1.1	1.1	5	4.85	0.5	95	30	46	98	6.09	1.25	36	0.2	3.01	879	1	0.13	38	0.24	6	294	0.43	204	93
12	"	2195	10	0.2	3.29	13	0.8	0.8	5	3.44	0.5	57	28	58	72	6.36	0.75	13	0.2	2.94	827	1	0.13	47	0.12	6	120	0.26	187	93
13	"	2196	15	0.2	3.10	14	0.9	0.9	5	1.08	0.5	59	18	169	98	4.39	1.27	10	0.2	0.53	910	1	0.04	25	0.11	3	17	0.11	156	93
14	"	2197	5	0.2	0.20	2	0.2	0.2	5	0.05	0.5	5	1	175	2	0.44	0.05	2	0.2	0.11	73	1	0.01	3	0.01	2	4	0.01	13	2
15	"	2198	5	0.2	5.18	15	0.8	0.8	5	5.05	0.5	79	29	43	98	5.81	1.26	21	0.2	2.13	723	1	0.07	40	0.24	14	443	0.51	231	93
17	"	2199	65	0.2	9.41	15	0.7	0.7	5	0.22	0.5	64	39	13	98	11.60	2.00	28	0.2	0.19	222	1	0.65	21	0.08	14	241	0.05	180	93
19	"	2200	5	0.2	4.40	29	0.8	0.8	5	5.68	0.5	69	47	149	98	6.66	0.18	16	0.2	6.17	938	1	0.13	163	0.21	2	170	0.32	150	93
21	"	2203	5	0.2	0.87	63	0.2	0.2	5	0.15	0.5	23	2	69	98	4.57	0.26	12	0.2	0.16	70	1	0.07	6	0.13	2	119	0.34	96	93
22		43924	10	0.2	6.67	4	0.9	0.9	5	4.23	0.5	49	25	13	98	6.30	2.59	14	0.2	1.83	1005	1	0.06	10	0.11	2	106	0.07	196	93
23	A	43924 A	400	2.0	10.23	8	0.3	0.3	5	0.21	0.5	30	29	7	98	8.03	2.48	15	0.2	0.11	183	1	0.66	13	0.08	2	252	0.04	273	93
25		43925	45	0.2	11.14	2	0.4	0.4	5	0.24	0.5	45	13	5	98	6.79	2.85	21	0.2	0.07	106	1	0.79	7	0.08	8	305	0.04	299	93
26		43927	20	0.2	7.05	29	0.9	0.9	5	0.09	0.5	68	23	12	98	8.95	2.08	31	0.2	1.54	642	1	0.15	7	0.07	11	25	0.07	189	93
27		43939	15	0.2	4.17	14	0.4	0.4	5	3.59	0.5	47	20	35	98	5.67	0.19	9	0.2	2.52	956	1	0.14	19	0.08	6	88	0.34	185	93
28		43942 rx	10	0.2	3.07	12	0.3	0.3	5	1.18	0.5	35	16	52	96	5.42	0.48	8	0.2	0.99	586	1	0.10	7	0.06	2	55	0.08	79	93

DBV Raw Data – No Sample Shown

Silt BKF

Station – 77

" 78

" 82

" 83

" 85

" 86

" 86½

" 87

" 88

" 89

R.C.

Re-Run ... Insuff.

Small Coconut in Bag

S.L. Type

Clint

"

Lunnitt

"

Mc.

Mc

Re Runs

Done previous Min-En-Lab

JAN 25 1996

14/11 GN RK

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT
- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 & 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name Shawn Turford Reference Number 95/96 P057

LOCATION/COMMODITIES

Project Area (as listed in Part A) Sally Minfile # if applicable nil
Location of Project Area NTS 93E/3E Lat 53 13' Long 127 02'
Description of Location and Access - Salahagen Lake, access by float aircraft from Francois Lake.

Main Commodities Searched For Cu. Au. Ag. Epithermal.

Known Mineral Occurrences in Project Area - Au. Cu. Mo. , close by - Phelps - Dodge - Haven Lk.

WORK PERFORMED
1. Conventional Prospecting (area) & silting of creeks.
2. Geological Mapping (hectares/scale)
3. Geochemical (type and no. of samples)
4. Geophysical (type and line km)
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any) nil that could be correlated

Commodities Claim Name No staking

Location (show on map) Lat Long Elevation
Best assay/sample type

Description of mineralization, host rocks, anomalies : High grade float in slide area - origin could not be located. Did not relate to surrounding host rock (sample # 12832) Float rock believed epithermal vein structure in origin. No significant values indicated in silts.

Supporting data must be submitted with this TECHNICAL REPORT.


627264
127°00'00"
53°15'00"
MT. KASTBERG
12828
12829
12830
12827
12826
12825
12824
12831
12832
Cosgrove L.
TWEEDSMUIR PARK
MINERAL & PLACER RESERVE
396, 16-2-60
RELEASE REQUIRED
OMINECA MINING DIVISION
SKEENA MINING DIVISION
B.C. 1938
Salahagen Lake
101
105
MT. COSGROVE
SMABY 1
9273(4)
SMABY 2
9274(4)
55x46
SMABY 3
323556
26X66
SMABY 4
323557
3NX66
SMABY 5
323558
36X66
224140
224141
225600
225599
232103
TWEEDSMUIR
PARK
SORE
THUMB
PK.
589886
JAN 25 1996
PROSPECTORS PROGRAM
MEMBER

57

JAN 25 1996

PROSPECTING ... BRANCH

NORANDA DELTA LABORATORY
Geochemical Analysis

Project Name & No.: BCGENEX - 127 (HEMLO) **Geol.:** R.K. **Date received:** SEP. 06 **LAB CODE:** 9509-012
Material: 35 Silts, 20 Rx **Sheet:** 1 of 2 **Date completed:** SEP. 11
Remarks: * Sample screened @ -35 MESH (0.5 mm); ≈ Organic, A Humus, S Sulfide. Au - silt & soil, 15.0 g sample digested with aqua-regia and determined by A.A. (D.L. 2 PPB) Rx, 10.0 g/AR/AA (DL 5 PPB)

ICP - 0.2 g sample digested with 3 ml $HClO_4/HNO_3$ (4:1) at 200 °C for 4 hours diluted to 10 ml with water. Leeman PS3000 ICP determined elemental contents.

N.B. The major oxide elements and Ba, Be, Cr, La, Li, Ga are rarely dissolved completely from geological materials with this acid dissolution method.

Ba=Babine Ho=HOLM Si=SIB Sa=Selahagen

T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
3	Silt 2177 Ba	2	0.2	5.11	2	415	0.9	5	0.30	0.2	29	11	45	27	3.44	0.71	15	29	0.57	607	1	0.15	37	0.08	9	78	0.16	95	108
4	12824 Ho	2	0.2	4.42	2	361	1.2	5	0.76	0.5	54	14	12	65	4.03	1.28	19	22	0.94	1678	2	0.05	16	0.11	11	76	0.12	58	127
5	12825	2	0.2	2.97	11	228	0.8	5	0.92	0.6	50	11	21	44	4.23	0.66	17	14	0.90	1197	2	0.07	13	0.09	5	69	0.22	97	120
6	12826	2	0.2	2.33	2	111	0.6	5	1.05	0.8	49	14	69	52	3.79	0.36	18	15	1.50	946	1	0.06	42	0.10	7	63	0.25	96	118
7	12827	2	0.2	3.29	3	347	1.0	5	0.77	0.5	40	13	14	38	4.70	0.84	16	15	1.13	1467	1	0.05	13	0.11	6	99	0.18	116	156
8	12828	2	0.4	2.54	2	102	0.6	5	1.56	1.3	59	13	25	63	4.54	0.38	22	14	1.05	1279	1	0.06	15	0.09	14	96	0.25	107	207
9	12829 Ho	4	0.2	2.40	3	268	0.9	5	1.24	1.6	55	12	26	53	3.52	0.36	27	13	0.83	1752	2	0.04	17	0.14	60	68	0.19	79	162
10	44083 * Si	2	0.2	2.70	4	234	0.5	5	1.14	0.7	47	15	22	27	5.43	0.21	16	14	0.51	2047	1	0.04	12	0.15	5	39	0.10	93	84
11	44084 *	2	0.2	2.45	4	119	0.5	5	0.97	0.2	38	9	17	25	3.52	0.29	12	17	0.58	1116	1	0.04	11	0.10	5	51	0.13	78	79
12	44085	2	0.2	3.26	6	168	0.6	5	0.82	0.2	46	12	18	26	3.69	0.39	16	18	0.58	1702	1	0.06	12	0.08	8	61	0.15	84	93
13	44086	2	0.2	3.68	2	203	0.6	5	0.78	0.4	46	13	23	25	2.97	0.31	17	21	0.61	1358	1	0.05	14	0.11	14	52	0.17	81	122
14	44087	2	0.2	2.77	3	136	0.7	5	1.33	0.4	56	9	21	20	4.97	0.16	25	17	0.38	2171	1	0.03	8	0.19	4	56	0.11	77	108
15	44088	2	0.2	3.04	4	175	0.6	5	0.95	0.3	54	13	28	24	4.07	0.24	18	16	0.55	1810	1	0.05	13	0.13	8	58	0.14	87	113
16	44188	2	0.2	3.34	8	223	0.5	5	0.85	0.2	46	11	23	152	5.47	0.64	16	15	0.77	1554	26	0.07	14	0.09	17	75	0.17	117	121
17	44189	4	0.2	3.24	8	188	0.6	5	0.74	0.3	45	11	20	109	4.04	0.53	16	17	0.74	914	17	0.07	13	0.08	23	56	0.17	101	140
18	44190 Si	2	0.2	3.94	2	237	0.6	5	0.91	0.5	47	17	25	68	4.50	0.53	17	22	0.77	2067	4	0.09	16	0.10	17	68	0.15	111	135
19	12812 Sa	2	0.2	3.79	2	233	0.7	5	1.39	0.2	42	13	29	31	4.10	0.42	15	18	0.94	880	1	0.06	23	0.07	4	96	0.22	105	95
20	12814	2	0.2	3.43	2	193	0.6	5	1.00	0.3	42	14	27	27	3.76	0.35	15	24	0.73	1528	1	0.06	20	0.09	5	89	0.20	99	92
21	12815	2	0.2	3.67	2	178	0.7	5	0.61	0.2	40	15	29	19	3.87	0.25	14	43	0.68	1452	1	0.04	20	0.12	5	54	0.17	93	120
22	12816	2	0.2	3.27	2	206	0.7	5	0.79	0.2	44	9	54	25	3.12	0.32	19	23	0.61	467	1	0.05	21	0.10	4	78	0.19	82	87
23	12817	4	0.2	3.16	2	213	0.7	5	0.78	0.2	47	11	60	25	3.41	0.43	19	22	0.64	625	1	0.05	25	0.07	4	78	0.16	92	80
24	12818	2	0.2	3.00	2	208	0.7	5	0.75	0.2	47	12	61	22	3.45	0.38	18	21	0.62	757	1	0.05	24	0.07	5	83	0.19	92	82
25	12819	2	0.2	2.96	2	207	0.7	5	0.77	0.2	47	12	58	23	3.37	0.40	18	22	0.63	737	1	0.05	24	0.07	5	81	0.18	90	80
26	12820	2	0.2	2.78	2	177	0.6	5	0.65	0.2	42	11	45	23	3.47	0.37	15	19	0.62	646	1	0.05	21	0.07	3	79	0.15	92	76
27	12821	2	0.2	2.99	2	193	0.6	5	0.53	0.2	47	11	46	25	3.52	0.40	17	20	0.69	636	1	0.07	22	0.07	5	78	0.20	94	78
28	44191	2	0.2	3.44	2	200	0.7	5	1.17	0.2	47	13	36	21	4.14	0.41	18	23	0.80	874	1	0.07	22	0.08	15	101	0.23	109	89
29	44192	2	0.2	2.75	2	191	0.6	5	0.69	0.2	41	11	41	20	3.11	0.38	16	20	0.64	639	1	0.06	23	0.06	5	72	0.17	81	72
30	44193	2	0.2	4.19	2	221	0.7	5	0.68	0.2	43	12	49	25	3.66	0.54	17	28	0.71	827	1	0.05	19	0.07	3	66	0.17	92	89
31	44194	2	0.2	3.23	2	227	0.6	5	0.87	0.2	28	12	49	25	3.37	0.32	13	22	0.60	1368	1	0.05	19	0.06	2	81	0.18	81	82
32	44195	2	0.2	3.80	2	248	0.7	5	0.89	0.2	32	11	40	27	3.74	0.25	16	26	0.60	826	1	0.05	20	0.09	2	78	0.18	84	93
33	44196	2	0.2	3.62	2	222	0.6	5	1.31	0.2	26	13	23	28	4.31	0.38	12	26	0.92	915	1	0.06	19	0.07	2	86	0.21	102	89
34	44197	2	0.2	4.27	2	322	0.7	5	1.05	0.3	38	11	44	40	3.58	0.29	21	28	0.72	1238	1	0.05	25	0.10	3	76	0.18	95	87
35	44198	2	0.2	3.95	2	256	0.7	5	1.40	0.2	30	13	29	34	3.91	0.48	15	23	0.96	706	1	0.06	25	0.07	3	115	0.22	101	91
36	44199	2	0.2	3.43	2	224	0.7	5	0.83	0.2	26	11	32	23	3.53	0.46	14	23	0.83	518	1	0.05	27	0.07	3	60	0.19	91	91
37	silt 44200 Sa	4	0.2	4.05	2	277	0.7	5	1.19	0.2	26	11	47	36	3.54	0.41	16	31	0.87	585	1	0.05	25	0.08	4	71	0.20	103	100

BABINE

SELAHAGEN SILLS SILTS

SIB SILTS

SIB SILTS

HOLM SILT

HOLM SILT

25/4 ... SB

10-12-95 00:45 604 940 0855 NORANDA DELTA 02

	T.T. No.	SAMPLE No.	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P %	Pb ppm	Sr ppm	Ti %	V ppm	Zn ppm
Double R	38	cx 2176 Ba	5	0.2	6.65	44	106	0.8	5	2.75	0.3	64	14	31	693	3.06	0.25	21	26	1.07	355	94	0.03	35	0.13	2	317	0.09	92	58
ROAD - EAST BIR	39	12840	265	0.8	2.06	2	285	0.5	5	0.48	0.4	34	8	81	12000	4.37	0.81	16	6	0.71	162	74	0.05	20	0.07	2	21	0.15	102	41
PYRITE (SILICIFIED)	40	44089	5	0.2	0.15	28	19	0.2	5	0.02	0.2	10	4	113	381	10.92	0.05	3	1	0.02	39	1	0.02	4	0.02	2	24	0.05	13	16
CHLORITE H	41	44090	20	0.2	5.60	6	127	0.6	5	1.83	0.2	52	15	44	88	3.88	0.31	19	18	0.87	572	1	0.06	26	0.11	5	67	0.14	94	65
TOCHA - E	42	44091	5	0.2	7.22	2	718	1.6	5	0.06	0.2	52	7	14	11	3.71	2.76	33	3	0.10	24	1	0.20	3	0.10	6	573	0.04	82	18
"	43	44092	5	0.2	6.74	2	15	0.6	5	6.75	0.2	94	17	36	44	5.46	0.06	27	9	0.72	1499	1	0.23	13	0.09	2	599	0.31	172	46
"	44	44093	5	0.2	4.79	2	33	0.7	5	3.34	0.2	83	16	56	95	2.99	0.06	25	12	1.01	970	1	0.30	13	0.08	2	352	0.33	113	54
"	45	44094	5	0.2	6.34	2	284	1.8	5	0.22	0.2	55	6	15	12	2.03	2.27	30	4	0.69	56	4	0.20	4	0.15	9	650	0.05	89	10
"	46	44095	5	0.2	2.98	6	185	9.8	5	1.62	0.2	83	4	29	15	3.14	0.52	34	15	0.69	416	2	0.15	3	0.13	2	82	0.20	74	38
BASE - BASALT - EPIDOTE	47	44096	5	0.2	4.24	3	66	0.5	5	3.29	0.2	67	53	26	38	7.33	0.24	25	14	1.59	526	1	0.18	25	0.12	2	617	0.59	184	49
" - " "	48	44097 Ba	5	0.2	4.97	2	15	0.7	5	5.10	0.2	64	16	31	67	5.35	0.04	20	11	0.88	624	1	0.19	6	0.08	2	53	0.33	120	125
SPHALERON	51	12830 Ho	15	0.2	1.92	2	374	0.4	5	0.65	0.2	37	130	110	24	9.36	0.81	17	14	0.39	474	1	0.04	13	0.07	2	35	0.13	56	69
SPHALERON	53	12831	5	0.2	1.00	2	226	0.2	5	0.08	0.4	11	14	128	25	1.90	0.50	12	6	0.09	86	1	0.05	5	0.02	2	6	0.03	19	24
"	54	12832 Ho	5	12.4	5.52	12	7	0.7	5	7.92	354.6	68	74	36	2995	11.60	0.04	21	8	0.17	2961	79	0.07	14	0.03	60	257	0.25	94	46000
SIB	55	44082 Si Rock	5	0.2	3.15	37	43	0.7	5	1.64	2.5	47	14	29	43	4.97	0.39	20	42	0.74	854	2	0.12	24	0.10	2	40	0.15	92	280
"	56	44098 "	5	0.2	2.39	4	13	0.6	5	1.73	1.1	54	11	46	46	4.40	0.06	20	24	1.02	565	2	0.15	10	0.07	2	202	0.43	96	80
"	57	44099 "	5	1.0	6.24	13	532	1.3	5	0.08	0.2	33	34	57	113	4.36	2.55	25	6	0.25	64	1	0.11	22	0.05	2	56	0.06	58	31
"	58	44100 Si "	5	0.4	1.50	2	193	0.5	5	1.05	1.0	46	12	56	71	3.16	0.27	20	28	1.45	543	1	0.11	18	0.10	30	30	0.19	88	67
HOLE	59	12822 Si	5	0.2	2.83	2	279	0.8	5	3.61	1.4	67	28	104	72	6.01	0.18	28	37	2.83	1053	3	0.22	70	0.18	2	103	0.31	179	117
"	60	cx 12823 Si	5	0.2	3.16	2	833	0.7	5	1.72	0.9	73	24	22	45	5.33	0.39	34	28	1.91	778	3	0.52	20	0.21	3	377	0.55	178	102