


BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1995/1996

REPORT #: PAP 95-36

NAME: ALLAN BLOMQUIST



REPORT No. 1
Walachin Area

Introduction

The Jaspar Claims consist of six units staked as two post claims. The claims are located one kilometre north of the Trans Canada Highway and one kilometre west of the Walachin turnoff and 22.5 kilometres east of Cache Creek.


The claims are on a gently south facing slope between the Thompson River on the south and the basalt capped Interior Plateau on the north. Elevations on the claim block vary from 500 metres on the south end to 800 metres on the north end. A broad "U" shaped gully (Cabin Gulch) trending north-south runs up the centre of the claims. Two northwest trending tributary "V" shaped gullies with 10-20 metre depths take off from the main gully.

Geology

The Jaspar claims are located within a small window of Triassic Nicola Group volcanics intruded by a north-west trending granitic plug from the northernmost end of the Guichen Batholith of Jurassic Age.

Summary of work carried out in this report

- (a) Prospected area with another prospector in an attempt to locate old reported showing.
- (b) Abandoned and restaked as Cabin and Gulch claims, each consisting of 16 units.
- (c) Optioned claim group to company.



GRID ZONE DESIGNATION
 EASTING
 LONGITUDE
 ESTABLISHED
 NORTH
 LATITUDE
 ESTABLISHED
 GRID REFERENCE
 Near
 La Roche

15
 37
 36
 35
 34
 50'
 32
 31
 30
 29
 Tp 21
 28
 27
 26
 5625000m N.
 24
 50'45'

05'

121°00'

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

16 RE D
JAN 31 1996
PROSPECTORS ASSISTANCE PROGRAM

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLOMQUIST Reference Number 95/96 P076

LOCATION/COMMODITIES

Project Area (as listed in Part A) WALACHIN MINFILE No. if applicable _____

Location of Project Area NTS 92 1/14 Lat 50°47' Long 121°03'

Description of Location and Access 22.5 Km EAST OF CACHE CREEK ON T.C.H. LEFT ON DIRT ROAD FOR 1KM, APPROX. CENTRE OF GULCH CLAIM.

Main Commodities Searched For COPPER, ZINC

Known Mineral Occurrences in Project Area CU, ZN.

WORK PERFORMED

1. Conventional Prospecting (area) 4 DAYS LOOKING FOR ZN ZONE. 40
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) _____
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) 4 DAYS STAKING 32 UNITS
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) 2 DAYS PROSPECTING ADJACENT TO CLAIMS.

SIGNIFICANT RESULTS

Commodities _____ Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____


Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

CLAIM OPTIONED TO B.W.R. RESOURCES.

REPORT No. 2

Venables Lake area



Introduction

The site is accessed by following the T.C.H. 13 km south from the Ashcroft turnoff to the Murray Creek road and follow for 7 km to Venables Lake. The old mine site is accessed through private land on the west side of the lake. From the turnoff on the private road it is approximately 3 kms along the road on the west side of the lake to the turnoff to the old mine road. Then 1 km west to old mine site.

Geology

The site is located in the Permian period of the Paleozoic era and within the Cache Creek Group. The deposit is located in quartz veins within cherts and argillites. The quartz carries the mineralization along small fractures.

Summary of work carried out.

- (a) Prospected around the old mine site and took what appeared to be good samples, however nothing of any significance showed up.
- (b) Prospected along recently constructed logging roads above the old mine site, outcrops encountered were basalts and limestone and no mineralization was noted.
- (c) Prospected along approximately 9 kms of logging road and on numerous cut blocks.

50°35'

TWAAL
LAKE

VENABLES
LAKE

ROADS AND
CUT BLOCKS
PROSPECTED

↑
ACCESS
ROAD


←
ACCESS
ROAD

*
OLD MINE
SITE
LOCN OF
SAMPLE
MM #1

HIGHWAY ①

THOMPSON RIVER

OLD CARIBBO HIGHWAY



76
JAN 8 1 1996
PROSPECTING PROGRAM

SCALE
1:50,000
MAP 92 1/11

12/025

17-Oct-85

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557


MR. ALAN BLOMQUIST AK 95-928
BOX 1062
ASHCROFT, BC
V0K 1A0

17 Soil samples received Oct. 5, 1985
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	S.B. #1	<5	<2	2.01	<5	200	10	1.41	<1	16	31	27	4.25	<10	0.91	664	<1	0.05	24	1110	12	<5	<20	194	0.07	<10	100	<10	14	69
2	S.B. #2	<5	<2	1.83	<5	155	<5	1.11	<1	19	33	33	4.09	<10	0.93	1108	<1	0.04	29	890	10	<5	<20	120	0.11	<10	95	<10	9	54
3	S.B. #3	<5	<2	2.20	<5	125	5	1.48	<1	22	38	28	4.05	<10	1.23	705	<1	0.07	40	1150	12	5	<20	216	0.20	<10	106	<10	7	57
4	S.B. #4	<5	<2	2.20	<5	130	5	1.63	<1	21	32	32	4.05	<10	1.30	610	<1	0.06	40	1110	12	<5	<20	210	0.20	<10	102	<10	8	54
5	S.B. #5	<5	<2	2.35	<5	100	10	1.75	<1	21	39	33	4.39	<10	1.24	641	<1	0.06	38	1030	12	<5	<20	214	0.19	<10	126	<10	6	53
6	S.B. #6	<5	<2	2.64	<5	90	10	1.92	<1	22	40	38	3.95	<10	1.24	501	<1	0.05	34	920	12	5	<20	186	0.25	<10	118	<10	6	51
7	S.B. #7	<5	<2	3.02	<5	55	<5	2.20	<1	17	25	31	3.60	<10	1.22	616	<1	0.05	25	830	14	<5	<20	169	0.15	<10	84	<10	4	58
8	S.B. #8	<5	<2	2.66	<5	100	10	2.00	<1	20	33	35	4.13	<10	1.31	672	<1	0.06	33	1040	10	<5	<20	190	0.20	<10	111	<10	6	58
9	SEDIMENTS F.N. #1	<5	<2	0.89	<5	85	5	0.71	<1	9	23	12	3.26	<10	0.44	258	<1	0.01	13	740	4	<5	<20	55	0.08	<10	68	<10	1	28
10	SEDIMENTS F.N. #2	<5	<2	1.16	<5	115	5	0.64	<1	11	22	19	3.53	10	0.43	291	<1	0.01	12	1280	6	<5	<20	40	0.08	<10	74	<10	3	29
11	SEDIMENTS F.N. #3-6.7	<5	<2	2.04	<5	185	5	0.71	<1	13	18	15	3.68	<10	0.58	890	<1	0.01	15	850	12	<5	<20	67	0.10	<10	71	<10	6	37
12	SEDIMENTS F.N. #4	<5	<2	0.98	<5	95	<5	0.52	<1	9	14	15	2.54	<10	0.46	408	<1	<0.01	9	1070	4	<5	<20	44	0.08	<10	52	<10	2	116
13	SEDIMENTS F.N. #5	<5	<2	0.94	<5	85	<5	0.60	<1	9	11	10	1.84	<10	0.47	402	<1	0.01	8	1020	6	<5	<20	40	0.09	<10	38	<10	2	37
14	SEDIMENTS F.N. #5A	<5	<2	0.91	<5	100	<5	0.53	<1	8	16	11	2.59	<10	0.39	284	<1	<0.01	9	780	8	<5	<20	30	0.07	<10	51	<10	1	29
15	SEDIMENTS F.N. #6	<5	<2	1.38	<5	225	5	1.37	<1	12	25	20	3.16	<10	0.68	465	<1	0.01	17	1110	8	<5	<20	49	0.10	<10	62	<10	3	54
16	SEDIMENTS F.N. #7	<5	<2	1.36	<5	195	<5	0.94	<1	11	18	13	2.94	<10	0.57	1177	<1	0.02	12	1310	8	<5	<20	82	0.09	<10	49	<10	1	41
17	M.M. #1	<5	<2	2.28	<5	110	<5	8.32	<1	33	216	73	4.43	<10	3.18	900	<1	0.01	237	1020	2	15	<20	188	0.13	<10	83	<10	2	75

REPORT # 2



BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

16
JAN 31 1996

PROSPECTORS PROGRAM

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLOMQUIST Reference Number 95/96 P076

LOCATION/COMMODITIES

Project Area (as listed in Part A) VENABLES LAKE MINFILE No. if applicable _____

Location of Project Area NTS 921/11 Lat 50°33 Long 121°22

Description of Location and Access 13 Km south of South Ashcroft Access
TURN RIGHT ON VENABLES VALLEY ROAD FOLLOW FOR 7 Km TAKE
ROAD THRU PRIVATE LAND ON WEST SIDE OF LAKE FOR 3 Km.

Main Commodities Searched For MO AU

Known Mineral Occurrences in Project Area MO

WORK PERFORMED

1. Conventional Prospecting (area) 6 DAYS PROSPECTING
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) _____
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities NONE Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

REPORT No. 3


Forest Grove area

Location


Site is located 18 km north of Forest Grove which is located north-east of 100 Mile House and 4 km east of Bedingfield lake.

Summary of work carried out

- (a) Work was a followup on last years results and the assays were not encouraging. Two field days were spent in this area.
- (b) Assay results included.



REG-16-110
JAN 31 1996
PROCESSIONS PROGRAM



28-Sep-95

ECO-TECH LABORATORIES LTD.
 10041 East Trans Canada Highway
 KAMLOOPS, B.C.
 V2C 6T4

Phone: 604-573-5700
 Fax : 604-573-4557

MR. ALAN BLOMQUIST AK 95-833
 BOX 1062
 ASHCROFT, BC
 V0K 1A0

2 Rock samples received September 20, 1995
 PROJECT #: None given
 SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	Sample #1	5	0.4	2.85	<5	65	<5	7.34	<1	51	255	265	8.35	<10	2.49	1451	7	0.01	101	640	6	10	<20	222	0.06	<10	196	<10	5	60	
2	Sample #2	5	<2	2.88	<5	65	<5	7.07	<1	56	283	257	8.49	<10	2.51	1423	5	0.01	104	740	<2	<5	<20	215	0.06	<10	199	<10	3	60	
QC/DATA:																															
<i>Resplit:</i>																															
R/S1	Sample #1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Repeat:																															
1	Sample #1	-	<2	2.84	<5	65	<5	7.29	1	52	254	263	8.27	<10	2.48	1440	6	0.01	100	810	4	<5	<20	222	0.06	<10	194	<10	5	60	
Standard:																															
GEO'85		-	1.2	1.69	70	160	<5	1.74	<1	19	62	80	3.78	<10	0.95	683	<1	0.02	25	620	22	5	<20	55	0.11	<10	78	<10	6	72	

d7/856
 XLS/95KMisc#6

RECEIVED
 16
 JAN 31 1996
 PROGRAM

per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

76 E D

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

JAN 31 1996

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLOMQUIST Reference Number 95/96 P076

LOCATION/COMMODITIES

Project Area (as listed in Part A) FOREST GROVE MINFILE No. if applicable _____

Location of Project Area NTS 092 P14 Lat 51°54 Long 121°05

Description of Location and Access EAST FROM 100 MILE HOUSE TO
FOREST GROVE 18 Km NORTH OF FOREST GROVE
AND 4 Km THROUGH BUSH TO SITE

Main Commodities Searched For AU

Known Mineral Occurrences in Project Area NONE

WORK PERFORMED

1. Conventional Prospecting (area) 2 DAYS PROSPECTING
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) _____
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities NONE Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

REPORT No. 4

Hat Creek area

Location

Numerous sites west of the Hat Creek valley and one in Upper Hat Creek were checked out. These were all recently opened up logging roads. Accessed by taking Highway 97 north from Cache Creek for 10 km then left on highway 12 towards Lillooet for 21 km, then left on Hat Creek road for .6 km then right on Finney Lake road staying on main road and taking left at next junction. Logging road begins soon after Finney Lake.

Geology

Area (a)

This area is host to the Mesozoic mount Lytton Batholith and the Paleozoic Cache Creek Group. There were few outcrops in the area and these were mainly limestone.

Work carried out

1. Prospected along roads and creeks.
2. Sampled all creeks along new roads.


Geology

Area (b)

This area is Mesozoic. Permian, Cache Creek Group. Every outcrop examined was limestone, no mineralization was observed.

Work carried out


1. Examined outcrops.





#1-#6 SAMPLE POINTS
ON SHEET AS SEDIMENTS F.N. #1 to #7

RECEIVED
76
JAN 31 1996
PROSPECTORS PROGRAM



121°45'

50°45'

17-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557


MR. ALAN BLOMQUIST AK 95-928
BOX 1062
ASHCROFT, BC
VOK 1A0

17 Soil samples received Oct. 5, 1995
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	S.B. #1	<5	<2	2.01	<5	200	10	1.41	<1	16	31	27	4.25	<10	0.91	664	<1	0.05	24	1110	12	<5	<20	194	0.07	<10	100	<10	14	69
2	S.B. #2	<5	<2	1.83	<5	155	<5	1.11	<1	19	33	33	4.09	<10	0.93	1108	<1	0.04	29	890	10	<5	<20	120	0.11	<10	95	<10	9	54
3	S.B. #3	<5	<2	2.20	<5	125	5	1.48	<1	22	38	28	4.05	<10	1.23	705	<1	0.07	40	1150	12	5	<20	216	0.20	<10	106	<10	7	57
4	S.B. #4	<5	<2	2.20	<5	130	5	1.63	<1	21	32	32	4.05	<10	1.30	610	<1	0.06	40	1110	12	<5	<20	210	0.20	<10	102	<10	8	54
5	S.B. #5	<5	<2	2.35	<5	100	10	1.75	<1	21	39	33	4.39	<10	1.24	641	<1	0.06	38	1030	12	<5	<20	214	0.19	<10	126	<10	6	53
6	S.B. #6	<5	<2	2.64	<5	90	10	1.92	<1	22	40	38	3.95	<10	1.24	501	<1	0.05	34	920	12	5	<20	186	0.25	<10	116	<10	6	51
7	S.B. #7	<5	<2	3.02	<5	55	<5	2.20	<1	17	25	31	3.60	<10	1.22	616	<1	0.05	25	830	14	<5	<20	169	0.15	<10	84	<10	4	58
8	S.B. #8	<5	<2	2.66	<5	100	10	2.00	<1	20	33	35	4.13	<10	1.31	672	<1	0.06	33	1040	10	<5	<20	190	0.20	<10	111	<10	6	58
9	SEDIMENTS F.N. #1	<5	<2	0.89	<5	85	5	0.71	<1	9	23	12	3.26	<10	0.44	258	<1	0.01	13	740	4	<5	<20	55	0.08	<10	68	<10	1	28
10	SEDIMENTS F.N. #2	<5	<2	1.16	<5	115	5	0.64	<1	11	22	19	3.53	10	0.43	291	<1	0.01	12	1280	6	<5	<20	40	0.09	<10	74	<10	3	29
11	SEDIMENTS F.N. #3 - 6.7	<5	<2	2.04	<5	185	5	0.71	<1	13	18	15	3.68	<10	0.58	890	<1	0.01	15	850	12	<5	<20	67	0.10	<10	71	<10	6	37
12	SEDIMENTS F.N. #4	<5	<2	0.98	<5	95	<5	0.52	<1	9	14	15	2.54	<10	0.46	408	<1	<0.01	9	1070	4	<5	<20	44	0.08	<10	52	<10	2	116
13	SEDIMENTS F.N. #5	<5	<2	0.94	<5	85	<5	0.60	<1	9	11	10	1.84	<10	0.47	402	<1	0.01	8	1020	6	<5	<20	40	0.09	<10	38	<10	2	37
14	SEDIMENTS F.N. #5A	<5	<2	0.91	<5	100	<5	0.53	<1	8	16	11	2.59	<10	0.39	284	<1	<0.01	9	780	6	<5	<20	30	0.07	<10	51	<10	1	29
15	SEDIMENTS F.N. #6	<5	<2	1.38	<5	225	5	1.37	<1	12	25	20	3.16	<10	0.68	465	<1	0.01	17	1110	8	<5	<20	49	0.10	<10	62	<10	3	54
16	SEDIMENTS F.N. #7	<5	<2	1.36	<5	195	<5	0.94	<1	11	18	13	2.94	<10	0.57	1177	<1	0.02	12	1310	8	<5	<20	82	0.09	<10	49	<10	1	41
17	M.M. #1	<5	<2	2.28	<5	110	<5	8.32	<1	33	216	73	4.43	<10	3.18	900	<1	0.01	237	1020	2	15	<20	188	0.13	<10	83	<10	2	75

Report #4



**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

96
JAN 31 1996
PROSPECTORS ASSISTANCE PROGRAM

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLOMQUIST Reference Number 95/96 P076

LOCATION/COMMODITIES

Project Area (as listed in Part A) HAT CREEK MINFILE No. if applicable _____

Location of Project Area NTS 92/1 NW Lat 50°44' Long 121°42'

Description of Location and Access 10 Km N of Cache Cr on Highway 12 for 21 Km LEFT ON HAT CR. ROAD FOR .6 Km. THEN RIGHT ON FINNEY LK. ROAD LEFT AT NEXT JUNCTION, STAYING ON MAIN ROAD.

Main Commodities Searched For CU AU

Known Mineral Occurrences in Project Area _____

WORK PERFORMED

1. Conventional Prospecting (area) 6 DAYS PROSPECTING
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) SEDIMENT SAMPLES (8)
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) _____


SIGNIFICANT RESULTS

Commodities NONE Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____



REPORT NO. 5

Salmon Arm & Wild Rose Bay areas

Introduction

The sites prospected in this area are within the Kootenay Terrane - Adams Lake Belt, Paleozoic and Lower Paleozoic eras. These areas were prospected because they had recently been accessed by new logging roads and had numerous bank cuts.

Area (a)

Salmon Arm , Bastion Mountain

Area is accessed by the Sunnybrae Road 1 km north of Tappen which is west of Salmon Arm on the T.C.H. Follow Sunnybrae road for 6 km then onto Bastion Mountain for 9 km at which point new section of road is found.

Geology

This area is in the Sicamous Formation of the Lower Paleozoic era. Rock exposed in road cuts is assumed to be black phyllite and a schistose type. No mineralization was encountered on the newly exposed road or the 9 km of old logging road.

Area (b)

Wild Rose Bay area

Area is accessed by heading east from Sorrento along the Eagle Bay road for 38 km , then 1.5 km along a logging road then south on new logging road. Approximately 7 km of new road was built in 1995.

Geology

This area is within the Paleozoic Era. Schists and conglomerates were found within the bank cuts. In the vicinity of km 5, over a length of 1 km Quartzite has been exposed. This was evidenced by the pieces of quartzite which had been pushed to the side of the road. The material ranged from coarse grain to very fine grained. Minor mineralization was observed at the sampling points.

Work carried out

1. Prospected along roads and landings.
2. Attempted to find extent of quartzite but found too much overburden. This work will require a small backhoe.
3. Samples were taken from cut banks and results are included.

Recommendations

1. Further examination of the quartzite zone by backhoe.
2. Further work in the area of sample km 6.2.

51°00'

119°15'

SHUSWAP LAKE

EAGLE BAY RD

NEW LOGGING ROAD

LOCATION OF QUARTZITE

WHITE LAKE

RECEIVED
 76
 JAN 31 1996
 PROSPECTORS FIELD CLAM
 (K2-101)

H.I.H.

NEW ROAD

SALMON ARM

TAPPEN

JR SUNNY BAE

SCALE 1:100,000
MAP 824/NW

16-Oct-85

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

A. BLOMQ
BOX 1062
ASHCROFT
VOK 1A0

5 Rock sam
PROJECT 1
SHIPMENT

Values in ppm unless otherwise reported

Report #5

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	S
1	#KM-4.3	5	0.2	0.17	20	25	<5	0.39	<1	9	231	14	1.34	<10	0.09	1165	8	<0.1	18	300	22	<5	60	1
2	#KM-4.8	5	<2	0.09	10	60	<5	0.60	<1	5	282	15	0.89	<10	0.05	91	9	<0.1	17	60	6	<5	60	1
3	#KM-6.2	5	12.6	0.09	<5	70	35	0.37	<1	37	204	116	4.68	<10	0.02	149	147	0.03	23	390	1030	<5	80	4
4	#KM-6.5	5	<2	3.32	<5	520	15	3.06	1	35	142	42	6.42	40	4.42	777	<1	0.24	85	2780	26	15	<20	40
5	#Q-C	5	<2	2.90	<5	330	10	4.40	<1	33	115	30	5.61	20	4.18	626	<1	0.19	98	2420	20	15	<20	32

QC/DATA:

Resplit:

R/S 1	#KM-4.3	5	0.4	0.19	10	25	<5	0.43	<1	10	208	17	1.40	<10	0.11	1201	7	<0.1	19	320	16	<5	40	2
-------	---------	---	-----	------	----	----	----	------	----	----	-----	----	------	-----	------	------	---	------	----	-----	----	----	----	---


Repeat:

1	#KM-4.3	-	0.2	0.18	10	25	<5	0.41	<1	9	227	14	1.34	<10	0.12	1159	8	<0.1	18	300	18	<5	40	11
3	#KM-6.2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Standard:


GEO'85		150	1.2	1.60	60	155	<5	1.81	<1	20	68	83	3.80	<10	0.90	614	<1	0.02	27	630	20	<5	<20	6:
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----

df/916
XLS/95Kmisc.#8



Frank J. Pez
ECO-TECH
Frank J. Pez
B.C. Certificate

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**



B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLUMQUIST Reference Number 95/96 1076

LOCATION/COMMODITIES

Project Area (as listed in Part A) ① SALMON ARM MINFILE No. if applicable _____

Location of Project Area NTS ② WILDROSE BAY Lat ③ 50°48' Long 119°04'
④ 22L NW Lat ⑤ 50°58' Long 119°02'

Description of Location and Access SITE ① WEST FROM SALMON ARM TO TAPPEN 1 KM N.

ALONG T.C.H. TO SUNNY BARE RD. THEN 6 KM LEFT ON BASTION RD. SITE ② EAST

FROM SARGENTO FOR 3.8 KM ALONG EAGLE BAY RD. 1.5 ALONG ROBBING RD. THEN RIGHT.

Main Commodities Searched For CU AU

Known Mineral Occurrences in Project Area NONE

WORK PERFORMED	
1. Conventional Prospecting (area)	<u>4 DAYS PROSPECTING</u>
2. Geological Mapping (hectares/scale)	_____
3. Geochemical (type and no. of samples)	<u>ROCK SAMPLES (5)</u>
4. Geophysical (type and line km)	_____
5. Physical Work (type and amount)	<u>TRENCHING BY HAND</u>
6. Drilling (no., holes, size, depth in m, total m)	_____
7. Other (specify)	_____

SIGNIFICANT RESULTS

Commodities QUARTZITE Pb MO CU AG Claim Name _____

Location (show on map) Lat 50°58' Long 119°02' Elevation 750 m.

Best assay/sample type AG 12.6 ppm CU 116 ppm MO 147 ppm Pb 1030 ppm

Description of mineralization, host rocks, anomalies SCHISTS + CONGLOMERATES

MINERALIZATION MINOR IN SAMPLES

Supporting data must be submitted with this TECHNICAL REPORT

REPORT No. 6

Spences Bridge area

Introduction


This area is accessed by Murray Creek logging road immediately south of Spences Bridge and on the west side of the Thompson River. Follow this road for 20.2 km staying on main road. At that point 10.1 km of new logging road was built in 1994.

Geology

The area prospected is Mesozoic Spences Bridge Group. The area prospected appeared to be mainly basalts and a few agglomerates.

Work carried out

All the outcrops along the 10 km of road were examined and no sign of any mineralization was seen. Sediment samples of all the creeks were taken and results are included. The samples were numbered as S.B. 1 - S.B. 8. Nothing of any significance was noted.



RECEIVED
16
JAN 31 1996
PROSPECTORS PROGRAM
MCPPT



MAP 921/NW

50°30'

MAP 921 SW

30.3 Km.
① #1

② = 2

③
④

⑤

⑥

⑦

⑧ 20.2 Km.

10.5 Km.

SPENCES
BRIDGE

20 Km.


① SAMPLE POINTS
REFERRED TO AS
S.B. #1 TO S.B. #8

SCALE

17-Oct-95

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4657



MR. ALAN BLOMQUIST AK 95-928
BOX 1062
ASHCROFT, BC
VOK 1A0


17 Soil samples received Oct. 5, 1995
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	S.B. #1	<5	<2	2.01	<5	200	10	1.41	<1	16	31	27	4.25	<10	0.91	664	<1	0.05	24	1110	12	<5	<20	194	0.07	<10	100	<10	14	69
2	S.B. #2	<5	<2	1.83	<5	155	<5	1.11	<1	19	33	33	4.09	<10	0.93	1108	<1	0.04	29	890	10	<5	<20	120	0.11	<10	95	<10	9	54
3	S.B. #3	<5	<2	2.20	<5	125	5	1.48	<1	22	38	28	4.05	<10	1.23	705	<1	0.07	40	1150	12	5	<20	216	0.20	<10	106	<10	7	57
4	S.B. #4	<5	<2	2.20	<5	130	5	1.63	<1	21	32	32	4.05	<10	1.30	610	<1	0.06	40	1110	12	<5	<20	210	0.20	<10	102	<10	8	54
5	S.B. #5	<5	<2	2.35	<5	100	10	1.75	<1	21	39	33	4.39	<10	1.24	641	<1	0.05	38	1030	12	<5	<20	214	0.19	<10	126	<10	8	53
6	S.B. #6	<5	<2	2.64	<5	90	10	1.92	<1	22	40	38	3.95	<10	1.24	501	<1	0.05	34	920	12	5	<20	186	0.25	<10	116	<10	6	51
7	S.B. #7	<5	<2	3.02	<5	55	<5	2.20	<1	17	25	31	3.60	<10	1.22	616	<1	0.05	25	830	14	<5	<20	169	0.15	<10	84	<10	4	58
8	S.B. #8	<5	<2	2.66	<5	100	10	2.00	<1	20	33	35	4.13	<10	1.31	672	<1	0.06	33	1040	10	<5	<20	190	0.20	<10	111	<10	6	58
9	SEDIMENTS F.N. #1	<5	<2	0.89	<5	85	5	0.71	<1	9	23	12	3.26	<10	0.44	258	<1	0.01	13	740	4	<5	<20	55	0.08	<10	68	<10	1	28
10	SEDIMENTS F.N. #2	<5	<2	1.16	<5	115	5	0.64	<1	11	22	19	3.53	<10	0.43	291	<1	0.01	12	1280	6	<5	<20	40	0.09	<10	74	<10	3	29
11	SEDIMENTS F.N. #3 - 6.7	<5	<2	2.04	<5	185	5	0.71	<1	13	18	15	3.66	<10	0.58	890	<1	0.01	15	850	12	<5	<20	67	0.10	<10	71	<10	8	37
12	SEDIMENTS F.N. #4	<5	<2	0.98	<5	95	<5	0.52	<1	9	14	15	2.54	<10	0.46	408	<1	<0.01	9	1070	4	<5	<20	44	0.08	<10	52	<10	2	116
13	SEDIMENTS F.N. #5	<5	<2	0.94	<5	85	<5	0.60	<1	9	11	10	1.94	<10	0.47	402	<1	0.01	8	1020	6	<5	<20	40	0.09	<10	38	<10	2	37
14	SEDIMENTS F.N. #5A	<5	<2	0.91	<5	100	<5	0.53	<1	8	16	11	2.59	<10	0.39	284	<1	<0.01	9	780	6	<5	<20	30	0.07	<10	51	<10	1	29
15	SEDIMENTS F.N. #6	<5	<2	1.38	<5	225	5	1.37	<1	12	25	20	3.16	<10	0.68	465	<1	0.01	17	1110	8	<5	<20	49	0.10	<10	62	<10	3	54
16	SEDIMENTS F.N. #7	<5	<2	1.36	<5	195	<5	0.94	<1	11	18	13	2.94	<10	0.57	1177	<1	0.02	12	1310	8	<5	<20	82	0.09	<10	49	<10	1	41
17	M.M. #1	<5	<2	2.28	<5	110	<5	8.32	<1	33	216	73	4.43	<10	3.18	900	<1	0.01	237	1020	2	15	<20	188	0.13	<10	83	<10	2	75

REPORT #6

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)



B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ALLAN BLOMQUIST Reference Number 95/96 P076

LOCATION/COMMODITIES

Project Area (as listed in Part A) SPENCES BRIDGE MINFILE No. if applicable _____

Location of Project Area NTS 921SW Lat 50°33 Long 121°26

Description of Location and Access MURRAY CR. LOGGING RD. IMMEDIATELY SOUTH OF SPENCES BRIDGE, FOLLOW FOR 2.02 KM STAYING ON MAIN RD. AT THAT POINT 10.1 KM OF NEW LOGGING RD.

Main Commodities Searched For AU CU

Known Mineral Occurrences in Project Area _____

WORK PERFORMED

1. Conventional Prospecting (area) 3 DAYS PROSPECTING
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) SEDIMENT SAMPLES (8)
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities ~~AU~~ NONE Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____