

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1995/1996

REPORT #: PAP 95-38

NAME: FRED NILSEN

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

RECEIVED
81
JAN 18 1996
PROSPECTORS PROGRAM
RECEIVED

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Fred J. Nilsen. Reference Number 95 /96 P081

LOCATION/COMMODITIES

Project Area (as listed in Part A.) Area #3 Minfile No. if applicable _____

Location of Project Area NTS Many diferent areas. Lat _____ Long _____

Description of Location and Access These are recently logged areas or new road constuction that I have prospected this year, I will enclose maps showing all areas looked at, two of them are out of district but hope they will be accepted as they are interesting areas for the future. One is near the Equity mine, the other west of okanagan lake.

Main Commodities Searched For AU, AG, CU, PB, ZN, MO, NI, CO, W, AND IN THE OKANAGAN PRECIOUS OPAL.

Known Mineral Occurrences in Project Area Noknown occurrenes in local areas but at Houston the Equity silver mine and in the okanagan the Okanagan Opal Mine.

ALL other areas grassroots prospecting mostly float prospecting.

WORK PERFORMED

1. Conventional Prospecting (area) Collecting likely looking float or rock chips for assay.
2. Geological Mapping (hectares/scale) None.
3. Geochemical (type and no. of samples) Soil smples 4, rock samples 33.
4. Geophysical (type and line km) None.
5. Physical Work (type and amount) Collecting soil rock samples, traversing recently logged areas
6. Drilling (no. holes, size, depth in m, total m) None.
7. Other (specify) Collected many agate+common opal samples for microsopic study, no fire IN

SIGNIFICANT RESULTS (if any)

OKANAGAN.

Commodities AU AG CU PB ZN Claim Name None.

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type Rock-float samples #3E 4E \$ 5E shown on attached map, assay sheet.

These samples are from near the equity silver mine taken on unstaked ground, see map.

Description of mineralization, host rocks, anomalies Much altered tuffs with visible sulphides thruout also scheelite in some of the samples from this location, one sample in quartz contained wolframite crystals, a very interesting place to prospect.

Supporting data must be submitted with this TECHNICAL REPORT.

GEOCHEMICAL ANALYSIS CERTIFICATE

G.H. Klein & Associates File # 95-3786 Page 1

Box 2059, Prince George BC V2N 2J6



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
K95 AL 14	2	179	14	80	.4	440	45	2025	6.57	185	<5	<2	8	284	.2	20	<2	135	5.86	.077	4	243	3.19	600	<.01	3	1.58	.01	.15	<2	6
K95 AL 15	11	81	34	62	<.3	74	19	392	8.10	99	<5	<2	8	60	<.2	11	<2	28	.52	.210	6	7	.39	15	<.01	3	1.84	.02	.41	<2	3
K95 AL 16	1	256	170	133	2.3	250	71	736	22.31	914	<5	<2	7	11	<.2	60	3	55	.30	.127	2	<1	2.10	8	.01	<3	7.07	.01	.05	<2	4
K95 BP 10	1	1178	6	11	<.3	188	72	1183	4.97	2	<5	<2	10	58	<.2	5	3	9	16.06	.007	4	39	6.74	16	<.01	<3	.07	.01	.01	<2	2
K95 BP 11	2	47	9	15	.7	72	14	307	2.83	4	<5	<2	8	26	<.2	2	<2	66	2.66	.286	53	125	1.30	306	.03	56	1.32	.01	.69	<2	1
K95 BP 12	1	124	6	9	.5	106	32	725	3.34	8	<5	<2	18	70	<.2	6	<2	13	8.43	.145	56	35	3.08	123	<.01	5	.39	<.01	.23	<2	4
K95 BP 13	2	8	10	27	<.3	239	36	620	5.29	5	<5	<2	7	51	.3	4	<2	71	6.27	.141	6	131	1.79	14	.44	8	1.54	.01	.44	<2	2
RE K95 BP 13	2	7	11	27	<.3	227	36	611	5.17	7	<5	<2	7	51	.3	3	<2	70	6.18	.139	5	128	1.75	14	.44	8	1.51	.01	.42	<2	1
K95 BP 13	2	10	11	34	<.3	321	47	763	6.26	5	<5	<2	12	64	.3	4	<2	81	7.78	.176	7	156	2.19	17	.47	9	1.92	.01	.56	<2	1
BP 15	<1	134	18	157	.4	78	44	1090	8.65	305	<5	<2	2	77	.2	9	<2	109	2.52	.113	2	120	2.80	49	<.01	<3	3.17	.03	.08	<2	13
K95 BP 16																															
24K FN	167	12	6	3	<.3	7	1	52	.36	<2	<5	<2	5	14	<.2	2	<2	3	.20	.002	<1	8	.10	27	.01	<3	.16	.06	.08	<2	1
25K FN	3	324	31	7	<.3	282	51	62	2.87	<2	<5	<2	3	472	<.2	<2	6	20	6.71	.086	1	27	.10	50	.15	<3	9.76	.21	.03	<2	1
26K FN	11	208	5	6	.5	10	5	570	1.36	<2	<5	<2	2	49	.2	2	3	30	.85	.141	2	9	.06	14	.04	<3	.44	.09	.02	3	1
STANDARD C/AU-R																															

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 27 1995 DATE REPORT MAILED: *Oct 3/95* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

RECEIVED
 81
 JAN 18 1996
 PROSPECTORS PROGRAM
 MECHER



AGRE ANALYTICAL



AGRE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
K95 BP 1S FN	1	10	8	28	<.3	22	6	281	1.58	3	<5	<2	<2	48	.2	2	<2	22	3.16	.054	9	17	1.09	63	.03	3	.47	.01	.04	<2	3
K95 BP 2S FN	<1	19	11	32	<.3	44	12	516	2.60	5	<5	<2	<2	25	<.2	5	<2	35	1.91	.074	13	37	1.14	104	.03	3	.69	.01	.05	<2	1
K95 BP 3S FN	1	10	14	107	<.3	24	7	803	2.68	3	<5	<2	<2	15	<.2	4	2	29	.54	.125	10	31	.37	177	.03	4	1.00	.01	.07	<2	2
K95 BP 4S FN	1	19	19	82	<.3	44	12	550	3.23	11	<5	<2	<2	30	.2	5	<2	45	2.09	.082	17	38	1.40	252	.04	6	1.22	.01	.11	<2	1
RE K95 BP 4S	1	19	21	80	<.3	42	12	543	3.18	10	<5	<2	<2	29	.3	4	<2	44	2.03	.081	16	35	1.35	248	.04	7	1.19	.01	.11	<2	2

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

RECEIVED
 81
 JAN 18 1996
 PROSPECTORS PROGRAM
 MEMPHIS



Province of
British Columbia
Ministry of
Forests

MAP OF R. 3347 Sec. 0

EXHIBIT 'A'

UTM Zone	East	North	Reg	Compl	L
10	590000	05986000	059067		

FOREST REGION * **RPG 04** LAND DISTRICT * **Cariboo**

DISTRICT * **DPG 41** OUTLINE *

Date: **95-05-10**
Rel. Map: **931002.HGSR**
Base Used: **931400.H13.gn**
Scale 1: **50 000**

MANAGEMENT UNIT	TIMBER SUPPLY AREA	PULPMOOD AGREEMENT	CASCADES
Type 3	Number 24		East <input checked="" type="checkbox"/> West <input type="checkbox"/>
Number 48	Block Sub-B		
Block			

Area hectares ±


— MONKMAN FOREST —

PROJECT #3

R/W Width - 25 m.
R/W Length - 10450 m.

No encroachment on L.12855
Exclude thereout: 7404978

ALL points taken from N.E. cor. of L. 9363



REC 81
 JAN 18 1996
 PROSPECTOR: [Name]
 MEIV...

Drawn by



Province of
British Columbia
Ministry of
Forests

MAP OF R. 3347 Sec. 0

EXHIBIT 'A'

UTM Zone	East	North	Req	Compl	L
1059000	0598600	059067			

FOREST REGION RFG 04 LAND DISTRICT Cariboo

DISTRICT DPG 41

OUTLINE

Date 95-05-10
Rel. Map 93 / 002, H092
Base Used 93 / 40b, H139h
Scale 1 : 50 000
Area hectares


MANAGEMENT UNIT	TIMBER SUPPLY AREA	PULPMOOD AGREEMENT	CASCADES
Type 3	Number 24		
Number 48	Block		East ✓
Block	Sub-B		West

— MONKMAN FOREST —

R/W Width - 25 m.
R/W Length - 10450 m.

No encroachment on L12855
Exclude thereout: 7404978


ALL points taken from N.E. cor. of L. 9363



RECEIVED
JAN 18 1996
PROSPECTORS PROGRAM MEMBER

PROJECT #3

7-24





GEOCHEMICAL ANALYSIS CERTIFICATE



G.H. Klein & Associates File # 95-3786 Page 1
 Box 2059, Prince George BC V2N 2J6


SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
K95 AL 14	2	179	14	80	.4	440	45	2025	6.57	185	<5	<2	8	284	.2	20	<2	135	5.86	.077	4	243	3.19	600	<.01	3	1.58	.01	.15	<2	6
K95 AL 15	11	81	34	62	<.3	74	19	392	8.10	99	<5	<2	8	60	<.2	11	<2	28	.52	.210	6	7	.39	15	<.01	3	1.84	.02	.41	<2	3
K95 AL 16	1	256	170	133	2.3	250	71	736	22.31	914	<5	<2	7	11	<.2	60	3	55	.30	.127	2	<1	2.10	8	.01	<3	7.07	.01	.05	<2	4
K95 BP 10	1	1178	6	11	<.3	188	72	1183	4.97	2	<5	<2	10	58	<.2	5	3	9	16.06	.007	4	39	6.74	16	<.01	<3	.07	.01	.01	<2	2
K95 BP 11	2	47	9	15	.7	72	14	307	2.83	4	<5	<2	8	26	<.2	2	<2	66	2.66	.286	53	125	1.30	306	.03	56	1.32	.01	.69	<2	1
K95 BP 12	1	124	6	9	.5	106	32	725	3.34	8	<5	<2	18	70	<.2	6	<2	13	8.43	.145	56	35	3.08	123	<.01	5	.39	<.01	.23	<2	4
K95 BP 13	2	8	10	27	<.3	239	36	620	5.29	5	<5	<2	7	51	.3	4	<2	71	6.27	.141	6	131	1.79	14	.44	8	1.54	.01	.44	<2	2
RE K95 BP 13	2	7	11	27	<.3	227	36	611	5.17	7	<5	<2	7	51	.3	3	<2	70	6.18	.139	5	128	1.75	14	.44	8	1.51	.01	.42	<2	1
RRE K95 BP 13	2	10	11	34	<.3	321	47	763	6.26	5	<5	<2	12	64	.3	4	<2	81	7.78	.176	7	156	2.19	17	.47	9	1.92	.01	.56	<2	1
K95 BP 15	<1	134	18	157	.4	78	44	1090	8.65	305	<5	<2	2	77	.2	9	<2	109	2.52	.113	2	120	2.80	49	<.01	<3	3.17	.03	.08	<2	13
K95 BP 16	2	14	5	8	<.3	40	6	617	1.67	2	<5	<2	8	295	<.2	4	<2	8	10.66	.026	7	12	5.63	16	<.01	12	.09	.01	.07	<2	1
24K FN	167	12	6	3	<.3	7	1	52	.36	<2	<5	<2	5	14	<.2	2	<2	3	.20	.002	<1	8	.10	27	.01	<3	.16	.06	.08	<2	1
25K FN	3	324	31	7	<.3	282	51	62	2.87	<2	<5	<2	3	472	<.2	<2	6	20	6.71	.086	1	27	.10	50	.15	<3	9.76	.21	.03	<2	1
26K FN	11	208	5	6	.5	10	5	570	1.36	<2	<5	<2	2	49	.2	2	3	30	.85	.141	2	9	.06	14	.04	<3	.44	.09	.02	3	1
STANDARD C/AU-R	21	60	44	131	6.5	70	34	1023	4.06	42	15	7	40	52	19.0	19	21	62	.51	.093	40	56	.93	189	.08	25	1.86	.06	.14	10	480

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 27 1995

DATE REPORT MAILED: Oct 3/95


SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
K95 BP 1S <i>FN</i>	1	10	8	28	<.3	22	6	281	1.58	3	<5	<2	<2	48	.2	2	<2	22	3.16	.054	9	17	1.09	63	.03	3	.47	.01	.04	<2	3
K95 BP 2S <i>FN</i>	<1	19	11	32	<.3	44	12	516	2.60	5	<5	<2	<2	25	<.2	5	<2	35	1.91	.074	13	37	1.14	104	.03	3	.69	.01	.05	<2	1
K95 BP 3S <i>FN</i>	1	10	14	107	<.3	24	7	803	2.68	3	<5	<2	<2	15	<.2	4	2	29	.54	.125	10	31	.37	177	.03	4	1.00	.01	.07	<2	2
K95 BP 4S <i>FN</i>	1	19	19	82	<.3	44	12	550	3.23	11	<5	<2	<2	30	.2	5	<2	45	2.09	.082	17	38	1.40	252	.04	6	1.22	.01	.11	<2	1
RE K95 BP 4S	1	19	21	80	<.3	42	12	543	3.18	10	<5	<2	<2	29	.3	4	<2	44	2.03	.081	16	35	1.35	248	.04	7	1.19	.01	.11	<2	2

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



RECEIVED
 JAN 18 1996
 PROSPECTORS PROGRAM
 MEMPR



GEOCHEMICAL ANALYSIS CERTIFICATE

G.H. Klein & Associates File # 95-2885

Box 2059, Prince George BC V2N 2J6




SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	U ppm	Au* ppb
K95 AS 01	5	31	17	6	<.3	15	3	85	1.62	4	<5	<2	2	1	.2	<2	<2	1	.02	.005	5	21	.01	36	<.01	<3	.03	<.01	.02	3	3
K95 JW 01	4	99	4	114	.5	537	67	2733	12.35	16	5	<2	6	20	2.0	<2	<2	141	.51	.270	55	452	1.37	436	.06	<3	2.30	.01	.30	<2	1
K95 JW 02	<1	53	<3	34	.4	62	15	530	6.35	<2	<5	<2	<2	3	<.2	<2	<2	173	1.81	.049	<1	138	1.98	5	.58	<3	2.96	.08	<.01	<2	<1
K95 FN 04	2	54	<3	42	.3	13	7	383	2.97	<2	<5	<2	<2	55	.4	2	2	70	.78	.076	8	16	.94	80	.16	<3	1.46	.12	.15	<2	1
K95 FN 05	2	8	16	10	<.3	6	1	100	.70	6	<5	<2	8	37	<.2	3	<2	5	.04	.009	11	10	.04	81	<.01	<3	.37	<.01	.22	2	1
K95 FN 06	9	11	10	6	<.3	13	1	107	.56	13	<5	<2	4	13	<.2	2	<2	3	.02	.003	8	14	.01	358	<.01	<3	.28	<.01	.17	<2	1
K95 FN 07	3	62	5	24	<.3	13	2	454	1.30	<2	5	<2	2	14	<.2	<2	<2	19	.07	.029	13	17	.54	702	.01	3	.64	.01	.18	<2	1
K95 FN 08	5	70	5	129	.3	35	7	252	2.00	5	<5	<2	4	6	.6	<2	<2	29	.03	.011	10	23	1.07	157	.05	<3	1.11	.03	.52	<2	<1
K95 FN 10	4	6	5	69	<.3	25	<1	1294	2.14	2	5	<2	6	18	<.2	<2	<2	1	.31	.015	29	5	.03	351	<.01	6	.34	.06	.23	<2	1
K95 FN 11	1	101	6	166	1.0	52	28	653	6.47	2	<5	<2	<2	90	<.2	<2	3	123	1.51	.307	13	36	1.51	53	.38	3	2.93	.24	1.37	<2	3
K95 FN 12	3	14	<3	7	<.3	12	1	92	.71	<2	<5	<2	<2	18	<.2	<2	<2	3	.03	.004	1	17	.03	749	.01	<3	.08	.01	.04	4	6
K95 FN 13	5	247	47	10	1.8	67	25	38	17.38	156	<5	<2	<2	5	<.2	4	3	8	.02	.011	2	14	.05	20	.01	9	.22	.01	.09	<2	450
K95 FN 14	2	31	<3	57	.4	16	7	445	2.53	3	<5	<2	<2	33	<.2	<2	<2	34	.44	.048	3	10	.97	135	.08	3	1.06	.11	.15	<2	6
RE K95 FN 14	2	31	<3	57	.4	16	7	434	2.44	2	<5	<2	<2	33	<.2	<2	<2	33	.43	.047	3	11	.95	144	.07	<3	1.03	.10	.14	<2	4
RRE K95 FN 14	2	32	<3	57	.4	16	7	445	2.46	4	<5	<2	<2	35	<.2	4	<2	34	.43	.047	3	12	.96	146	.07	3	1.08	.12	.15	<2	3
K95 FN 15	2	112	16	107	.4	86	68	505	3.44	1655	<5	<2	3	37	<.2	<2	<2	81	.53	.073	8	74	.70	188	<.01	3	.78	.10	.12	<2	15
K95 FN 16	<1	68	5	39	.5	25	26	462	4.68	7	<5	<2	<2	160	<.2	<2	<2	133	1.83	.062	4	18	1.43	85	.27	5	3.99	.49	.76	<2	4
K95 FN 17	<1	114	<3	86	.7	95	26	544	6.74	<2	5	<2	<2	31	<.2	<2	<2	175	2.14	.111	12	73	1.96	59	.82	11	2.90	.09	.04	<2	22
STANDARD C/AU-R	18	61	35	127	7.0	72	30	1048	3.82	40	20	6	36	51	17.5	20	19	66	.52	.095	43	54	.96	176	.09	31	1.86	.06	.16	12	470

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 15 1995 DATE REPORT MAILED: *Aug 18/95* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

PLEASE NOTE=samples shown as K95FN #4 to #17 are taken along road marked in yellow, this road is new development and not shown on maps so location of road is approximate.



RECEIVED
JAN 8 1996
SUSPECTS PROGRAM
MEMBER

E292

E294

E299

E299

E300

E310

E313

MAP SHEET
93 53
PROJECT #3

①

STUD

E312





GEOCHEMICAL ANALYSIS CERTIFICATE



Fred Nilsen File # 95-2588

7078 Harvard Crescent, Prince George BC V2N 2V7


SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb	Hg ppb
1E	4	374	268	20	2.6	13	1	554	.81	16	5	<2	<2	11	.3	4	29	6	.12	.027	8	36	.02	16	<.01	3	.08	.01	.03	380	7	10
2E	6	469	73	8	21.9	24	7	82	3.01	98	<5	<2	<2	12	.3	25	65	4	.03	.003	2	18	.01	56	<.01	3	.07	.01	.04	27	69	40
3E	11	2855	107	639	7.7	667	162	1371	33.99	1080	<5	<2	7	20	1.6	<2	11	110	.03	.005	1	80	1.41	9	.01	<3	4.11	.01	.10	<2	48	105
4E	16	271	225	22	13.1	87	31	50	12.44	4959	12	<2	3	26	<.2	19	164	13	.01	.004	13	17	.02	6	<.01	<3	.13	<.01	.07	23	930	10
5E	2	755	2072	226	183.3	25	8	341	7.90	130	<5	<2	2	78	2.5	280	137	41	.14	.092	11	12	.35	7	.01	<3	.95	.04	.25	<2	540	685
6E	9	615	24	67	1.0	53	33	165	2.66	15	<5	<2	3	238	.7	<2	7	9	6.00	.003	2	9	.13	68	.05	<3	8.32	.16	.03	16	10	10
7E	73	28	74	15	3.8	10	6	31	10.24	211	<5	<2	3	22	<.2	8	7	3	.08	.003	11	9	.02	4	<.01	<3	.21	.01	.12	2	180	25
8E	6	41	39	77	1.6	51	12	603	4.82	15	7	<2	8	103	2.0	2	8	109	1.15	.343	22	28	2.64	17	.26	<3	2.00	.05	.13	<2	14	20
9E	6	49	14	59	<.3	49	14	590	4.28	11	7	<2	4	88	2.0	<2	11	89	1.10	.195	14	32	1.80	16	.27	<3	1.65	.06	.08	<2	8	20
RE 9E	6	52	17	63	.3	52	15	614	4.47	12	5	<2	5	92	1.9	<2	9	94	1.15	.203	15	32	1.88	15	.28	<3	1.72	.06	.09	<2	4	20
RRE 9E	6	34	20	66	<.3	50	15	608	4.39	11	5	<2	5	92	2.1	<2	10	92	1.13	.201	14	32	1.87	16	.27	3	1.72	.06	.08	<2	4	15
10E	5	86	17	86	.3	46	8	733	4.00	27	9	<2	8	85	.5	2	5	60	1.50	.185	48	24	1.78	42	.02	3	1.85	.03	.23	<2	3	15
11E	4	23	24	62	<.3	12	3	464	1.51	4	10	<2	18	25	.6	<2	3	19	.42	.035	43	11	.17	122	.02	4	.52	.04	.18	<2	1	20
STANDARD C/AU-R	20	59	38	134	6.7	76	32	1109	3.91	40	22	7	36	51	19.4	17	22	66	.51	.094	42	54	.90	185	.08	28	1.84	.06	.15	9	480	1860

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED. HG ANALYSIS BY FLAMELESS AA.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUL 28 1995

DATE REPORT MAILED: Aug 4/95

SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





PROVINCE OF
BRITISH COLUMBIA
MINISTRY OF
ENERGY, MINES AND
PETROLEUM RESOURCES

MINERAL TITLES REFERENCE

MAP 093LOIE

U.T.M. ZONE 9

LAST MAP UPDATE: 1995 NOV 16

ORIGINAL PRODUCED AT 1:31680



ADMINISTRATIVE AREAS


MINING DIVISIONS: Omineca

LAND DISTRICTS:

ALIENATIONS

- NO STAKING AREAS -----
- NO STAKING RESERVES
- PARKS
- ECOLOGICAL RESERVES
- RECREATION AREAS
- INDIAN RESERVES

②



RECEIVED
8)
JAN 19 1996
PROSPECTORS PROGRAM
MEMPR


602864

602864

6006528

6006528


600092



181

PROSPECTED CLEAR CUTS ALONG ROAD TRACED IN YELLOW.

PROJECT #3



MINERAL & PLACER RESERVE
 B.C. REG. 158/93
 1993 MAY 07
 NO STAKING

RECEIVED
 JAN 18 1996
 PROSPECTOR'S PROGRAM
 MEMPR

PROSPECTED FOR
 OPAL ALONG ROADS
 OUTLINED IN YELLOW
 ON NEW LOGGING
 BLOCKS
 WEST OF OKANAGAN
 LAKE

PROJECT #3

BALD

3

81

18 1991

1000000

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 and 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Fred J. Milner Reference Number 95796 P081

LOCATION/COMMODITIES AREA # 4

Project Area (as listed in Part A.) AU-AG-CU-PB-ZN Minfile No. if applicable _____

Location of Project Area NTS 92-11 And 93G Lat 53° 40' N Long 123° 50' W

Description of Location and Access Access via the Bobtail forest service road, leaving highway 16 west of Prince George at the east end of Cluculs lake, then in on the 400 road and the 800 roads.

Main Commodities Searched For AU AG PB CU ZN MO

Known Mineral Occurrences in Project Area None.

WORK PERFORMED

1. Conventional Prospecting (area) Area # 4, Float prospecting, sampling outcrops.
2. Geological Mapping (hectares/scale) None.
3. Geochemical (type and no. of samples) 25 Rock samples and five soil samples.
4. Geophysical (type and line km) None.
5. Physical Work (type and amount) Float sampling, soil sampling, sampling outcrops.
6. Drilling (no. holes, size, depth in m, total m) none.
7. Other (specify) Much climbing fairly abundant rock outcrops looking for mineralization.

SIGNIFICANT RESULTS (if any)

Commodities CU, PB, ZN, AG Same AU. IN Float. Claim Name None.

Location (show on map) Lat 53 34N Long 124 06W Elevation 3460 Ft.

Best assay/sample type Float rock #41-42-43 carbonaceous tuff.

Description of mineralization, host rocks, anomalies The best samples were in float that was found in a thin layer of glacial till covering basalt that outcrops quite abundantly in this area (look up ice). THE OTHER area of interest are in gneissic rocks to the north they contain small showings of MO, CU, AG ZN, PB and low values in gold.

Supporting data must be submitted with this TECHNICAL REPORT.



GEOCHEMICAL ANALYSIS CERTIFICATE



Fred Nilsen File # 95-4939

7078 Harvard Crescent, Prince George BC V2N 2V7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
37K	34	199	6	10	.4	7	4	138	1.94	3	7	<2	3	53	.2	<2	<2	25	.42	.076	7	11	.04	353	.07	<3	.33	.10	.05	3	3
38K	2	192	6	34	<.3	9	5	365	3.20	6	<5	<2	2	93	.4	<2	<2	60	1.37	.104	14	10	.93	34	.17	<3	1.99	.17	.14	7	2
39K	25	35	5	8	<.3	9	2	137	2.01	<2	5	<2	<2	3	.2	<2	3	63	.09	.004	1	12	.02	16	.05	<3	.39	.04	.02	4	3
40K	4	16	5	259	<.3	9	20	1264	8.45	5	<5	<2	2	9	.8	<2	4	36	.08	.046	10	6	.44	276	.01	<3	1.76	.01	.57	14	2
41K	<1	265	50	99999	86.6	18	55	6537	4.28	21	<5	<2	<2	63	635.2	75	<2	16	7.65	.014	<1	13	1.88	30	<.01	<3	.22	<.01	.12	<2	26
42K	<1	2261	21644	34087	304.2	21	19	7399	3.63	28	<5	<2	<2	79	190.8	528	<2	40	9.07	.016	<1	35	1.28	36	<.01	<3	.20	<.01	.11	8	80
43K	<1	643	19383	9434	265.4	23	13	7781	4.28	31	<5	<2	<2	52	49.8	605	<2	30	4.09	.021	1	24	1.19	40	<.01	<3	.36	<.01	.12	<2	29
44K	6	205	934	690	2.4	5	2	352	2.37	3	<5	<2	5	87	3.2	4	<2	40	.94	.164	5	14	.08	53	.05	<3	.56	.12	.05	<2	2
RE 44K	8	199	871	669	2.4	5	2	316	2.30	<2	<5	<2	4	83	3.3	5	4	37	.90	.161	5	13	.08	52	.05	<3	.53	.11	.04	<2	1
RRE 44K	7	200	951	686	2.5	5	2	324	2.32	<2	<5	<2	4	83	3.2	4	4	38	.91	.162	5	14	.08	51	.05	<3	.54	.12	.05	<2	1
45K	5	33	1709	364	4.7	12	1	128	.81	4	5	<2	<2	2	1.9	6	12	7	.08	.002	<1	14	.01	4	<.01	<3	.02	<.01	.01	2	2
46K	3	3754	683	81	7.8	14	4	566	2.76	6	<5	<2	<2	65	1.2	5	<2	29	9.33	.049	3	114	.80	1316	.09	<3	1.26	.01	.02	2	56
47K	3	3276	113	107	4.0	1407	105	292	4.74	2	<5	<2	<2	26	1.2	2	<2	65	1.42	.016	<1	423	2.62	40	.10	<3	1.53	.18	.08	<2	4
48K	3	36	123	74	.4	27	7	237	2.24	<2	<5	<2	4	80	<.2	<2	<2	59	.87	.148	24	17	.47	171	.19	<3	.59	.18	.26	<2	<1
STANDARD C/AU-R	21	58	38	145	6.3	65	31	1006	3.88	39	17	8	37	50	17.7	20	17	66	.53	.092	39	60	.89	176	.08	26	1.87	.06	.15	11	450

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.


THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: DEC 4 1995 DATE REPORT MAILED: Dec 7/95 SIGNED BY: *S. Toye* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





GEOCHEMICAL ANALYSIS CERTIFICATE




Fred Nilsen File # 95-3969

7078 Harvard Crescent, Prince George BC V2N 2V7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
27K	5	186	<3	17	.5	29	8	703	3.86	21	<5	<2	<2	20	<.2	3	3	99	.36	.028	5	27	.61	103	.04	<3	1.01	.06	.02	<2	10
28K	8	192	3	50	.6	10	9	458	15.16	5	<5	<2	2	15	<.2	2	2	110	.27	.071	9	10	.30	84	.29	<3	.71	.06	.08	<2	2
29K	2	299	<3	67	.7	12	17	807	6.57	6	<5	<2	<2	21	.3	5	3	191	.80	.133	9	4	.92	101	.29	3	1.16	.06	.10	<2	4
30K	2	43	<3	68	.4	455	37	692	4.89	3	<5	<2	4	374	.2	2	3	60	2.09	.130	22	77	6.25	121	.17	5	2.56	.36	.16	<2	1
31K	1	858	<3	43	2.2	24	194	594	43.21	77	<5	<2	<2	3	1.4	<2	5	<1	.15	.001	1	2	.46	3	<.01	3	.02	.01	<.01	2	220
32K	14	156	42	99	1.6	32	24	424	3.70	33	<5	<2	<2	137	1.4	7	3	48	3.22	.055	4	11	.32	20	.32	9	3.74	.47	.15	2	3
33K	2	295	<3	15	.5	239	43	140	3.75	3	<5	<2	<2	19	.2	2	2	17	1.40	.097	3	51	.37	18	.35	<3	.37	.05	.04	<2	1
RE 33K	2	294	<3	15	.5	239	43	126	3.73	3	<5	<2	<2	19	<.2	<2	2	17	1.39	.094	4	51	.37	18	.35	<3	.36	.05	.04	<2	1
RRE 33K	2	319	<3	16	.6	260	46	134	3.99	5	<5	<2	<2	20	<.2	3	3	18	1.48	.101	4	53	.40	19	.36	<3	.40	.05	.04	<2	1
34K	2	79	<3	28	<.3	49	18	289	2.24	<2	<5	<2	<2	12	<.2	3	<2	52	.74	.028	<1	97	.93	16	.07	<3	1.06	.11	.04	<2	1
35K	24	54	<3	12	<.3	10	3	119	.78	8	6	<2	17	22	<.2	<2	3	13	.35	.023	3	15	.11	63	.08	<3	.30	.09	.06	<2	1
36K	3	162	<3	17	.4	66	15	140	2.28	3	<5	<2	4	17	<.2	2	7	28	.88	.088	10	52	.36	74	.21	<3	.63	.12	.07	63	2

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 6 1995 DATE REPORT MAILED: *Oct 16/95* SIGNED BY: *[Signature]* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
13S	1	16	6	24	.3	103	13	532	2.56	8	<5	<2	2	38	.4	2	<2	45	.37	.019	11	103	.86	91	.11	5	1.12	.03	.04	<2	1
14S	1	9	4	25	<.3	50	6	203	1.88	<2	<5	<2	2	31	<.2	<2	3	37	.34	.014	9	60	.56	67	.13	<3	1.08	.03	.04	<2	1
15S	1	8	7	22	<.3	33	5	220	1.42	3	<5	<2	2	26	.3	2	<2	27	.29	.014	9	49	.46	58	.13	5	.91	.02	.04	<2	1
16S	1	26	9	31	<.3	73	8	183	2.28	4	<5	<2	4	40	<.2	<2	4	35	.48	.065	20	140	.69	97	.12	3	1.13	.03	.04	<2	2
17S	2	45	8	32	.4	247	25	2892	4.07	6	<5	<2	3	47	<.2	2	2	61	.51	.022	21	129	.79	309	.10	3	1.66	.03	.06	<2	3
18S	1	27	6	65	<.3	48	14	519	3.61	7	<5	<2	3	78	<.2	3	9	53	.67	.084	14	43	.96	111	.20	<3	1.20	.07	.10	<2	1
RE 18S	1	27	5	61	<.3	44	13	501	3.46	4	<5	<2	2	76	<.2	3	<2	52	.64	.079	13	40	.92	107	.20	3	1.17	.07	.09	<2	2
19S	1	28	4	77	<.3	47	13	496	3.53	5	<5	<2	2	77	<.2	<2	5	52	.62	.077	13	41	.96	116	.20	<3	1.19	.06	.10	<2	2
20S	1	28	3	66	<.3	45	12	497	3.58	6	<5	<2	3	80	<.2	<2	3	55	.62	.083	14	42	.94	115	.21	3	1.17	.07	.09	<2	2
21S	1	32	6	78	<.3	42	12	599	3.69	4	<5	<2	3	76	.8	2	<2	56	.61	.079	14	43	.99	113	.21	<3	1.21	.06	.11	<2	1
22S	1	29	6	68	<.3	40	13	529	3.53	8	<5	<2	3	80	.3	2	<2	53	.64	.084	14	41	.92	127	.21	3	1.18	.07	.10	<2	1

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

RECEIVED
 8
 JAN 18 1996
 PROGRAM
 FILE

MAP SHEET 93F




PROJECT #4

MAP SHEET 93G

CEIVE
 JAN 1968
 SPECTORS' PROGRAM
 MEMPR

4

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**



B. TECHNICAL REPORT

- One technical report to be completed for each project area
- Refer to Program Requirements/Regulations, section 15, 16 and 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Fred J. Nilsen Reference Number 95-96 P081

LOCATION/COMMODITIES

Project Area (as listed in Part A.) Area # 2 Bobtail Mtn Minfile No. if applicable _____

Location of Project Area NTS 93E Lat 53° 45' N Long 123° 15' W

Description of Location and Access Area is located N.E. of Bobtail mountain, access to the east end is via the Gregg creek road leaving hyway 16W of prince george 25Km west of P.G. Access from the west is via the 100 logging road west of Bednesti Lake service station one half Km.

Main Commodities Searched For AU, AG, CU, PB, ZN, W.

Known Mineral Occurrences in Project Area None.

WORK PERFORMED

1. Conventional Prospecting (area) Area #2. Float prospecting, looking for rock outcrops etc.
2. Geological Mapping (hectares/scale) None.
3. Geochemical (type and no. of samples) Soil sampling 17 samples. Rock-42 samples.
4. Geophysical (type and line km) None.
5. Physical Work (type and amount) Collecting samples for assay, traverses looking for outcrops.
6. Drilling (no. holes, size, depth in m, total m) None.
7. Other (specify) Panning small creeks to try and pick up mineralization.

SIGNIFICANT RESULTS (if any)

Commodities AU AND CU Claim Name None.

Location (show on map) Lat 53° 45' 50N Long 123° 14' W Elevation 2600 FT.

Best assay/sample type Rock #9G Skarn-AU/3970 PPB CU#(9 3994 ppm.

also sample #12 Rock sample-serpentine with 1.10% CU and 160 PPB AU.

Description of mineralization, host rocks, anomalies All samples are float. THERE are some skarnish rocks and serpentized rocks carrying mineralization, but also some of the limestones carry au cu, especially any showing malachite. it appears the mineralization may originate in a contact zone. I intended to do a soil survey in the area, however before starting I learned that the entire area of interest was to become protected area so until that is resolved the area is off limits.

Supporting data must be submitted with this TECHNICAL REPORT.



GEOCHEMICAL ANALYSIS CERTIFICATE



Fred Nilson File # 95-1581

7078 Harvard Crescent, Prince George BC V2N 2V7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
1 K88 GREGG	4	3	<3	3	<.3	4	<1	42	.22	70	<5	<2	10	7	<.2	4	<2	1	.06	.004	35	6	.02	32<.01	<3	.28	.01	.25	<2	12	
2 K89 GREGG	53	18	24	13	.4	11	2	63	.47	157	13	<2	8	28	.2	18	<2	2	.02	.006	29	5	.04	1461<.01	<3	.39<.01	.28	<2	44		
3 K90 GREGG	3	5	15	89	<.3	7	2	521	1.99	53	<5	<2	2	10	<.2	2	<2	5	.06	.024	20	8	.22	99<.01	<3	.50	.01	.19	<2	9	
4 K91 GREGG	3	18	3	43	<.3	10	1	506	1.76	21	<5	<2	35	5	.2	<2	<2	4	.03	.004	47	9	.29	15 .05	<3	.50	.05	.30	<2	5	
5 K95 GREGG	1	15	<3	39	<.3	7	6	471	3.76	31	<5	<2	<2	25	<.2	<2	<2	17	.58	.029	3	3	.96	13 .15	<3	1.35	.06	.02	<2	51	
6 K96 GREGG	2	79	5	12	<.3	11	6	250	3.52	19	<5	<2	<2	8	<.2	2	2	7	.43	.031	1	9	.58	15 .10	<3	.98	.06	.02	<2	8	
7 K97 GREGG	25	9	22	11	.6	4	3	63	1.55	16	<5	<2	3	15	<.2	<2	<2	3	.16	.066	11	5	.02	57<.01	3	.31	.01	.24	<2	11	
8 K98 GREGG	1	22	<3	27	<.3	18	6	235	1.76	285	<5	<2	4	1.3	3	2	11	.08	.036	6	13	.02	103<.01	5	.30	.01	.16	<2	33		
9 K99 GREGG	12	3994	5	19	6.6	<1	<1	453	14.43	40	<5	3	2	6	1.6	5	25	36	16.92	.010	2	3	.07	21 .01	44	.17	.01	.01	125	3720	
9 RE K99 GREGG	11	3871	8	19	6.2	2	<1	444	14.18	38	<5	<2	<2	6	1.6	3	32	36	16.77	.009	2	3	.06	19 .01	44	.17	.01	.01	124	3970	
9 RRE K99 GREGG	11	3991	7	20	6.2	<1	<1	450	14.35	43	<5	<2	<2	6	1.5	4	33	36	16.69	.009	2	4	.07	16 .01	45	.16	.01	.01	125	4250	
10 K100 GREGG	27	36	37	3	2.9	5	3	37	2.89	14	<5	<2	<2	18	<.2	<2	<2	6	.09	.049	13	7	.04	21<.01	<3	.31	.01	.33	<2	23	
11 K101 GREGG	3	689	5	106	1.6	6	2	126	.31	33	<5	<2	<2	44	1.1	2	2	2	24.54	.006	1	3	13.94	4<.01	26	.03<.01	.01	<2	24		
12 K102 GREGG	1	1440	<3	21	.9	1	1	134	.45	23	<5	<2	<2	52	<.2	4	<2	2	19.88	.006	1	2	14.06	6<.01	<3	.01	.01	.01	<2	57	
13 K103 GREGG	12	11029	7	62	8.3	9	9	150	1.34	266	<5	<2	<2	5	.7	31	69	6	1.32	.013	3	4	22.85	17 .01	316	.44<.01<.01	4	160			
14 K104 GREGG	2	173	100	62	4.3	9	<1	219	.34	10	<5	<2	<2	56	2.1	36	3	5	4.85	.008	2	11	3.19	21<.01	4	.01	.01<.01	<2	11		
STANDARD C/AU-R	20	62	38	130	7.5	74	34	1072	4.26	41	18	7	37	50	18.9	18	21	61	.54	.093	44	61	.96	183 .08	28	1.96	.06	.16	9	530	


ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: MAY 24 1995

DATE REPORT MAILED:

June 2/95

SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





GEOCHEMICAL ANALYSIS CERTIFICATE




Fred Nilsen File # 95-1868 Page 1
7078 Harvard Crescent, Prince George BC V2N 2V7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
15-G	1	77	<3	59	<.3	32	11	365	3.45	9	<5	<2	<2	83	.4	2	<2	89	3.16	.064	1	41	1.11	121	.24	4	1.36	.07	1.00	<2	4
16-G	3	17	10	70	.3	12	2	226	3.17	9	6	<2	3	42	.3	3	<2	29	.42	.088	11	15	.98	79	.13	5	1.52	.04	.22	<2	4
17-G	1	16	<3	68	<.3	37	6	1370	4.79	8	<5	<2	<2	86	.2	2	<2	102	1.41	.077	4	15	.85	18	.11	4	1.48	.05	.06	<2	8
18-M.R.	<1	38	<3	41	<.3	2828	134	1002	5.68	7	11	<2	<2	11	.5	2	42	.06	.003	1	1878	16.45	34	<.01	71	.81	.01	<.01	<2	8	
19-G	<1	10	<3	23	<.3	2475	97	677	3.87	10	<5	<2	<2	7	.3	<2	<2	.19	.04	.003	1	783	16.52	10	<.01	39	.39	<.01	<.01	<2	2
20-G	2	30	3	27	<.3	35	11	273	2.87	17	<5	<2	<2	18	.4	3	<2	53	.31	.045	2	21	1.40	70	.13	6	1.47	.03	.16	<2	55
21-G	1	227	<3	25	<.3	64	13	408	2.82	8	<5	<2	<2	30	.2	2	<2	63	2.36	.013	<1	111	1.79	8	.15	4	1.32	.04	.03	<2	5
22-G	234	267	3	16	.5	14	2	157	.35	37	<5	<2	<2	38	<.2	<2	7	3	14.71	.018	1	3	7.89	17	<.01	29	.07	.01	.02	31	30
23-G	3	517	<3	17	.3	7	1	146	.22	18	<5	<2	<2	60	<.2	<2	2	1	20.01	.009	1	3	11.04	7	<.01	4	.01	.01	.01	<2	160
24-G	15	500	<3	19	.5	10	2	150	.42	62	<5	<2	<2	48	<.2	<2	<2	2	22.29	.007	1	3	13.25	28	<.01	91	.01	.01	.01	2	12
KL 24-G	15	521	<3	20	.4	9	2	153	.43	61	<5	<2	<2	49	<.2	<2	<2	2	23.15	.007	<1	3	13.62	29	<.01	97	.01	.01	<.01	<2	13
RRE 24-G	15	529	<3	18	.4	7	2	151	.42	60	<5	<2	<2	49	<.2	<2	<2	2	22.95	.007	2	2	13.47	28	<.01	95	.01	<.01	.01	2	15
25-G	18	1238	<3	37	1.1	9	4	210	.71	58	<5	<2	<2	51	.3	<2	2	2	24.53	.008	<1	3	13.33	166	<.01	100	.01	.01	<.01	<2	12
26-G	19	1349	<3	13	1.0	7	2	139	.42	48	<5	<2	<2	49	<.2	<2	2	2	23.21	.007	<1	2	13.35	5	<.01	73	.01	.01	.01	<2	10
27-G	2	24	5	45	<.3	11	4	421	1.77	5	<5	<2	3	12	<.2	3	<2	25	.63	.031	12	12	.61	122	.06	4	.73	.05	.40	<2	3
28-G	1	9	<3	8	<.3	1247	34	289	2.21	4	<5	<2	<2	229	<.2	<2	<2	9	19.31	.003	<1	85	14.13	17	<.01	3	.11	.01	.01	<2	1
29-G	1	8	<3	12	<.3	25	10	303	3.56	<2	<5	<2	<2	23	.2	<2	<2	42	1.99	.025	<1	19	1.13	52	.13	3	2.00	.04	.01	<2	3
30-G	1	25	<3	48	<.3	16	16	650	3.77	<2	9	<2	<2	93	.2	<2	<2	64	1.24	.002	<1	6	2.62	26	.20	<3	2.67	.03	.05	<2	2
31-G	10	1081	<3	10	.7	7	2	142	.54	28	<5	<2	<2	47	<.2	<2	3	2	21.02	.006	<1	3	13.26	4	<.01	43	.06	.01	<.01	4	52
STANDARD C/AU-R	20	57	37	127	7.2	71	32	1081	4.23	43	20	6	37	51	17.7	18	22	69	.60	.095	41	58	.92	186	.09	29	1.81	.06	.16	10	470

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS >1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUN 19 1995 DATE REPORT MAILED: *June 29/95* SIGNED BY: *D. Toye* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





GEOCHEMICAL ANALYSIS CERTIFICATE



Fred Nilsen File # 95-2374

7078 Harvard Crescent, Prince George BC V2N 2V7

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb	Pt** ppb	Pd** ppb
32-G	5	3186	<3	36	7.1	22	4	577	3.41	<2	7	<2	2	76	1.0	<2	3	42	8.83	.056	4	162	.94	1165	.12	<3	1.17	.01	.04	3	57	-	-
33-G	317	2144	19	89	3.1	13	46	183	12.46	<2	5	<2	25	83	1.0	<2	<2	13	.49	.009	26	11	.43	17	.05	<3	1.18	.05	.11	<2	93	-	-
34-G	4	529	12	151	1.7	65	50	1254	13.11	<2	7	<2	5	14	<2	<2	<2	154	.41	.030	3	80	1.25	12	.23	<3	2.00	.03	.10	610	4	-	-
35-G	1	101	7	<1	.3	903	108	264	5.08	<2	<5	<2	2	5	.9	<2	<2	26	.47	.003	<1	537	3.07	39	.02	<3	1.83	.01	<.01	3	2	3	<3
36-G	1	91	6	<1	.3	1177	89	142	3.04	<2	<5	<2	<2	3	.5	<2	<2	25	.42	<.001	<1	1223	2.41	19	.01	3	1.06	<.01	<.01	<2	9	3	17
37-G	4	722	3	57	<.3	17	9	368	3.81	<2	<5	<2	<2	12	.8	<2	3	9	.55	.041	<1	17	.97	5	.14	<3	1.41	.08	.01	4	53	-	-
38-G	8	386	8	29	.7	19	3	92	.68	99	<5	<2	<2	26	<.2	3	2	13	.52	.043	2	21	.11	27	.09	4	.49	.06	.09	2	63	-	-
39-N	4	206	6	128	.3	28	8	809	5.97	<2	<5	<2	3	8	1.2	<2	<2	20	.02	.049	4	16	.03	169	<.01	4	.30	<.01	.08	<2	5	-	-
40-N	1	31	<3	19	<.3	41	7	216	1.18	24	<5	<2	<2	42	<.2	<2	3	22	1.57	.048	2	69	.78	53	.11	4	.87	.04	.23	6	5	-	-
41-G	42	89	528	514	1.5	11	4	342	.83	31	6	<2	<2	12	8.0	7	<2	3	.06	.012	2	16	.03	454	<.01	3	.11	<.01	.03	2	8	-	-
RE 41-G	41	87	532	512	1.3	11	3	284	.78	31	<5	<2	<2	12	7.8	7	<2	3	.05	.012	2	14	.03	452	<.01	3	.11	<.01	.03	3	8	-	-
RRE 41-G	43	95	551	573	1.2	13	4	280	.82	31	<5	<2	<2	12	8.1	6	<2	3	.05	.012	2	16	.03	466	<.01	3	.11	<.01	.02	2	10	-	-
42-W	8	1026	26780	705	163.7	10	2	95	1.55	12	<5	3	<2	84	3.9	34	54	2	.01	.001	1	13	.01	53	<.01	<3	.03	<.01	<.01	<2	1749	-	-
43-G	3	21	184	72	.4	7	<1	407	1.30	<2	<5	<2	15	5	<.2	2	5	17	.02	.006	55	8	.07	77	.13	<3	.22	.07	.16	<2	37	-	-
44-M	2	36	27	57	<.3	161	24	815	3.46	<2	<5	<2	3	99	<.2	<2	4	80	2.10	.082	8	80	3.08	257	.19	7	2.02	.03	.09	<2	7	-	-
STANDARD	22	72	40	139	7.6	78	32	1059	4.14	43	16	8	41	57	18.6	18	23	68	.48	.097	43	64	.86	177	.09	33	1.95	.07	.16	11	49	47	45

Standard is STANDARD C/AU-S/FA-100S.

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB


- SAMPLE TYPE: ROCK AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.

PT** PD** BY FIRE ASSAY & ANALYSIS BY ICP/GRAPHITE FURNACE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUL 18 1995

DATE REPORT MAILED: July 27/95

SIGNED BY: C. Toyne, D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS





ACME ANALYTICAL

Fred Nilsen FILE # 95-1868

Page 2





ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb	Au* ppb
1-S	1	9	9	114	<.3	20	6	321	2.92	3	<5	<2	<2	30	<.2	<2	<2	63	.42	.233	9	35	.24	164	.14	<3	1.48	.01	.11	<2	8	-
2-S	<1	15	7	81	<.3	64	11	215	3.27	7	<5	<2	2	17	<.2	<2	<2	63	.25	.146	11	43	.38	107	.14	<3	2.34	.01	.05	<2	3	-
RE 2-S	1	15	6	81	<.3	64	11	212	3.27	5	<5	<2	2	17	<.2	<2	<2	64	.25	.143	11	44	.38	105	.14	<3	2.32	.01	.05	<2	3	-
3-S	1	13	9	80	<.3	33	9	549	3.17	6	<5	<2	2	16	.2	3	2	70	.24	.162	9	37	.30	105	.14	3	1.54	.02	.04	<2	5	-
4-S	1	17	5	58	<.3	47	10	277	3.75	5	<5	<2	3	18	<.2	<2	<2	81	.27	.234	12	41	.46	100	.13	<3	1.80	.01	.06	<2	790	4
5-S	1	14	7	68	<.3	54	13	264	4.26	4	<5	<2	2	16	<.2	<2	<2	102	.22	.138	11	48	.35	96	.16	<3	2.18	.01	.04	<2	4	-
6-S	1	13	8	35	<.3	24	5	194	2.35	2	<5	<2	2	29	<.2	<2	<2	54	.38	.029	10	37	.38	94	.17	<3	1.21	.03	.05	<2	1	-
7-S	1	11	9	127	<.3	27	10	471	2.99	3	<5	<2	<2	13	<.2	<2	2	58	.18	.221	10	38	.27	153	.13	<3	1.65	.01	.05	<2	1	-
8-S	1	16	5	97	<.3	40	9	565	3.12	7	<5	<2	2	21	<.2	2	<2	65	.27	.225	11	39	.37	129	.13	<3	1.98	.01	.05	<2	<1	-
9-S	1	13	5	41	<.3	46	9	216	2.75	4	<5	<2	3	17	<.2	<2	<2	66	.21	.078	9	43	.34	130	.14	<3	1.68	.01	.03	<2	<1	-
S	1	17	7	39	<.3	35	7	239	2.58	5	<5	<2	2	26	<.2	3	<2	66	.27	.044	11	47	.37	100	.17	<3	1.06	.02	.04	<2	<1	-
...S	1	16	7	72	<.3	48	8	248	3.23	6	<5	<2	3	15	<.2	<2	<2	73	.20	.131	10	40	.36	125	.15	<3	1.91	.01	.04	<2	2	-
12-S	1	13	8	69	<.3	42	10	273	2.91	6	<5	<2	2	22	.2	<2	<2	63	.28	.089	9	42	.31	129	.13	<3	1.81	.01	.05	<2	12	-
STANDARD C	19	58	38	120	6.5	74	30	998	3.78	42	16	6	34	46	17.0	17	20	63	.48	.089	41	57	.86	167	.08	26	1.77	.06	.14	11	47	-

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

* re-run Au 4 ppb





RECEIVED
JAN 15 1996
PROSPECTORS PROGRAM
MEMBER

5

Isle Pierre

Beverly L

Isle de Pierre Rapids

Davidson

Nichol

Communication

Lake

Zelkwas L

Zelkwas Ck

Bednest Lake

Berman L

Telachick

Creek

Tachintelachick

Esker L

Kellogg

Blueberry Hill

Norman L

Dahl L

3167 Bahl Lake Prov Park Henry L

#40K Chuk L

#32-37
#35-36 ROCK- 1-14
#38 SOIL- 1-12

#47K

#19-22

#24-28

#27-31

#33-34

#40-41-43

Little Bobtail Lake

#27K-31K

15-16

SOIL- 13-17

Bobtail Mountain 4683

#17

Gregg 2565

Naltasby

Lake


3500

Butcherflats

Butcher

Chilata

DANL LAKE PROTECTED AREA



RECEIVED
81
JAN 18 1996
PA INSPECTORS PROGRAM
MEMPR

POSSIBLE CONTACT ZONE

1:50,000
1cm = .5 KM
TRAVERSE

EXAMPLE



ALL STIPPLED AREAS FLOAT PROSPECTED

TRAVERSE

GLACIAL DIRECTION
TRAVERSE

6032

6031

RW logged to here.

6027

6028

6029

6030

6026

DECEMBER

JAN 18 1986


PROGRAM

EMPR

6022

Areas to be logged this summer

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**



B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name Fred J. Nilsen Reference Number 95-96- P 081

LOCATION/COMMODITIES

Project Area (as listed in Part A.) #1-Tatuk Lake west. Minfile No. if applicable _____

Location of Project Area NTS 93-F Lat 53.30^N Long 124.30^W

Description of Location and Access VIA THE KLUSKUS FOREST RD. SOUTH OF VANDERHOOF, B.C.
AND THE GOLD ROAD AND THE BLUE ROAD OFF THE KLUSKUS FOREST ROAD.

Main Commodities Searched For GOLD, SILVER, COPPER, LEAD ZINC AS WELL AS OTHER COMMERCIALY
VIABLE MINERALS FOUND.

Known Mineral Occurrences in Project Area NONE.

WORK PERFORMED

1. Conventional Prospecting (area) WEST AND SOUTH OF TATUK LAKE- THE GOLD ROAD AREA- KLUSKUS ROAD
2. Geological Mapping (hectares/scale) NONE
3. Geochemical (type and no. of samples) 24 ROCK SAMPLES.
4. Geophysical (type and line km) NONE.
5. Physical Work (type and amount) FLOAT PROSPECTING NEW ROADS AND LOGGING, SOIL SAMPLING.
6. Drilling (no. holes, size, depth in m, total m) NONE.
7. Other (specify) _____

SIGNIFICANT RESULTS (if any)

Commodities #47 ANOMALOUS IN-CU, PE, ZN, AG. Claim Name NONE.

Location (show on map) Lat 53° 16^N Long 124° 21^W Elevation 3975

Best assay/sample type ROCK CHIP. float.

Description of mineralization, host rocks, anomalies FLOAT. ULTRA BASIC ROCK MISSING ON MAP.

Supporting data must be submitted with this TECHNICAL REPORT.



GEOCHEMICAL ANALYSIS CERTIFICATE

Fred Nilsen File # 95-3483 Page 1
7078 Harvard Crescent, Prince George BC V2N 2V7




SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
1K	53	48	<3	24	<.3	2	<1	143	6.24	8	<5	<2	3	16	<.2	<2	<2	24	.03	.033	5	11	.61	77	<.01	4	.72	.04	.28	2	9
2K	6	16	59	33	2.4	9	1	58	1.65	190	<5	<2	6	3	.6	21	<2	3	.01	.003	19	13	.02	16	<.01	<3	.26	.03	.17	2	24
3K	3	52	37	54	3.7	14	12	135	3.03	87	<5	<2	<2	82	1.1	3	<2	12	2.11	.071	5	8	.05	38	.14	5	2.42	.75	.13	<2	32
4K	2	7	<3	11	<.3	14	27	136	3.95	12	<5	<2	2	117	<.2	<2	<2	77	1.25	.175	11	11	.64	38	.31	4	1.08	.09	.03	<2	3
5K	2	42	<3	11	<.3	6	19	89	6.85	11	<5	<2	4	69	<.2	<2	<2	78	.75	.132	14	5	.53	18	.15	3	.85	.06	.07	<2	4
6K	4	8	<3	13	<.3	8	15	139	6.14	15	<5	<2	3	121	<.2	<2	3	96	1.08	.160	10	8	.79	48	.25	<3	1.27	.06	.04	<2	3
7K	34	469	<3	14	.3	6	27	73	7.60	2	<5	<2	12	86	<.2	<2	<2	7	.37	.014	18	9	.30	23	.02	5	.78	.07	.08	<2	2
8K	2	815	<3	27	1.1	30	97	287	6.64	3	<5	<2	3	46	<.2	<2	<2	51	1.02	.080	5	23	.59	15	.17	<3	1.07	.12	.10	10	22
9K	115	20	4	4	4.2	13	2	87	2.06	632	<5	<2	<2	13	<.2	9	3	3	.04	.005	<1	17	.02	35	.01	<3	.08	<.01	.02	4	150
10K	4	7	<3	9	<.3	7	2	324	2.89	21	<5	<2	4	37	<.2	<2	<2	31	.69	.091	13	15	.11	71	.15	4	.44	.03	.10	2	3
RE 10K	3	7	<3	10	<.3	7	2	305	2.83	13	<5	<2	3	36	<.2	<2	<2	30	.68	.091	12	14	.11	68	.15	5	.43	.03	.10	2	2
RRE 10K	3	7	4	9	<.3	8	2	322	2.86	15	<5	<2	3	37	<.2	<2	<2	31	.69	.091	13	14	.11	71	.15	<3	.43	.02	.10	2	2
11K	4	36	<3	140	<.3	54	19	199	6.85	9	<5	<2	2	104	1.2	<2	<2	46	.04	.050	11	27	.02	1441	.01	7	.47	<.01	.08	<2	2
12K	8	44	12	74	.3	6	10	718	7.71	18	<5	<2	3	18	.3	<2	<2	34	.13	.072	8	13	1.18	23	<.01	3	1.57	.04	.22	<2	20
13K	2	25	5	116	.4	5	16	1004	6.28	21	<5	<2	<2	40	.2	<2	<2	89	.79	.080	2	9	1.53	17	.21	<3	2.02	.03	.11	<2	13
14K	5	89	5	23	.3	15	29	191	4.89	13	<5	<2	<2	289	<.2	<2	2	100	2.45	.083	4	13	.41	48	.18	3	3.77	.55	.28	2	3
15K	175	6	8	22	<.3	6	<1	134	2.28	216	<5	<2	11	5	<.2	3	<2	5	.03	.005	29	9	.01	12	.01	<3	.19	.06	.13	<2	1
16K	9	32	73	133	.6	3	8	575	5.79	8	<5	<2	4	24	.6	<2	<2	19	.11	.058	10	8	.66	46	<.01	<3	.96	.05	.18	<2	13
17K	5	20	4	144	.3	11	22	1661	3.28	44	<5	<2	2	143	.3	<2	4	35	12.90	.009	2	6	2.31	98	.01	4	.30	.01	.04	<2	1
18K	4	72	3	137	.3	16	25	642	5.80	334	<5	<2	<2	36	.4	<2	5	101	.94	.054	2	22	1.26	132	.31	6	2.12	.21	1.28	<2	8
19K	4	111	10	51	.9	9	16	285	3.32	21	<5	<2	2	275	.4	<2	<2	66	4.99	.152	9	6	.27	39	.15	3	8.15	.72	.36	<2	11
RE 19K	4	118	9	52	1.1	7	16	293	3.42	22	<5	<2	2	286	.5	<2	<2	67	5.20	.160	10	6	.27	37	.14	3	8.54	.75	.37	2	8
RRE 19K	4	118	14	51	1.1	8	16	336	3.40	23	<5	<2	2	284	<.2	<2	<2	66	5.14	.156	9	7	.26	35	.15	4	8.48	.75	.36	3	7
20K	4	12	7	41	<.3	4	6	427	4.02	68	<5	<2	2	14	<.2	<2	<2	42	.24	.045	1	7	1.15	26	.09	<3	1.37	.10	.75	<2	14
21K	3	16	<3	5	<.3	3	<1	22	4.11	6	<5	<2	3	18	<.2	<2	<2	2	.05	.016	9	5	.04	28	<.01	<3	.35	.01	.25	<2	3
22K	4	37	<3	158	<.3	6	12	820	5.95	13	<5	<2	<2	24	<.2	<2	<2	152	.23	.068	2	7	2.06	11	.21	3	2.55	.09	1.42	<2	1
23K	1	26	6	279	.8	26	9	2629	10.11	57	<5	<2	2	56	<.2	<2	<2	53	1.97	.079	5	40	1.35	15	.01	<3	1.18	.02	.12	<2	180
STANDARD C/AU-R	23	64	36	132	6.8	70	34	974	4.21	39	20	6	41	55	19.1	17	20	60	.53	.094	43	64	.94	196	.09	26	1.94	.07	.16	10	470

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 ROCK P2 SOIL AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 12 1995 DATE REPORT MAILED: *Sept 16/95* SIGNED BY: *C.L.* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS


RECEIVED
 JAN 18 1996
 PROSPECTORS PROGRAM
 MEMPR



PROJECT # 1

N


RE	81	D
JAN 18 1996		
PRC	PROGRAM	
	FR	



PROJECT #1

PROSPECTORS PROGRAM

QUESNEL FOREST DISTRICT




TO EAST SEE MAP 93 F/D W

Final Report Maps
RECEIVED
 JAN 18 1996
 PROSPECTORS PROGRAM
 MEMPP

CLAIM MAP FICHE DATED JULY 14-95 PR. GEORGE MINES OFFICE
 SHOWING OPEN GROUND TO NORTH-AREA OF INTEREST.

PROJECT #1



ACTUAL UPDATED MAP SHOWING AREA OF INTEREST FROM SMITHERS OFFICE. SOLIDLY STAKED.

RECEIVED
 JAN 18 1996
 PROSPECTORS PROGRAM
 MEMPR