


BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1996/1997

REPORT #: PAP 96-58

NAME: DENIS DELISLE



Brief Description of 1996 prospecting.

The Crowfoot project has narrowed some areas down by eliminating the Sheep claim, through discussions and analysis with Randy Farmer of TECK what I thought was an alteration wasn't. The scintillometer results suggested the same. However upon finding the old (zinc, copper rich) Saul-Bet showings and a large quartz intrusion (dyke) in strike with the Phil showings. Some galena rich float above Phils and on strike to the Bet-Saul showings suggest that there is more mineral in that strike distance of about 4km. The granitic dyke swarms near the Bet and Saul are approximately the same strike.

The discovery of the Lucky-Forst claims was very exciting because of the large content of sulfides in the rock that was prevalent in the area. Upon embarking into this area I did not think that there would be much there. It was steep, thick brush lots of debris from old logging and poor access. Milton Mankowske and I were slugging through this stuff on our hands and knees when we find this rusty sulfide float massive we continue up for hours following it right to a road!. Lucky is an appropriate name some rancher has been keeping this road open for the grazing on the Forst area. This area has a lot of potential there is alteration, mineralization, work has been done extensively but there is much that hasn't been looked at.

Powder Lake has some potential but needs more work this seems like a contact zone between granite and young volcanics the rocks were full of pyrite and some chalcopyrite where we looked there are a lot of outcrops to the north of granite. The area has been extensively logged and is full of lakes and swamps but still easy to get around.

Hoskins creek still eludes me but I keep trying I foolishly went alone as I could not find anyone to go along with me. The area up the creek is thick with small cedar or bush and it is impossible to see the boulder slides beneath, a few times nearly broke a leg. Bear sign was everywhere especially where some malachite was. The area was cliff overhangings which stretched along for at least 50 meters there was a definite feeling of being Goldilocks, I scooted as fast as I could out of there. I was planning to go another way but the weather got so bad I got stranded on the other side of the lake. Originally I planned to fly near the head waters prospect there and set up camp and work my way down until food ran out but every morning I waited until 9-10 am and they couldn't take me. I wanted to get there early so to set up camp and prospect. It was not to happen just as well as I would have been stranded there when the storms blew in.

Blanc Mt area showed nothing maybe so dimension stone on the north. It was mostly gneiss no alterations. The barite seems to be in the gneiss the rest seems to be barren.

All in all it was an exciting year especially with the Lucky and Forst claims.

Dennis Pelisle Jan 18 / 97

PROSPECTING
PROSPECTING R

MINERAL PROSPECTING
FORM (continued)

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name DENIS DELISLE Reference Number 96/97 P4

LOCATION/COMMODITIES

Project Area (as listed in Part A) CROWFOOT - ONYX CK MINFILE No. if applicable _____
Location of Project Area NTS Lat 51°00'N (51°20') Long 119°20'W (119°00')

Description of Location and Access NORTH SHUSWAP DRIVE 2km EAST - LAZISTA take Beguilen Rd to Line 17 (1km) turn RIGHT (500m) to GARLAND RD take the 700 Logging Road - Follow - SHEEP TRAIL SIGNS TO CROWFOOT

Mineral Commodities Searched For Au, Ag, Pb, Zn, Cu, Ba, and Tin

Mineral Occurrences in Project Area Au, Ag, Pb, Zn, Cu & and Tin

WORK PERFORMED

1. Conventional Prospecting (area) 10 sq miles
2. Geological Mapping (hectares/section) 30 hectares - Varying SCALES
3. Geochemical (type and no. of samples) Rock chip - 26, Mass MATT 30
4. Geophysical (type and line km) Absent 1km - Scintillometry, VLF (FAILED)
5. Physical Work (type and amount) ROAD CLEARING, FILLING HOLES cut dead falls
6. Drilling (no. holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities Zn, Pb, Ag Claim Name PHIL 1 (BET/SAUL)

Location (show on map) Lat 51°04' (51°06') Long 119°15' (119°15') Elevation 4000' to 5500'

Best assay/sample type Rock chip - BET-01-81, 463 Zn, 660 Ag, 15.7%, BET-02 14.5%, (Zn) OL-0X-96-01 - Ag (G/H) 3.05, Pb 2.15%

Description of mineralization, host rocks, anomalies QUARTZ VEINS STEEPLY DIPPING, STRIKING NE, QUARTZ VEINS ARE IN LIMBSTONE, CALC. SOME NE STRIKING GRANITE DIKES in the (BET/SAUL) AREA. MINERALIZATION IS IN QUARTZ VEIN IS GENERALLY MASSIVE GALENA - WITH CHALCOPYRITE, AND PRITE.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name DENIS DELISLE Reference Number 96/97 P4

LOCATION/COMMODITIES

Project Area (as listed in Part A) CHUCKCK-FENNEL VALLEY MINFILE No. if applicable _____ *

Location of Project Area NTS _____ Lat 119° 45' Long 51° 30'

Description of Location and Access DRIVE - 73km NORTH on Adams Lk Rd TURN LEFT
GO UP OTTER CK RD - 22km TURN RIGHT - 3km up DIRT Rd.

Main Commodities and For Cu, Pb, Zn - Magnetite - Au, Ag.

Known Mineral Occurrences in Project Area LUCKY CLAIMS - Cu, Zn, Pb,

WORK PERFORMED

1. Aerial Prospecting (area) 15km SQUARE -
2. Geomorphological Mapping (hectares/scale) 15km Square DIFFERENT SCALES
3. Geochemical (type and no. of samples) ROCK CHIPS 70, 54 Moss MATTS,
4. Geophysical (type and line km) —
5. Physical Work (type and amount) CUT OUT ROAD, FILL WASHOUTS -
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) —

SIGNIFICANT RESULTS

Commodities Cu, Zn, Pb, Au Claim No. LUCKYS, FORST,

* Location (show on map) Lat 119° 45' Long 51° 30' Elevation 3500'

Best assay/sample type OUT CR. - (FORST-5540) = 2,693 ppm Cu g
FLOAT - (FORST-22) = 260 PPM Au, 3,288 ppm Pb, - FLT FORST-10 = Zn 2817 ppm.

Description of mineralization, host rocks, anomalies CONCORDANT - MASSIVE pyrite DYKES IN
Eggle Bay Greenstone, dipping North West, STRIKE NE. Sometimes mineral near
OR IN LIMESTONE, some SKARNING IN AREA.

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of

✓

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name DENIS DELISLE - Reference Number 96/97 P4

LOCATION/COMMODITIES

Project Area (as listed in Part A) BLANC Mt. MINFILE No. if applicable —

* Location of Project Area NTS MAP - 824/13 Lat 50° 40' Long 119° 35' *

Description of Location and Access DRIVE - UP CHASE CREEK ROAD, TURN UP CHINA CREEK ROAD - FOR 8km TURN LEFT ON LOGGING ROAD - FOLLOW TO END 3km

Main Commodities Searched For BARITE -

Known Mineral Occurrences in Project Area — NONE —

WORK PERFORMED

1. Conventional Prospecting (area) 10 km sq.
2. Geological Mapping (hectares/scale) 10 km sq - general -
3. Geochemical (type and no. of samples) Rock Chip - 2, Mass Matt 1,
4. Geophysical (type and line km) —
5. Physical Work (type and amount) Saw - Tree over ROAD,
6. Drilling (no. holes, size, depth in m, total m) —
7. Other (specify) —

SIGNIFICANT RESULTS

Commodities NONE Claim Name —

Location (show on map) Lat — Long — Elevation —

Best assay/sample type —

Description of mineralization, host rocks, anomalies —

BIOTITE - GRANITE - GNEISS - NO MINERAL.

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

✓

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

TECHNICAL REPORT

- A technical report to be completed for each project area.
- See Part A, Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name DENIS DELISSE Reference Number 96/97 P4

LOCATION/COMMODITIES

Project area (as listed in Part A) ADAMS LK - WEST - SOUTH MINFILE No. if applicable

* Location of Project Area NTS -MAP 82 M/A Lat 51°09' Long 120°44'

Description of Location and Access Go 15km NORTH on Adams LK Road go 15km to the Left.

Main Commodities Searched For Cu, Au

Known Mineral Occurrences in Project Area SANATOSA - REA GOLD - NORTH OF RB CLAIM. 15km.

1. Aerial Photography	<u> </u>
2. Geophysical (type and no. of samples)	<u>ROCK CHIP - 7, Soil Samples 2</u>
3. Geochemical (type and no. of samples)	<u> </u>
4. Geophysical (type and line km)	<u> </u>
5. Physical Work (type and amount)	<u> </u>
6. Drilling (no., hole depth in m, total m)	<u> </u>
7. Other (specify)	<u> </u>

SIGNIFICANT RESULTS

Commodities Cu Claim Name R+B

* Location (show on map) 51°04' Long 120°44' Elevation 2500'

Best assay/sample Au - 275ppm, Cu - 9451ppm, Rock CHIP.

Description of mine site, host rocks, anomalies Au and Cu in 3 meter wide Quartz vein, STRIKES South EAST - Dips to SW. QUARTZ Vein cross cuts GREENSTONE AND some LIMESTONES.

Supporting data must be submitted with this TECHNICAL REPORT
Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to **Program Requirements/Regulations, section 15, 16 and 17.**
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this **TECHNICAL REPORT.**

Name DENIS DELISLE Reference Number 96/97 124

LOCATION/COMMODITIES
Project Area (as listed in Part A) POWDER LAKE MINFILE No. if applicable _____

* Location of Project Area NTS _____ Lat 51° 16' 55" Long 120° 19' 56"

Description of Location and Access DRIVE NORTH OF BARRIER - 10 km TO LOGGING ROAD WEST, Follow IT 6 km TO POWDER LAKE ROAD 600 2 km.

Main Commodities Searched For Cu, Pb, Zn, Au, Ag,

Known Mineral Occurrences in Project Area _____

WORK PERFORMED

1. Conventional Prospecting (area) 6 km of ROAD-
2. Geological Mapping (hectares/scale) 6 km of ROAD-
3. Geochemical (type and no. of samples) 4 ROCK CHIP; 1 mass Matt.
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no. holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities NONE - Cu/Zn Claim Name _____

Location (show on map) Lat 51° 17' Long 120° 20' Elevation 4000'

Best assay/sample type 238 ppm Cu


Description of mineralization, host rocks, anomalies _____

Young Volcanics intruding in a batholith.

*Supporting data must be submitted with this TECHNICAL REPORT
Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.*

FORST 5 348467	FORST 3 348465	FORST 1 348463	LUCKYS 3 348461	LUCKYS 1 348459
2	1	2	1	2
2	1	2	1	2
FORST 6 348468	FORST 4 348466	FORST 2 348464	LUCKYS 4 348462	LUCKYS 2 348460
2	1	2	1	2
2	1	2	1	2

CHUCK-FENNEL REEK - PROJECT
FORST/LUCKY CLAIMS




Cottonwood
P1

4129 BAY
35X25
(85147) 2/70

Skwaam
Bay


R+B-PROJECT





ADAMS
LAKE


5658048

MINERAL RESERVE
O/C 2328, 29-7-76
NO STAKING



STEEP 4
217814
7100
5NX4E
(122635)





CLAIM NAME	EXAMPLE
TITLE NUMBER	34567
OLD TITLE NUMBER	3456
TAG NUMBER	10000
LEGAL POST	C
WITNESS POST	WP C
FORFEITED TENURE	C
VERIFIED	VB
SURVEYED	SL
REVERTED C.G. MINERAL CLAIM	REV CG OR RCG
CROWN GRANTED	C
OPEN FOR STAKING	O.F.S

5658048


1 UNIT	2 POST CLAIM	OLD 2 POST CL
1640.42 ft	1640.42 ft	1500 ft
25 ha 61.78 ac	25 ha 61.78 ac	20.90 ha 51.65 ac
500 m	500 m	457.2 m

PHIL
CLAIMS

CROWFOOT
ONYX CK
PROJECT

THIS MAP IS PREPARED ONLY AS A GUIDE TO THE LOCATION OF MINERAL TENURE AS SHOWN ON THE LOCATOR'S SKETCH. FOR CURRENT OR MORE SPECIFIC INFORMATION, APPLICATION SHOULD BE MADE TO THE MINING DIVISION CONCERNED.

082M05E	082M06W	082M06E
---------	---------	---------



51° 17' LATITUDE

FOREST

HILLS

LITTLE FORT

RIVER

- OC-PWD-01 = BASALT - ANDASITE (MAG.)
- CHAROPHYRITE? - CALCITE.
- OC-PWD-02 = ANDASITE - BASALT (MAG-FINE GRAIN - Pyrite - Chalcopyrite?)
- OC-PWD-03 = ANDASITE - BASALT BANDS OF DARK PURPLE.
- OC-PWD-04 = TUFFACEOUS - Pyrite - Andasite
- MM-1L

OC-PWD-01	= 102 ppm Cu
OC-PWD-03	= 238 " " 103 ppm Zn 3.14%
OC-PWD-02	= 127 " " 42 " " 1.5%
OC-PWD-04	= 104 " " 42 " " 4.3%

? SAMPLES MISSING.

120° 20' LONGITUDE

CHU CHUA CREEK

Roads: dual highway more than 2 lanes

CONVERSION SCALE FOR EU

16-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-629

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 22
Sample type: Rock
PROJECT #: None given
SHIPMENT #: None given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	FLT - 06 - 01	5	0.4	0.35	<5	35	5	4.94	<1	9	142	6	2.96	<10	0.32	924	12	<0.1	20	990	24	<5	<20	78	<0.1	<10	6	<10	6	16
2	FLT - FEN - 03	5	0.2	0.15	<5	25	<5	3.18	<1	50	43	110	4.79	<10	0.05	1018	9	<0.1	13	60	<2	<5	20	10	0.01	<10	7	<10	<1	4
3	FLT - FEN - 05	5	<2	2.95	<5	45	<5	2.09	<1	45	72	237	8.39	<10	2.74	738	4	0.04	22	1270	2	<5	20	27	0.17	<10	94	<10	<1	37
4	OC - 06 - 22	5	1.2	0.64	<5	170	<5	0.35	1	92	46	248	7.61	<10	0.07	4947	10	0.20	104	910	58	<5	20	23	0.02	<10	11	<10	<1	78
5	OC - 06 - 25	5	0.4	0.03	25	10	<5	0.02	<1	2	110	3	0.88	<10	<0.1	69	12	<0.1	20	190	4	<5	<20	<1	<0.1	<10	3	<10	<1	21
6	OC - 330 - 01	5	<2	1.85	<5	130	5	0.05	<1	9	170	17	3.65	<10	0.78	273	4	0.05	8	190	8	<5	<20	4	0.24	<10	39	<10	<1	58
7	OC - BLC - 01	5	<2	0.70	<5	580	<5	0.42	<1	4	60	19	1.84	<10	0.18	94	<1	0.06	12	690	6	<5	<20	179	0.10	<10	24	<10	3	9
8	OC - BLC - 02	5	0.4	0.70	<5	160	<5	0.51	<1	95	88	161	4.89	<10	0.23	153	4	0.17	202	300	6	<5	20	276	0.09	<10	23	<10	<1	19
9	OC - 96 - EC	5	0.4	0.09	<5	40	<5	0.29	<1	7	268	4	1.08	<10	0.10	501	10	<0.1	13	40	<2	<5	<20	17	<0.1	<10	2	<10	<1	6
10	OC - FEN - 01	5	<2	2.77	20	20	5	0.56	<1	62	264	133	7.38	<10	2.83	388	2	0.06	61	1460	4	<5	<20	14	0.17	<10	52	<10	<1	23
11	OC - FEN - 02	5	<2	3.14	<5	45	10	0.39	<1	28	258	102	8.17	<10	2.92	438	<1	0.07	87	1040	2	<5	<20	21	0.23	<10	85	<10	<1	25
12	OC - FEN - 04	5	5.8	0.62	<5	60	10	1.74	<1	11	168	55	2.64	<10	0.39	718	5	<0.1	19	220	736	<5	<20	61	<0.1	<10	7	<10	<1	33
13	OC - FEN - 30	5	0.6	0.18	<5	55	<5	2.72	2	24	58	1565	> 15	<10	<0.1	1506	15	<0.1	24	<10	<2	<5	60	8	0.03	<10	11	<10	<1	16
14	OC - FEN - 33	5	2.4	0.36	<5	40	<5	> 15	2	6	65	165	7.22	<10	5.34	8072	9	<0.1	8	110	<2	<5	<20	208	0.02	<10	16	<10	<1	58
15	OC - FEN - 39	5	<2	2.71	<5	65	<5	4.57	<1	26	141	343	6.63	<10	2.50	974	9	0.03	20	560	<2	<5	<20	49	<0.1	<10	55	<10	<1	61
16	FLT - FEN - RD	5	0.4	0.04	<5	20	<5	> 15	<1	<1	5	3	0.75	<10	13.00	614	<1	<0.1	<1	30	<2	35	<20	259	<0.1	<10	7	<10	<1	8
17	OC - NEL - 01	5	<2	0.80	<5	45	<5	0.44	<1	5	102	4	2.05	50	0.44	463	2	0.03	5	870	6	<5	<20	10	0.04	<10	23	<10	10	38
18	OC - PWD - 01	5	<2	1.34	65	35	<5	0.81	<1	21	62	102	3.19	<10	1.08	512	5	0.09	13	1430	4	<5	<20	48	0.03	<10	26	<10	<1	43
19	OC - PWD - 03	5	0.2	2.38	<5	125	<5	0.86	1	34	158	238	4.76	<10	1.52	435	2	0.12	88	1230	6	<5	<20	48	0.21	<10	153	<10	6	103
20	OC - PWD - 04	5	0.8	1.03	<5	115	<5	0.88	<1	22	78	104	4.34	<10	0.68	299	4	0.07	25	1280	4	<5	<20	68	0.06	<10	50	<10	<1	42
21	OC - OX - 96 - 01	5	>30	0.02	<5	35	185	0.01	16	3	210	4	3.24	<10	<0.1	52	6	<0.1	11	<10	>10000	<5	<20	96	<0.1	10	1	<10	<1	1602
22	PHR - 02 - 96	5	<2	1.74	<5	135	15	5.81	1	44	65	6	10.20	<10	2.46	1812	6	<0.1	60	1510	56	<5	20	269	0.08	<10	222	<10	12	110

11-Jul-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-607

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0


Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 3
Sample type: Rock
PROJECT #: none given
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	OC-FEN-30	<5	<2	0.37	<5	65	<5	9.80	3	40	88	681	> 15	<10	0.03	3959	18	<0.01	14	<10	<2	<5	40	52	0.04	<10	28	<10	<1	16
2	OC-PWD-02	<5	<2	2.51	<5	160	<5	0.84	<1	27	160	127	5.42	<10	2.19	544	3	0.05	37	1860	<2	<5	<20	31	0.28	<10	169	<10	10	79
3	FLT-FEN-06	<5	<2	0.05	<5	130	<5	0.31	4	90	8	1016	> 15	<10	<0.01	211	33	<0.01	13	<10	4	<5	20	7	0.02	90	7	<10	<1	22
QC/DATA:																														
Resplit:																														
R/S 2	OC-PWD-02	<5	<2	2.51	<5	150	<5	0.85	<1	27	158	128	5.51	<10	2.20	551	3	0.05	36	1900	<2	<5	<20	29	0.28	<10	169	<10	9	79
Repeat:																														
1	OC-FEN-30	-	<2	0.36	<5	70	<5	9.68	2	39	88	656	> 15	<10	0.03	3921	17	<0.01	11	<10	2	<5	40	51	0.04	<10	27	<10	<1	16
3	FLT-FEN-06	<5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		-	1.4	1.81	55	160	<5	1.91	<1	20	64	87	4.02	<10	1.02	768	<1	0.01	20	760	18	<5	<20	59	0.12	<10	81	<10	4	70

df/589r
XLS/96Kmisc.#4


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

3-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-707

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENNIS DELISLE

No. of samples received: 5
Sample type: Moss Matt
PROJECT #: None Given
SHIPMENT #: None Given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	MM-HLT 01	0.8	1.63	<5	160	<5	1.67	1	16	34	21	3.32	<10	0.45	4658	4	0.02	32	1970	14	<5	<20	57	0.02	<10	32	<10	6	170
2	MM-HLT 02	<0.2	1.61	<5	95	<5	1.39	<1	18	46	25	3.82	<10	0.80	2102	2	0.02	24	1470	12	<5	<20	32	0.05	<10	58	<10	3	130
3	MM-HLT 03	0.2	0.38	5	75	<5	3.68	<1	3	6	20	0.52	<10	0.14	1477	1	0.02	5	2380	34	5	<20	42	0.01	<10	8	<10	<1	141
4	MM-HLT 04	0.6	1.46	<5	150	<5	1.41	1	17	32	18	3.24	<10	0.50	5117	3	0.02	30	2060	12	<5	<20	52	0.03	<10	34	<10	4	174
5	MM-HLT 05	0.4	1.87	<5	165	<5	1.30	1	24	72	35	4.66	<10	1.11	3689	3	0.02	45	1970	12	<5	<20	58	0.03	<10	48	<10	3	320

QC/DATA:

Repeat #:

1	MM-HLT 01	0.4	1.61	<5	155	<5	1.63	1	16	35	21	3.33	<10	0.47	4500	3	0.02	31	1960	14	<5	<20	55	0.03	<10	33	<10	6	160
---	-----------	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	------	---	------	----	------	----	----	-----	----	------	-----	----	-----	---	-----

Standard:

GEO96		1.0	1.89	50	160	<5	2.00	<1	21	71	85	4.06	<10	1.01	816	<1	0.02	22	770	16	<5	<20	65	0.14	<10	88	<10	5	72
-------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/727a
XLS/95Delisle


ECO-TECH LABORATORIES LTD.
 per Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

12-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-814

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: D. DELISLE

No. of samples received: 27
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: NOT INDICATED

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	BC-ANISE-05	5	<0.2	0.13	<5	20	<5	0.02	<1	5	187	26	3.97	<10	0.04	171	18	<0.01	15	<10	4	<5	<20	2	<0.01	<10	8	<10	<1	49	
2	BC-ANISE-06	5	0.6	0.95	<5	40	<5	0.02	<1	89	131	267	>10	<10	0.43	107	10	<0.01	22	70	12	<5	<20	5	<0.01	<10	9	<10	<1	30	
3	BC-ANISE-07	5	0.4	1.17	<5	50	<5	0.02	1	47	102	381	>10	<10	0.52	119	18	<0.01	30	60	6	<5	<20	5	<0.01	<10	20	12	<10	<1	37
4	BC-ANISE-08	5	2.2	0.10	<5	20	5	1.60	<1	8	255	44	2.95	<10	0.46	548	7	<0.01	7	510	312	<5	<20	63	<0.01	<10	4	<10	<1	23	
5	BC-ANISE-09	5	<0.2	0.15	<5	30	<5	0.21	<1	9	312	33	1.89	<10	<0.01	87	25	0.02	8	1060	10	<5	<20	11	<0.01	<10	7	<10	1	12	
6	BC-ANISE-15	5	<0.2	0.90	<5	65	<5	2.28	<1	5	201	15	1.73	<10	0.31	733	5	0.05	4	190	6	<5	<20	28	<0.01	<10	4	<10	3	24	
7	BC-ANISE-16	5	<0.2	1.06	<5	80	5	8.70	1	23	71	10	8.07	<10	1.68	1962	9	0.03	3	4600	<2	<5	<20	262	<0.01	<10	11	<10	2	52	
8	BC-ANISE-16-	5	0.2	0.55	135	65	5	>10	<1	74	88	66	8.39	<10	2.74	1791	9	0.03	328	840	<2	<5	<20	235	0.01	<10	17	<10	<1	38	
9	BC-ANISE-17	5	<0.2	0.28	<5	120	15	>10	2	28	38	7	>10	<10	5.53	2711	6	0.01	45	1530	2	<5	<20	487	<0.01	<10	14	<10	<1	98	
10	BC-ANISE-18	5	<0.2	0.34	40	375	<5	>10	<1	28	30	50	8.21	<10	2.13	1524	7	0.01	56	2110	4	<5	<20	373	<0.01	<10	11	<10	2	83	
11	BC-ANISE-20	5	<0.2	1.89	<5	60	<5	0.27	<1	40	65	57	7.57	<10	0.77	101	9	0.01	24	360	10	<5	<20	9	<0.01	<10	12	<10	<1	30	
12	BC-ANISE-20-	5	<0.2	0.31	<5	50	<5	9.23	<1	28	114	68	7.51	<10	2.34	1184	15	0.01	73	440	4	<5	<20	172	<0.01	<10	13	<10	<1	30	
13	BC-ANISE-29	5	<0.2	2.12	<5	25	10	6.05	8	24	84	14	4.45	<10	1.65	1042	<1	0.01	28	1470	<2	<5	<20	163	0.24	<10	69	<10	2	613	
14	BC-ANISE-30	5	<0.2	0.49	5	15	<5	1.25	<1	27	50	170	2.63	<10	0.15	165	<1	<0.01	6	490	4	<5	<20	88	0.33	<10	23	<10	5	22	
15	BC-ANISE-31	5	<0.2	2.48	<5	65	5	8.91	1	51	20	101	>10	<10	3.57	1593	8	0.05	28	2070	6	<5	<20	416	0.02	<10	97	<10	<1	184	
16	BC-ANISE-32	5	<0.2	0.99	<5	70	<5	5.11	<1	23	159	109	4.48	<10	1.82	966	8	0.06	36	820	2	<5	<20	104	<0.01	<10	54	<10	<1	40	
17	FLT-ROAD-01	5	2.4	1.44	<5	35	<5	>10	2	10	52	790	9.36	<10	5.68	2337	8	<0.01	15	420	30	<5	<20	245	<0.01	<10	75	<10	<1	65	
18	FLT-ROAD-02	5	<0.2	0.83	<5	20	<5	3.26	<1	26	106	126	5.67	<10	0.19	372	41	<0.01	18	1350	4	<5	<20	177	0.26	<10	43	<10	2	10	
19	FLT-ROAD-03	5	<0.2	2.76	<5	70	10	0.85	<1	49	191	121	9.46	<10	2.46	419	3	0.03	70	1260	6	<5	<20	35	0.29	<10	53	<10	<1	41	
20	FLT-FORST-10	10	4.0	0.93	160	65	<5	>10	<1	39	42	1010	>10	<10	7.02	3265	10	<0.01	14	310	254	<5	<20	427	0.01	<10	31	<10	<1	237	



GEOCHEMICAL ANALYSIS CERTIFICATE



DeLisle Exploration File # 96-5160 Page 1
168-1 R.R. #1, Chase BC VOE 1M0

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Tl ppm	Hg ppm	Au* ppb
FC-R+B-02	1	13	9	65	<.3	2	11	39524	12.02	4	100	<2	24	56	.3	2	<2	1	.10	.015	3	15	.01	13	<.01	<3	.04	.01	.03	4	7	<1	1
OC-FORST-5043	2	264	3	238	<.3	209	117	443	6.86	41	<5	<2	<2	36	1.1	<2	3	53	.59	.093	3	417	2.40	15	.24	<3	2.38	.02	.03	<2	5	<1	5
OC-5340-FORST	4	796	16	79	<.3	86	144	358	6.98	28	<5	<2	2	67	.7	<2	<2	33	1.45	.391	19	11	1.84	7	.30	<3	2.06	.04	<.01	<2	6	<1	3
OC-ANISE-06	7	1672	<3	114	.3	21	37	227	5.14	11	<5	<2	<2	57	.7	<2	<2	45	1.69	.370	14	31	2.06	5	.37	<3	2.20	.04	<.01	3	8	<1	5
FLT-CROW-12	4	50	114	17	8.8	42	586	261	15.71	190	<5	<2	<2	4	<.2	6	667	1	.04	.004	1	38	<.01	3	.01	3	.04	.01	<.01	12	<5	<1	10
OC-BET-02	2	656	245	42239	4.1	8	6	292	15.64	285	<5	<2	<2	11	159.4	6	14	<1	.20	.011	<1	10	<.01	3	<.01	<3	.02	.01	<.01	<2	<5	<1	1
OC-BET-06	<1	317	58	81463	2.2	6	4	2680	6.53	68	<5	<2	<2	138	350.1	<2	<2	4	15.75	.024	<1	3	11.03	2	<.01	<3	.01	<.01	<.01	<2	<5	<1	4
RE OC-BET-06	1	301	54	76036	2.0	6	4	2518	6.20	66	<5	<2	2	127	328.8	<2	3	3	14.56	.023	<1	2	10.36	2	<.01	<3	.01	<.01	<.01	<2	<5	<1	4

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: P1 ROCK P2 MOSS MAT AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.(10 GM)
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 9 1996 DATE REPORT MAILED: *Oct 18/96* SIGNED BY: *C. Leong* D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
MM-BET-07	2	63	23	213	.3	61	29	1648	4.92	17	<5	<2	<2	70	.9	<2	2	92	.97	.174	31	72	1.09	178	.04	4	1.80	.02	.26	<2

Sample type: MOSS MAT.

7-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-696

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENNIS DELISLE

No. of samples received: 12
Sample type: Rock
PROJECT #: None Given
SHIPMENT #: None Given

Values in ppm unless otherwise reported

ET#	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	OC EBA 43	5	0.4	0.07	<5	30	<5	2.72	<1	4	139	62	2.26	<10	0.89	694	15	<0.01	21	510	92	<5	<20	149	<0.01	<10	3	<10	1	30
2	OC FLT 03	30	0.8	0.19	<5	70	<5	2.61	3	43	16	452	>10	<10	0.32	341	23	<0.01	120	<10	26	<5	<20	50	<0.01	60	7	<10	<1	24
3	OC FLT 04	5	5.0	0.57	<5	10	<5	>10	<1	6	17	3235	4.47	<10	0.70	654	36	<0.01	20	340	10	<5	<20	788	<0.01	<10	16	<10	<1	28
4	OC FST 01	5	<0.2	2.16	<5	25	<5	1.24	1	171	368	1821	>10	<10	1.95	254	5	<0.01	124	2200	2	<5	<20	77	0.35	<10	40	<10	<1	50
5	OC FST 02	5	<0.2	3.22	<5	35	<5	2.14	<1	20	281	38	5.87	<10	3.34	349	1	0.02	80	1200	(174)	<5	<20	79	0.21	<10	123	<10	<1	90
6	OC CHK 01	10	<0.2	0.50	<5	65	10	>10	1	42	167	7	6.91	<10	3.55	1066	6	0.08	176	2280	<2	<5	<20	257	<0.01	<10	26	<10	<1	67
7	FLT HLT 01	5	<0.2	0.36	<5	65	5	>10	1	22	54	40	7.68	<10	4.80	2057	5	0.02	129	2360	<2	<5	<20	175	<0.01	<10	14	<10	<1	37
8	OC GFRN 02	5	<0.2	1.56	<5	70	<5	0.18	<1	8	38	21	3.76	<10	0.69	101	4	0.01	12	440	50	<5	<20	7	<0.01	<10	13	<10	<1	29
9	OC GFRN 04	5	<0.2	2.67	<5	45	<5	0.12	<1	18	54	48	6.83	<10	1.54	204	6	<0.01	20	460	<2	<5	<20	7	<0.01	<10	23	<10	<1	97
10	OC GFRT 01	5	<0.2	1.22	<5	35	<5	0.05	<1	7	100	29	4.42	<10	0.60	101	8	<0.01	12	370	30	<5	<20	2	<0.01	<10	10	<10	<1	31
11	OC GFRT 03	5	<0.2	1.47	<5	50	<5	0.92	<1	14	115	23	5.08	<10	0.99	1654	8	<0.01	34	580	8	<5	<20	61	<0.01	<10	13	<10	<1	66
12	OC 180 3+4	5	<0.2	1.62	<5	85	<5	0.46	<1	15	146	(256)	5.42	<10	1.29	242	3	0.03	14	2060	<2	<5	<20	39	0.23	<10	62	<10	4	34

QC DATA:

Resplit:

R/S1	OC	EBA	43	5	<0.2	0.08	<5	30	<5	2.66	<1	3	147	56	2.19	<10	0.87	678	17	<0.01	20	470	78	<5	<20	146	<0.01	<10	3	<10	1	26
------	----	-----	----	---	------	------	----	----	----	------	----	---	-----	----	------	-----	------	-----	----	-------	----	-----	----	----	-----	-----	-------	-----	---	-----	---	----

Repeat:

1	OC	EBA	43	5	0.2	0.08	<5	30	<5	2.77	<1	3	145	61	2.31	<10	0.90	711	15	<0.01	21	500	96	5	<20	151	<0.01	<10	3	<10	1	30
10	OC	GFRT	01	-	<0.2	1.25	<5	35	<5	0.05	<1	7	102	29	4.42	<10	0.61	101	8	<0.01	14	360	28	<5	<20	3	<0.01	<10	10	<10	<1	30

Standard:

GEO'96				150	1.2	1.80	60	155	<5	1.76	<1	18	61	84	4.09	<10	0.99	716	<1	0.02	24	680	20	<5	<20	61	0.11	<10	79	<10	4	72
--------	--	--	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/694r
XLS/96Delisle


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

30-Sep-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1111

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENIS DELISLE

No. of samples received: 22
Sample type: ROCK
PROJECT #: NOT GIVEN
SHIPMENT #: NOT GIVEN

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	OC 5043	5	<0.2	1.76	<5	70	<5	0.33	2	104	284	272	>10	<10	1.57	320	4	0.04	97	340	12	<5	<20	14	0.18	<10	53	<10	<1	19
2	OC LKY-02	5	<0.2	0.01	<5	35	<5	>10	<1	5	16	10	3.27	<10	3.36	1175	<1	<0.01	4	30	<2	15	<20	211	<0.01	<10	1	<10	<1	9
3	OC CROW-02	5	0.2	0.03	<5	5	<5	0.08	1	3	457	45	1.18	<10	<0.01	71	10	<0.01	8	<10	2	<5	<20	1	<0.01	<10	1	<10	<1	1
4	OC FORST-5540	5	<0.2	2.23	<5	45	<5	1.58	2	66	248	1426	7.86	20	2.13	274	<1	0.02	41	3090	6	<5	<20	42	0.42	<10	52	<10	<1	84
5	OC FORST-5041	5	<0.2	2.01	<5	30	<5	1.98	1	57	77	996	6.18	20	1.63	213	<1	0.03	22	5410	16	<5	<20	62	0.38	<10	39	<10	4	48
6	FLT LKY-01	5	0.2	0.51	<5	75	<5	>10	3	15	28	23	8.44	10	5.75	2355	4	<0.01	15	320	12	<5	<20	196	0.01	<10	27	<10	<1	69
7	FLT ANISE-30	5	<0.2	2.71	25	185	<5	9.60	1	62	366	31	9.48	10	4.23	934	3	<0.01	385	990	2	<5	<20	40	<0.01	<10	59	<10	<1	193
8	OC ANISE-103	5	<0.2	0.99	<5	80	<5	>10	2	45	97	63	9.50	10	5.17	1528	5	0.01	108	1280	<2	<5	<20	201	<0.01	<10	22	<10	<1	46
9	OC ANISE-108	5	<0.2	0.17	<5	35	<5	>10	<1	6	32	7	6.02	<10	5.78	1144	<1	<0.01	13	360	4	<5	<20	482	<0.01	<10	1	<10	<1	29
10	OC ANISE-100	5	<0.2	0.43	260	100	<5	6.53	1	101	94	113	>10	<10	1.43	1577	7	0.04	204	650	130	<5	<20	104	<0.01	<10	15	<10	<1	154
11	OC ANISE-105	5	<0.2	0.11	<5	50	<5	>10	1	6	30	5	6.16	10	7.25	1223	<1	<0.01	9	340	4	<5	<20	210	<0.01	<10	<1	<10	<1	39
12	OC ANISE-107	5	<0.2	0.28	<5	65	<5	>10	1	42	68	47	8.92	<10	2.79	1208	5	<0.01	112	360	4	<5	<20	162	<0.01	<10	9	<10	<1	48
13	OC ANISE-101	5	<0.2	1.19	<5	45	5	>10	2	57	183	6	7.77	<10	4.20	1306	2	0.04	215	1080	6	<5	<20	135	<0.01	<10	33	<10	<1	47
14	OC ANISE-06	5	<0.2	0.44	10	80	5	>10	2	26	63	16	9.30	10	6.01	2247	3	<0.01	59	1170	<2	<5	<20	191	<0.01	<10	18	<10	<1	44
15	OC ANISE-102	5	<0.2	0.15	20	50	10	>10	1	15	68	2	6.48	<10	6.08	1533	4	<0.01	30	510	<2	<5	<20	172	<0.01	<10	4	<10	<1	32
16	OC FORST-5041	5	<0.2	2.47	<5	40	<5	2.08	2	88	53	843	7.97	20	1.95	242	3	0.02	37	5670	22	<5	<20	67	0.33	<10	40	<10	<1	56
17	OC FORST-5042	5	<0.2	3.14	<5	60	<5	2.23	3	52	435	226	>10	10	2.93	523	<1	0.01	140	1540	2	<5	<20	60	0.33	<10	52	<10	<1	38
18	OC FORST-5540	5	<0.2	2.20	<5	60	<5	1.87	2	159	816	2693	>10	10	1.98	289	<1	<0.01	80	3110	18	<5	<20	61	0.51	<10	61	<10	<1	80
19	OC FORST-50	5	<0.2	3.10	<5	60	5	1.62	2	53	143	19	7.89	<10	3.16	988	<1	0.02	41	1460	6	<5	<20	46	0.56	<10	151	<10	4	79
20	OC LKY-01	5	0.6	0.09	<5	30	<5	>10	2	7	5	5	4.58	10	5.63	2234	<1	<0.01	8	70	18	10	<20	417	0.02	<10	5	<10	8	77

14-Aug-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-816 ✓

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 25
Sample type: moss matt
PROJECT #: none given
SHIPMENT #: none given

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	mm-forst 10	<0.2	0.61	<5	135	<5	0.89	<1	3	4	9	0.54	30	0.20	625	<1	0.07	3	750	8	<5	<20	72	0.02	<10	12	<10	6	55
2	mm-forst 20	<0.2	1.33	10	70	10	0.77	<1	20	43	33	5.27	10	0.79	768	3	<0.01	27	1190	12	<5	<20	28	0.04	<10	52	<10	2	60
3	mm-forst 21	<0.2	1.39	<5	90	<5	0.95	<1	20	44	29	5.09	20	0.77	1013	3	<0.01	26	1420	14	<5	<20	31	0.03	<10	52	<10	6	67
4	mm-forst 22	<0.2	1.33	<5	85	<5	0.99	<1	20	47	32	5.69	40	0.75	964	4	<0.01	28	1520	12	<5	<20	31	0.04	<10	64	<10	9	64
5	mm-forst 23	<0.2	0.94	<5	55	<5	0.94	<1	14	33	41	4.33	30	0.61	613	2	<0.01	19	1180	10	<5	<20	35	0.03	<10	51	<10	7	50
6	mm-anise 01	<0.2	0.20	<5	100	<5	1.96	<1	2	7	19	0.41	<10	0.22	245	<1	0.04	15	840	4	<5	<20	118	<0.01	<10	5	<10	3	48
7	mm-anise 02	<0.2	1.71	<5	130	5	0.97	1	19	69	49	4.28	10	0.98	1004	<1	<0.01	57	1290	10	<5	<20	57	0.07	<10	66	<10	16	76
8	mm-anise 03	<0.2	2.55	<5	155	<5	1.39	2	32	137	80	5.69	<10	1.86	1036	2	<0.01	96	1880	12	<5	<20	62	0.08	<10	93	<10	5	122
9	mm-anise 04	<0.2	1.86	<5	90	5	0.79	1	27	94	31	5.75	<10	1.45	1059	2	<0.01	63	1290	6	<5	<20	33	0.08	<10	83	<10	1	95
10	mm-anise 05	0.2	1.63	<5	160	<5	1.06	<1	20	41	23	3.62	<10	0.63	2342	2	<0.01	24	1540	12	<5	<20	45	0.04	<10	50	<10	6	81
11	mm-anise 09	<0.2	1.24	<5	65	<5	0.34	<1	20	33	25	4.08	10	0.56	850	3	<0.01	34	940	12	<5	<20	22	0.02	<10	28	<10	1	72
12	mm-anise 10	0.8	2.30	10	225	<5	1.15	<1	29	40	37	4.72	10	0.69	6846	3	<0.01	42	1620	14	<5	<20	82	0.03	<10	38	<10	8	212
13	mm-anise 11	0.4	1.09	<5	110	<5	1.47	<1	15	27	16	3.64	<10	0.76	1941	1	<0.01	20	1130	8	<5	<20	59	0.03	<10	32	<10	3	74
14	mm-anise 12	0.2	0.89	10	75	<5	1.47	<1	11	16	27	1.28	20	0.33	826	1	0.05	10	1600	4	<5	<20	72	0.01	<10	17	<10	15	71
15	mm-anise 13	<0.2	2.31	40	145	<5	0.79	<1	31	83	46	6.86	10	1.40	1402	2	<0.01	52	1630	10	<5	<20	38	0.06	<10	88	<10	5	75
16	mm-anise 15	0.2	1.74	5	180	<5	1.29	<1	27	69	35	5.70	<10	0.96	3772	3	<0.01	42	1490	8	<5	<20	79	0.04	<10	45	<10	3	107
17	mm-anise 16	<0.2	1.06	<5	50	<5	1.33	<1	16	47	29	2.95	<10	0.57	754	2	0.01	37	1160	10	<5	<20	59	0.01	<10	17	<10	2	50
18	mm-anise 17	<0.2	1.07	<5	65	<5	1.80	<1	19	61	31	3.42	<10	0.82	816	1	0.01	47	1190	8	<5	<20	83	0.01	<10	25	<10	2	51
19	mm-anise 18	<0.2	0.19	<5	30	<5	2.60	<1	2	8	10	0.52	<10	0.45	581	<1	0.04	11	840	4	5	<20	178	<0.01	<10	4	<10	1	37
20	mm-anise 19	<0.2	1.00	<5	50	<5	1.33	<1	17	28	29	3.38	<10	0.54	954	2	<0.01	27	710	8	<5	<20	70	0.02	<10	23	<10	2	47
21	mm-anise 20	<0.2	1.29	<5	40	<5	0.37	<1	18	47	20	4.13	<10	0.74	555	2	<0.01	39	640	8	<5	<20	22	0.01	<10	23	<10	<1	63
22	mm-anise 21	<0.2	1.28	5	60	<5	1.58	<1	18	55	35	3.32	<10	0.63	790	2	<0.01	43	1100	10	<5	<20	73	0.02	<10	21	<10	3	50
23	mm-anise 22	<0.2	1.19	<5	100	<5	1.17	<1	16	50	23	3.36	<10	0.65	1098	1	0.01	31	1130	8	<5	<20	75	0.03	<10	34	<10	3	48
24	mm-anise 29	<0.2	0.27	5	125	<5	2.03	<1	3	5	21	0.53	<10	0.23	1631	<1	0.04	5	1480	30	<5	<20	85	<0.01	<10	8	<10	2	145
25	mm-anise 30	<0.2	1.51	<5	85	5	0.87	<1	20	62	16	4.80	<10	1.02	1551	2	<0.01	37	960	6	<5	<20	49	0.05	<10	60	<10	1	73

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-628

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 31
Sample type: Moss
PROJECT #: None Given
SHIPMENT #: None Given
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	MM- AZ-60	<.2	0.44	<5	196	<5	3.39	<1	5	15	24	1.34	<10	0.36	584	1.4	0.01	15	1260	8	<5	<20	65	0.01	<10	27	<10	8	48
2	MM- BLC-01	<.2	0.96	<5	84	<5	0.65	1	7	13	6	1.51	10	0.18	1232	0.7	<.01	11	756	6	<5	<20	43	0.04	<10	18	14	6	53
3	MM- BLC-02	<.2	1.35	<5	158	<5	0.50	<1	7	20	6	1.82	10	0.32	1303	<1	<.01	15	560	<2	<5	<20	69	0.06	<10	24	<10	5	55
4	MM- BLC-03	<.2	1.76	5	84	<5	0.65	<1	9	15	22	1.96	40	0.29	531	0.7	0.02	28	392	<2	<5	<20	93	0.08	<10	21	<10	18	62
5	MM- 22+50	<.2	1.47	<5	116	<5	1.56	1	26	83	62	5.03	<10	1.39	979	3.5	0.01	65	1757	8	<5	<20	53	0.04	<10	71	<10	3	74
6	MM- +119E (LUX)	<.2	2.19	<5	91	<5	1.00	1	34	74	150	6.24	<10	1.51	937	3.5	<.01	55	1323	26	<5	<20	30	0.07	<10	73	<10	<1	117
7	MM- 119+25	<.2	2.17	<5	91	<5	1.82	1	33	69	35	7.49	<10	1.36	1047	3.5	<.01	39	2128	10	<5	<20	48	0.06	<10	93	<10	<1	88
8	MM- 119+50	<.2	1.73	<5	77	3.5	0.92	1	31	60	31	6.80	<10	1.18	1015	3.5	<.01	40	1722	6	<5	<20	34	0.04	<10	83	<10	<1	86
9	MM- 119+75	<.2	1.51	<5	53	<5	0.57	<1	26	61	19	5.80	<10	1.09	635	2.8	<.01	38	1092	4	<5	<20	22	0.05	<10	68	<10	<1	65
10	MM- 120	<.2	1.59	<5	49	<5	0.53	<1	23	54	16	5.18	<10	1.16	606	2.1	<.01	38	966	4	<5	<20	18	0.05	<10	61	<10	<1	67
11	MM- FEN-10	<.2	2.21	<5	102	<5	10.22	4	48	50	272	5.89	<10	2.86	848	2.1	0.01	36	2212	24	<5	<20	83	0.09	<10	74	<10	<1	341
12	MM- 06-03	<.2	0.96	<5	308	<5	1.18	1	20	40	52	4.15	10	0.57	1243	4.9	<.01	64	1323	14	<5	<20	35	0.02	<10	44	<10	6	97
13	MM- 06-04	<.2	1.60	<5	126	10	0.90	1	31	95	48	7.21	<10	1.20	914	3.5	<.01	65	1967	6	<5	<20	27	0.08	<10	103	<10	2	67
14	MM- 06-05	<.2	1.13	<5	95	<5	4.53	<1	25	50	43	3.80	10	2.55	1027	1.4	<.01	48	5103	18	5	<20	44	0.05	<10	50	<10	8	69
15	MM- 06-06	<.2	0.46	<5	91	<5	2.27	<1	6	19	36	1.29	<10	0.52	512	0.7	0.02	17	2478	10	5	<20	34	0.01	<10	18	<10	2	53
16	MM- 06-07	<.2	2.23	<5	154	<5	1.02	<1	34	105	68	6.27	<10	1.59	1519	2.8	0.01	71	1372	4	<5	<20	32	0.09	<10	104	<10	2	70
17	MM- 06-09	<.2	2.36	<5	182	<5	1.39	1	33	109	76	5.94	<10	1.63	1551	2.8	0.01	74	1554	4	<5	<20	42	0.07	<10	100	<10	3	77
18	MM- 06-10	<.2	1.89	<5	133	<5	1.32	1	26	92	55	4.68	<10	1.31	1187	2.1	0.01	60	1652	4	<5	<20	38	0.06	<10	78	<10	1	68
19	MM- 06-11	<.2	2.30	<5	154	<5	1.27	1	30	102	104	5.52	<10	1.59	1233	2.1	0.01	71	1435	<2	<5	<20	39	0.07	<10	88	<10	3	72
20	MM- 06-12	<.2	1.36	<5	154	<5	2.27	<1	22	59	64	3.94	<10	1.07	1256	2.8	0.01	50	1568	6	<5	<20	59	0.02	<10	55	<10	4	62

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1148

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENNIS DELISLE

No. of samples received: 14
Sample type: MOSS
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	MM-BET-01	<0.2	1.01	10	70	<5	2.42	<1	14	42	32	2.97	<10	0.48	967	3	0.05	29	1950	22	<5	<20	80	0.02	<10	36	<10	9	113
2	MM-BET-02	(1.2)	1.15	<5	215	<5	1.62	1	23	40	25	4.97	20	0.47	4690	5	0.04	35	1980	24	<5	<20	93	0.02	<10	32	<10	9	112
3	MM-BET-03	<0.2	1.69	<5	155	5	0.78	<1	23	78	29	4.71	20	1.07	1108	5	0.04	47	1810	20	<5	<20	46	0.03	<10	62	<10	5	120
4	MM-BET-07	(0.6)	1.65	<5	145	<5	0.95	<1	29	86	(61)	6.00	20	1.14	1420	4	0.03	52	1850	20	<5	<20	49	0.04	<10	89	<10	6	142
5	MM-BET-08	(1.0)	1.12	<5	235	<5	1.86	7	27	40	27	4.38	<10	0.64	(760)	4	0.04	34	2130	(56)	<5	<20	82	0.03	<10	34	<10	4	(877)
6	MM-CROW-10	0.4	2.15	<5	205	<5	1.19	<1	28	120	26	5.34	20	1.41	2277	2	0.04	59	(2430)	28	<5	<20	87	0.07	<10	92	<10	10	109
7	MM-CROW-11	<0.2	2.52	<5	(225)	<5	1.46	1	29	(144)	29	5.33	20	2.00	1118	<1	0.03	78	2190	26	<5	<20	93	(0.14)	<10	(105)	<10	(10)	105
8	MM-CROW-12	(0.8)	0.94	<5	150	<5	1.16	1	15	42	20	2.98	<10	0.63	1428	2	0.05	36	2020	24	<5	<20	91	0.02	<10	31	<10	7	161
9	MM-CROW-13	<0.2	1.24	<5	140	<5	1.42	<1	18	55	27	3.52	10	0.92	908	2	0.05	39	(2350)	14	<5	<20	78	0.04	<10	54	<10	6	136
10	MM-CROW-14	<0.2	1.77	<5	145	10	0.92	1	34	89	31	(5.11)	10	1.32	1015	4	0.03	64	2300	18	<5	<20	50	0.07	<10	79	<10	7	102
11	MM-CROW-15	(0.6)	0.56	<5	150	<5	1.95	1	11	34	25	1.76	10	0.49	1323	<1	0.05	38	1650	10	<5	<20	(94)	0.01	<10	18	<10	8	(174)
12	MM-CROW-16	0.4	1.20	<5	190	<5	1.65	1	22	81	30	3.84	10	0.83	2334	2	0.04	58	1880	18	<5	<20	85	0.03	<10	44	<10	9	155
13	MM-CROW-17	0.4	1.08	<5	145	<5	1.05	1	21	36	25	3.87	<10	0.61	2254	3	0.03	41	1640	20	<5	<20	59	0.02	<10	35	<10	7	118
14	MM-CROW-18	0.4	1.19	<5	155	<5	1.15	2	22	48	24	4.38	<10	0.69	2963	4	0.05	40	2350	30	<5	<20	71	0.02	<10	40	<10	6	145

QC/DATA:

Repeat #:

1	MM-BET-01	0.4	1.01	5	70	<5	2.48	<1	13	42	32	2.96	<10	0.49	959	3	0.04	28	1980	22	<5	<20	82	0.02	<10	36	<10	9	100
10	MM-CROW-14	<0.2	1.74	<5	140	10	0.89	1	36	93	31	6.46	10	1.29	1066	4	0.03	70	2210	22	<5	<20	48	0.07	<10	81	<10	6	105
Standard:																													
GEO'96		1.4	1.91	60	150	<5	2.10	<1	22	71	70	4.14	<10	1.05	749	<1	0.02	22	760	22	<5	<20	52	0.12	<10	87	<10	4	74

df/1148
XLS/96Delisle

per
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	MM- 06-13	<2	1.76	<5	137	<5	1.23	<1	32	90	55	6.20	<10	1.51	1110	2.8	<0.01	67	1820	14	<5	<20	27	0.07	<10	89	<10	3	69
22	MM- 06-14	<2	1.45	<5	133	<5	1.65	<1	23	61	71	4.33	<10	1.13	1243	2.8	0.01	53	1393	6	<5	<20	42	0.03	<10	64	<10	2	66
23	MM- 06-15	<2	1.65	<5	140	<5	1.44	1	29	85	54	5.76	<10	1.45	1046	2.8	<0.01	62	1946	8	<5	<20	34	0.07	<10	85	<10	3	69
24	MM- 06-16	<2	1.31	<5	140	<5	1.37	1	24	74	67	4.60	<10	1.23	1086	2.8	0.01	57	1932	24	<5	<20	40	0.04	<10	64	<10	3	69
25	MM- 06-20	<2	1.90	<5	126	<5	0.76	1	32	88	61	6.10	<10	1.44	1175	2.8	0.01	69	1729	6	<5	<20	32	0.07	<10	88	<10	6	109
26	MM- 06-21	<2	1.90	<5	161	<5	0.94	1	32	100	46	5.85	<10	1.39	1198	2.8	<0.01	69	1666	6	<5	<20	31	0.06	<10	83	<10	3	79
27	MM- 06-22	<2	0.36	<5	214	<5	2.48	<1	3	13	43	0.72	<10	0.37	403	0.7	0.01	13	1848	6	5	<20	50	0.01	<10	11	<10	3	52
28	MM- 06-23	0.7	0.32	10	441	<5	2.91	1	1	12	35	1.02	10	0.17	1622	3.5	0.01	27	2163	10	<5	<20	33	0.01	<10	11	<10	6	87
29	MM- 06-30	0.7	0.47	10	291	<5	2.10	4	10	15	36	3.02	20	0.23	2227	4.2	0.01	93	1890	130	<5	<20	60	0.01	<10	22	<10	31	259
30	MM- 06-31	0.3	0.17	<5	305	<5	2.30	4	12	4	27	1.30	<10	0.29	1396	2.1	0.02	55	2471	8	<5	<20	95	<0.01	<10	4	<10	2	100
31	MM- 06-32	<2	0.71	<5	266	<5	0.68	1	15	16	29	3.31	10	0.39	1203	4.9	<0.01	61	1211	10	<5	<20	33	0.01	<10	20	<10	4	74

QC/DATA

Repeat:

1	MM- AZ-60	<2	0.48	<5	207	<5	3.45	1	6	16	26	1.44	<10	0.35	644	1.4	0.01	15	1239	10	<5	<20	65	0.01	<10	28	<10	8	47
10	MM- 120	<2	1.69	<5	53	10	0.61	<1	25	57	21	5.33	<10	1.21	760	2.8	<0.01	38	1274	4	<5	<20	22	0.04	<10	64	<10	<1	70
19	MM- 06-11	<2	2.32	<5	161	<5	1.30	<1	31	107	106	5.68	<10	1.61	1195	2.1	0.01	76	1456	4	<5	<20	39	0.08	<10	91	<10	4	75

Standard:

GEO96		1.1	1.79	70	182	<5	1.92	<1	19	68	76	4.52	<10	0.96	744	0.7	0.02	31	616	20	7	<20	69	0.14	<10	83	<10	2	74
-------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	-----	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

4-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 98-1110

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENIS DELISLE

No. of samples received: 7
Sample type: MOSS
PROJECT #: NOT GIVEN
SHIPMENT #: NOT GIVEN

Values in ppm unless otherwise reported


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	MM-CROW-01	<5	0.2	1.60	<5	185	<5	2.26	2	27	91	30	4.88	10	0.94	3187	3	0.03	57	2000	22	<5	<20	65	0.05	<10	58	<10	7	169
2	MM-BRTN-01	<5	<0.2	1.29	10	90	5	0.41	<1	33	34	37	6.89	<10	0.58	2983	5	0.01	51	950	22	<5	<20	15	0.02	<10	29	<10	<1	133
3	MM-DO-1	<5	<0.2	1.81	15	140	5	1.59	<1	37	85	33	7.42	<10	1.10	2547	5	0.02	51	2690	16	<5	<20	35	0.03	<10	72	<10	<1	187
4	MM-ANISE-50	10	1.8	1.45	<5	260	<5	1.10	2	50	27	20	5.38	<10	0.34	>10000	4	0.02	32	1540	16	<5	<20	36	0.05	<10	28	<10	2	141
5	MM-ANISE-98	<5	<0.2	1.28	5	105	<5	3.15	<1	12	42	42	2.90	<10	0.40	1549	2	0.02	25	2390	16	<5	<20	72	0.02	<10	29	<10	6	102
6	MM-FRST-50	<5	<0.2	1.41	<5	95	5	2.56	<1	17	40	32	3.82	<10	0.62	1630	2	0.04	25	2120	16	<5	<20	23	0.02	<10	40	<10	2	133
7	MM-HOSK-01	140	<0.2	1.35	<5	135	<5	1.36	<1	46	52	34	3.99	20	0.66	757	<1	0.06	48	2370	12	<5	<20	31	0.18	<10	58	<10	9	93

QC/DATA:

Repeat:

1	MM-CROW-01	<5	<0.2	1.63	<5	180	10	2.11	2	27	94	25	4.93	10	0.98	3038	3	0.03	60	2010	22	<5	<20	60	0.06	<10	60	<10	6	174
Standard:																														
	GEO 96	150	1.2	1.84	70	180	<5	1.86	<1	25	66	80	4.12	<10	1.04	720	<1	0.01	20	710	26	<5	<20	57	0.14	<10	80	<10	5	72

df/5349
XLS/95Delisle


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1321

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 13
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	SS-CAV-01	2.2	1.18	<5	170	5	0.11	<1	10	45	15	3.18	<10	0.40	650	3	0.03	26	640	26	<5	<20	4	0.07	<10	76	<10	<1	77
2	SS-CAV-02	1.4	3.92	20	105	5	0.20	<1	13	33	21	3.00	<10	0.26	821	4	0.03	20	1830	48	<5	<20	<1	0.07	<10	39	<10	<1	88
3	SS-CAV-03	17.6	0.59	<5	95	<5	0.08	<1	9	22	25	2.48	<10	0.17	987	1	0.02	19	810	24	<5	<20	11	0.04	<10	38	<10	<1	75
4	MM-6+62W	0.2	1.95	<5	125	<5	4.38	<1	10	16	59	2.86	<10	0.49	782	2	0.05	12	1070	42	5	<20	173	0.04	<10	19	<10	3	312
5	MM-7+75W	0.4	0.16	<5	15	<5	>10	<1	<1	3	214	0.23	<10	0.71	208	<1	0.05	<1	320	2	20	<20	557	<0.01	<10	2	<10	13	69
6	MM ANISE 99	0.2	1.01	<5	120	<5	0.98	<1	23	42	63	3.75	<10	0.67	3475	2	0.03	28	840	16	<5	<20	37	0.03	<10	29	<10	<1	127
7	L55N-94+43E	<0.2	1.11	<5	205	<5	2.53	<1	24	64	69	4.32	<10	1.08	1009	4	0.04	58	2030	26	<5	<20	51	0.02	<10	59	<10	4	128
8	MM95-33 CRK	<0.2	1.69	<5	120	15	2.13	<1	34	104	62	5.78*	<10	1.82	1061	3	0.02	76	1820	24	<5	<20	53	0.05	<10	79	<10	5	99
9	MM-CAV-01	1.2	0.25	30	335	<5	1.83	<1	9	24	196	2.44	<10	0.19	1382	5	0.04	89	1400	22	<5	<20	23	<0.01	<10	17	<10	29	202
10	MM-BET-06	<0.2	1.22	<5	265	<5	1.22	<1	20	47	56	4.10	20	0.77	1510	3	0.04	48	1820	32	<5	<20	74	0.03	<10	43	<10	23	94
11	MM-MC-01	0.4	1.22	<5	75	<5	0.57	<1	21	78	30	3.26	<10	1.03	434	<1	0.02	50	850	20	<5	<20	23	0.08	<10	54	<10	7	68
12	MM-MC-02	<0.2	1.53	<5	80	<5	0.43	<1	31	99	52	4.16	20	1.10	898	3	0.02	75	870	30	10	<20	16	0.06	<10	57	<10	14	77
13	MM-23-11-32W	1.4	0.19	<5	185	<5	>10	<1	3	6	88	0.63	<10	0.65	7341	<1	0.07	3	940	4	10	<20	330	0.02	<10	4	<10	<1	73

QC/DATA:

Repeat:

1	SS-CAV-01	2.0	1.13	<5	170	5	0.12	<1	9	44	14	3.15	<10	0.38	641	3	0.03	26	610	24	<5	<20	4	0.07	<10	74	<10	<1	74
---	-----------	-----	------	----	-----	---	------	----	---	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	---	------	-----	----	-----	----	----

df/1318b
XLS/96Delisle

per 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-1147

DELISLE EXPLORATION
RR# 1. SITE 16-B1
CHASE, B.C.
VOE 1M0

1-Oct-96

ATTENTION: DENIS DELISLE

No. of samples received: 14
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by:


ET #.	Tag #	Zn (%)
10	BRET-01	15.90
11	BET-02	14.50
14	OC-BET-06	4.68

QC DATA:

Standard:

MPI-a 19.02

XLS/96DELISLE


per **ECO-TECH LABORATORIES LTD.**
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



ASSAYING
 GEOCHEMISTRY
 ANALYTICAL CHEMISTRY
 ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700
 Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 96-629

DELISLE EXPLORATION
 RR# 1. SITE 16-B1
 CHASE, B.C.
 V0E 1M0

16-Jul-96

No. of samples received: 22
 Sample type: Rock
 PROJECT #: None given
 SHIPMENT #: None given

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Pb (%)
21	OC-OX-96-01	104.4	3.05	2.15

QC DATA:

Standard:

CPb-1	631.0	18.40	-
MPIa	-	-	4.34

XLS/96kmisc

per 
ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5701
Fax (604) 573-4551

CERTIFICATE OF ASSAY AK 96-1111

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

30-Sep-96

ATTENTION: DENIS DELISLE

No. of samples received: 22
Sample type: ROCK
PROJECT #: NOT GIVEN
SHIPMENT #: NOT GIVEN

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Pb (%)
21	OC HOSK-10	28.7	0.84	-
22	FT RIDGE-01	156.4	4.56	8.89

QC DATA:

Standard:

CPb-l	632.0	18.43	-
MPI-a	-	-	4.33

XLS/96DELISLE


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1147

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENIS DELISLE

No. of samples received: 14
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	FC-R+B-02	5	8.0	0.10	<5	95	30	0.17	1	31	28	23	>10	<10	<0.01	>10000	25	<0.01	4	<10	6	<5	20	250	0.10	10	8	<10	<1	75
2	OC-R+B-01	5	3.4	0.11	<5	30	15	>10	<1	10	34	4	7.75	<10	1.19	>10000	8	<0.01	2	40	66	<5	20	356	0.04	<10	7	<10	<1	65
3	OC-R+B-03	275	6.8	0.08	<5	10	<5	0.04	<1	7	277	4108	3.26	<10	<0.01	250	13	0.03	6	160	104	<5	<20	4	<0.01	<10	1	<10	<1	69
4	OC-R+B-05	150	5.4	0.03	<5	10	<5	0.94	2	16	257	9451	3.19	<10	0.08	514	12	0.01	9	280	18	<5	<20	22	<0.01	<10	2	<10	<1	531
5	OC-CROW-11	5	<0.2	0.60	50	25	5	5.18	<1	16	62	28	6.50	<10	1.39	740	9	<0.01	13	2200	12	<5	<20	154	<0.01	<10	47	<10	4	42
6	OC-CROW-13	5	<0.2	1.71	<5	65	<5	0.14	<1	18	98	58	5.99	<10	1.00	617	9	0.02	28	830	44	<5	<20	6	<0.01	<10	68	<10	2	108
7	OC-CROW-14	5	<0.2	2.17	<5	55	<5	0.12	<1	18	78	40	5.58	10	1.39	641	7	0.02	28	810	16	<5	<20	2	<0.01	<10	60	<10	<1	59
8	FLT-CROW-12	10	3.2	0.03	120	35	470	<0.01	<1	131	258	15	>10	<10	<0.01	35	21	<0.01	20	<10	58	<5	20	1	<0.01	10	2	<10	<1	11
9	OC-BISCHOFF-04	115	2.2	0.07	<5	5	<5	0.02	<1	9	303	3456	1.74	<10	<0.01	207	24	0.02	6	150	8	<5	<20	1	<0.01	<10	2	<10	<1	70
10	BRET-01	5	14.0	0.13	<5	15	<5	8.67	548	4	20	855	2.95	<10	4.34	3968	<1	0.01	<1	100	1030	<5	20	217	<0.01	<10	5	<10	<1	>10000
11	BET-02	20	<0.2	0.03	190	50	<5	0.84	622	23	41	2053	>10	<10	0.31	965	6	0.01	8	<10	610	<5	20	15	<0.01	<10	2	<10	<1	>10000
12	OC-BET-04	5	<0.2	1.35	715	20	<5	>10	<1	51	589	12	5.84	<10	5.19	3150	5	<0.01	333	1090	6	<5	<20	214	<0.01	<10	47	<10	3	313
13	OC-BET-05	5	<0.2	1.99	<5	140	5	2.41	1	19	103	6	4.67	30	1.82	949	8	0.04	14	3010	12	<5	<20	51	0.01	<10	87	<10	6	165
14	OC-BET-06	5	<0.2	0.02	10	<5	<5	>10	200	3	21	203	2.96	<10	8.50	2884	<1	0.01	<1	40	150	<5	<20	249	<0.01	<10	3	<10	<1	>10000

1-Oct-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1149

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received: 2
Sample type: Soil
PROJECT #: None Given
SHIPMENT #: None Given
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	SS-R+B-01	<0.2	1.24	<5	75	<5	0.16	<1	12	13	68	3.54	<10	0.24	581	2	0.01	11	520	134	<5	<20	12	0.04	<10	23	<10	<1	145
2	SS-R+B-02	<0.2	2.20	<5	145	<5	0.40	<1	11	13	51	3.35	<10	0.29	1149	1	0.02	15	1330	24	<5	<20	28	0.06	<10	27	<10	<1	149

QC/DATA:

Repeat #:

1	SS-R+B-01	<0.2	1.21	<5	70	<5	0.15	<1	10	13	62	3.25	<10	0.23	488	2	0.01	10	480	120	<5	<20	13	0.04	<10	22	<10	<1	140
---	-----------	------	------	----	----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	-----	----	-----	----	------	-----	----	-----	----	-----

df/1149
XLS/96Delisle


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer


DELISLE EXPLORATION

ICP CERTIFICATE OF ANALYSIS AK 96-1111

ECO-TECH LABORATORIES LTD.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	OC HOSK-10	20	>30	0.08	<5	85	<5	0.15	3	47	356	8963	>10	<10	<0.01	165	17	<0.01	44	<10	16	<5	<20	2	0.02	<10	93	<10	<1	46
22	FLT RIDGE-01	265	>30	0.01	<5	10	145	0.52	15	1	338	19	0.45	<10	0.20	101	21	<0.01	6	60	>10000	25	<20	14	<0.01	<10	<1	10	<1	<1
QC/DATA:																														
Resplit:																														
R/S 1	OC 5043	5	<0.2	1.71	<5	65	<5	0.35	2	97	275	258	>10	<10	1.52	313	3	0.04	94	320	12	<5	<20	14	0.20	<10	53	<10	<1	20
Repeat:																														
1	OC 5043	5	<0.2	1.71	<5	75	<5	0.37	2	107	302	255	>10	<10	1.54	337	6	0.03	99	340	16	<5	<20	13	0.19	<10	55	<10	<1	21
10	OC ANISE-100	5	<0.2	0.43	250	105	<5	6.63	2	104	96	115	>10	<10	1.43	1601	8	0.04	210	670	132	<5	<20	101	<0.01	<10	15	<10	<1	155
19	OC FORST-50	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Standard:																														
GEO'96		150	1.8	2.06	50	175	<5	2.09	<1	23	73	86	4.17	<10	1.08	735	<1	0.02	24	740	24	<5	<20	56	0.19	<10	82	<10	2	80

df/5318
XLS/96Delisle

per 
ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

21-Nov-96

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 96-1322

DELISLE EXPLORATION
RR#1, SITE 16-B1
CHASE, B.C.
VOE 1M0

Phone: 604-573-5700
Fax : 604-573-4557

No. of samples received:5
Sample type: ROCK
PROJECT #:NONE GIVEN
SHIPMENT #:NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	OC-MC01	5	<0.2	2.52	<5	45	10	0.27	<1	25	154	59	7.07	<10	2.43	661	6	0.02	40	720	30	<5	<20	13	0.14	<10	119	<10	1	63	
2	OC-MC02	5	<0.2	0.33	<5	30	<5	0.02	<1	9	171	49	3.15	<10	0.12	96	10	<0.01	18	30	24	<5	<20	<1	0.03	<10	14	<10	<1	10	
3	OC-MC03	5	<0.2	0.34	<5	30	5	>10	<1	13	45	14	3.14	10	0.95	750	5	0.01	10	2130	10	<5	<20	316	<0.01	<10	24	<10	11	53	
4	OC 670 01	-10	<0.2	3.12	<5	90	5	4.96	<1	36	158	41	6.78	30	4.73	1261	6	0.03	104	3450	448	5	<20	232	0.02	<10	142	<10	17	88	
5	OC TRNCH 01	5	<0.2	0.57	<5	65	<5	2.71	<1	17	129	51	3.79	<10	1.17	1502	4	0.03	26	570	16	<5	<20	114	0.06	<10	65	<10	2	53	
QC/DATA:																															
Repeat:																															
1	OC-MC01	-	<0.2	2.51	<5	50	5	0.28	<1	25	155	58	7.12	<10	2.42	670	7	0.02	42	730	34	<5	<20	14	0.15	<10	120	<10	1	64	
5	OC TRNCH 01	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Resplit:																															
1	OC-MC01	5	<0.2	2.50	<5	45	10	0.27	<1	25	161	61	7.04	<10	2.42	664	6	0.02	40	750	32	<5	<20	12	0.15	<10	120	<10	2	64	
Standard:																															
GEO 96		145	1.2	1.83	65	160	<5	1.92	<1	21	66	75	4.04	<10	1.13	753	<1	0.02	20	740	20	<5	<20	56	0.12	<10	82	<10	9	77	

df/1318b
XLS/96Delisle


ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
21	FLT-FORST-10	10	20.4	0.49	<5	115	305	0.28	79	4	217	32	2.67	30	0.12	279	12	0.02	4	720	218	<5	<20	13	0.02	<10	7	<10	1	2817
22	FLT-FORST-20	5	1.8	1.35	<5	165	<5	0.37	5	65	72	1524	>10	<10	0.38	401	31	<0.01	35	500	1196	<5	20	12	0.06	50	58	<10	<1	638
23	FLT-FORST-21	260	5.2	0.69	435	60	<5	0.08	<1	138	69	2052	>10	<10	0.42	190	22	<0.01	8	<10	518	<5	20	4	0.01	30	37	<10	<1	57
24	FLT-FORST-22	135	13.4	2.21	340	90	<5	0.14	4	271	108	2386	>10	<10	0.87	714	30	<0.01	29	<10	3288	<5	20	9	<0.01	20	94	<10	<1	740
25	BC-FORST-23	135	4.8	1.72	300	105	<5	0.24	2	225	63	1023	>10	<10	0.67	2033	36	<0.01	28	<10	378	<5	20	14	0.01	<10	72	<10	<1	133
26	BC-FORST-24	30	1.0	6.18	10	115	<5	0.62	4	178	129	1323	>10	<10	4.23	7777	27	<0.01	49	860	132	<5	<20	32	0.07	<10	258	<10	<1	224
27	BC-FORST-25	10	1.4	1.44	50	85	<5	8.55	<1	36	171	233	6.77	<10	0.76	1948	8	<0.01	17	600	284	<5	<20	414	<0.01	<10	46	<10	5	66

QC DATA:

Repeat:


1	BC-ANISE-05	5	<0.2	0.12	<5	20	<5	0.06	<1	5	183	25	4.03	<10	0.05	168	18	<0.01	16	<10	6	<5	<20	2	<0.01	<10	7	<10	<1	51
10	BC-ANISE-18	5	<0.2	0.33	35	365	<5	>10	1	30	31	48	8.60	<10	2.13	1592	6	0.01	59	2230	4	<5	<20	371	<0.01	<10	11	<10	3	92
19	FLT-ROAD-03	5	<0.2	2.73	<5	65	<5	0.81	<1	49	191	121	9.49	<10	2.43	416	4	0.03	73	1280	6	<5	<20	32	0.27	<10	52	<10	<1	41


Resplit:



6	BC-ANISE-15	5	<0.2	0.82	<5	60	<5	2.45	<1	5	117	14	1.74	<10	0.30	777	11	0.04	3	210	8	<5	<20	28	<0.01	<10	4	<10	4	27
---	-------------	---	------	------	----	----	----	------	----	---	-----	----	------	-----	------	-----	----	------	---	-----	---	----	-----	----	-------	-----	---	-----	---	----

Standard:

GEO 96		150	1.2	1.82	60	165	<5	1.98	<1	21	69	82	4.02	<10	1.00	720	<1	0.02	22	810	22	<5	<20	60	0.12	<10	85	<10	4	79
--------	--	-----	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----



ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer





PHIL (A) - INSET CARTOON

AVOIT INSET CARTOON




MINERAL SAMPLES						ROCK CHIP SAMPLES					
	Ag	Ba	Cu	Fe	Zn	SPECIAL	PPM	1st	2nd	3rd	4th
PH-60	2.7	1.7	1.1	1.1	1.1	1.1					
PH-61	1.1	1.1	1.1	1.1	1.1	1.1					
PH-62	1.1	1.1	1.1	1.1	1.1	1.1					
PH-63	1.1	1.1	1.1	1.1	1.1	1.1					
PH-64	1.1	1.1	1.1	1.1	1.1	1.1					
PH-65	1.1	1.1	1.1	1.1	1.1	1.1					
PH-66	1.1	1.1	1.1	1.1	1.1	1.1					
PH-67	1.1	1.1	1.1	1.1	1.1	1.1					
PH-68	1.1	1.1	1.1	1.1	1.1	1.1					
PH-69	1.1	1.1	1.1	1.1	1.1	1.1					
PH-70	1.1	1.1	1.1	1.1	1.1	1.1					
PH-71	1.1	1.1	1.1	1.1	1.1	1.1					
PH-72	1.1	1.1	1.1	1.1	1.1	1.1					
PH-73	1.1	1.1	1.1	1.1	1.1	1.1					
PH-74	1.1	1.1	1.1	1.1	1.1	1.1					
PH-75	1.1	1.1	1.1	1.1	1.1	1.1					
PH-76	1.1	1.1	1.1	1.1	1.1	1.1					
PH-77	1.1	1.1	1.1	1.1	1.1	1.1					
PH-78	1.1	1.1	1.1	1.1	1.1	1.1					
PH-79	1.1	1.1	1.1	1.1	1.1	1.1					
PH-80	1.1	1.1	1.1	1.1	1.1	1.1					
PH-81	1.1	1.1	1.1	1.1	1.1	1.1					
PH-82	1.1	1.1	1.1	1.1	1.1	1.1					
PH-83	1.1	1.1	1.1	1.1	1.1	1.1					
PH-84	1.1	1.1	1.1	1.1	1.1	1.1					
PH-85	1.1	1.1	1.1	1.1	1.1	1.1					
PH-86	1.1	1.1	1.1	1.1	1.1	1.1					
PH-87	1.1	1.1	1.1	1.1	1.1	1.1					
PH-88	1.1	1.1	1.1	1.1	1.1	1.1					
PH-89	1.1	1.1	1.1	1.1	1.1	1.1					
PH-90	1.1	1.1	1.1	1.1	1.1	1.1					
PH-91	1.1	1.1	1.1	1.1	1.1	1.1					
PH-92	1.1	1.1	1.1	1.1	1.1	1.1					
PH-93	1.1	1.1	1.1	1.1	1.1	1.1					
PH-94	1.1	1.1	1.1	1.1	1.1	1.1					
PH-95	1.1	1.1	1.1	1.1	1.1	1.1					
PH-96	1.1	1.1	1.1	1.1	1.1	1.1					
PH-97	1.1	1.1	1.1	1.1	1.1	1.1					
PH-98	1.1	1.1	1.1	1.1	1.1	1.1					
PH-99	1.1	1.1	1.1	1.1	1.1	1.1					
PH-100	1.1	1.1	1.1	1.1	1.1	1.1					

SOIL SAMPLES

SS-CAVE-03 11/15/96 11/26/96 11/26/96 11/26/96

PHIL-SHEEP CROWFOOT

D. DELISLE 1996



10° 30' 40" NW = GENERAL - AVERAGE OF STRIKE + DIP - ACCORDING TO Geology of the Adams Plateau (GAPLV)

120° 45' LATITUDE

ROCKCHIP SAMPLE	Al	Si	Ca	Fe	Pb	Zn	Au
FC-R-B-02	8	18	23	7.75	6	25	5
OC-R-B-01	3.4	30	1	7.75	10	25	5
OC-R-B-02	6.8	16	100	3.26	10	27	275
OC-R-B-03	5.4	10	145	3.14	18	53	150
OC-BinMOP-04	2.2	5	346	1.74	0.30	100	115
FC-R-B-04	2	13	13	12.02	1	6.6	1
TEST - BY ACME							
SOIL SAMPLES	Al	Si	Ca	Fe	Pb	Zn	Au
SS-R-B-01	82	75	48	354	18	145	
SS-R-B-02	62	146	51	218	84	144	

○ OUTCROP
)))) GULLENS
 ALT - ALTERED
 GAST - GRANITIC
 w/ WITH
 FC - FOLIATED OUTCROP
 EBA = GRAY GRANITIC SARCITE-QUARTZ
 PHYLITE, GREEN CLASTIC PHYLITE
 EBA gn = (DELIAN) ORTHOGNEISSOID
 Dgn = GRANITE, GRANODIORITE
 RALPH AND BARNY CLAIMS 1996
 1cm = 50 METERS
 D. DELISLE

