

**BRITISH COLUMBIA**  
**PROSPECTORS ASSISTANCE PROGRAM**  
**MINISTRY OF ENERGY AND MINES**  
**GEOLOGICAL SURVEY BRANCH**

PROGRAM YEAR: 1997/1998

REPORT #: PAP 97-7

NAME: RUPERT SEEL

BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM

REFERENCE NO. 97/98 P17

RUPERT SEEL  
6660 Dunnedin Street  
Burnaby, B.C.  
V5B 1Y8

Submitted: Jan 5, 1998



Geological Survey Branch  
MEI

JAN 06 1999

P17

British Columbia Prospectors Assistance Program  
Reference No. 97/98 P17

TABLE OF CONTENTS

Summary of Prospecting Activity, Form A .....	1
Daily Reports (Diary).....	2
Technical Report, Form B - Project Area #1 .....	5
Technical Report, Form B - Project Area #2.....	6
Assay Results of Work Performed in both project areas.....	7
Assay Certificate # 7S-0255-RA1.....	20
Assay Certificate # 7S-0203-RA1.....	21
Current Mineral Titles Reference Map - Project Area #1.....	22
Current Mineral Titles Reference Map - Project Area #2.....	23
<i>MAP SHOWING GEOCHEMICAL LINES SAMPLED</i>	<i>24</i>

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**

**B. TECHNICAL REPORT**

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name RUPERT SEEL Reference Number 97/98 P17

**LOCATION/COMMODITIES**

Project Area (as listed in Part A) PROJECT #1 MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS 93E 11E Lat 53 40 Long 127 06

Description of Location and Access BY LOGGING ROAD TO KM 15 ON THE TROITSA MAIN, THEN BY FOOT TRAIL FOR 3.5KM TO THE AREA OF OLD DRILLING

Main Commodities Searched For CU, AU, AG

Known Mineral Occurrences in Project Area AU / CU

**WORK PERFORMED**

1. Conventional Prospecting (area) 2000 HA
2. Geological Mapping (hectares/scale) \_\_\_\_\_
3. Geochemical (type and no. of samples) 31 GREEK SEDIMENTS 300 SOIL 21 ROCK SAMPLES
4. Geophysical (type and line km) \_\_\_\_\_
5. Physical Work (type and amount) \_\_\_\_\_
6. Drilling (no., holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS**

Commodities AU Claim Name SEE 3

Location (show on map) Lat 53 38.5 Long 127 04.7 Elevation 1100m

Best assay/sample type AU 7.99 g/TONNA CU 710,000 ZN 2916 PPM  
AG >200.0 PPM

Description of mineralization, host rocks, anomalies THE HOST ROCK IS OF THE HAZELTON GROUP CONSISTING OF A NORTH WEST TRENDING BEDS OF PYROCLASTICS OF INTAR MARIATA COMPOSITION. ON THE EAST SIDE THERE IS A GRANITE-GRANODIORITE PLUG

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**

**B. TECHNICAL REPORT**

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name RUPERT SEEL Reference Number 97/98 P17

**LOCATION/COMMODITIES**

Project Area (as listed in Part A) PROJECT #2 MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS 93E 11E Lat 53 N1 Long 127 06

Description of Location and Access 13Y ROAD ON HUCKLEBERRY TRAIL ROAD  
KM 114 TURN LEFT FOR 2KM ON NEW F.S.R.

Main Commodities Searched For CU.

Known Mineral Occurrences in Project Area N/A

**WORK PERFORMED**

1. Conventional Prospecting (area) 100 HA
2. Geological Mapping (hectares/scale) \_\_\_\_\_
3. Geochemical (type and no. of samples) 7 SOILS
4. Geophysical (type and line km) \_\_\_\_\_
5. Physical Work (type and amount) \_\_\_\_\_
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS**

Commodities N/A Claim Name \_\_\_\_\_

Location (show on map) Lat 53 N1 Long 127 06 Elevation 900m

Best assay/sample type CU 113 PPM

Description of mineralization, host rocks, anomalies HOST ROCK HAZELTON GROUP,  
VOLCANIC

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

COMP: MR. RUPERT SEEL  
 PROJ: SEE  
 ATTN: RUPERT SEEL

**MIN-EN LABS — ICP REPORT**  
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8  
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 79-0335-8J1  
 DATE: 97/10/29  
 \* \* (ACT:ICP 31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TN PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	
114	.4	1.84	28	40	.1	1	.05	.1	8	26	9	4.50	10	.03	7	.27	194	1	.01	6	1820	24	3	1	5	22	.22	14	107.7	3	80	
115	.1	1.38	22	181	.2	1	.28	.1	9	16	14	2.84	4	.06	8	.39	426	1	.02	8	550	22	2	1	36	15	.03	8	59.5	1	94	
116	.1	1.05	29	33	.1	1	.03	.1	4	12	6	4.17	11	.03	2	.13	300	2	.01	4	850	111	2	1	4	19	.11	12	102.1	1	48	
117	.1	1.81	20	81	.3	1	.19	.1	8	21	17	3.42	4	.04	11	.57	457	1	.01	11	600	17	1	1	14	18	.04	10	64.9	2	85	
118	.5	.67	94	65	.4	5	.33	.1	23	47	65	6.60	5	.05	2	.15	815	2	.01	48	1550	40	4	1	6	31	.81	21	89.2	2	171	

DEC-01-1997 09:49

MIN-EN LABS

824 327 3423

P.06







COMP: MR. RUPERT SEEL  
 PROJ: SEE  
 ATTN: RUPERT SEEL

**MIN-EN LABS — ICP REPORT**  
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8  
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7S-0255-SJ1+2  
 DATE: 97/09/05  
 \* \* (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-wet PPB
100	.1	1.33	37	145	.1	7	.07	1.3	66	17	33	>15.00	56	.02	1	.18	6062	9	.01	46	1580	7	32	1	39	1	.03	1	252.5	9	1342	5
101	.1	3.26	1	75	.1	14	.11	.6	12	12	21	4.05	1	.03	8	.39	448	4	.01	10	2030	53	31	1	22	1	.09	1	66.7	2	125	5
102	.1	3.00	1	84	.1	4	.08	.1	15	10	27	4.40	1	.04	8	.63	541	3	.01	12	650	53	28	1	19	1	.06	1	80.8	1	142	5
103	.1	1.51	14	151	.1	1	.14	.2	7	1	9	2.91	1	.07	3	.22	482	4	.01	5	800	74	18	1	27	1	.01	1	40.2	1	89	15
104	.1	.92	39	139	.1	1	.55	.1	12	1	23	4.64	1	.11	1	.30	1113	4	.01	11	1380	22	9	1	43	1	.02	1	44.8	1	84	5
105	.1	1.98	24	112	.1	8	.19	.1	11	8	30	4.46	1	.05	8	.48	400	5	.01	7	730	36	21	1	28	1	.07	1	81.1	1	107	5
106	.1	1.49	28	113	.1	1	.52	.1	15	6	28	4.38	1	.06	11	.69	982	3	.02	13	810	43	12	1	57	1	.03	1	64.9	1	151	5
107	.1	1.70	25	67	.1	6	.16	.1	15	4	36	4.27	1	.04	7	.56	892	4	.01	9	1120	45	18	1	19	1	.07	1	80.7	1	153	5
108	.1	1.53	16	77	.1	3	.07	.1	8	2	16	3.68	1	.02	11	.31	876	4	.01	6	1360	38	19	1	15	1	.03	1	79.9	2	101	5
109	.1	2.30	27	91	.1	4	.09	.1	17	5	29	4.83	1	.04	9	.56	693	4	.01	12	1150	50	24	1	21	1	.05	1	84.2	1	165	5
110	.1	2.29	128	200	.1	4	.48	.8	32	1	25	10.76	29	.05	10	.43	4274	7	.01	13	790	108	41	1	25	1	.01	1	141.4	4	878	20
111	4.0	1.51	163	72	.1	9	.14	.1	9	1	46	4.53	1	.08	6	.25	765	7	.01	7	800	165	38	1	14	1	.01	1	42.6	2	273	100
112	.1	1.39	33	60	.1	4	.09	.6	8	1	20	4.19	3	.04	2	.18	688	5	.01	4	1030	94	21	1	15	1	.02	1	57.1	2	125	15
113	.1	4.67	79	110	.1	9	.05	.1	17	6	26	5.91	1	.05	11	.49	621	7	.01	10	950	88	52	1	22	1	.05	1	97.3	3	278	5
RV 27	.1	2.07	1	86	.1	10	.32	.1	14	19	80	4.44	1	.11	8	.77	690	13	.01	12	850	43	19	1	35	1	.10	1	96.2	2	113	15
RV 28	.1	1.86	1	98	.1	9	.42	.2	14	19	74	3.99	1	.10	9	.79	618	12	.02	9	1670	45	16	1	45	1	.08	1	80.2	2	190	10
RV 29	.1	1.80	1	97	.1	7	.60	.1	14	25	113	3.72	1	.11	8	.93	609	11	.02	13	930	39	13	1	49	1	.09	1	78.0	1	129	5
RV 30	.1	2.34	3	89	.1	6	.41	.1	15	25	90	4.06	1	.08	10	.90	625	7	.01	16	870	48	18	1	35	1	.07	1	78.3	1	120	5
RV 31	.1	1.30	1	74	.1	4	.30	.1	9	20	23	3.05	1	.04	6	.57	256	4	.01	7	1360	28	11	1	25	1	.05	1	63.7	1	75	5
RV 32	.1	2.03	1	93	.1	3	.19	.1	10	16	95	4.03	1	.07	9	.70	318	17	.01	11	910	43	18	1	35	1	.04	1	74.0	1	100	5
RV 33	.1	.95	1	152	.1	1	2.48	.1	11	4	42	2.60	1	.10	2	.46	2146	4	.02	13	890	23	3	1	28	1	.02	1	35.9	1	88	5
500N 3300E	.1	1.96	4	56	.1	3	.15	.1	11	10	40	3.55	1	.06	9	.54	399	4	.01	7	1120	37	20	1	18	1	.05	1	62.1	1	85	5
540N 2000E	.1	1.95	16	76	.1	9	.17	.1	11	5	50	3.35	1	.05	8	.36	767	4	.01	10	1170	42	22	1	21	1	.05	1	60.1	1	121	5
600N 2000E	.1	2.44	5	56	.1	23	.08	.1	10	11	25	4.29	1	.03	10	.27	313	5	.01	5	1910	45	30	1	20	1	.14	1	85.8	3	112	5
600N 2100E	.1	3.43	1	79	.1	11	.09	1.4	14	12	40	4.39	1	.05	10	.36	401	3	.01	14	2040	58	33	1	20	1	.10	1	74.8	2	237	15
600N 2200E	.1	2.20	1	113	.1	2	.09	.1	9	6	31	3.53	1	.03	8	.32	217	2	.01	9	590	38	22	1	17	1	.05	1	60.4	1	130	5
600N 2300E	.1	2.25	7	85	.1	5	.11	.2	10	7	47	3.73	1	.04	8	.37	337	2	.01	8	1530	40	24	1	20	1	.05	1	62.5	1	112	10
600N 2400E	.1	2.67	1	79	.1	8	.11	.9	12	12	36	3.70	1	.05	9	.43	331	2	.01	11	1340	49	24	1	17	1	.09	1	63.2	1	207	5
600N 2500E	.1	2.33	1	71	.1	2	.13	.1	12	12	25	3.61	1	.04	11	.62	452	2	.01	9	980	41	21	1	17	1	.05	1	60.3	1	94	5
600N 3100E	.1	1.56	1	49	.1	1	.13	.2	8	7	18	3.30	1	.03	7	.48	412	2	.01	5	1240	28	14	1	16	1	.05	1	58.9	1	59	5
600N 3200E	.1	1.47	1	48	.1	1	.13	.4	7	8	23	3.14	1	.04	8	.45	253	1	.01	4	270	25	15	1	14	1	.04	1	59.6	1	57	5
600N 3340E	.1	1.40	10	44	.1	4	.09	.4	7	6	29	3.01	1	.03	7	.32	270	2	.01	4	540	24	15	1	13	1	.04	1	56.0	1	64	5
620N 2450E	.1	1.04	6	50	.1	1	.09	.1	6	6	22	2.78	1	.03	5	.23	245	2	.01	4	470	21	8	1	13	1	.04	1	53.1	1	69	10
620N 2700E	.1	1.18	1	50	.1	5	.11	.2	6	6	9	2.69	1	.03	5	.23	179	1	.01	2	820	19	9	1	14	1	.06	1	55.9	1	45	5
620N 2800E	.1	3.26	1	79	.1	12	.12	1.2	12	15	22	3.57	1	.04	13	.41	351	3	.01	9	2090	54	32	1	20	1	.09	1	63.8	2	185	5
640N 2600E	.1	2.39	4	55	.1	4	.11	.7	11	9	30	3.47	1	.04	12	.52	355	2	.01	7	970	45	23	1	16	1	.05	1	58.4	1	94	5
640N 2900E	.1	2.26	1	74	.1	7	.19	.3	9	9	16	4.02	1	.04	13	.40	376	1	.01	5	1720	38	23	1	21	1	.06	1	63.7	1	72	5
650N 3000E	.1	1.36	1	42	.1	4	.13	.1	7	6	14	3.23	1	.03	7	.37	231	1	.01	3	830	24	14	1	15	1	.05	1	60.0	1	45	5



















**MINERAL  
ENVIRONMENTS  
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
8282 SHERBROOKE STREET  
VANCOUVER, B.C., CANADA V5X 4E8  
TELEPHONE (604) 327-3436  
FAX (604) 327-3423

**SMITHERS LAB:**  
3176 TATLOW ROAD  
SMITHERS, B.C., CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

*Quality Assaying for over 25 Years*

**Assay Certificate**

**7S-0255-RA1**

Company: **MR. RUPERT SEEL**  
Project: **SEE**  
Attn: **RUPERT SEEL**


Date: **SEP-05-97**

*We hereby certify the following Assay of 4 ROCK samples  
submitted AUG-29-97 by Rupert Seel.*

<i>Sample Number</i>	<i>Au-fire g/tonne</i>
112	.03
113	.01
SEE 2	.01
"C" 600	.01

Certified by \_\_\_\_\_

**MIN-EN LABORATORIES**



**MINERAL  
ENVIRONMENTS  
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
8282 SHERBROOKE STREET  
VANCOUVER, B.C., CANADA V5X 4E8  
TELEPHONE (604) 327-3436  
FAX (604) 327-3423

**SMITHERS LAB:**  
3176 TATLOW ROAD  
SMITHERS, B.C., CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

*Quality Assaying for over 25 Years*

**Assay Certificate**

**7S-0203-RA1**

Company: **MR. RUPERT SEEL**  
Project: **SEE**  
Attn: **RUPERT SEEL**

Date: **AUG-20-97**

*We hereby certify the following Assay of 16 ROCK samples submitted AUG-11-97 by Rupert Seel.*

Sample Number	AU-FIRE g/tonne
SEE #1	7.99
NELSON #1	.80
24	.02
CR A 0+249	.03
CR A 0+353	.10
CR A 0+616	.01
1+173	.04
CR A 1+173	.23
CR A 1+173	.05
1+00B	.01
CREEK C 0+088	.24
CREEK C 0+180	.07
CREEK C 0+180	.14
CREEK C 0+560	.60
CREEK C 0+600	2.36
CREEK C 0+600	1.63

Certified by \_\_\_\_\_

**MIN-EN LABORATORIES**

REDBERRY 6  
328381  
25X25

OX 11 244394 •62394•	OX 3 244386 •62386•	OX 4 244387 •62387•	OX 5 244388 •62388•	OX 6 244389 •62389•	OX 7 244390 •62390•	OX 8 244391 •62391•
OX 12 244395 •62395•	OX 9 244392 •62392•	OX 10 244393 •62393•	OX 38 244400 •62421•	OX 5 244388 •62388•	OX 6 244389 •62389•	OX 8 244391 •62391•

HI 1FR.  
244801  
•75545•

HI 12FR.  
244808  
•75556•

OX A  
238415  
\*3732\*  
5NX4W

OX B  
238416  
\*3733\*  
4NX5E

FOX  
24022  
\*1006\*  
4NX5E

70954 70955

70956

74751

SEC 10 357132	SEC 11 357134	SEC 12 357135	SEC 13 357136
SEC 4 357131	SEC 11 357133	SEC 13 357135	SEC 14 357136
SEC 26 332918	SEC 27 335191	SEC 28 335190	SEC 29 335189
SEC 24 632910	SEC 22 633016	SEC 20 633020	SEC 19 633018
SEC 23 632909	SEC 21 633015	SEC 19 633017	SEC 18 633016


OX C  
238417  
\*3734\*  
56X4E

238597  
OX-EAST  
\*4888\*  
16X5E

93E 11E



PROJECT #1



# BRITISH COLUMBIA

MINISTRY OF EMPLOYMENT  
AND INVESTMENT

ENERGY AND MINERALS DIVISION

MINERAL TITLES BRANCH

MINERAL TITLES REFERENCE

MAP O93E11E

U.T.M. ZONE 9

LAST MAP UPDATE: 1996 NOV 26

ORIGINAL PRODUCED AT 1:31680



ADMINISTRATIVE AREAS

MINING DIVISIONS: OMINECA

LAND DISTRICTS:

**PROJECT #2**

ALIENATIONS


NO STAKING AREAS

NO STAKING RESERVES

PARKS

ECOLOGICAL RESERVES

RECREATION AREAS



856

E T A C H R E A C H

GEOCHEMICAL  
LINES SAMPLED  
OUTLINED IN RED

F.S.R.



W H I T E

A C R E E

B C R E E

C C R E E

53° 39'



Approximate Mean Declination 1991  
for Centre of Map  
Decreasing 11.4' Annually

93E.074	93E.075	93E.076
93E.064	93E.065	93E.066