

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1997/1998

REPORT #: PAP 97-12

NAME: DENIS DELISLE

Summary 1997 Prospecting year

#1 ONYX - PHIL - CROWFOOT- LAMBERTON (MAPS 1,2,3,4,5,6 & 7) - : The mag over the Bet showing shows a small response but a trend that follows the mineralization. There was no indication of any magnetic on the Phil Onyx showings even with in the area of galena rich float found this year. The float was found between Onyx ck and the road above it just below the north west corner of the phil claim a dispersal train would indicate a vein structure coming out of the hill there. The new road did not show any large showing just a crumbly quartz vein with very small amounts of galena possibly part of the same system feeding the float and or from the Phil showings to the east. Further to the east the west flank of Crowfoot had some very anomalous mag readings seemingly in strike with the Bet showings, these will be followed up. The mag readings also seem to go on strike with the Phil showings and some very anomalous mag readings in the Lambertson road. In this area (found accidentally by trying to find a better access to the back of Crowfoot to do Mag work and having some time left at the end of the day took a few readings) readings are very anomalous further work is needed in the summer here. As the large deposit eluded explorationists before me it becomes increasingly more difficult for me to find.

#1 SNUFFBOX (MAP 8) - Near the contact with the Mt Fowler gneiss and the Eagle Bay sediments there are some potential areas specifically to the west of snuffbox near the foot of Little Lichen Mt. in a limestone / greenstone and basalt dyke a anomalous result.

Further up to where the snow and ice made it precarious to continue were some anomalous moss matt samples. Though the Mike and Red claims are close the producers of these anomalies maybe not covered or known by these claim owners. The other anomalous moss matt up Snuffbox creek may be from the Red claim.

not in proposal #3 SPILLMAN (MAP 9) - I followed this up by a rumor that there is a showing up one of these valleys not previously known between the lake and the Lucky Coon showings. There were no positive results but again the treacherous ice and snow did not allow further prospecting up the valleys.

#3 SPAPILEM (MAP 10) - Shows promise surprisingly just gold in moss matts this I suppose could be placer source but also a very possibility of a gold skarn as usual further investigation is needed.

up to 675ppb Au
4 anomalous
samples

#3 SKAAM or SQUAM BAY (MAP 11 A,B,D,E,F, & 12) - Trying to find the anomaly factors of the glacial till geochemistry results from the work of P.T Bobrowsky (1997-9). The quartz stockwork found on the south slope directly upslope from the Pb,Zn and Cu anomaly sample may be part of the feeder system for that anomaly. This has a lot of potential though it has been scoured by the best the steepest toughest ground would indicate could of not been looked at hard enough and that is where the source could be.

anomalous Cu Zn Ag
Pb
in rocks

#4

POWDER LAKE (MAP13) - Has a lot of pyrite with wisps of chalcopyrite filling some of the basalt and is geologically interesting . But no big numbers or similar deposits to compare it too. The felsic breccia is barren and interesting but nothing there more research work and prospecting.

not in proposal

HYDRO - RAFT (MAP 14, 15) - I couldn't find the moly I'm sure its there again the snow wouldn't allow me in the higher elevations. I was hoping to find a connection between the old CK property and the Hydro. Needs more looking into that whole area as many new logging roads have been pushed into the area and it has a similar setting (ie meta sediments and gneisses meta-granites with a additional advantage of having young volcanics near by.

#2 (Lucky)

FORREST- ANNISE -HILLTOP (MAP17,18) - A combination of poor timing and bad weather and a real busy year restricted my work projects here. The rock is good the mineralization outstanding but its in BC I can't seem to interest anyone yet but that will change. I plan to do more work in this area extend the boundaries find new showings.

SOILS : 364 Zn , 886 Cu Anomalous Cu/Zn in soils. Forest 1+2 claims nearby.

(LOCATION MAPS 19 & 20)

The weather was bad the summer late I got busier than a one arm paper hanger with a itch with work and supporting the LRMP so things didn't turn out they way I planned . Thank God for a late warm fall or I would of had to send the assistance money back. Next time it will be set up better. I did not even come close to making it on to Hoskins Creek a lot of it was the weather but not all, next time .

not done

Map 16 Andy-Horne (North Roft River)
- not in proposals.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENNIS DELUDE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) SKWAAM Minfile No. if applicable B2M120

Location of Project Area NTS _____ Lat 51°05' Long 119°46'

Description of Location and Access Go PAST ADAMS LK SAWMILL for 13km turn
Up the 5400 ROAD for 7km. or ANYWHERE SOUTH to 18km on the Adams
LK ROAD.

Main Commodities Searched For Cu, Pb, Zn - Au, Ag

Known Mineral Occurrences in Project Area SAMATOSA - to the NW Ag, Cu, Pb, Zn.
Glacial till Survey shows Zn, Pb, Cu Bar
anomolies.

WORK PERFORMED

1. Conventional Prospecting (area) 1.0km x 5km
2. Geological Mapping (hectares/scale) SAME
3. Geochemical (type and no. of samples) 4 MOSS MATTS.
4. Geophysical (type and line km) 4 km Magnetometer
5. Physical Work (type and amount) ---
6. Drilling (no. holes, size, depth in m. total m) ---
7. Other (specify) ---

SIGNIFICANT RESULTS (if any)

Commodities MALACHITE. Claim Name _____
Location (show on map) Lat _____ Long _____ Elev _____
Best assay/sample type _____

Description of mineralization, host rocks, and other features
malachite float - in Quartz

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENNIS DELISLE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) FORREST GOLFEN Minfile No. if applicable 82M11A

Location of Project Area NTS _____ Lat 51°29' Long 119°32'

Description of Location and Access DRIVE NORTH ADAMS LK MILL FOR 74kms
TAKE THE GOLFEN CR Rd FOR 13km AND TAKE OVER GROWN ROAD
3 to 4 km up into ROCK FACE.

Main Commodities Searched For Cu, Zn, Pb.

Known Mineral Occurrences in Project Area Cu, Zn, Pb.

WORK PERFORMED

1. Conventional Prospecting (area) 1000m x 2000meters

2. Geological Mapping (hectares/scale) same.

3. Geochemical (type and no. of samples) 36 soil samples.

4. Geophysical (type and line km) Magnetonmeter - 3km.

5. Physical Work (type and amount) 0

6. Drilling (no. holes, size, depth in m, total m) 0

7. Other (specify) _____

SIGNIFICANT RESULTS (if any)

Commodities New Anomalous - Cu, Zn Claim Name Forest

Location (show on map) Lat _____ Long 51°29' Elevation 3000'

Best assay/sample type - Soil Sample - 886 Cu, 364 Zn and 307 Cr.

Description of mineralization, host rocks, and _____ es GREENSTONE, with QUARTZ veins
AND MINERALIZATION IS Pyrite, Magnetite. Some limestone and Dolomite
intruded by younger ortho-gneiss and meta-granites south and west.

Supporting data must be submitted with this TECHNICAL REPORT.

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DELSUE Reference Number 97/98/P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) SPAPILEM CK Minfile No. if applicable ---

Location of Project Area NTS --- Lat 51°14'30" Long 119°38'

Description of Location and Access DRIVE 40km NORTH of ADAMS LK MILL
SPAPILEM CK IS THERE.

Main Commodities Searched For - Au, Cu, Pb, Zn.

Known Mineral Occurrences in Project Area Au? Anomaly by - GLACIAL
TILL SURVEY TO THE NORTH.

WORK PERFORMED

1. Conventional Prospecting (area) 15 km X 7 km.
2. Geological Mapping (hectares/scale) Same.
3. Geochemical (type and no. of samples) 21 moss mats / 5 Rock chips
4. Geophysical (type and line km) ---
5. Physical Work (type and amount) ---
6. Drilling (no. holes, size, depth in m, total m) ---
7. Other (specify) ---

SIGNIFICANT RESULTS (if any)

Commodities Au Claim Name ---

Location (show on map) Lat 51°14'30" Long 119°38' Elevation 3000'

Best assay/sample type 640 ppb - Au

Description of mineralization, host rocks, anomalies Host Rock is UNKNOWN
Possibly a SKARN - in a Phylite Greenstone
or biotite meta-granite.

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

E. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DELISLE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) HYDRO Minfile No. if applicable 82M184

Location of Project Area NTS _____ Lat 51° 53' Long 119° 26'

Description of Location and Access TURN ON TO MAO RIVER ROAD (LEFT) IN AVOLA
#5 HIGHWAY GO 12 km A LARGE SIGN AWAITS YOU THERE.

Main Commodities Searched For Mo, Cu, Au, Pb, Zn

Known Mineral Occurrences in Project Area Mo, Cu, Pb, Zn

WORK PERFORMED

1. Conventional Prospecting (area) 6 km x 5 km and 30 km of Road Prospecting
2. Geological Mapping (hectares/scale) SAME.
3. Geochemical (type and no. of samples) 5 rock chips 2 Moss Matt.
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) _____
6. Drilling (no. holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS (if any)

Commodities Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DELISLE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) POWELL R Minfile No. if applicable 0

Location of Project Area NTS _____ Lat 51°17' Long 120°20'

Description of Location and Access DRIVE NORTH of BARRIERE - 8km to DORLINGTON Rd (Left) take to 16.5 km turn (Left) for 2 km and you are there

Main Commodities Searched For - Au, Cu, Pb, Zn

Known Mineral Occurrences in Project Area 0

WORK PERFORMED

1. Conventional Prospecting (area) 7km - 15 km
2. Geological Mapping (hectares/scale) same
3. Geochemical (type and no. of samples) 33 rock chips, 15 moss mats
4. Geophysical (type and line km) _____
5. Physical work (type and amount) _____
6. Drilling (no. holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS (if any)

Commodities NONE Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DELISLE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) SPILLMAN Minfile No. if applicable 0

Location of Project Area NTS _____ Lat 51°08' Long 119°33'

Description of Location and Access Drive 72 km past Adams Lk mill, then take 40 ROAD for 37 km. Then turn right for 8 km past Bug Camp Creek.

Main Commodities Searched For Pb, Ag, Zn, Au.

Known Mineral Occurrences in Project Area Lucky Con to the South

WORK PERFORMED

1. Conventional Prospecting (area) 5 km x 5 km
2. Geological Mapping (hectares/scale) same
3. Geochemical (type and no. of samples) 15 mass Meltz.
4. Geophysical (type and line km) 0
5. Physical Work (type and amount) 0
6. Drilling (no. holes, size, depth in m, total m) 0
7. Other (specify) 0

SIGNIFICANT RESULTS (if any)

Commodities none Claim Name _____

Location (show on map) Lat _____ Long _____ Elevation _____

Best assay/sample type _____

Description of mineralization, host rocks, anomalies _____

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DANIS DELISLE Reference Number 97/95 829

LOCATION/COMMODITIES

Project Area (as listed in Part A.) LAMBERTON/Veg Minfile No. if applicable —
 Location of Project Area NTS Lat 51°01'30" Long 119°28'
 Description of Location and Access Drive up Seatch creek to 10 km turn right
(7.00R) drive another 12 km the change is there.

ALL Commodities Searched For Pb, Zn, Ag, Cu

Known Mineral Occurrences in Project Area Crowfoot mine. to the north

WORK PERFORMED

1. Conventional Prospecting (area) —
2. Geological Mapping (hectares/scale) —
3. Geochemical (type and no. of samples) —
4. Geophysical (type and line km) Magnetometer 4 km
5. Physical Work (type and amount) —
6. Drilling (no. holes, size, depth in m, total m) —
7. Other (specify) —

SIGNIFICANT RESULTS (if any)

Commodities ANOMALOUS ZONE Claim Name —
 Location (show on map) Lat — Long — Elevation —
 Best assay/sample type —

Description of mineralization, host rocks, anomalies
QUARTZITE AND LIMESTONE
Galena float up stream

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

One technical report to be completed for each project area
 Refer to Program Requirements/Regulations, section 15, 16 and 17
 If work was performed on claims a copy of the applicable assessment report may be
 submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name GENUS J 265 Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) ANDY HORNE File No. if applicable 82M 224
 Location of Project Area NTS 51° 59' Long 119° 33'
 Description of location and access Drive 52km up Raft River Rd (Clearwater)
turn left on overgrown road walk 7km to area.

Main Commodities Searched For Zn, Pb, Cu

Known mineral Occurrences in Project Area Zn, Pb, Cu

WORK PERFORMED

1. Conventional Prospecting (area) 7km along road and 500x1000 meter area on claim
2. Geological Mapping (hectares/scale) same
3. Geochemical (type and no. of samples) — 2 rock chips
4. Geophysical (type and line km) —
5. Physical Work (type and amount) —
6. Drilling (no. of holes, size, depth in m, total m) —
7. Other (specify) —

SIGNIFICANT RESULTS (if any)

Commodities _____ Claim Name _____
 Location (show on map) Lat _____ Long _____ Elevation _____
 Best assay/sample type _____

Description of mineralization, host rocks, and other _____

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DEUSIE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) PHIL-ONYX Minfile No. if applicable

Location of Project Area NTS Lat 51° 02' Long 119° 19'

Description of Location and Access PAST CELESTA TURN UP BEQUIN Rd to Line 17 Rd
turn right to GARLAND Rd follow into 730 logging road take for
7 kms there is general area.

Main Commodities Searched For Au, Pb, Zn Ag.

Known Mineral Occurrences in Project Area Pb, Ag, Zn / Limestone.

WORK PERFORMED

1. Conventional Prospecting (area) 2 km x 4 km
2. Geological Mapping (hectares/scale) some
3. Geochemical (type and no. of samples) 26 soil, 4 moss Mats, 2 Rockchip
4. Geophysical (type and line km) 5 km MAG - 50m stations
5. Physical Work (type and amount)
6. Drilling (no. holes, size, depth in m, total m)
7. Other (specify)

SIGNIFICANT RESULTS (if any)

Commodities Claim Name PHIL

Location (show on map) Lat 51° 1' 30" Long 119° 20' Elevation 3500

Best assay/sample type ROCK CHIP FLOAT - 5.69(g/t) Pb 2.56%

Description of mineralization, host rocks, anomalies Galena in quartz stock work in
into Limestone

Supporting data must be submitted with this TECHNICAL REPORT.

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- * One technical report to be completed for each project area
- * Refer to Program Requirements/Regulations, section 15, 16 and 17
- * If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT

Name DENIS DELISE Reference Number 97/98 P29

LOCATION/COMMODITIES

Project Area (as listed in Part A.) SNUFFBOX CR Minfile No. if applicable 82M 208

Location of Project Area NTS _____ Lat 51°05' Long 119°21'

Description of Location and Access Go NORTH FROM SCOTCH CREEK FOR 13km on the 670 ROAD. THEN TAKE THE 690 ROAD EAST FOR 7km. THE DRAINAGE IS SNUFFBOX.

Main Commodities Searched For Pb, Ag, Zn, Au,

Known Mineral Occurrences in Project Area Mg, Pb, Ag, Zn, Au

WORK PERFORMED

1. Conventional Prospecting (area) 11km x 7km
2. Geological Mapping (hectares/scale) SAME.
3. Geochemical (type and no. of samples) Rockchip 10, 16 moss mats
4. Geophysical (type and line km) S
5. Physical Work (type and amount) PROSPECTING, Walking
6. Drilling (no. holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS (if any)

Commodities Pb, Ag, Zn Claim Name _____


Location (show on map) Lat _____ Long 519081 Elevation 42

Best assay/sample type _____


Description of mineralization, host rocks, anomalies _____

Supporting data must be submitted with this TECHNICAL REPORT.



B.C. Ministry of Energy and Mines



SCALE 1 : 205,057



INSET SPAP 2 MAP #10-A



INSET SPAP 1 MAP #10-B



A D A M S

MAP 10-A


97/98

82M


500m
1km
2 cm = 1000 m



~~30°N~~



MAP #3



47/90 P29

D. DELISLE 1997

82M/3W

1 CM = 50 METERS

MAGNETOMETER

30° NE OF PHIL CLAIM

PROSPECTING

(SHARE MF-1)

MAP

VI P DROPS

P STEEPLY


-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380
-3380	-3380

-3360	-3380	-3380
-3380	-3380	-3380
-3360	-3380	-3380
-3360	-3380	-3380
-3380	-3380	-3380

MA-C16-01

MAP II SQUA



97/98 P29



MAGNETOMETER PROSPECTING
 SQUAM BAY SOUTH
 CICERO CREEK
 MAP SQU B
 82.M 4W #11

25
 1cm = 25 METER

91/98 P29



MOOSE MEADOWS TRAVERSE

MAP 82M4-SQU-F

MAP # 11

SQUAM BAY - LOUIS CK RD.

SQUAM BAY 13 Km


LAKE

NEW ROAD



BARRIER

MOOSE MEADOWS FOREST ROAD

FREQ: 153.02 ANSWORTH



PROSPECTING
MAP #11
SQU E
82 M/4



CALCAREOUS DEPOSIT MARL
FLT-Phy/GRST
Q FLT
FLT-Phy/GRST

TREED

OC-S BRD3 - CLAY SHIST
M-M-SQ-109 OLD-SAMPLE STATION
FLT IN CREEK ANK/GRST LAST YR

-SQ-AD4
CUSTY IRON
MAY 96

START

Bakery / SERCITE SHIST
CHIR

SS-SQ-05
GREY LEACHED
REDDISH SOIL

SS-SQ-11
LEACH HORIZON
RED/SOIL

FLT-GRST/Phyllite
FLT-ANK-GRST
MUGEN LIME

SS-SQ-07
250 FT
340 FT
FLT-GRST/Phyllite

SS-SQ-08
ANU-RED-SOIL
FLT-GRST

OC-S GRST-NR/DP
GRST/QU VEIN-CONCENTRATED
2m x 1m

GRST/Phy
Phy/GRST
DIP-NINE 30°

350
MASSIVE-QUAN
Phyllite/mixed shist
3090

Qu has
* magnesite

Yellow
BLAZED
CLAIM
LINE

GRST/Phyllite/QU (GRANITIZED)
ANR GRST

FLT-GRST w/ EPIDOTE 1cm STRIGERS
SMALL SHIST 1cm MESHED/LIES A Porphyry
AROUND-BIOTITE-BLEBS.

ANOMALOUS SAMPLES

GRST = GRST
QU = QUARTZ
ANK = ANKERITE
FLT = FLOAT
CX = OUT CROP
|L = DRY GULLEY

SAMPLE STATIONS
ARE
FLAGGED
BLUE



SQUAM BAY
TRAVERSE 1997
--> = TRAVERSE DIRECTION
-> = WATER FLOW DIRECTION

on/100 P19


6-90-16
SAMPLE
GLACIAL TILL
(BC-1996)

GTS-59-01

5400
5400
5400
5380
5400

MAGNETOMETER PROSPECTING
SQU # 11-
1997-
SKAHM BAY
82M/AW
1cm = 100m

to HOLDINGS MILL




5400



ADAMS LK RD

to the DIAGNOSTIC LAB



1 UNIT	2 POST CLAIM	OLD 2 POST CLAIM
1640.42 ft	1640.42 ft	1500 ft
25 ha 61.78 ac	25 ha 61.78 ac	20.90 ha 51.65 ac
500 m	500 m	457.2 m

THIS MAP IS PREPARED ONLY AS A GUIDE TO THE LOCATION OF MINERAL TENURE AS SHOWN ON THE LOCATOR'S SKETCHES. FOR CURRENT OR MORE SPECIFIC INFORMATION, APPLICATION SHOULD BE MADE TO THE MINING DIVISION CONCERNED.

082M05E	082M06W	082M06E
082M04E	082M03W	082M03E
082L13E	082L14W	082L14E

INDEX TO ADJOINING MAPS

#97/98 P29

M 082M03W

PARK 4
216830
1560
15X5W

NORTH 1
216821
1512
59X1E

221545 *128282*	221547 *128295*	221548 *128296*	221555 *128313*
221546 *128281*	221549 *128297*	221550 *128298*	221556 *128315*
221551 *128299*	221552 *128300*	221557 *128317*	221558 *128319*
221553 *128301*	221554 *128302*	221559 *128321*	221600 *128613*

HIGH 9 15963
216840
1710
25X1E

STRAT 2
216824
1551
5NX3E

Staked

ANDY 2
ANDY 1

CK 93 FRACTION
216800
1402

CK * 1 221510 *127080*	CK * 5 221506 *127076*	CK * 6 221507 *127077*	221543 *127297*
221511 *127082*	CK * 3 221504 *127074*	CK * 4 221505 *127075*	221541 *127295*
221512 *127081*	CK * 2 221502 *127072*	CK * 18 221503 *127073*	221539 *127293*
221513 *127083*	CK * 17 221501 *127071*	CK * 19 221504 *127074*	221540 *127296*

216755
869
25X1W
3167

3166
216756
870
15X1E
3167

CK 84
216774
1032
2NX3E


CK 85
216788
1314
2NX2E
2461

45112
45113

#97 | 98 | 02

STRAT 3
216825

CK 81 + CK 86



MAP # 2 97/98

1cm = 100m

SOIL GRID - SAMPLE LOCATIONS -

N
W E
S

MAP 82 M/3W
PHIL ONYX
SOIL SAMPLING
GRID - 50 METERS

Et #.	Tag #	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe%	La Mg%	Mn	Mo	Ni%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn	
26	MM-SPAP-9	<0.2	0.96	<5	95	<5	0.60	<1	12	12	2.16	20	0.40	1412	<1	0.04	13	700	10	<5	<20	58	0.04	<10	19	<10	6		
27	MM-SPAP-10	<0.2	0.94	5	75	<5	0.45	<1	12	15		20	0.43	885	<1	0.03	14	1230	8	<5	<20	30	0.06	<10	29	<10	6		
28	MM-SPAP-11	<0.2	0.85	<5	65	<5	0.41	<1	15	16		30		458	1	0.03	21	1260	10	<5	<20	26	0.05	<10	27	<10	6	43	
29	MM-SPAP-12	<0.2	0.88	<5	75	<5	0.39	<1	15	16	2.99	20	0.47	690	1	0.03	23	960	10	<5	<20	30	0.05	<10	24	<10	6	55	
30	MM-SPAP-13	<0.2	1.02	<5	80	10	0.42	<1	16	19	3.10	30	0.53	709	1	0.03	25	1070	12	<5	<20	31	0.06	<10	26	<10	7	51	
31	MM-SPAP-14	<0.2	0.81	<5	65	<5	0.49	<1	18	21	26	3.08	20	0.54	370	<1	0.03	25	1360	12	<5	<20	25	0.06	<10	29	5	32	
32	MM-SPAP-15	<0.2	0.79	<5	70	<5	0.58	<1	29	23	35	3.74	20	0.60	616	1	0.04	31	1590	34	<5	<20	33	0.06	<10	31	6	41	
33	MM-SPAP-20	<0.2	0.83	<5	70	<5	0.52	<1	17	22	25	2.87	20	0.53	424	<1	0.03	24	1270	32	<5	<20	30	0.06	<10	28	6	21	
34	MM-SPAP-21	<0.2	0.86	<5	80	<5	0.50	<1	17	30	25	3.04	20	0.63	428	<1	0.09	30	980	20	<5	<20	41	0.06	<10	35	6	61	
35	MM-SQU-1	<0.2	0.48	5	60	<5	0.44	<1	15	7	83	3.49	20	0.22	796	3	0.03	8	990	26	<5	<20	23	0.02	<10	14	4	116	
36	MM-SQU-2	0.2	0.55	<5	75	<5	0.69	<1	16	7	84	3.48	20	0.27	919	3	0.04	9	810	24	<5	<20	33	0.02	<10	14	<10	120	
37	MM-SQU-3	0.2	0.48	5	70	<5	0.55	<1	18	8	88	3.90	20	0.24	867		0.04	9	960	24	<5	<20	29	0.02	<10	17	<10	3	114
38	MM-SQU-4	<0.2	0.62	<5	85	<5	0.65	<1	17	8	94	3.88	20	0.28	968	3	0.04	10	880	28	<5	<20	29	0.02	<10	16	<10	121	
39	MM-SNBX 1	<0.2	1.33	<5	120	<5	0.90	<1	19	59	35	3.42	10	0.89	637	4	0.05	39	1210	16	<5	<20	62	0.05	<10	52	<10	57	
40	MM-SNBX 3	<0.2	0.86	<5	70	<5	0.25	<1	14	20	14	2.20	10	0.39	374	<1	0.03	15	830	10	<5	<20	7	0.06	<10	22	<10		
41	MM-SNBX 4	0	0.99	<5	110	<5	2.05	<1	9	24	20	1.63	<10	0.54	1382	2	0.05	23	1460	18	<5	<20	114	0.01	<10	14	<10	6	
42	MM-SNBX 5	<0.2	1.13	<5	110	<5	0.58	<1	20	54	26	3.67	20	0.72	519	1	0.04	36	1510	10	<5	<20	32	0.07	<10		<10	6	
43	MM-SNBX 7	<0.2	1.13	<5	95	<5	0.54	<1	23	67	27	4.05	20	0.69	564	3	0.04	46	1530	12	<5	<20	31	0.07	<10		<10	6	
44	MM-SNBX 8	<0.2	0.93	<5	65	5	0.57	<1	27	67	25	5.29	20	0.60	387	2	0.04	35	1910	10	<5	<20	29	0.06	<10	82	10	6	
45	MM-SNBX 1	<0.2	1.30	<5	255	<5	0.50	<1	13	37	19	2.89	40	0.56	415	<1	0.05	29	1070	10	<5	<20	60	0.09	<10	41	<10		
46	MM-SWBX 2	0.2	1.46	<5		5	0.51	<1	23	66	38	4.11	10	0.96	660	2	0.05	43	1070	14	<5	<20	55	0.06	<10	65	10		
47	MM-SWBX 3	<0.2	1.4			<5	0.50	<1	22	70	37	4.27	10	0.94	538	1	0.03	43	820	12	<5	<20	42	0.06	<10	68	<10	5	
48	MM-LGRD 1	<0.2	1.2				0.87	<1	17	18	13	2.23	10	0.32	1372	<1	0.04	20	910	18	<5	<20	43	0.04	<10	24	10	5	
49	MM-LGRD 2	<0.2	0.			<5	0.40	<1	22	43	8	1.64	<10	0.15	2289	4	0.06	31	1030	22	<5	<20	47	0.02	<10	11	<10	3	
50	MM-LGRD 3	<0.2	0.66			<5	0.	<1	14	9	6	1.75	<10	0.13	784	<1	0.03	6	490	12	<5	<20	15	0.04	<10	18	<10	4	
51	MM-PDR 1	<0.2	0.58	<5	80	5	0.63		10	46	8	4.47	<10	0.35	410	1	0.04	11	1500	<2	<5	<20	26	0.06	<10	102	<10	2	
52	MM-PDR 2	<0.2	1.03	<5	165	10	0.89		11	30	24	3.34	<10	0.50	1349	2	0.04	21	1430	4	<5	<20	51	0.06	<10	64	<10	6	
53	MM-PDR 5	<0.2	0.80	<5	100	<5	1.36		13	36	50	2.58	<10	0.57	1152	1	0.07	30		4	<5	<20	49	0.05	<10	44	<10	4	50
54	MM-PDR 6	<0.2	0.90	<5	130	5	0.54	<1			6	2.54	<10	0.37	530	<1	0.03	20	1240	2	<5	<20	36	0.05	<10	50	10	4	15
55	MM-PDR 7	<0.2	1.37	<5	255	10	0.78	<1		38			10	0.41	1326	<1	0.04		1260	4	<5	<20	59	0.05	<10	65	<10		44
56	MM-PDR 8	<0.2	0.86	10	245	<5	0.97		15	28	54		10	0.41	2302	60	0.08		1210	2	<5	<20	42	0.05	<10	52	<10	6	
57	MM-PDR 10	<0.2	0.68	<5	160	<5	0.67		9?	30	21		10	0.38	1341	2	0.03		1430	<2	<5	<20	38	0.05	<10	52	<10	6	
58	MM-PDR 20	<0.2	0.67	<5	150	<5	0.66			31	24	2.		0.38	1365	1	0.04		1420	<2	<5	<20	38	0.05	<10	52	<10	6	32
59	MM-PDR 35	0.4	0.09	5	240	<5	710	<1	9	35	28	1.			430	<1	0.04			8	10	<20	242	0.01	<10	23	<10	4	27
60	MM-710-1	<0.2	0.61	<5	130	<5	0.72	<1	8	40	14	3.05				1	0.03	17	1430	2	<5	<20	38	0.05	<10	73	10	4	27

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 97-1315

DELISLE EXPLORATION
RR# 1. SITE 16-B1
CELISTA, BC
VOE 1L0

Phone: 604-573-5700
Fax : 604-573-4557

ATTENTION: DENIS DELISLE

No. of samples received: 76
Sample type: MOSS
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et.#	Tag #	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mg	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	MM-SNUF-1	<0.2	1.65	<5	155	<5	0.75	<1	23	83	48	4.33	<10	1.14	837	1	0.03	52	920	62	<5	<20	37	0.06	<10	71	<10	3	68
2	MM-SNUF-2	<0.2	1.34	10	120	<5	0.79	<1	22	63	41	4.16	<10	0.93	587	1	0.03	45	1090	40	<5	<20	42	0.05	<10	66	<10	3	85
3	MM-SNUF-3	<0.2	1.52	5	150	<5	1.23	<1	21	66	52	3.78	<10	1.02	711	2	0.03	47	1090	46	<5	<20	63	0.04	<10	60	<10	6	81
4	MM-SNUF-4	0.2	1.68	10	170	<5	1.01	<1	21	68	51	4.22	<10	1.06	763	3	0.03	54	1290	42	<5	<20	40	0.04	<10	57	10	5	80
5	MM-SNUF-5	<0.2	1.48	15	140	<5	0.80	<1	23	65	45	4.53	<10	0.96	687	2	0.04	50	1310	38	<5	<20	33	0.04	<10	66	<10	4	78
6	MM-SNUF-6	0.2	1.61	10	165	<5	1.37	<1	22	65	53	4.16	<10	1.06	779	3	0.06	52	1290	34	<5	<20	51	0.03	<10	58	<10	5	115
7	MM-SNUF-7	<0.2	0.84	<5	185	<5	2.65	3	8	39	67	1.71	<10	0.59	761	9	0.08	39	1690	46	10	<20	83	<0.01	<10	32	<10	10	189
8	MM-SNUF-8	4.4	0.74	10	280	<5	2.37	3	31	41	56	4.31	<10	0.20	>10000	8	0.04	65	1580	6	<5	<20	183	0.08	<10	38	<10	8	226
9	MM-SNUF-9	<0.2	1.46	5	140	<5	2.71	<1	22	92	47	3.67	<10	1.64	938	<1	0.08	62	1360	26	<5	<20	56	0.05	<10	58	<10	5	72
10	MM-SNUF-10	<0.2	1.76	5	135	<5	2.40	<1	28	100	61	5.37	<10	2.23	837	1	0.03	64	1380	20	<5	<20	51	0.08	<10	92	<10	3	44
11	MM-SNUF-11	<0.2	1.66	<5	125	<5	2.38	<1	28	100	52	5.44	<10	2.21	773	1	0.03	61	1330	14	<5	<20	45	0.09	<10	93	10	2	46
12	MM-SNUF-12	<0.2	1.70	<5	145	10	2.14	<1	30	104	51	5.89	20	2.34	772	2	0.04	57	1570	22	<5	<20	44	0.08	<10	69	<10	3	61
13	MM-SNUF-13	<0.2	1.77	<5	145	<5	2.26	1	30	102	54	5.50	10	2.16	797	1	0.04	58	1390	22	<5	<20	64	0.08	<10	92	<10	4	46
14	MM-SNUF-14	<0.2	1.34	<5	110	<5	2.31	<1	27	33	41	5.61	10	2.08	559	2	0.04	44	1590	16	<5	<20	41	0.09	<10	95	<10	3	36
15	MM-SNUF-15	<0.2	1.45	<5	125	10	2.24	<1	32	91	44	6.07	10	2.09	606	2	0.03	49	1590	18	<5	<20	45	0.09	<10	104	10	3	36
16	MM-SNUF-16	<0.2	1.33	<5	130	10	1.74	1	34	93	44	7.84	10	1.69	565	4	0.04	49	1470	18	<5	<20	43	0.09	<10	134	10	<1	36
17	MM-SPAP-1	<0.2	1.15	<5	130	5	0.62	<1	12	22	24	2.35	30	0.51	594	<1	0.04	20	870	14	<5	<20	61	0.06	<10	32	10	15	44
18	MM-SPAP-2	<0.2	1.21	<5	145	<5	0.71	<1	13	21	24	2.59	40	0.50	740	<1	0.04	20	940	14	<5	<20	71	0.06	<10	35	<10	18	35
19	MM-SPAP-3	<0.2	0.87	<5	70	<5	0.36	<1	8	9	6	1.63	20	0.26	1408	<1	0.04	7	780	8	<5	<20	37	0.04	<10	16	<10	6	31
20	MM-SPAP-4	<0.2	0.95	<5	75	<5	0.47	<1	9	12	10	2.03	10	0.46	984	<1	0.03	8	1400	8	<5	<20	30	0.06	<10	28	10	4	46
21	MM-SPAP-5	<0.2	1.39	<5	85	<5	0.52	<1	16	27	21	2.49	40	0.54	684	<1	0.04	29	840	16	<5	<20	30	0.06	<10	24	<10	10	90
22	MM-SPAP-6A	<0.2	0.84	<5	65	<5	0.46	<1	9	11	9	2.07	10	0.35	861	<1	0.04	7	1240	8	<5	<20	30	0.05	<10	24	10	4	38
23	MM-SPAP-6B	<0.2	0.67	<5	65	<5	0.53	<1	19	16	30	3.58	30	0.39	362	2	0.02	25	1620	14	<5	<20	26	0.05	<10	31	10	6	40
24	MM-SPAP-7	0.6	0.77	<5	60	<5	0.46	<1	9	10	9	2.13	10	0.32	890	<1	0.04	8	1340	6	<5	<20	31	0.05	<10	25	10	4	48
25	MM-SPAP-8	0.4	0.88	<5	95	<5	0.50	<1	12	12	13	2.43	20	0.37	1795	1	0.07	11	890	8	<5	<20	49	0.04	<10	25	<10	5	116

10-Dec-97

D-TECH LABORATORIES LTD.
41 East Trans Canada Highway
MLOOPS, B.C.
V6T4

ICP CERTIFICATE OF ANALYSIS AK 97-1314

DELISLE EXPLORATION
RR# 1. SITE 16-B1
CELISTA, BC
VOE 110 LO

Phone: 604-573-5700
Fax: 604-573-4557

ATTENTION: DENNIS DELISLE

No. of samples received: 53
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: DENNIS DELISLE

Concentrations in ppm unless otherwise reported

Tag #	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Nb%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
FLT-710-08	>30	0.03	<5	115	650	0.03	5	1	387	13	0.55	<10	<0.01	65	6	<0.01	10	10	>10000	<5	<20	13	<0.01	<10	1	<10	<1	<1
FLT-710-09	29.2	0.05	<5	25	55	0.47	1	2	500	7	0.74	<10	<0.01	194	57	0.01	11	1110	6524	<5	<20	164	<0.01	<10	1	<10	3	<1
FLT-SQU-1	0.8	0.05	<5	20	<5	0.19	<1	3	234	10	1.32	<10	0.06	580	1	0.05	10	20	96	<5	<20	22	<0.01	<10	1	<10	<1	<1
FLT-S4+37	>30	0.02	<5	30	<5	<0.01	8	2	421	282	0.68	<10	<0.01	56	2	<0.01	12	90	>10000	75	<20	6	<0.01	<10	<1	<10	<1	13
FLT-SPAP-07	<0.2	1.55	<5	45	10	0.02	<1	31	119	80	5.59	<10	0.97	527	3	0.03	57	90	142	<5	<20	3	0.18	<10	47	<10	<1	62
FLT-SNUF-02	2.0	0.24	<5	45	5	>10	8	3	126	14	0.77	<10	0.38	1591	300	0.02	11	320	180	<5	<20	>10000	0.01	<10	9	<10	15	14
FLT-ANDY-1	<0.2	1.69	<5	80	10	0.11	<1	19	124	61	4.28	<10	1.04	375	<1	0.03	28	120	36	<5	<20	34	0.30	<10	61	<10	4	27
FLT-ANDY-2	<0.2	1.45	<5	90	10	0.05	<1	20	132	36	3.67	<10	0.81	300	<1	0.04	35	60	16	<5	<20	41	0.25	<10	48	<10	3	46
FLT-PDR-12	<0.2	1.45	<5	70	<5	0.98	<1	45	49	569	3.85	<10	1.15	214	<1	0.02	36	810	18	<5	<20	41	0.19	<10	84	<10	4	11
FLT-PDR-15	0.2	0.21	<5	40	<5	0.71	<1	3	49	12	0.90	<10	0.21	59	4	0.01	13	220	22	<5	<20	11	0.04	<10	14	<10	4	53
FLT-PDR-30	<0.2	0.86	<5	60	<5	0.64	<1	24	97	68	2.68	<10	0.70	171	<1	0.04	30	740	16	<5	<20	16	0.15	<10	45	<10	4	13
FLT-PDR-31	1.0	0.77	<5	45	<5	0.69	<1	37	53	124	4.79	<10	0.47	199	2	0.03	49	840	10	<5	<20	42	0.07	<10	25	<10	<1	41
FLT-PDR-32	0.8	0.50	<5	45	<5	0.66	14	13	107	80	2.68	<10	0.68	110	61	0.05	98	698	16	<5	<20	16	0.07	<10	69	<10	6	1064
FLT-PDR-33	0.4	0.81	<5	55	<5	0.78	<1	33	83	123	4.69	<10	0.43	196	2	0.05	43	980	12	<5	<20	45	0.09	<10	26	<10	<1	29
FLT-PDR-34	1.2	0.71	<5	55	<5	0.86	<1	27	67	153	4.73	<10	0.19	115	2	0.04	16	1030	20	<5	<20	60	0.07	<10	16	<10	<1	54
FLT-PDR-35	0.8	0.58	<5	115	10	0.68	1	10	54	73	8.79	<10	0.43	601	6	0.03	25	280	6	<5	<20	21	0.06	<10	95	<10	<1	73
FLT-PDR-36	<0.2	2.25	5	45	5	0.71	<1	45	145	76	5.14	<10	2.03	868	<1	0.08	60	840	18	<5	<20	11	0.33	<10	119	<10	5	90
FLT-PDR-37	<0.2	1.20	5	100	<5	0.58	<1	26	107	73	3.51	<10	0.89	187	<1	0.05	27	1040	12	<5	<20	5	0.22	<10	71	<10	6	24
OC-PDR-1	1.2	0.54	<5	55	<5	2.90	3	24	61	100	5.40	<10	0.15	177	37	0.03	47	5580	10	<5	<20	61	0.12	<10	70	<10	4	148
OC-PDR-2	0.6	1.77	<5	55	<5	0.31	2	42	115	242	7.85	<10	1.94	2141	7	0.04	195	770	144	<5	<20	2	0.10	<10	236	<10	1	419
OC-PDR-4	1.0	1.19	<5	55	<5	0.51	<1	24	19	86	5.92	<10	1.12	659	4	0.03	21	1330	14	<5	<20	11	0.07	<10	67	<10	<1	68
OC-PDR-6	1.6	0.42	<5	60	<5	0.40	<1	12	56	53	2.91	<10	0.20	73	5	0.02	55	570	18	<5	<20	6	0.08	<10	11	<10	4	85
OC-PDR-9	<0.2	0.75	<5	65	<5	0.74	<1	18	66	89	2.88	<10	0.53	282	13	0.06	11	1360	18	<5	<20	35	0.08	<10	46	<10	4	24
OC-PDR-10	0.8	1.21	<5	75	<5	0.29	<1	10	129	39	2.49	<10	0.82	337	4	0.10	35	450	12	<5	<20	11	0.08	<10	61	<10	5	102
OC-PDR-11	<0.2	2.30	<5	225	<5	1.01	<1	40	188	107	5.02	<10	1.98	441	<1	0.04	58	2820	20	<5	<20	40	0.18	<10	140	<10	8	47

Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mg	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
OC - PDR - 14	0.6	0.57	<5	30	<5	0.87	<1	25	70	160	4.07	<10	0.30	436	42	0.09	53	1180	12	<5	<20	15	0.12	<10	101	<10	7	79	
OC - PDR - 15	0.2	0.67	<5	25	<5	0.09	<1	22	77	149	4.51	<10	0.52	491	261	0.06	70	1480	10	<5	<20	10	0.13	<10	132	<10	6	63	
OC - PDR - 16	<0.2	0.93	<5	120	<5	0.65	<1	11	71	40	2.63	<10	0.62	260	21	0.07	8	1390	10	<5	<20	23	0.19	<10	75	<10	7	20	
OC - PDR - 18	<0.2	0.51	<5	35	<5	0.61	<1	7	56	46	1.64	<10	0.19	122	<1	0.05	5	1110	12	<5	<20	70	0.09	<10	22	<10	5	<1	
OC - PDR - 19	0.8	0.21	<5	70	<5	0.41	<1	19	71	84	3.75	<10	0.10	113	1	0.06	29	720	8	<5	<20	16	0.09	<10	16	<10	3	3	
OC - PDR - 22	0.4	0.83	<5	50	5	0.56	13	15	144	79	4.08	<10	0.76	428	55	0.05	82	550	16	<5	<20	5	0.11	<10	215	<10	6	909	
OC - PDR - 31	1.6	1.50	<5	55	<5	1.25	<1	7	176	41	2.24	<10	0.16	157	4	0.10	43	140	16	<5	<20	123	0.06	<10	13	<10	2	39	
OC - PDR - 33	1.0	2.09	<5	40	<5	1.07	3	22	146	123	4.42	<10	1.99	1250	20	0.03	101	350	32	<5	<20	11	0.14	<10	318	<10	6	204	
OC - HYDRO - 1	1.8	0.67	<5	35	<5	1.18	2	55	41	2620	6.71	<10	0.19	1373	7	0.02	22	600	6	<5	<20	39	0.06	<10	14	<10	<1	86	
OC - HYDRO - 2	<0.2	0.86	<5	35	<5	0.35	<1	11	87	74	4.36	<10	0.26	453	<1	0.05	1	910	16	<5	<20	6	0.12	<10	7	<10	17	7	
OC - HYDRO - 8	<0.2	1.57	<5	45	<5	1.13	<1	63	127	233	4.99	<10	1.39	262	3	0.05	127	2690	12	<5	<20	20	0.17	<10	63	<10	<1	25	
OC - HYDRO - 9	<0.2	0.66	<5	60	<5	1.01	<1	16	117	349	3.12	<10	0.60	133	2	0.06	31	2130	12	<5	<20	17	0.23	<10	54	<10	6	<1	
OC - HYDRO - 10	0.8	0.96	<5	40	<5	6.51	<1	34	53	563	4.23	<10	0.21	3390	53	0.01	16	420	10	<5	<20	57	0.02	<10	20	<10	<1	37	
OC - HYDRO - 12	<0.2	2.05	<5	35	<5	0.78	<1	56	25	251	8.32	<10	1.38	468	4	0.05	10	1700	20	<5	<20	11	0.13	<10	195	<10	1	28	
OC - SPAP - 20	2.2	0.64	<5	30	<5	0.96	2	52	73	250	7.93	<10	0.43	847	29	0.03	97	100	302	<5	<20	19	<0.01	<10	12	<10	1	35	
OC - 2426	<0.2	0.09	70	10	<5	0.60	<1	9	149	6	1.09	<10	0.02	680	4	<0.01	17	330	8	<5	<20	7	<0.01	<10	1	<10	<1	<1	
OC - 710 - 1	0.4	0.44	30	80	5	1.10	<1	26	42	74	7.18	<10	4.13	1489	4	0.02	28	440	4	5	<20	499	<0.01	<10	92	<10	8	34	
OC - SBNX - 3	<0.2	6.03	70	95	10	2.38	<1	30	158	65	5.63	<10	2.54	773	<1	0.32	50	700	40	10	<20	191	0.26	<10	126	<10	9	72	
OC - SPLP - 1	1.4	0.34	<10	75	55	0.16	<1	11	112	13	8.76	<10	0.05	60	15	0.19	5	100	30	<5	<20	73	<0.01	<10	24	<10	<1	<1	
OC - SPA - 9	0.4	0.78	65	70	15	3.86	<1	81	72	119	>10	<10	1.55	1392	8	0.09	239	7230	24	<5	<20	270	0.02	<10	13	<10	2	89	
OC - SBL - 4	<0.2	0.46	<5	10	<5	>10	<1	9	133	20	1.85	<10	0.51	543	1	0.02	17	330	10	<5	<20	306	0.02	<10	12	<10	9	6	
OC - SP - 1	0.4	0.35	<5	30	<5	0.16	<1	9	34	20	4.02	<10	0.18	128	4	0.05	17	350	44	<5	<20	9	<0.01	<10	34	<10	<1	58	
OC - SP - 2	0.4	0.30	10	50	<5	0.09	<1	10	123	29	4.18	<10	0.02	310	5	0.04	14	440	34	<5	<20	11	<0.01	<10	13	<10	<1	34	
OC - SP - 5	0.4	0.59	<5	15	5	>10	<1	49	61	103	9.44	<10	5.74	2654	6	0.03	83	750	24	<5	<20	276	0.02	<10	32	<10	<1	56	
OC - SP - 20	<0.2	3.11	<5	55	15	4.33	<1	47	167	11	9.09	<10	3.65	1213	5	0.05	104	1880	22	<5	<20	195	0.06	<10	157	<10	2	107	
OC - PHIL - 97	3.3	0.07	<5	15	25	1.73	4	3	166	4	1.30	<10	0.44	443	18	0.04	10	60	>10000	10	<5	<20	61	<0.01	<10	8	<10	2	82
OC - SQU - 1	3.8	0.06	<5	20	<5	7.07	2	17	81	2889	0.78	<10	1.52	3435	13	0.03	2	670	172	<5	<20	523	<0.01	<10	3	<10	5	304	
OC - SQU - 2	<0.2	0.19	5	60	<5	2.00	<1	7	61	40	0.72	<10	0.28	617	2	0.04	2	450	64	<5	<20	72	<0.01	<10	2	<10	<1	40	

Et #.	Tag #	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Nb%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
61	MM-710-3	0.2	0.89	5	160	<5	1.16	1	38	73	68	6.55	<10	0.82	993	8	0.03	105	1170	28	<5	<20	38	0.03	<10	70	<10	<1	105
62	MM-710-4	0.4	0.93	15	215	<5	1.33	1	33	53	63	5.26	<10	0.77	1164	6	0.05	91	1360	32	<5	<20	45	0.02	<10	55	<10	3	107
63	MM-710-5	0.4	0.82	10	145	5	0.97	1	37	90	64	5.61	<10	0.70	980	10	0.03	121	1200	30	<5	<20	33	0.02	<10	57	10	1	111
64	MM-12	0.2	1.46	10	110	<5	0.86	<1	21	52	26	4.27	<10	0.75	1710	3	0.06	38	1420	16	<5	<20	43	0.02	<10	38	<10	3	97
65	MM-20	<0.2	1.59	15	115	<5	1.50	<1	24	82	48	3.71	<10	0.97	1269	5	0.06	82	1330	48	<5	<20	43	0.03	<10	43	<10	4	150
66	MM-SBNX-6	<0.2	1.22	<5	110	<5	0.61	<1	24	64	28	4.40	20	0.79	539	2	0.04	40	1650	10	<5	<20	34	0.07	<10	65	10	7	43
67	MM-BRTN-2	<0.2	1.23	10	65	<5	0.44	<1	21	45	27	3.81	<10	0.60	953	5	0.04	46	840	16	<5	<20	28	0.02	<10	23	<10	1	67
68	MM-SPA-9	<0.2	0.69	<5	50	<5	0.42	<1	18	21	30	2.81	20	0.46	328	<1	0.03	24	1180	6	<5	<20	22	0.05	<10	27	<10	4	27
69	MM-HYRO-5	<0.2	1.42	<5	120	<5	0.88	<1	12	69	24	2.20	20	0.48	792	6	0.06	49	1090	24	<5	<20	64	0.03	<10	30	<10	9	150
70	MM-RED-1	0.4	1.16	<5	105	<5	1.54	<1	15	54	28	2.41	<10	0.61	1030	2	0.04	43	1060	18	<5	<20	62	0.03	<10	35	<10	6	110
71	MM-AVO-1	<0.2	0.51	<5	55	<5	0.33	<1	5	25	9	1.36	20	0.19	422	3	0.03	19	970	8	<5	<20	20	0.01	<10	15	<10	6	22
72	MM-COL-1	0.2	0.7	<5	30	<5	4.86	<1	8	15	10	1.60	10	2.74	309	<1	0.04	19	1010	4	10	<20	47	0.05	<10	18	<10	6	6
73	MM-CRW-97	0.4	1.03	5	245	<5	1.29	2	20	42	47	4.91	<10	0.71	953	8	0.03	72	1140	24	<5	<20	32	0.03	<10	47	<10	4	128
74	MM-L4E7+50N	0.4	1.14	<5	175	<5	0.04	<1	24	57	34	4.30	20	0.68	1732	4	0.05	71	2080	26	<5	<20	63	0.02	<10	42	<10	12	128
75	MM-MC4	<0.2	1.63	<5	110	<5	0.58	<1	27	65	45	4.09	30	0.91	954	4	0.07	53	1450	24	<5	<20	51	0.07	<10	66	<10	13	78
76	MM-SBX-1	<0.2	1.07	<5	170	<5	0.35	<1	40	43	15	2.42	<10	0.41	2069	3	0.05	34	990	16	<5	<20	46	0.06	<10	21	<10	4	33

QC/DATA:

Repeat #:

1	MM-SNUF-1	<0.2	1.61	<5	150	<5	0.72	<1	24	81	45	4.26	<10	1.13	798	<1	0.03	53	920	66	<5	<20	37	0.07	<10	70	<10	4	72
10	MM-SNUF-10	<0.2	1.63	<5	140	5	2.42	<1	30	98	60	5.55	10	2.25	772	<1	0.03	58	1530	22	<5	<20	45	0.08	<10	91	10	4	46
19	MM-SPAP-3	<0.2	0.90	<5	70	<5	0.36	<1	8	9	7	1.65	20	0.26	1460	<1	0.03	6	810	6	<5	<20	39	0.04	<10	16	<10	6	30
28	MM-SPAP-1	<0.2	0.93	<5	70	<5	0.44	<1	15	17	26	3.31	40	0.49	500	1	0.02	24	1310	12	<5	<20	29	0.06	<10	27	<10	7	47
36	MM-SQU-2	<0.2	0.53	<5	70	<5	0.66	<1	14	8	80	3.36	20	0.26	889	3	0.03	8	800	22	<5	<20	33	0.02	<10	14	<10	4	120
45	MM-SWBX-1	<0.2	1.33	<5	265	<5	0.51	<1	14	37	19	2.87	40	0.58	428	<1	0.04	30	1030	10	<5	<20	62	0.09	<10	40	10	16	27
54	MM-PDR-6	<0.2	0.88	<5	135	5	0.54	<1	9	30	8	2.64	<10	0.37	545	<1	0.04	20	1200	<2	<5	<20	37	0.05	<10	51	<10	4	17
63	MM-710-5	0.2	0.86	15	150	<5	0.98	1	38	79	64	5.81	<10	0.74	1011	6	0.03	110	1180	30	<5	<20	34	0.02	<10	60	<10	<1	115
71	MM-AVO-1	<0.2	0.54	<5	55	<5	0.34	<1	6	15	9	1.41	20	0.20	452	1	0.03	18	950	8	<5	<20	17	0.01	<10	15	<10	6	25

Standard:

GEO'97		1.2	1.68	65	155	<5	1.82	<1	19	66	76	3.85	<10	0.98	689	<1	0.03	22	680	18	<5	<20	53	0.11	<10	72	10	6	70
GEO'97		1.2	1.71	70	160	<5	1.86	<1	19	59	80	3.94	<10	0.93	656	<1	0.03	24	670	20	<5	<20	55	0.11	<10	74	<10	8	68
GEO'97		1.0	1.74	65	160	<5	1.87	<1	20	64	78	3.94	<10	0.96	658	<1	0.03	22	690	18	<5	<20	57	0.12	<10	75	<10	6	68



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy. P.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4567

CERTIFICATE OF ASSAY AK 97-1314

DELISLE EXPLORATION

10-Dec-97

RR# 1, SITE 16-B1
CELISTA, BC
VOE 1 L0

No. of samples received: 53
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: DENNIS DELISLE

ET #.	Tag #	Ag igt	Ag (oz/t)	Pb (%)
1	FLT - 710 - 08	195.0	5.69	2.56
4	FLT - S4+37	167.0	4.87	12.15
51	OC PHIL - 97	31.4	0.92	3.28


QC DATA

Standard:

MPIa

69.7 2.03 4.33

XLS/97


Eco-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

ET #.	Tag #	AU (ppb)
31	OC - PDR - 22	5
32	OC - PDR - 31	10
33	OC - PDR - 33	10
34	OC - HYDRO - 1	5
35	OC - HYDRO - 2	5
36	OC - HYDRO - 8	5
37	OC - HYDRO - 9	5
38	OC - HYDRO - 10	10
39	OC - HYDRO - 12	5
40	OC - SPAP - 20	5
43	OC - SBNX - 3	5
44	OC - SPLP - 1	40
45	OC - SPA - 9	5
46	OC - SBL - 4	5
50	OC - SP - 20	5
51	OC - PHIL - 97	5
52	OC - SQU - 1	25
53	OC - SQU - 2	5

55 B₁
1.4 Ag
1.5 H₂O

QC DATA:

Resplit:


R/S 35 OC - HYDRO - 2 5

Repeat:

3 FLT - SQU - 1 5
 16 FLT - PDR - 35 10
 26 OC - PDR - 14 15
 44 OC - SPLP - 1 35

Standard:

GEO'97 150
 GEO'97 130


 ECO-TECH LABORATORIES LT
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AK 97-1315

DELISLE EXPLORATION

RR# 1. SITE 16-B1

CELISTA, BC

VOE 1L0

9-Dec-97

ATTENTION: DENIS DELISLE

No. of samples received: 76

Sample type: MOSS

PROJECT #: NONE GIVEN

SHIPMENT #: NONE GIVEN

Samples submitted by: Not Indicated

ET #.	Tag #	As (ppb)
17	MM-SPAP-1	10
18	MM-SPAP-2	<5
19	MM-SPAP-3	<5
20	MM-SPAP-4	<5
21	MM-SPAP-5	<5
22	MM-SPAP-6A	<5
23	MM-SPAP-6B	675
24	MM-SPAP-7	5
25	MM-SPAP-8	<5
26	MM-SPAP-9	<5
27	MM-SPAP-10	<5
28	MM-SPAP-11	420
29	MM-SPAP-12	5
30	MM-SPAP-13	35
31	MM-SPAP-14	10
32	MM-SPAP-15	590
33	MM-SPAP-20	1140
34	MM-SPAP-21	5
59	MM-PDR-35	5
69	MM-HYRO-5	5



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (250) 573-5700
Fax (250) 573-4557

CERTIFICATE OF ANALYSIS AK 97-1314

DELISLE EXPLORATION

RR# 1. SITE 16-B1

CHASE, B.C.

VOE 1M0

8-Dec-97

No. of samples received: 53

Sample type: ROCK

PROJECT #: NONE GIVEN

SHIPMENT #: NONE GIVEN

Samples submitted by: DENNIS DELISLE

ET #.	Tag #	Au (ppb)
3	FLT - SQU - 1	5
6	FLT - SNUF - 02	10
9	FLT - PDR - 12	10
10	FLT - PDR - 15	5
11	FLT - PDR - 30	15
12	FLT - PDR - 31	15
13	FLT - PDR - 32	5
14	FLT - PDR - 33	6
15	FLT - PDR - 34	5
16	FLT - PDR - 35	15
17	FLT - PDR - 36	20
18	FLT - PDR - 37	5
19	OC - PDR - 1	5
20	OC - PDR - 2	20
21	OC - PDR - 4	5
22	OC - PDR - 6	5
23	OC - PDR - 9	10
24	OC - PDR - 10	5
25	OC - PDR - 11	5
26	OC - PDR - 14	15
27	OC - PDR - 15	5
28	OC - PDR - 16	5
29	OC - PDR - 18	5
30	OC - PDR - 19	5

ET #	Tag #	Au (ppb)
------	-------	-------------

QC DATA:


Repeat:

17	MM-SPAP-1	<5
24	MM-SPAP-7	10
27	MM-SPAP-10	<5

Standard:

GEO 97	140
--------	-----

XLS/97Delisle


ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

14-Jan-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Ministry of Employment
and Investment
Kamloops, B.C.
Rec'd **FEB 17 1998**

ICP CERTIFICATE OF ANALYSIS AK 98-7

Phone: 604-573-5700
Fax : 604-573-4557

DELISLE EXPLORATION
RR# 1, SITE 16-B1
CELISTA, BC
V0E 1L0

ATTENTION: DENIS DELISLE

No. of samples received: 13
Sample type: SOIL
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported
AHL SQUAM BAY SOUTH

Et.#	Tag#	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
SOIL SAMPLE	1 SS-SQ-11	<0.2	2.43	<5	135	5	0.23	<1	9	8	8	3.06	<10	0.09	491	<1	0.03	9	1770	30	<5	<20	16	0.06	<10	24	<10	<1	102
	2 SS-SQ-12	<0.2	0.64	<5	110	5	0.27	<1	10	18	17	3.54	10	0.16	590	5	0.03	14	680	40	<5	<20	18	<0.01	<10	16	<10	<1	125
	3 SS-SQ-07	<0.2	1.59	<5	90	<5	0.36	<1	4	6	6	1.53	<10	0.07	314	<1	0.05	5	2800	10	<5	<20	21	0.04	<10	13	<10	2	77
	4 SS-SQ-06	0.4	1.07	<5	255	<5	0.39	<1	9	22	20	2.77	10	0.09	2129	4	0.04	17	1400	78	<5	<20	28	0.03	<10	15	<10	<1	161
	5 SS-SQ-05	<0.2	1.00	<5	80	5	0.17	<1	7	16	7	2.22	<10	0.07	361	2	0.03	12	1160	28	<5	<20	12	0.05	<10	23	<10	<1	82
GLACIAL TILL	6 GTS-SQ-02	<0.2	0.72	<5	50	<5	0.25	<1	4	12	21	1.11	10	0.15	107	<1	0.03	8	400	6	<5	<20	13	0.04	<10	10	<10	6	14
	7 GTS-SQ-01	0.4	0.64	<5	55	<5	4.83	1	16	4	245	4.21	10	0.34	781	4	0.02	4	650	22	<5	<20	74	<0.01	<10	10	<10	<1	104
	8 GTS-SQ-03	<0.2	0.89	10	65	<5	1.76	<1	19	20	138	4.54	10	0.57	811	3	0.03	15	760	38	<5	<20	86	0.06	<10	20	<10	3	141
	9 GTS-SQ-04	0.6	0.51	<5	45	<5	>10	<1	11	8	68	2.77	10	0.61	410	1	0.03	7	530	44	<5	<20	506	0.02	<10	10	<10	<1	61
	10 GTS-CIC-01	<0.2	0.96	<5	80	10	2.22	<1	25	42	38	4.84	20	0.69	836	3	0.03	51	740	16	<5	<20	83	0.03	<10	25	<10	<1	90
11 GTS-CIC-02	<0.2	0.96	<5	60	<5	0.40	<1	35	44	59	6.43	20	0.46	788	5	0.02	63	310	18	<5	<20	19	0.03	<10	28	<10	6	93	
12 GTS-CIC-04	<0.2	0.53	<5	45	5	0.23	<1	16	23	36	4.46	10	0.23	426	3	0.02	33	550	14	<5	<20	13	0.03	<10	22	<10	2	63	
13 GTS-CEC-06	0.2	1.00	<5	110	<5	0.18	<1	14	11	128	4.68	30	0.39	1049	4	0.02	10	420	26	<5	<20	13	0.02	<10	13	<10	2	173	

QC/DATA:

Repeat #:	Et.#	Tag#	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
	1	SS-SQ-11	<0.2	2.47	<5	135	5	0.23	<1	9	8	9	3.10	<10	0.09	503	1	0.04	11	1790	34	<5	<20	15	0.06	<10	23	<10	1	106
Standard:		GEO'98	14	1.75	70	155	5	1.90	1	18	64	76	4.41	<10	0.98	647	<1	0.03	23	640	18	<5	<20	56	0.08	<10	76	<10	6	69

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

14-Jan-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 98-6

DELISLE EXPLORATION
RR# 1. SITE 16-B1
CELISTA, BC
VOE 1L0

Phone: 604-573-5700
Fax : 604-573-4557

Moisture

ATTENTION: DENIS DELISLE

No. of samples received: 17
Sample type: MOSS
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
SKAMM	MM-SQ-10	0.6	0.60	<5	90	<5	0.85	1	16	12	107	4.39	20	0.28	1017	5	0.03	12	790	34	<5	<20	42	0.01	<10	12	<10	3	128	
2	MM-SPIL 01	<0.2	1.56	<5	95	5	4.63	2	29	91	79	6.51	20	1.31	892	6	0.07	60	1270	60	<5	<20	204	0.05	<10	90	<10	5	146	
3	MM-SPIL 02	0.2	1.56	<5	95	<5	6.45	1	25	73	210	5.30	20	1.24	885	4	0.07	53	1140	64	<5	<10	278	0.05	<10	62	<10	7	152	
4	MM-SPIL 03	<0.2	1.33	6	95	10	6.13	1	37	101	83	7.97	20	1.48	842	7	0.04	65	1200	94	<5	<20	208	0.04	<10	78	<10	<1	111	
5	MM-SPIL 07	0.4	1.64	5	100	5	3.87	2	33	104	60	6.53	20	1.61	1028	4	0.05	70	1370	78	<5	<20	145	0.04	<10	69	<10	4	134	
SKAMM	MM-2S-10E	0.4	1.03	<5	150	<5	1.06	3	20	168	91	3.76	20	0.93	1063	11	0.05	118	1860	48	<5	<20	77	0.03	<10	48	<10	7	144	
①	MM-CEC-06	0.6	0.72	<5	120	<5	0.68	<1	15	8	192	4.15	30	0.27	1389	3	0.04	12	640	36	<5	<20	39	0.02	<10	12	<10	4	214	
②	MM-CIC-01	0.6	0.90	<5	100	<5	2.01	<1	8	14	124	2.32	<10	0.38	1345	1	0.05	24	810	14	<5	<20	123	0.02	<10	12	<10	3	84	
9	MM-CIC-02	0.8	0.84	<5	315	15	2.00	1	24	58	94	6.74	20	0.47	4934	10	0.04	60	1300	12	<5	<20	164	0.03	<10	28	<10	2	107	
③	MM-CIC-03	2.8	0.58	<5	300	<5	1.77	1	18	92	20	4.35	<10	0.30	610000	13	0.04	72	940	14	<5	<20	137	0.04	<10	13	<10	<1	110	
11	MM-CEC-04	1.2	0.53	<5	295	15	1.75	1	14	34	20	>10	20	0.25	8148	11	0.04	36	820	12	<5	<20	134	0.02	<10	13	<10	<1	90	
12	MM-PSM-01	<0.2	1.32	<5	170	<5	1.18	<1	16	82	37	3.54	20	0.63	825	7	0.04	69	1100	16	<5	<20	89	0.04	<10	31	<10	6	91	
13	MM-PSM-02	<0.2	1.32	<5	165	<5	0.92	<1	20	152	36	3.79	20	0.80	601	13	0.04	109	1130	18	<5	<20	77	0.05	<10	43	<10	6	79	
14	MM-PSM-03	<0.2	0.93	<5	140	<5	1.42	<1	14	89	20	3.44	10	0.62	513	8	0.05	67	1030	22	<5	<20	96	0.05	<10	45	<10	4	53	
LK	15	MM-PSM-04	<0.2	1.84	<5	130	10	2.67	<1	35	119	53	6.99	20	1.55	1179	5	0.04	94	1920	18	<5	<20	143	0.07	<10	74	10	3	95
16	MM-PSM-05	<0.2	1.63	<5	120	<5	2.40	<1	24	153	41	5.08	10	1.44	736	5	0.04	85	1470	8	<5	<20	84	0.06	<10	77	<10	3	62	
SKAMM	17	MM-CIC-05	0.2	0.59	<5	80	<5	1.54	<1	16	62	81	3.70	20	0.33	961	9	0.04	46	820	34	<5	<20	68	0.01	<10	12	<10	5	123

14-Jan-98

ECO-TECH LABORATORIES LTD.
10041 East Trans Canada Highway
KAMLOOPS, B.C.
V2C 6T4

Phone: 604-573-5700
Fax : 604-573-4557

ICP CERTIFICATE OF ANALYSIS AK 98-8

DELISLE EXPLORATION
RR# 1. SITE 16-B1
CELISTA, BC
VOE 1LO

ATTENTION: DENIS DELISLE

No. of samples received: 7
Sample type: ROCK
PROJECT #: NONE GIVEN
SHIPMENT #: NONE GIVEN
Samples submitted by: Not Indicated

Rock

Values in ppm unless otherwise reported

Et#	Tag#	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	OC-MOS-0	0.2	0.40	<5	35	<5	2.66	<1	16	10	21	4.11	10	0.16	570	3	0.02	23	150	24	<5	<20	16	<0.01	<10	5	<10	<1	68
2	OC-MOS-01	0.4	0.50	<5	55	5	2.30	<1	12	30	24	5.90	20	0.21	643	5	0.02	27	100	30	<5	<20	21	<0.01	<10	3	<10	<1	57
3	OC-MOS-02	1.8	0.63	<5	155	25	0.51	1	24	39	20	>10	20	0.27	3213	16	0.02	41	<10	16	<5	<20	28	<0.01	<10	5	<10	<1	82
SKAAM BAY → 4	OC-SQ-RD1	1.0	0.12	<5	50	10	0.94	2	11	42	44	7.26	<10	0.12	2934	7	0.03	3	340	68	<5	<20	31	<0.01	<10	<1	<10	<1	325
SKAAM Bay - 5	OC-SQ-RD4	8.8	0.32	30	55	15	0.17	3	5	28	200	6.69	<10	0.12	341	8	0.02	<1	210	1618	<5	<20	10	<0.01	<10	<1	<10	<1	728
SKAAM BAY - 6	OC-SQU-20	0.4	0.24	5	80	<5	0.05	1	7	102	60	6.79	10	<0.01	594	9	0.02	3	750	68	<5	<20	3	<0.01	<10	<1	20	<1	39
SKAAM Bay - 7	FLT-SQW-01	3.8	0.03	20	80	<5	1.18	3	20	208	7105	2.62	<10	0.19	636	8	0.02	5	<10	58	<5	<20	38	<0.01	<10	<1	<10	<1	1079

QC/DATA:

Repeat #:

1	OC-MOS-0	<0.2	0.35	<5	25	<5	2.57	<1	16	9	31	4.06	10	0.14	552	4	0.02	24	140	24	<5	<20	14	<0.01	<10	4	10	<1	69
---	----------	------	------	----	----	----	------	----	----	---	----	------	----	------	-----	---	------	----	-----	----	----	-----	----	-------	-----	---	----	----	----

Standard:

GEO'98		1.2	1.80	65	155	<5	1.86	<1	18	66	79	4.41	<10	0.96	689	<1	0.03	22	620	18	<5	<20	58	0.08	<10	78	<10	5	71
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/6
XLS/98Delisle

Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

Et #	Tag #	Ag	Al%	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
------	-------	----	-----	----	----	----	------	----	----	----	----	-----	----	-----	----	----	-----	----	---	----	----	----	----	-----	---	---	---	---	----

QC/DATA:

Repeat #:


1	MM-SQ-10	0.4	0.58	<5	90	<5	0.81	<1	16	13	103	4.45	20	0.27	1002	5	0.02	12	780	32	<5	<20	40	0.01	<10	12	<10	3	130
---	----------	-----	------	----	----	----	------	----	----	----	-----	------	----	------	------	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	-----

Standard:


GEO'98		1.4	1.76	65	160	<5	1.83	1	18	66	75	4.38	<10	0.96	645	<1	0.02	22	630	18	<5	<20	58	0.08	<10	70	10	6	69
--------	--	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	----	---	----

df/6
XLS/98Delisie

[Signature]
ECO-TECH LABORATORIES LTD.
per Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer



To Vavenby



LOCATION MAP #20

- MAP #1 = ONK PILL I
 - #2 = Phil SOIL SAMPLES
 - #3 = " MAG GRID 15 to 85, 1R to 8R
 - #4 = PROSPECTING WITH MAG or Phil
 - #5 = " " " "
 - #6 = " " " "
- Non WEST CLAIM
NON BET CLAIM

- MAP #8 = SNUFF BOX CREEK
- MAP #9 = SPILLMAN CREEK
- MAP #10 = SPAILLEM CREEK
- MAP #11, 12, A, B, C, D, E = SKWAM BAY.

EAGLE BAY

L A