

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1997/1998

REPORT #: PAP 97-14

NAME: ROBERT OMAND

Ref.
FEB 16/98

PROSPECTORS ASSISTANCE
PROGRAM 1997

ASSISTANCE REPORT

REFERENCE # 97/98 - P33

GRANTED TO:

ROBERT A. OMAND
P.O. BOX 1722
MACKENZIE, BC
V0J 2C0
PHONE: 250-997-5597

Geological Survey Branch
MEI

JAN 08 1999

pm

MINISTRY OF EMPLOYMENT and INVESTMENT	
Rec'd.	JAN 14 1998
Subject	_____
File	_____
Prince George, B.C.	

TABLE OF CONTENTS

1. *PROSPECTING REPORT FORM*
2. *DAILY REPORTS*
3. *TECHNICAL REPORT*
4. *1997 ASSESSMENT REPORT*
5. *ASSAY REPORT*
6. *ASSAY RESULTS*
7. *PICTURES OF CLAIMS AND WORK*
8. *LOCATION MAP*
9. *ACCESS MAP*
10. *AREAS SAMPLED ON CLAIMS*
11. *AREAS ON CLAIMS OF HIGH CHROMIUM/NICKEL VALUES*
12. *AREAS ON CLAIMS ABOVE BASELINE GOLD/SILVER VALUES*
13. *AREAS PROSPECTED AND SAMPLES TAKEN – MAP # 093O/03E*
14. *AREAS PROSPECTED AND SAMPLES TAKEN – MAP # 093J/14*
15. *STATEMENT OF COSTS*

**BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
PROSPECTING REPORT FORM (continued)**

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations, section 15, 16 and 17.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name ROBERT OMAND Reference Number 97/98-P33

LOCATION/COMMODITIES

Project Area (as listed in Part A) _____ MINFILE No. if applicable _____

Location of Project Area NTS 0930/03E Lat 123° 09' Long 55° 02'

Description of Location and Access SEE ATTACHED ASSESSMENT REPORT FOR
DETAILED LOCATION + ACCESS

Main Commodities Searched For GOLD(AU) SILVER(AG) NICKEL(NI) PLATINUM
(GROUP ELEMENTS (P.G.E))

Known Mineral Occurrences in Project Area NICKEL, CHROMIUM, IRON, GOLD, SILVER

WORK PERFORMED

1. Conventional Prospecting (area) 4 - 2 POST CLAIM AREAS AND FRINGES OF THESE
2. Geological Mapping (hectares/scale) _____
3. Geochemical (type and no. of samples) SOIL - 86 - ROCK - 24
4. Geophysical (type and line km) _____
5. Physical Work (type and amount) LINE ESTABLISHMENT - 5000 METERS
6. Drilling (no., holes, size, depth in m, total m) _____
7. Other (specify) _____

SIGNIFICANT RESULTS

Commodities NICKEL/CHROMIUM GOLD/SILVER Claim Name BOB GROUP

Location (show on map) Lat 123° 09' Long 55° 02' Elevation _____

Best assay/sample type SOIL - NI (116 PPM) CR (409 PPM) # 50100/W0000
SOIL - AU (45 PPB) AG (4.6 PPM) # 50400/W0000

Description of mineralization, host rocks, anomalies THE NICKEL/CHROMIUM VALUES WERE
FOUND IN HISTORIC FORMATIONS. HOST ROCKS IN THE AREA
ARE BLACK CLASTIC SHALES AND SLTSTONES. THERE ARE ALSO AREAS
OF ANKERITE WITH QUARTZ STOCKWORKS. TWO DISTINCT
HISTORIC OUTCROPS OCCUR (ABOUT 150 M APART) THESE HAVE
VISIBLE PYRITE AND CHROMIUM-MICA (FUCHSITE)

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

1997 EXPLORATION AND DEVELOPMENT
ASSESSMENT WORK DONE

CLAIMS:

- (A) BOB 1**
- (B) BOB 2**
- (C) BOB III**
- (D) BOB IV**

MINING DIVISION: Cariboo

NTS MAP SHEET: 0930/03E

LATITUDE: 123° 09'

LONGITUDE: 55° 02'

THE OWNER AND OPERATOR OF THESE CLAIMS IS:

ROBERT A. OMAND – F.M.C. # 133800
P.O. BOX 1722
MACKENZIE, BC
V0J 2C0
PHONE: 250-997-5597

ANNUAL WORK PERMIT # -1997-1300498-8504

DATE: NOVEMBER 1997

1. INTRODUCTION

The *Bob Group* of mineral claims is located in the Cariboo Mining Division.

NTS Map Sheet 093O/03E

Latitude: 123° 09'

Longitude: 55° 02'

The property comprises of four (4) 2 post mineral claims and was staked by the current owner—*Bob Omand* in September of 1996.

2. SUMMARY AND RECOMMENDATIONS

A mineralized outcrop of Ultramafic Listwanite was discovered in August of 1996. Assays done on three rock samples indicated high nickel and chromium values. It was decided to do further prospecting and soil sampling.

3. WORK CARRIED OUT

The property was visited throughout the summer of 1997. Work consisted of prospecting, line establishment, and the collection of 81 soil and 20 rock samples.

4. ACCESS

Access is by 4X4 pick-up (see map #2). Turning west off highway 97, approximately 1km south of Windy Point Inn and 35 km southeast of the town of Mackenzie, on the Finlay FSR road. Turn south onto the Sabia mainline road at kilometer 9. Stay right at 2km and again at 5km. The road was washed out at kilometer 7 and ATV access was recommended. The road has now been fixed and is easily accessed by pick-up. At approximately 10km there will be a large logged-over cut block on your left. Approximately 90% of the *Bob Claims* are located within this cut block. By turning left at the first spur road into this cut block and going about 300m, you will come to the mineralized outcrop being examined.

5. PHYSIOGRAPHY—GEOLOGY

The *Bob Claims* are situated in the Slide Mountain Terrain west of McLeod Lake. Approximately 90% of the claims is free of forest cover because of previous logging. Replanted forest growth is generally less than 1m in height. The area has about 15% of exposed outcrop. The rest is covered with glacial till, ranging from a few centimeters deep to several meters.

The area is surrounded by black clastic shale and siltstone, some with quartz veinlets and stockworks that have traces of pyrite. There are also areas of ankerite with quartz stockworks. Two prominent listwanitic outcrops with visible pyrite and chrome-mica (fucite) exist.

6. PREVIOUS WORK

No known previous work has been done on the property.

7. GEOCHEMICAL SURVEY

Approximately 75% of the property was prospected. 81 soil samples and 20 rock samples were collected (see map #3). All samples had 30 element ICP and fire assay for gold done. All analysis was done by Min-En Labs., 8282 Sherbrooke St., Vancouver, BC.

8. RESULTS

High nickel/chromium value results were obtained from both soil and rock samples taken from the two outcrops of listwanite.

soil sample	#S0100/W0000	1116 PPM (Ni)	909 PPM (Cr)
rock sample	#BOM-97-6-R	1252 PPM (Ni)	968 PPM (Cr)
rock sample	#BOM-97-17-RC	365 PPM (Ni)	1357 PPM(Cr)

The highest gold/silver values are as follows:

soil sample	#S0400/E0010A	---	71 PPB (Au)	---
soil sample	#S0400/N000B	---	---	2.6 PPM (Ag)
soil sample	#S0400/W0000	---	45 PPB (Au)	4.6 PPM (Ag)
rock sample	#BOM-97-16-R	85 PPM (Mo)	16 PPB (Au)	1.9 PPM(Ag)

The gold/silver values are within 150m of each other and about 300m from the nickel/chromium values.

10. CERTIFICATE

I, Robert A. Omand, hereby certify that I have

1. personally carried out and supervised the work carried out above and that observations and opinions expressed here, of the property, are my own.
2. successfully completed the *Introduction to Prospecting* course.
3. successfully completed the *Advanced Prospecting Seminar 1996*.

November 1997

R. A. Omand



**MINERAL
ENVIRONMENTS
LABORATORIES LTD.**

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4J8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Assay Certificate

7V-0560-FA1

Company: **FAR NORTH PROSPECTING & SUPPLY**
Project:
Attn: **Bob Omand**

Date: **JUL-18-97**

We hereby certify the following Assay of 3 ROCK samples
submitted JUL-03-97 by Bob Omand.

Sample Number	Au-fire g/tonne	PT g/tonne
BOM-97-8-R	.01	<.01
BOM-97-9-R	.01	<.01
BOM-97-10-R	.01	<.01

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

TV-0531-SG 1

Company: **FAR NORTH PROSPECTING & SUPPLY**

Date: JUL-18-97

Project:

Attn: **Bob Omand**

We hereby certify the following Geochemical Analysis of 11 SOIL samples submitted JUN-19-97 by Bob Omand.

Sample Number	PT PPB
------------------	-----------

N0000/W0000

N0100/W0000

N0200/W0000

N0300/W0000

N0400/W0000

<5

N0500/W0000

S0100/W0000

S0200/W0000

S0300/W0000

S0400/W0000

S0500/W0000

Certified by _____

MIN-EN LABORATORIES

COMP: FAR NORTH PROSPECTING & SUPPLY
 PROJ:
 ATTN: BOB OMAND

MIN-EN LABS — ICP REPORT
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7V-0592-SJ1
 DATE: 97/07/21
 * * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
S0425 W0025	.1	.48	12	91	.1	3	.16	1.1	5	10	14	1.96	1	.02	2	.13	726	1	.01	12	530	37	1	1	9	1	.03	1	34.0	1	56	7
S0425 W0025C	.1	.75	15	48	.2	2	.17	.8	5	17	13	2.14	1	.01	6	.21	127	1	.01	16	630	13	1	1	11	1	.02	1	23.7	1	63	8
S0400 W0025A	.5	.16	4	336	.1	1	1.56	.3	1	3	12	.31	1	.02	1	.13	24	1	.01	5	600	8	1	1	91	1	.01	1	4.7	1	56	15
S0400 W0050A	.1	.63	19	169	.1	5	.39	.4	5	15	15	2.26	1	.02	3	.17	152	1	.01	9	370	6	1	1	23	1	.04	1	49.2	1	51	6
S0400 W0100A	.1	.43	3	59	.1	3	.09	.6	2	9	5	.96	1	.02	2	.09	153	1	.01	5	320	12	1	1	6	1	.02	1	23.6	1	26	14
S0400 W0150A	.1	1.06	9	64	.2	3	.14	.7	6	20	13	2.46	1	.02	12	.31	162	1	.01	14	750	15	1	1	11	1	.03	1	36.9	1	82	9
S0350 W0025	.1	.36	5	88	.1	4	.73	1.2	3	14	23	1.16	1	.02	1	.07	38	1	.01	11	360	9	1	1	43	1	.03	1	29.2	1	25	6
S0350 W0050	.1	.42	3	139	.1	3	.15	.6	4	11	9	1.39	1	.03	2	.12	184	1	.01	9	380	7	1	1	10	1	.02	1	27.0	1	50	7
S0350 W0100	.1	.59	6	58	.1	3	.14	.4	4	16	7	1.78	1	.02	4	.16	98	1	.01	8	800	10	1	1	10	1	.03	1	37.1	1	44	42
S0350 E0050	.1	1.54	1	274	.5	1	.52	2.4	11	27	50	3.22	1	.05	12	.37	858	1	.01	35	970	27	1	1	33	1	.02	1	44.3	1	108	5
S0250 W0000	.1	1.01	7	166	.2	1	.51	2.6	10	12	28	2.98	1	.04	17	.40	1111	2	.01	29	2240	24	1	1	33	1	.01	1	26.7	1	141	4
S0250 W0050	.1	1.30	7	87	.3	4	.18	.8	8	29	21	2.87	1	.02	12	.37	197	1	.01	22	550	16	1	1	17	1	.04	1	43.4	1	69	5
S0150 W0050	.1	.86	22	66	.3	2	.34	.4	11	29	43	2.78	1	.03	7	.38	415	1	.01	60	1410	14	1	1	25	1	.02	1	35.5	1	99	14
S0150 W0000	.2	.40	1	114	.1	1	.15	.6	1	10	4	.54	1	.03	1	.05	112	1	.01	4	380	9	1	1	9	1	.01	1	11.2	1	26	3
S0100 E0050	.1	1.42	89	113	1.0	1	.43	1.7	17	11	109	8.31	1	.03	30	.76	447	16	.01	79	3910	21	1	1	48	1	.01	1	19.0	1	381	15
S0100 W0050	.1	1.05	15	59	.3	1	.31	.6	10	40	25	3.37	1	.02	15	.37	185	1	.01	40	970	18	1	1	29	1	.01	1	33.1	1	86	9
S0100 W0100	.1	.94	12	203	.2	1	.21	2.0	11	80	21	2.91	1	.03	9	.43	597	2	.01	54	750	17	1	1	20	1	.02	1	48.0	3	97	4
S0100 W0150	1.5	1.28	10	157	.5	5	1.33	3.4	28	123	61	3.81	9	.02	14	.32	2157	1	.01	287	1180	23	1	1	98	1	.02	1	28.0	5	85	9
N0000 W0100	.1	1.11	12	75	.3	2	.27	.8	8	41	23	2.95	1	.03	9	.41	159	1	.01	32	1500	17	1	1	22	1	.02	1	52.5	2	66	8
N0000 W0050	.1	1.22	21	109	.5	2	.34	.8	9	21	38	2.99	1	.03	11	.27	173	5	.01	44	2320	17	1	1	29	2	.01	1	28.0	1	160	20

COMP: FAR NORTH PROSPECTING & SUPPLY

PROJ:

ATTN: Bob Omand

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8

TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7V-0561-SJ1+2

DATE: 97/07/08

* * * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPM
S0200 E0050	.1	.94	18	87	.3	1	.47	1.7	8	13	39	3.72	1	.04	14	.37	157	9	.01	32	3250	22	1	1	37	1	.01	1	24.6	1	182	3
S0200 E0100	.3	.42	1	112	.1	5	.17	1.3	10	14	22	1.72	9	.03	3	.11	1153	3	.01	15	430	17	3	1	12	1	.02	1	35.2	1	55	2
S0200 E0200	.6	.37	2	203	.1	4	.39	.7	3	13	19	1.16	3	.03	2	.07	108	1	.01	8	290	11	2	1	37	1	.03	1	29.1	1	48	2
S0200 E0250	.1	.94	13	118	.2	5	.16	.8	8	20	22	2.72	3	.03	7	.17	409	2	.01	15	860	12	1	1	14	1	.03	1	43.9	2	87	2
S0200 W0050	.2	1.09	15	77	.3	1	.42	1.1	7	18	21	3.13	1	.04	23	.52	159	6	.01	26	2530	23	1	1	14	1	.03	1	24.0	1	152	3
S0200 W0100	.1	1.15	23	190	.4	1	.53	1.5	11	22	35	4.22	1	.05	20	.51	500	5	.01	35	3380	23	1	1	38	1	.01	2	28.0	1	162	3
S0200 W0200	2.3	.90	1	271	.5	3	2.27	6.1	24	147	49	2.81	19	.02	2	.22	2996	3	.01	390	1540	18	1	1	114	1	.01	1	20.7	7	72	5
S0200 W0300	.8	.38	1	213	.1	4	.19	3.1	6	7	21	1.43	7	.03	3	.10	1029	2	.01	16	640	15	2	1	10	1	.02	1	24.1	1	63	1
S0300 E0050	.1	1.07	23	99	.4	4	.24	1.4	12	22	26	3.19	1	.03	9	.29	334	2	.01	28	830	16	1	1	16	1	.02	1	36.5	1	81	7
S0300 E0100	.1	.55	1	75	.1	4	.13	1.2	5	13	10	1.67	4	.03	4	.14	361	1	.01	9	650	11	1	1	9	1	.02	1	28.9	1	48	2
S0300 E0200	.4	.47	1	152	.1	3	.52	1.7	3	12	11	1.19	2	.02	3	.07	67	2	.01	6	200	8	2	1	33	1	.02	1	32.1	1	28	1
S0300 W0100	.3	.78	16	129	.2	3	.39	1.7	8	21	19	2.65	1	.04	13	.34	298	2	.01	19	2100	12	1	1	28	3	.02	1	31.1	1	132	1
S0300 W0200	.9	.58	2	91	.2	2	.31	1.1	4	23	8	1.59	1	.05	8	.22	206	1	.01	15	1340	13	1	1	19	1	.02	1	23.3	1	66	3
S0300 W0300	.4	.39	1	67	.1	2	.15	.9	2	10	2	.66	3	.03	3	.08	45	1	.01	4	400	14	2	1	9	1	.02	1	16.2	1	31	1
S0350 W0000	1.6	.99	1	371	1.0	7	2.29	11.3	10	1	90	2.35	36	.02	5	.20	6164	9	.01	99	1570	42	1	1	132	3	.01	4	21.5	2	60	5
S0400 E0025X	.4	1.47	8	152	.4	4	.40	1.6	11	31	40	3.17	1	.04	16	.45	454	1	.01	29	610	25	1	1	24	1	.03	1	44.3	2	201	2
S0400 E0075	.8	.83	1	227	.4	5	.29	1.3	12	14	22	1.56	7	.04	4	.13	942	2	.01	14	730	18	1	1	23	1	.02	1	28.4	1	52	3
S0400 E0100	.4	.59	7	118	.1	3	.24	1.2	6	15	12	2.12	3	.03	5	.18	332	2	.01	13	1000	12	1	1	16	1	.02	1	37.6	2	64	3
S0400 E0200	.5	.74	1	114	.2	4	.21	1.5	5	17	11	2.05	2	.03	7	.20	111	2	.01	11	1930	12	1	1	19	1	.02	1	29.8	1	107	1
S0400 E0300	.4	.48	1	115	.1	2	.31	3.8	4	16	13	1.41	2	.03	4	.14	247	1	.01	10	610	11	1	1	24	1	.02	1	23.6	1	86	2
S0400 W0010	.2	.53	7	73	.1	3	.20	.5	4	14	9	1.33	1	.02	4	.19	191	2	.01	9	580	13	1	1	11	1	.02	1	29.4	1	36	3
S0400 W0025	.2	.70	3	111	.1	2	.22	.1	4	17	11	1.53	1	.03	6	.22	196	2	.01	9	630	14	1	1	12	1	.02	1	30.6	1	51	25
S0400 W0100	.5	.38	1	210	.1	1	.50	.7	2	12	12	.59	1	.03	1	.09	79	2	.01	5	320	12	1	1	34	1	.02	1	18.6	1	33	14
S0400 W0200	.9	.73	1	141	.4	2	.97	1.4	11	10	25	1.56	4	.02	3	.11	636	1	.01	19	650	15	1	1	48	1	.02	1	24.9	1	15	25
S0400 W0300	.8	.61	1	170	.2	6	.70	6.0	9	7	30	1.97	10	.02	3	.11	1453	5	.01	29	590	15	1	1	47	1	.02	1	31.7	1	91	3
S0400 W0400	.8	.36	1	113	.1	5	.30	1.9	2	1	3	.38	8	.03	2	.05	1132	3	.01	5	280	16	1	1	16	1	.01	1	10.6	1	35	3
S0500 E0100	.4	.44	9	67	.1	8	.26	.7	4	14	15	1.60	3	.04	3	.13	96	2	.01	9	400	5	2	1	15	1	.04	1	41.6	1	31	2
S0500 E0200	.5	.62	1	99	.1	4	.32	1.6	4	14	11	1.83	3	.04	7	.17	90	2	.01	11	1890	9	1	1	24	1	.02	1	26.1	1	97	3
S0500 E0325	.3	.83	7	144	.2	5	.25	2.7	7	16	14	2.95	2	.05	13	.24	213	3	.01	15	2180	13	1	1	30	3	.01	2	30.4	1	168	6
S0500 W0100	.9	.27	1	228	.1	3	.73	.9	2	6	17	.77	2	.03	1	.06	164	3	.01	5	560	10	1	1	44	1	.01	1	17.1	1	26	9
S0500 W0200	.4	.67	2	86	.1	7	.17	.9	5	23	14	1.86	4	.02	5	.19	106	2	.01	12	590	7	2	1	11	1	.03	2	43.1	2	47	12
S0500 W0300	.6	.53	3	97	.1	5	.27	1.4	4	14	10	1.76	4	.03	6	.16	197	2	.01	9	1200	9	1	1	18	1	.02	1	27.0	1	77	4
S0500 W0400	.4	.76	1	75	.2	5	.18	.9	6	18	12	1.84	3	.03	10	.26	213	2	.01	15	730	13	1	1	11	1	.02	2	29.9	1	58	5

COMP: FAR NORTH PROSPECTING & SUPPLY
 PROJ:
 ATTN: Bob Omand

MIN-EN LABS — ICP REPORT
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7V-0621-SJ1
 DATE: 97/07/29
 * * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM	Au-fire PPB
S0400/E0010B	.1	.84	15	106	.4	3	.49	1.1	8	20	28	2.26	1	.03	7	.31	460	1	.01	24	940	22	2	1	24	1	.03	1	31.0	1	72	3
S0400/E0010A	.1	.83	17	103	.4	2	.70	1.1	9	22	33	2.37	1	.04	8	.35	481	1	.01	28	1020	18	1	1	27	1	.02	1	31.1	1	67	71
S0400/N0000B	2.6	2.17	1	487	1.2	10	2.86	10.9	14	12	111	2.96	49	.02	5	.31	8800	21	.01	94	3310	63	8	1	138	1	.01	7	29.5	4	70	15
N0050/W0100	.1	1.13	9	84	.4	3	.13	1.2	8	31	15	2.66	1	.02	14	.28	188	2	.01	17	320	15	2	1	9	1	.03	1	41.6	2	52	25
N0150/W0100	.1	1.32	27	59	.6	2	.24	1.2	13	29	46	3.02	1	.03	9	.40	279	1	.01	49	800	22	1	1	17	1	.03	1	34.3	1	74	8
N0200/W0100	.1	1.63	27	109	.7	2	.46	1.3	16	42	57	3.49	1	.04	24	.47	342	2	.01	76	870	26	1	1	24	1	.03	1	38.0	2	96	17
N0300/W0100	1.8	1.75	10	263	.8	3	.47	3.2	16	38	78	3.45	1	.05	17	.43	648	5	.01	55	1220	30	1	1	32	1	.02	1	46.7	2	151	11
N0050/W0050	.1	.33	6	48	.1	2	.17	.3	2	8	4	.59	1	.04	2	.08	148	1	.01	5	240	9	2	1	10	1	.02	1	12.2	1	21	4
N0100/W0050	.1	.84	20	84	.4	3	.16	.8	7	20	22	3.08	1	.04	9	.23	211	3	.01	21	1340	11	3	1	15	1	.02	1	32.4	2	82	11
N0150/W0050	.1	1.39	42	139	.8	3	.19	.9	12	13	76	5.92	1	.08	14	.26	551	3	.01	20	670	1	7	1	11	1	.01	1	36.5	1	65	2
N0200/W0050	.1	.84	20	86	.2	4	.22	.7	7	23	11	2.81	1	.04	9	.27	163	1	.01	13	1200	14	2	1	15	1	.04	1	52.7	2	63	2
N0250/W0050	.1	.37	7	71	.1	3	.14	.8	4	16	8	1.18	3	.05	2	.09	442	1	.01	8	370	10	3	1	7	1	.02	1	23.2	1	31	1
N0300/W0050	.1	1.52	30	131	.5	3	.18	1.2	10	43	33	4.06	1	.03	19	.50	219	3	.01	33	1620	20	1	1	15	1	.03	1	54.0	3	114	5




Looking North



Showing approximate location of Listwanite outcrop

SOIL
SAMPLE
LINES





Looking north from on top of Listwanite outcrop, showing some of the approximate locations of soil sample lines

SOIL
SAMPLE
LINES




Looking east. "X" shows approximate location of high gold/silver values (S0400/W0000)



MAP# 930/3E

B.C. 2005

7
44X5W
9 (E) (80464)



ION
RIVER

7-29

MACKENZIE

MOUNT SCOVIL

SKOG MOUNTAIN

MOUNT MACKINNON

7-24

To Prince George, approx. 150 km

Philip North FSR

Philip Lakes

Willer Lakes

Philip South FSR

Robinson L.

Graying Lake

Lignite

McLeod Lake

1280 MOUNT CHINGEE

90 hydro Kennedy Sub-Station

FFI Mill Site

FFC Mill Site

Scovil Log Dump

Phillips Log Dump

Rec. Res.

Rec. Res.

Rec. Res.

Tudych Lake Prov. Park

Windy Point Lake

Garr Sub

Liantahc Lake

Floa M. Lo.

Stony Post

Buth Cr.

Hair L.

Bryce L.

Ilo Bridge

90 hydro Kennedy Sub-Station

Williston Lake

Red Park

Tsoderlo Lake

Tsadehko

Wheel Creek

Diche Cr.

Scovil Cr.

Dors'at Cr.

Finlay Philip FSR

Reed Cr.

Lignite

Sabal L.

Royer L.

McIntyre M/L

Holder Cr.

Buttemus L.

McDougall Creek

Des Creek

Lake Road

barge crossing

18 km

9 km

0.1 km

IR 2


IR 5

(FS)

(R)

(97)


AREAS SAMPLED



SCALE: 1 square = 25 metres

○ Soil Samples ■ Rock Samples


HIGH SILVER AND GOLD SAMPLE VALUES



SCALE: 1 square = 25 metres

O SOIL SAMPLES)
■ ROCK SAMPLES
XX—silver (PPM)
XX—gold (PPB)

HIGH CHROMIUM AND NICKEL SAMPLE VALUES



SCALE: 1 square = 25 metres

○ SOIL SAMPLES)
 ■ ROCK SAMPLES
XX—chromium (PPM)
XX—nickel (PPM)

ROYER I

9277 (B)
55X4W

927E (B)
55X4E

Royer I.

SEE
IN SET
MAP
OF THESE
CLAIMS.

MAP #
0930/03E

B.C. 2003

SOL B
8246 (2)
45 X 3E
(10463)

HORN 7
8123 (II)
30' 48 X 2E (12537)

SOL T
8249 (E) (10144)

FNP
97-2


FNP
97-1

B.C. 2005

1
N


32° 15' 00"

AREA PROSPECTED - 

 = SAMPLES

123°15'00"
56°00'00"

↑
N



○ — SAMPLES TAKEN
▨ AREA PROSPECTED