


BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: 1997/1998

REPORT #: PAP 97-36

NAME: GORDON RICHARDS



LEGEND

Transportation

- Road, paved
- Road, loose surface
- Road, rough
- Trail/cut line
- Railway, single track
- Railway, double track
- Railway, multi track
- Railway, abandoned
- Retaining wall
- Cut/fill
- Bridge, to scale, not to scale
- Tunnel, to scale, not to scale

Landmark features

- Building, to scale, symbolised
- Built up area
- Fence
- Transmission line
- Tower/pylon

Drainage and related features

- High water mark, water course definite
- High water mark, water course indefinite
- Stream, intermittent
- Stream, split
- Dyke
- Flooded land
- Swamp/marsh
- Beaver dam
- Pier
- Rock/Island less than 20m
- Water level

Relief features

- Contour, index
- Contour, intermediate
- Contour, indefinite
- Contour, depression
- Spot elevation

Vegetation

- Wooded area

Control data

- Monumented horizontal control point
- Monumented vertical control point

Cadastral


- Surveys of Federal and Provincial Crown Land
- Sub-division of Provincial Crown Land
- Rights of way
- Township boundary
- District lot, Township section line
- Indian reserve, Foreshore lot
- Mineral claim, Coal lease, Coal licence
- 1/4 section line in a Township, Legal or Crown subdivision, Rights of way
- Surveyed Cadastral Tie point

For complete reference to symbols, see "Specifications and Guidelines for Digital Topographic and Cadastral Mapping of 1:20 000" published by the Ministry of Environment and Parks.

Notes

Digital data and additional copies of this map are available through MAPS-BC, Ministry of Environment and Parks, Victoria.

Errors and omissions should be brought to the attention of the Director, Surveys and Resource Mapping Branch, Ministry of Environment and Parks, Parliament Buildings, Victoria B.C. V8V 1X5



Approximate Mean Declination 1990 for Centre of Map
Decreasing 10.5' Annually

OVERPROOF/HISSEW M.

103F.008	103F.009	103F.020
103F.008	103F.009	103F.010
103C.098	103C.099	103C.100

Adjoining Sheet Index in the British Columbia Geographic System.

97-36 p.2

This map was produced in 1990, for the B.C. Ministry of Environment and Parks, under its Terrain Resource Information Management (TRIM) initiative, by Digital Mapping Group Ltd., from 1:60 000 scale aerial photography flown in June, 1986




LEGEND

Transportation	
Road, paved	
Road, gravel	
Road, rough	
Trail/Cutline/Seismic line	
Railway, single track	
Railway, double track	
Railway, multiple track	
Railway, abandoned	
Wall, retaining	
Cut/Fill	
Bridge, to scale, symbolized	
Tunnel, to scale, symbolized	
Landmark features	
Building, to scale, symbolized	
Built up area	
Fence	
Transmission line	
Tower	
Drainage and related features	
Coastline/River/Stream, definite	
Coastline/River/Stream, indefinite	
River/Stream, intermittent	
River/Stream, split	
Lake, definite	
Lake, indefinite	
Dyke	
Flooded land	
Swamp/Marsh	
Beaver dam	
Dock/Wharf/Pier, symbolized	
Island, symbolized	
Water level	
Relief features	
Contour, index, definite	
Contour, intermediate, definite	
Contour, intermediate, indefinite	
Contour, intermediate, depression	
Spot height	
Vegetation	
Wooded area	
Control data	
Control point, horizontal, permanently marked	
Control point, vertical, permanently marked	
Cadastral	
Surveys of Federal and Provincial Crown Land	
Sub-division of Provincial Crown Land	
Rights-of-way	
Township	
District lot/Township section/Indian reserve	
Mineral claim/Coal or Phosphate licence	
Rights-of-way, transportation	
1/4 section/Foreshore lot/Subdivision	
Rights-of-way, utilities	
Industrial site	

For complete reference to symbols, see "Specifications and Guidelines for Digital Baseline Mapping at 1:20 000" published by the Ministry of Crown Lands.

Notes

Digital data and additional copies of this map are available through MAPS-BC, Surveys and Resource Mapping Branch, Ministry of Crown Lands, Parliament Buildings, Victoria B.C. V8V 1X4



Approximate Mean Declination 1990
for Centre of Map
Decreasing 10.5' Annually


KITGORA

103F.007	103F.008	103F.009
103F.007	103F.008	103F.009
103C.097	103C.098	103C.099

Adjoining Sheet Index in the British Columbia Geographic System.

97-36 pg. 3

This map was produced in 1990 for the B.C. Ministry of Crown Lands, under its Terrain Resource Information Management (TRIM) initiative, by the Digital Mapping Group Limited (DMG), from 1:60 000 scale aerial photography flown in September, 1986




LEGEND

- Transportation**
- Road, paved
 - Road, gravel
 - Road, rough
 - Trail/Culvert/Seismic line
 - Railway, single track
 - Railway, double track
 - Railway, multiple track
 - Railway, abandoned
 - Wall, retaining
 - Cut/Fill
 - Bridge, to scale, symbolized
 - Tunnel, to scale, symbolized
- Landmark features**
- Building, to scale, symbolized
 - Built up area
 - Fence
 - Transmission line
 - Tower
- Drainage and related features**
- Coastline/River/Stream, definite
 - Coastline/River/Stream, indefinite
 - River/Stream, intermittent
 - River/Stream, split
 - Lake, definite
 - Lake, indefinite
 - Dyke
 - Flooded land
 - Swamp/Marsh
 - Beaver dam
 - Dock/Wharf/Pier, symbolized
 - Island, symbolized
 - Water level
- Relief features**
- Contour, index, definite
 - Contour, intermediate, definite
 - Contour, intermediate, indefinite
 - Contour, intermediate, depression
 - Spot height
- Vegetation**
- Wooded area
- Control data**
- Control point, horizontal, permanently marked
 - Control point, vertical, permanently marked
- Cadastral**
- Surveys of Federal and Provincial Crown Land
 - Sub-division of Provincial Crown Land
 - Rights-of-way
 - Township
 - District lot/Township section/Indian reserve
 - Mineral claim/Coal or Phosphate licence
 - Rights-of-way, transportation
 - 1/4 section/Foreshore lot/Subdivision
 - Rights-of-way, utilities
 - Cadastral tie

For complete reference to symbols, see "Specifications and Guidelines for Digital Baseline Mapping at 1:20 000" published by the Ministry of Crown Lands.

Notes

Digital data and additional copies of this map are available through MAPS-BC, Surveys and Resource Mapping Branch, Ministry of Crown Lands, Parliament Buildings, Victoria B.C. V8V 1X4



Approximate Mean Declination 1990 for Centre of Map
Decreasing 10.6' Annually


SECURITY MAIN/GRAMM

103F.028	103F.029	103F.030
103F.018	103F.019	103F.020
103F.008	103F.009	103F.010

Adjoining Sheet Index in the British Columbia Geographic System.

97-36 P94

This map was produced in 1990, for the B.C. Ministry of Crown Lands, under its Terrain Resource Information Management (TRIM) initiative, by the Digital Mapping Group Limited (DMGL) from 1:60 000 scale aerial photography flown in June, 1986.



LEGEND

- Transportation**
- Road, paved
 - Road, loose surface
 - Road, rough
 - Trail/cut line
 - Railway, single track
 - Railway, double track
 - Railway, multi track
 - Railway, abandoned
 - Retaining wall
 - Cut/fill
 - Bridges, to scale, not to scale
 - Tunnel, to scale, not to scale

- Landmark features**
- Building, to scale, symbolised
 - Built up area
 - Fence
 - Transmission line
 - Tower/pylon

- Drainage and related features**
- High water mark, water course definite
 - High water mark, water course indefinite
 - Stream, intermittent
 - Stream, split
 - Dyke
 - Flooded land
 - Swamp/marsh
 - Beaver dam
 - Pier
 - Rock/island less than 20m
 - Water level

- Relief features**
- Contour, index
 - Contour, intermediate
 - Contour, indefinite
 - Contour, depression
 - Spot elevation

- Vegetation**
- Wooded area

- Control data**
- Monumented horizontal control point
 - Monumented vertical control point


- Cadastral**
- Surveys of Federal and Provincial Crown Land
 - Sub-division of Provincial Crown Land
 - Rights of way
 - Township boundary
 - District lot, Township section line
 - Indian reserve, Foreshore lot
 - Mineral claim, Coal lease, Coal licence
 - 1/4 section line in a Township, Legal or Crown subdivision, Rights of way
 - Surveyed Cadastral Tie Point

For complete reference to symbols, see "Specifications and Guidelines for Digital Topographic and Cadastral Mapping of 1:20 000" published by the Ministry of Environment and Parks.

Notes

Digital data and additional copies of this map are available through MAPS-BC, Ministry of Environment and Parks, Victoria.

Errors and omissions should be brought to the attention of the Director, Surveys and Resource Mapping Branch, Ministry of Environment and Parks, Parliament Buildings, Victoria B.C. V8V 1X5



Approximate Mean Declination 1990 for Centre of Map
Decreasing 10.5" Annually

H. 0864 IS.


103F.008	103F.009	103F.010
103C.008	103C.009	103C.010
103C.088	103C.089	103C.090

Adjoining Sheet index in the British Columbia Geographic System.

97-36 Pg 5

This map was produced in 1990, for the B.C. Ministry of Environment and Parks, under its Terrain Resource Information Management (TRIM) initiative, by Digital Mapping Group Ltd., from 1:60 000 scale aerial photography flown in June, 1986.

132° 36' 00" 53° 12' 00" 53° 06' 00" 132° 36' 00"



LEGEND

Transportation

- Road, paved
- Road, loose surface
- Road, rough
- Trail/cut line
- Railway, single track
- Railway, double track
- Railway, multi track
- Railway, abandoned
- Retaining wall
- Cut/fill
- Bridge, to scale, not to scale
- Tunnel, to scale, not to scale

Landmark features

- Building, to scale, symbolised
- Built up area
- Fence
- Transmission line
- Tower/pylon

Drainage and related features

- High water mark, water course definite
- High water mark, water course indefinite
- Stream, intermittent
- Stream, split
- Dyke
- Flooded land
- Swamp/marsh
- Beaver dam
- Pier
- Rack/Island less than 20m
- Water level

Relief features

- Contour, index
- Contour, intermediate
- Contour, indefinite
- Contour, depression
- Spot elevation

Vegetation

- Wooded area

Control data

- Monumented horizontal control point
- Monumented vertical control point

Cadastral


- Surveys of Federal and Provincial Crown Land
- Sub-division of Provincial Crown Land
- Rights of way
- Township boundary
- District lot, Township section line
- Indian reserve, Foreshore lot
- Mineral claim, Coal lease, Coal licence
- 1/4 section line in a Township, Legal or Crown subdivision, Rights of way
- Surveyed Cadastral Tie Point

For complete reference to symbols, see "Specifications and Guidelines for Digital Topographic and Cadastral Mapping at 1:20 000" published by the Ministry of Environment and Parks.

Notes

Digital data and additional copies of this map are available through MAPS-BC, Ministry of Environment and Parks, Victoria.

Errors and omissions should be brought to the attention of the Director, Surveys and Resource Mapping Branch, Ministry of Environment and Parks, Parliament Buildings, Victoria B.C. V8V 1X5



CHAATL

103F.027	103F.028	103F.029
103F.017	103F.018	103F.019
103F.007	103F.008	103F.009

Adjoining Sheet Index in the British Columbia Geographic System.

97-36 pg.6

This map was produced in 1990, for the B.C. Ministry of Environment and Parks, under its Terrain Resource Information Management (TRIM) initiative, by Digital Mapping Group Ltd., from 1:60 000 scale aerial photography flown in Sept. 1986.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

A9731369

Comments: ATTN: GORDON RICHARDS

CERTIFICATE

A9731369

(NDJ) - RICHARDS, GORDON

Project: MOSQUITO
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 27-JAN-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	73	Geochem ring to approx 150 mesh
226	73	0-3 Kg crush and split
3202	73	Rock - save entire reject
229	73	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	73	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	73	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	73	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	73	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	73	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	73	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	73	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	73	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	73	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	73	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	73	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	73	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	73	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	73	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	73	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	73	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	73	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	73	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	73	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	73	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	73	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	73	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	73	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	73	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	73	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	73	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	73	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	73	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	73	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	73	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	73	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	73	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	73	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON G. RICHARDS

Page Number : 1-A
Total Pages : 2
Certificate Date: 19-JUL-97
Invoice No. : 19729242
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS A9729242

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
97R-03	201	202	< 5	< 0.2	3.73	< 2	40	< 0.5	< 2	1.62	< 0.5	29	54	185	5.20	10	< 1	0.07	< 10	1.53	920
97R-04	201	202	< 5	< 0.2	2.78	8	60	< 0.5	< 2	0.72	< 0.5	22	32	87	4.57	< 10	< 1	0.10	< 10	1.28	800
97R-06	201	202	< 5	< 0.2	3.58	32	30	< 0.5	< 2	0.78	< 0.5	32	78	234	5.95	10	< 1	0.08	< 10	2.59	1045
97R-07	201	202	< 5	< 0.2	2.74	16	40	< 0.5	< 2	0.73	< 0.5	23	50	128	4.88	< 10	< 1	0.07	< 10	1.70	655
97R-08	201	202	< 5	0.2	3.45	2	30	< 0.5	< 2	1.31	< 0.5	40	50	98	7.16	10	< 1	0.01	< 10	1.62	1985
97R-09	201	202	< 5	0.2	3.24	< 2	30	< 0.5	< 2	1.13	< 0.5	31	46	104	5.99	10	< 1	0.01	< 10	1.36	1510
97R-10	201	202	< 5	< 0.2	3.10	< 2	40	< 0.5	< 2	1.26	< 0.5	29	48	114	4.68	< 10	< 1	0.02	< 10	1.28	1040
97R-11	201	202	< 5	< 0.2	3.95	6	50	< 0.5	< 2	1.34	1.0	38	92	105	6.39	10	1	0.01	< 10	2.54	1450
97R-12	201	202	< 5	< 0.2	3.60	< 2	40	< 0.5	< 2	1.50	< 0.5	47	80	54	9.50	10	< 1	< 0.01	< 10	1.96	4330
97R-13	201	202	< 5	< 0.2	3.89	< 2	10	< 0.5	< 2	1.40	< 0.5	40	80	148	7.21	10	< 1	0.03	< 10	2.33	1500
97R-14	201	202	< 5	< 0.2	3.62	< 2	< 10	< 0.5	< 2	1.48	< 0.5	40	59	107	7.89	10	< 1	0.01	< 10	1.39	1795
97R-15	201	202	< 5	< 0.2	3.12	< 2	10	< 0.5	< 2	1.55	< 0.5	33	37	72	7.55	10	1	0.01	< 10	1.36	1750
97R-16	201	202	< 5	0.2	3.48	< 2	10	< 0.5	< 2	1.72	< 0.5	33	61	89	7.47	10	< 1	0.01	< 10	1.65	1735
97R-17	201	202	< 5	< 0.2	3.98	< 2	< 10	< 0.5	< 2	2.07	< 0.5	37	55	129	6.39	10	< 1	< 0.01	< 10	2.53	1000
97R-18	201	202	< 5	< 0.2	2.79	2	40	< 0.5	< 2	0.87	< 0.5	25	54	30	5.87	10	< 1	0.01	< 10	1.10	1400
97R-19	201	202	< 10	0.2	3.94	< 2	110	< 0.5	< 2	2.05	< 0.5	32	53	125	6.76	10	< 1	0.02	< 10	2.56	945
97R-20	201	202	< 5	< 0.2	4.02	< 2	< 10	< 0.5	< 2	1.87	< 0.5	40	54	79	5.92	10	< 1	0.01	< 10	2.53	1440
97R-21	201	202	< 10	< 0.2	4.65	2	< 10	< 0.5	< 2	1.81	< 0.5	41	106	142	6.95	10	< 1	0.01	< 10	3.82	975
97R-22	201	202	< 5	< 0.2	3.95	< 2	< 10	< 0.5	< 2	1.73	< 0.5	44	56	104	6.29	10	< 1	< 0.01	< 10	1.75	1685
97R-23	201	202	< 5	0.2	4.07	10	< 10	< 0.5	< 2	2.05	< 0.5	37	65	176	7.19	10	< 1	0.01	< 10	2.12	1305
97R-24	201	202	< 5	0.2	4.13	< 2	< 10	< 0.5	< 2	2.08	< 0.5	34	55	141	6.62	10	< 1	0.01	< 10	1.80	1140
97R-25	201	202	< 5	< 0.2	2.72	20	170	0.5	< 2	0.83	0.5	31	73	41	4.89	< 10	1	0.07	< 10	1.24	4380
97R-28	201	202	< 5	0.2	2.79	22	190	0.5	< 2	0.68	1.5	21	43	56	4.73	< 10	< 1	0.11	< 10	0.86	2400
97R-29	201	202	< 5	< 0.2	1.89	24	70	< 0.5	< 2	0.75	3.0	14	57	73	3.42	< 10	< 1	0.08	< 10	1.05	820
97R-31	201	202	< 5	< 0.2	2.84	14	70	< 0.5	< 2	0.84	1.5	17	67	79	4.53	< 10	< 1	0.05	< 10	1.30	810
97R-32	201	202	< 5	< 0.2	2.51	18	80	< 0.5	< 2	1.22	2.5	18	62	87	4.28	< 10	< 1	0.05	< 10	1.34	1185
97R-33	201	202	< 5	< 0.2	2.39	4	70	< 0.5	< 2	2.00	< 0.5	20	48	75	4.75	< 10	< 1	0.05	< 10	1.32	565
97R-34	201	202	< 5	0.2	3.99	< 2	30	< 0.5	< 2	1.30	< 0.5	31	62	159	5.90	10	< 1	0.01	< 10	1.25	770
97R-35	201	202	< 5	< 0.2	3.79	< 2	20	< 0.5	< 2	1.25	< 0.5	31	74	115	6.26	10	< 1	0.01	< 10	1.25	1255
97R-36	201	202	< 5	< 0.2	4.71	< 2	30	< 0.5	< 2	1.66	< 0.5	59	81	108	8.22	10	1	< 0.01	< 10	1.53	3460
97R-37	201	202	< 5	< 0.2	2.09	12	180	< 0.5	< 2	0.96	2.5	15	34	72	4.35	< 10	< 1	0.11	10	1.02	760
97R-38	201	202	< 5	0.2	2.04	26	170	< 0.5	< 2	0.91	3.0	20	50	69	6.30	< 10	< 1	0.08	10	1.09	3500
97R-39	201	202	< 5	< 0.2	4.51	< 2	30	< 0.5	< 2	2.07	< 0.5	46	82	230	6.91	10	1	0.01	< 10	2.53	1645
97R-41	201	202	205	0.2	4.14	14	10	< 0.5	< 2	1.57	< 0.5	39	99	172	6.49	10	< 1	0.03	< 10	2.98	1195
97R-42	201	202	< 5	0.4	2.07	10	100	< 0.5	< 2	0.89	3.0	18	63	96	4.14	< 10	< 1	0.06	< 10	1.48	975
97R-43	201	202	< 5	0.4	1.91	12	110	< 0.5	< 2	0.73	4.0	13	37	74	3.66	< 10	< 1	0.09	< 10	0.87	695
97R-44	201	202	< 5	< 0.2	2.01	10	100	0.5	< 2	0.57	0.5	19	23	47	5.15	< 10	< 1	0.11	10	0.75	1280
97R-45	201	202	< 5	< 0.2	2.86	6	110	0.5	< 2	0.64	0.5	28	53	56	5.45	< 10	< 1	0.12	< 10	1.16	1345
97R-48	201	202	< 5	< 0.2	2.37	10	140	< 0.5	< 2	0.90	< 0.5	19	45	77	4.15	< 10	< 1	0.10	< 10	1.24	855
97R-49	201	202	< 5	< 0.2	3.01	2	20	< 0.5	< 2	1.39	< 0.5	27	86	95	5.28	10	< 1	0.02	< 10	1.71	1115

CERTIFICATION:

Gordon G. Richards



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON G. RICHARDS

Page Number : 1-B
Total Pages : 2
Certificate Date: 19-JUL-97
Invoice No. : I9729242
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9729242

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-03	201	202	< 1	0.01	43	410	< 2	2	16	29	0.44	< 10	< 10	177	< 10	66
97R-04	201	202	< 1	0.04	22	610	10	< 2	7	48	0.11	< 10	< 10	119	< 10	68
97R-06	201	202	1	0.02	48	530	2	2	12	27	0.24	< 10	< 10	166	< 10	78
97R-07	201	202	< 1	0.03	31	490	< 2	2	8	30	0.20	< 10	< 10	146	< 10	62
97R-08	201	202	< 1	< 0.01	45	320	< 2	4	11	18	0.39	< 10	< 10	195	< 10	104
97R-09	201	202	< 1	< 0.01	37	300	< 2	< 2	9	20	0.43	< 10	< 10	194	< 10	88
97R-10	201	202	< 1	< 0.01	39	420	< 2	2	11	20	0.36	< 10	< 10	153	< 10	72
97R-11	201	202	1	< 0.01	77	310	< 2	2	14	27	0.39	< 10	< 10	190	< 10	156
97R-12	201	202	< 1	< 0.01	54	220	< 2	2	13	19	0.34	< 10	< 10	179	< 10	106
97R-13	201	202	< 1	< 0.01	64	210	< 2	2	14	21	0.34	< 10	< 10	210	< 10	100
97R-14	201	202	< 1	< 0.01	39	250	< 2	4	14	15	0.49	< 10	< 10	260	< 10	80
97R-15	201	202	< 1	< 0.01	36	300	< 2	< 2	14	20	0.43	< 10	< 10	210	< 10	74
97R-16	201	202	< 1	< 0.01	52	360	< 2	< 2	15	24	0.46	< 10	< 10	223	< 10	84
97R-17	201	202	< 1	< 0.01	82	290	< 2	< 2	12	29	0.45	< 10	< 10	186	< 10	94
97R-18	201	202	< 1	< 0.01	24	200	< 2	2	10	28	0.44	< 10	< 10	163	< 10	54
97R-19	201	202	< 1	< 0.01	50	410	< 2	2	13	29	0.41	< 10	< 10	179	< 10	116
97R-20	201	202	< 1	0.03	88	250	< 2	2	10	29	0.32	< 10	< 10	157	< 10	80
97R-21	201	202	< 1	0.03	121	230	< 2	< 2	14	25	0.29	< 10	< 10	133	< 10	90
97R-22	201	202	< 1	< 0.01	55	190	< 2	< 2	12	24	0.34	< 10	< 10	165	< 10	102
97R-23	201	202	< 1	< 0.01	53	230	< 2	2	15	27	0.34	< 10	< 10	177	< 10	88
97R-24	201	202	< 1	< 0.01	46	290	< 2	6	14	33	0.37	< 10	< 10	201	< 10	80
97R-25	201	202	3	0.01	51	670	2	< 2	8	29	0.07	< 10	< 10	102	< 10	110
97R-28	201	202	7	0.01	54	1070	4	2	9	25	0.09	< 10	< 10	114	< 10	216
97R-29	201	202	13	0.01	75	1250	2	4	8	28	0.05	< 10	< 10	113	< 10	276
97R-31	201	202	6	< 0.01	55	830	< 2	2	10	25	0.16	< 10	< 10	142	< 10	172
97R-32	201	202	6	0.01	62	900	< 2	2	9	33	0.14	< 10	< 10	116	< 10	188
97R-33	201	202	1	0.01	47	910	< 2	4	10	47	0.07	< 10	< 10	83	< 10	98
97R-34	201	202	< 1	< 0.01	47	300	< 2	2	16	26	0.45	< 10	< 10	200	< 10	90
97R-35	201	202	< 1	< 0.01	45	340	< 2	4	17	19	0.34	< 10	< 10	209	< 10	80
97R-36	201	202	< 1	< 0.01	47	330	< 2	2	17	25	0.43	< 10	< 10	235	< 10	126
97R-37	201	202	4	0.01	50	1240	2	2	11	31	< 0.01	< 10	< 10	77	< 10	212
97R-38	201	202	10	< 0.01	68	1370	6	6	9	32	0.03	< 10	< 10	108	< 10	212
97R-39	201	202	< 1	< 0.01	81	330	< 2	< 2	22	29	0.37	< 10	< 10	182	< 10	98
97R-41	201	202	< 1	< 0.01	94	380	< 2	< 2	15	25	0.30	< 10	< 10	173	< 10	82
97R-42	201	202	7	< 0.01	62	1320	4	2	10	30	0.03	< 10	< 10	114	< 10	254
97R-43	201	202	6	< 0.01	49	1190	2	2	9	30	< 0.01	< 10	< 10	80	< 10	254
97R-44	201	202	3	0.01	31	1190	2	2	13	28	< 0.01	< 10	< 10	66	< 10	162
97R-45	201	202	5	0.03	58	1090	2	< 2	15	39	< 0.01	< 10	< 10	78	< 10	140
97R-48	201	202	< 1	0.02	39	480	6	6	9	30	0.10	< 10	< 10	90	< 10	72
97R-49	201	202	< 1	< 0.01	48	350	< 2	< 2	14	26	0.30	< 10	< 10	164	< 10	78

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page: 2-A
 Total Pages: 2
 Certificate Date: 19-JUL-97
 Invoice No.: I9729242
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9729242

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-50	201 202	< 5	< 0.2	3.92	< 2	10	< 0.5	< 2	0.88	< 0.5	40	126	180	7.30	10	< 1	0.04	< 10	3.51	1245
97R-51	201 202	< 5	0.2	4.28	6	40	< 0.5	< 2	1.19	< 0.5	45	132	100	6.88	10	2	0.04	< 10	3.18	1745
97R-52	201 202	< 5	< 0.2	3.07	10	20	< 0.5	< 2	0.60	< 0.5	32	131	75	5.05	10	< 1	0.04	< 10	2.13	940
97R-53	201 202	< 5	< 0.2	3.31	4	80	< 0.5	< 2	0.71	< 0.5	30	156	45	4.97	10	< 1	0.35	< 10	3.17	1200
97R-54	201 202	< 5	< 0.2	2.76	18	40	< 0.5	< 2	0.76	0.5	33	94	52	4.46	< 10	< 1	0.12	< 10	2.27	1210
97R-55	201 202	< 5	< 0.2	3.28	4	30	< 0.5	< 2	0.81	< 0.5	30	137	27	4.12	< 10	< 1	0.24	< 10	3.66	895
97R-56	201 202	< 5	< 0.2	3.93	6	30	< 0.5	< 2	0.73	< 0.5	33	178	31	4.49	10	< 1	0.27	< 10	4.45	760
97R-57	201 202	< 5	< 0.2	3.39	14	30	< 0.5	< 2	1.35	< 0.5	36	91	90	5.44	10	< 1	0.03	< 10	1.45	2600
97R-58	201 202	< 5	< 0.2	3.33	56	60	< 0.5	< 2	1.37	3.5	34	79	113	5.77	< 10	< 1	0.05	< 10	1.37	1980
97R-59	201 202	< 5	< 0.2	4.45	10	70	0.5	< 2	1.06	< 0.5	29	144	41	4.36	10	< 1	0.09	< 10	1.97	1050
97R-62	201 202	< 5	< 0.2	4.68	30	90	0.5	< 2	1.31	2.5	23	57	39	4.67	10	< 1	0.07	< 10	1.21	1515
97R-63	201 202	< 5	< 0.2	4.39	32	40	0.5	< 2	0.84	< 0.5	25	59	39	4.62	< 10	< 1	0.07	< 10	1.45	855
97R-64	201 202	< 5	< 0.2	4.98	2	40	< 0.5	< 2	0.44	< 0.5	31	70	37	5.97	10	< 1	0.08	< 10	1.55	1550
97R-65	201 202	< 5	< 0.2	5.09	< 2	60	0.5	< 2	0.79	< 0.5	17	25	27	4.05	10	1	0.02	< 10	0.84	945
97R-66	201 202	< 5	< 0.2	3.31	2	70	< 0.5	< 2	0.83	< 0.5	20	25	40	4.32	< 10	< 1	0.05	< 10	0.95	730
97R-67	201 202	< 5	< 0.2	2.24	2	50	< 0.5	< 2	0.42	< 0.5	14	18	28	3.24	< 10	< 1	0.03	< 10	0.76	490
97R-68	201 202	< 5	< 0.2	3.52	8	100	< 0.5	< 2	0.79	< 0.5	19	24	36	3.90	< 10	< 1	0.05	< 10	0.94	905
97R-69	201 202	< 5	< 0.2	1.87	4	40	< 0.5	< 2	0.52	< 0.5	8	12	13	2.54	< 10	< 1	0.04	< 10	0.50	600
97R-70	201 202	< 5	< 0.2	3.65	2	50	0.5	< 2	1.49	< 0.5	19	22	87	3.75	< 10	< 1	0.06	< 10	0.66	840
97R-71	201 202	< 5	< 0.2	3.20	2	50	< 0.5	< 2	1.40	< 0.5	10	20	44	2.72	< 10	< 1	0.06	< 10	0.62	660
97R-72	201 202	< 5	< 0.2	3.34	10	70	< 0.5	< 2	0.99	1.0	17	35	45	5.12	< 10	< 1	0.11	< 10	1.27	845
97R-75	201 202	< 5	< 0.2	4.14	8	100	< 0.5	< 2	1.51	< 0.5	19	39	37	5.36	< 10	< 1	0.08	< 10	1.39	990
97R-76	201 202	< 5	0.2	4.49	2	30	< 0.5	< 2	0.82	< 0.5	74	86	103	9.81	10	< 1	0.01	< 10	1.52	6150
97R-77	201 202	< 5	< 0.2	4.78	48	20	< 0.5	< 2	1.27	< 0.5	46	99	182	8.14	10	1	0.05	< 10	3.33	1185
97R-78	201 202	< 5	< 0.2	3.40	8	30	< 0.5	< 2	0.60	< 0.5	32	82	143	6.10	10	< 1	0.05	< 10	1.86	1260
97R-79	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
97R-80	201 202	< 5	0.2	2.96	30	120	< 0.5	< 2	0.93	2.5	19	40	72	5.01	< 10	< 1	0.06	< 10	1.35	1105
97R-82	201 202	< 5	< 0.2	4.09	102	40	< 0.5	< 2	1.11	< 0.5	28	69	110	5.22	10	< 1	0.07	< 10	1.92	1240
97R-83	201 202	< 5	< 0.2	3.54	20	60	< 0.5	< 2	1.42	1.0	24	65	67	4.53	10	< 1	0.09	< 10	1.88	1245
97R-84	201 202	< 5	< 0.2	3.01	26	30	< 0.5	< 2	1.02	< 0.5	27	84	49	4.80	10	< 1	0.05	< 10	2.11	905
97R-85	201 202	< 5	< 0.2	2.82	28	10	< 0.5	< 2	0.74	< 0.5	46	83	39	5.63	10	< 1	0.05	< 10	1.56	1425
97R-86	201 202	< 5	< 0.2	3.29	28	10	< 0.5	< 2	0.65	< 0.5	28	60	29	4.70	10	< 1	0.03	< 10	1.23	770
97R-87	201 202	< 5	< 0.2	3.38	202	20	< 0.5	< 2	0.63	< 0.5	72	72	61	8.68	10	< 1	0.02	< 10	1.23	2920
97R-88	201 202	< 5	< 0.2	3.22	212	30	< 0.5	< 2	0.78	< 0.5	47	74	111	4.73	< 10	< 1	0.03	< 10	1.36	2390
97R-89	201 202	< 5	< 0.2	3.05	30	10	< 0.5	< 2	0.63	< 0.5	36	76	149	5.37	10	< 1	0.05	< 10	2.07	990
97R-90	201 202	< 5	< 0.2	3.04	32	20	< 0.5	< 2	0.84	< 0.5	33	84	67	4.46	< 10	< 1	0.05	< 10	2.07	1110
97R-91	201 202	< 5	< 0.2	3.53	28	20	< 0.5	2	0.76	< 0.5	50	87	87	6.74	10	2	0.02	< 10	1.82	2180

CERTIFICATION: *Handwritten Signature*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page Number: 2-B
 Total Pages: 2
 Certificate Date: 19-JUL-97
 Invoice No.: I9729242
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9729242

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-50	201	202	< 1	< 0.01	83	240	< 2	2	20	12	0.37	< 10	< 10	201	< 10	82
97R-51	201	202	< 1	< 0.01	62	380	< 2	6	12	39	0.42	< 10	< 10	192	< 10	112
97R-52	201	202	< 1	< 0.01	63	260	< 2	2	6	24	0.40	< 10	< 10	131	< 10	78
97R-53	201	202	< 1	< 0.01	67	740	< 2	< 2	6	18	0.35	< 10	< 10	108	< 10	84
97R-54	201	202	5	0.01	71	1030	< 2	2	7	20	0.18	< 10	< 10	105	< 10	162
97R-55	201	202	< 1	< 0.01	69	500	< 2	< 2	6	13	0.25	< 10	< 10	80	< 10	62
97R-56	201	202	< 1	< 0.01	82	410	< 2	2	7	13	0.31	< 10	< 10	91	< 10	66
97R-57	201	202	1	< 0.01	47	410	< 2	4	12	29	0.33	< 10	< 10	170	< 10	112
97R-58	201	202	8	< 0.01	68	490	2	4	13	29	0.21	< 10	< 10	160	< 10	214
97R-59	201	202	1	0.06	78	580	6	2	6	46	0.16	< 10	< 10	100	< 10	100
97R-62	201	202	10	0.07	52	970	6	< 2	9	52	0.18	< 10	< 10	168	< 10	362
97R-63	201	202	1	0.01	30	560	12	< 2	8	34	0.20	< 10	< 10	111	< 10	108
97R-64	201	202	1	< 0.01	37	430	2	< 2	8	20	0.26	< 10	< 10	138	< 10	80
97R-65	201	202	< 1	< 0.01	15	630	2	2	5	40	0.17	< 10	< 10	78	< 10	58
97R-66	201	202	< 1	0.03	24	490	4	< 2	7	40	0.09	< 10	< 10	59	< 10	86
97R-67	201	202	< 1	0.01	17	250	6	< 2	4	23	0.16	< 10	< 10	56	< 10	56
97R-68	201	202	1	0.03	22	330	4	< 2	6	43	0.11	< 10	< 10	60	< 10	80
97R-69	201	202	1	0.03	8	360	10	< 2	3	25	0.13	< 10	< 10	43	< 10	60
97R-70	201	202	1	0.01	15	500	10	2	5	75	0.17	< 10	< 10	73	< 10	56
97R-71	201	202	3	0.01	10	340	6	< 2	4	62	0.13	< 10	< 10	52	< 10	62
97R-72	201	202	2	0.05	26	860	2	2	10	53	0.14	< 10	< 10	110	< 10	132
97R-75	201	202	1	0.07	30	830	4	< 2	8	100	0.17	< 10	< 10	73	< 10	106
97R-76	201	202	< 1	< 0.01	66	420	< 2	2	13	19	0.39	< 10	< 10	270	< 10	132
97R-77	201	202	< 1	< 0.01	105	290	2	2	18	23	0.29	< 10	< 10	200	< 10	110
97R-78	201	202	< 1	< 0.01	48	390	2	2	11	17	0.29	< 10	< 10	168	< 10	106
97R-79	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
97R-80	201	202	5	0.02	55	1090	6	4	7	48	0.10	< 10	< 10	85	< 10	218
97R-82	201	202	< 1	0.01	52	480	10	2	10	42	0.22	< 10	< 10	132	< 10	108
97R-83	201	202	1	0.03	46	520	12	< 2	9	45	0.23	< 10	< 10	112	< 10	146
97R-84	201	202	1	< 0.01	62	250	< 2	2	7	26	0.32	< 10	< 10	126	< 10	122
97R-85	201	202	< 1	< 0.01	42	200	14	2	7	21	0.41	< 10	< 10	150	< 10	66
97R-86	201	202	< 1	< 0.01	27	220	8	< 2	9	25	0.47	< 10	< 10	144	< 10	52
97R-87	201	202	< 1	< 0.01	38	270	2	< 2	7	22	0.45	< 10	< 10	247	< 10	122
97R-88	201	202	< 1	< 0.01	59	310	< 2	< 2	7	25	0.27	< 10	< 10	130	< 10	120
97R-89	201	202	< 1	< 0.01	70	250	< 2	< 2	7	17	0.41	< 10	< 10	145	< 10	124
97R-90	201	202	< 1	< 0.01	49	440	8	< 2	6	23	0.32	< 10	< 10	110	< 10	80
97R-91	201	202	< 1	< 0.01	58	220	< 2	< 2	10	21	0.40	< 10	< 10	177	< 10	134

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON G. RICHARDS

Page Number: 1-A
Total Pages: 2
Certificate Date: 16-JUL-97
Invoice No.: I9729243
P.O. Number:
Account: NDJ

CERTIFICATE OF ANALYSIS A9729243

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97D-01	201	202	5	0.2	4.03	12	30	< 0.5	< 2	0.36	< 0.5	19	83	91	8.45	10	< 1	0.06	< 10	0.72	815
97D-02	201	202	< 5	< 0.2	2.79	10	30	< 0.5	< 2	0.69	< 0.5	20	47	65	4.83	10	< 1	0.04	< 10	1.26	560
97D-03	201	202	10	< 0.2	3.39	28	50	< 0.5	< 2	0.71	< 0.5	42	73	111	6.96	10	< 1	0.05	< 10	1.34	1785
97D-04	201	202	95	< 0.2	4.03	16	70	< 0.5	< 2	0.97	< 0.5	37	106	139	6.75	< 10	< 1	0.34	< 10	3.67	705
97D-05	201	202	10	< 0.2	3.10	24	10	< 0.5	< 2	0.79	< 0.5	32	54	176	5.68	10	< 1	0.05	< 10	2.33	925
97D-06	201	202	< 5	< 0.2	3.14	12	10	< 0.5	< 2	0.84	< 0.5	32	57	157	6.00	< 10	< 1	0.07	< 10	2.69	820
97D-07	201	202	< 5	< 0.2	3.50	6	< 10	< 0.5	< 2	1.42	< 0.5	32	51	105	6.24	10	< 1	0.01	< 10	2.76	790
97D-08	201	202	< 5	< 0.2	4.11	14	10	< 0.5	< 2	1.24	< 0.5	35	95	207	8.07	10	< 1	0.03	< 10	2.91	1045
97D-09	201	202	< 10	< 0.2	4.27	12	< 10	< 0.5	< 2	1.51	< 0.5	38	124	190	7.01	10	< 1	0.02	< 10	3.43	910
97D-10	201	202	5	< 0.2	3.07	10	70	< 0.5	< 2	1.07	3.0	25	78	93	5.70	< 10	< 1	0.06	< 10	1.89	800
97D-11	201	202	< 5	< 0.2	4.15	< 2	10	0.5	< 2	1.65	< 0.5	42	52	136	8.07	10	< 1	0.01	< 10	1.98	1650
97D-12	201	202	< 5	< 0.2	3.91	6	50	< 0.5	< 2	1.72	0.5	37	80	143	7.24	10	< 1	0.02	< 10	2.55	1650
97D-13	201	202	< 5	< 0.2	3.45	< 2	10	< 0.5	< 2	1.14	< 0.5	55	59	42	6.25	10	< 1	< 0.01	< 10	1.59	1980
97D-14	201	202	10	< 0.2	4.51	6	60	< 0.5	< 2	1.51	2.0	40	128	144	6.83	10	1	0.03	< 10	3.10	1480
97D-15	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
97D-16	201	202	< 5	< 0.2	3.78	< 2	10	< 0.5	< 2	1.86	< 0.5	55	68	60	10.10	10	< 1	< 0.01	< 10	1.48	5370
97D-19	201	202	< 5	< 0.2	3.52	< 2	10	< 0.5	< 2	1.60	< 0.5	73	65	26	13.15	10	< 1	< 0.01	< 10	1.25	5170
97D-20	201	202	< 5	< 0.2	4.75	< 2	10	< 0.5	< 2	2.41	< 0.5	41	71	85	7.73	10	< 1	0.01	< 10	2.63	2280
97D-21	201	202	< 5	< 0.2	4.53	< 2	< 10	< 0.5	< 2	1.64	< 0.5	44	93	166	7.76	10	< 1	< 0.01	< 10	3.84	840
97D-22	201	202	< 5	< 0.2	3.70	< 2	10	< 0.5	< 2	1.21	< 0.5	35	66	59	9.63	10	< 1	< 0.01	< 10	1.70	1650
97D-23	201	202	10	< 0.2	4.35	< 2	10	< 0.5	< 2	1.97	< 0.5	38	97	155	7.42	10	< 1	< 0.01	< 10	2.54	1080
97D-24	201	202	< 5	< 0.2	3.46	16	50	< 0.5	< 2	1.06	< 0.5	21	54	89	5.04	< 10	< 1	0.06	< 10	1.32	890
97D-28	201	202	< 5	< 0.2	4.53	4	10	< 0.5	< 2	1.74	0.5	40	53	74	6.87	10	< 1	< 0.01	< 10	1.38	3010
97D-29	201	202	20	< 0.2	4.12	< 2	< 10	< 0.5	< 2	2.03	< 0.5	32	66	149	7.22	10	1	< 0.01	< 10	1.81	1270
97D-30	201	202	10	< 0.2	3.48	< 2	10	< 0.5	< 2	1.27	< 0.5	39	64	144	6.39	10	< 1	0.01	< 10	1.75	1700
97D-31	201	202	< 5	< 0.2	4.60	14	< 10	< 0.5	< 2	1.85	< 0.5	37	98	150	7.35	10	< 1	0.01	< 10	3.21	955
97D-32	201	202	< 5	< 0.2	5.08	30	< 10	< 0.5	< 2	1.20	< 0.5	47	133	126	7.76	10	< 1	0.01	< 10	4.10	1135
97D-33	201	202	< 5	< 0.2	4.41	4	10	< 0.5	< 2	1.97	< 0.5	35	91	141	7.63	10	1	0.01	< 10	2.13	1050
97D-34	201	202	10	< 0.2	4.54	8	< 10	< 0.5	< 2	2.00	< 0.5	32	87	103	7.63	10	< 1	0.01	< 10	2.23	940
97D-35	201	202	10	< 0.2	4.14	16	< 10	< 0.5	< 2	1.73	< 0.5	28	83	162	7.66	10	< 1	0.01	< 10	1.78	845
97D-37	201	202	10	< 0.2	3.62	< 2	< 10	< 0.5	< 2	2.02	< 0.5	35	36	299	8.03	10	< 1	< 0.01	< 10	1.95	935
97D-38	201	202	10	< 0.2	3.51	< 2	10	< 0.5	< 2	1.28	< 0.5	36	56	170	8.32	10	< 1	0.01	< 10	1.55	1620
97D-45	201	202	< 5	< 0.2	0.87	2	10	< 0.5	< 2	0.14	< 0.5	8	12	24	2.56	< 10	< 1	0.05	< 10	0.18	855
97D-47	201	202	< 5	< 0.2	3.18	30	10	< 0.5	< 2	1.84	1.5	28	92	123	5.85	10	< 1	0.01	< 10	2.48	935
97D-50	201	202	< 5	< 0.2	3.48	174	< 10	< 0.5	< 2	1.19	< 0.5	36	101	134	6.48	10	< 1	0.01	< 10	2.34	1075
97D-51	201	202	< 5	< 0.2	4.01	14	130	< 0.5	< 2	1.56	2.5	35	127	86	6.44	10	< 1	0.03	< 10	2.91	1870
97D-52	201	202	< 5	< 0.2	5.84	8	70	0.5	< 2	2.15	1.5	29	27	27	4.03	< 10	< 1	< 0.01	< 10	0.18	2990
97D-53	201	202	not/ss	< 0.2	4.57	28	60	0.5	< 2	1.89	2.0	19	32	61	3.14	< 10	1	0.01	< 10	0.42	1425
97D-54	201	202	< 5	< 0.2	3.28	10	30	< 0.5	< 2	1.16	0.5	28	97	97	5.33	< 10	< 1	0.03	< 10	2.41	895
97D-55	201	202	< 5	0.2	4.05	2	10	< 0.5	< 2	2.51	< 0.5	32	50	119	6.31	10	< 1	< 0.01	< 10	1.86	1170

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page : 1-B
 Total Pages : 2
 Certificate Date: 16-JUL-97
 Invoice No. : 19729243
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9729243

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97D-01	201	202	< 1	< 0.01	14	430	< 2	2	12	11	0.48	< 10	< 10	223	< 10	44
97D-02	201	202	< 1	< 0.01	31	180	2	< 2	6	15	0.34	< 10	< 10	145	< 10	74
97D-03	201	202	< 1	< 0.01	36	390	2	< 2	9	16	0.43	< 10	< 10	218	< 10	78
97D-04	201	202	< 1	0.03	63	250	< 2	< 2	12	18	0.41	< 10	< 10	193	< 10	86
97D-05	201	202	< 1	< 0.01	46	410	< 2	< 2	8	15	0.35	< 10	< 10	155	< 10	74
97D-06	201	202	< 1	< 0.01	51	280	< 2	< 2	7	14	0.38	< 10	< 10	153	< 10	84
97D-07	201	202	< 1	< 0.01	53	320	< 2	< 2	8	14	0.39	< 10	< 10	160	< 10	84
97D-08	201	202	< 1	< 0.01	56	540	< 2	< 2	16	19	0.46	< 10	< 10	227	< 10	108
97D-09	201	202	< 1	< 0.01	123	260	< 2	< 2	13	22	0.37	< 10	< 10	155	< 10	92
97D-10	201	202	3	< 0.01	67	720	2	< 2	13	27	0.18	< 10	< 10	171	< 10	178
97D-11	201	202	< 1	< 0.01	54	240	4	< 2	16	30	0.32	< 10	< 10	170	< 10	120
97D-12	201	202	< 1	< 0.01	83	290	6	< 2	14	32	0.33	< 10	< 10	156	< 10	124
97D-13	201	202	< 1	< 0.01	41	220	2	< 2	10	23	0.37	< 10	< 10	142	< 10	90
97D-14	201	202	< 1	< 0.01	101	310	< 2	2	14	40	0.32	< 10	< 10	169	< 10	150
97D-15	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
97D-16	201	202	< 1	< 0.01	49	310	2	2	14	34	0.33	< 10	< 10	186	< 10	76
97D-19	201	202	< 1	< 0.01	33	230	2	< 2	12	13	0.37	< 10	< 10	215	< 10	76
97D-20	201	202	< 1	< 0.01	66	260	< 2	< 2	16	40	0.46	< 10	< 10	193	< 10	86
97D-21	201	202	< 1	< 0.01	192	270	< 2	< 2	12	19	0.51	< 10	< 10	183	< 10	104
97D-22	201	202	< 1	< 0.01	43	170	< 2	< 2	10	31	0.69	< 10	< 10	238	< 10	134
97D-23	201	202	< 1	< 0.01	90	190	< 2	2	14	41	0.42	< 10	< 10	156	< 10	118
97D-24	201	202	1	< 0.01	55	560	6	< 2	11	43	0.26	< 10	< 10	136	< 10	152
97D-28	201	202	< 1	< 0.01	67	290	< 2	4	12	21	0.33	< 10	< 10	173	< 10	176
97D-29	201	202	< 1	< 0.01	54	260	< 2	< 2	15	22	0.34	< 10	< 10	176	< 10	96
97D-30	201	202	< 1	< 0.01	53	250	< 2	< 2	10	27	0.41	< 10	< 10	182	< 10	90
97D-31	201	202	< 1	< 0.01	105	260	< 2	< 2	14	20	0.38	< 10	< 10	167	< 10	92
97D-32	201	202	< 1	< 0.01	222	200	< 2	2	12	21	0.33	< 10	< 10	160	< 10	110
97D-33	201	202	< 1	< 0.01	71	140	< 2	< 2	14	18	0.24	< 10	< 10	128	< 10	126
97D-34	201	202	< 1	< 0.01	55	150	< 2	< 2	14	19	0.30	< 10	< 10	146	< 10	126
97D-35	201	202	< 1	< 0.01	41	200	2	< 2	14	21	0.23	< 10	< 10	153	< 10	76
97D-37	201	202	< 1	< 0.01	43	280	< 2	< 2	13	43	0.29	< 10	< 10	127	< 10	128
97D-38	201	202	< 1	< 0.01	42	190	< 2	< 2	11	29	0.37	< 10	< 10	169	< 10	122
97D-45	201	202	< 1	< 0.01	4	430	10	< 2	4	8	0.26	< 10	< 10	127	< 10	16
97D-47	201	202	< 1	< 0.01	72	750	4	2	12	27	0.36	< 10	< 10	237	< 10	150
97D-50	201	202	< 1	< 0.01	54	420	4	< 2	14	18	0.42	< 10	< 10	202	< 10	86
97D-51	201	202	2	< 0.01	97	500	< 2	< 2	13	37	0.32	< 10	< 10	199	< 10	192
97D-52	201	202	1	< 0.01	17	460	6	2	6	25	0.18	< 10	< 10	119	< 10	130
97D-53	201	202	4	0.01	19	440	14	< 2	5	42	0.18	< 10	< 10	114	< 10	144
97D-54	201	202	1	< 0.01	69	690	20	2	11	25	0.28	< 10	< 10	151	< 10	120
97D-55	201	202	< 1	< 0.01	51	290	8	< 2	13	32	0.28	< 10	< 10	143	< 10	102

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page: 2-A
 Total Pages: 2
 Certificate Date: 16-JUL-97
 Invoice No.: I9729243
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9729243

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
97D-56	201	202	< 5	< 0.2	4.10	24	10	< 0.5	6	1.24	< 0.5	37	123	146	6.79	10	< 1	0.02	< 10	3.34	1075
97D-57	201	202	20	0.2	2.60	90	40	< 0.5	< 2	0.99	8.0	22	113	81	4.75	< 10	< 1	0.07	< 10	1.93	875
97D-58	201	202	10	0.6	1.81	148	90	0.5	< 2	1.26	6.0	14	47	68	4.26	< 10	< 1	0.08	10	0.96	820
97D-60	201	202	10	< 0.2	2.79	46	50	0.5	< 2	0.88	1.5	28	71	81	5.31	< 10	< 1	0.05	< 10	1.66	1420
97D-61	201	202	80	0.2	2.96	62	30	< 0.5	< 2	0.88	9.5	24	80	115	4.26	< 10	< 1	0.02	< 10	1.49	1205
97D-62	201	202	< 5	< 0.2	3.36	2	10	< 0.5	< 2	0.84	< 0.5	33	98	110	6.04	< 10	< 1	0.01	< 10	2.77	890
97D-63	201	202	< 5	< 0.2	3.51	24	< 10	< 0.5	< 2	1.16	< 0.5	34	110	145	6.38	< 10	< 1	0.02	< 10	2.59	1150
97D-65	201	202	< 5	< 0.2	3.52	16	< 10	< 0.5	< 2	0.88	< 0.5	37	121	140	6.90	10	< 1	0.02	< 10	2.74	1225
97D-66	201	202	< 5	< 0.2	2.61	8	30	< 0.5	< 2	0.34	< 0.5	9	16	5	3.77	10	< 1	0.07	< 10	0.91	445
97D-69	201	202	< 5	< 0.2	2.18	42	30	< 0.5	< 2	0.44	< 0.5	6	30	19	3.28	< 10	< 1	0.02	< 10	0.62	290
97D-76	201	202	< 5	< 0.2	3.86	8	60	< 0.5	< 2	1.23	< 0.5	20	18	17	3.94	10	< 1	0.09	< 10	0.95	1020
97D-78	201	202	< 5	< 0.2	3.74	10	60	< 0.5	< 2	1.00	< 0.5	17	25	22	4.32	10	< 1	0.07	< 10	1.30	1065
97D-79	201	202	< 5	< 0.2	3.88	22	140	0.5	< 2	1.15	2.0	16	51	52	4.30	< 10	< 1	0.11	< 10	0.84	1330
97D-80	201	202	< 5	< 0.2	2.86	18	40	< 0.5	< 2	0.85	< 0.5	14	18	26	4.06	< 10	< 1	0.05	< 10	1.33	795
97D-81	201	202	< 5	< 0.2	2.83	6	20	< 0.5	< 2	0.54	< 0.5	15	14	11	4.64	10	< 1	0.05	< 10	1.41	1105
97D-82	201	202	< 5	< 0.2	3.02	16	50	< 0.5	< 2	0.60	< 0.5	21	26	18	4.58	10	< 1	0.10	< 10	1.34	1055
97D-83	201	202	< 5	0.2	3.67	62	200	< 0.5	< 2	1.58	7.5	15	37	60	4.15	< 10	< 1	0.09	< 10	1.11	1085
97D-84	201	202	< 5	< 0.2	3.79	32	70	< 0.5	< 2	1.43	2.0	15	59	57	4.38	< 10	< 1	0.07	< 10	1.68	890
97D-85	201	202	< 5	< 0.2	3.18	140	140	< 0.5	< 2	1.30	1.5	24	96	81	5.07	10	< 1	0.08	< 10	1.82	840
97D-86	201	202	< 5	< 0.2	4.64	62	80	0.5	< 2	1.93	0.5	28	193	132	4.97	10	< 1	0.10	< 10	2.52	695
97D-88	201	202	< 5	< 0.2	4.53	28	80	0.5	< 2	1.15	< 0.5	33	118	107	6.16	10	< 1	0.11	< 10	2.71	990
97D-89	201	202	< 5	< 0.2	3.23	16	40	< 0.5	< 2	1.78	< 0.5	23	80	93	4.79	10	< 1	0.04	< 10	1.72	670
97D-90	201	202	< 5	< 0.2	3.56	18	30	< 0.5	< 2	1.45	< 0.5	28	86	54	5.45	10	< 1	0.02	< 10	2.33	805
97D-91	201	202	< 5	< 0.2	3.34	14	30	< 0.5	< 2	1.84	< 0.5	28	101	93	5.80	10	< 1	0.02	< 10	2.16	1175
97D-93	201	202	< 5	< 0.2	4.59	4	20	< 0.5	< 2	1.03	< 0.5	34	146	72	5.83	< 10	< 1	0.06	< 10	3.82	1095
97D-95	201	202	< 5	< 0.2	4.28	< 2	10	< 0.5	< 2	1.91	< 0.5	31	89	89	6.25	10	< 1	0.01	< 10	2.99	840
97D-96	201	202	< 5	< 0.2	2.71	8	10	< 0.5	< 2	0.64	< 0.5	34	59	7	6.03	< 10	1	0.01	< 10	1.78	2870

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page: 2-B
 Total Pages: 2
 Certificate Date: 16-JUL-97
 Invoice No.: I9729243
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9729243

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-56	201 202	< 1	< 0.01	75	400	< 2	2	18	34	0.36	< 10	< 10	188	< 10	92
97D-57	201 202	13	< 0.01	100	850	8	2	9	22	0.07	< 10	< 10	138	< 10	402
97D-58	201 202	10	0.01	79	1370	6	< 2	6	32	0.01	< 10	< 10	85	< 10	366
97D-60	201 202	4	0.01	69	800	8	< 2	9	24	0.23	< 10	< 10	151	< 10	224
97D-61	201 202	1	< 0.01	76	450	8	< 2	12	18	0.24	< 10	< 10	108	< 10	568
97D-62	201 202	< 1	< 0.01	80	280	< 2	< 2	11	19	0.35	< 10	< 10	151	< 10	90
97D-63	201 202	< 1	< 0.01	57	250	< 2	< 2	13	22	0.36	< 10	< 10	182	< 10	80
97D-65	201 202	< 1	< 0.01	62	250	< 2	< 2	16	27	0.34	< 10	< 10	193	< 10	80
97D-66	201 202	1	< 0.01	8	260	14	< 2	5	12	0.25	< 10	< 10	90	< 10	42
97D-69	201 202	3	< 0.01	11	430	6	< 2	5	43	0.29	< 10	< 10	92	< 10	30
97D-76	201 202	1	0.01	13	440	6	< 2	6	46	0.21	< 10	< 10	101	< 10	162
97D-78	201 202	1	0.03	17	440	6	2	7	40	0.21	< 10	< 10	108	< 10	146
97D-79	201 202	6	0.05	59	1540	4	< 2	7	39	0.15	< 10	< 10	162	< 10	340
97D-80	201 202	< 1	0.01	13	460	8	< 2	6	27	0.21	< 10	< 10	84	< 10	102
97D-81	201 202	< 1	< 0.01	6	250	8	< 2	7	16	0.23	< 10	< 10	106	< 10	88
97D-82	201 202	< 1	0.02	22	190	6	< 2	7	22	0.17	< 10	< 10	95	< 10	126
97D-83	201 202	8	0.06	50	1030	22	< 2	8	80	0.15	< 10	< 10	139	< 10	440
97D-84	201 202	1	0.04	38	510	12	< 2	9	55	0.20	< 10	< 10	108	< 10	156
97D-85	201 202	6	0.01	58	380	4	< 2	10	42	0.26	< 10	< 10	162	< 10	188
97D-86	201 202	2	0.01	85	1050	2	2	12	87	0.16	< 10	< 10	212	< 10	120
97D-88	201 202	< 1	0.01	86	350	2	< 2	12	47	0.21	< 10	< 10	168	< 10	124
97D-89	201 202	< 1	< 0.01	54	240	4	2	8	56	0.40	< 10	< 10	128	< 10	106
97D-90	201 202	< 1	< 0.01	48	180	12	< 2	10	37	0.29	< 10	< 10	118	< 10	128
97D-91	201 202	< 1	0.01	61	240	6	2	9	49	0.33	< 10	< 10	124	< 10	114
97D-93	201 202	< 1	< 0.01	71	550	10	< 2	10	38	0.40	< 10	< 10	139	< 10	92
97D-95	201 202	< 1	< 0.01	75	270	< 2	< 2	11	20	0.28	< 10	< 10	122	< 10	86
97D-96	201 202	< 1	< 0.01	27	140	6	< 2	5	38	0.28	< 10	< 10	110	< 10	108

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page Number: 1-B
 Total Pages: 1
 Certificate Date: 17-JUL-97
 Invoice No.: I9729413
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS

A9729413

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R-02	205 226	< 1	0.01	38	720	< 2	2	20	53	< 0.01	< 10	< 10	148	< 10	82
97R-05	205 226	< 1	0.08	58	670	< 2	< 2	9	86	0.58	< 10	< 10	213	< 10	38
97R-26	205 226	1	0.11	11	350	8	2	7	60	< 0.01	< 10	< 10	31	< 10	52
97R-27	205 226	1	0.16	55	400	< 2	< 2	8	57	0.16	< 10	< 10	70	< 10	48
97R-30	205 226	< 1	0.34	32	680	< 2	2	11	224	0.16	< 10	< 10	229	< 10	70
97R-40	205 226	< 1	0.10	46	360	< 2	< 2	17	26	0.42	< 10	< 10	189	< 10	56
97R-46	205 226	< 1	0.04	9	310	4	< 2	1	12	0.14	< 10	< 10	19	< 10	36
97R-47	205 226	3	0.06	16	600	2	< 2	3	12	0.18	< 10	< 10	30	< 10	58
97R-60	205 226	3	0.25	25	440	< 2	< 2	7	83	0.22	< 10	< 10	78	< 10	98
97R-61	205 226	2	0.07	21	480	< 2	< 2	3	21	0.17	< 10	< 10	41	< 10	26
97R-73	205 226	2	0.09	1	170	2	< 2	3	4	0.07	< 10	< 10	1	< 10	26
97R-74	205 226	2	0.20	10	380	2	6	17	47	0.36	< 10	< 10	230	< 10	84
97R-81	205 226	3	0.31	38	1080	4	< 2	5	163	0.08	< 10	< 10	103	< 10	96

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON G. RICHARDS

Page Number : 1-A
Total Pages : 1
Certificate Date: 17-JUL-97
Invoice No. : I9729413
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9729413

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-02	205 226	< 5	< 0.2	3.15	8	10	< 0.5	< 2	3.39	< 0.5	29	59	42	6.15	10	9	0.21	< 10	2.28	1485
97R-05	205 226	< 5	< 0.2	6.22	160	< 10	< 0.5	< 2	4.69	< 0.5	36	82	564	6.56	10	< 1	0.02	< 10	0.64	215
97R-26	205 226	< 5	0.2	2.97	10	110	< 0.5	< 2	1.66	< 0.5	6	27	30	5.64	< 10	< 1	0.34	< 10	1.18	440
97R-27	205 226	< 5	< 0.2	2.55	14	90	< 0.5	< 2	0.99	< 0.5	13	73	48	3.86	< 10	< 1	0.03	< 10	2.52	355
97R-30	205 226	< 5	< 0.2	4.76	12	70	< 0.5	< 2	1.44	< 0.5	35	34	195	6.77	10	1	0.19	< 10	2.76	535
97R-40	205 226	< 5	< 0.2	2.99	8	10	< 0.5	< 2	3.28	< 0.5	23	81	76	4.89	10	< 1	0.05	< 10	2.00	595
97R-46	205 226	< 5	< 0.2	0.40	2	60	< 0.5	< 2	1.91	< 0.5	5	73	38	0.82	< 10	< 1	0.13	< 10	0.09	115
97R-47	205 226	< 5	< 0.2	0.46	14	70	< 0.5	< 2	2.20	< 0.5	6	50	31	1.99	< 10	< 1	0.18	< 10	0.20	200
97R-60	205 226	< 5	0.2	2.19	12	220	< 0.5	< 2	1.19	< 0.5	10	108	68	3.08	< 10	< 1	0.35	< 10	0.93	150
97R-61	205 226	< 5	< 0.2	0.69	4	40	< 0.5	< 2	0.67	< 0.5	12	52	67	2.44	< 10	< 1	0.03	< 10	0.28	100
97R-73	205 226	< 5	< 0.2	0.57	< 2	20	< 0.5	< 2	0.17	< 0.5	1	73	4	1.63	< 10	< 1	0.10	< 10	0.14	480
97R-74	205 226	< 5	< 0.2	3.32	< 2	170	< 0.5	< 2	0.84	< 0.5	20	49	22	5.16	10	< 1	0.03	< 10	2.10	915
97R-81	205 226	< 5	< 0.2	3.14	6	90	< 0.5	< 2	2.51	0.5	8	84	9	1.44	< 10	< 1	0.03	< 10	0.92	320

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON G. RICHARDS

Page per : 1-A
 Total Pages : 1
 Certificate Date: 17-JUL-97
 Invoice No. : 19729404
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9729404

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-17	205 226	5 < 0.2	2.54	< 2	< 10	< 0.5	< 2	1.63	< 0.5	25	21	147	6.19	10	< 1	0.02	< 10	1.30	460	
97D-18	205 226	< 5 < 0.2	3.20	< 2	< 10	< 0.5	< 2	2.14	< 0.5	28	25	10	5.51	10	< 1	< 0.01	< 10	1.79	630	
97D-25	205 226	< 5 < 0.2	2.58	14	160	< 0.5	< 2	0.23	< 0.5	9	25	37	4.58	10	< 1	0.15	< 10	1.45	500	
97D-26	205 226	< 5 < 0.2	3.33	< 2	40	0.5	< 2	2.10	< 0.5	28	5	77	7.86	20	< 1	< 0.01	10	1.45	725	
97D-27	205 226	< 5 < 0.2	4.12	< 2	10	< 0.5	< 2	2.87	< 0.5	31	94	129	6.27	10	< 1	0.02	< 10	2.46	645	
97D-36	205 226	< 5 0.6	0.50	24	10	< 0.5	< 2	0.28	< 0.5	23	56	11	10.20	< 10	1	0.18	< 10	0.15	205	
97D-39	205 226	< 5 0.2	3.87	< 2	< 10	< 0.5	< 2	4.66	< 0.5	24	34	282	4.08	10	< 1	< 0.01	< 10	1.09	360	
97D-40	205 226	< 5 < 0.2	0.32	22	10	< 0.5	< 2	0.06	< 0.5	< 1	64	5	1.02	< 10	< 1	0.10	< 10	0.03	50	
97D-41	205 226	< 5 < 0.2	0.65	2	30	< 0.5	< 2	0.04	< 0.5	< 1	75	2	1.63	< 10	< 1	0.09	< 10	0.15	295	
97D-42	205 226	< 5 < 0.2	0.30	28	20	< 0.5	< 2	0.01	< 0.5	< 1	89	1	0.80	< 10	< 1	0.12	< 10	0.01	55	
97D-43	205 226	20 < 0.2	1.15	< 2	20	0.5	< 2	0.87	< 0.5	4	55	4	2.58	< 10	< 1	0.14	10	0.41	595	
97D-44	205 226	< 5 < 0.2	0.35	12	20	< 0.5	< 2	< 0.01	< 0.5	< 1	61	3	0.77	< 10	< 1	0.15	< 10	0.01	65	
97D-46	205 226	< 5 < 0.2	0.58	6	40	< 0.5	< 2	0.03	< 0.5	1	99	3	1.19	< 10	< 1	0.16	10	0.07	220	
97D-48	205 226	30 0.2	2.96	10	< 10	< 0.5	< 2	3.71	< 0.5	15	140	38	2.60	10	< 1	< 0.01	< 10	0.30	235	
97D-49	205 226	20 0.2	3.04	< 2	< 10	< 0.5	< 2	3.57	< 0.5	3	100	10	2.02	< 10	< 1	0.01	< 10	0.22	200	
97D-51	205 226	< 5 < 0.2	0.92	2	110	< 0.5	< 2	0.82	2.0	2	42	9	0.46	< 10	< 1	0.03	< 10	0.08	110	
97D-59	205 226	< 5 < 0.2	0.38	6	30	0.5	< 2	0.73	< 0.5	< 1	113	1	0.79	< 10	< 1	0.09	10	0.06	210	
97D-64	205 226	< 5 < 0.2	0.67	4	50	< 0.5	< 2	0.05	< 0.5	< 1	179	6	1.46	< 10	< 1	0.14	10	0.05	330	
97D-67	205 226	< 5 < 0.2	5.02	10	70	0.5	< 2	3.35	< 0.5	5	79	41	0.33	< 10	1	0.04	< 10	0.03	30	
97D-68	205 226	< 5 < 0.2	3.51	< 2	40	< 0.5	< 2	1.87	< 0.5	1	92	58	0.93	< 10	< 1	0.08	< 10	0.29	85	
97D-70	205 226	< 5 < 0.2	4.07	< 2	80	< 0.5	< 2	2.29	< 0.5	6	99	65	2.15	< 10	< 1	0.30	< 10	0.45	160	
97D-71	205 226	< 5 < 0.2	6.19	< 2	160	< 0.5	< 2	2.34	< 0.5	6	37	6	3.86	10	< 1	1.34	< 10	1.29	195	
97D-72	205 226	< 5 < 0.2	6.74	< 2	70	0.5	< 2	3.33	< 0.5	11	113	37	5.53	10	< 1	0.20	< 10	0.96	255	
97D-73	205 226	< 5 < 0.2	1.02	4	40	< 0.5	< 2	0.29	< 0.5	< 1	80	177	2.10	< 10	< 1	0.06	< 10	0.13	150	
97D-74	205 226	< 5 < 0.2	6.00	< 2	160	< 0.5	< 2	2.51	< 0.5	21	60	24	5.37	10	< 1	0.98	< 10	1.15	260	
97D-75	205 226	< 5 < 0.2	5.22	< 2	70	< 0.5	< 2	2.40	< 0.5	11	50	25	3.38	10	< 1	0.68	< 10	0.76	265	
97D-77	205 226	< 5 0.2	2.06	14	40	< 0.5	< 2	1.78	5.5	7	96	33	1.36	< 10	< 1	0.05	< 10	0.17	170	
97D-87	205 226	< 5 0.2	2.74	22	80	< 0.5	2	1.58	< 0.5	32	50	314	5.94	10	< 1	0.60	< 10	1.75	450	
97D-92	205 226	< 5 < 0.2	0.60	12	50	< 0.5	< 2	0.04	< 0.5	1	95	6	0.77	< 10	< 1	0.26	10	0.01	110	
97D-94	205 226	< 5 < 0.2	1.96	< 2	30	< 0.5	< 2	0.68	< 0.5	16	52	6	4.47	< 10	< 1	0.12	< 10	1.96	390	
97D-97	205 226	< 5 < 0.2	1.25	< 2	< 10	< 0.5	< 2	0.30	< 0.5	9	83	1	2.19	< 10	< 1	0.01	< 10	0.85	775	
97D-98	205 226	< 5 < 0.2	0.95	2	< 10	< 0.5	< 2	0.55	0.5	6	123	5	1.14	< 10	< 1	0.01	< 10	0.58	495	

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON G. RICHARDS

Page : 1-B
Total Pages : 1
Certificate Date: 17-JUL-97
Invoice No. : I9729404
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9729404

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-17	205 226	< 1	< 0.01	32	700	< 2	< 2	9	20	0.32	< 10	< 10	175	< 10	66
97D-18	205 226	< 1	< 0.01	59	480	< 2	< 2	4	20	0.31	< 10	< 10	139	< 10	68
97D-25	205 226	1	0.02	25	520	2	2	7	15	0.14	< 10	< 10	54	< 10	106
97D-26	205 226	< 1	< 0.01	20	1560	< 2	< 2	11	43	0.38	< 10	< 10	281	< 10	122
97D-27	205 226	< 1	< 0.01	52	310	< 2	2	17	15	0.21	< 10	< 10	114	< 10	84
97D-36	205 226	< 1	< 0.01	9	100	2	2	3	3	0.01	< 10	< 10	21	< 10	56
97D-39	205 226	< 1	< 0.01	47	350	< 2	< 2	5	17	0.26	< 10	< 10	86	< 10	46
97D-40	205 226	1	0.05	1	40	8	< 2	< 1	1	0.02	< 10	< 10	3	< 10	12
97D-41	205 226	1	0.03	1	160	6	< 2	1	3	0.03	< 10	< 10	12	< 10	20
97D-42	205 226	1	0.04	1	30	8	< 2	< 1	1	0.01	< 10	< 10	1	< 10	8
97D-43	205 226	< 1	0.02	1	350	2	< 2	3	14	0.06	< 10	< 10	20	< 10	54
97D-44	205 226	1	0.04	< 1	30	6	< 2	< 1	1	0.01	< 10	< 10	1	< 10	12
97D-46	205 226	< 1	0.04	1	50	6	< 2	1	2	0.01	< 10	< 10	4	< 10	28
97D-48	205 226	< 1	< 0.01	14	80	< 2	2	4	7	0.10	< 10	< 10	53	< 10	30
97D-49	205 226	3	< 0.01	4	80	< 2	2	6	5	0.06	< 10	< 10	18	< 10	34
97D-51	205 226	3	0.07	11	300	< 2	2	1	44	0.05	< 10	< 10	49	< 10	106
97D-59	205 226	1	0.06	1	10	4	< 2	1	12	0.01	< 10	< 10	3	< 10	24
97D-64	205 226	< 1	0.12	2	30	6	< 2	3	5	< 0.01	< 10	< 10	5	< 10	68
97D-67	205 226	1	0.45	10	680	< 2	6	4	266	0.14	< 10	< 10	20	< 10	16
97D-68	205 226	< 1	0.49	5	350	< 2	2	4	166	0.08	< 10	< 10	23	< 10	44
97D-70	205 226	< 1	0.31	11	590	< 2	2	9	174	0.14	< 10	< 10	54	< 10	66
97D-71	205 226	3	0.43	10	420	2	< 2	18	186	0.15	< 10	< 10	52	< 10	56
97D-72	205 226	< 1	0.46	21	560	< 2	2	3	212	0.13	< 10	< 10	95	< 10	48
97D-73	205 226	3	0.08	1	180	< 2	< 2	2	12	0.08	< 10	< 10	6	< 10	20
97D-74	205 226	1	0.40	19	460	2	6	16	153	0.14	< 10	< 10	101	< 10	72
97D-75	205 226	2	0.39	9	560	< 2	4	7	175	0.08	< 10	< 10	61	< 10	40
97D-77	205 226	5	0.18	33	770	34	< 2	5	48	0.09	< 10	< 10	118	< 10	342
97D-87	205 226	< 1	< 0.01	45	520	< 2	< 2	9	24	0.53	< 10	< 10	163	< 10	68
97D-92	205 226	< 1	0.05	2	40	2	< 2	< 1	2	< 0.01	< 10	< 10	3	< 10	42
97D-94	205 226	< 1	< 0.01	26	400	< 2	< 2	5	57	0.29	< 10	< 10	132	< 10	106
97D-97	205 226	< 1	0.03	3	550	< 2	< 2	3	12	0.08	< 10	< 10	31	< 10	96
97D-98	205 226	1	< 0.01	14	70	2	< 2	1	42	0.09	< 10	< 10	24	< 10	120

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 17-JUL-97
 Invoice No.: 19731362
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9731362

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
97R-178	201	202	< 5	< 0.2	2.85	26	80	< 0.5	< 2	0.39	< 0.5	37	41	32	7.57	< 10	< 1	0.10	< 10	1.64	4250
97R-179	201	202	< 5	< 0.2	3.43	112	190	< 0.5	< 2	0.57	< 0.5	41	73	41	6.84	< 10	1	0.11	< 10	2.25	4580
97R-180	201	202	< 5	< 0.2	3.13	38	50	< 0.5	< 2	0.84	< 0.5	34	64	20	5.61	10	< 1	0.05	< 10	1.95	3420
97R-182	201	202	< 5	< 0.2	4.15	16	< 10	< 0.5	< 2	1.65	< 0.5	31	64	73	6.55	10	2	0.02	< 10	2.14	1170
97R-183	201	202	< 5	< 0.2	6.57	< 2	< 10	< 0.5	< 2	1.98	< 0.5	45	237	84	6.52	10	< 1	0.01	< 10	6.66	1170
97R-184	201	202	< 5	< 0.2	4.45	6	10	< 0.5	< 2	1.81	< 0.5	40	82	106	6.56	10	< 1	0.01	< 10	2.14	1525
97R-185	201	202	< 5	< 0.2	3.46	24	10	< 0.5	< 2	1.75	1.0	35	80	153	6.50	10	< 1	0.01	< 10	2.47	1360
97R-186	201	202	10	< 0.2	3.58	106	30	< 0.5	< 2	1.13	< 0.5	28	68	95	5.55	10	1	0.06	< 10	2.12	915
97R-187	201	202	< 5	< 0.2	3.34	26	50	< 0.5	< 2	1.80	3.5	16	64	46	4.22	< 10	1	0.05	< 10	1.34	745
97R-188	201	202	< 5	< 0.2	2.92	28	50	< 0.5	< 2	2.13	2.0	15	54	58	3.68	< 10	< 1	0.05	< 10	1.19	665
97R-189	201	202	< 5	< 0.2	2.57	10	80	< 0.5	< 2	0.97	< 0.5	24	17	8	5.83	10	< 1	0.02	< 10	1.32	1230
97R-190	201	202	< 5	< 0.2	1.56	252	250	< 0.5	< 2	0.35	< 0.5	15	30	31	3.34	< 10	< 1	0.05	10	1.21	2180
97R-191	201	202	< 5	< 0.2	2.60	2	70	< 0.5	< 2	0.44	< 0.5	92	62	40	4.82	< 10	1	0.06	< 10	2.26	2880
97R-192	201	202	< 5	0.2	3.22	4	60	0.5	< 2	0.66	< 0.5	28	88	34	5.16	10	< 1	0.10	< 10	3.68	1390
97R-193	201	202	< 5	0.2	3.53	58	60	< 0.5	< 2	1.38	4.5	27	76	119	5.26	< 10	< 1	0.08	< 10	1.69	1625
97R-196	201	202	< 5	0.2	3.56	10	220	0.5	< 2	1.00	< 0.5	40	10	202	9.17	10	< 1	0.04	< 10	2.13	1095
97R-197	201	202	< 5	< 0.2	4.10	6	70	< 0.5	< 2	1.03	< 0.5	32	67	51	5.70	10	< 1	0.27	< 10	3.59	1250
97R-198	201	202	10	0.2	3.52	44	210	0.5	< 2	1.31	0.5	36	83	250	6.05	10	< 1	0.04	< 10	2.08	1065
97R-200	201	202	40	< 0.2	3.89	34	100	0.5	< 2	1.52	< 0.5	36	91	247	6.74	10	< 1	0.06	< 10	2.00	1595
97R-201	201	202	10	0.2	4.17	6	40	< 0.5	< 2	1.41	< 0.5	39	69	246	8.07	10	< 1	0.04	< 10	1.89	1300
97R-202	201	202	< 5	< 0.2	4.60	< 2	20	< 0.5	< 2	1.32	< 0.5	38	96	148	8.34	10	< 1	0.02	< 10	1.85	1685
97R-203	201	202	< 5	< 0.2	5.82	6	< 10	0.5	< 2	1.58	< 0.5	39	81	76	8.59	20	2	0.01	< 10	1.06	1680
97R-204	201	202	< 5	< 0.2	3.57	< 2	30	< 0.5	< 2	1.40	< 0.5	106	37	50	>15.00	10	1	< 0.01	< 10	1.05	>10000
97R-205	201	202	< 5	< 0.2	4.10	2	40	< 0.5	< 2	1.37	< 0.5	29	39	58	6.31	10	< 1	0.03	< 10	1.56	1840
97R-209	201	202	180	< 0.2	4.24	20	20	< 0.5	< 2	1.49	< 0.5	37	59	96	6.96	10	< 1	0.03	< 10	2.25	1720
97R-210	201	202	< 5	< 0.2	3.98	326	160	0.5	< 2	1.32	9.0	91	55	35	7.98	< 10	2	0.03	< 10	1.02	>10000
97R-212	201	202	< 5	< 0.2	4.24	12	10	< 0.5	< 2	1.50	< 0.5	39	67	150	7.23	10	2	0.04	< 10	2.02	1855
97R-213	201	202	< 5	< 0.2	4.67	2	20	< 0.5	< 2	1.46	0.5	41	102	91	6.46	10	2	0.01	< 10	2.46	2080
97R-214	201	202	< 5	< 0.2	4.09	18	10	< 0.5	< 2	2.41	< 0.5	23	50	76	4.67	10	< 1	0.01	< 10	1.50	925
97R-215	201	202	< 5	< 0.2	3.31	< 2	< 10	< 0.5	< 2	2.09	< 0.5	23	50	98	4.56	10	1	0.02	< 10	1.19	945
97R-216	201	202	< 5	< 0.2	3.35	2	10	< 0.5	< 2	1.68	< 0.5	27	59	83	5.24	10	< 1	0.02	< 10	1.74	1045
97R-217	201	202	< 5	< 0.2	4.80	98	10	0.5	< 2	1.88	< 0.5	18	29	34	3.86	10	1	0.03	< 10	1.21	835

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 17-JUL-97
 Invoice No. : I9731362
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731362

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R-178	201 202	< 1	< 0.01	30	700	2	< 2	11	23	0.08	< 10	< 10	118	< 10	82
97R-179	201 202	1	< 0.01	45	390	2	< 2	11	37	0.10	< 10	< 10	143	< 10	162
97R-180	201 202	< 1	0.01	31	340	< 2	2	10	59	0.22	< 10	< 10	140	< 10	106
97R-182	201 202	1	0.01	48	290	< 2	< 2	15	20	0.46	< 10	< 10	207	< 10	90
97R-183	201 202	< 1	< 0.01	162	110	< 2	6	25	29	0.25	< 10	< 10	193	< 10	70
97R-184	201 202	< 1	< 0.01	75	310	< 2	< 2	16	24	0.51	< 10	< 10	221	< 10	90
97R-185	201 202	< 1	< 0.01	59	410	< 2	2	15	27	0.49	< 10	< 10	210	< 10	116
97R-186	201 202	< 1	< 0.01	46	390	4	< 2	12	28	0.31	< 10	< 10	144	< 10	90
97R-187	201 202	6	0.02	60	860	2	< 2	8	46	0.20	< 10	< 10	202	< 10	260
97R-188	201 202	6	0.04	48	1340	< 2	2	8	46	0.15	< 10	< 10	163	< 10	186
97R-189	201 202	1	< 0.01	11	410	< 2	< 2	6	42	0.50	< 10	< 10	177	< 10	88
97R-190	201 202	4	< 0.01	45	420	8	2	6	12	0.05	< 10	< 10	51	< 10	96
97R-191	201 202	< 1	< 0.01	43	320	4	< 2	7	26	0.23	< 10	< 10	107	< 10	68
97R-192	201 202	< 1	< 0.01	43	660	< 2	2	11	28	0.36	< 10	< 10	145	< 10	84
97R-193	201 202	7	0.04	75	1390	2	2	13	51	0.21	< 10	< 10	192	< 10	258
97R-196	201 202	< 1	< 0.01	31	420	< 2	2	19	74	0.45	< 10	< 10	434	< 10	140
97R-197	201 202	< 1	< 0.01	25	610	< 2	2	10	48	0.54	< 10	< 10	153	< 10	106
97R-198	201 202	1	< 0.01	56	740	6	< 2	12	41	0.37	< 10	< 10	193	< 10	176
97R-200	201 202	< 1	< 0.01	45	500	< 2	2	15	59	0.44	< 10	< 10	217	< 10	94
97R-201	201 202	< 1	< 0.01	48	290	< 2	< 2	18	60	0.41	< 10	< 10	219	< 10	110
97R-202	201 202	< 1	< 0.01	45	210	< 2	< 2	17	57	0.40	< 10	< 10	224	< 10	104
97R-203	201 202	< 1	< 0.01	29	330	< 2	4	18	23	0.43	< 10	< 10	368	< 10	62
97R-204	201 202	< 1	< 0.01	26	330	< 2	< 2	12	28	0.38	10	< 10	259	< 10	60
97R-205	201 202	< 1	< 0.01	33	190	< 2	< 2	12	77	0.31	< 10	< 10	170	< 10	88
97R-209	201 202	1	< 0.01	57	520	< 2	4	18	39	0.41	< 10	< 10	201	< 10	120
97R-210	201 202	6	< 0.01	70	1170	16	2	11	39	0.12	< 10	< 10	165	< 10	672
97R-212	201 202	< 1	0.01	54	260	< 2	2	17	44	0.39	< 10	< 10	204	< 10	112
97R-213	201 202	< 1	< 0.01	92	200	< 2	2	14	42	0.36	< 10	< 10	164	< 10	160
97R-214	201 202	< 1	< 0.01	37	430	< 2	< 2	11	62	0.38	< 10	< 10	147	< 10	96
97R-215	201 202	< 1	0.02	31	450	4	< 2	10	51	0.44	< 10	< 10	142	< 10	80
97R-216	201 202	< 1	0.03	39	270	< 2	2	10	56	0.44	< 10	< 10	159	< 10	78
97R-217	201 202	< 1	0.01	21	420	2	6	8	59	0.26	< 10	< 10	76	< 10	96

CERTIFICATION: *Scott B...*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
Total Pages : 1
Certificate Date: 16-JUL-97
Invoice No. : I9731363
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS A9731363

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-159	205	226	1	0.06	4	220	2	< 2	3	46	< 0.01	< 10	< 10	10	< 10	32
97R-181	205	226	< 1	< 0.01	17	550	< 2	2	1	21	0.04	< 10	< 10	21	< 10	88
97R-194	205	226	< 1	< 0.01	16	320	< 2	< 2	10	27	0.42	< 10	< 10	120	< 10	26
97R-195	205	226	10	0.13	40	440	< 2	6	16	58	0.18	< 10	< 10	262	< 10	186
97R-199	205	226	< 1	0.03	9	230	6	< 2	4	3	< 0.01	< 10	< 10	15	< 10	26
97R-206	205	226	1	0.22	16	800	< 2	2	4	88	0.08	< 10	< 10	55	< 10	988
97R-207	205	226	1	0.13	15	710	< 2	2	1	69	0.04	< 10	< 10	41	< 10	112
97R-208	205	226	7	0.04	73	30	< 2	< 2	8	8	< 0.01	< 10	< 10	27	< 10	20
97R-211	205	226	2	0.03	< 1	250	2	< 2	3	38	0.05	< 10	< 10	11	< 10	60

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page : 1-A
 Total Pages : 1
 Certificate Date: 16-JUL-97
 Invoice No. : 19731363
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731363

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
97R-159	205	226	< 5	< 0.2	0.72	12	50	< 0.5	< 2	2.38	< 0.5	4	151	3	2.10	< 10	< 1	0.13	< 10	0.28	340
97R-181	205	226	< 5	1.6	1.18	5450	< 10	< 0.5	< 2	0.63	< 0.5	232	14	6040	>15.00	< 10	2	< 0.01	< 10	0.84	325
97R-194	205	226	< 5	< 0.2	2.32	10	50	< 0.5	< 2	2.09	< 0.5	20	41	71	4.51	< 10	< 1	0.04	< 10	0.94	185
97R-195	205	226	< 5	0.2	3.31	70	40	< 0.5	< 2	1.44	4.0	21	104	143	4.41	10	< 1	0.03	< 10	2.41	390
97R-199	205	226	< 5	0.2	1.99	18	190	< 0.5	< 2	0.08	< 0.5	2	70	27	2.62	< 10	< 1	0.07	< 10	2.44	325
97R-206	205	226	< 5	< 0.2	3.59	26	40	< 0.5	< 2	1.58	6.5	20	91	113	4.08	< 10	< 1	0.05	< 10	1.16	415
97R-207	205	226	< 5	0.2	3.02	4	40	< 0.5	< 2	1.13	< 0.5	27	97	149	4.46	< 10	< 1	0.03	< 10	1.10	455
97R-208	205	226	< 5	< 0.2	0.62	38	< 10	< 0.5	< 2	0.04	< 0.5	24	37	113	11.05	< 10	< 1	0.14	< 10	0.02	65
97R-211	205	226	30	< 0.2	0.81	16	10	< 0.5	< 2	1.48	< 0.5	2	48	20	2.24	< 10	< 1	0.06	< 10	0.22	595

CERTIFICATION:

Hart Beck



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number: 1-A
 Total Pages: 2
 Certificate Date: 29-JUL-97
 Invoice No.: 19731364
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS

A9731364

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-192	201 202	< 5	< 0.2	2.99	20	70	< 0.5	< 2	0.96	< 0.5	30	112	80	5.29	< 10	< 1	0.07	< 10	2.57	1235
97D-193	201 202	< 5	< 0.2	2.73	32	70	< 0.5	< 2	0.61	< 0.5	28	68	44	5.22	< 10	< 1	0.06	< 10	2.10	785
97D-196	201 202	< 5	< 0.2	2.54	12	110	< 0.5	< 2	0.96	< 0.5	26	48	66	4.40	< 10	< 1	0.12	< 10	2.12	1225
97D-197	201 202	< 5	0.2	2.74	66	90	< 0.5	< 2	0.77	< 0.5	26	63	54	9.46	< 10	< 1	0.05	< 10	1.99	1060
97D-199	201 202	< 5	< 0.2	4.30	2	< 10	< 0.5	< 2	2.72	< 0.5	38	53	145	7.58	10	< 1	< 0.01	< 10	2.22	1450
97D-200	201 202	< 5	< 0.2	2.96	16	110	< 0.5	< 2	0.74	< 0.5	36	102	65	6.32	< 10	< 1	0.14	< 10	2.51	1275
97D-201	201 202	< 5	< 0.2	2.80	24	60	< 0.5	< 2	0.90	< 0.5	29	69	50	5.15	< 10	1	0.08	< 10	2.02	1135
97D-206	201 202	< 5	< 0.2	2.87	6	10	< 0.5	< 2	0.59	< 0.5	29	84	15	4.63	< 10	< 1	0.02	< 10	2.46	1150
97D-208	201 202	< 5	< 0.2	2.71	10	10	< 0.5	< 2	0.75	< 0.5	26	67	14	4.30	< 10	< 1	0.02	< 10	2.11	850
97D-209	201 202	< 5	< 0.2	2.72	10	80	< 0.5	< 2	0.81	< 0.5	23	53	48	4.70	< 10	< 1	0.10	< 10	1.80	1040
97D-210	201 202	< 5	< 0.2	2.56	10	130	< 0.5	< 2	1.01	< 0.5	17	34	30	3.96	< 10	5	0.04	< 10	1.36	765
97D-211	201 202	< 5	< 0.2	4.33	30	30	< 0.5	< 2	0.82	< 0.5	46	109	188	8.95	10	< 1	0.04	< 10	2.29	2150
97D-212	201 202	< 5	0.2	3.62	8	30	< 0.5	< 2	1.12	< 0.5	41	117	239	7.55	10	< 1	0.01	< 10	2.94	1625
97D-213	201 202	< 5	< 0.2	2.87	32	30	< 0.5	< 2	1.11	< 0.5	25	80	76	4.91	< 10	< 1	0.02	< 10	2.03	1060
97D-215	201 202	< 5	< 0.2	2.78	8	50	< 0.5	< 2	0.70	< 0.5	26	81	36	4.50	< 10	1	0.10	< 10	2.63	980
97D-216	201 202	< 5	0.2	2.85	44	40	< 0.5	< 2	1.28	< 0.5	25	81	88	5.07	< 10	< 1	0.03	< 10	1.97	1260
97D-217	201 202	< 5	< 0.2	3.59	8	20	< 0.5	< 2	1.59	< 0.5	26	78	156	6.09	10	< 1	0.02	< 10	2.22	955
97D-218	201 202	< 5	< 0.2	3.21	12	50	< 0.5	< 2	2.14	< 0.5	26	49	91	5.14	< 10	< 1	< 0.01	< 10	1.62	1215
97D-219	201 202	< 5	0.2	3.09	56	80	< 0.5	< 2	1.54	2.5	25	89	77	4.75	< 10	< 1	0.03	< 10	1.98	1020
97D-220	201 202	< 5	< 0.2	2.78	60	20	< 0.5	< 2	1.45	4.0	23	94	65	4.35	< 10	1	0.04	< 10	1.85	950
97D-221	201 202	100	< 0.2	4.94	< 2	10	< 0.5	< 2	1.34	< 0.5	55	106	133	7.46	10	< 1	< 0.01	< 10	3.85	1295
97D-222	201 202	< 5	0.2	4.59	2	< 10	< 0.5	< 2	2.23	< 0.5	38	70	215	7.49	10	< 1	< 0.01	< 10	2.91	1090
97D-223	201 202	< 5	0.2	4.99	8	< 10	< 0.5	< 2	2.62	< 0.5	37	131	171	7.10	10	< 1	< 0.01	< 10	2.95	1050
97D-224	201 202	< 5	< 0.2	4.56	12	10	< 0.5	< 2	1.75	< 0.5	40	91	237	8.59	10	< 1	< 0.01	< 10	2.54	1480
97D-225	201 202	< 5	0.2	3.86	8	10	< 0.5	< 2	1.81	< 0.5	33	72	245	7.81	10	< 1	< 0.01	< 10	1.86	1140
97D-226	201 202	< 5	< 0.2	3.30	20	50	< 0.5	< 2	0.65	< 0.5	42	62	93	7.34	10	< 1	0.01	< 10	1.83	1795
97D-227	201 202	not/ss	< 0.2	4.62	10	10	< 0.5	2	1.17	< 0.5	62	202	136	7.58	< 10	< 1	< 0.01	< 10	4.50	1810
97D-228	201 202	< 5	< 0.2	4.49	6	< 10	< 0.5	< 2	1.81	< 0.5	39	160	197	7.07	10	< 1	< 0.01	< 10	3.18	1135
97D-229	201 202	< 5	0.2	3.94	12	10	< 0.5	< 2	1.47	< 0.5	40	55	215	8.33	10	< 1	< 0.01	< 10	1.58	1620
97D-230	201 202	< 5	< 0.2	4.32	8	< 10	< 0.5	< 2	1.93	< 0.5	37	83	256	8.75	10	1	< 0.01	< 10	1.96	1290
97D-231	201 202	< 5	< 0.2	4.76	10	< 10	< 0.5	< 2	2.16	< 0.5	41	62	169	8.10	10	< 1	< 0.01	< 10	2.30	1475
97D-232	201 202	< 5	< 0.2	3.96	20	< 10	< 0.5	< 2	1.65	< 0.5	26	71	168	5.44	10	< 1	0.03	< 10	1.99	815
97D-233	201 202	< 5	< 0.2	3.71	16	< 10	< 0.5	< 2	1.25	< 0.5	32	60	184	6.75	10	< 1	0.01	< 10	2.13	980
97D-234	201 202	< 5	0.2	4.88	8	< 10	< 0.5	< 2	1.86	< 0.5	37	71	136	7.09	10	< 1	0.01	< 10	2.26	1505
97D-235	201 202	25	< 0.2	5.10	< 2	< 10	< 0.5	< 2	1.90	< 0.5	41	116	128	6.73	10	< 1	0.01	< 10	2.61	1480
97D-236	201 202	< 5	< 0.2	5.10	6	< 10	< 0.5	< 2	2.17	< 0.5	37	124	120	6.55	10	< 1	0.01	< 10	2.94	1100
97D-238	201 202	< 5	< 0.2	4.45	10	< 10	< 0.5	< 2	1.50	< 0.5	35	71	147	6.91	10	< 1	0.01	< 10	2.59	1040
97D-239	201 202	< 5	< 0.2	4.16	16	20	< 0.5	< 2	1.42	2.0	33	73	130	6.18	10	< 1	0.02	< 10	1.87	1315
97D-241	201 202	< 5	0.2	3.23	14	40	< 0.5	< 2	1.49	1.5	23	51	113	5.07	< 10	< 1	0.03	< 10	1.80	830
97D-242	201 202	< 5	< 0.2	4.78	36	10	< 0.5	< 2	1.87	1.5	42	88	222	7.32	10	< 1	< 0.01	< 10	2.96	1225

CERTIFICATION: *Hart Buehler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page : 1-B
 Total Pages : 2
 Certificate Date: 29-JUL-97
 Invoice No. : 19731364
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731364

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97D-192	201	202	4 < 0.01		60	720	< 2	< 2	11	29	0.23	< 10	< 10	108	< 10	82
97D-193	201	202	3 < 0.01		47	590	6	< 2	8	23	0.17	< 10	< 10	99	< 10	100
97D-196	201	202	5 < 0.01		28	720	2	< 2	5	46	0.28	< 10	< 10	103	< 10	88
97D-197	201	202	5 < 0.01		37	840	4	< 2	10	32	0.18	< 10	< 10	117	< 10	90
97D-199	201	202	5 < 0.01		48	220	< 2	< 2	14	52	0.33	< 10	< 10	202	< 10	112
97D-200	201	202	4 < 0.01		82	620	< 2	< 2	14	32	0.12	< 10	< 10	138	< 10	84
97D-201	201	202	5 < 0.01		40	550	< 2	< 2	8	64	0.21	< 10	< 10	116	< 10	108
97D-206	201	202	4 < 0.01		37	300	2	< 2	5	44	0.22	< 10	< 10	144	< 10	48
97D-208	201	202	4 < 0.02		33	250	6	2	5	71	0.23	< 10	< 10	127	< 10	52
97D-209	201	202	5 < 0.01		29	560	2	< 2	9	50	0.20	< 10	< 10	106	< 10	100
97D-210	201	202	4 < 0.01		18	440	< 2	< 2	7	74	0.18	< 10	< 10	98	< 10	58
97D-211	201	202	4 < 0.01		69	240	2	< 2	17	23	0.27	< 10	< 10	253	< 10	108
97D-212	201	202	3 < 0.01		95	220	< 2	< 2	16	22	0.33	< 10	< 10	194	< 10	94
97D-213	201	202	4 < 0.01		60	400	8	2	8	29	0.28	< 10	< 10	116	< 10	94
97D-215	201	202	4 < 0.01		49	510	< 2	< 2	6	19	0.35	< 10	< 10	110	< 10	86
97D-216	201	202	4 < 0.01		51	480	2	2	7	26	0.35	< 10	< 10	126	< 10	106
97D-217	201	202	4 < 0.01		50	350	< 2	< 2	9	44	0.34	< 10	< 10	141	< 10	108
97D-218	201	202	4 < 0.01		46	370	4	< 2	8	71	0.33	< 10	< 10	128	< 10	106
97D-219	201	202	8 < 0.01		82	870	2	< 2	9	39	0.23	< 10	< 10	178	< 10	206
97D-220	201	202	9 < 0.01		84	800	2	< 2	8	28	0.19	< 10	< 10	225	< 10	262
97D-221	201	202	3 < 0.01		226	170	< 2	< 2	7	36	0.31	< 10	< 10	134	< 10	124
97D-222	201	202	3 < 0.01		120	270	2	< 2	12	50	0.42	< 10	< 10	166	< 10	118
97D-223	201	202	3 < 0.01		102	200	< 2	< 2	14	32	0.38	< 10	< 10	188	< 10	92
97D-224	201	202	4 < 0.01		81	290	< 2	< 2	16	40	0.55	< 10	< 10	254	< 10	110
97D-225	201	202	4 < 0.01		49	290	< 2	< 2	13	45	0.63	< 10	< 10	243	< 10	104
97D-226	201	202	6 < 0.01		40	370	2	< 2	11	30	0.42	< 10	< 10	223	< 10	140
97D-227	201	202	1 < 0.01		283	190	< 2	< 2	9	34	0.36	< 10	< 10	180	< 10	106
97D-228	201	202	3 < 0.01		141	230	2	< 2	13	30	0.31	< 10	< 10	159	< 10	90
97D-229	201	202	4 < 0.01		44	260	2	< 2	12	55	0.34	< 10	< 10	192	< 10	124
97D-230	201	202	3 < 0.01		61	240	4	< 2	13	39	0.32	< 10	< 10	175	< 10	118
97D-231	201	202	4 < 0.01		59	230	< 2	< 2	15	26	0.37	< 10	< 10	193	< 10	112
97D-232	201	202	4 < 0.01		45	370	4	< 2	10	41	0.39	< 10	< 10	150	< 10	78
97D-233	201	202	4 < 0.01		46	250	2	< 2	12	25	0.45	< 10	< 10	196	< 10	92
97D-234	201	202	4 < 0.01		62	150	2	< 2	13	54	0.34	< 10	< 10	169	< 10	100
97D-235	201	202	4 < 0.01		85	140	2	< 2	16	29	0.29	< 10	< 10	187	< 10	106
97D-236	201	202	4 < 0.01		89	120	2	< 2	17	33	0.31	< 10	< 10	188	< 10	76
97D-238	201	202	3 < 0.01		57	310	< 2	< 2	14	30	0.38	< 10	< 10	181	< 10	90
97D-239	201	202	6 < 0.01		72	540	8	< 2	12	31	0.33	< 10	< 10	190	< 10	144
97D-241	201	202	6 < 0.01		58	560	2	< 2	11	31	0.29	< 10	< 10	146	< 10	120
97D-242	201	202	4 < 0.01		126	330	2	< 2	16	32	0.39	< 10	< 10	198	< 10	146

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 2-A
Total Pages : 2
Certificate Date: 29-JUL-97
Invoice No. : 19731364
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9731364

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-243	201 202	< 5	0.2	4.56	10	< 10	< 0.5	< 2	1.62	< 0.5	37	85	137	6.62	10	< 1	< 0.01	< 10	2.76	945
97D-244	201 202	< 5	0.2	5.23	10	< 10	< 0.5	< 2	1.71	< 0.5	40	90	141	6.52	10	< 1	< 0.01	< 10	2.86	1140
97D-245	201 202	< 5	< 0.2	4.94	8	< 10	< 0.5	< 2	2.27	< 0.5	41	54	176	8.09	10	< 1	< 0.01	< 10	1.82	1485
97D-247	201 202	< 5	0.2	4.60	< 2	< 10	< 0.5	< 2	2.20	< 0.5	36	67	149	7.22	10	< 1	< 0.01	< 10	2.05	1255
97D-248	201 202	< 5	0.2	4.22	18	50	< 0.5	< 2	1.71	< 0.5	40	67	112	7.47	10	< 1	0.01	< 10	2.29	1875
97D-250	201 202	< 5	< 0.2	3.62	42	10	< 0.5	< 2	1.31	< 0.5	35	78	128	6.64	10	< 1	0.03	< 10	1.56	1520
97D-251	201 202	< 5	< 0.2	3.17	14	70	< 0.5	< 2	0.64	< 0.5	27	63	84	6.08	10	< 1	0.05	< 10	2.07	1345
97D-253	201 202	< 5	0.2	4.25	< 2	10	< 0.5	< 2	1.67	< 0.5	43	41	168	9.17	10	< 1	< 0.01	< 10	1.37	2620
97D-254	201 202	< 5	0.2	4.50	8	10	< 0.5	< 2	1.85	< 0.5	48	50	172	9.75	10	< 1	< 0.01	< 10	1.51	2300
97D-255	201 202	< 5	< 0.2	4.61	6	10	< 0.5	< 2	1.72	< 0.5	36	78	210	8.10	10	1	0.01	< 10	2.27	1215
97D-256	201 202	< 5	0.2	3.89	14	30	< 0.5	< 2	1.36	< 0.5	49	68	52	9.00	10	1	0.01	< 10	1.69	3830
97D-257	201 202	< 5	< 0.2	4.49	4	70	< 0.5	< 2	1.55	< 0.5	27	57	72	6.10	10	< 1	0.08	< 10	1.63	1160
97D-258	201 202	< 5	< 0.2	5.09	2	30	< 0.5	< 2	2.01	< 0.5	32	44	41	6.08	10	< 1	0.02	< 10	1.60	2530
97D-259	201 202	< 5	< 0.2	4.91	14	40	< 0.5	< 2	1.82	< 0.5	34	137	117	6.08	10	< 1	0.03	< 10	2.80	1145
97D-260	201 202	< 10	< 0.2	4.86	< 2	60	< 0.5	< 2	1.81	< 0.5	28	31	90	6.57	10	< 1	0.06	< 10	1.38	1245
97D-261	201 202	< 5	< 0.2	4.47	10	10	< 0.5	< 2	1.23	< 0.5	31	89	122	7.02	10	< 1	0.03	< 10	2.50	1130
97D-262	201 202	< 5	0.2	4.39	24	40	< 0.5	< 2	0.97	1.5	46	105	124	6.44	10	< 1	0.04	< 10	2.05	2090
97D-263	201 202	165	< 0.2	3.82	48	30	< 0.5	< 2	0.82	2.0	35	91	44	6.44	< 10	1	0.03	< 10	1.85	1545
97D-264	201 202	< 5	< 0.2	3.57	42	10	< 0.5	< 2	1.12	1.0	28	115	75	5.42	< 10	< 1	0.03	< 10	2.17	1150
97D-265	201 202	< 5	< 0.2	3.29	30	30	< 0.5	< 2	2.75	1.5	11	25	22	2.47	< 10	< 1	0.01	< 10	0.72	685
97D-266	201 202	< 5	< 0.2	4.36	48	20	< 0.5	2	3.02	1.5	17	40	50	3.46	< 10	< 1	0.02	< 10	1.18	790
97D-267	201 202	< 5	< 0.2	4.68	10	50	< 0.5	< 2	1.73	< 0.5	37	58	52	7.25	10	< 1	0.05	< 10	2.12	1850
97D-268	201 202	< 5	0.2	4.21	16	80	< 0.5	< 2	1.63	1.0	28	55	80	6.01	10	< 1	0.06	< 10	1.49	1175
97D-270	201 202	< 5	< 0.2	3.76	12	60	< 0.5	< 2	0.82	< 0.5	19	29	30	4.70	< 10	< 1	0.04	< 10	1.25	825
97D-273	201 202	< 5	< 0.2	5.10	16	90	< 0.5	< 2	0.65	< 0.5	24	40	37	4.99	10	< 1	0.01	< 10	1.26	885
97D-274	201 202	< 5	< 0.2	4.46	10	80	< 0.5	< 2	0.68	< 0.5	26	38	29	5.13	10	< 1	0.01	< 10	1.19	975
97D-275	201 202	< 5	< 0.2	6.13	60	10	< 0.5	< 2	2.81	< 0.5	16	27	35	3.59	10	< 1	0.02	< 10	1.21	775
97D-276	201 202	35	0.2	6.97	100	70	< 0.5	< 2	3.05	1.0	25	48	68	4.42	10	< 1	0.05	< 10	1.65	1200
97D-277	201 202	< 5	< 0.2	5.12	44	50	< 0.5	< 2	1.99	< 0.5	19	37	38	4.42	10	< 1	0.04	< 10	0.97	825
97D-278	201 202	< 5	< 0.2	3.22	12	30	< 0.5	< 2	0.66	< 0.5	15	23	13	4.04	10	< 1	0.04	< 10	0.87	1355
97D-279	201 202	< 5	< 0.2	4.53	14	< 10	< 0.5	< 2	1.74	< 0.5	32	66	142	7.28	10	< 1	< 0.01	< 10	2.40	1125
97D-280	201 202	< 5	< 0.2	2.78	28	40	< 0.5	< 2	2.89	0.5	12	35	22	3.31	< 10	< 1	0.04	< 10	1.02	815

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 29-JUL-97
 Invoice No. : I9731364
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731364

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97D-243	201	202	5	< 0.01	106	240	2	< 2	11	23	0.30	< 10	< 10	148	< 10	100
97D-244	201	202	4	< 0.01	106	420	2	< 2	12	26	0.32	< 10	< 10	152	< 10	84
97D-245	201	202	4	< 0.01	55	180	2	< 2	16	20	0.34	< 10	< 10	187	< 10	108
97D-247	201	202	5	< 0.01	61	180	8	< 2	14	32	0.33	< 10	< 10	170	< 10	94
97D-248	201	202	5	< 0.01	57	370	12	< 2	11	39	0.34	< 10	< 10	163	< 10	140
97D-250	201	202	4	< 0.01	47	330	2	< 2	14	25	0.37	< 10	< 10	194	< 10	118
97D-251	201	202	4	< 0.01	33	330	6	< 2	8	26	0.32	< 10	< 10	152	< 10	98
97D-253	201	202	4	< 0.01	35	250	6	< 2	11	49	0.43	< 10	< 10	230	< 10	144
97D-254	201	202	3	< 0.01	38	320	< 2	< 2	13	33	0.48	< 10	< 10	276	< 10	134
97D-255	201	202	2	< 0.01	68	200	< 2	< 2	11	52	0.45	< 10	< 10	198	< 10	122
97D-256	201	202	4	< 0.01	48	240	4	< 2	10	39	0.37	< 10	< 10	191	< 10	86
97D-257	201	202	4	0.01	45	310	2	2	10	104	0.15	< 10	< 10	120	< 10	94
97D-258	201	202	4	< 0.01	32	200	6	< 2	8	96	0.33	< 10	< 10	151	< 10	94
97D-259	201	202	5	0.01	108	310	< 2	< 2	8	76	0.20	< 10	< 10	148	< 10	88
97D-260	201	202	3	0.01	31	240	2	< 2	11	167	0.24	< 10	< 10	155	< 10	102
97D-261	201	202	4	< 0.01	57	240	4	< 2	13	30	0.30	< 10	< 10	163	< 10	110
97D-262	201	202	4	< 0.01	89	370	10	2	11	41	0.22	< 10	< 10	130	< 10	224
97D-263	201	202	7	< 0.01	83	660	6	< 2	9	35	0.21	< 10	< 10	182	< 10	280
97D-264	201	202	7	< 0.01	89	680	2	< 2	10	37	0.21	< 10	< 10	139	< 10	148
97D-265	201	202	4	< 0.01	24	580	20	< 2	4	89	0.13	< 10	< 10	64	< 10	130
97D-266	201	202	5	< 0.01	34	970	18	< 2	5	73	0.15	< 10	< 10	82	< 10	114
97D-267	201	202	5	< 0.01	79	250	4	< 2	9	113	0.22	< 10	< 10	137	< 10	98
97D-268	201	202	5	0.01	48	460	8	< 2	12	70	0.16	< 10	< 10	144	< 10	136
97D-270	201	202	3	0.02	21	350	10	< 2	6	30	0.20	< 10	< 10	85	< 10	76
97D-273	201	202	4	< 0.01	25	340	8	< 2	9	31	0.37	< 10	< 10	126	< 10	88
97D-274	201	202	5	< 0.01	26	300	12	< 2	8	30	0.34	< 10	< 10	126	< 10	96
97D-275	201	202	3	< 0.01	18	360	12	< 2	5	82	0.19	< 10	< 10	59	< 10	102
97D-276	201	202	7	0.02	44	790	6	< 2	9	110	0.15	< 10	< 10	106	< 10	160
97D-277	201	202	4	< 0.01	31	370	10	< 2	7	59	0.14	< 10	< 10	71	< 10	88
97D-278	201	202	3	< 0.01	13	220	8	< 2	5	19	0.23	< 10	< 10	66	< 10	86
97D-279	201	202	4	0.01	55	330	6	< 2	10	32	0.42	< 10	< 10	160	< 10	122
97D-280	201	202	4	0.01	24	1090	8	< 2	5	34	0.17	< 10	< 10	99	< 10	128



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 16-JUL-97
 Invoice No.: 19731365
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9731365

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-194	205 226	< 5	< 0.2	0.42	8	30	< 0.5	< 2	0.03	< 0.5	3	99	5	1.40	< 10	< 1	0.11	10	0.04	160
97D-195	205 226	< 5	< 0.2	0.47	< 2	< 10	< 0.5	< 2	0.43	< 0.5	3	136	2	0.92	< 10	< 1	< 0.01	< 10	0.15	80
97D-198	205 226	< 5	< 0.2	0.30	14	20	< 0.5	< 2	1.65	< 0.5	4	96	14	1.71	< 10	< 1	0.06	< 10	0.48	390
97D-202	205 226	< 5	1.6	0.01	< 2	< 10	< 0.5	< 2	>15.00	< 0.5	< 1	4	< 1	0.13	< 10	1	< 0.01	< 10	0.31	225
97D-203	205 226	< 5	0.2	2.72	12	80	< 0.5	< 2	2.75	< 0.5	22	69	80	4.72	10	< 1	0.17	< 10	2.40	955
97D-204	205 226	< 5	0.2	0.54	8	10	< 0.5	< 2	6.21	< 0.5	18	80	30	3.26	< 10	3	0.03	< 10	2.84	665
97D-205	205 226	10	< 0.2	0.19	14	20	< 0.5	< 2	0.04	< 0.5	9	119	2	1.12	< 10	< 1	0.08	10	0.01	120
97D-207	205 226	< 5	< 0.2	0.43	84	30	< 0.5	< 2	1.15	< 0.5	12	4	56	5.60	< 10	< 1	< 0.01	< 10	0.31	1605
97D-214	205 226	< 5	< 0.2	0.80	2	220	< 0.5	< 2	0.58	< 0.5	8	113	1	1.65	< 10	< 1	0.05	< 10	0.46	1645
97D-237	205 226	< 5	< 0.2	1.67	28	< 10	< 0.5	< 2	0.29	< 0.5	14	169	36	3.34	< 10	< 1	0.07	< 10	0.62	230
97D-240	205 226	5	< 0.2	0.30	30	10	< 0.5	< 2	0.03	< 0.5	< 1	77	7	1.22	< 10	< 1	0.07	< 10	0.02	165
97D-246	205 226	< 5	0.6	1.98	< 2	30	< 0.5	< 2	9.83	< 0.5	16	13	40	3.99	< 10	< 1	0.05	< 10	1.02	2390
97D-249	205 226	< 5	< 0.2	0.84	16	660	< 0.5	< 2	0.03	< 0.5	4	73	35	1.94	< 10	< 1	0.02	< 10	0.82	470
97D-252	205 226	< 5	< 0.2	1.73	< 2	10	< 0.5	< 2	0.21	< 0.5	8	13	< 1	0.70	< 10	< 1	0.16	< 10	2.46	255
97D-267	205 226	< 5	< 0.2	0.36	< 2	30	< 0.5	< 2	0.17	< 0.5	1	89	7	1.41	< 10	< 1	0.15	< 10	0.05	115
97D-271	205 226	< 5	< 0.2	0.46	10	20	< 0.5	< 2	0.09	< 0.5	< 1	49	4	1.84	< 10	< 1	0.10	10	0.13	410
97D-272	205 226	< 5	0.2	2.47	< 2	10	< 0.5	< 2	4.81	< 0.5	3	119	5	0.72	< 10	< 1	< 0.01	< 10	0.03	105

CERTIFICATION: Hart Beck



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-JUL-97
 Invoice No. : 19731365
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9731365

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-194	205 226	< 1	0.05	4	110	2	< 2	2	3	< 0.01	< 10	< 10	5	< 10	46
97D-195	205 226	< 1	0.04	1	220	< 2	< 2	2	45	0.06	< 10	< 10	11	< 10	6
97D-198	205 226	< 1	0.08	3	540	2	< 2	3	21	< 0.01	< 10	< 10	9	< 10	24
97D-202	205 226	2	< 0.01	< 1	100	< 2	< 2	< 1	352	< 0.01	< 10	< 10	2	< 10	< 2
97D-203	205 226	1	0.02	41	2650	2	< 2	10	232	0.09	< 10	< 10	117	< 10	78
97D-204	205 226	< 1	< 0.01	41	190	< 2	< 2	18	175	< 0.01	< 10	< 10	90	< 10	34
97D-205	205 226	< 1	0.06	3	10	< 2	< 2	1	3	< 0.01	< 10	< 10	4	< 10	8
97D-207	205 226	< 1	0.01	2	290	< 2	< 2	< 1	51	0.01	< 10	< 10	11	< 10	58
97D-214	205 226	< 1	< 0.01	34	100	2	< 2	1	7	0.03	< 10	< 10	9	< 10	42
97D-237	205 226	< 1	< 0.01	21	180	< 2	< 2	5	2	0.10	< 10	< 10	74	< 10	32
97D-240	205 226	2	0.06	1	40	8	< 2	1	3	0.02	< 10	< 10	2	< 10	30
97D-246	205 226	1	0.02	6	370	< 2	6	7	71	0.10	< 10	< 10	55	< 10	32
97D-249	205 226	3	0.04	5	90	6	< 2	1	11	< 0.01	< 10	< 10	40	< 10	20
97D-252	205 226	< 1	< 0.01	14	80	< 2	< 2	< 1	2	0.15	< 10	< 10	8	< 10	64
97D-267	205 226	1	0.05	< 1	130	8	< 2	< 1	4	0.01	< 10	< 10	1	< 10	36
97D-271	205 226	1	0.05	< 1	160	8	< 2	4	3	0.07	< 10	< 10	2	< 10	40
97D-272	205 226	1	< 0.01	7	5410	< 2	< 2	5	48	0.01	< 10	< 10	154	< 10	20

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number: 1-A
 Total Pages: 2
 Certificate Date: 16-JUL-97
 Invoice No.: 19731366
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9731366

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-103	205 226	< 5	< 0.2	2.10	< 2	60	< 0.5	< 2	1.00	< 0.5	13	80	22	3.46	< 10	< 1	0.04	< 10	1.25	465
97D-104	205 226	< 5	< 0.2	2.69	2	30	< 0.5	< 2	1.50	< 0.5	17	84	38	3.52	< 10	< 1	0.04	< 10	1.74	500
97D-105	205 226	< 5	< 0.2	2.56	< 2	30	< 0.5	< 2	1.46	< 0.5	16	63	47	3.25	< 10	< 1	0.04	< 10	1.44	530
97D-106	205 226	< 5	< 0.2	0.99	< 2	60	< 0.5	< 2	0.31	< 0.5	5	143	7	1.84	< 10	< 1	0.08	< 10	0.40	365
97D-107	205 226	< 5	< 0.2	2.11	< 2	40	< 0.5	< 2	1.04	< 0.5	14	92	43	3.51	< 10	< 1	0.08	< 10	1.08	450
97D-108	205 226	< 5	< 0.2	2.02	6	10	< 0.5	< 2	0.83	< 0.5	13	92	16	3.34	< 10	< 1	0.05	< 10	1.39	415
97D-109	205 226	< 5	< 0.2	1.71	< 2	90	< 0.5	< 2	0.52	< 0.5	14	76	29	3.04	< 10	< 1	0.09	< 10	1.36	495
97D-110	205 226	< 5	< 0.2	2.27	2	60	< 0.5	< 2	0.49	< 0.5	17	94	33	3.46	< 10	< 1	0.09	< 10	2.20	610
97D-111	205 226	< 5	< 0.2	1.97	< 2	30	< 0.5	< 2	0.91	< 0.5	13	70	38	3.13	< 10	2	0.06	< 10	1.17	460
97D-112	205 226	< 5	< 0.2	2.14	< 2	50	< 0.5	< 2	0.62	< 0.5	13	102	31	3.28	< 10	< 1	0.10	< 10	1.20	535
97D-114	205 226	< 5	0.2	2.86	< 2	50	< 0.5	< 2	0.84	< 0.5	20	88	82	5.18	10	< 1	0.05	< 10	1.97	715
97D-115	205 226	< 5	< 0.2	3.53	< 2	40	< 0.5	< 2	0.62	< 0.5	23	98	33	5.32	10	< 1	0.05	< 10	3.17	955
97D-117	205 226	< 5	< 0.2	3.03	10	100	0.5	< 2	0.70	< 0.5	21	82	49	5.08	10	1	0.17	< 10	2.30	765
97D-118	205 226	< 5	< 0.2	2.13	< 2	20	< 0.5	< 2	1.36	< 0.5	15	49	87	3.60	10	< 1	0.06	< 10	1.32	535
97D-119	205 226	< 5	< 0.2	2.38	< 2	20	< 0.5	< 2	1.39	< 0.5	15	64	49	3.63	< 10	< 1	0.07	< 10	1.48	515
97D-121	205 226	< 5	< 0.2	2.30	2	30	< 0.5	< 2	1.02	< 0.5	17	75	26	3.64	< 10	1	0.07	< 10	1.29	620
97D-122	205 226	< 5	< 0.2	2.83	6	80	< 0.5	< 2	0.65	< 0.5	19	76	38	4.97	10	< 1	0.13	< 10	1.64	865
97D-124	205 226	< 5	< 0.2	3.27	6	90	< 0.5	< 2	0.55	< 0.5	19	102	39	5.38	10	1	0.11	< 10	2.02	1135
97D-126	205 226	< 5	< 0.2	3.46	< 2	10	< 0.5	< 2	1.74	< 0.5	27	86	143	5.93	10	< 1	0.01	< 10	2.03	710
97D-127	205 226	< 5	< 0.2	2.94	< 2	< 10	< 0.5	< 2	1.56	< 0.5	25	98	144	5.40	10	2	0.01	< 10	1.96	635
97D-128	205 226	35	< 0.2	2.55	< 2	40	< 0.5	< 2	0.93	< 0.5	21	97	100	4.87	10	< 1	< 0.01	< 10	1.78	630
97D-131	205 226	< 5	< 0.2	1.88	< 2	30	< 0.5	< 2	0.74	< 0.5	13	55	54	3.40	< 10	1	0.04	< 10	1.53	550
97D-133	205 226	< 5	< 0.2	3.36	2	80	< 0.5	< 2	0.55	< 0.5	25	114	33	5.15	10	< 1	0.18	< 10	3.08	805
97D-136	205 226	< 5	< 0.2	2.75	< 2	20	< 0.5	< 2	0.61	< 0.5	14	54	54	4.40	10	< 1	0.04	< 10	2.25	870
97D-137	205 226	< 5	< 0.2	2.29	< 2	30	< 0.5	< 2	0.73	< 0.5	16	58	46	4.05	< 10	< 1	0.06	< 10	1.73	715
97D-138	205 226	< 5	< 0.2	2.27	< 2	20	< 0.5	< 2	0.92	< 0.5	16	69	30	3.57	< 10	< 1	0.05	< 10	1.50	580
97D-139	205 226	< 5	< 0.2	2.66	< 2	< 10	< 0.5	< 2	1.55	< 0.5	22	116	146	4.60	10	< 1	< 0.01	< 10	1.78	590
97D-140	205 226	< 5	< 0.2	1.70	6	50	< 0.5	< 2	0.16	< 0.5	16	61	4	3.51	< 10	< 1	0.08	< 10	1.23	1150
97D-141	205 226	< 5	< 0.2	2.18	8	110	< 0.5	< 2	0.58	< 0.5	13	55	31	3.68	< 10	< 1	0.07	< 10	1.37	495
97D-142	205 226	< 5	< 0.2	2.80	2	90	< 0.5	< 2	0.72	< 0.5	14	65	42	5.10	10	< 1	0.10	< 10	1.80	690
97D-143	205 226	< 5	< 0.2	1.87	16	290	< 0.5	< 2	0.64	0.5	9	51	36	3.59	< 10	< 1	0.13	< 10	1.01	565
97D-144	205 226	< 5	< 0.2	2.47	84	160	< 0.5	< 2	0.90	0.5	18	118	55	4.45	< 10	< 1	0.08	< 10	1.77	630
97D-145	205 226	< 5	< 0.2	2.33	50	410	< 0.5	< 2	0.64	< 0.5	15	86	109	4.20	< 10	1	0.09	< 10	1.81	475
97D-146	205 226	< 5	< 0.2	2.63	16	50	< 0.5	< 2	0.47	< 0.5	17	79	28	4.54	10	< 1	0.09	< 10	2.22	870
97D-147	205 226	< 5	< 0.2	2.47	20	110	< 0.5	< 2	0.40	< 0.5	19	66	24	4.61	10	1	0.07	< 10	1.93	3120
97D-148	205 226	< 5	< 0.2	3.31	96	90	< 0.5	< 2	0.37	< 0.5	23	68	35	5.71	10	1	0.09	< 10	2.63	695
97D-150	205 226	< 5	< 0.2	2.70	40	50	< 0.5	< 2	0.53	< 0.5	21	71	45	5.29	10	1	0.09	< 10	2.19	765
97D-151	205 226	10	0.2	2.83	230	70	< 0.5	< 2	0.39	< 0.5	18	88	28	4.71	10	< 1	0.10	< 10	2.36	830
97D-152	205 226	< 5	< 0.2	2.89	70	200	< 0.5	< 2	0.39	< 0.5	15	56	38	5.18	10	< 1	0.13	< 10	2.00	675
97D-153	205 226	< 5	< 0.2	2.71	38	290	< 0.5	< 2	0.54	< 0.5	16	64	43	4.61	10	< 1	0.15	< 10	1.84	660

CERTIFICATION:

Walt Pecher



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
Total Pages : 2
Certificate Date: 16-JUL-97
Invoice No. : 19731366
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9731366

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-103	205 226	< 1	0.01	18	330	< 2	2	8	59	0.22	< 10	< 10	92	< 10	44
97D-104	205 226	< 1	0.05	37	680	< 2	< 2	10	46	0.22	< 10	< 10	101	< 10	52
97D-105	205 226	< 1	0.04	18	550	< 2	2	10	59	0.22	< 10	< 10	98	< 10	42
97D-106	205 226	< 1	0.03	8	190	< 2	< 2	4	21	0.09	< 10	< 10	24	< 10	36
97D-107	205 226	< 1	0.03	15	340	< 2	< 2	9	52	0.17	< 10	< 10	103	< 10	40
97D-108	205 226	< 1	0.02	21	630	< 2	2	8	39	0.19	< 10	< 10	88	< 10	34
97D-109	205 226	< 1	0.01	18	550	< 2	< 2	7	23	0.07	< 10	< 10	63	< 10	60
97D-110	205 226	< 1	0.01	24	580	< 2	4	6	22	0.19	< 10	< 10	86	< 10	62
97D-111	205 226	< 1	0.03	19	370	< 2	< 2	7	32	0.12	< 10	< 10	82	< 10	48
97D-112	205 226	< 1	0.03	17	310	< 2	2	9	19	0.09	< 10	< 10	74	< 10	50
97D-114	205 226	< 1	< 0.01	40	280	< 2	< 2	8	19	0.29	< 10	< 10	104	< 10	84
97D-115	205 226	< 1	< 0.01	34	380	< 2	< 2	10	18	0.23	< 10	< 10	118	< 10	82
97D-117	205 226	< 1	< 0.01	28	610	< 2	< 2	10	30	0.26	< 10	< 10	128	< 10	86
97D-118	205 226	< 1	0.05	16	660	< 2	< 2	8	34	0.22	< 10	< 10	105	< 10	68
97D-119	205 226	< 1	0.04	20	780	< 2	2	9	36	0.23	< 10	< 10	103	< 10	54
97D-121	205 226	< 1	0.03	19	450	< 2	< 2	8	31	0.25	< 10	< 10	98	< 10	68
97D-122	205 226	< 1	0.02	36	750	< 2	2	12	37	0.11	< 10	< 10	102	< 10	84
97D-124	205 226	< 1	< 0.01	48	540	< 2	4	13	27	0.16	< 10	< 10	113	< 10	90
97D-126	205 226	< 1	< 0.01	54	280	< 2	2	14	24	0.23	< 10	< 10	107	< 10	74
97D-127	205 226	< 1	< 0.01	50	280	< 2	< 2	9	30	0.20	< 10	< 10	77	< 10	76
97D-128	205 226	< 1	< 0.01	43	460	< 2	2	7	16	0.47	< 10	< 10	132	< 10	74
97D-131	205 226	< 1	0.01	13	830	< 2	< 2	6	39	0.15	< 10	< 10	89	< 10	96
97D-133	205 226	< 1	< 0.01	51	820	< 2	2	9	19	0.26	< 10	< 10	120	< 10	76
97D-136	205 226	< 1	< 0.01	12	680	< 2	< 2	10	28	0.19	< 10	< 10	125	< 10	172
97D-137	205 226	< 1	0.02	14	720	8	< 2	8	40	0.17	< 10	< 10	109	< 10	138
97D-138	205 226	< 1	0.01	20	710	< 2	< 2	8	45	0.20	< 10	< 10	89	< 10	88
97D-139	205 226	< 1	< 0.01	54	240	< 2	< 2	6	27	0.31	< 10	< 10	75	< 10	62
97D-140	205 226	< 1	0.01	8	300	2	< 2	5	9	0.05	< 10	< 10	79	< 10	56
97D-141	205 226	1	0.01	20	610	< 2	< 2	8	25	0.10	< 10	< 10	82	< 10	74
97D-142	205 226	2	< 0.01	27	980	< 2	2	11	31	0.13	< 10	< 10	109	< 10	106
97D-143	205 226	7	0.03	26	750	2	< 2	8	31	< 0.01	< 10	< 10	91	< 10	132
97D-144	205 226	< 1	0.01	81	860	< 2	8	10	33	0.18	< 10	< 10	119	< 10	98
97D-145	205 226	1	0.02	58	820	< 2	2	10	26	0.07	< 10	< 10	92	< 10	94
97D-146	205 226	< 1	< 0.01	28	790	< 2	4	9	15	0.16	< 10	< 10	105	< 10	82
97D-147	205 226	< 1	< 0.01	27	640	< 2	2	8	19	0.14	< 10	< 10	96	< 10	106
97D-148	205 226	< 1	0.01	35	770	4	< 2	14	16	0.03	< 10	< 10	120	< 10	88
97D-150	205 226	< 1	< 0.01	32	970	< 2	2	11	14	0.20	< 10	< 10	122	< 10	88
97D-151	205 226	< 1	< 0.01	37	790	20	4	10	14	0.07	< 10	< 10	105	< 10	94
97D-152	205 226	1	0.02	24	860	< 2	2	10	21	0.02	< 10	< 10	107	< 10	114
97D-153	205 226	< 1	0.02	34	750	2	4	9	27	0.07	< 10	< 10	96	< 10	162

CERTIFICATION:

David Richler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project : MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 16-JUL-97
 Invoice No. : I9731366
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9731366

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-154	205 226	< 5	< 0.2	2.23	8	30	< 0.5	< 2	0.69	< 0.5	16	75	18	4.70	< 10	< 1	0.06	< 10	1.59	975
97D-155	205 226	< 5	< 0.2	2.48	2	30	< 0.5	< 2	0.63	< 0.5	21	84	19	4.81	< 10	< 1	0.07	< 10	1.71	1725
97D-156	205 226	< 5	< 0.2	1.90	16	20	< 0.5	< 2	0.41	< 0.5	17	72	5	4.23	< 10	< 1	0.05	< 10	1.25	1075
97D-157	205 226	< 5	< 0.2	2.50	6	50	< 0.5	< 2	0.63	< 0.5	17	73	23	4.67	10	< 1	0.08	< 10	1.76	1040
97D-159	205 226	< 5	< 0.2	3.58	< 2	30	0.5	< 2	1.05	< 0.5	22	143	47	5.27	10	< 1	0.06	< 10	3.16	1015
97D-161	205 226	< 5	< 0.2	2.85	2	20	< 0.5	< 2	1.66	< 0.5	14	102	29	3.64	< 10	< 1	0.05	< 10	1.97	1040
97D-162	205 226	< 5	< 0.2	1.99	< 2	10	< 0.5	< 2	0.72	< 0.5	9	29	8	3.32	< 10	< 1	0.06	< 10	1.05	570
97D-163	205 226	< 5	< 0.2	1.89	< 2	40	< 0.5	< 2	0.32	< 0.5	10	58	22	3.48	< 10	< 1	0.06	< 10	1.64	835
97D-165	205 226	< 5	< 0.2	1.64	12	160	< 0.5	< 2	0.50	< 0.5	13	65	23	3.67	< 10	3	0.09	< 10	0.77	575
97D-167	205 226	< 5	< 0.2	1.98	< 2	50	< 0.5	< 2	0.48	< 0.5	15	63	17	3.71	< 10	< 1	0.05	< 10	1.10	510
97D-168	205 226	< 5	< 0.2	1.83	< 2	30	< 0.5	< 2	0.74	< 0.5	13	60	14	3.35	< 10	< 1	0.04	< 10	1.22	735
97D-169	205 226	< 5	< 0.2	2.12	< 2	50	< 0.5	< 2	0.53	< 0.5	12	71	38	3.34	< 10	< 1	0.06	< 10	1.71	695
97D-170	205 226	< 5	< 0.2	1.62	< 2	40	< 0.5	< 2	0.61	< 0.5	9	81	14	2.71	< 10	< 1	0.07	< 10	0.95	480
97D-171	205 226	< 5	< 0.2	2.77	< 2	40	< 0.5	< 2	1.33	< 0.5	14	63	32	3.39	< 10	< 1	0.05	< 10	1.43	510
97D-175	205 226	< 5	< 0.2	2.15	2	80	< 0.5	< 2	0.61	< 0.5	14	80	29	3.69	< 10	3	0.07	< 10	1.70	565
97D-178	205 226	< 5	< 0.2	2.19	< 2	30	< 0.5	< 2	0.72	< 0.5	17	80	36	3.62	< 10	< 1	0.04	< 10	1.87	555
97D-179	205 226	< 5	< 0.2	2.46	24	40	< 0.5	< 2	1.68	< 0.5	17	92	45	3.80	< 10	< 1	0.02	< 10	1.30	1440
97D-180	205 226	< 5	< 0.2	3.44	8	20	< 0.5	< 2	1.65	< 0.5	25	77	101	5.57	10	< 1	0.01	< 10	2.13	700
97D-182	205 226	< 5	< 0.2	3.10	320	< 10	< 0.5	56	0.98	< 0.5	27	103	148	6.58	10	< 1	< 0.01	< 10	2.34	725
97D-186	205 226	< 5	< 0.2	2.63	24	< 10	< 0.5	< 2	1.16	< 0.5	22	110	103	4.90	10	< 1	< 0.01	< 10	2.05	565
97D-187	205 226	< 5	< 0.2	2.82	28	< 10	< 0.5	< 2	1.17	< 0.5	26	94	133	5.49	10	< 1	< 0.01	< 10	2.23	650
97D-188	205 226	< 5	< 0.2	2.49	< 2	< 10	< 0.5	2	1.04	< 0.5	21	77	98	4.72	< 10	< 1	< 0.01	< 10	1.95	520
97D-189	205 226	< 5	< 0.2	2.52	44	< 10	< 0.5	< 2	0.80	< 0.5	27	73	86	4.67	< 10	1	< 0.01	< 10	1.78	580
97D-190	205 226	< 5	< 0.2	2.49	14	< 10	< 0.5	2	1.16	< 0.5	21	53	114	6.47	10	< 1	< 0.01	< 10	1.65	710
97D-191	205 226	40	< 0.2	3.17	18	< 10	< 0.5	< 2	1.18	< 0.5	25	88	152	6.63	10	< 1	< 0.01	< 10	2.19	825

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 2-B
Total Pages : 2
Certificate Date: 16-JUL-97
Invoice No. : 19731366
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS A9731366

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-154	205 226	< 1	< 0.01	20	740	< 2	< 2	9	48	0.21	< 10	< 10	100	< 10	154
97D-155	205 226	< 1	< 0.01	22	660	< 2	4	9	50	0.16	< 10	< 10	96	< 10	164
97D-156	205 226	< 1	0.03	14	130	< 2	< 2	4	25	0.12	< 10	< 10	114	< 10	58
97D-157	205 226	< 1	0.01	20	630	< 2	< 2	9	31	0.18	< 10	< 10	107	< 10	120
97D-159	205 226	< 1	< 0.01	75	670	< 2	< 2	14	19	0.33	< 10	< 10	132	< 10	138
97D-161	205 226	< 1	< 0.01	36	320	2	< 2	9	40	0.19	< 10	< 10	90	< 10	82
97D-162	205 226	< 1	0.03	5	370	< 2	< 2	4	30	0.12	< 10	< 10	49	< 10	38
97D-163	205 226	< 1	0.01	9	380	< 2	< 2	8	9	0.13	< 10	< 10	72	< 10	78
97D-165	205 226	< 1	0.02	19	560	< 2	2	10	36	0.04	< 10	< 10	62	< 10	60
97D-167	205 226	< 1	0.01	10	490	< 2	< 2	7	32	0.12	< 10	< 10	73	< 10	94
97D-168	205 226	< 1	0.01	10	560	< 2	< 2	6	63	0.19	< 10	< 10	82	< 10	76
97D-169	205 226	< 1	0.01	14	600	< 2	< 2	7	37	0.13	< 10	< 10	75	< 10	108
97D-170	205 226	< 1	0.03	12	470	< 2	< 2	6	24	0.11	< 10	< 10	56	< 10	40
97D-171	205 226	< 1	0.04	19	390	< 2	4	9	48	0.13	< 10	< 10	93	< 10	46
97D-175	205 226	< 1	0.01	21	780	< 2	< 2	7	38	0.14	< 10	< 10	76	< 10	74
97D-178	205 226	< 1	< 0.01	37	590	< 2	< 2	6	22	0.20	< 10	< 10	81	< 10	60
97D-179	205 226	< 1	< 0.01	46	260	< 2	< 2	7	24	0.24	< 10	< 10	88	< 10	70
97D-180	205 226	< 1	< 0.01	64	250	< 2	4	11	15	0.35	< 10	< 10	137	< 10	82
97D-182	205 226	< 1	< 0.01	56	370	< 2	< 2	14	14	0.48	< 10	< 10	188	< 10	64
97D-186	205 226	< 1	< 0.01	47	290	< 2	< 2	9	16	0.33	< 10	< 10	110	< 10	66
97D-187	205 226	< 1	< 0.01	50	340	< 2	< 2	11	15	0.44	< 10	< 10	145	< 10	66
97D-188	205 226	< 1	< 0.01	48	290	< 2	2	7	17	0.43	< 10	< 10	119	< 10	70
97D-189	205 226	< 1	< 0.01	51	200	< 2	< 2	8	11	0.35	< 10	< 10	127	< 10	84
97D-190	205 226	< 1	< 0.01	29	300	< 2	< 2	8	12	0.48	< 10	< 10	145	< 10	78
97D-191	205 226	< 1	< 0.01	49	460	< 2	< 2	11	12	0.57	< 10	< 10	170	< 10	100

CERTIFICATION: Hart Richter



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project : MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 1-A
Total Pages : 1
Certificate Date: 16-JUL-97
Invoice No. : I9731367
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9731367

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D-036	205 226	< 5	0.6	1.06	36	50	< 0.5	< 2	2.27	< 0.5	10	29	19	7.15	< 10	< 1	0.07	< 10	0.67	500
97D-099	205 226	< 5	< 0.2	0.39	< 2	130	< 0.5	< 2	1.91	< 0.5	4	60	61	1.91	< 10	< 1	0.08	< 10	0.46	505
97D-100	205 226	< 5	0.8	0.72	56	< 10	< 0.5	< 2	9.70	< 0.5	23	10	1580	9.64	< 10	< 1	< 0.01	< 10	0.07	4360
97D-101	205 226	< 5	< 0.2	1.65	4	30	< 0.5	< 2	1.10	< 0.5	10	53	5	3.13	< 10	< 1	0.12	10	0.83	320
97D-102	205 226	< 5	< 0.2	0.38	8	40	< 0.5	< 2	2.33	< 0.5	4	11	4	2.74	< 10	< 1	< 0.01	< 10	0.10	2060
97D-102A	205 226	< 5	0.4	0.20	352	< 10	< 0.5	< 2	0.06	< 0.5	523	118	1705	10.90	< 10	26	< 0.01	< 10	0.10	80
97D-113	205 226	< 5	< 0.2	1.58	80	140	< 0.5	< 2	0.03	< 0.5	5	68	35	2.40	< 10	1	0.13	< 10	0.98	205
97D-116	205 226	10	< 0.2	0.84	68	60	< 0.5	< 2	0.08	< 0.5	3	35	50	2.32	< 10	< 1	0.10	< 10	0.07	75
97D-120	205 226	< 5	< 0.2	1.15	< 2	< 10	< 0.5	< 2	0.91	< 0.5	54	69	471	4.57	< 10	< 1	0.04	< 10	0.34	125
97D-123	205 226	< 5	0.4	0.69	42	40	< 0.5	< 2	8.51	< 0.5	14	31	16	6.68	< 10	< 1	0.07	< 10	2.98	1840
97D-125	205 226	< 5	0.4	1.46	< 2	10	< 0.5	< 2	9.49	< 0.5	13	37	7	4.48	< 10	< 1	0.03	< 10	3.45	1120
97D-129	205 226	< 5	0.2	2.10	8	80	< 0.5	< 2	0.50	< 0.5	14	19	6	4.34	10	< 1	0.08	< 10	2.26	170
97D-130	205 226	810	0.6	1.01	12	200	< 0.5	< 2	0.12	3.0	6	119	74	2.96	< 10	< 1	0.02	< 10	0.72	145
97D-132	205 226	< 5	< 0.2	2.44	< 2	10	< 0.5	< 2	0.94	< 0.5	26	105	8	3.02	< 10	< 1	0.03	< 10	2.43	535
97D-134	205 226	< 5	0.2	0.66	< 2	120	< 0.5	< 2	3.03	< 0.5	12	27	65	4.10	< 10	< 1	0.23	< 10	1.11	780
97D-135	205 226	< 5	< 0.2	0.52	4	130	< 0.5	< 2	1.19	< 0.5	6	45	12	2.39	< 10	< 1	0.13	< 10	0.47	510
97D-149	205 226	< 5	< 0.2	2.92	144	10	< 0.5	< 2	3.37	< 0.5	18	32	31	5.53	10	< 1	0.04	< 10	2.50	675
97D-158	205 226	10	0.2	0.96	12	40	< 0.5	< 2	0.03	< 0.5	6	91	26	1.78	< 10	< 1	0.06	< 10	0.79	235
97D-160	205 226	5	< 0.2	1.39	< 2	60	< 0.5	< 2	0.10	< 0.5	7	52	17	2.25	< 10	< 1	0.06	< 10	0.90	675
97D-164	205 226	< 5	< 0.2	2.50	< 2	130	1.5	< 2	0.88	< 0.5	27	29	32	5.34	10	< 1	0.13	< 10	1.42	525
97D-166	205 226	< 5	< 0.2	0.55	6	50	< 0.5	< 2	0.32	< 0.5	1	101	1	1.68	< 10	< 1	0.05	< 10	0.23	155
97D-172	205 226	< 5	< 0.2	1.27	< 2	< 10	< 0.5	< 2	0.76	< 0.5	4	82	5	1.82	< 10	< 1	< 0.01	< 10	0.84	240
97D-173	205 226	< 5	< 0.2	0.75	6	30	< 0.5	< 2	0.10	< 0.5	8	44	3	1.56	< 10	< 1	0.08	< 10	0.58	180
97D-174	205 226	< 5	< 0.2	1.20	6	< 10	< 0.5	< 2	1.09	< 0.5	8	29	23	4.22	< 10	< 1	0.02	< 10	0.91	335
97D-176	205 226	< 5	< 0.2	1.52	< 2	< 10	< 0.5	< 2	2.29	< 0.5	< 1	52	< 1	0.97	< 10	< 1	< 0.01	< 10	0.01	155
97D-177	205 226	< 5	< 0.2	0.52	< 2	< 10	< 0.5	< 2	0.42	< 0.5	5	28	12	1.44	< 10	< 1	< 0.01	< 10	0.42	135
97D-181	205 226	< 5	< 0.2	0.60	18	20	< 0.5	< 2	0.03	< 0.5	1	63	3	1.10	< 10	< 1	0.13	10	0.07	50
97D-183	205 226	< 5	< 0.2	2.39	12	30	< 0.5	2	1.18	< 0.5	24	37	165	4.71	10	< 1	< 0.01	< 10	1.81	455
97D-184	205 226	< 5	< 0.2	0.46	2	< 10	< 0.5	< 2	0.38	< 0.5	1	149	2	0.56	< 10	< 1	0.01	< 10	0.18	230
97D-185	205 226	< 5	< 0.2	0.16	16	10	< 0.5	< 2	0.11	< 0.5	1	132	2	0.25	< 10	< 1	0.06	< 10	0.02	30

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-JUL-97
 Invoice No. : 19731367
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731367

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D-036	205 226	< 1	0.03	8	710	2	2	7	24	< 0.01	< 10	< 10	53	< 10	118
97D-099	205 226	< 1	0.06	1	320	< 2	< 2	4	21	< 0.01	< 10	< 10	10	< 10	18
97D-100	205 226	< 1	< 0.01	5	70	< 2	4	< 1	< 1	< 0.01	< 10	< 10	6	< 10	54
97D-101	205 226	< 1	0.04	14	950	< 2	< 2	9	26	< 0.01	< 10	< 10	60	< 10	28
97D-102	205 226	< 1	< 0.01	< 1	100	< 2	< 2	< 1	3	< 0.01	< 10	< 10	5	< 10	34
97D-102A	205 226	< 1	< 0.01	911	50	6	2	< 1	< 1	< 0.01	< 10	< 10	5	< 10	2
97D-113	205 226	< 1	< 0.01	30	140	2	< 2	1	4	< 0.01	< 10	< 10	17	< 10	88
97D-116	205 226	< 1	0.04	3	390	6	< 2	< 1	5	< 0.01	< 10	< 10	1	< 10	58
97D-120	205 226	22	0.04	39	290	< 2	< 2	4	3	0.07	< 10	< 10	76	< 10	22
97D-123	205 226	< 1	< 0.01	17	300	< 2	8	11	247	< 0.01	< 10	< 10	78	< 10	36
97D-125	205 226	< 1	< 0.01	15	210	< 2	< 2	7	134	< 0.01	< 10	< 10	110	< 10	34
97D-129	205 226	< 1	< 0.01	14	580	< 2	< 2	8	8	0.26	< 10	< 10	77	< 10	12
97D-130	205 226	3	0.03	50	320	14	2	8	3	0.08	< 10	< 10	62	< 10	106
97D-132	205 226	< 1	< 0.01	73	480	< 2	< 2	3	87	0.26	< 10	< 10	70	< 10	36
97D-134	205 226	6	0.04	14	400	< 2	< 2	12	72	< 0.01	< 10	< 10	24	< 10	50
97D-135	205 226	< 1	0.04	8	450	< 2	< 2	4	23	< 0.01	< 10	< 10	10	< 10	40
97D-149	205 226	< 1	0.04	21	1020	< 2	6	11	216	< 0.01	< 10	< 10	99	< 10	78
97D-158	205 226	1	0.01	46	50	< 2	< 2	1	2	0.01	< 10	< 10	19	< 10	66
97D-160	205 226	< 1	< 0.01	41	90	< 2	< 2	2	3	0.05	< 10	< 10	27	< 10	72
97D-164	205 226	1	0.02	21	2160	2	2	23	68	0.01	< 10	< 10	147	< 10	134
97D-166	205 226	< 1	0.05	1	250	2	< 2	4	23	0.17	< 10	< 10	32	< 10	12
97D-172	205 226	1	0.01	5	310	2	< 2	3	111	0.12	< 10	< 10	25	< 10	26
97D-173	205 226	2	0.03	< 1	80	4	< 2	1	6	0.07	< 10	< 10	3	< 10	28
97D-174	205 226	< 1	0.03	7	1700	< 2	< 2	4	23	0.13	< 10	< 10	111	< 10	46
97D-176	205 226	< 1	< 0.01	< 1	210	< 2	< 2	4	275	0.16	< 10	< 10	19	< 10	< 2
97D-177	205 226	< 1	0.06	< 1	540	< 2	< 2	3	22	0.10	< 10	< 10	24	< 10	22
97D-181	205 226	< 1	0.05	< 1	60	2	< 2	< 1	1	< 0.01	< 10	< 10	4	< 10	10
97D-183	205 226	< 1	< 0.01	47	480	< 2	< 2	3	17	0.48	< 10	< 10	128	< 10	118
97D-184	205 226	< 1	0.05	4	100	< 2	< 2	1	4	0.06	< 10	< 10	8	< 10	6
97D-185	205 226	< 1	0.04	3	160	< 2	< 2	< 1	3	0.03	< 10	< 10	3	< 10	2

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 16-JUL-97
 Invoice No. : 19731368
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9731368

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-092	205 226	20	< 0.2	0.41	16	50	< 0.5	< 2	0.11	< 0.5	6	76	6	1.21	< 10	< 1	0.11	10	0.20	125
97R-101	205 226	< 5	< 0.2	1.26	6	270	< 0.5	< 2	0.72	< 0.5	7	51	30	2.21	< 10	< 1	0.07	< 10	0.98	615
97R-105	205 226	315	3.0	2.13	< 2	150	< 0.5	< 2	0.06	< 0.5	3	88	6020	2.84	< 10	< 1	0.04	< 10	2.13	840
97R-113	205 226	15	0.2	1.17	18	10	< 0.5	< 2	2.49	< 0.5	31	124	152	7.06	< 10	5	0.05	< 10	1.66	1205
97R-114	205 226	10	0.2	0.97	42	< 10	< 0.5	< 2	4.17	< 0.5	15	99	227	5.20	< 10	5	0.05	< 10	2.03	885
97R-117	205 226	< 5	< 0.2	0.95	10	40	< 0.5	< 2	0.18	< 0.5	3	65	8	2.10	< 10	< 1	0.14	< 10	0.73	385
97R-128	205 226	10	< 0.2	0.14	2	< 10	< 0.5	< 2	0.10	< 0.5	< 1	221	15	0.46	< 10	< 1	0.01	< 10	0.08	50
97R-132	205 226	10	0.6	1.08	22	20	< 0.5	< 2	5.46	< 0.5	12	70	32	4.33	< 10	< 1	0.09	< 10	0.86	355
97R-135	205 226	< 5	0.2	0.23	< 2	20	< 0.5	< 2	2.37	< 0.5	2	83	9	1.29	< 10	< 1	0.04	< 10	0.49	480
97R-143	205 226	10	< 0.2	0.26	98	70	< 0.5	< 2	0.08	< 0.5	< 1	44	2	3.09	< 10	< 1	0.18	< 10	0.03	25
97R-157	205 226	< 5	0.2	3.14	2	120	< 0.5	< 2	7.06	< 0.5	25	145	72	4.09	< 10	< 1	0.07	< 10	3.30	780
97R-160	205 226	< 5	0.4	1.45	8	20	< 0.5	< 2	8.70	< 0.5	27	111	103	5.20	< 10	8	< 0.01	< 10	2.84	945

CERTIFICATION: *Walter Richards*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-JUL-97
 Invoice No. : 19731368
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9731368

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R-092	205 226	4	0.01	3	340	6	< 2	1	3	0.03	< 10	< 10	11	< 10	14
97R-101	205 226	< 1	0.02	6	2620	2	< 2	2	12	< 0.01	< 10	< 10	19	< 10	82
97R-105	205 226	6	0.01	1	220	< 2	2	2	4	0.01	< 10	< 10	13	< 10	172
97R-113	205 226	1	0.10	59	790	< 2	22	31	42	< 0.01	< 10	< 10	194	< 10	84
97R-114	205 226	< 1	0.04	27	240	< 2	26	24	32	< 0.01	< 10	< 10	164	< 10	46
97R-117	205 226	1	0.03	1	240	< 2	< 2	6	5	0.10	< 10	< 10	12	< 10	68
97R-128	205 226	< 1	< 0.01	3	30	< 2	< 2	< 1	1	< 0.01	< 10	< 10	6	< 10	4
97R-132	205 226	1	0.04	41	410	2	10	3	39	< 0.01	< 10	< 10	39	< 10	36
97R-135	205 226	< 1	0.10	2	310	< 2	< 2	7	85	< 0.01	< 10	< 10	7	< 10	12
97R-143	205 226	< 1	< 0.01	< 1	120	< 2	< 2	1	2	< 0.01	< 10	< 10	1	< 10	20
97R-157	205 226	< 1	0.20	106	160	< 2	< 2	21	373	< 0.01	< 10	< 10	94	< 10	40
97R-160	205 226	< 1	< 0.01	56	710	2	8	21	129	< 0.01	< 10	< 10	206	< 10	70

CERTIFICATION:

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number : 1-A
Total Pages : 2
Certificate Date: 18-JUL-97
Invoice No. : 19731369
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9731369

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-093	205 226	< 5	< 0.2	2.74	14	140	< 0.5	< 2	1.14	< 0.5	20	64	42	4.59	10	1	0.05	< 10	1.96	660
97R-094	205 226	< 5	< 0.2	2.83	6	580	< 0.5	< 2	0.65	< 0.5	22	73	26	4.77	10	< 1	0.06	< 10	2.12	1120
97R-095	205 226	< 5	< 0.2	2.64	< 2	190	< 0.5	< 2	0.77	< 0.5	23	57	114	5.76	10	< 1	0.09	< 10	2.16	865
97R-096	205 226	< 5	< 0.2	2.50	20	350	< 0.5	< 2	0.46	< 0.5	19	80	35	4.05	10	3	0.11	< 10	2.06	925
97R-097	205 226	< 5	< 0.2	2.89	< 2	40	< 0.5	< 2	0.64	< 0.5	21	109	32	3.87	10	< 1	0.05	< 10	2.96	645
97R-098	205 226	< 5	< 0.2	2.81	100	190	< 0.5	< 2	1.24	< 0.5	20	81	44	4.65	10	< 1	0.06	< 10	2.09	640
97R-099	205 226	< 5	< 0.2	3.85	10	40	< 0.5	< 2	2.25	< 0.5	26	77	141	6.26	10	< 1	0.01	< 10	2.29	805
97R-100	205 226	< 5	< 0.2	2.72	8	80	< 0.5	< 2	1.23	< 0.5	17	109	57	4.41	10	< 1	0.05	< 10	1.68	575
97R-102	205 226	< 5	< 0.2	3.49	28	150	< 0.5	< 2	0.92	< 0.5	25	121	70	5.78	10	1	0.09	< 10	2.41	870
97R-103	205 226	< 5	< 0.2	2.92	< 2	30	< 0.5	< 2	2.03	< 0.5	22	83	155	5.67	10	< 1	0.01	< 10	1.75	725
97R-104	205 226	< 5	< 0.2	2.91	< 2	80	< 0.5	< 2	0.71	< 0.5	18	62	55	4.81	10	1	0.12	< 10	2.33	880
97R-106	205 226	< 5	< 0.2	2.86	6	40	< 0.5	< 2	0.75	< 0.5	17	64	26	5.01	10	< 1	0.11	< 10	2.25	880
97R-107	205 226	< 5	< 0.2	2.94	10	10	< 0.5	< 2	1.73	< 0.5	16	62	29	4.75	10	< 1	0.13	< 10	1.94	635
97R-108	205 226	< 5	< 0.2	2.52	6	10	< 0.5	< 2	2.05	< 0.5	15	45	37	4.35	10	< 1	0.12	< 10	1.58	465
97R-109	205 226	< 5	< 0.2	2.48	< 2	20	< 0.5	< 2	1.31	< 0.5	17	46	31	4.34	10	< 1	0.09	< 10	1.56	580
97R-110	205 226	< 5	< 0.2	2.64	< 2	50	< 0.5	< 2	1.11	< 0.5	15	59	28	4.11	10	< 1	0.09	< 10	1.65	665
97R-111	205 226	< 5	< 0.2	2.40	< 2	30	< 0.5	< 2	1.27	< 0.5	15	56	30	3.66	< 10	< 1	0.06	< 10	1.52	625
97R-112	205 226	< 5	< 0.2	1.97	< 2	40	< 0.5	< 2	0.65	< 0.5	10	65	17	2.98	< 10	< 1	0.08	< 10	1.03	555
97R-115	205 226	< 5	< 0.2	3.09	< 2	50	< 0.5	< 2	0.57	< 0.5	21	86	28	5.49	10	2	0.12	< 10	2.34	780
97R-116	205 226	< 5	< 0.2	3.16	2	80	< 0.5	< 2	0.95	< 0.5	18	83	51	5.15	10	< 1	0.14	< 10	1.83	1140
97R-118	205 226	< 5	< 0.2	2.27	< 2	30	< 0.5	< 2	1.16	< 0.5	14	61	25	4.18	10	< 1	0.05	< 10	1.80	780
97R-119	205 226	< 5	< 0.2	2.78	22	90	0.5	< 2	0.43	< 0.5	19	70	26	5.13	10	< 1	0.15	< 10	1.82	1240
97R-120	205 226	10	< 0.2	3.91	20	60	< 0.5	< 2	0.41	< 0.5	31	108	90	6.94	10	1	0.18	< 10	2.64	860
97R-121	205 226	5	< 0.2	3.44	62	60	< 0.5	< 2	0.44	< 0.5	24	86	84	6.31	10	< 1	0.18	< 10	2.33	945
97R-122	205 226	10	< 0.2	3.31	32	30	< 0.5	< 2	0.76	< 0.5	17	79	26	5.34	10	< 1	0.08	< 10	2.61	1105
97R-123	205 226	< 5	< 0.2	1.81	< 2	30	< 0.5	< 2	0.48	< 0.5	6	92	5	2.59	10	< 1	0.07	< 10	1.25	575
97R-124	205 226	< 5	< 0.2	2.62	8	30	< 0.5	< 2	1.02	< 0.5	13	59	27	4.63	10	1	0.09	< 10	1.78	660
97R-125	205 226	15	< 0.2	2.96	44	250	< 0.5	< 2	0.65	< 0.5	14	59	40	4.60	10	< 1	0.20	< 10	1.34	710
97R-126	205 226	10	0.2	2.72	116	70	< 0.5	< 2	0.75	1.5	8	53	54	3.17	< 10	1	0.21	< 10	0.98	405
97R-127	205 226	5	< 0.2	1.95	10	60	< 0.5	< 2	0.67	< 0.5	14	68	20	4.89	10	1	0.09	< 10	1.43	425
97R-129	205 226	< 5	< 0.2	2.85	20	30	< 0.5	< 2	0.70	< 0.5	17	87	16	4.44	10	< 1	0.09	< 10	2.01	825
97R-130	205 226	< 5	< 0.2	2.81	24	40	< 0.5	< 2	0.51	< 0.5	21	84	17	4.90	10	< 1	0.11	< 10	2.34	1115
97R-131	205 226	< 5	< 0.2	3.41	30	40	< 0.5	< 2	1.20	< 0.5	20	84	47	5.08	10	< 1	0.10	< 10	2.19	755
97R-133	205 226	< 5	< 0.2	3.11	38	30	< 0.5	< 2	1.34	< 0.5	17	65	33	4.53	10	< 1	0.10	< 10	1.75	745
97R-134	205 226	< 5	< 0.2	3.38	26	90	0.5	< 2	0.76	< 0.5	23	69	47	5.89	10	< 1	0.22	< 10	1.69	800
97R-136	205 226	< 5	< 0.2	3.44	60	50	0.5	< 2	0.43	< 0.5	18	72	35	5.43	10	< 1	0.19	10	2.73	1075
97R-137	205 226	< 5	< 0.2	3.59	< 2	40	< 0.5	< 2	1.03	< 0.5	21	139	43	4.51	10	< 1	0.11	< 10	2.81	805
97R-138	205 226	< 5	< 0.2	3.53	18	40	< 0.5	< 2	0.83	< 0.5	21	111	15	5.17	10	< 1	0.09	< 10	2.85	760
97R-139	205 226	< 5	< 0.2	3.13	2	40	0.5	< 2	0.46	< 0.5	16	111	21	4.68	10	< 1	0.17	10	2.73	950
97R-140	205 226	< 5	< 0.2	3.45	20	60	< 0.5	< 2	0.71	< 0.5	18	73	28	5.34	10	< 1	0.18	10	2.66	1010

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page: 1-B
Total Pages: 2
Certificate Date: 18-JUL-97
Invoice No.: 19731369
P.O. Number:
Account: NDJ

CERTIFICATE OF ANALYSIS

A9731369

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-093	205	226	< 1	< 0.01	27	570	< 2	< 2	8	55	0.34	< 10	< 10	129	< 10	72
97R-094	205	226	< 1	< 0.01	25	520	< 2	2	9	75	0.25	< 10	< 10	123	< 10	72
97R-095	205	226	< 1	< 0.01	30	770	< 2	< 2	9	40	0.34	< 10	< 10	167	< 10	80
97R-096	205	226	< 1	< 0.01	36	510	< 2	< 2	7	29	0.19	< 10	< 10	91	< 10	72
97R-097	205	226	< 1	< 0.01	39	500	< 2	< 2	5	43	0.27	< 10	< 10	103	< 10	58
97R-098	205	226	1	< 0.01	36	620	< 2	< 2	9	41	0.31	< 10	< 10	132	< 10	72
97R-099	205	226	< 1	< 0.01	60	390	< 2	< 2	15	36	0.52	< 10	< 10	202	< 10	82
97R-100	205	226	< 1	< 0.01	45	440	< 2	< 2	8	37	0.35	< 10	< 10	141	< 10	56
97R-102	205	226	< 1	< 0.01	61	640	< 2	< 2	13	28	0.35	< 10	< 10	164	< 10	96
97R-103	205	226	< 1	< 0.01	43	200	< 2	< 2	10	49	0.48	< 10	< 10	158	< 10	76
97R-104	205	226	< 1	< 0.01	23	700	< 2	< 2	10	39	0.23	< 10	< 10	131	< 10	126
97R-106	205	226	< 1	< 0.01	24	810	2	< 2	11	40	0.29	< 10	< 10	133	< 10	104
97R-107	205	226	< 1	0.09	28	840	< 2	< 2	13	44	0.29	< 10	< 10	140	< 10	46
97R-108	205	226	< 1	0.11	20	860	< 2	2	12	43	0.29	< 10	< 10	137	< 10	26
97R-109	205	226	< 1	0.05	22	810	< 2	< 2	11	41	0.24	< 10	< 10	122	< 10	46
97R-110	205	226	< 1	0.03	25	730	< 2	4	12	38	0.19	< 10	< 10	103	< 10	60
97R-111	205	226	< 1	0.03	28	670	< 2	2	9	44	0.18	< 10	< 10	97	< 10	54
97R-112	205	226	< 1	0.03	13	250	< 2	< 2	7	25	0.12	< 10	< 10	65	< 10	44
97R-115	205	226	< 1	0.01	27	630	< 2	2	11	28	0.15	< 10	< 10	136	< 10	68
97R-116	205	226	< 1	< 0.01	40	600	< 2	< 2	13	25	0.29	< 10	< 10	127	< 10	78
97R-118	205	226	< 1	0.03	25	920	< 2	< 2	10	79	0.28	< 10	< 10	116	< 10	138
97R-119	205	226	< 1	< 0.01	30	480	2	2	11	21	0.09	< 10	< 10	121	< 10	116
97R-120	205	226	< 1	0.01	61	510	< 2	6	19	17	0.15	< 10	< 10	181	< 10	106
97R-121	205	226	< 1	0.01	49	610	< 2	8	14	12	0.11	< 10	< 10	145	< 10	110
97R-122	205	226	< 1	< 0.01	26	790	4	2	13	47	0.27	< 10	< 10	143	< 10	206
97R-123	205	226	< 1	0.01	15	200	< 2	< 2	7	25	0.27	< 10	< 10	88	< 10	68
97R-124	205	226	< 1	0.04	22	950	< 2	< 2	11	24	0.29	< 10	< 10	126	< 10	92
97R-125	205	226	1	0.03	27	960	2	4	12	29	0.04	< 10	< 10	104	< 10	132
97R-126	205	226	4	0.02	36	2040	< 2	4	10	33	< 0.01	< 10	< 10	106	< 10	164
97R-127	205	226	< 1	0.03	21	750	< 2	< 2	8	32	0.23	< 10	< 10	128	< 10	84
97R-129	205	226	< 1	0.01	22	490	2	2	7	36	0.21	< 10	< 10	99	< 10	88
97R-130	205	226	< 1	< 0.01	34	590	< 2	< 2	8	19	0.19	< 10	< 10	106	< 10	78
97R-131	205	226	< 1	0.04	30	540	< 2	4	15	29	0.19	< 10	< 10	141	< 10	72
97R-133	205	226	< 1	0.05	22	630	< 2	2	12	40	0.22	< 10	< 10	128	< 10	58
97R-134	205	226	< 1	0.04	40	870	< 2	< 2	16	22	0.08	< 10	< 10	121	< 10	84
97R-136	205	226	< 1	< 0.01	31	630	< 2	4	9	30	0.14	< 10	< 10	100	< 10	114
97R-137	205	226	< 1	< 0.01	58	400	< 2	6	9	82	0.19	< 10	< 10	107	< 10	82
97R-138	205	226	< 1	< 0.01	48	200	< 2	< 2	9	60	0.21	< 10	< 10	129	< 10	76
97R-139	205	226	< 1	< 0.01	39	410	< 2	2	7	31	0.13	< 10	< 10	85	< 10	106
97R-140	205	226	< 1	< 0.01	29	600	2	2	10	50	0.24	< 10	< 10	121	< 10	108

CERTIFICATION:

North British



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page Number: 2-A
Total Pages: 2
Certificate Date: 18-JUL-97
Invoice No.: 19731369
P.O. Number:
Account: NDJ

CERTIFICATE OF ANALYSIS A9731369

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-141	205 226	< 5	< 0.2	3.33	48	60	< 0.5	< 2	0.65	< 0.5	22	101	39	5.69	10	2	0.11	< 10	2.95	815
97R-142	205 226	< 5	< 0.2	3.66	12	50	< 0.5	< 2	0.67	< 0.5	23	87	43	6.20	10	< 1	0.12	< 10	3.39	895
97R-144	205 226	< 5	< 0.2	2.27	88	20	< 0.5	< 2	0.63	< 0.5	12	67	7	4.19	10	< 1	0.06	< 10	1.12	1065
97R-145	205 226	15	< 0.2	2.49	8	60	< 0.5	< 2	0.94	< 0.5	14	67	21	4.24	10	< 1	0.09	< 10	1.41	660
97R-146	205 226	10	< 0.2	3.26	76	20	< 0.5	< 2	1.21	< 0.5	17	95	53	4.89	10	< 1	0.09	< 10	2.00	760
97R-147	205 226	< 5	< 0.2	3.57	< 2	210	< 0.5	< 2	1.36	< 0.5	18	87	48	4.49	10	< 1	0.11	< 10	1.90	765
97R-148	205 226	< 5	< 0.2	5.01	< 2	50	< 0.5	< 2	2.77	< 0.5	21	84	62	4.74	10	2	0.08	< 10	2.19	775
97R-149	205 226	< 5	< 0.2	3.74	6	50	< 0.5	< 2	1.38	< 0.5	17	71	56	4.89	10	< 1	0.12	< 10	2.01	825
97R-150	205 226	< 5	< 0.2	4.25	< 2	50	< 0.5	< 2	0.74	< 0.5	23	112	33	7.00	10	6	0.08	< 10	1.06	1005
97R-151	205 226	< 5	< 0.2	2.86	< 2	30	< 0.5	< 2	1.61	< 0.5	16	80	33	3.94	10	< 1	0.13	< 10	1.57	655
97R-152	205 226	< 5	< 0.2	2.07	< 2	40	< 0.5	< 2	0.35	< 0.5	10	175	8	2.70	< 10	< 1	0.14	< 10	0.70	370
97R-153	205 226	< 5	< 0.2	3.26	< 2	20	< 0.5	< 2	1.96	< 0.5	16	77	34	4.66	10	1	0.11	< 10	1.77	645
97R-154	205 226	< 5	< 0.2	2.68	< 2	120	< 0.5	< 2	0.93	< 0.5	11	85	28	3.39	< 10	< 1	0.15	< 10	1.31	420
97R-155	205 226	< 5	< 0.2	2.76	4	160	< 0.5	< 2	0.83	< 0.5	12	44	36	4.14	10	< 1	0.13	< 10	1.52	560
97R-156	205 226	< 5	< 0.2	2.51	< 2	70	< 0.5	< 2	0.32	< 0.5	18	104	22	4.45	10	< 1	0.18	< 10	1.84	980
97R-158	205 226	< 5	0.2	2.25	16	320	< 0.5	< 2	0.95	0.5	10	51	45	3.74	< 10	< 1	0.16	< 10	0.97	510
97R-161	205 226	< 5	< 0.2	2.42	12	70	< 0.5	< 2	0.24	< 0.5	40	91	28	7.68	< 10	10	0.15	< 10	0.48	1310
97R-162	205 226	< 5	< 0.2	3.08	48	60	< 0.5	< 2	1.56	< 0.5	23	77	73	4.75	10	< 1	0.06	< 10	2.46	685
97R-163	205 226	< 5	< 0.2	2.71	< 2	10	< 0.5	< 2	1.33	< 0.5	18	72	27	3.83	10	< 1	0.05	< 10	1.82	510
97R-164	205 226	15	< 0.2	2.98	< 2	30	< 0.5	< 2	1.19	< 0.5	22	70	50	4.89	10	1	0.09	< 10	2.00	735
97R-165	205 226	< 5	< 0.2	3.03	< 2	100	< 0.5	< 2	0.68	< 0.5	20	73	36	5.17	10	1	0.19	< 10	1.78	1800
97R-166	205 226	< 5	< 0.2	3.30	< 2	40	< 0.5	< 2	0.71	< 0.5	15	66	18	5.97	10	< 1	0.07	< 10	1.16	760
97R-167	205 226	< 5	< 0.2	2.68	50	70	< 0.5	< 2	1.40	< 0.5	19	107	34	4.56	< 10	< 1	0.09	< 10	1.04	1210
97R-168	205 226	< 5	< 0.2	2.51	38	60	< 0.5	< 2	1.72	< 0.5	14	132	31	3.28	< 10	1	0.03	< 10	1.34	865
97R-169	205 226	< 5	< 0.2	2.75	82	60	< 0.5	< 2	2.03	< 0.5	13	132	27	3.79	10	< 1	0.03	< 10	1.38	710
97R-170	205 226	< 5	< 0.2	2.85	34	60	< 0.5	< 2	1.89	< 0.5	15	139	53	3.62	10	< 1	0.03	< 10	1.70	650
97R-171	205 226	< 5	0.2	2.23	56	60	< 0.5	< 2	1.62	0.5	17	156	94	3.04	< 10	< 1	0.03	< 10	1.47	950
97R-172	205 226	< 5	< 0.2	3.28	10	90	< 0.5	< 2	1.06	< 0.5	18	80	65	4.56	10	< 1	0.08	< 10	1.48	750
97R-173	205 226	< 5	< 0.2	2.56	26	120	< 0.5	< 2	1.26	< 0.5	16	103	50	3.76	10	< 1	0.05	< 10	1.63	755
97R-174	205 226	< 5	< 0.2	2.72	34	90	< 0.5	< 2	1.28	< 0.5	18	173	50	3.74	10	< 1	0.08	< 10	1.35	530
97R-175	205 226	< 5	< 0.2	2.42	22	90	< 0.5	< 2	0.96	< 0.5	13	99	26	3.63	< 10	< 1	0.09	< 10	1.45	905
97R-176	205 226	< 5	< 0.2	2.91	10	60	< 0.5	2	1.41	< 0.5	17	78	56	4.24	10	< 1	0.07	< 10	1.43	630
97R-177	205 226	< 5	< 0.2	2.98	38	50	< 0.5	< 2	1.34	< 0.5	19	177	56	4.04	10	< 1	0.07	< 10	1.96	645

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS

Page 1 of 2-B
Total Pages : 2
Certificate Date: 18-JUL-97
Invoice No. : 19731369
P.O. Number :
Account : NDJ


CERTIFICATE OF ANALYSIS

A9731369

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-141	205	226	< 1	< 0.01	35	880	< 2	8	13	22	0.20	< 10	< 10	147	< 10	86
97R-142	205	226	< 1	< 0.01	31	1020	< 2	6	14	20	0.24	< 10	< 10	163	< 10	90
97R-144	205	226	< 1	0.01	12	220	< 2	< 2	7	18	0.15	< 10	< 10	101	< 10	56
97R-145	205	226	< 1	0.02	21	660	< 2	2	11	42	0.17	< 10	< 10	98	< 10	54
97R-146	205	226	< 1	0.02	23	900	< 2	< 2	15	42	0.22	< 10	< 10	134	< 10	62
97R-147	205	226	1	0.04	20	350	< 2	2	15	49	0.14	< 10	< 10	131	< 10	64
97R-148	205	226	< 1	0.09	23	380	< 2	< 2	16	62	0.14	< 10	< 10	150	< 10	74
97R-149	205	226	< 1	0.04	16	310	< 2	2	16	48	0.18	< 10	< 10	144	< 10	72
97R-150	205	226	1	0.05	21	440	< 2	10	21	23	0.07	< 10	< 10	209	< 10	64
97R-151	205	226	< 1	0.06	21	380	< 2	< 2	11	49	0.21	< 10	< 10	117	< 10	56
97R-152	205	226	1	0.04	14	160	< 2	< 2	5	25	0.01	< 10	< 10	60	< 10	36
97R-153	205	226	< 1	0.08	23	430	< 2	2	13	85	0.22	< 10	< 10	134	< 10	56
97R-154	205	226	4	0.03	30	950	2	< 2	10	60	0.06	< 10	< 10	109	< 10	86
97R-155	205	226	< 1	0.02	23	660	< 2	2	9	49	0.14	< 10	< 10	103	< 10	86
97R-156	205	226	< 1	0.01	23	90	8	4	6	46	0.21	< 10	< 10	106	< 10	90
97R-158	205	226	4	0.02	46	970	< 2	4	9	42	< 0.01	< 10	< 10	76	< 10	142
97R-161	205	226	< 1	0.01	37	640	< 2	16	16	17	< 0.01	< 10	< 10	182	< 10	86
97R-162	205	226	< 1	0.02	85	550	< 2	2	13	41	0.21	< 10	< 10	137	< 10	86
97R-163	205	226	< 1	0.04	23	380	< 2	< 2	9	64	0.27	< 10	< 10	116	< 10	44
97R-164	205	226	< 1	0.03	28	410	< 2	< 2	13	66	0.23	< 10	< 10	136	< 10	64
97R-165	205	226	< 1	0.01	21	570	< 2	< 2	12	35	0.14	< 10	< 10	123	< 10	124
97R-166	205	226	< 1	< 0.01	25	340	< 2	2	9	18	0.20	< 10	< 10	108	< 10	96
97R-167	205	226	< 1	< 0.01	46	190	6	< 2	7	45	0.22	< 10	< 10	99	< 10	92
97R-168	205	226	< 1	< 0.01	52	250	2	< 2	6	74	0.26	< 10	< 10	93	< 10	72
97R-169	205	226	< 1	< 0.01	42	280	< 2	< 2	7	82	0.31	< 10	< 10	106	< 10	66
97R-170	205	226	< 1	< 0.01	53	390	< 2	< 2	8	61	0.33	< 10	< 10	109	< 10	70
97R-171	205	226	< 1	< 0.01	76	340	16	< 2	7	50	0.21	< 10	< 10	80	< 10	248
97R-172	205	226	< 1	0.01	39	430	4	< 2	10	44	0.19	< 10	< 10	109	< 10	102
97R-173	205	226	< 1	< 0.01	41	410	< 2	< 2	8	54	0.28	< 10	< 10	100	< 10	74
97R-174	205	226	< 1	< 0.01	61	320	< 2	2	8	55	0.25	< 10	< 10	91	< 10	78
97R-175	205	226	< 1	< 0.01	37	260	< 2	< 2	6	37	0.23	< 10	< 10	83	< 10	110
97R-176	205	226	< 1	< 0.01	35	400	< 2	2	8	41	0.37	< 10	< 10	123	< 10	94
97R-177	205	226	< 1	< 0.01	55	330	< 2	< 2	9	58	0.30	< 10	< 10	103	< 10	60

CERTIFICATION:

Walter Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: M RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 17-OCT-97
 Invoice No. : I9746238
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746238

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97R 385	201	202	5	< 0.2	2.78	8	30	< 0.5	< 2	0.82	< 0.5	16	19	18	4.64	10	< 1	< 0.01	< 10	1.24	1035
97R 386	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R 387	201	202	< 5	< 0.2	2.33	< 2	30	< 0.5	< 2	0.66	< 0.5	9	10	14	3.82	< 10	< 1	0.02	< 10	0.62	945
97R 388	201	202	< 5	< 0.2	2.44	< 2	30	< 0.5	< 2	0.60	< 0.5	11	16	18	3.66	< 10	< 1	0.03	< 10	0.76	1355
97R 389	201	202	< 5	< 0.2	2.85	2	40	< 0.5	< 2	0.90	< 0.5	14	16	16	3.97	< 10	< 1	0.03	< 10	0.81	1110
97R 390	201	202	< 5	< 0.2	3.96	< 2	50	< 0.5	< 2	1.40	< 0.5	15	19	32	4.09	< 10	< 1	0.05	< 10	0.90	910
97R 393	201	202	< 5	< 0.2	4.42	< 2	30	< 0.5	< 2	1.91	< 0.5	18	19	28	4.14	10	< 1	0.05	< 10	1.11	915
97R 394	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R 396	201	202	< 5	< 0.2	4.01	2	30	< 0.5	< 2	0.84	< 0.5	16	24	19	4.70	10	< 1	< 0.01	< 10	1.11	755
97R 397	201	202	< 5	< 0.2	3.91	< 2	30	0.5	< 2	1.59	< 0.5	16	20	22	4.10	< 10	< 1	0.05	< 10	1.04	845
97D 417	201	202	5	< 0.2	3.26	2	60	< 0.5	< 2	0.68	< 0.5	16	19	10	5.22	< 10	1	0.03	< 10	1.03	975
97D 418	201	202	< 5	< 0.2	3.43	14	30	< 0.5	< 2	1.09	< 0.5	12	22	15	4.26	< 10	< 1	0.04	< 10	0.99	875
97D 419	201	202	65	< 0.2	2.93	< 2	10	0.5	< 2	0.97	< 0.5	15	17	18	4.83	10	< 1	< 0.01	< 10	1.32	900
97D 420	201	202	10	< 0.2	4.30	< 2	10	0.5	< 2	1.38	< 0.5	15	16	25	4.48	10	< 1	< 0.01	< 10	1.12	880
97D 421	201	202	< 5	< 0.2	2.81	6	30	< 0.5	< 2	0.85	< 0.5	13	19	21	4.45	< 10	< 1	0.04	< 10	1.12	815
97D 422	201	202	< 5	< 0.2	2.99	< 2	30	0.5	< 2	0.96	< 0.5	13	15	16	4.42	10	< 1	0.05	< 10	1.06	890
97D 424	201	202	< 5	< 0.2	3.03	< 2	30	< 0.5	< 2	0.87	< 0.5	15	16	14	4.84	10	< 1	0.03	< 10	1.17	775

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: M RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 17-OCT-97
 Invoice No. : 19746238
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9746238

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R 385	201	202	< 1	0.01	16	310	2	< 2	7	21	0.34	< 10	< 10	91	< 10	104
97R 386	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R 387	201	202	< 1	0.03	7	380	6	< 2	4	23	0.26	< 10	< 10	59	< 10	64
97R 388	201	202	< 1	0.01	14	290	8	< 2	4	20	0.22	< 10	< 10	59	< 10	80
97R 389	201	202	< 1	0.01	12	300	8	< 2	5	32	0.22	< 10	< 10	71	< 10	94
97R 390	201	202	< 1	0.04	17	360	8	< 2	6	36	0.21	< 10	< 10	73	< 10	94
97R 393	201	202	< 1	0.06	17	370	2	< 2	8	55	0.20	< 10	< 10	73	< 10	74
97R 394	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R 396	201	202	< 1	0.02	20	300	6	< 2	8	25	0.35	< 10	< 10	110	< 10	86
97R 397	201	202	< 1	0.03	14	490	2	2	8	46	0.22	< 10	< 10	76	< 10	70
97D 417	201	202	< 1	0.02	21	250	2	< 2	6	24	0.29	< 10	< 10	88	< 10	134
97D 418	201	202	< 1	0.03	16	450	2	< 2	7	25	0.26	< 10	< 10	77	< 10	88
97D 419	201	202	< 1	0.01	14	370	2	< 2	8	23	0.40	< 10	< 10	105	< 10	94
97D 420	201	202	< 1	0.03	13	690	4	< 2	10	27	0.43	< 10	< 10	111	< 10	82
97D 421	201	202	< 1	0.03	16	380	2	< 2	7	18	0.29	< 10	< 10	82	< 10	96
97D 422	201	202	< 1	0.03	13	290	2	< 2	7	21	0.29	< 10	< 10	76	< 10	94
97D 424	201	202	< 1	0.03	13	610	2	< 2	8	27	0.32	< 10	< 10	97	< 10	82

CERTIFICATION: *Gordon Richards*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: M RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number :1-A
 Total Pages :1
 Certificate Date: 15-OCT-97
 Invoice No. :19746239
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746239

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
97R 395	217	226	< 5	< 0.2	2.00	< 2	60	< 0.5	< 2	0.63	< 0.5	5	63	8	2.90	10	< 1	0.25	10	0.56	560
97R 398	217	226	< 5	< 0.2	0.47	12	30	< 0.5	< 2	0.33	< 0.5	2	95	4	3.08	< 10	< 1	0.21	< 10	0.03	125
97D 423	217	226	< 5	< 0.2	0.45	10	30	< 0.5	< 2	0.12	< 0.5	1	55	5	2.26	< 10	1	0.14	10	0.06	85



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: M RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number :1-B
 Total Pages :1
 Certificate Date: 15-OCT-97
 Invoice No. :19746239
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746239

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R 395	217	226	1	0.16	< 1	470	2	< 2	4	24	0.18	< 10	< 10	23	< 10	58
97R 398	217	226	2	0.07	1	290	12	< 2	1	14	0.07	< 10	< 10	3	< 10	40
97D 423	217	226	3	0.07	< 1	210	12	< 2	2	5	0.11	< 10	< 10	7	< 10	18



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page: 1-A
 Total Pages: 2
 Certificate Date: 19-OCT-97
 Invoice No.: 19746240
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9746240

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-303	201 202	< 5	0.2	3.51	6	150	< 0.5	< 2	0.42	< 0.5	16	21	58	3.30	< 10	< 1	0.05	< 10	0.76	550
97R-304	201 202	< 5	< 0.2	2.44	2	70	< 0.5	< 2	0.23	< 0.5	9	20	39	3.10	< 10	< 1	0.04	< 10	0.48	285
97R-305	201 202	< 5	< 0.2	4.36	34	80	< 0.5	< 2	0.39	< 0.5	32	33	109	4.19	< 10	< 1	0.05	< 10	1.12	900
97R-306	201 202	< 5	0.2	3.46	34	30	< 0.5	< 2	0.19	< 0.5	10	34	70	5.35	< 10	< 1	0.04	< 10	0.66	515
97R-307	201 202	not/ss	0.4	3.35	34	30	< 0.5	< 2	0.20	< 0.5	12	33	62	5.90	< 10	< 1	0.03	< 10	0.63	450
97R-308	201 202	< 5	< 0.2	1.50	12	20	< 0.5	< 2	0.29	< 0.5	10	23	22	3.77	< 10	< 1	0.03	< 10	0.35	595
97R-309	201 202	< 5	0.6	2.60	6	< 10	< 0.5	< 2	0.72	< 0.5	19	73	49	7.55	10	< 1	0.01	< 10	0.89	815
97R-310	201 202	< 5	0.4	1.82	< 2	< 10	< 0.5	< 2	0.40	< 0.5	13	77	43	8.04	10	< 1	0.01	< 10	0.77	585
97R-311	201 202	not/ss	0.2	2.16	< 2	10	< 0.5	< 2	0.29	< 0.5	8	90	62	9.33	10	< 1	0.01	< 10	0.46	340
97R-312	201 202	< 5	0.8	2.93	< 2	< 10	< 0.5	< 2	0.33	< 0.5	8	121	60	11.55	10	< 1	0.01	< 10	0.60	315
97R-314	201 202	< 5	0.2	2.46	< 2	10	< 0.5	< 2	0.43	< 0.5	9	95	58	10.35	10	< 1	0.01	< 10	0.29	685
97R-315	201 202	< 5	0.2	2.46	< 2	10	< 0.5	< 2	0.36	< 0.5	27	76	41	7.52	10	< 1	0.02	< 10	0.81	880
97R-316	201 202	< 5	0.2	3.57	< 2	< 10	< 0.5	< 2	0.32	< 0.5	17	84	49	5.26	10	< 1	0.01	< 10	1.65	525
97R-317	201 202	< 5	0.8	2.19	< 2	< 10	< 0.5	< 2	0.44	< 0.5	21	69	50	7.57	10	< 1	0.01	< 10	0.94	1005
97R-320	201 202	< 5	0.2	2.15	< 2	< 10	< 0.5	< 2	0.13	< 0.5	10	97	16	8.92	10	< 1	< 0.01	< 10	1.14	370
97R-322	201 202	< 5	< 0.2	2.64	8	< 10	< 0.5	< 2	0.22	< 0.5	27	64	82	5.50	< 10	< 1	0.02	< 10	0.90	1215
97R-323	201 202	25	0.4	1.15	12	< 10	< 0.5	< 2	0.19	< 0.5	6	36	30	4.84	10	< 1	0.01	< 10	0.19	185
97R-324	201 202	< 5	< 0.2	2.88	12	< 10	< 0.5	< 2	0.24	< 0.5	25	68	175	6.36	10	< 1	0.02	< 10	0.95	955
97R-325	201 202	< 5	0.2	4.00	< 2	< 10	0.5	< 2	0.48	< 0.5	41	98	187	11.00	10	< 1	0.01	< 10	1.23	1010
97R-326	201 202	< 5	< 0.2	5.47	< 2	< 10	0.5	< 2	0.44	< 0.5	37	97	145	7.33	10	< 1	< 0.01	< 10	0.86	850
97R-327	201 202	10	6.0	4.08	< 2	< 10	0.5	< 2	0.69	< 0.5	39	95	174	8.18	10	< 1	0.01	< 10	1.29	1785
97R-328	201 202	< 5	0.4	4.39	< 2	< 10	< 0.5	< 2	0.26	< 0.5	25	113	93	9.07	10	< 1	< 0.01	< 10	0.75	1490
97R-329	201 202	< 5	0.4	2.43	< 2	< 10	< 0.5	< 2	0.44	< 0.5	18	83	98	7.37	10	< 1	0.05	< 10	0.87	810
97R-330	201 202	< 5	0.2	3.19	< 2	10	0.5	< 2	0.90	< 0.5	36	76	186	6.00	10	< 1	0.02	< 10	1.86	1835
97R-331	201 202	< 5	< 0.2	4.89	< 2	10	0.5	< 2	0.87	< 0.5	45	118	288	7.31	10	< 1	0.01	< 10	2.88	1650
97R-332	201 202	< 5	0.6	4.11	< 2	< 10	< 0.5	< 2	0.55	< 0.5	43	95	151	7.18	10	< 1	0.02	< 10	2.33	2500
97R-333	201 202	< 5	< 0.2	4.42	2	10	0.5	< 2	0.58	< 0.5	50	101	204	7.30	10	< 1	0.01	< 10	2.49	2200
97R-334	201 202	< 5	0.2	5.01	< 2	< 10	< 0.5	< 2	0.15	< 0.5	13	134	61	7.01	10	< 1	< 0.01	< 10	0.83	380
97R-335	201 202	25	0.2	4.00	22	20	0.5	< 2	0.38	< 0.5	40	115	195	6.97	10	< 1	0.03	< 10	1.97	1500
97R-336	201 202	< 5	0.6	4.08	2	10	< 0.5	< 2	0.20	< 0.5	14	110	56	7.16	10	< 1	0.01	< 10	0.63	995
97R-337	201 202	< 5	< 0.2	5.55	8	10	0.5	< 2	0.27	< 0.5	22	126	101	7.21	< 10	< 1	0.01	< 10	0.91	530
97R-338	201 202	< 5	0.4	4.20	10	30	0.5	< 2	1.09	< 0.5	43	94	114	6.45	10	< 1	0.03	< 10	1.84	2720
97R-339	201 202	< 5	0.2	5.37	16	10	< 0.5	< 2	0.33	< 0.5	16	113	118	7.71	10	< 1	0.01	< 10	0.71	585
97R-340	201 202	< 5	1.4	1.83	20	10	< 0.5	< 2	0.68	< 0.5	25	56	42	4.94	10	< 1	0.03	< 10	1.06	1245
97R-341	201 202	< 5	0.2	4.10	40	< 10	< 0.5	< 2	0.25	< 0.5	26	116	89	9.92	20	< 1	0.01	< 10	0.81	1290
97R-347	201 202	< 5	0.4	3.87	10	10	< 0.5	< 2	0.30	< 0.5	39	99	40	6.27	10	< 1	0.08	< 10	1.65	1480
97R-374	201 202	25	< 0.2	2.09	108	< 10	< 0.5	< 2	0.26	< 0.5	13	129	29	4.06	< 10	< 1	0.03	< 10	1.39	495
97R-375	201 202	20	0.2	1.18	34	< 10	< 0.5	< 2	0.27	< 0.5	6	27	16	4.15	< 10	< 1	0.01	< 10	0.13	385
97R-376	201 202	50	0.4	2.41	12	< 10	< 0.5	< 2	0.49	< 0.5	10	62	46	4.55	10	< 1	0.01	< 10	0.69	250
97R-377	201 202	30	< 0.2	1.96	158	10	< 0.5	< 2	0.07	< 0.5	6	59	27	5.06	< 10	< 1	0.04	< 10	0.32	385

Handwritten signature

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO

Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page: 1-B
Total Pages: 2
Certificate Date: 19-OCT-97
Invoice No.: I9746240
P.O. Number:
Account: NDJ

CERTIFICATE OF ANALYSIS

A9746240

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R-303	201 202	1	0.01	22	500	8	< 2	5	30	0.09	< 10	< 10	69	< 10	66
97R-304	201 202	1	0.01	15	420	6	< 2	4	16	0.09	< 10	< 10	69	< 10	36
97R-305	201 202	1	0.01	29	690	4	< 2	9	22	0.14	< 10	< 10	93	< 10	76
97R-306	201 202	1	< 0.01	15	630	2	< 2	5	12	0.07	< 10	< 10	94	< 10	44
97R-307	201 202	1	< 0.01	16	580	4	< 2	6	12	0.11	< 10	< 10	93	< 10	38
97R-308	201 202	1	< 0.01	9	630	4	< 2	4	13	0.17	< 10	< 10	115	< 10	20
97R-309	201 202	1	< 0.01	21	480	6	< 2	8	21	0.52	< 10	< 10	240	< 10	40
97R-310	201 202	< 1	< 0.01	20	320	6	< 2	8	16	0.74	< 10	< 10	317	< 10	30
97R-311	201 202	< 1	< 0.01	13	340	6	< 2	8	15	0.67	< 10	< 10	282	< 10	26
97R-312	201 202	< 1	< 0.01	15	320	6	< 2	10	14	0.55	< 10	< 10	265	< 10	30
97R-314	201 202	< 1	< 0.01	8	560	6	< 2	7	19	0.63	< 10	< 10	330	< 10	22
97R-315	201 202	1	< 0.01	14	640	6	< 2	6	19	0.68	< 10	< 10	254	< 10	30
97R-316	201 202	1	< 0.01	26	530	8	< 2	6	18	0.58	< 10	< 10	162	< 10	54
97R-317	201 202	< 1	< 0.01	22	570	2	< 2	7	10	0.45	< 10	< 10	223	< 10	34
97R-320	201 202	< 1	< 0.01	18	200	40	< 2	5	8	0.54	< 10	< 10	191	< 10	42
97R-322	201 202	12	< 0.01	35	860	8	< 2	7	5	0.17	< 10	< 10	169	< 10	88
97R-323	201 202	16	< 0.01	18	210	6	< 2	4	5	0.31	< 10	< 10	311	< 10	92
97R-324	201 202	5	< 0.01	33	620	< 2	< 2	13	8	0.25	< 10	< 10	217	< 10	60
97R-325	201 202	1	< 0.01	32	570	< 2	< 2	17	9	0.40	< 10	< 10	270	< 10	58
97R-326	201 202	1	< 0.01	36	410	< 2	< 2	18	9	0.34	< 10	< 10	219	< 10	62
97R-327	201 202	1	< 0.01	38	630	< 2	< 2	20	11	0.43	< 10	< 10	256	< 10	62
97R-328	201 202	1	< 0.01	23	550	2	< 2	18	7	0.45	< 10	< 10	273	< 10	40
97R-329	201 202	1	< 0.01	23	1310	2	< 2	9	9	0.39	< 10	< 10	232	< 10	36
97R-330	201 202	1	< 0.01	53	650	< 2	< 2	17	19	0.30	< 10	< 10	174	< 10	72
97R-331	201 202	1	< 0.01	75	520	< 2	< 2	22	23	0.36	< 10	< 10	206	< 10	86
97R-332	201 202	1	< 0.01	51	670	< 2	< 2	17	16	0.35	< 10	< 10	201	< 10	80
97R-333	201 202	1	< 0.01	58	610	< 2	< 2	19	17	0.36	< 10	< 10	200	< 10	78
97R-334	201 202	1	< 0.01	40	400	< 2	< 2	12	7	0.40	< 10	< 10	206	< 10	32
97R-335	201 202	3	< 0.01	70	440	2	< 2	19	12	0.34	< 10	< 10	217	< 10	84
97R-336	201 202	1	< 0.01	25	640	< 2	< 2	9	12	0.41	< 10	< 10	204	< 10	34
97R-337	201 202	1	< 0.01	43	370	< 2	< 2	17	10	0.45	< 10	< 10	208	< 10	42
97R-338	201 202	1	< 0.01	55	790	< 2	< 2	20	24	0.36	< 10	< 10	207	< 10	106
97R-339	201 202	1	< 0.01	25	550	< 2	< 2	18	9	0.41	< 10	< 10	233	< 10	42
97R-340	201 202	2	< 0.01	27	590	2	< 2	8	17	0.34	< 10	< 10	201	< 10	44
97R-341	201 202	1	< 0.01	21	630	2	< 2	25	7	0.35	< 10	< 10	317	< 10	54
97R-347	201 202	3	< 0.01	28	860	32	< 2	8	9	0.29	< 10	< 10	179	< 10	78
97R-374	201 202	24	< 0.01	76	1030	8	< 2	6	6	0.18	< 10	< 10	181	< 10	52
97R-375	201 202	5	< 0.01	6	260	8	< 2	3	7	0.19	< 10	< 10	139	< 10	26
97R-376	201 202	5	< 0.01	18	380	2	< 2	8	10	0.48	< 10	< 10	219	< 10	34
97R-377	201 202	20	< 0.01	35	680	8	< 2	6	6	0.05	< 10	< 10	239	< 10	40

CERTIFICATION: Itant Section



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number: 2-A
 Total Pages: 2
 Certificate Date: 19-OCT-97
 Invoice No.: 19746240
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9746240

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97R-378	201	202	20	< 0.2	2.12	68	< 10	< 0.5	< 2	0.17	< 0.5	7	61	28	4.94	10	< 1	0.02	< 10	0.39	530
97R-379	201	202	< 5	< 0.2	1.86	< 2	10	< 0.5	< 2	0.12	< 0.5	21	149	24	5.84	10	< 1	0.03	< 10	1.50	1225
97R-380	201	202	< 5	< 0.2	1.70	12	10	< 0.5	< 2	0.11	< 0.5	4	45	26	5.63	10	< 1	0.01	< 10	0.25	140
97R-391	201	202	25	0.2	4.15	16	10	< 0.5	< 2	0.16	< 0.5	13	75	72	6.29	10	< 1	0.01	< 10	0.71	775
97R-392	201	202	20	< 0.2	4.55	28	10	< 0.5	< 2	0.33	< 0.5	21	112	93	6.60	< 10	< 1	0.01	< 10	1.34	815
97R-399	201	202	< 5	0.4	3.05	118	150	0.5	< 2	0.57	< 0.5	50	37	93	7.56	< 10	< 1	0.06	10	1.67	1600
97R-400	201	202	< 5	1.2	2.22	36	30	< 0.5	< 2	0.40	< 0.5	33	22	33	7.12	< 10	< 1	0.03	< 10	1.05	1505
97R-402	201	202	< 5	1.2	3.27	50	100	0.5	< 2	0.53	< 0.5	50	88	273	6.56	10	< 1	0.03	10	1.62	1740
97R-403	201	202	< 5	0.8	2.91	52	70	< 0.5	< 2	0.48	< 0.5	40	81	191	7.03	10	< 1	0.03	< 10	1.41	1365
97R-404	201	202	< 5	4.0	4.06	44	50	< 0.5	< 2	0.19	< 0.5	38	83	374	7.94	10	< 1	0.01	10	0.85	1740
97R-405	201	202	< 5	0.4	3.66	76	110	0.5	< 2	0.52	< 0.5	59	81	231	7.20	10	< 1	0.04	10	1.57	2020
97R-406	201	202	< 5	< 0.2	3.83	< 2	10	< 0.5	< 2	0.34	< 0.5	35	64	98	5.36	10	< 1	0.02	< 10	1.26	835
97R-407	201	202	15	1.4	3.28	88	40	< 0.5	< 2	0.47	< 0.5	44	85	167	7.81	10	< 1	0.03	< 10	1.54	2380
97R-408	201	202	< 5	< 0.2	1.71	< 2	10	< 0.5	< 2	0.20	< 0.5	14	66	35	6.62	10	< 1	0.01	< 10	0.41	760
97R-409	201	202	not/ss	< 0.2	3.42	< 2	10	< 0.5	< 2	0.38	< 0.5	33	104	174	5.99	10	< 1	0.04	< 10	1.22	1605
97R-410	201	202	< 5	< 0.2	2.70	< 2	< 10	< 0.5	< 2	0.27	< 0.5	6	84	41	8.02	20	< 1	0.01	< 10	0.38	155
97R-411	201	202	250	0.4	3.27	< 2	20	< 0.5	< 2	0.56	< 0.5	50	63	122	8.66	10	< 1	0.01	< 10	0.85	2130
97R-412	201	202	< 5	0.2	4.00	< 2	10	< 0.5	< 2	0.47	< 0.5	14	74	110	10.75	10	< 1	0.01	< 10	0.76	570
97R-413	201	202	< 5	1.0	1.88	< 2	< 10	< 0.5	< 2	0.28	< 0.5	4	48	48	10.15	20	< 1	0.01	< 10	0.11	230
97R-414	201	202	< 5	0.4	3.21	< 2	< 10	< 0.5	< 2	0.80	< 0.5	48	65	65	9.67	10	< 1	0.01	< 10	0.88	2760
97R-415	201	202	< 5	< 0.2	2.63	< 2	40	< 0.5	< 2	0.50	< 0.5	14	63	68	3.76	10	< 1	0.01	< 10	0.88	690
97R-422	201	202	< 5	0.2	3.09	< 2	< 10	< 0.5	< 2	0.44	< 0.5	18	54	69	10.25	30	< 1	0.01	< 10	0.22	490
97R-439	201	202	< 5	< 0.2	3.96	< 2	10	< 0.5	< 2	1.03	< 0.5	51	74	118	9.22	10	< 1	0.01	< 10	1.25	2270
97R-440	201	202	< 5	< 0.2	4.97	< 2	< 10	< 0.5	< 2	0.37	< 0.5	11	90	118	10.90	20	< 1	0.01	< 10	0.50	440
97R-441	201	202	< 5	0.8	3.99	< 2	< 10	< 0.5	< 2	0.25	< 0.5	24	117	204	8.91	10	< 1	0.01	< 10	0.81	1215
97R-442	201	202	70	0.6	4.40	< 2	< 10	< 0.5	< 2	0.26	< 0.5	49	121	128	10.35	10	< 1	0.01	< 10	0.68	2400
97R-451	201	202	20	< 0.2	4.63	58	10	< 0.5	< 2	0.29	< 0.5	57	140	371	10.05	< 10	18	0.01	< 10	1.17	2710

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO

Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number: 2-B
 Total Pages: 2
 Certificate Date: 19-OCT-97
 Invoice No.: I9746240
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS

A9746240

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-378	201	202	11	< 0.01	28	800	4	2	8	5	0.21	< 10	< 10	255	< 10	40
97R-379	201	202	< 1	< 0.01	24	840	6	< 2	8	15	0.29	< 10	< 10	248	< 10	32
97R-380	201	202	3	< 0.01	9	120	2	< 2	5	5	0.28	< 10	< 10	248	< 10	16
97R-391	201	202	3	< 0.01	20	280	2	< 2	16	4	0.26	< 10	< 10	164	< 10	38
97R-392	201	202	3	< 0.01	43	770	2	< 2	28	9	0.34	< 10	< 10	236	< 10	60
97R-399	201	202	14	< 0.01	22	760	22	< 2	9	18	0.11	< 10	< 10	165	< 10	138
97R-400	201	202	5	< 0.01	8	1190	10	< 2	7	19	0.50	< 10	< 10	199	< 10	64
97R-402	201	202	4	< 0.01	42	1050	10	< 2	11	19	0.29	< 10	< 10	197	< 10	126
97R-403	201	202	5	< 0.01	33	1120	10	< 2	9	15	0.30	< 10	< 10	207	< 10	110
97R-404	201	202	3	< 0.01	22	2170	8	< 2	8	10	0.27	< 10	< 10	220	< 10	68
97R-405	201	202	3	< 0.01	38	800	6	< 2	15	21	0.28	< 10	< 10	234	< 10	118
97R-406	201	202	2	< 0.01	23	440	2	< 2	16	24	0.53	< 10	< 10	163	< 10	82
97R-407	201	202	1	< 0.01	33	780	4	< 2	13	27	0.35	< 10	< 10	241	< 10	86
97R-408	201	202	2	< 0.01	8	380	6	< 2	6	14	0.57	< 10	< 10	292	< 10	28
97R-409	201	202	1	< 0.01	33	610	< 2	2	14	19	0.40	< 10	< 10	210	< 10	58
97R-410	201	202	< 1	< 0.01	8	260	2	< 2	10	14	0.84	< 10	< 10	328	< 10	20
97R-411	201	202	1	< 0.01	19	610	2	< 2	11	20	0.63	< 10	< 10	313	< 10	58
97R-412	201	202	1	< 0.01	19	360	< 2	< 2	14	16	0.58	< 10	< 10	298	< 10	56
97R-413	201	202	< 1	< 0.01	1	480	2	< 2	6	10	0.73	< 10	< 10	422	< 10	16
97R-414	201	202	< 1	< 0.01	21	500	2	< 2	12	17	0.55	< 10	< 10	313	< 10	52
97R-415	201	202	< 1	< 0.01	17	220	2	< 2	9	28	0.48	< 10	< 10	150	< 10	56
97R-422	201	202	< 1	< 0.01	5	120	6	< 2	15	18	0.52	< 10	< 10	277	< 10	42
97R-439	201	202	1	< 0.01	39	340	< 2	< 2	15	16	0.37	< 10	< 10	259	< 10	66
97R-440	201	202	1	< 0.01	13	400	< 2	< 2	26	7	0.41	< 10	< 10	285	< 10	36
97R-441	201	202	< 1	< 0.01	26	700	< 2	< 2	14	16	0.59	< 10	< 10	250	< 10	42
97R-442	201	202	1	< 0.01	19	740	< 2	< 2	23	12	0.57	< 10	< 10	316	< 10	46
97R-451	201	202	1	< 0.01	63	730	< 2	16	50	10	0.23	< 10	< 10	284	< 10	86

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: GRAHAM REECE
 Comments: ATTN: GORDON RICHARDS

Page Number :1-A
 Total Pages :1
 Certificate Date: 15-OCT-97
 Invoice No. :19746241
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746241

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
97R 462	217	226	< 5	< 0.2	2.01	< 2	170	0.5	< 2	0.61	< 0.5	7	89	25	2.37	< 10	< 1	0.74	10	0.13	480
97R 470	217	226	< 5	0.2	0.53	< 2	< 10	< 0.5	< 2	10.35	< 0.5	20	39	17	3.06	< 10	1	0.08	< 10	3.36	885



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: GRAHAM REECE
 Comments: ATTN: GORDON RICHARDS

Page Number :1-B
 Total Pages :1
 Certificate Date: 15-OCT-97
 Invoice No. :19746241
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746241

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R 462	217	226	1	0.16	4	650	8	< 2	6	32	< 0.01	< 10	< 10	16	< 10	42
97R 470	217	226	< 1	< 0.01	11	70	< 2	< 2	5	84	< 0.01	< 10	< 10	37	< 10	46



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page No. : 1-A
 Total Pages : 1
 Certificate Date: 17-OCT-97
 Invoice No. : I9746244
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746244

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
97R-313	201	202	not/ss	< 0.2	3.42	4	30	< 0.5	< 2	1.26	< 0.5	37	91	220	6.45	10	< 1	0.03	< 10	2.32	1200
97R-319	201	202	not/ss	0.2	3.76	20	10	< 0.5	< 2	1.16	0.5	41	74	156	6.22	< 10	< 1	0.03	< 10	2.25	1815
97R-343	201	202	not/ss	< 0.2	4.32	< 2	10	< 0.5	< 2	2.51	< 0.5	37	77	194	6.57	10	< 1	0.01	< 10	1.85	1565
97R-345	201	202	not/ss	< 0.2	4.37	< 2	10	< 0.5	< 2	2.05	< 0.5	43	92	101	6.05	10	< 1	0.01	< 10	2.23	1500
97R-348	201	202	15	< 0.2	3.89	102	30	< 0.5	< 2	1.33	0.5	30	47	34	4.61	< 10	< 1	0.03	< 10	1.13	1215
97R-349	201	202	< 5	< 0.2	4.29	12	80	< 0.5	< 2	0.92	< 0.5	28	87	29	5.48	10	< 1	0.33	< 10	2.58	1095
97R-350	201	202	< 5	< 0.2	3.75	26	50	< 0.5	< 2	1.16	0.5	22	38	44	3.97	< 10	< 1	0.05	< 10	1.14	850
97R-368	201	202	50	< 0.2	4.42	< 2	10	< 0.5	< 2	1.56	< 0.5	44	61	104	7.89	10	< 1	0.03	< 10	2.44	1595
97R-373	201	202	70	0.2	4.45	< 2	< 10	< 0.5	< 2	1.54	< 0.5	38	54	132	7.51	10	< 1	0.04	< 10	2.13	1355
97R-381	201	202	not/ss	0.4	4.68	< 2	40	0.5	< 2	1.55	< 0.5	130	73	181	8.27	10	< 1	0.03	< 10	1.30	>10000
97R-416	201	202	30	0.2	3.95	< 2	20	0.5	< 2	0.96	< 0.5	61	84	114	6.60	10	< 1	0.01	< 10	1.14	3400
97R-417	201	202	20	0.2	3.93	< 2	10	< 0.5	< 2	0.60	< 0.5	57	115	76	8.54	10	< 1	0.01	< 10	0.93	3140
97R-418	201	202	25	< 0.2	4.22	< 2	20	< 0.5	< 2	1.79	< 0.5	39	93	183	5.97	10	< 1	0.03	< 10	1.86	1695
97R-419	201	202	10	0.2	4.04	< 2	20	< 0.5	< 2	1.75	< 0.5	42	47	171	8.54	10	< 1	0.01	< 10	1.53	1755
97R-420	201	202	10	0.2	4.09	< 2	20	0.5	< 2	1.38	< 0.5	51	82	155	8.40	10	< 1	0.01	< 10	1.45	2600
97R-421	201	202	< 5	0.2	3.31	< 2	10	< 0.5	< 2	1.09	< 0.5	57	36	100	8.21	10	< 1	0.01	< 10	0.78	3930
97R-423	201	202	< 5	0.2	3.52	< 2	10	< 0.5	< 2	1.19	< 0.5	37	43	54	9.19	20	< 1	0.01	< 10	0.89	2150
97R-424	201	202	not/ss	0.2	4.07	< 2	20	< 0.5	< 2	1.76	< 0.5	54	43	177	9.04	10	< 1	0.01	< 10	1.31	3340
97R-426	201	202	10	0.2	3.09	< 2	10	< 0.5	< 2	1.64	< 0.5	32	73	256	5.67	10	15	0.02	< 10	1.50	815
97R-427	201	202	< 5	< 0.2	2.21	< 2	10	< 0.5	< 2	0.96	< 0.5	30	45	120	5.17	10	< 1	0.02	< 10	0.89	960
97R-430	201	202	10	0.2	3.62	< 2	30	0.5	< 2	1.72	< 0.5	44	54	398	5.53	10	< 1	0.01	< 10	1.26	1545
97R-431	201	202	20	< 0.2	2.95	< 2	10	< 0.5	< 2	1.65	< 0.5	29	67	190	5.36	10	< 1	0.01	< 10	1.38	850
97R-432	201	202	15	0.2	2.73	< 2	10	< 0.5	< 2	0.93	< 0.5	35	76	152	4.87	10	< 1	0.01	< 10	1.11	1300
97R-433	201	202	< 5	< 0.2	2.57	18	70	< 0.5	< 2	0.52	< 0.5	50	55	59	6.69	< 10	< 1	0.03	< 10	1.18	3100
97R-439	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R-443	201	202	not/ss	< 0.2	3.22	< 2	< 10	< 0.5	< 2	1.14	< 0.5	37	91	183	6.33	10	< 1	0.01	< 10	1.80	1380
97R-444	201	202	< 5	0.2	3.22	< 2	10	< 0.5	< 2	1.16	< 0.5	37	94	200	6.39	10	< 1	0.01	< 10	1.82	1370
97R-445	201	202	< 5	< 0.2	3.10	< 2	10	< 0.5	< 2	1.11	< 0.5	36	104	172	6.72	10	< 1	0.01	< 10	1.68	1285
97R-446	201	202	< 5	0.4	3.98	< 2	< 10	< 0.5	< 2	1.06	< 0.5	46	123	193	7.56	10	< 1	0.01	< 10	1.92	1810
97R-447	201	202	10	< 0.2	4.13	< 2	30	< 0.5	< 2	2.13	< 0.5	39	74	257	6.81	10	< 1	0.03	< 10	2.20	1265
97R-452	201	202	not/ss	< 0.2	4.05	< 2	10	< 0.5	< 2	2.21	< 0.5	40	73	235	6.53	10	< 1	0.02	< 10	2.02	1425

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

to: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page No. : 1-B
 Total Pages : 1
 Certificate Date: 17-OCT-97
 Invoice No. : 19746244
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS

A9746244

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-313	201	202	1 < 0.01		61	620	10	< 2	13	22	0.48	< 10	< 10	196	< 10	106
97R-319	201	202	1 < 0.01		58	450	14	< 2	14	24	0.39	< 10	< 10	190	< 10	178
97R-343	201	202	1 < 0.01		71	480	4	< 2	17	33	0.42	< 10	< 10	202	< 10	118
97R-345	201	202	1 < 0.01		92	320	< 2	< 2	13	30	0.32	< 10	< 10	168	< 10	104
97R-348	201	202	3	0.03	28	560	12	< 2	7	50	0.23	< 10	< 10	115	< 10	138
97R-349	201	202	3	0.05	31	280	2	< 2	8	24	0.31	< 10	< 10	171	< 10	108
97R-350	201	202	3	0.03	25	490	8	< 2	8	37	0.22	< 10	< 10	108	< 10	124
97R-368	201	202	1 < 0.01		57	510	< 2	< 2	19	26	0.38	< 10	< 10	193	< 10	124
97R-373	201	202	1 < 0.01		47	340	< 2	< 2	18	34	0.43	< 10	< 10	215	< 10	100
97R-381	201	202	1 < 0.01		56	540	< 2	2	17	51	0.34	< 10	< 10	234	< 10	130
97R-416	201	202	1 < 0.01		39	430	< 2	< 2	14	38	0.43	< 10	< 10	216	< 10	90
97R-417	201	202	1 < 0.01		26	340	< 2	< 2	13	23	0.43	< 10	< 10	262	< 10	58
97R-418	201	202	1 < 0.01		46	390	< 2	< 2	15	57	0.39	< 10	< 10	184	< 10	98
97R-419	201	202	1 < 0.01		37	290	< 2	< 2	15	51	0.39	< 10	< 10	217	< 10	124
97R-420	201	202	1 < 0.01		53	360	< 2	< 2	16	38	0.44	< 10	< 10	264	< 10	110
97R-421	201	202	< 1 < 0.01		23	380	< 2	< 2	12	50	0.59	< 10	< 10	310	< 10	86
97R-423	201	202	1 < 0.01		24	260	< 2	< 2	10	30	0.59	< 10	< 10	377	< 10	94
97R-424	201	202	1 < 0.01		37	440	< 2	< 2	15	49	0.71	< 10	< 10	337	< 10	130
97R-426	201	202	1 < 0.01		43	420	< 2	< 2	7	53	0.75	< 10	< 10	200	< 10	80
97R-427	201	202	< 1 < 0.01		23	330	2	< 2	6	39	0.61	< 10	< 10	198	< 10	52
97R-430	201	202	1 < 0.01		39	480	< 2	< 2	9	50	0.48	< 10	< 10	173	< 10	130
97R-431	201	202	1 < 0.01		37	200	< 2	< 2	7	59	0.35	< 10	< 10	131	< 10	78
97R-432	201	202	1 < 0.01		30	490	2	< 2	8	33	0.56	< 10	< 10	165	< 10	64
97R-433	201	202	2 < 0.01		27	320	2	< 2	7	25	0.33	< 10	< 10	189	< 10	72
97R-439	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R-443	201	202	1 < 0.01		46	370	< 2	< 2	10	40	0.42	< 10	< 10	167	< 10	88
97R-444	201	202	< 1 < 0.01		46	370	< 2	< 2	11	36	0.44	< 10	< 10	173	< 10	90
97R-445	201	202	< 1 < 0.01		46	350	2	< 2	11	39	0.46	< 10	< 10	196	< 10	86
97R-446	201	202	1 < 0.01		66	420	< 2	< 2	17	31	0.41	< 10	< 10	210	< 10	90
97R-447	201	202	1 < 0.01		63	310	< 2	2	21	39	0.33	< 10	< 10	177	< 10	86
97R-452	201	202	1 < 0.01		64	260	< 2	< 2	20	34	0.31	< 10	< 10	166	< 10	78

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page 1 of 1
 Certificate Date: 16-OCT-97
 Invoice No. : I9746253
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746253

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-318	217 226	< 5	< 0.2	0.30	2	10	< 0.5	< 2	0.01	< 0.5	1	297	3	0.86	< 10	< 1	0.04	< 10	0.21	105
97R-321	217 226	< 5	< 0.2	1.45	< 2	< 10	< 0.5	< 2	0.30	< 0.5	10	229	17	2.76	< 10	< 1	0.01	< 10	1.40	430
97R-342	217 226	< 5	< 0.2	0.89	< 2	< 10	0.5	< 2	0.24	< 0.5	1	73	4	1.71	< 10	< 1	0.03	20	0.69	335
97R-344	217 226	< 5	< 0.2	3.00	< 2	10	< 0.5	< 2	2.68	< 0.5	21	18	159	5.86	10	< 1	0.04	< 10	1.27	620
97R-346	217 226	< 5	< 0.2	5.84	14	50	< 0.5	< 2	2.19	< 0.5	8	31	63	5.92	< 10	< 1	0.12	< 10	1.09	645
97R-351	217 226	< 5	< 0.2	0.21	< 2	< 10	< 0.5	< 2	0.25	< 0.5	2	209	8	0.57	< 10	< 1	< 0.01	< 10	0.12	165
97R-352	217 226	120	0.2	0.73	12	< 10	< 0.5	< 2	0.12	< 0.5	6	179	8	2.48	< 10	< 1	< 0.01	< 10	0.57	195
97R-354	217 226	50	< 0.2	1.16	14	70	1.5	< 2	0.12	< 0.5	< 1	103	1	1.58	< 10	< 1	0.27	< 10	0.15	325
97R-355	217 226	130	< 0.2	1.94	< 2	< 10	< 0.5	< 2	3.67	< 0.5	20	86	10	4.28	< 10	< 1	0.05	< 10	0.59	485
97R-356	217 226	< 5	< 0.2	0.15	2	< 10	< 0.5	< 2	0.11	< 0.5	1	201	4	0.52	< 10	< 1	0.03	< 10	0.03	215
97R-357	217 226	< 5	< 0.2	0.53	< 2	30	< 0.5	< 2	0.07	< 0.5	1	68	4	0.93	< 10	< 1	0.12	< 10	0.14	210
97R-358	217 226	15	< 0.2	1.73	28	< 10	< 0.5	< 2	1.09	< 0.5	14	122	107	4.11	< 10	< 1	< 0.01	< 10	1.15	460
97R-359	217 226	60	< 0.2	0.70	30	40	< 0.5	< 2	0.04	< 0.5	< 1	59	1	1.38	< 10	< 1	0.23	< 10	0.05	175
97R-360	217 226	5	< 0.2	0.12	10	< 10	< 0.5	< 2	0.17	< 0.5	1	243	4	0.49	< 10	< 1	0.02	< 10	0.06	40
97R-361	217 226	< 5	< 0.2	0.40	48	10	< 0.5	< 2	0.17	< 0.5	< 1	108	10	1.03	< 10	< 1	0.08	< 10	0.21	45
97R-362	217 226	1020	0.8	1.19	16	< 10	< 0.5	< 2	0.16	< 0.5	15	177	18	2.54	< 10	< 1	0.08	< 10	0.76	215
97R-363	217 226	70	< 0.2	0.26	2	< 10	< 0.5	< 2	0.13	< 0.5	1	224	6	0.67	< 10	< 1	< 0.01	< 10	0.18	50
97R-364	217 226	< 5	< 0.2	0.64	< 2	< 10	< 0.5	< 2	0.46	< 0.5	6	248	15	1.28	< 10	< 1	< 0.01	< 10	0.45	215
97R-365	217 226	40	0.2	0.13	12	< 10	< 0.5	< 2	0.21	< 0.5	1	194	7	0.53	< 10	< 1	0.04	< 10	0.05	20
97R-366	217 226	310	< 0.2	0.16	2	< 10	< 0.5	< 2	0.13	< 0.5	1	224	3	0.39	< 10	< 1	< 0.01	< 10	0.10	45
97R-367	217 226	10	< 0.2	0.19	8	< 10	< 0.5	< 2	0.13	< 0.5	2	164	6	0.58	< 10	< 1	0.03	< 10	0.12	40
97R-369	217 226	< 5	< 0.2	3.98	84	20	0.5	< 2	8.14	< 0.5	22	169	91	5.79	< 10	< 1	0.04	< 10	4.63	930
97R-370	217 226	5	0.2	0.46	26	10	< 0.5	< 2	>15.00	< 0.5	9	56	25	0.96	< 10	< 1	0.03	< 10	0.22	360
97R-371	217 226	70	1.4	0.17	30	< 10	< 0.5	< 2	>15.00	< 0.5	1	16	23	0.43	< 10	< 1	< 0.01	< 10	0.12	185
97R-372	217 226	210	0.2	2.15	14	< 10	< 0.5	< 2	0.74	< 0.5	20	51	107	5.14	< 10	< 1	< 0.01	< 10	1.57	625
97R-382	217 226	260	< 0.2	3.39	5790	130	< 0.5	< 2	0.33	< 0.5	20	106	73	6.74	< 10	1	0.05	10	2.44	1120
97R-383	217 226	< 5	0.6	1.89	142	30	< 0.5	< 2	0.28	< 0.5	13	83	72	5.77	< 10	< 1	0.03	10	0.84	565
97R-384	217 226	< 5	0.2	2.57	112	50	< 0.5	< 2	0.62	< 0.5	15	76	63	6.90	< 10	< 1	0.07	< 10	1.44	625
97R-386	217 226	10	< 0.2	0.75	392	30	< 0.5	< 2	0.29	< 0.5	2	60	9	2.73	< 10	< 1	0.11	10	0.19	635
97R-394	217 226	< 5	< 0.2	1.34	34	10	< 0.5	< 2	0.50	< 0.5	5	50	18	4.23	< 10	< 1	0.12	< 10	0.46	430
97R-401	217 226	< 5	< 0.2	2.40	< 2	170	< 0.5	< 2	0.17	0.5	8	20	95	5.13	< 10	1	0.07	< 10	1.80	740
97R-425	217 226	< 5	< 0.2	1.29	< 2	< 10	< 0.5	< 2	0.14	< 0.5	4	273	1	1.89	< 10	< 1	< 0.01	< 10	1.44	235
97R-428	217 226	< 5	< 0.2	1.89	22	< 10	< 0.5	< 2	0.53	< 0.5	17	92	132	5.08	< 10	< 1	< 0.01	< 10	1.33	565
97R-429	217 226	< 5	< 0.2	2.34	6	20	< 0.5	< 2	0.63	< 0.5	18	142	101	5.18	< 10	< 1	0.01	< 10	1.82	555
97R-434	217 226	< 5	0.4	0.77	8	30	< 0.5	< 2	0.19	< 0.5	3	141	33	2.19	< 10	< 1	0.06	< 10	0.70	175
97R-435	217 226	< 5	1.0	0.86	50	110	< 0.5	< 2	0.38	< 0.5	6	117	69	2.78	< 10	< 1	0.16	< 10	0.43	140
97R-436	217 226	5	0.8	1.25	< 2	30	< 0.5	< 2	0.33	< 0.5	4	106	57	3.54	< 10	< 1	0.01	< 10	1.34	320
97R-437	217 226	< 5	0.6	0.67	156	70	< 0.5	< 2	0.03	< 0.5	3	161	39	1.99	< 10	< 1	0.08	< 10	0.39	80
97R-438	217 226	< 5	< 0.2	0.47	24	40	< 0.5	< 2	0.04	< 0.5	4	333	26	1.30	< 10	< 1	0.04	< 10	0.26	105
97R-448	217 226	< 5	< 0.2	0.42	82	< 10	< 0.5	< 2	3.77	< 0.5	23	95	523	4.71	< 10	74	0.02	< 10	1.64	815

CERTIFICATION: *Hart Bunker*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page No. : 1-B
Total Pages : 2
Certificate Date: 16-OCT-97
Invoice No. : 19746253
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9746253

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97R-318	217	226	< 1	< 0.01	7	10	2	< 2	< 1	< 1	0.01	< 10	< 10	20	< 10	24
97R-321	217	226	< 1	0.06	22	130	4	< 2	7	16	0.17	< 10	< 10	78	< 10	42
97R-342	217	226	< 1	0.05	4	490	< 2	< 2	4	4	0.09	< 10	< 10	14	< 10	52
97R-344	217	226	< 1	0.03	36	280	< 2	2	8	15	0.29	< 10	< 10	117	< 10	64
97R-346	217	226	< 1	0.53	9	1120	2	2	6	190	0.14	< 10	< 10	73	< 10	70
97R-351	217	226	< 1	< 0.01	6	30	< 2	< 2	1	3	0.03	< 10	< 10	14	< 10	8
97R-352	217	226	2	0.01	14	110	< 2	< 2	8	17	0.15	< 10	< 10	65	< 10	12
97R-354	217	226	< 1	0.08	1	40	10	< 2	< 1	7	< 0.01	< 10	< 10	< 1	< 10	94
97R-355	217	226	< 1	< 0.01	22	130	< 2	< 2	7	28	0.13	< 10	< 10	112	< 10	20
97R-356	217	226	< 1	< 0.01	4	20	2	< 2	< 1	1	0.01	< 10	< 10	5	< 10	4
97R-357	217	226	< 1	0.01	2	40	< 2	< 2	< 1	2	< 0.01	< 10	< 10	3	< 10	28
97R-358	217	226	< 1	< 0.01	21	270	< 2	< 2	9	10	0.18	< 10	< 10	136	< 10	38
97R-359	217	226	< 1	0.04	1	50	4	< 2	< 1	3	< 0.01	< 10	< 10	< 1	< 10	34
97R-360	217	226	10	< 0.01	10	330	< 2	< 2	< 1	7	0.01	< 10	< 10	11	< 10	2
97R-361	217	226	26	< 0.01	19	550	< 2	< 2	3	4	0.05	< 10	< 10	38	< 10	4
97R-362	217	226	< 1	< 0.01	29	120	< 2	< 2	6	1	0.09	< 10	< 10	67	< 10	26
97R-363	217	226	< 1	< 0.01	22	240	< 2	< 2	< 1	3	0.03	< 10	< 10	28	< 10	8
97R-364	217	226	< 1	0.01	11	60	< 2	< 2	4	4	0.11	< 10	< 10	47	< 10	10
97R-365	217	226	10	< 0.01	12	320	2	< 2	1	6	0.02	< 10	< 10	15	< 10	6
97R-366	217	226	< 1	< 0.01	12	60	< 2	< 2	< 1	3	0.01	< 10	< 10	11	< 10	6
97R-367	217	226	7	< 0.01	12	210	< 2	< 2	1	3	0.03	< 10	< 10	14	< 10	8
97R-369	217	226	3	0.01	65	690	6	2	14	186	0.13	< 10	< 10	148	< 10	76
97R-370	217	226	< 1	< 0.01	18	110	2	2	2	331	0.03	< 10	< 10	14	< 10	20
97R-371	217	226	1	< 0.01	4	50	< 2	< 2	< 1	410	< 0.01	< 10	< 10	4	< 10	4
97R-372	217	226	< 1	0.01	25	350	< 2	< 2	17	5	0.46	< 10	< 10	186	< 10	56
97R-382	217	226	3	0.02	52	1120	2	2	16	20	0.09	< 10	< 10	295	< 10	140
97R-383	217	226	19	0.06	70	1290	12	2	12	10	0.15	< 10	< 10	176	< 10	196
97R-384	217	226	2	0.03	43	970	< 2	2	17	19	0.29	< 10	< 10	180	< 10	130
97R-386	217	226	< 1	0.06	1	500	2	< 2	6	5	0.21	< 10	< 10	6	< 10	60
97R-394	217	226	8	0.05	5	470	14	< 2	8	6	0.25	< 10	< 10	52	< 10	26
97R-401	217	226	< 1	0.05	5	890	4	2	12	7	0.01	< 10	< 10	190	< 10	116
97R-425	217	226	4	0.03	114	200	< 2	2	5	3	0.12	< 10	< 10	840	< 10	48
97R-428	217	226	< 1	0.01	24	350	< 2	< 2	17	6	0.48	< 10	< 10	216	< 10	52
97R-429	217	226	< 1	0.01	48	430	< 2	< 2	15	13	0.45	< 10	< 10	170	< 10	54
97R-434	217	226	1	0.09	13	200	2	< 2	4	13	0.01	< 10	< 10	37	< 10	24
97R-435	217	226	3	0.03	43	1270	6	2	5	5	0.13	< 10	< 10	50	< 10	98
97R-436	217	226	< 1	0.08	16	300	2	< 2	12	5	0.22	< 10	< 10	84	< 10	244
97R-437	217	226	6	< 0.01	24	220	6	2	1	1	0.01	< 10	< 10	44	< 10	94
97R-438	217	226	3	0.02	10	150	2	2	1	1	< 0.01	< 10	< 10	44	< 10	70
97R-448	217	226	< 1	< 0.01	55	250	< 2	204	18	44	< 0.01	< 10	< 10	136	< 10	46

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number :2-A
 Total Pages :2
 Certificate Date: 16-OCT-97
 Invoice No. :19746253
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746253

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	
	FA+AA																					
97R-449	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R-450	217	226	< 5	< 0.2	0.66	46	< 10	< 0.5	< 2	8.76	< 0.5	17	65	145	5.02	< 10	12	< 0.01	< 10	4.05	835	



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number :2-B
 Total Pages :2
 Certificate Date: 16-OCT-97
 Invoice No. :19746253
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS A9746253

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
	97R-449	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
97R-450	217	226	< 1	< 0.01	29	150	< 2	60	14	158	< 0.01	< 10	< 10	135	< 10	30



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page No. per : 1-A
Total Pages : 2
Certificate Date: 19-OCT-97
Invoice No. : I9746258
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9746258

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97D 310	201	202	20	< 0.2	4.42	8	10	< 0.5	< 2	1.47	< 0.5	40	132	151	7.34	12	< 1	0.03	5	3.60	1155
97D 337	201	202	10	0.4	3.69	58	40	0.5	< 2	1.32	9.5	28	85	143	5.00	< 10	< 1	0.03	< 10	1.61	1410
97D 358	201	202	< 5	< 0.2	3.26	< 2	60	< 0.5	< 2	0.91	< 0.5	19	23	36	4.50	< 10	< 1	0.06	< 10	1.30	720
97D 359	201	202	< 5	< 0.2	3.84	8	70	< 0.5	< 2	0.65	< 0.5	17	20	24	4.34	10	< 1	0.04	< 10	0.89	690
97D 367	201	202	15	0.2	4.28	32	60	< 0.5	< 2	0.93	3.0	54	67	141	8.99	10	< 1	0.06	< 10	1.93	3900
97D 368	201	202	65	0.2	3.80	< 2	10	< 0.5	< 2	1.26	< 0.5	39	64	203	8.17	10	< 1	0.03	< 10	2.22	1385
97D 370	201	202	15	0.2	3.73	< 2	10	< 0.5	< 2	1.52	< 0.5	37	64	132	7.93	20	< 1	0.01	< 10	1.49	1320
97D 371	201	202	10	0.2	3.34	< 2	10	0.5	< 2	0.74	< 0.5	68	44	131	9.44	10	< 1	0.01	< 10	0.64	4640
97D 372	201	202	25	< 0.2	3.71	< 2	10	< 0.5	< 2	1.37	< 0.5	41	42	143	9.14	10	< 1	0.01	< 10	1.73	1470
97D 373	201	202	60	0.4	3.85	< 2	20	< 0.5	< 2	0.84	< 0.5	40	55	206	8.52	10	< 1	0.05	< 10	2.07	1600
97D 374	201	202	100	0.6	3.81	44	10	< 0.5	< 2	1.08	< 0.5	41	53	170	7.66	10	< 1	0.04	< 10	1.80	2130
97D 375	201	202	5	0.2	3.65	< 2	10	< 0.5	4	1.32	< 0.5	42	41	88	6.92	10	< 1	< 0.01	< 10	1.20	2130
97D 376	201	202	75	0.8	3.44	52	20	< 0.5	< 2	0.94	0.5	36	41	240	7.65	10	< 1	0.06	< 10	1.65	2200
97D 377	201	202	260	0.2	3.41	26	10	< 0.5	2	0.66	0.5	37	54	128	7.28	10	< 1	0.05	< 10	1.46	2040
97D 378	201	202	270	0.2	3.74	28	20	< 0.5	< 2	0.72	0.5	43	71	174	7.26	< 10	< 1	0.06	< 10	1.84	2800
97D 380	201	202	< 5	< 0.2	5.64	< 2	50	0.5	< 2	1.39	1.0	70	108	102	6.94	10	< 1	< 0.01	< 10	1.86	3540
97D 381	201	202	85	< 0.2	4.87	2	30	< 0.5	< 2	1.16	< 0.5	59	140	221	7.25	10	< 1	0.06	< 10	2.55	2430
97D 382	201	202	70	0.8	5.75	406	70	0.5	< 2	0.87	3.5	163	62	120	12.25	< 10	2	0.01	< 10	0.39	>10000
97D 386	201	202	5	< 0.2	4.94	30	10	< 0.5	< 2	2.23	< 0.5	16	28	37	3.88	10	< 1	0.01	< 10	1.32	790
97D 396	201	202	< 25	< 0.2	4.12	14	20	0.5	< 2	1.06	< 0.5	21	19	25	3.30	10	< 1	< 0.01	< 10	0.81	1210
97D 398	201	202	10	< 0.2	5.57	< 2	20	< 0.5	< 2	2.70	< 0.5	21	39	52	4.50	10	< 1	0.01	< 10	1.88	810
97D 403	201	202	20	< 0.2	4.90	32	20	0.5	< 2	1.62	< 0.5	20	40	31	4.40	10	< 1	0.01	< 10	1.68	970
97D 405	201	202	10	0.2	4.22	130	60	< 0.5	< 2	1.11	< 0.5	27	28	30	4.53	10	< 1	0.04	< 10	1.28	1180
97D 412	201	202	5	< 0.2	3.90	34	90	< 0.5	< 2	1.53	< 0.5	17	24	36	3.77	< 10	< 1	0.06	< 10	0.73	745
97D 415	201	202	575	< 0.2	3.56	36	50	< 0.5	< 2	1.15	< 0.5	15	24	31	4.12	10	< 1	0.06	< 10	0.86	750
97D 416	201	202	10	< 0.2	3.90	4	40	< 0.5	< 2	1.80	< 0.5	14	20	29	3.52	< 10	< 1	0.04	< 10	1.07	685
97D 425	201	202	not/ass	< 0.2	3.70	12	70	< 0.5	< 2	1.49	< 0.5	16	24	26	4.37	< 10	< 1	0.08	< 10	1.05	985
97D 430	201	202	10	0.2	3.34	24	330	< 0.5	< 2	1.38	0.5	36	72	210	5.67	10	< 1	0.04	< 10	1.92	1005
97D 437	201	202	10	0.2	3.65	26	100	< 0.5	< 2	1.86	< 0.5	36	71	234	7.59	10	< 1	0.04	< 10	2.01	1225
97D 443	201	202	10	0.4	4.11	< 2	10	< 0.5	< 2	1.54	< 0.5	43	56	277	8.99	10	< 1	0.02	< 10	1.74	1650
97D 456	201	202	10	< 0.2	4.22	< 2	10	< 0.5	< 2	1.94	< 0.5	40	40	186	10.20	20	< 1	0.01	< 10	1.65	1790
97D 460	201	202	10	0.2	3.77	< 2	10	< 0.5	< 2	1.81	< 0.5	32	152	242	6.17	10	< 1	0.01	< 10	2.21	880
97D 464	201	202	< 5	< 0.2	2.86	< 2	10	< 0.5	< 2	0.84	< 0.5	31	104	150	6.48	10	< 1	0.02	< 10	1.63	975
97D 470	201	202	5	0.2	2.77	< 2	10	< 0.5	< 2	1.24	< 0.5	25	105	101	5.18	10	< 1	0.01	< 10	1.56	695
97D 472	201	202	10	< 0.2	3.85	< 2	< 10	< 0.5	< 2	1.72	< 0.5	31	110	281	5.85	10	< 1	0.01	< 10	2.08	820
97D 481	201	202	< 5	0.2	3.83	< 2	< 10	< 0.5	< 2	2.13	< 0.5	35	150	256	5.71	10	< 1	0.01	< 10	2.19	850
97D 482	201	202	20	< 0.2	2.92	< 2	10	< 0.5	< 2	1.52	< 0.5	36	59	175	4.66	10	< 1	0.02	< 10	1.28	1060
97D 483	201	202	10	< 0.2	4.12	< 2	< 10	< 0.5	< 2	1.54	< 0.5	38	313	278	5.80	10	< 1	0.02	< 10	2.77	1045
97D 484	201	202	90	0.2	3.41	< 2	< 10	< 0.5	< 2	1.04	< 0.5	34	105	315	6.42	10	< 1	< 0.01	< 10	2.05	1120
97D 490	201	202	10	< 0.2	3.20	< 2	< 10	< 0.5	< 2	1.20	< 0.5	31	101	190	6.60	< 10	< 1	0.01	< 10	1.98	935

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number :1-B
 Total Pages :2
 Certificate Date: 19-OCT-97
 Invoice No. :19746258
 P.O. Number :
 Account :NDJ

CERTIFICATE OF ANALYSIS

A9746258

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
97D 310	201	202	1 < 0.01		80	419	< 2	< 2	20	32	0.39	< 10	< 10	221	< 10	105
97D 337	201	202	3 0.02		81	690	8	< 2	16	24	0.29	< 10	< 10	131	< 10	520
97D 358	201	202	1 0.03		21	450	2	< 2	8	27	0.23	< 10	< 10	82	< 10	74
97D 359	201	202	3 0.01		20	270	4	< 2	5	25	0.18	< 10	< 10	86	< 10	92
97D 367	201	202	1 < 0.01		73	370	16	< 2	17	24	0.29	< 10	< 10	207	< 10	404
97D 368	201	202	1 < 0.01		52	280	< 2	< 2	17	20	0.44	< 10	< 10	249	< 10	124
97D 370	201	202	1 < 0.01		51	220	< 2	< 2	14	23	0.48	< 10	< 10	240	< 10	114
97D 371	201	202	1 < 0.01		27	440	2	< 2	15	28	0.52	< 10	< 10	319	< 10	110
97D 372	201	202	1 < 0.01		45	230	< 2	< 2	17	23	0.38	< 10	< 10	195	< 10	144
97D 373	201	202	1 < 0.01		55	190	< 2	< 2	16	23	0.28	< 10	< 10	210	< 10	146
97D 374	201	202	< 1 0.01		48	270	42	< 2	15	29	0.31	< 10	< 10	204	< 10	192
97D 375	201	202	< 1 0.01		44	200	< 2	< 2	12	24	0.36	< 10	< 10	199	< 10	156
97D 376	201	202	< 1 < 0.01		45	320	22	< 2	15	28	0.27	< 10	< 10	195	< 10	256
97D 377	201	202	< 1 < 0.01		41	150	16	< 2	12	20	0.27	< 10	< 10	201	< 10	248
97D 378	201	202	< 1 < 0.01		55	310	14	2	14	24	0.28	< 10	< 10	194	< 10	300
97D 380	201	202	< 1 0.01		108	350	6	< 2	12	51	0.33	< 10	< 10	156	< 10	306
97D 381	201	202	< 1 < 0.01		97	220	6	< 2	15	42	0.27	< 10	< 10	164	< 10	160
97D 382	201	202	16 < 0.01		32	930	38	< 2	20	22	0.14	< 10	10	190	< 10	354
97D 386	201	202	< 1 0.03		22	330	8	< 2	6	69	0.24	< 10	< 10	68	< 10	96
97D 396	201	202	< 1 0.01		18	490	6	< 2	4	43	0.24	< 10	< 10	67	< 10	74
97D 398	201	202	< 1 0.01		30	440	< 2	< 2	9	83	0.17	< 10	< 10	93	< 10	92
97D 403	201	202	< 1 0.01		31	340	6	< 2	8	52	0.27	< 10	< 10	99	< 10	156
97D 405	201	202	1 < 0.01		26	380	2	< 2	9	39	0.25	< 10	< 10	87	< 10	98
97D 412	201	202	1 < 0.01		25	290	4	< 2	7	43	0.09	< 10	< 10	59	< 10	80
97D 415	201	202	1 < 0.01		19	210	4	< 2	8	28	0.22	< 10	< 10	76	< 10	98
97D 416	201	202	1 < 0.01		16	300	< 2	< 2	7	47	0.16	< 10	< 10	56	< 10	72
97D 425	201	202	3 0.05		20	490	6	< 2	7	33	0.25	< 10	< 10	90	< 10	122
97D 430	201	202	4 < 0.01		57	590	4	< 2	11	35	0.31	< 10	< 10	179	< 10	174
97D 437	201	202	1 < 0.01		51	470	< 2	< 2	13	54	0.38	< 10	< 10	193	< 10	110
97D 443	201	202	1 < 0.01		45	220	< 2	< 2	16	56	0.32	< 10	< 10	177	< 10	114
97D 456	201	202	< 1 < 0.01		42	260	< 2	< 2	14	43	0.37	< 10	< 10	210	< 10	158
97D 460	201	202	< 1 < 0.01		74	200	< 2	< 2	10	65	0.33	< 10	< 10	114	< 10	94
97D 464	201	202	1 < 0.01		46	330	< 2	< 2	10	42	0.41	< 10	< 10	185	< 10	62
97D 470	201	202	< 1 < 0.01		51	80	< 2	< 2	6	51	0.32	< 10	< 10	106	< 10	62
97D 472	201	202	1 < 0.01		61	210	< 2	< 2	8	63	0.38	< 10	< 10	114	< 10	90
97D 481	201	202	1 < 0.01		74	300	< 2	< 2	7	62	0.44	< 10	< 10	124	< 10	90
97D 482	201	202	1 < 0.01		38	380	< 2	< 2	6	55	0.67	< 10	< 10	168	< 10	62
97D 483	201	202	< 1 < 0.01		127	410	< 2	< 2	11	43	0.48	< 10	< 10	171	< 10	94
97D 484	201	202	1 < 0.01		61	290	< 2	< 2	12	30	0.39	< 10	< 10	138	< 10	98
97D 490	201	202	1 < 0.01		52	170	< 2	< 2	10	39	0.30	< 10	< 10	122	< 10	94

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON
 6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Page Number :2-A
 Total Pages :2
 Certificate Date: 19-OCT-97
 Invoice No. :19746258
 P.O. Number :
 Account :NDJ

Project : MOSQUITO
 Comments : ATTN: GORDON RICHARDS CC: D. BENNETT

CERTIFICATE OF ANALYSIS A9746258

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97D 491	201	202	< 5	< 0.2	3.45	< 2	< 10	< 0.5	< 2	1.44	< 0.5	31	107	193	6.90	10	< 1	0.01	< 10	2.17	930
97D 492	201	202	10	0.2	2.64	6	10	< 0.5	< 2	1.47	< 0.5	35	86	188	7.06	10	< 1	0.01	< 10	1.15	1290
97D 493	201	202	20	< 0.2	3.91	< 2	20	< 0.5	< 2	1.33	< 0.5	48	93	188	8.36	10	< 1	0.02	< 10	1.84	2030
97D 494	201	202	10	0.2	4.60	< 2	10	< 0.5	< 2	1.63	< 0.5	41	61	240	9.16	10	< 1	0.04	< 10	1.89	1495
97D 495	201	202	45	< 0.2	4.95	< 2	10	0.5	< 2	2.02	< 0.5	17	66	30	3.83	10	< 1	0.11	< 10	1.72	675



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218


To: RICHARDS, GORDON
 6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Page Number :2-B
 Total Pages :2
 Certificate Date: 19-OCT-97
 Invoice No. :19746258
 P.O. Number :
 Account :NDJ

Project : MOSQUITO
 Comments : ATTN: GORDON RICHARDS CC: D. BENNETT

CERTIFICATE OF ANALYSIS A9746258

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D 491	201	202	1	< 0.01	57	170	< 2	< 2	12	48	0.26	< 10	< 10	118	< 10	100
97D 492	201	202	1	< 0.01	40	350	< 2	< 2	14	38	0.38	< 10	< 10	235	< 10	122
97D 493	201	202	< 1	< 0.01	51	230	< 2	2	16	32	0.31	< 10	< 10	214	< 10	112
97D 494	201	202	1	< 0.01	44	210	< 2	< 2	17	48	0.30	< 10	< 10	198	< 10	108
97D 495	201	202	1	0.06	28	320	4	< 2	9	47	0.19	< 10	< 10	71	< 10	72



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: GRAHAM RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 16-OCT-97
 Invoice No.: 19746259
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9746259

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97R-453	201 202	< 5	< 0.2	6.82	< 2	110	0.5	< 2	4.24	< 0.5	10	35	27	2.76	10	< 1	0.07	< 10	0.96	485
97R-454	201 202	< 5	< 0.2	3.82	< 2	30	< 0.5	< 2	1.68	< 0.5	12	46	21	2.75	< 10	< 1	0.07	< 10	1.15	525
97R-455	201 202	< 5	< 0.2	5.67	< 2	50	0.5	< 2	0.96	< 0.5	14	85	29	4.42	10	< 1	0.05	< 10	1.27	595
97R-456	201 202	< 5	< 0.2	6.08	8	50	0.5	< 2	2.00	< 0.5	21	49	31	4.22	10	< 1	0.06	< 10	1.32	1235
97R-457	201 202	not/ss	0.2	5.04	8	110	0.5	< 2	0.96	< 0.5	18	35	29	4.39	10	< 1	0.07	< 10	0.97	1325
97R-458	201 202	not/ss	< 0.2	5.04	< 2	20	< 0.5	< 2	2.31	< 0.5	11	57	25	2.30	10	< 1	0.05	< 10	1.09	470
97R-459	201 202	< 5	< 0.2	3.65	< 2	60	0.5	< 2	0.97	< 0.5	17	45	21	4.01	< 10	< 1	0.07	< 10	1.41	780
97R-460	201 202	not/ss	< 0.2	3.08	< 2	110	0.5	< 2	1.08	< 0.5	13	31	20	2.85	< 10	< 1	0.06	10	0.72	925
97R-461	201 202	not/ss	< 0.2	3.99	< 2	110	0.5	< 2	1.30	< 0.5	18	38	29	4.09	< 10	< 1	0.08	10	0.98	1180
97R-463	201 202	not/ss	< 0.2	5.14	< 2	40	< 0.5	< 2	2.27	< 0.5	15	47	23	2.98	< 10	< 1	0.06	< 10	1.33	800
97R-464	201 202	not/ss	< 0.2	4.41	< 2	80	< 0.5	< 2	1.35	< 0.5	19	50	28	4.20	< 10	< 1	0.07	< 10	1.42	820
97R-465	201 202	not/ss	0.2	5.68	< 2	70	0.5	< 2	2.27	< 0.5	26	44	28	3.55	10	< 1	0.06	< 10	0.99	3180
97R-466	201 202	< 5	< 0.2	2.70	< 2	150	0.5	< 2	0.87	< 0.5	16	23	33	3.60	< 10	< 1	0.11	10	0.73	925
97R-469	201 202	not/ss	< 0.2	4.36	< 2	50	< 0.5	< 2	2.08	< 0.5	19	59	33	3.47	< 10	< 1	0.07	< 10	1.83	1040
97R-471	201 202	< 5	< 0.2	3.43	10	130	0.5	< 2	1.28	< 0.5	16	36	29	3.61	< 10	< 1	0.10	10	1.16	905
97R-472	201 202	< 5	0.2	5.76	< 2	50	0.5	< 2	1.93	< 0.5	17	48	31	3.88	10	< 1	0.07	< 10	1.44	905
97D-496	201 202	not/ss	0.2	4.97	< 2	50	0.5	< 2	2.51	2.0	15	63	43	3.39	10	< 1	0.09	< 10	1.38	840
97D-497	201 202	not/ss	< 0.2	4.07	20	80	0.5	< 2	1.13	< 0.5	19	54	34	3.75	10	< 1	0.06	< 10	1.30	1215
97D-498	201 202	not/ss	< 0.2	4.63	< 2	50	0.5	< 2	0.89	< 0.5	18	68	28	3.33	10	< 1	0.03	< 10	1.25	940
97D-499	201 202	< 5	< 0.2	3.36	6	160	0.5	< 2	0.86	< 0.5	20	21	33	4.61	< 10	< 1	0.08	< 10	0.87	980
97D-500	201 202	not/ss	0.2	6.29	< 2	20	< 0.5	< 2	3.55	< 0.5	10	43	21	2.37	10	< 1	0.08	< 10	1.03	450

CERTIFICATION:

Gordon Richards



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: GRAHAM RECCE
 Comments: ATTN: GORDON RICHARDS

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 16-OCT-97
 Invoice No. : 19746259
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746259

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97R-453	201 202	1	0.03	11	410	2	< 2	8	75	0.09	< 10	< 10	36	< 10	54
97R-454	201 202	1	0.04	20	240	2	< 2	6	35	0.11	< 10	< 10	44	< 10	50
97R-455	201 202	1	0.01	23	360	4	< 2	9	37	0.26	< 10	< 10	94	< 10	54
97R-456	201 202	3	0.03	19	280	4	< 2	10	52	0.22	< 10	< 10	103	< 10	88
97R-457	201 202	2	0.06	14	420	2	< 2	9	56	0.11	< 10	< 10	99	< 10	78
97R-458	201 202	1	0.03	18	360	< 2	< 2	8	56	0.10	< 10	< 10	35	< 10	40
97R-459	201 202	1	0.03	17	480	6	< 2	8	35	0.14	< 10	< 10	58	< 10	72
97R-460	201 202	1	0.01	9	600	6	< 2	6	30	0.06	< 10	< 10	38	< 10	60
97R-461	201 202	1	0.02	13	600	8	< 2	9	35	0.08	< 10	< 10	54	< 10	66
97R-463	201 202	1	0.04	17	230	< 2	< 2	7	51	0.06	< 10	< 10	43	< 10	50
97R-464	201 202	1	0.03	23	400	2	< 2	8	36	0.07	< 10	< 10	63	< 10	76
97R-465	201 202	2	0.02	17	780	< 2	< 2	8	63	0.15	< 10	< 10	60	< 10	96
97R-466	201 202	1	0.02	17	650	8	< 2	7	84	0.06	< 10	< 10	55	< 10	88
97R-469	201 202	1	0.07	23	490	< 2	< 2	11	51	0.13	< 10	< 10	61	< 10	54
97R-471	201 202	1	0.03	14	510	8	< 2	8	38	0.04	< 10	< 10	44	< 10	60
97R-472	201 202	2	0.04	16	610	2	< 2	11	46	0.17	< 10	< 10	62	< 10	66
97D-496	201 202	2	0.09	26	420	120	< 2	8	56	0.17	< 10	< 10	60	< 10	588
97D-497	201 202	1	0.03	23	350	28	< 2	7	43	0.13	< 10	< 10	64	< 10	162
97D-498	201 202	1	0.02	22	490	8	< 2	9	33	0.23	< 10	< 10	66	< 10	86
97D-499	201 202	2	0.02	14	640	6	< 2	9	50	0.06	< 10	< 10	71	< 10	102
97D-500	201 202	1	0.04	18	350	2	< 2	5	77	0.10	< 10	< 10	43	< 10	50

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page : 1-A
 Total Pages : 3
 Certificate Date: 19-OCT-97
 Invoice No. : I9746261
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746261

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D 300	201 202	not/ass	0.8	3.76	50	10	< 0.5	< 2	0.25	< 0.5	32	94	69	8.03	10	< 1	0.02	< 10	0.92	1720
97D 301	201 202	50	1.4	3.67	36	10	< 0.5	< 2	0.37	< 0.5	36	96	71	8.02	10	< 1	0.02	< 10	1.32	1310
97D 303	201 202	< 25	0.8	3.59	74	10	< 0.5	< 2	0.41	< 0.5	30	116	52	8.07	10	< 1	0.01	< 10	1.09	1235
97D 304	201 202	not/ass	0.6	3.59	10	< 10	< 0.5	< 2	0.15	< 0.5	6	104	53	8.91	10	< 1	< 0.01	< 10	0.45	240
97D 305	201 202	60	0.2	4.94	8	< 10	< 0.5	< 2	0.12	< 0.5	4	111	66	7.75	10	< 1	< 0.01	< 10	0.25	150
97D 306	201 202	< 5	< 0.2	3.41	10	30	0.5	< 2	0.74	< 0.5	36	88	69	8.84	10	< 1	0.01	< 10	0.52	1700
97D 308	201 202	< 5	< 0.2	2.18	26	10	< 0.5	< 2	0.40	< 0.5	12	88	52	8.92	10	< 1	0.01	< 10	0.50	375
97D 309	201 202	< 10	0.6	3.03	< 2	30	0.5	< 2	0.33	< 0.5	201	88	66	7.65	10	< 1	0.03	< 10	0.78	3020
97D 312	201 202	< 5	0.2	2.74	2	10	< 0.5	< 2	0.25	< 0.5	8	114	56	8.92	10	< 1	0.01	< 10	0.43	250
97D 313	201 202	20	1.6	2.55	142	60	0.5	< 2	1.22	22.0	21	80	145	4.59	< 10	< 1	0.04	< 10	0.83	2030
97D 314	201 202	< 5	1.0	4.46	64	20	< 0.5	< 2	0.15	0.5	16	122	96	6.22	< 10	< 1	0.02	< 10	1.01	675
97D 315	201 202	< 5	0.8	3.72	32	40	< 0.5	< 2	0.06	< 0.5	13	64	104	5.58	< 10	< 1	0.04	10	0.56	715
97D 316	201 202	< 5	< 0.2	2.07	50	40	< 0.5	< 2	0.06	< 0.5	6	36	46	5.20	< 10	< 1	0.06	< 10	0.11	370
97D 317	201 202	< 5	1.2	2.88	< 2	50	< 0.5	< 2	0.76	0.5	26	68	52	5.76	< 10	< 1	0.02	< 10	0.59	1485
97D 318	201 202	< 5	1.6	4.54	60	60	0.5	< 2	0.14	< 0.5	16	73	110	6.23	< 10	< 1	0.03	20	0.49	805
97D 319	201 202	< 5	0.2	4.17	< 2	10	< 0.5	< 2	0.74	< 0.5	26	92	141	6.10	10	< 1	0.07	< 10	1.76	640
97D 321	201 202	< 5	0.2	5.66	14	10	< 0.5	< 2	0.19	< 0.5	8	119	97	8.23	10	< 1	0.01	< 10	0.72	225
97D 322	201 202	< 5	0.2	5.37	82	10	0.5	< 2	0.22	< 0.5	23	93	66	5.29	10	< 1	0.01	< 10	0.58	250
97D 323	201 202	< 5	0.8	4.72	18	20	< 0.5	< 2	0.45	5.0	33	108	145	6.92	10	< 1	0.01	< 10	0.78	1370
97D 324	201 202	< 5	0.2	3.29	12	10	< 0.5	< 2	0.41	< 0.5	35	98	124	7.43	< 10	< 1	0.01	< 10	1.12	900
97D 325	201 202	40	0.2	2.16	< 2	10	< 0.5	< 2	0.24	< 0.5	4	86	32	9.78	10	< 1	0.01	< 10	0.14	140
97D 326	201 202	< 5	0.6	5.16	< 2	10	< 0.5	< 2	0.45	< 0.5	31	128	132	7.39	< 10	< 1	< 0.01	< 10	2.04	585
97D 327	201 202	< 5	1.6	3.34	< 2	< 10	< 0.5	< 2	0.21	< 0.5	6	111	66	9.78	10	< 1	< 0.01	< 10	0.27	220
97D 328	201 202	< 25	0.2	5.65	< 2	10	0.5	< 2	0.24	< 0.5	74	129	126	7.15	10	< 1	0.01	< 10	0.44	2810
97D 329	201 202	< 5	0.2	3.74	< 2	< 10	< 0.5	< 2	0.23	< 0.5	8	106	68	10.65	10	< 1	0.01	< 10	0.41	310
97D 330	201 202	< 5	0.2	3.44	< 2	< 10	< 0.5	< 2	0.29	< 0.5	14	120	64	8.37	10	< 1	0.01	< 10	0.55	525
97D 331	201 202	< 5	0.4	3.96	< 2	< 10	< 0.5	< 2	0.21	< 0.5	44	116	63	8.34	10	< 1	0.01	< 10	0.33	2080
97D 332	201 202	< 5	< 0.2	1.60	< 2	< 10	< 0.5	< 2	0.44	< 0.5	8	69	27	6.28	10	< 1	0.01	< 10	0.44	190
97D 333	201 202	< 5	0.2	3.29	< 2	< 10	< 0.5	< 2	0.98	< 0.5	39	87	151	6.07	10	< 1	0.03	< 10	2.05	1650
97D 334	201 202	< 5	0.2	4.87	< 2	< 10	< 0.5	< 2	0.23	< 0.5	7	138	92	9.76	10	< 1	0.01	< 10	0.42	300
97D 335	201 202	< 5	0.2	2.56	< 2	< 10	< 0.5	< 2	0.25	< 0.5	9	83	44	7.45	10	< 1	0.01	< 10	0.40	440
97D 336	201 202	< 5	0.4	4.28	< 2	< 10	< 0.5	< 2	0.26	< 0.5	15	147	105	9.54	10	< 1	0.01	< 10	0.63	540
97D 338	201 202	< 5	0.8	3.48	< 2	< 10	< 0.5	< 2	0.21	< 0.5	7	101	83	7.39	10	< 1	0.01	< 10	0.36	290
97D 339	201 202	< 5	0.4	3.09	10	10	< 0.5	< 2	0.21	< 0.5	20	92	50	8.42	10	< 1	0.01	< 10	0.32	615
97D 340	201 202	< 5	0.2	4.05	4	< 10	< 0.5	< 2	0.33	< 0.5	19	93	114	6.12	< 10	< 1	0.02	< 10	1.25	505
97D 341	201 202	< 5	0.4	2.55	< 2	< 10	< 0.5	< 2	0.19	< 0.5	7	91	46	9.01	10	< 1	0.01	< 10	0.26	340
97D 342	201 202	< 5	0.8	2.87	56	60	0.5	< 2	0.19	0.5	18	44	71	4.73	< 10	< 1	0.03	10	0.50	1105
97D 343	201 202	< 5	0.8	4.04	188	70	1.5	< 2	0.13	1.5	48	46	123	6.82	< 10	< 1	0.04	10	0.88	1430
97D 344	201 202	< 5	1.0	3.29	52	20	< 0.5	< 2	0.12	< 0.5	5	77	52	6.13	10	< 1	0.02	< 10	0.55	220
97D 345	201 202	25	0.8	2.98	46	10	< 0.5	< 2	0.08	< 0.5	6	99	41	7.99	10	< 1	0.03	< 10	0.54	180

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number: 1-B
 Total Pages: 3
 Certificate Date: 19-OCT-97
 Invoice No.: 19746261
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS

A9746261

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D 300	201 202	3 < 0.01		26	760	2 < 2	< 2	13	6	0.27	< 10	< 10	223	< 10	58
97D 301	201 202	1 < 0.01		33	540	< 2	< 2	14	9	0.34	< 10	< 10	239	< 10	64
97D 303	201 202	3 < 0.01		29	790	4	< 2	12	9	0.37	< 10	< 10	277	< 10	54
97D 304	201 202	< 1 < 0.01		15	290	< 2	2	12	5	0.46	< 10	< 10	250	< 10	24
97D 305	201 202	1 < 0.01		10	300	< 2	< 2	17	5	0.42	< 10	< 10	242	< 10	22
97D 306	201 202	1 < 0.01		22	460	2	< 2	15	18	0.34	< 10	< 10	270	< 10	74
97D 308	201 202	1 < 0.01		17	310	2	< 2	7	12	0.34	< 10	< 10	251	< 10	30
97D 309	201 202	1 < 0.01		26	1250	< 2	< 2	17	20	0.24	< 10	< 10	141	< 10	40
97D 312	201 202	1 < 0.01		17	260	< 2	< 2	8	8	0.30	< 10	< 10	226	< 10	30
97D 313	201 202	7	0.03	110	640	6	< 2	12	25	0.07	< 10	< 10	140	< 10	702
97D 314	201 202	12 < 0.01		50	500	8	< 2	11	6	0.19	< 10	< 10	259	< 10	176
97D 315	201 202	20	0.01	55	950	6	2	7	4	0.03	< 10	< 10	199	< 10	232
97D 316	201 202	13 < 0.01		24	700	6	< 2	4	3	0.04	< 10	< 10	158	< 10	124
97D 317	201 202	5 < 0.01		30	770	< 2	< 2	9	19	0.27	< 10	< 10	177	< 10	86
97D 318	201 202	13 < 0.01		54	590	4	< 2	16	7	0.13	< 10	< 10	184	< 10	258
97D 319	201 202	1 < 0.01		57	570	< 2	< 2	14	12	0.37	< 10	< 10	158	< 10	62
97D 321	201 202	1 < 0.01		24	350	< 2	< 2	13	6	0.30	< 10	< 10	165	< 10	42
97D 322	201 202	8 < 0.01		28	380	2	< 2	14	7	0.30	< 10	< 10	180	< 10	92
97D 323	201 202	1 < 0.01		44	460	4	< 2	20	15	0.38	< 10	< 10	199	< 10	168
97D 324	201 202	3 < 0.01		45	530	2	< 2	13	13	0.33	< 10	< 10	191	< 10	74
97D 325	201 202	< 1 < 0.01		7	220	< 2	< 2	6	11	0.50	< 10	< 10	285	< 10	16
97D 326	201 202	2 < 0.01		96	280	< 2	< 2	15	15	0.33	< 10	< 10	170	< 10	90
97D 327	201 202	< 1 < 0.01		11	280	< 2	< 2	12	9	0.43	< 10	< 10	259	< 10	22
97D 328	201 202	1 < 0.01		28	620	< 2	< 2	20	9	0.43	< 10	< 10	203	< 10	66
97D 329	201 202	1 < 0.01		13	390	< 2	< 2	10	10	0.40	< 10	< 10	212	< 10	26
97D 330	201 202	< 1 < 0.01		20	420	< 2	< 2	14	11	0.38	< 10	< 10	220	< 10	34
97D 331	201 202	1 < 0.01		15	680	< 2	< 2	14	9	0.45	< 10	< 10	238	< 10	34
97D 332	201 202	< 1 < 0.01		14	300	< 2	< 2	6	15	0.49	< 10	< 10	274	< 10	20
97D 333	201 202	< 1 < 0.01		63	640	< 2	< 2	17	23	0.40	< 10	< 10	183	< 10	66
97D 334	201 202	< 1 < 0.01		16	340	< 2	< 2	27	10	0.34	< 10	< 10	232	< 10	28
97D 335	201 202	1 < 0.01		15	580	< 2	< 2	10	8	0.49	< 10	< 10	235	< 10	20
97D 336	201 202	1 < 0.01		23	390	< 2	< 2	19	11	0.33	< 10	< 10	198	< 10	36
97D 338	201 202	2 < 0.01		14	500	< 2	< 2	13	7	0.40	< 10	< 10	228	< 10	32
97D 339	201 202	6 < 0.01		12	590	6	< 2	12	7	0.37	< 10	< 10	250	< 10	44
97D 340	201 202	1 < 0.01		41	740	< 2	< 2	11	9	0.36	< 10	< 10	166	< 10	56
97D 341	201 202	1 < 0.01		10	420	2	< 2	9	6	0.36	< 10	< 10	256	< 10	22
97D 342	201 202	10 < 0.01		38	950	4	< 2	6	5	0.06	< 10	< 10	126	< 10	188
97D 343	201 202	12	0.01	74	1400	6	< 2	9	6	0.05	< 10	< 10	124	< 10	320
97D 344	201 202	4 < 0.01		26	470	6	< 2	8	5	0.19	< 10	< 10	206	< 10	86
97D 345	201 202	10 < 0.01		22	400	10	2	7	11	0.27	< 10	< 10	304	< 10	68

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO
Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page 1 of 2-A
Total Pages 13
Certificate Date: 19-OCT-97
Invoice No. : 19746261
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS A9746261

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
97D 346	201 202	< 5	1.0	3.55	18	10	< 0.5	2	0.17	< 0.5	8	111	78	9.07	10	< 1	0.01	< 10	0.63	195
97D 347	201 202	< 5	1.2	5.16	210	30	0.5	2	0.56	17.0	34	151	124	7.54	10	< 1	0.02	< 10	0.67	1120
97D 348	201 202	< 5	0.4	3.58	4	< 10	< 0.5	< 2	0.25	< 0.5	8	105	54	8.22	10	< 1	0.01	< 10	0.48	360
97D 349	201 202	< 5	0.8	4.95	36	10	< 0.5	2	0.31	< 0.5	13	115	136	8.31	10	< 1	0.01	< 10	1.09	335
97D 350	201 202	not/SS	1.2	3.34	28	10	< 0.5	4	0.49	< 0.5	14	96	66	7.42	10	< 1	0.01	< 10	0.64	660
97D 351	201 202	35	< 0.2	6.61	10	10	0.5	2	0.12	< 0.5	19	48	46	6.52	10	< 1	0.04	< 10	0.42	495
97D 352	201 202	< 5	< 0.2	7.38	< 2	10	0.5	2	0.12	< 0.5	7	46	46	5.76	10	< 1	0.02	< 10	0.33	255
97D 353	201 202	< 5	0.4	4.46	20	20	0.5	< 2	0.19	0.5	7	22	35	3.78	< 10	< 1	0.02	< 10	0.15	680
97D 354	201 202	< 5	0.2	2.88	2	10	< 0.5	< 2	0.29	< 0.5	3	24	30	3.49	10	< 1	0.03	< 10	0.24	150
97D 355	201 202	< 5	0.6	5.51	10	20	0.5	2	0.23	< 0.5	34	46	132	7.09	10	< 1	0.04	< 10	0.43	825
97D 356	201 202	< 5	0.2	3.31	8	30	0.5	2	0.51	< 0.5	19	51	92	7.22	10	< 1	0.02	< 10	0.43	675
97D 357	201 202	< 5	0.2	3.86	10	20	< 0.5	2	0.19	< 0.5	5	40	23	4.67	10	< 1	0.01	< 10	0.29	315
97D 360	201 202	< 5	0.2	4.82	8	10	0.5	< 2	0.07	< 0.5	17	15	16	4.05	< 10	< 1	0.01	10	0.17	275
97D 361	201 202	< 5	0.4	2.87	< 2	10	< 0.5	4	0.07	< 0.5	4	21	13	7.26	20	< 1	0.01	< 10	0.13	155
97D 362	201 202	< 5	0.6	4.00	< 2	10	< 0.5	< 2	0.07	< 0.5	4	25	30	6.17	10	< 1	0.01	10	0.17	230
97D 363	201 202	< 5	0.6	7.61	28	10	0.5	2	0.35	0.5	26	50	94	5.16	10	< 1	0.01	< 10	0.23	875
97D 364	201 202	< 5	< 0.2	7.32	16	10	< 0.5	2	0.19	< 0.5	9	62	44	4.82	10	< 1	0.01	< 10	0.57	300
97D 389	201 202	< 5	0.2	4.94	22	< 10	< 0.5	< 2	0.24	< 0.5	3	14	14	6.31	20	< 1	0.01	< 10	0.38	290
97D 391	201 202	< 10	0.2	3.33	12	10	< 0.5	2	0.13	< 0.5	1	10	9	5.67	20	< 1	0.01	< 10	0.16	175
97D 393	201 202	< 5	< 0.2	0.64	4	10	< 0.5	< 2	0.07	< 0.5	< 1	1	3	1.23	10	< 1	0.01	< 10	0.01	25
97D 394	201 202	< 5	0.2	3.72	6	< 10	< 0.5	2	0.05	< 0.5	5	48	17	7.39	30	< 1	< 0.01	< 10	0.38	170
97D 397	201 202	< 5	0.2	2.60	4	10	< 0.5	2	0.15	< 0.5	5	18	16	5.72	10	< 1	0.01	< 10	0.40	200
97D 399	201 202	< 5	0.2	6.33	14	10	< 0.5	< 2	0.34	< 0.5	11	87	53	4.87	10	< 1	0.01	< 10	1.22	355
97D 400	201 202	< 5	0.6	2.25	26	40	< 0.5	< 2	0.19	< 0.5	6	29	14	4.60	10	< 1	0.05	< 10	0.60	325
97D 401	201 202	35	0.2	4.91	14	90	< 0.5	< 2	0.02	< 0.5	4	32	25	6.31	10	< 1	0.07	< 10	0.58	135
97D 404	201 202	< 5	< 0.2	2.99	36	30	< 0.5	< 2	0.23	< 0.5	5	29	12	3.63	10	< 1	0.04	< 10	0.59	260
97D 406	201 202	10	0.2	3.17	20	50	< 0.5	< 2	0.08	< 0.5	9	35	56	5.81	< 10	< 1	0.06	< 10	0.71	410
97D 407	201 202	< 5	0.2	2.99	26	30	< 0.5	< 2	0.04	< 0.5	4	27	19	8.19	10	< 1	0.04	< 10	0.25	305
97D 408	201 202	< 5	< 0.2	1.17	28	30	< 0.5	< 2	0.06	< 0.5	< 1	18	5	3.31	10	< 1	0.05	< 10	0.09	30
97D 409	201 202	< 5	< 0.2	1.43	8	30	< 0.5	< 2	0.08	< 0.5	< 1	13	3	2.78	10	< 1	0.04	< 10	0.07	50
97D 410	201 202	< 5	< 0.2	1.23	2	10	< 0.5	< 2	0.02	< 0.5	< 1	10	5	4.51	10	< 1	0.04	< 10	0.02	20
97D 411	201 202	< 5	< 0.2	1.82	22	50	< 0.5	< 2	0.12	< 0.5	3	42	8	3.20	10	< 1	0.04	< 10	0.15	125
97D 413	201 202	< 5	< 0.2	2.61	12	10	< 0.5	< 2	0.12	< 0.5	5	25	18	3.79	10	< 1	0.03	< 10	0.42	290
97D 414	201 202	< 5	< 0.2	2.47	8	10	< 0.5	2	0.14	< 0.5	5	37	14	6.50	20	< 1	0.02	< 10	0.35	220
97D 427	201 202	30	0.2	3.15	44	90	1.5	4	0.73	< 0.5	58	9	59	8.92	10	< 1	0.07	10	1.51	1860
97D 428	201 202	< 5	0.4	2.91	26	40	1.5	6	0.39	< 0.5	44	27	63	8.27	10	< 1	0.01	10	1.18	965
97D 429	201 202	< 5	0.2	4.34	96	20	0.5	6	0.59	< 0.5	44	37	148	7.57	10	< 1	0.01	10	1.95	795
97D 431	201 202	< 5	< 0.2	1.77	18	50	< 0.5	2	0.22	< 0.5	10	35	86	5.88	10	< 1	0.03	< 10	0.68	275
97D 432	201 202	< 5	2.2	3.12	44	220	< 0.5	< 2	0.30	< 0.5	32	110	217	7.13	10	< 1	0.03	10	1.17	880
97D 434	201 202	< 5	0.8	2.61	50	80	< 0.5	< 2	0.16	< 0.5	21	34	264	6.79	10	< 1	0.04	10	0.93	745

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
VANCOUVER, BC
V5Z 3N4

Project: MOSQUITO

Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page : 2-B
Total Pages : 3
Certificate Date: 19-OCT-97
Invoice No. : 19746261
P.O. Number :
Account : NDJ

CERTIFICATE OF ANALYSIS

A9746261

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D 346	201 202	< 1	< 0.01	23	330	< 2	< 2	11	5	0.30	< 10	< 10	254	< 10	44
97D 347	201 202	4	< 0.01	70	870	< 2	< 2	26	14	0.37	< 10	< 10	230	< 10	294
97D 348	201 202	< 1	< 0.01	17	190	< 2	< 2	13	6	0.36	< 10	< 10	267	< 10	26
97D 349	201 202	< 1	< 0.01	32	270	< 2	< 2	15	8	0.35	< 10	< 10	220	< 10	42
97D 350	201 202	< 1	< 0.01	20	640	< 2	< 2	13	13	0.44	< 10	< 10	271	< 10	30
97D 351	201 202	< 1	< 0.01	9	640	4	< 2	11	6	0.31	< 10	< 10	149	< 10	38
97D 352	201 202	4	< 0.01	8	720	10	< 2	12	5	0.32	< 10	< 10	121	< 10	40
97D 353	201 202	4	< 0.01	7	910	14	< 2	5	9	0.21	< 10	< 10	102	< 10	46
97D 354	201 202	3	< 0.01	8	640	10	< 2	4	9	0.23	< 10	< 10	100	< 10	24
97D 355	201 202	2	< 0.01	12	560	26	< 2	11	10	0.36	< 10	< 10	204	< 10	42
97D 356	201 202	2	< 0.01	14	460	6	< 2	9	15	0.48	< 10	< 10	271	< 10	40
97D 357	201 202	1	< 0.01	8	440	14	< 2	6	9	0.32	< 10	< 10	137	< 10	34
97D 360	201 202	< 1	< 0.01	5	740	4	< 2	4	6	0.09	< 10	< 10	52	< 10	20
97D 361	201 202	8	< 0.01	5	370	12	< 2	3	7	0.26	< 10	< 10	156	< 10	18
97D 362	201 202	5	< 0.01	5	620	2	< 2	7	4	0.26	< 10	< 10	139	< 10	26
97D 363	201 202	4	< 0.01	12	1000	2	< 2	17	5	0.26	< 10	< 10	165	< 10	54
97D 364	201 202	< 1	< 0.01	16	460	2	< 2	18	4	0.30	< 10	< 10	113	< 10	46
97D 389	201 202	< 1	< 0.01	4	200	8	< 2	8	12	0.29	< 10	< 10	68	< 10	44
97D 391	201 202	< 1	< 0.01	3	290	6	< 2	4	8	0.31	< 10	< 10	68	< 10	22
97D 393	201 202	< 1	0.01	< 1	100	4	< 2	1	4	0.10	< 10	< 10	12	< 10	8
97D 394	201 202	3	< 0.01	9	200	2	< 2	8	1	0.48	< 10	< 10	170	< 10	20
97D 397	201 202	1	< 0.01	8	410	2	< 2	5	9	0.39	< 10	< 10	127	< 10	22
97D 399	201 202	< 1	< 0.01	33	490	< 2	< 2	17	8	0.28	< 10	< 10	147	< 10	66
97D 400	201 202	< 1	< 0.01	10	670	6	< 2	5	11	0.28	< 10	< 10	135	< 10	32
97D 401	201 202	1	< 0.01	7	220	4	< 2	9	3	0.04	< 10	< 10	127	< 10	48
97D 404	201 202	< 1	< 0.01	10	200	4	< 2	7	15	0.23	< 10	< 10	123	< 10	32
97D 406	201 202	3	0.01	18	640	6	< 2	9	8	0.01	< 10	< 10	120	< 10	92
97D 407	201 202	< 1	0.01	7	690	2	< 2	6	5	0.01	< 10	< 10	191	< 10	16
97D 408	201 202	2	< 0.01	2	180	6	< 2	2	6	0.08	< 10	< 10	183	< 10	6
97D 409	201 202	1	< 0.01	2	160	6	< 2	1	9	0.08	< 10	< 10	112	< 10	10
97D 410	201 202	< 1	0.01	1	220	2	< 2	1	7	< 0.01	< 10	< 10	85	< 10	4
97D 411	201 202	1	0.01	13	340	2	< 2	5	14	0.02	< 10	< 10	90	< 10	14
97D 413	201 202	< 1	< 0.01	10	270	10	< 2	4	5	0.31	< 10	< 10	116	< 10	32
97D 414	201 202	< 1	< 0.01	8	240	6	< 2	6	6	0.50	< 10	< 10	171	< 10	24
97D 427	201 202	< 1	< 0.01	10	650	6	< 2	10	34	0.67	< 10	< 10	252	< 10	110
97D 428	201 202	2	< 0.01	10	760	16	< 2	15	18	0.60	< 10	< 10	245	< 10	68
97D 429	201 202	< 1	< 0.01	42	400	< 2	< 2	19	18	0.70	< 10	< 10	246	< 10	172
97D 431	201 202	1	< 0.01	13	590	6	< 2	5	15	0.39	< 10	< 10	223	< 10	42
97D 432	201 202	4	< 0.01	33	950	12	< 2	10	10	0.18	< 10	< 10	218	< 10	86
97D 434	201 202	5	< 0.01	16	1310	20	< 2	6	6	0.07	< 10	< 10	151	< 10	56

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number : 3-A
 Total Pages : 3
 Certificate Date: 19-OCT-97
 Invoice No. : 19746261
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746261

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
97D 435	201	202	< 5	2.6	1.99	118	30	< 0.5	< 2	0.17	< 0.5	19	49	190	7.97	10	< 1	0.04	< 10	0.59	850
97D 436	201	202	< 5	1.0	2.46	162	450	0.5	< 2	0.17	0.5	65	18	223	6.43	< 10	< 1	0.11	10	0.80	2020
97D 438	201	202	15	0.2	4.03	10	< 10	< 0.5	< 2	0.30	< 0.5	25	137	207	8.26	10	< 1	0.04	< 10	1.20	830
97D 439	201	202	< 5	< 0.2	2.99	6	10	< 0.5	2	0.78	< 0.5	33	117	223	5.57	< 10	< 1	0.07	< 10	1.68	1540
97D 440	201	202	15	0.2	5.70	4	10	< 0.5	2	0.23	< 0.5	12	124	186	7.43	10	< 1	0.01	< 10	0.71	430
97D 441	201	202	< 5	< 0.2	3.47	< 2	10	< 0.5	2	0.41	< 0.5	41	115	260	6.60	10	< 1	0.02	< 10	1.46	1550
97D 442	201	202	not/asm	0.2	5.30	22	< 10	< 0.5	2	0.15	< 0.5	29	148	120	5.30	10	< 1	0.01	< 10	0.38	480
97D 444	201	202	< 5	< 0.2	4.06	< 2	20	< 0.5	< 2	0.12	< 0.5	10	143	88	10.35	10	< 1	0.01	< 10	0.91	340
97D 445	201	202	< 5	< 0.2	4.33	< 2	< 10	< 0.5	< 2	0.23	< 0.5	7	189	68	12.20	30	< 1	< 0.01	< 10	0.43	255
97D 446	201	202	< 5	< 0.2	3.71	< 2	< 10	< 0.5	2	0.48	< 0.5	13	162	60	8.88	20	< 1	0.01	< 10	0.66	320
97D 447	201	202	< 5	< 0.2	3.28	< 2	10	< 0.5	4	0.33	< 0.5	69	144	70	8.17	20	< 1	0.02	< 10	0.62	2710
97D 448	201	202	< 5	< 0.2	4.37	10	20	0.5	< 2	1.24	< 0.5	30	104	232	6.35	10	< 1	0.13	< 10	2.48	2220
97D 449	201	202	< 5	< 0.2	2.94	< 2	< 10	< 0.5	2	0.33	< 0.5	29	46	130	12.60	20	< 1	0.01	< 10	0.35	1260
97D 450	201	202	< 5	0.2	1.82	< 2	10	< 0.5	2	0.39	< 0.5	8	49	46	13.00	30	< 1	0.01	< 10	0.23	405
97D 451	201	202	< 5	< 0.2	2.39	< 2	10	< 0.5	2	0.62	< 0.5	26	52	36	9.16	30	< 1	0.01	< 10	0.46	995
97D 452	201	202	< 5	< 0.2	1.70	< 2	< 10	< 0.5	2	0.36	< 0.5	21	47	28	11.15	30	< 1	0.01	< 10	0.23	1065
97D 453	201	202	< 5	< 0.2	6.18	< 2	< 10	0.5	2	0.35	< 0.5	13	103	143	14.95	30	< 1	< 0.01	< 10	0.35	340
97D 454	201	202	< 5	< 0.2	4.86	< 2	< 10	< 0.5	2	0.37	< 0.5	9	98	82	14.45	30	< 1	0.01	< 10	0.42	365
97D 455	201	202	15	0.2	2.39	< 2	< 10	< 0.5	2	0.44	< 0.5	5	61	36	12.00	30	< 1	0.01	< 10	0.31	270
97D 457	201	202	< 5	< 0.2	3.11	16	< 10	< 0.5	< 2	0.15	< 0.5	15	127	75	8.45	10	< 1	0.02	< 10	1.25	375
97D 459	201	202	< 5	< 0.2	2.63	< 2	10	< 0.5	10	0.16	< 0.5	8	90	90	3.90	10	< 1	< 0.01	< 10	0.66	210
97D 462	201	202	< 5	< 0.2	2.94	2	< 10	< 0.5	8	0.20	< 0.5	13	107	59	7.61	10	< 1	< 0.01	< 10	0.87	460
97D 463	201	202	< 5	0.6	2.73	4	10	< 0.5	< 2	0.24	< 0.5	12	87	124	5.97	10	< 1	0.01	< 10	0.68	390
97D 466	201	202	35	0.4	2.91	< 2	< 10	< 0.5	4	0.23	< 0.5	31	114	155	9.15	10	< 1	0.01	< 10	0.63	1390
97D 467	201	202	< 5	0.6	1.99	< 2	< 10	< 0.5	6	0.23	< 0.5	6	74	67	6.13	10	< 1	0.01	< 10	0.33	255
97D 468	201	202	10	0.2	3.32	2	< 10	0.5	2	0.56	< 0.5	37	128	210	7.33	10	< 1	0.02	< 10	1.38	2120
97D 469	201	202	< 5	0.4	1.91	< 2	< 10	< 0.5	4	0.30	< 0.5	9	80	82	6.11	10	< 1	0.02	< 10	0.48	355
97D 471	201	202	< 5	0.2	1.96	< 2	< 10	< 0.5	8	0.18	< 0.5	6	76	37	7.06	10	< 1	0.02	< 10	0.39	280
97D 473	201	202	< 5	0.4	7.12	12	< 10	0.5	< 2	0.15	< 0.5	19	140	365	6.62	10	< 1	< 0.01	< 10	0.80	645
97D 474	201	202	< 5	0.2	4.81	2	< 10	0.5	2	0.36	< 0.5	12	108	235	4.40	10	< 1	0.01	< 10	0.92	315
97D 475	201	202	< 5	0.2	3.67	< 2	< 10	< 0.5	2	0.76	< 0.5	17	102	172	5.63	10	< 1	0.01	< 10	1.21	450
97D 476	201	202	< 5	0.2	5.25	10	< 10	< 0.5	6	0.31	< 0.5	13	98	190	5.24	10	< 1	0.01	< 10	0.74	540
97D 477	201	202	< 5	0.2	2.54	6	< 10	< 0.5	4	0.31	< 0.5	13	58	121	4.87	10	< 1	0.01	< 10	0.67	485
97D 478	201	202	< 5	0.4	2.67	4	< 10	< 0.5	4	0.34	< 0.5	11	72	115	5.22	10	< 1	0.01	< 10	0.83	340
97D 479	201	202	< 5	0.2	4.93	2	10	< 0.5	< 2	0.56	< 0.5	47	402	369	6.23	10	< 1	0.10	< 10	2.07	1785
97D 480	201	202	< 5	< 0.2	2.39	< 2	< 10	< 0.5	4	0.20	< 0.5	7	73	86	4.29	10	< 1	0.01	< 10	0.49	210
97D 488	201	202	25	0.2	3.94	12	10	0.5	6	0.68	< 0.5	53	164	395	9.61	10	< 1	0.01	< 10	1.55	2920
97D 489	201	202	60	0.2	4.48	10	< 10	0.5	4	0.34	< 0.5	71	182	524	9.83	10	< 1	< 0.01	< 10	1.86	3470

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page 1 of 3
 Total Pages : 3
 Certificate Date: 19-OCT-97
 Invoice No. : 19746261
 P.O. Number :
 Account : NDJ

CERTIFICATE OF ANALYSIS A9746261

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D 435	201 202	< 1	< 0.01	20	1030	6	< 2	9	7	0.23	< 10	< 10	298	< 10	42
97D 436	201 202	6	< 0.01	36	1190	78	< 2	11	7	< 0.01	< 10	< 10	83	< 10	172
97D 438	201 202	< 1	< 0.01	29	630	< 2	< 2	14	29	0.28	< 10	< 10	273	< 10	62
97D 439	201 202	< 1	< 0.01	41	700	< 2	< 2	18	43	0.41	< 10	< 10	200	< 10	84
97D 440	201 202	< 1	< 0.01	22	480	< 2	< 2	20	17	0.50	< 10	< 10	265	< 10	60
97D 441	201 202	< 1	< 0.01	37	410	2	< 2	13	18	0.46	< 10	< 10	235	< 10	132
97D 442	201 202	< 1	< 0.01	15	550	< 2	< 2	35	10	0.50	< 10	< 10	249	< 10	32
97D 444	201 202	< 1	< 0.01	19	110	< 2	< 2	14	7	0.36	< 10	< 10	205	< 10	42
97D 445	201 202	< 1	< 0.01	14	100	< 2	< 2	14	7	0.44	< 10	< 10	294	< 10	30
97D 446	201 202	< 1	< 0.01	18	140	< 2	< 2	10	14	0.56	< 10	< 10	307	< 10	38
97D 447	201 202	< 1	< 0.01	19	470	< 2	< 2	13	13	0.68	< 10	< 10	356	< 10	42
97D 448	201 202	< 1	< 0.01	50	620	< 2	< 2	27	51	0.19	< 10	10	196	< 10	72
97D 449	201 202	< 1	< 0.01	10	530	< 2	< 2	11	8	0.73	< 10	< 10	449	< 10	42
97D 450	201 202	< 1	< 0.01	7	230	< 2	< 2	7	5	0.58	< 10	< 10	461	< 10	22
97D 451	201 202	< 1	< 0.01	13	230	< 2	< 2	10	16	0.47	< 10	< 10	330	< 10	54
97D 452	201 202	< 1	< 0.01	8	190	2	< 2	6	16	0.50	< 10	< 10	372	< 10	26
97D 453	201 202	< 1	< 0.01	13	210	< 2	< 2	41	9	0.52	< 10	< 10	380	< 10	36
97D 454	201 202	< 1	< 0.01	14	260	< 2	< 2	13	4	0.59	< 10	< 10	382	< 10	32
97D 455	201 202	< 1	< 0.01	13	210	< 2	< 2	8	12	0.67	< 10	< 10	425	< 10	26
97D 457	201 202	< 1	< 0.01	39	290	< 2	< 2	10	15	0.25	< 10	< 10	288	< 10	40
97D 459	201 202	< 1	< 0.01	19	180	< 2	< 2	9	13	0.89	< 10	< 10	223	< 10	32
97D 462	201 202	< 1	< 0.01	25	180	< 2	< 2	7	14	0.80	< 10	< 10	262	< 10	34
97D 463	201 202	< 1	< 0.01	22	460	< 2	< 2	7	15	0.81	< 10	< 10	226	< 10	30
97D 466	201 202	< 1	< 0.01	18	860	< 2	< 2	8	21	0.76	< 10	< 10	334	< 10	30
97D 467	201 202	< 1	< 0.01	12	490	< 2	< 2	5	15	0.68	< 10	< 10	218	< 10	16
97D 468	201 202	< 1	< 0.01	40	870	< 2	< 2	10	30	0.60	< 10	< 10	255	< 10	54
97D 469	201 202	< 1	< 0.01	17	540	< 2	< 2	5	18	0.60	< 10	< 10	244	< 10	20
97D 471	201 202	< 1	< 0.01	14	570	< 2	< 2	4	13	0.79	< 10	< 10	236	< 10	22
97D 473	201 202	< 1	< 0.01	27	480	< 2	< 2	18	13	0.77	10	< 10	205	< 10	38
97D 474	201 202	< 1	< 0.01	27	220	< 2	< 2	10	32	0.56	< 10	< 10	161	< 10	38
97D 475	201 202	< 1	< 0.01	36	290	< 2	< 2	7	37	0.43	< 10	< 10	116	< 10	46
97D 476	201 202	< 1	< 0.01	23	510	< 2	< 2	9	20	0.86	< 10	< 10	184	< 10	36
97D 477	201 202	< 1	< 0.01	19	590	< 2	< 2	4	22	0.52	< 10	< 10	166	< 10	30
97D 478	201 202	< 1	< 0.01	26	520	< 2	< 2	5	19	0.71	< 10	< 10	189	< 10	30
97D 479	201 202	< 1	< 0.01	176	340	< 2	< 2	15	20	0.41	< 10	< 10	174	< 10	72
97D 480	201 202	< 1	< 0.01	17	500	< 2	< 2	5	14	0.66	< 10	< 10	167	< 10	24
97D 488	201 202	< 1	< 0.01	42	660	< 2	< 2	25	25	0.61	< 10	< 10	304	< 10	70
97D 489	201 202	< 1	< 0.01	57	360	< 2	< 2	37	21	0.58	< 10	< 10	303	< 10	74

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 19-OCT-97
 Invoice No.: 19746262
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS A9746262

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
97D 302	217	226	< 5	< 0.2	3.60	12	10	< 0.5	2	3.57	< 0.5	27	50	37	6.58	10	< 1	< 0.01	< 10	1.97	695
97D 307	217	226	< 5	< 0.2	2.14	< 2	10	< 0.5	< 2	2.16	< 0.5	27	161	105	4.51	< 10	< 1	0.04	< 10	1.54	575
97D 311	217	226	< 5	< 0.2	0.32	12	30	< 0.5	< 2	0.03	< 0.5	1	93	2	0.69	< 10	< 1	0.12	20	0.03	75
97D 320	217	226	< 5	< 0.2	0.30	124	30	1.0	< 2	0.01	< 0.5	< 1	63	2	1.14	< 10	< 1	0.12	20	0.01	45
97D 365	217	226	< 5	0.2	0.86	8	20	< 0.5	< 2	1.23	1.0	1	64	5	0.89	< 10	< 1	0.23	10	0.22	315
97D 366	217	226	< 5	7.6	0.89	220	10	< 0.5	< 2	7.63	6.0	23	20	97	4.28	< 10	< 1	0.19	< 10	0.29	280
97D 369	217	226	3280	0.6	1.49	122	< 10	< 0.5	< 2	0.58	< 0.5	13	67	90	4.72	< 10	< 1	< 0.01	< 10	1.27	510
97D 379	217	226	< 5	< 0.2	3.32	< 2	30	< 0.5	< 2	2.57	< 0.5	33	188	254	6.38	10	< 1	0.03	< 10	3.33	845
97D 383	217	226	< 5	0.6	0.53	24	30	< 0.5	< 2	0.11	< 0.5	1	64	65	0.48	< 10	< 1	0.31	< 10	0.05	175
97D 384	217	226	< 5	< 0.2	1.50	24	< 10	< 0.5	2	0.34	< 0.5	4	75	41	3.11	< 10	< 1	0.01	< 10	0.84	270
97D 385	217	226	< 5	< 0.2	1.33	18	10	< 0.5	< 2	0.32	< 0.5	5	36	20	2.95	< 10	< 1	0.02	< 10	0.59	615
97D 387	217	226	< 5	< 0.2	1.37	4	10	< 0.5	< 2	0.49	< 0.5	9	30	18	3.71	< 10	< 1	0.05	< 10	0.64	520
97D 388	217	226	< 5	< 0.2	0.86	< 2	10	< 0.5	< 2	0.15	< 0.5	1	56	2	1.96	< 10	< 1	0.04	< 10	0.16	345
97D 390	217	226	< 5	< 0.2	0.67	18	10	< 0.5	< 2	0.14	< 0.5	< 1	27	6	1.50	< 10	< 1	0.05	< 10	0.07	305
97D 392	217	226	< 5	< 0.2	1.07	48	10	< 0.5	< 2	0.26	< 0.5	1	81	58	2.59	< 10	< 1	0.03	< 10	0.05	245
97D 395	217	226	< 5	< 0.2	0.80	16	20	< 0.5	< 2	0.12	< 0.5	< 1	38	10	1.87	< 10	< 1	0.03	< 10	0.07	205
97D 402	217	226	< 5	< 0.2	2.80	8	60	< 0.5	4	0.96	< 0.5	13	28	11	6.08	10	< 1	< 0.01	< 10	1.44	1040
97D 426	217	226	< 5	< 0.2	0.82	10	110	< 0.5	< 2	0.06	1.5	6	89	54	1.93	< 10	< 1	0.05	< 10	0.65	245
97D 433	217	226	< 5	< 0.2	0.64	8	160	< 0.5	< 2	0.01	< 0.5	1	159	23	1.03	< 10	< 1	0.05	< 10	0.75	120
97D 458	217	226	< 5	< 0.2	2.24	< 2	< 10	< 0.5	< 2	1.13	< 0.5	20	125	173	4.87	10	< 1	0.03	< 10	1.48	580
97D 461	217	226	< 5	0.2	3.36	14	50	< 0.5	4	1.06	< 0.5	30	152	190	6.83	10	< 1	0.01	< 10	2.45	835
97D 465	217	226	< 5	< 0.2	1.30	62	80	< 0.5	< 2	0.13	< 0.5	19	171	101	2.96	< 10	< 1	0.12	< 10	0.60	295
97D 485	217	226	30	< 0.2	1.40	22	< 10	< 0.5	< 2	0.24	< 0.5	14	168	77	3.11	< 10	< 1	< 0.01	< 10	1.01	1105
97D 486	217	226	50	< 0.2	1.60	60	< 10	< 0.5	< 2	0.38	< 0.5	17	144	45	3.99	< 10	< 1	< 0.01	< 10	1.18	500
97D 487	217	226	260	< 0.2	2.86	184	< 10	< 0.5	< 2	0.40	< 0.5	34	175	93	7.71	10	< 1	0.03	< 10	2.16	910

CERTIFICATION:

Haut Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: RICHARDS, GORDON

6170 TISDALL ST.,
 VANCOUVER, BC
 V5Z 3N4

Project: MOSQUITO
 Comments: ATTN: GORDON RICHARDS CC: D. BENNETT

Page Number: 1-B
 Total Pages: 1
 Certificate Date: 19-OCT-97
 Invoice No.: I9746262
 P.O. Number:
 Account: NDJ

CERTIFICATE OF ANALYSIS

A9746262

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
97D 302	217 226	< 1	< 0.01	38	410	< 2	< 2	18	8	0.50	< 10	< 10	189	< 10	62
97D 307	217 226	< 1	0.01	82	60	< 2	< 2	9	58	0.16	< 10	< 10	100	< 10	56
97D 311	217 226	2	0.06	2	30	2	< 2	< 1	2	< 0.01	< 10	< 10	4	< 10	14
97D 320	217 226	4	0.05	1	20	10	< 2	< 1	1	0.01	< 10	< 10	3	< 10	38
97D 365	217 226	1	< 0.01	3	320	10	< 2	< 1	37	< 0.01	< 10	< 10	1	< 10	134
97D 366	217 226	6	< 0.01	16	680	138	8	6	195	< 0.01	< 10	< 10	15	< 10	668
97D 369	217 226	< 1	< 0.01	15	390	< 2	< 2	11	4	0.39	< 10	< 10	138	< 10	44
97D 379	217 226	< 1	0.07	119	710	< 2	< 2	14	145	0.27	< 10	< 10	175	< 10	72
97D 383	217 226	1	< 0.01	1	260	14	< 2	< 1	6	< 0.01	< 10	< 10	2	< 10	16
97D 384	217 226	25	0.02	11	460	< 2	< 2	11	9	0.22	< 10	< 10	191	< 10	64
97D 385	217 226	4	0.02	2	490	2	< 2	4	14	0.16	< 10	< 10	18	< 10	72
97D 387	217 226	2	0.04	1	1170	< 2	< 2	5	8	0.09	< 10	< 10	58	< 10	42
97D 388	217 226	1	0.05	1	150	< 2	< 2	2	5	0.09	< 10	< 10	5	< 10	42
97D 390	217 226	< 1	0.04	< 1	120	< 2	< 2	2	3	0.09	< 10	< 10	3	< 10	34
97D 392	217 226	3	0.05	1	200	2	< 2	1	13	0.08	< 10	< 10	12	< 10	20
97D 395	217 226	1	0.03	2	50	2	< 2	2	12	0.13	< 10	< 10	9	< 10	50
97D 402	217 226	< 1	0.01	< 1	710	< 2	< 2	21	5	0.68	< 10	< 10	140	< 10	76
97D 426	217 226	1	0.02	14	100	20	< 2	1	2	< 0.01	< 10	< 10	46	< 10	142
97D 433	217 226	4	< 0.01	7	80	4	< 2	< 1	2	< 0.01	< 10	< 10	12	< 10	12
97D 458	217 226	< 1	0.02	46	230	< 2	< 2	11	14	0.37	< 10	< 10	143	< 10	52
97D 461	217 226	< 1	< 0.01	64	320	< 2	< 2	26	32	0.48	< 10	< 10	196	< 10	74
97D 465	217 226	1	0.02	36	440	< 2	< 2	11	3	0.04	< 10	< 10	131	< 10	40
97D 485	217 226	2	< 0.01	24	190	< 2	< 2	9	< 1	0.19	< 10	< 10	109	< 10	34
97D 486	217 226	< 1	< 0.01	31	250	< 2	< 2	10	< 1	0.34	< 10	< 10	146	< 10	38
97D 487	217 226	< 1	< 0.01	55	490	2	< 2	16	< 1	0.30	< 10	< 10	216	< 10	70

CERTIFICATION:

[Handwritten Signature]