


**BRITISH COLUMBIA**  
**PROSPECTORS ASSISTANCE PROGRAM**  
**MINISTRY OF ENERGY AND MINES**  
**GEOLOGICAL SURVEY BRANCH**

PROGRAM YEAR: 1999/2000


REPORT #: PAP 99-7

NAME: BILL POOLE



**PROSPECTOR'S ASSISTANCE PROGRAM  
1999 PROSPECTING AND TECHNICAL REPORT**

**REFERENCE NO. 99/2000-P11**



**Closing Date:** January 31, 2000

**Grantee's Address:** W.E. (Bill) Poole  
P.O. Box 4651  
Quesnel, B.C. V2J 3J8

**Phone: (Res.):** (250) 992-5607  
**(Work):** (250) 992-6668

## TABLE OF CONTENTS

	<b>Page No.</b>
<b>Overview</b> .....	1
<b>Prospecting Summary:</b>	
Area 1 - Murray Group.....	1 & 2
Area 2 - Narc Property.....	2
Area 3 - Nazko/Tautri.....	3
Area 4 - Quesnel River (Unscheduled).....	3
<b>List of Figures:</b>	
Figure 1     Area 1 (Murray Group) -Geological Map.....	Pocket
Figure 2     Area 1 (Murray Group) -Sample Location Map.....	Pocket
Figure 3     Area 1 ('B' Claims) -Prospecting Area and Geological Map.....	4
Figure 4     Area 2 (Narc Area) -Prospecting Area, Geological and Sample Location Map	5
Figure 5     Area 3 (Nazko/Tautri) -Prospecting Area and Geological Map.....	6
Figure 6     Area 4 (Quesnel River) -Prospecting Area and Geological Map.....	7
<b>Appendices:</b>	
Appendix 'A'     Area 1     Sample Description and Assay Results	
Appendix 'B'     Area 2     Sample Description and Assay Results	
<b>Completed B.C. Prospector's Report Form and Receipts</b> .....	Pocket

## **OVERVIEW:**

The following is a brief summary of my 1999 prospecting program for Program 99/2000-P11. The program officially commenced on May 27, 1999 and my last field day was November 28, 1999.

No additional claims were staked. The Nazko/Tautri prospecting project was disappointing owing to the lack of exposed bedrock. The Nazko project area failed to uncover important mineralization, however the geology has potential and deserves further work.

Re-activation of logging access roads south of the Murray Group provided access through the cancelled 'B' claims and area. Nothing of importance was found in this area. Again, the geology is interesting and the area deserves further work.

Work on the List and Murray Group was interrupted by continuous logging in the area. Prospecting in this area focused on the search for precious minerals associated with a skarn.

A total of 34 days were spent on proposed prospecting sites, plus 6 unscheduled days in the Quesnel River area. In addition, 6 days were spent prospecting the L906 (Diatomite) claims with a follow up report and a total of 3 days comparing notes while visiting the Caroline (vein Au), Craigmont (Cu skarn), and Tulameen ultramafic complex.

The flow of the project was unavoidably interrupted at various times, however, I am satisfied with the amount of work accomplished.

## **PROSPECTING SUMMARY:**

### **Area 1 – Murray Group (Including the Cancelled 'B' Claims and Area):**

Work in both these areas was interrupted by continuous logging, but the logging did provide better access and exposed some interesting bedrock and made mapping much simpler.

Work on the List and Murray claims consisted of trenching, soil geochemistry and prospecting. The location of trenches and significant geochem results are indicated in Figures 1 & 2 and Appendix 'A'. Prospecting was focused in areas of recent logging.

A trench excavated in the 'B' zone failed to uncover the source of a mineralized regolith. A channel sample assayed 1.3 grams gold, 9,625 ppm arsenopyrite and anomalous Cu, Pd, Zn. Trenches were also excavated in the 'D' zone to track the dimensions of a significant outcropping of wollastonite.

### **Area 1 – Murray Group (Including the Cancelled 'B' Claims and Area) - Cont'd:**

Soil geochemistry was conducted across a granodiorite, serpentinite contact (Lines 1A, 2A, and LC) across a hornfels/granitic contact (Line D) and also across a quartz flooded ultramafic zone (Line 5 and Line A).

A considerable amount of time was spent on the Blackwater Spruce Road, particularly where it crosses the old 'B' claims. British Columbia Ministry of Mines 1968 report states that the 'B' claims were comprised of 134 units. However, the Recording Office could produce a map showing only 80 units. The location of the remaining 54 units is approximately 3 km west of these units where claim tags, bulldozer clearings and drill core can be found.

This exploration work can be seen on the 1972 aerial photos BC7484 No. 256 and BC7513 No. 211.

Several days of tramping the old bulldozer trails and access roads proved that rock outcrop is actually quite rare in this area and for the most part is limited to the western portion of the 'B' claims where the old workings are located. No important minerals were found in old drill core or outcrop, so no claims were staked.

### **Area 2 - Narc:**

This project consisted entirely of bedrock mapping and rock geochemical sampling. Rock outcrop is limited to a few specific areas. Exposed rock seems to have a wide range of age and structure. Prospecting concentrated within three areas where outcrop was the most abundant. The northern portion consists of an interesting hornblendite intrusive with bordering phases of clinopyroxenite and other ultramafic lithologies. Minor sericite alteration and disseminated sulphides were found along some of the margins but no samples were taken.

The second area of interest is a complex area comprised of volcanics, intrusives and metamorphic rocks. Prospecting concentrated on determining the source of a magnetic anomaly that is easily detected with a hand compass. Four samples of diabase float were assayed. Diabase float is common in this area but the source has not been found. The analyses showed elevated copper and iron but these elements as well as the other elements sampled for are close to normal background concentrations for these rocks. I doubt that these rocks are the source of the magnetic anomaly so the problem remains unsolved.

The third area consists primarily of rhyolites, pyroclastics and an area of altered cherts. A 100 meter section of these cherts have erythrite appearing crusts of deep purple red to bluish pink. However, the analyses of these rocks showed very little cobalt or nickel. Barite ranges up to 2,475 ppm and lead and zinc may be slightly higher than normal background for these rocks. No claims were staked in the Narc area.


**Area 3 (Nazko/Tautri):**

This report lists only 4 prospecting activity days, although due to proposed road deactivation in this area 6 days were spent prior to funding approval. This area's thick overburden and minimal exposed bedrock proved disappointingly difficult to prospect. Outcrop was limited to a small exposure of unaltered sediments of generally young conglomerates or sandstone. Creek bottoms are most often organic and glacial outwash makes up the better part of the surficial geology. No mineralization was found in this area, no assays were conducted and no claims were staked.



**Area 4 – Quesnel River (Unscheduled):**

Recent road construction has opened up new ground in the central Quesnel belt 10 – 15 km south of the Barkerville Highway, near the Quesnel River escarpment. Using D.G. Bailey's Open File 1990-31 as a guide, I spent 6 days prospecting this area. Disseminated sulphides and thin quartz carbonate veins have been found in green volcanics but no assays of these rocks have been conducted.

M 93G/3V




DEPARTMENT OF MINES AND PETROLEUM RESOURCES



MURRAY GROUP

E

DRILL CORE, TRENCH SITES AND 'B' CLAIM TAG FOUND HERE



'B' CLAIMS 80 UNITS

f


FIGURE 3

LEGEND

- 1 BASALT
- 2 BASALTIC BRECCIA WITH FELSIC CLASTS
- 3 MAROON VESICULAR BASALT
- 4 GREEN VOLCANICS HAIRLINE SULPHIDE BEARING QUARTZ CARBONATE VEINS AND DESIMINATED SULPHIDES
- 5 INTERBEDDED GREEN SANDSTONE WITH GREEN VOLCANICS




SCALE 1:20,000  
 0 500 1000 1500 m



LOWER QUESNEL  
 MULE DEER WINTER RANGE

NOT MULE DEER WINTER RANGE



DEACON CREEK  
 PROTECTED AREA

17  
 R. 56

99-07  
 06-8







FIGURE 5

PAGE  
FIGURE 6

AREA 3 NAZKO/TAUTRI

LEGEND

- 1 CONGLOMERATE
- 2 SANDSTONE
- 3 CONGLOMERATE, SANDSTONE
- 4 GREEN VOLCANICS
- 5 MAROON VOLCANICS



AREA 2 NARC AREA

LEGEND

- 1 QUARTZ DIORITE, DIORITE, GABBRO
- 2 HORNBLENDITE
- 3 CLINOPYROXINITE ?
- 4 CHERT
- 5 ARGILLITE
- 6 RHYOLITE
- 7 GREYWACKE/BRECCIA ?
- 8 METAQUARTZITE
- 9 LIMESTONE
- 10 TUFF DIKE
- 11 FLOOD BASALT

ROCK SAMPLE LOCATION (X) 1-6

ROADS (pink line)  
CREEK (blue line)





FIGURE 4



## APPENDIX 'A'

### AREA 1 - ROCK SAMPLE DESCRIPTIONS AND ASSAY RESULTS

#### 'B' Zone:

1. 'B' Zone (Quartz) - Quartz fragments found near surface of trench. Visible sulphides.
2. 'B' Zone B-1 - Pale orange, aphanitic, altered. Lowest level of trench. Some appear to be brecciated quartz with minor sulphides.
3. 'B' Zone B-2 - Quartz fragments. Ditto of No. 1.
4. 'B' Zone B-3 - Channel sample across red-yellow oxidized clayey material. Sample from contact of pulverized quartz diorite and ultramafic.

#### 'C' Zone:

5. 'C' Zone C-1 - Hornfels with 10-15% disseminated sulphides.  
**Note:** Low iron analysis from Lab 0.36 probably indicates a mix up of samples.

#### 'D' Zone:

6. 'D' Zone D-2 - Garnet hornfels with 50% wollastonite. No visible sulphides.
7. 'D' Zone D-4 - Brecciated felsic dike intruding garnet hornfels.  $\pm 3$  meters wide. No visible sulphides.
8. 'D' Zone D-5 - Ditto – felsic dike.  $\pm 1$  meter wide.
9. 'D' Zone D-6 - Ditto – felsic dike.  $\pm 5$  meters wide.
10. 'D' Zone D-7 - Ditto – felsic dike.  $\pm 3$  meters wide.
11. 'D' Zone D-8 - Ditto – felsic dike.  $\pm 3$  meters wide. 80% feldspar, 20% quartz.
12. 'D' Zone D-9 - Orange clay altered materials overlying argillaceous rock between wollastonite outcrop and crushed granodiorite zone.
13. 'D' Zone D-10 - Ditto
14. 'D' Zone D-11 - Wollastonite with garnet and diopside.
15. 'D' Zone D-12 - Hornfels with veined garnet – very minor disseminated sulphides
16. L5 + 350 - Vuggy quartz in ultramafic rock. Some oxidization. No visible sulphides.

#### 'A' Zone:

1. TB-1 - Quartz vein intruding ultrabasic rock. Probably a metamorphic sweat. Very minor disseminated sulphides.
2. TB-2 - Ditto – with no visible sulphides.



Phone: 250-573-5700  
 Fax : 250-573-4557

APPENDIX 'A' AREA 1

ATTENTION: BILL POOLE

No. of samples received: 17  
 Sample type: SOIL  
 PROJECT #: None Given  
 SHIPMENT #: None Given  
 Samples submitted by: Bill Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L5 0+050	<0.2	0.94	<5	75	<5	0.17	<1	10	33	8	1.89	<10	0.39	124	<1	0.01	60	610	4	<5	<20	14	2.09	<10	63	<10	<1	33
2	L5 0+100	<0.2	0.78	<5	65	5	0.15	<1	8	33	5	1.37	<10	0.43	118	<1	0.01	73	240	4	<5	<20	10	1.92	<10	44	<10	4	31
3	L5 0+150	<0.2	1.09	<5	95	<5	0.15	<1	13	53	9	2.08	<10	0.75	143	<1	0.01	107	410	4	10	<20	12	2.26	<10	71	<10	2	32
4	L5 0+200	<0.2	1.03	<5	90	5	0.26	<1	27	100	15	2.75	<10	1.63	363	<1	0.01	274	210	2	15	<20	8	1.86	<10	63	<10	<1	27
5	L5 0+250	<0.2	1.23	<5	115	<5	0.22	<1	30	130	19	2.88	<10	2.04	219	<1	0.02	281	210	2	15	<20	12	1.97	<10	84	<10	<1	27
6	L5 0+300	<0.2	0.88	<5	70	5	0.13	<1	29	177	9	2.86	<10	1.71	229	<1	0.01	257	100	<2	15	<20	7	1.27	<10	56	<10	<1	21
7	L5 0+350	<0.2	1.20	<5	120	<5	0.14	<1	12	45	8	2.06	<10	0.37	116	<1	<0.01	112	1390	4	<5	<20	10	1.70	<10	62	<10	<1	36
8	L5 0+400	<0.2	1.43	<5	95	15	0.13	<1	64	141	18	4.32	<10	3.12	1101	1	0.01	789	250	<2	10	<20	13	1.46	<10	69	<10	<1	35
9	L5 0+450	<0.2	1.43	<5	90	5	0.25	<1	43	296	18	3.44	<10	2.66	521	<1	0.01	469	260	<2	10	<20	9	1.54	<10	79	<10	<1	35
10	L5 0+500	<0.2	1.07	10	105	5	0.19	<1	18	85	33	2.90	<10	0.85	216	<1	0.02	148	170	2	5	<20	12	2.28	<10	104	<10	3	46
11	L5 0+550	<0.2	1.39	<5	70	10	0.25	<1	22	109	24	2.90	<10	1.58	253	<1	0.02	173	190	<2	15	<20	14	2.48	<10	113	<10	<1	34
12	L5 0+600	<0.2	0.54	<5	50	<5	0.12	<1	6	26	5	1.24	<10	0.19	106	<1	0.01	20	120	2	<5	<20	12	1.96	<10	56	<10	<1	13
13	L5 0+650	<0.2	0.98	<5	105	5	0.20	<1	9	30	9	2.15	<10	0.22	218	<1	0.01	31	910	4	<5	<20	21	1.93	<10	94	<10	<1	29
14	L5 0+700	<0.2	0.78	<5	90	<5	0.23	<1	10	35	14	2.19	<10	0.31	175	<1	0.02	29	230	2	<5	<20	26	2.74	<10	99	<10	3	27
15	L5 0+750	<0.2	0.92	<5	85	5	0.20	<1	11	44	16	2.53	<10	0.43	224	<1	0.02	52	230	4	<5	<20	18	2.29	<10	99	<10	23	33
16	L5 0+800	<0.2	0.60	<5	80	<5	0.17	<1	10	35	10	2.03	<10	0.29	181	<1	0.01	28	220	2	<5	<20	15	2.66	<10	83	<10	3	28
17	L5 0+850	<0.2	1.10	<5	105	<5	0.27	<1	12	37	12	2.18	<10	0.41	279	<1	0.01	46	2120	4	<5	<20	19	1.81	<10	78	<10	12	47

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:


Repeat:

1	L5 0+050	<0.2	0.91	<5	65	5	0.17	<1	9	33	9	1.83	<10	0.39	120	<1	0.01	62	610	6	<5	<20	10	1.95	<10	60	<10	<1	40
10	L5 0+500	<0.2	1.08	15	105	5	0.20	<1	18	88	33	2.94	<10	0.86	219	<1	0.02	151	170	2	5	<20	10	2.32	<10	104	<10	2	47

Standard:

GEO'99		1.0	1.71	65	160	<5	1.82	<1	20	59	80	3.89	<10	0.96	689	2	0.02	24	630	20	5	<20	59	0.10	<10	80	<10	8	64
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	---	-----	----	------	-----	----	-----	---	----

df/585  
XLS/99

  
**ECO-TECH LABORATORIES LTD.**  
 Frank J. Pezzotti, A.Sc.T.  
 B.C. Certified Assayer

APPENDIX 'A' AREA 1

APPENDIX 'A' AREA 1

Phone: 250-573-5700  
 Fax : 250-573-4557

ATTENTION: BILL POOLE


No. of samples received: 2  
 Sample type: Rock  
 PROJECT #: None Given  
 SHIPMENT #: None Given  
 Samples submitted by: B. Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L-1AR-0+000	5	<0.2	0.22	<5	20	<5	1.47	<1	90	632	58	4.80	<10	>10	911	<1	<0.01	1358	<10	<2	55	<20	116	<0.01	<10	15	<10	<1	<1
2	L-1AQR-0+001	<5	<0.2	0.07	10	<5	<5	3.85	<1	25	309	6	2.16	<10	9.05	577	5	<0.01	511	20	<2	45	<20	195	<0.01	<10	7	<10	<1	<1

QC DATA:

<b>Resplit:</b>																															
1	L-1AR-0+000	<5	<0.2	0.22	<5	10	<5	1.46	<1	91	632	63	4.84	<10	>10	916	<1	<0.01	1376	20	<2	60	<20	110	<0.01	<10	15	10	<1	<1	
<b>Repeat:</b>																															
1	L-1AR-0+000	<5	<0.2	0.22	<5	15	<5	1.45	<1	90	620	57	4.71	<10	>10	890	<1	<0.01	1344	<10	<2	55	<20	108	<0.01	<10	15	10	<1	<1	
<b>Standard:</b>																															
	GEO'99	130	1.0	1.62	65	150	<5	1.84	<1	18	59	80	3.83	<10	1.01	653	<1	0.02	24	640	18	10	<20	56	0.09	<10	71	<10	9	66	

  
 ECO-TECH LABORATORIES LTD.  
 Frank J. Pezzotti, A.Sc.T.  
 B.C. Certified Assayer

APPENDIX 'A' AREA 1

Phone: 250-573-5700  
 Fax : 250-573-4557

ATTENTION: BILL POOLE

No. of samples received: 6  
 Sample type: Soil  
 PROJECT #: None Given  
 SHIPMENT #: None Given  
 Samples submitted by: B. Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	LZA-0+325	<0.2	1.31	<5	90	10	0.26	<1	14	67	17	3.01	<10	0.40	238	<1	0.02	49	340	8	<5	<20	24	0.20	<10	76	<10	6	22
2	LZA-0+350	<0.2	1.30	<5	125	10	0.22	<1	11	52	10	2.24	<10	0.43	174	<1	0.02	73	910	10	<5	<20	17	0.14	<10	47	<10	3	32
3	LZA-0+375	<0.2	1.13	<5	85	15	0.28	<1	13	45	16	2.82	<10	0.33	218	<1	0.02	31	390	8	<5	<20	28	0.19	<10	72	<10	11	25
4	LZA-0+400	<0.2	1.26	<5	120	10	0.23	<1	12	40	14	2.58	<10	0.35	188	<1	0.02	25	280	10	<5	<20	25	0.18	<10	67	<10	4	31
5	LC0+000	<0.2	0.97	<5	70	10	0.27	<1	11	35	11	2.35	<10	0.26	188	<1	0.02	22	120	8	<5	<20	19	0.17	<10	63	<10	4	10
6	LC0+050	<0.2	1.27	<5	60	15	0.86	<1	61	273	88	4.99	<10	3.56	612	<1	0.02	1356	160	4	10	<20	31	0.09	<10	42	<10	15	17

QC DATA:


Repeat:

1	LZA-0+325	<0.2	1.20	<5	75	20	0.25	<1	13	57	16	2.80	<10	0.41	220	<1	0.02	52	320	8	<5	<20	20	0.17	<10	69	<10	5	20
---	-----------	------	------	----	----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	---	----	-----	----	------	-----	----	-----	---	----

Standard:

GEO'99		1.2	1.69	65	150	<5	1.84	<1	18	59	83	3.85	<10	0.96	672	<1	0.02	22	610	20	10	<20	55	0.10	<10	74	<10	8	64
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/213  
 XLS/99

  
 ECO-TECH LABORATORIES LTD.  
 Frank J. Pezzotti, A.Sc.T.  
 B.C. Certified Assayer



Phone: 250-573-5700  
 Fax : 250-573-4557

ATTENTION: BILL POOLE

No. of samples received: 16  
 Sample type: ROCK  
 PROJECT #: None Given  
 SHIPMENT #: None Given  
 Samples submitted by: Bill Poole

Values in ppm unless otherwise reported


Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	BZone CH	15	0.4	0.09	845	30	<5	0.10	20	16	216	532	4.94	<10	<0.01	73	16	<0.01	9	<10	14	<5	<20	6	<0.01	<10	4	<10	<1	464
2	BZONE B-1	<5	<0.2	0.41	20	90	25	>10	<1	22	44	37	5.21	<10	5.50	2031	2	0.01	33	480	6	30	<20	182	<0.01	<10	41	10	27	52
3	BZONE B-2	225	0.4	0.44	335	80	<5	2.94	5	10	88	97	2.15	<10	0.77	358	6	0.02	42	320	22	15	<20	35	<0.01	<10	28	<10	10	172
4	BZONE B-3	>1000	9.2	0.54	9625	285	20	0.99	90	27	76	481	6.47	<10	0.66	569	8	0.02	84	310	460	5	<20	82	<0.01	<10	44	<10	14	1085
5	CZONE C-1	-	<0.2	2.06	40	15	10	4.17	<1	4	93	9	0.36	10	0.04	179	4	0.01	5	610	14	<5	<20	8	0.11	<10	<1	<10	70	27
6	DZONE D-2	-	<0.2	4.37	15	75	<5	3.59	<1	56	27	484	9.22	<10	0.19	86	7	0.28	10	460	22	<5	<20	222	0.06	<10	20	<10	<1	17
7	DZONE D-4	-	<0.2	2.14	45	115	10	0.64	<1	23	69	45	4.11	<10	1.27	749	3	0.02	71	1160	16	15	<20	37	<0.01	<10	79	<10	27	61
8	DZONE D-5	-	<0.2	2.44	35	145	25	0.87	<1	31	87	47	5.39	<10	1.83	1466	3	0.03	280	740	16	15	<20	49	0.06	<10	87	<10	51	61
9	DZONE D-6	-	<0.2	0.23	10	10	<5	0.05	<1	2	102	13	0.53	<10	0.08	75	3	0.03	5	30	2	<5	<20	<1	<0.01	<10	3	<10	4	5
10	DZONE D-7	-	<0.2	0.20	<5	30	<5	0.04	<1	<1	102	9	0.40	<10	0.07	46	3	0.02	3	50	4	<5	<20	<1	<0.01	<10	5	<10	4	5
11	DZONE D-8	-	<0.2	0.24	5	10	<5	0.12	<1	2	114	20	0.54	10	0.02	181	3	0.01	4	50	6	<5	<20	<1	<0.01	<10	5	<10	18	7
12	DZONE D-9	-	<0.2	1.86	35	50	<5	0.58	<1	35	48	261	3.89	<10	0.78	315	3	0.01	74	550	16	10	<20	25	<0.01	<10	116	<10	19	65
13	DZONE D-10	-	<0.2	1.68	25	80	<5	0.57	<1	35	72	74	4.35	10	0.90	1118	3	0.01	114	1180	12	5	<20	15	<0.01	<10	110	<10	29	91
14	DZONE D-11	-	<0.2	1.15	5	50	<5	>10	<1	2	23	2	0.25	10	0.31	776	<1	0.08	3	510	2	15	<20	103	0.04	<10	<1	<10	42	7
15	DZONE D-12	-	<0.2	2.42	10	25	<5	3.74	<1	16	85	211	1.92	<10	0.73	409	1	0.23	32	420	16	15	<20	30	0.03	<10	49	<10	15	23
16	L5 0+350	<5	<0.2	0.18	15	70	5	0.09	<1	123	377	35	5.20	<10	0.73	1021	7	<0.01	1075	460	2	<5	<20	<1	<0.01	<10	68	<10	<1	17

QC DATA:

Resplit:

1	BZone CH	15	0.4	0.09	790	25	<5	0.10	20	17	222	513	4.86	<10	<0.01	70	15	<0.01	12	<10	10	<5	<20	4	<0.01	<10	4	<10	<1	420
	Standard: GEO'99	125	1.0	1.76	65	150	5	1.85	<1	19	59	86	3.64	<10	0.96	670	2	0.02	22	740	24	5	<20	55	0.06	<10	76	<10	8	78

df/566  
 XLS/99

  
 ECO-TECH LABORATORIES LTD.  
 Frank J. Pezzotti, A.Sc.T.  
 B.C. Certified Assayer

APPENDIX 'A' AREA 1

Phone: 250-573-5700  
Fax : 250-573-4557

ATTENTION: BILL POOLE

No. of samples received: 13  
Sample type: Soil  
PROJECT #: None Given  
SHIPMENT #: None Given  
Samples submitted by: B. Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L1A 0+000	<0.2	1.37	<5	110	<5	0.26	<1	24	94	13	3.99	<10	0.90	300	<1	0.02	145	500	2	<5	<20	25	0.18	<10	79	<10	<1	46
2	L1A 0+025	<0.2	1.89	<5	90	10	0.37	<1	25	199	16	3.85	<10	1.90	310	<1	0.02	235	670	<2	10	<20	21	0.14	<10	72	<10	<1	43
3	L1A 0+050 A	<0.2	1.50	5	95	10	0.31	<1	21	106	15	3.86	<10	1.01	265	<1	0.03	197	420	<2	<5	<20	19	0.16	<10	71	<10	3	38
4	L1A 0+050 B	<0.2	1.35	<5	60	5	0.28	<1	26	173	14	4.03	<10	1.49	260	<1	0.03	260	270	<2	<5	<20	15	0.15	<10	70	<10	<1	34
5	L1A 0+075	<0.2	1.10	<5	60	15	0.27	<1	21	145	14	3.59	<10	1.17	234	<1	0.03	227	320	<2	<5	<20	14	0.16	<10	67	<10	<1	32
6	L1A 0+100	<0.2	1.22	<5	65	15	0.34	<1	19	134	10	3.37	<10	0.91	236	<1	0.02	224	410	4	<5	<20	15	0.14	<10	54	<10	<1	37
7	L2A 0+000	<0.2	2.47	10	150	<5	0.68	<1	26	83	87	5.47	<10	1.06	450	2	0.02	108	450	<2	<5	<20	32	0.14	<10	126	<10	20	54
8	L2A 0+050	<0.2	1.83	<5	120	10	0.40	<1	19	76	25	3.77	<10	0.63	296	<1	0.02	90	430	4	<5	<20	25	0.20	<10	74	<10	13	50
9	L2A 0+100	<0.2	1.89	<5	90	5	0.37	<1	28	146	29	4.49	<10	1.25	407	<1	0.03	230	210	4	<5	<20	23	0.13	<10	76	<10	12	46
10	L2A 0+150	<0.2	1.16	<5	85	5	0.37	<1	16	67	20	3.10	<10	0.67	238	<1	0.03	68	140	<2	<5	<20	25	0.17	<10	72	<10	3	35
11	L2A 0+200	<0.2	1.49	<5	90	10	0.35	<1	15	54	25	3.23	<10	0.53	169	<1	0.02	47	270	<2	<5	<20	18	0.17	<10	78	<10	2	45
12	L2A 0+250	<0.2	1.23	<5	110	<5	0.29	<1	15	83	16	2.63	<10	0.59	261	<1	0.02	81	150	4	<5	<20	17	0.16	<10	52	<10	2	45
13	L2A 0+300	<0.2	2.71	<5	55	5	1.12	<1	37	84	126	6.69	<10	2.33	253	1	0.01	105	260	<2	<5	<20	27	0.19	<10	111	<10	7	32

QC DATA:


Repeat:

1	L1A 0+000	<0.2	1.39	<5	110	10	0.26	<1	24	95	14	4.04	<10	0.89	302	<1	0.02	152	520	2	<5	<20	24	0.18	<10	79	<10	<1	47
10	L2A 0+150	<0.2	1.15	<5	75	<5	0.38	<1	16	65	21	3.07	<10	0.66	232	<1	0.03	65	150	2	<5	<20	20	0.17	<10	71	<10	3	34

Standard:

GEO'99		1.0	1.76	65	150	<5	1.80	<1	19	60	80	3.99	<10	0.96	658	<1	0.03	22	680	16	10	<20	56	0.11	<10	76	<10	9	69
--------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

df/126  
XLS/99

  
ECO-TECH LABORATORIES LTD.  
Frank J. Pezzotti, A.Sc.T.  
B.C. Certified Assayer

## APPENDIX 'B'

### AREA 2 - ROCK SAMPLE DESCRIPTIONS AND ASSAY RESULTS

#### Narc Area ('A' Road):

##### 'A' Road

1. 'A' Rd - 1 - Yellow oxidized chert with manganese stain
2. 'A' Rd - 2 - Ditto
3. 'A' Rd - 3 - Black crumbly chert altered to green/white clay
4. 'A' Rd - 4 - Chert with deep purple, and blue/pink encrustations (cobalt bloom?) plus < 5% disseminated sulphides.
5. 'A' Rd - 5 - Ditto - heavier with no visible sulphides.
6. 'A' Rd - 6 - Ditto
7. 'A' Rd - 7 - Clay altered vein in weathered chert.
8. 'A' Rd - 8 - Float - hornfels with 1% disseminated sulphides.
9. 'A' Rd - 9 - Cherty rhyolite? on branch road east of 'A' zone.
10. 'A' Rd - 10 - Tuff float - four very large (>2 m<sup>3</sup>) boulders composed entirely of pyroclastic fragments. Very fine disseminated sulphides in the dark clasts.

#### Rock Samples from North of Onion Creek:

1. F-1 - Diabase float. Dark clasts weak-moderately magnetic, possibly chloritized and carbonated. Has <1% disseminated sulphides.
2. F-2 - Diabase float - but not carbonated or chloritized.
3. F-3 - Ditto - large boulder overlying magnetic anomaly.
4. F-4 - Diabase float found on new road east of Narc claim. Very magnetic and extremely hard. Contains hornblende, augite, glass, calcite, minor feldspar. Very minor sulphide disseminations.
5. F-5 - Float - quartz boulder with 15-20% black metallic mineral - possibly goethite?
6. N-1 - Rock outcrop northeast of Narc property located near beginning of new road. 50% chance it could be volcanic breccia. Dark grey/green melanocratic with <1% fine disseminated sulphides.
7. N-2 - Rock outcrop ± 75 meters south of N-1. Layered siliceous chert contains cubic crystals of sulphide? And disseminated sulphides.



APPENDIX 'B' AREA 2

ASSAYING  
GEOCHEMISTRY  
ANALYTICAL CHEMISTRY  
ENVIRONMENTAL TESTING

10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4  
Phone (250) 573-5700 Fax (250) 573-4557  
email: ecotech@mail.wkpowerlink.com

**WHOLE ROCK CERTIFICATE OF ANALYSIS AK99-452**

CARIBOO FOREST CONSULTANTS LTD.  
PO BOX 4629  
QUESNEL, BC  
V2J 3J8

31-Aug-99

ATTENTION: BILL POOLE

No. of samples Received: 2  
Sample Type: Rock  
PROJECT #: None Given  
SHIPMENT #: None Given  
Sample submitted by: B. Poole

Values expressed in percent

ET #.	Tag #	BaO	P2O5	SiO2	MnO	Fe2O3	MgO	Al2O3	CaO	TiO2	Na2O	K2O	L.O.I.
1	5A ARD	0.09	0.02	90.34	0.02	2.27	0.64	3.69	0.10	0.16	0.07	0.69	1.90

QC/DATA:

Repeat #:

1	5A ARD	0.12	0.02	89.89	0.01	2.29	0.56	3.83	0.19	0.17	0.11	0.81	2.00
---	--------	------	------	-------	------	------	------	------	------	------	------	------	------

Standard:

SY2	0.06	0.38	59.24	0.32	6.47	2.63	11.82	8.17	0.15	4.16	4.77	1.84
MRG1	0.01	0.02	38.63	0.16	17.95	13.34	8.17	14.95	3.73	0.68	0.14	2.22

XLS/99  
df/wr352

*per*   
ECO-TECH LABORATORIES LTD.  
Frank J. Pezzotti, A.Sc.T.  
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.  
10041 East Trans Canada Highway  
KAMLOOPS, B.C.  
V2C 6T4

## ICP CERTIFICATE OF ANALYSIS AK 99-254

"TOTAL DIGESTION"

CARIBOO FOREST CONSULTANTS  
BOX 4657  
QUESNEL, BC  
V2J 3J8

Phone: 250-573-5700  
Fax : 250-573-4557

APPENDIX 'B' AREA 2

ATTENTION: BILL POOLE

No. of samples received: 10  
Sample type: Rock  
PROJECT #: None Given  
SHIPMENT #: None Given  
Samples submitted by: B. Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	K %	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sr	Ti %	V	W	Y	Zn
1	ARD-1	<0.2	2.67	850	10	0.06	<1	12	99	106	7.93	1.37	0.23	2407	7	0.03	30	540	16	17	0.18	78	<10	8	82
2	ARD-2	<0.2	1.08	445	<5	0.07	<1	3	203	16	0.87	0.44	0.13	407	<1	0.06	18	320	8	31	0.07	22	<10	54	15
3	ARD-3	<0.2	1.16	480	<5	0.04	<1	1	225	14	0.46	0.69	0.18	67	<1	0.08	8	160	10	26	0.10	29	<10	47	<1
4	ARD-4	<0.2	2.89	495	35	0.15	2	16	94	94	>10	1.22	0.47	224	74	0.63	62	740	22	24	0.26	134	<10	24	182
5	ARD-5	<0.2	1.16	2475	<5	0.05	<1	<1	236	49	1.29	0.57	0.23	303	7	0.06	21	50	12	14	0.08	21	<10	18	54
6	ARD-6	<0.2	1.48	420	<5	0.07	<1	26	144	48	2.28	0.49	0.30	329	3	0.84	46	150	12	25	0.17	59	<10	33	145
7	ARD-7	<0.2	2.53	440	10	0.08	<1	19	142	90	5.46	0.97	0.33	702	35	0.65	29	120	22	22	0.21	159	<10	25	152
8	ARD-8	<0.2	4.48	590	10	3.49	<1	18	60	63	4.61	1.70	0.72	1052	<1	2.84	16	1260	24	530	0.29	154	<10	42	73
9	ARD-9	<0.2	2.64	245	15	0.21	<1	23	94	12	3.97	0.21	0.19	1225	<1	3.25	37	390	14	34	0.20	50	<10	28	83
10	ARD-10	<0.2	7.23	830	25	>10	<1	45	374	86	6.41	0.59	4.31	1163	<1	1.58	124	1310	28	565	0.46	246	30	89	62

## QC DATA:

## Repeat:

1	ARD-1	<0.2	2.67	850	10	0.06	<1	12	99	106	8.00	1.39	0.23	2407	7	0.03	30	540	14	14	0.18	78	<10	6	82
---	-------	------	------	-----	----	------	----	----	----	-----	------	------	------	------	---	------	----	-----	----	----	------	----	-----	---	----

## Standard:

STSD-1		0.4	4.61	620	10	2.31	<1	20	59	38	4.34	4.20	1.28	3310	<1	1.32	22	1590	36	165	0.46	81	<10	46	170
STSD-2		<0.2	8.22	510	25	2.96	1	22	110	50	5.36	5.23	1.80	648	10	1.25	57	1340	62	371	0.48	105	<10	38	243
STSD-3		<0.2	5.13	1475	10	2.32	3	17	70	42	4.28	4.28	1.30	1882	5	1.13	31	1700	50	225	0.44	136	<10	39	200
STSD-4		<0.2	6.17	1930	10	2.98	6	13	90	65	4.05	3.78	1.26	1389	<1	1.90	32	960	20	386	0.45	113	<10	30	105

23-Aug-99

ECO-TECH LABORATORIES LTD.  
10041 East Trans Canada Highway  
KAMLOOPS, B.C.  
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 99-352

CARIBOO FOREST CONSULTANTS LTD.  
PO BOX 4629  
QUESNEL, BC  
V2J 3J8

# APPENDIX 'B' AREA 2

Phone: 250-573-5700  
Fax : 250-573-4557

ATTENTION: BILL POOLE

No. of samples received: 2  
Sample type: Rock  
PROJECT #: None Given  
SHIPMENT #: None Given  
Samples submitted by: B. Poole


Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
2	4A ARD	<0.2	0.33	<5	720	<5	0.02	<1	<1	146	23	1.13	<10	0.03	34	7	<0.01	11	50	4	<5	<20	<1	<0.01	<10	12	<10	3	20

### QC DATA:

<b>Resplit:</b>																														
2	4A ARD	<0.2	0.42	<5	685	<5	0.04	<1	<1	150	30	1.24	<10	0.04	43	9	<0.01	14	50	6	<5	<20	2	<0.01	<10	11	<10	2	33	
<b>Repeat:</b>																														
2	4A ARD	<0.2	0.44	<5	690	<5	0.04	<1	<1	148	30	1.20	<10	0.06	40	9	<0.01	12	50	4	<5	<20	5	<0.01	<10	12	<10	1	24	
<b>Standard:</b>																														
	GEO'99	0.8	1.76	70	155	5	1.84	1	20	62	86	3.71	<10	0.97	655	<1	0.02	24	720	22	15	<20	53	0.09	<10	71	<10	8	66	

df/343  
XLS/99

per   
 ECO-TECH LABORATORIES LTD.  
 Frank J. Pezzotti, A.Sc.T.  
 B.C. Certified Assayer

22-Oct-99

ECO-TECH LABORATORIES LTD.  
10041 East Trans Canada Highway  
KAMLOOPS, B.C.  
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 99-583

BILL POOLE  
P.O. BOX 4629  
QUESNEL, BC  
V2J 3J8

APPENDIX 'B' AREA 2

Phone: 250-573-5700  
Fax : 250-573-4557

ATTENTION: BILL POOLE

No. of samples received: 8  
Sample type: ROCK  
PROJECT #: None Given  
SHIPMENT #: None Given  
Samples submitted by: Bill Poole

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F-1	<0.2	3.75	<5	80	10	5.78	<1	36	34	205	8.48	<10	2.53	1273	6	0.02	15	1220	12	15	<20	169	0.03	<10	293	<10	20	88
2	F-2	<0.2	3.27	5	70	35	1.73	<1	47	51	207	7.97	<10	2.63	1018	4	0.03	18	1170	20	20	<20	31	0.43	<10	149	<10	83	92
3	F-3	<0.2	2.96	<5	70	20	2.26	<1	41	62	182	6.34	<10	2.10	1221	3	0.03	20	1170	16	15	<20	54	0.36	<10	73	<10	61	96
4	F-4	<0.2	3.89	10	50	15	6.13	<1	30	48	138	5.13	<10	1.14	1056	3	1.24	21	1670	28	10	<20	134	0.20	<10	204	<10	39	68
5	F-5	<0.2	1.59	5	15	<5	1.41	<1	10	83	49	1.75	<10	0.59	364	2	0.03	4	280	12	10	<20	15	0.06	<10	33	<10	14	29
6	F-7	<0.2	0.03	5	40	<5	>10	<1	<1	110	5	0.19	<10	0.37	136	3	0.01	3	190	<2	15	<20	57	<0.01	<10	3	<10	22	5
7	N-1	<0.2	1.62	<5	15	10	2.05	<1	13	91	118	3.51	<10	1.46	875	4	0.04	5	750	10	20	<20	18	0.12	<10	<1	<10	50	75
8	N-2	<0.2	1.25	<5	70	<5	0.37	<1	17	148	131	5.27	<10	0.36	592	7	0.01	18	1820	48	<5	<20	51	<0.01	<10	16	<10	<1	92

QC DATA:

Resplit:

1	F-1	<0.2	3.84	<5	80	<5	5.99	<1	37	33	201	8.68	<10	2.59	1333	5	0.02	18	1290	16	10	<20	176	0.02	<10	296	<10	23	90
---	-----	------	------	----	----	----	------	----	----	----	-----	------	-----	------	------	---	------	----	------	----	----	-----	-----	------	-----	-----	-----	----	----


Repeat:

1	F-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
---	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Standard:

GEO'99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

d1/566  
XLS/99

  
ECO-TECH LABORATORIES LTD.  
Frank J. Pezzotti, A.Sc.T.  
B.C. Certified Assayer

**FIGURE 1  
GEOLOGY MAP  
OF THE MURRAY GROUP**

**W.E.(BILL)POOLE  
MURRAY GROUP PROPERTY  
QUESNEL AREA, B.C.**

NAD 83


B.C.G.S. MAP: 93G 023,024

GEOGRAPHIC	LATITUDE	LONGITUDE
	53° 14' 18"	123° 25' 12"
U.T.M.	10 EAST: 471959	NORTH: 5898889

- LITHOLOGIES**
- INTRUSIVE ROCK**
- 1 GRANDIORITE
  - 2 GRANDIORITE (SERICITE ALTERED)
  - 3 QUARTZ DIORITE
  - 4 ULTRAMAFIC ROCKS (HARZBURGITE)
  - 4a SERPENTINIZED
  - 4b FRACTURED AND QUARTZ FLOODED (MINOR CARBONATIZATION)
  - 4c TALC ALTERED
- SEDIMENTARY AND VOLCANIC ROCKS**
- 5 ANDESITE - HORNFELS AND SKARN ALTERED INTERCALATED WITH SERPENTINITE AND INTRUDED BY NUMEROUS BASIC DYKES
  - 6 ARGILLACEOUS SEDIMENTS - AGRILLITES, SILSTONE, SANDSTONE
  - 7 HORNFELS
  - 8 GARNET HORNFELS INTUDED BY NOUMEROUS FELSIC DYKES
  - 9 WOLLASTONITE WITH GARNET DIOPSIDE MARGIN
  - 10 BRECCIATED WOLLASTONITE

- LEGEND**
- Claim Boundary
  - Fault
  - Soil Parent Material
  - Rock Outcrop
  - Mineral Occurrence
  - Rock Sample Location (With Sample Number)
  - Bridge
  - Road (MOF data)
  - Contour Lines (20m Intervals)


TRENCH SITE 'B' ZONE / 'D' ZONE



**SCALE**  
1 : 5000  
1 CM = 50M

DATE DRAWN: SEPT. 24/99 DATE REVISED: JAN. 17/00

FILE NO.: geomap.dgn  
DRAWN BY: STEVE BROWN/YVONNE H.





**FIGURE 2**  
**SOIL, SILT, AND ROCK**  
**SAMPLING LOCATION**  
**MAP**

**W.E.(BILL) POOLE**  
**MURRAY GROUP PROPERTY**  
**QUESNEL AREA, B.C.**

NAD 83

B.C.G.S. MAP: 93G 023.024

GEOGRAPHIC	LATITUDE	LONGITUDE
	53° 14' 18"	123° 25' 12"
U.T.M.	10 EAST: 471959	NORTH: 5898889

**LEGEND**

- Soil Sample (Line Number And Spacing)  20m Spacing
- Soil Sample (Stream And Sample Number)  15m Spacing
- Soil Sample (Stream And Sample Number)  Random Spacing
- Silt Sample Location
- Rock Outcrop
- Soil Sampling Horizon And Parent Material  Bf COLLUVIUM
- B Zone Detailed Survey
- Contour Lines (20m Intervals)
- Claim Boundary
- Soil Parent Material
- Rock Outcrops
- Rock Sample Location
- Soil Sample Location
- Silt Sample Location
- Road (MOF data)
- Bridge




**SCALE**  
1 : 5000  
1 CM = 50M

DATE DRAWN: SEPT. 24/99 DATE REVISED:


FILE NO.: soilmap.dgn

DRAWN BY: STEVE BROWN



AREA 1

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**



**B. TECHNICAL REPORT**

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations 15 to 17, page 6.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name W.E. (BILL) POOLE Reference Number 99/2000 P-11

**LOCATION/COMMODITIES**

Project Area (as listed in Part A) AREA 1 MINFILE No. if applicable \_\_\_\_\_  
 Location of Project Area NTS 93G/3W Lat 53° 15' N Long 123° 26'  
 Description of Location and Access LIST 3 MURRAY GROUP VIA BLACKWATER  
100 Rd, 11M Rd. ACCESS TO B' CLAIMS VIA  
BLACKWATER AND BLACKWATER SPRUCE Rds.  
 Main Commodities Searched For ~~CU, MO~~ AU, WOLLASTINITE  
 Known Mineral Occurrences in Project Area ~~CU, MO~~

WORK PERFORMED	
1. Conventional Prospecting (area)	<u>20,000 ha</u>
2. Geological Mapping (hectares/scale)	<u>5,000 ha</u>
3. Geochemical (type and no. of samples)	<u>SOIL - 33 ROCK 20</u>
4. Geophysical (type and line km)	<u>N/A</u>
5. Physical Work (type and amount)	<u>EXCAVATOR TRENCHING 2 SITES</u>
6. Drilling (no. holes, size, depth in m, total m)	<u>N/A</u>
7. Other (specify)	_____

**SIGNIFICANT RESULTS**  
 Commodities GOLD - WOLLASTINITE Claim Name LIST 3 / MURRAY  
 Location (show on map) Lat. 53° 15' N Long 123° 26' W Elevation 1000 / 1100  
 Best assay/sample type CHANNEL AU 1.18 (g/t) AS - 9625 ppm  
WOLLASTINITE SAMPLE RESULTS NOT AVAILABLE  
 Description of mineralization, host rocks, anomalies EST. > 80%  
RED AND ORANGE OXIDIZE SOILS COMPRIZED OF REGOLITH  
QUARTZ FRAGMENTS OVERLYING FAULTED CONTACT OF  
QUARTZ DIORITE AND SERPENTINE.  
WOLLASTINITE FAULTED OF NEAR INTRUSIVE  
CONTACT. EST. SIZE 10m x 30m

**Supporting data must be submitted with this TECHNICAL REPORT**

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

AREA 2

**BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)**

**B. TECHNICAL REPORT**

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations 15 to 17, page 6.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name W.E. (BILL) POOLE Reference Number 99/2000 P-11

**LOCATION/COMMODITIES**

Project Area (as listed in Part A) AREA 2 NARC MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

Description of Location and Access ACCESSED FROM GARNER ROAD  
WEST QUESNEL. AREA LIES ± 90 KM  
WSW

Main Commodities Searched For BASE METALS

Known Mineral Occurrences in Project Area NONE KNOWN

**WORK PERFORMED**

1. Conventional Prospecting (area) 25,000 ha
2. Geological Mapping (hectares/scale) 22,500 ha
3. Geochemical (type and no. of samples) ROCK - 17
4. Geophysical (type and line km) NIA
5. Physical Work (type and amount) NIA
6. Drilling (no. holes, size, depth in m, total m) NIA
7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS**

Commodities BARITE Claim Name NIA

Location (show on map) Lat. \_\_\_\_\_ Long \_\_\_\_\_ Elevation \_\_\_\_\_

Best assay/sample type GIRAB SAMPLE 17 RD - 5 2475 ppm

Description of mineralization, host rocks, anomalies PURPLE TO BLUISH PINK  
ENCrustATIONS ON ALTERED CHERT

**Supporting data must be submitted with this TECHNICAL REPORT**

Information on this form is confidential for one year from the date of receipt subject to the provisions of the *Freedom of Information Act*.

AREA 3

BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations 15 to 17, page 6.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name W. E. (BILL) POOLE Reference Number 99/2000 P-11

LOCATION/COMMODITIES

Project Area (as listed in Part A) AREA 3 MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

Description of Location and Access APPROXIMATELY 100 km WEST OF QUESNE VIA NASKO ~~AND~~ HWY AND 3000 Rd. ACCESS POOR DUE TO DE-ACTIVATION

Main Commodities Searched For EPITHERMAL

Known Mineral Occurrences in Project Area NONE

**WORK PERFORMED**

1. Conventional Prospecting (area) 20,000 ha

2. Geological Mapping (hectares/scale) 20,000 ha

3. Geochemical (type and no. of samples) NONE

4. Geophysical (type and line km) N/A

5. Physical Work (type and amount) N/A

6. Drilling (no. holes, size, depth in m, total m) N/A

7. Other (specify) \_\_\_\_\_

**SIGNIFICANT RESULTS**  
Commodities NONE Claim Name N/A

Location (show on map) Lat. \_\_\_\_\_ Long \_\_\_\_\_ Elevation \_\_\_\_\_

Best assay/sample type \_\_\_\_\_

Description of mineralization, host rocks, anomalies \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Supporting data must be submitted with this TECHNICAL REPORT**  
Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.

BRITISH COLUMBIA  
PROSPECTORS ASSISTANCE PROGRAM  
PROSPECTING REPORT FORM (continued)

B. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Requirements/Regulations 15 to 17, page 6.
- If work was performed on claims a copy of the applicable assessment report may be submitted in lieu of the supporting data (see section 16) required with this TECHNICAL REPORT.

Name W.E. (BILL) POOLE Reference Number 99/2000P-11

LOCATION/COMMODITIES

Project Area (as listed in Part A) AREA 4 GUESNEL RIVER MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS \_\_\_\_\_ Lat 53° 00' 11" Long 122° 16' 25"

Description of Location and Access 220 KM BARKERVILLE HWY AND SOUTH ON RE-CONSTRUCTED ROAD FROM OLD CHIP DUMP.

Main Commodities Searched For \_\_\_\_\_

Known Mineral Occurrences in Project Area MOUSE MOUNTAIN CU AV, AB - Pb Ag.

WORK PERFORMED

1. Conventional Prospecting (area) 5000 ha
2. Geological Mapping (hectares/scale) 4000 ha
3. Geochemical (type and no. of samples) NONE
4. Geophysical (type and line km) N/A
5. Physical Work (type and amount) N/A
6. Drilling (no. holes, size, depth in m, total m) N/A
7. Other (specify) \_\_\_\_\_

SIGNIFICANT RESULTS

Commodities \_\_\_\_\_ Claim Name \_\_\_\_\_

Location (show on map) Lat. \_\_\_\_\_ Long \_\_\_\_\_ Elevation \_\_\_\_\_

Best assay/sample type \_\_\_\_\_

Description of mineralization, host rocks, anomalies hair/mt quartz, carbonate veins in altered volcanics contain disseminated sulphides.

Supporting data must be submitted with this TECHNICAL REPORT

Information on this form is confidential for one year from the date of receipt subject to the provisions of the Freedom of Information Act.