

BRITISH COLUMBIA
PROSPECTORS ASSISTANCE PROGRAM
MINISTRY OF ENERGY AND MINES
GEOLOGICAL SURVEY BRANCH

PROGRAM YEAR: **2000/2001**

REPORT #: **PAP 00-17**

NAME: **LORNE WARREN**

MINISTRY OF
ENERGY AND MINES

Rec'd JAN 24 2001

File _____
PRINCE GEORGE, B.C.

Rec'd
on 15/01/01
JH
PS3

Bor Project 2000

Prospecting & Geochem Report

Omineca Mining Division
93N – 3E

125deg. 04.264min. West Long.
55deg. 13.630min. North Lat.

Author: Lorne B. Warren

Table of Contents

<u>Subject</u>	<u>Page #</u>
Project Location and Project Summary	1
Location Map	2
Assessment Report Index Map	3
Min File Map	4
Min File Map Legend	5
History	6
Claims and Ownership	7
Regional and Property Geology	9
Project Objectives and Prospecting Results	13
Daily Reports	14
Mineral Occurrences	15
Rock Assays	17
Soil Geochem Results	18
Bor Property Exams	23
Expenditures (Grant Purposes)	25
Expenditures (Assessment Purposes)	26
Statement of Qualifications	27-29
List of References	30

<u>Figures</u>	<u>Page #</u>
Fig. # 2 - Claim Map	2
Fig. # 3 - Regional Geology	10
Fig. # 4 - Compilation Map	11
Fig. # 5 - Aeromagnetic Survey	12
Fig. # 8 - Outcrops on Samples	16
Fig. # 7 - Bor Soil Copper Results	19
Fig. # 7A-Bor Mag Survey	20
Fig. # 6 - Tbor Soil Copper Results	21
Fig. # 6A-Tbor Mag Survey	22
Fig. # 9 - Phelps Dodge Soil Line	24

Appendix #1

Analytical Results 2000

Appendix #2

Major Receipts

Project Location

Map Sheet # 93N/3E


The original BOR 5-8 claims are located two and one half kilometers North of the midpoint of Tchentlo Lake. Access is by Forest Service Roads from Fort St. James B.C. The main BOR showing is located at twenty and one half kilometer on the T-Road which travels south east along Tchentlo lake.(See Fig. #)



<u>G.P.S. Locations</u>	<u>Zone</u>	<u>UTM East</u>	<u>UTM North</u>
BOR Pit	10 U	3 683 71	61 218 27
T-BOR Pit	10 U	3 639 21	61 234 84

(All G.P.S. readings were using a Trimble Scout Master using 200 readings in Acu-Lock)

Project Summary

A total of 45 mandays were spent in the field for the Bor project. Starting in July of 2000 and completion in late October of 2000. The main objective of the program was to ground proof the historical showings and old geochem results reported in assessment reports (#'s 2617, 2729, 10 077, 20 272, 20 575). All logging slashes were prospected for outcrop via drivable roads using a quad and four by four for transportation. A helicopter was utilized for three days for reconnaissance of the Tchentlo area and access to showing and outcrops not accessible by road. The Bor pit area was prospected in detail and a soil mag grid was established over the showing area (Fig. 7, 7a). The Tbor pit at 15.5 km was prospected in detail and a recon mag soil grid was established (Fig. 6, 6a).






MINFILE MAP NTS 093N MANSON RIVER

This MINFILE release researched and compiled by:
D.M. Melville, D.M. Nelles, G.J. Payie, K. Bellefontaine and F. Ferri

Date Revised: January 1993

Scale 1:250 000



Map Legend - 093N

MINFILE Occurrences

NUMBER	NAME	COMMODITIES
20	Indata Lake Mercury	Hg
21	Tchentlo	Hg Au
42	Indata Lake Manganese	Mn
68	Falcon	Cu Mo Pb
69	Fal	Cu Zn Pb Ag As
70	Dip	Cu Fe Ma Mu
71	Heath #3	Cu Ag Au
72	Heath #1	Cu Ag Au Pb Zn
79	JW	Cu Mo
80	Indata #5	Hg
85	Aplite Creek	Cu Au
91	Knight Hawk	Cu Au Ag Fe Ma
92	Vector	Cu Au Ag
98	B	Cu Ag
101	Col	Cu Au
113	Nation Mountain	Cu
122	Gun	Cu
139	Mid	Cu Au Ag
143	Takatoot Lake	Hg Cu
169	Sooner	Mo
173	Tyger	Cu
182	Bar	Hg
185	Gibson	Au Ag Pb Zn Cu
186	Indata Lake	Ls
193	Phil 20	Au Ag Pb

History

In the fall of 1999 loggers excavating a rock pit at 20.5 km on the T-road exposed chalcopyrite, iron pyrite and magnetite mineralization. On the 21 of October Lorne and Chris Warren examined the rock pit and located four two post mineral claims (Bor 3-6) over the showing.


The N.B.C. Syndicate in 1970 had located a large copper geochem anomaly which had not been followed up (Private Files). After mapping the anomaly it measures 1.5 km in length and up to 300 m in width centered over a regional mag feature.

Placer Development in 1981 soil sampled and geophysically surveyed to the east of the N.B.C. Syndicate anomaly. The soils on the JP Mineral claims indicated a copper anomaly , a rock sample assayed 0.5% copper in the soil anomaly area.

In 1989 (assessment report # 20272) Northwest Geological Consulting Ltd did work on the Falcon Property. Included in the report is a map showing previous work and copper anomalies in the general area of the Bor claims.

Claims And Ownership

<u>Claim Name</u>	<u>Tenure #</u>	<u>Expiry Date</u>	<u>Owner</u>
TBOR 1	378936	20010719	L.B. Warren
TBOR 2	378937	20010719	L.B. Warren
TBOR 3	378938	20010719	L.B. Warren
TBOR 4	378939	20010719	L.B. Warren
TBOR 5	378940	20010719	L.B. Warren
TBOR 6	378941	20010719	L.B. Warren
TBOR 7	381461	20011004	L.B. Warren
TBOR 8	381471	20011004	L.B. Warren
TBOR 9	381472	20011004	L.B. Warren
TBOR 10	381473	20011004	L.B. Warren
TBOR 11	381474	20011004	L.B. Warren
TBOR 12	381475	20011004	L.B. Warren
TBOR 13	381476	20011004	L.B. Warren
TBOR 15	381477	20011004	L.B. Warren
TBOR 16	381478	20011004	L.B. Warren
BOR 5	372948	20031021	C.I. Warren
BOR 6	372949	20031021	C.I. Warren
BOR 7	372958	20031021	L.B. Warren
BOR 8	372959	20031021	L.B. Warren





Regional Geology


The area of interest lies near the southern end of the southern Hogem batholith, a complex, triple-phase, composite calc-alkaline to alkalic group of plutons that range in age from Lower Jurassic to Lower Cretaceous (Garnett 1978 – Fig. 3). These plutons intrude coeval volcanic and sedimentary rocks of the Takla Group which are bounded immediately west by the Pinchi fault and seventy km east by the Manson Fault. Tectonically this graben structure, including the intrusive, volcanic and sedimentary rocks is more commonly referred to as the Quesnel trough.

Property Geology

The Bor 5-8 mineral claims and the T-Bor 1-13-15,16 mineral claims have been interpreted to be underlain by Hogem Batholith presumably upper Jurassic to lower Cretaceous age (Armstrong G.S.C. Memoir 252). The syendodiorites are generally green, medium to coarse grained highly magnetic rocks composed of quartz, K-feldspar, plagioclase feldspar, hornblende, biotite, chlorite and magnetite. The Gabros are coarse grained dark green rock consisting mainly of bytownite, orthoclase, augite and magnetite. Both rock types are mineralized with pyrite ranging from trace to five percent.
(Garnett J.A. 1972-73)







Project Objectives

1. Stake minimum of 77 units.
2. Prospect all new logging roads and slashes
3. Establish soil grid centred on Bor rock pit (100m line spacing – 50m sample intervals, approx. 212 soil samples.)
4. Prospect and map using the soil grid.
5. Check out old soil geochem anomalies in the area.
6. Check high tungsten heavy min sample from previous work.
7. Rock sample the Bor pit and other rock cuts.
8. Magnetometre survey of geochem grid over the Bor claims.

Estimate 62 to 80 mandays to complete the above program.

Prospecting Results

As a result of the prospecting of the area it was decided that it was not necessary to stake the number of units first proposed. The logging slashes prospected had very little outcrop, extensive overburden covers majority of area resulting in less than ten percent outcrop. The prospecting of the T-Road revealed several minor mineral occurrences at 15.5km, 16.5 to 18 km and 22.7 km, all copper mineralization was associated with the Hogem intrusive suite of rocks.

The Bor pit still remains the most significant showing found to date. Although surface prospecting around the Bor pit area failed to yield any new significant occurrences of copper mineralization. Detailed examination of the Bor pit indicates that the copper mineralization at this site is occurring at a possible cupola type setting. The open fractures on the margins of the breccia fragments have been filled with chalcopyrite, magnetite, Fe-Pyrite masses up to half a metre in diameter. Very little alteration minerals occur with the mineralization indicating late stage mineralizing solutions. No significant chalcopyrite occurs in the top two metres in the pit exposure. This may explain why no copper mineralization was found during surface prospecting of the Bor pit area. Poor copper soil results over a significant copper showing indicates a unusual environment must exist at this location.

The T-road from 16.5 to 18 k traverses a sizable copper geochem anomaly discovered by N.B.C Syndicate in 1970. From the observations at the Bor pit this copper anomaly may have more exploration significance than was originally placed on it during our regional prospecting activities.

Mineral Occurrences

BOR Showing

New copper occurrence discovered in 1999. A road side rock pit 10 metres by 75 metres exposes a sheeted breccia zone in Monzonite/diorite/syenite intrusives. The zone contains disseminated to massive blobs of chalcopyrite/Minor Bornite/Massive blobs of FePy and Magnetite. Low copper gold values are present through out this exposure.

TBOR Showing

The rock pit at 15.5km on the T-road exposes altered syenite moderately magnetic with local K-feldspar phenocrysts and veinlets. One to three percent Fe-pyrite- hematite and magnetite. Minor chalcocite/chalcopyrite occurs along fractures and as minor disseminations.

Road Side Samples


Float samples from minor outcrop and suboutcrop were located along the road side from 16.5km to 18 km on the T-road. Mineralization consists of pyrite/chalcopyrite and magnetite as dessemination, fracture fillings within dioritic to monzonitic intrusives. This porphyry-style mineralization is associated with propylitic and potassic alteration.

Falcon Showings

Along a major stream approximately 1.5 km south of the Bor mineral claims GPS location Zone 10 U 368451 E 6119930 N. Outcrop along the creek bank consist of intermediate to mafic intrusive; most likely dioritic in composition. Minor chalcopyrite, pyrite, magnetite and pyrrhotite occur as fracture fillings within intrusive rock.

Mike Showing

Is located at 22.7 km on the T-Road a rock pit on the north side of the road exposes monzonite to diorite brecciated intrusive moderately altered. Mineralization consists of chalcopyrite/bornite in diorite breccia fragments contained within the monzonite body. Several small suboutcrop exposures are scattered in the bottom of the rock pit.



Bor 2000 Project Rock Assays

Sample Name	Type	Remarks	Location	ICP	ICP	ICP	ICP	ICP	ICP
				Ag	As	Cu	Fe	Pb	Zn
				ppm	ppm	ppm	%	ppm	ppm
BOR-001	Grab	Cache creek sed.	GPS L. 363953 E 6122069 N	<0.2	25	59	4.76	6	59
BOR-003	Grab	Dark Mafic int. FePy on fractures	GPS L. 368451 E 6119930 N	<0.2	<5	427	9.47	14	38
TBOR-5	Grab	Hematite Stained Int. Min.Chalco 5% FePy		0.2	5	124	4.89	122	135
TBOR-6	Grab	Alt. Int. diss. FePy/Chalco-FePy dry frac.		<0.2	<5	97	5.52	8	46
TBOR-7	Grab	K-spar alt. Int. monzodiorite/ 5% FePy		<0.2	<5	421	5.65	12	108
TBOR-8	Grab	Qz Carbonate Vein flt.Mass. FePy/AsPy		9.8	1615	25	>15.00	296	138
TBOR-9	Grab	Qz Carbonate Vein flt.Mass. FePy/AsPy		56.8	1175	513	13.98	1962	638
TBOR-10	Grab	Alt. Latite Dike chlorite/FePy		7	125	40	8.4	1328	1403
TBOR-11	Grab	Quartz Carbonate Alt. Vol.?		3.8	1080	14	12.99	138	144
TBOR-12	Grab	gabbro int. O/C 5-10% magnetite		<0.2	<5	211	8.81	14	46
TBOR-13	Grab	Latite dike O/C		<0.2	<5	4	1.77	4	33
TBOR-14	Grab	gabbro 5-10% magnetite O/C		<0.2	<5	7	6.7	12	82
TBOR-15	Grab	5-7%Chalco in fine grain altered diorite		8.2	<5	>10000	4.71	40	76
TBOR-16	Grab	Dark Mafic int. 5% diss. Magnetite		<0.2	<5	105	12.09	22	50
TBOR-17	Grab	Dark Mafic int. Magnetite and FePy		<0.2	<5	35	9.02	16	84
TBOR-20	Grab	Bor pit 5 Metre grab		0.6	<5	1539	10.5	16	59
TBOR-21	Grab	Bor pit 5 Metre grab		0.4	<5	316	11.47	18	49
TBOR-22	Grab	Bor pit 5 Metre grab		<0.2	<5	195	8.22	12	72

Soil Geochem Results

Bor soil grid:

Established over the Bor pit area this consisted of three lines oriented north, south with the center line over the Bor showing. These lines were one hundred metres apart and five hundred metres in length with soil and mag readings at fifty metre intervals on the lines. A total of 33 samples were obtained. The soils averaged 15-20cm in depth to the "B" horizon, placed in kraft bags and shipped to Assayer Canada Vancouver B.C.. Standard 32 multi-element analysis was performed on these samples.

Observations and Conclusions:


A well developed "B" horizon occurred at the majority of the soil sample sites. Overall results were poor for copper ranging from 17 ppm to a high of 235 ppm. Contouring of these results was not deemed possible because the highs occurred as isolated points on the grid. The soil results in the immediate area of the Bor pit were poor indicating poor mobilization of copper in the soil profile. No other contourable elements were indicated by the results obtained (see fig. 7).


Tbor recon soil lines:


The soil lines were established one east and one west of the Tbor pit at 15.5 km on the T-road. The initial post for Tbor 9-10 was used as 100+00N – 98+00 E starting point. Line 98+00E ran 500 m north and 500 m south of the starting point, the other line was established 100 m east of the starting point also running 500 m north and 500 m south. 40 samples were taken at 50 m intervals along the lines from the "B" horizon averaging 20 cm in depth. Then placed in kraft bags and shipped to Assayers Canada Vancouver B.C. standard 32 multi-element analysis was performed.


Observations and Conclusions:

Results for copper indicate no anomalous sites on this grid. Review of the 1970 N.B.C. Syndicate soil results indicated that the recon lines were placed between two of their significant soil anomalies (see fig. 4a). The alteration and mineralization observed in the Tbor pit was the reason for establishing these lines but results from the pits rock samples were also poor.










Bor Property Exams

Phelps Dodge Corp. Steve Wetherup Geologist & 3 helpers examined the Bor pit and ran a one km recon soil line along the T-road 500 m east and west of the Bor Pit on Aug. 14/00

Rio Algom Explorations Inc. John McClintock Exploration Manager examined the Bor pit and sample ran 1.3% cu and 90 ppb gold took a random grab at 15.5 km ran 209ppm cu and no gold. Visited the property on Oct. 26/00

B.C.D.M. Bob Lane Geologist P.G. office visited on Oct. 23/00 examined the Mike showing, Bor Pit and the Tbor pit at 15.5 km on the T-road.



Lorne B. Warren

Statement of Qualifications

1963 – Geological Assistant – Mastodon Highland Bell - Gordon Hilchey – Geologist - Dome Mountain Area.

1964 – Geological Assistant – Phelps Dodge Corp. Stikine area.

1965 – Prospector/Geological Assistant Native Mines.

1966 – 1971 – Full time field tech / line cutter/ Prospector Manex Mining Ltd. –M.J. Beley – Manager

1971 –1979 – Granby Mining Corp. – Field Supervisor, Office manager, Supervised Drill programs- Logged drill core and percussion drill cuttings.

1979 – Present – President and Manager of CJL Ent. Ltd. , Kengold Mines Ltd. And Angel Jade Mines Ltd. – Placer mining/contract exploration work/Full time prospecting.

Chris Warren

Statement of Qualifications

1990 – Completed the Smithers Exploration Group's Bush Skills course. Worked at Duckling Creek as a Geological assistant.

1991 – Assisted in the instruction of the Smithers Exploration Bush Skills course. Worked in Johanson Lake as a line cutter.

1992 - Assisted in the instruction of the Smithers Exploration Bush Skills course. Misc. claim staking jobs/ field assistant.

1993 – Worked at a placer operation as a loader operator and did misc. claim staking jobs/prospecting assistant.

1994 – Worked in Manson Creek area doing placer testing, running magnetometer/computer work/claimstaking/Prospector's Assistant.

1995 – Present – Worked full time for CJL Enterprises Ltd. – Claim staker/line cutter/camp construction/prospector.

Mike Middleton

Statement of Qualifications

1990 – Completed the Smithers Exploration Bush skills course

1994-99 – Full time field assistant for CJL Ent. Ltd.

1999-2000- Worked for CJL Ent. Ltd, and as a independent prospector

List Of References

- Armstrong J.E. (1949) Fort St. James Map-Area, Cassiar and Coast Districts, British Columbia, Geol. Surv. Canada. Mem. 252
- Campbell R.B. and Tipper H.W. (1970) Geology and mineral exploration potential of the Quesnel Trough, B.C. Vol. 63, No 699 pp 785-790
- Armstrong J.E. Geology and Mineral Occurrences of the Ft. St. James Area
- Garnett J.A. (1978) Geology and Mineral Occurrences of the Southern Hogem Batholith B.C. Ministry of Mines and Petroleum Resources Bulletin #70
- Monger J.W.H.(1977b) Revises Stratigraphy of the Takla Group, North Central British Columbia, Canadian Journal of Earth Science Vol. 14, pp318-326.
- Paterson I.A. (1974) Geology of Cache Creek Group and Mesozonic Rocks at The North end of the Stuart Lake Belt, Central British Columbia, Geol. Surv. Canada Paper 74-1 Pt. A

Appendix #1

Bor Property

Sample	Property Type	Material	Colour	Topo	Phelps Dodge Prop. Exam Results		
					Cu (ppm)	Ag (ppb)	Au (ppb)
77359 Bor	soil	colluvium	brown	flat			
77360 Bor	soil	colluvium	brown	flat	41.17	75	2.7
77361 Bor	soil	colluvium	brown	flat			
77362 Bor	soil	colluvium	brown	gully			
77363 Bor	soil	colluvium	brown	hillside			
77364 Bor	soil	colluvium	orange	hillside			
77365 Bor	soil	colluvium	brown	hillside	52.31	91	8.1
77366 Bor	soil	colluvium	brown	hillside	23.69	100	3.3
77367 Bor	soil	colluvium	brown	hillside	54.8	62	2.3
77368 Bor	soil	colluvium	brown	flat			
77369 Bor	soil	colluvium	brown	flat			
77370 Bor	soil	colluvium	brown	hillside	39.11	204	2.4
77371 Bor	soil	colluvium	brown	hillside	52.69	198	4
77372 Bor	soil	colluvium	brown	hillside			
77373 Bor	soil	colluvium	yellow-brown	hillside			
77374 Bor	soil	colluvium	yellow-brown	hillside			
77375 Bor	soil	colluvium	yellow-brown	hillside			
77376 Bor	soil	colluvium	brown	hillside			
Rocks							
75597							
75598					5925	3082	124
75599					249.8	145	3.6
76400					1480	674	7.5
					11253	7880	268.6

ACME ANALYTICAL LABORATORIES LTD
(I.Q.C. Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1711

GEOCHEMICAL ANALYS. CERTIFICATE

Phelps Dodge Corp. File # A003008
1409 - 409 Granville St., Vancouver BC V6J 1T2 Submitted by: Rob Cameron

Bor Property

GROUP 1115 - 15.00 GM SAMPLE, 90 ML 10% H₂O₂, 100 GMS HNO₃-H₂O AT 25 DEG. C FOR ONE HOUR AND IS DILUTED TO 300 ML, ANALYSIS BY ICP/ES & MS

SAMPLE TYPE: SOLID SSBG 600 Samples: Isotopic 18E, arc, Keros and 18EE, arc, 85% HEPB, 15% SIBERIAN

DATE RECEIVED: APR 14 2006 DATE REPORT WRITTEN: APR 14 2006 SIGNED BY: JAMES D. TOME, E. LECH, J. WANG CERTIFIED W.C. ASSISTANT

POOR ORIGINAL

Sample	CD (ppm)	Mn (ppm)	AS Fe(%)	U (ppm)	Au (ppb)	Th (ppm)	Sr (ppm)	Cd (ppm)	Sb (ppm)	Bi (ppm)	V (ppm)	La (ppm)	Cr (ppm)	Mg (%)	Ba (ppm)	Ti (%)	B (ppm)	Al (%)	No (%)
Soils																			
76838																			
77359	5.1	149	2.29	5.8	0.3	27	1.3	11.9	0.12	0.66	0.09	78	0.1	0.095	3.9	35.	1.6	0.032	1
77360	8.2	177	2.69	6.5	0.3	21.2	1.4	14.5	0.11	0.65	0.09	85	0.13	0.117	4.6	17.4	0.34	98.2	0.043
77361	6.9	182	2.62	6	0.2	9	1.2	13.9	0.14	0.58	0.09	84	0.14	0.157	4.2	40.7	0.27	84	0.037
77362	10.3	266	2.65	6.1	0.3	2.6	1.2	19.5	0.22	0.62	0.06	82	0.24	0.091	5.2	47	0.52	111.4	0.048
77363	13.8	217	4.03	12.8	0.3	8.1	1.4	16.6	0.28	0.85	0.1	132	0.17	0.241	4.7	53.5	0.41	172.2	0.038
77364	5.8	202	2.72	6	0.2	3.3	0.6	20.6	0.24	0.69	0.08	119	0.17	0.033	4	34.2	0.14	141.8	0.046
77365	6.6	213	2.66	6.3	0.3	2.3	1.3	14.7	0.11	0.57	0.22	90	0.13	0.144	5.2	40.8	0.32	93.5	0.042
77366	7.9	224	2.99	6.6	0.3	2.4	1.4	16.5	0.18	0.8	0.47	99	0.16	0.149	5.3	43.6	0.35	105.2	0.042
77367	4.7	149	2.6	3.9	0.3	4	0.9	18.2	0.11	0.47	0.26	92	0.15	0.037	4.6	29.4	0.15	98.4	0.04
77368	5	164	2.22	3.5	0.2	6.8	1	14.2	0.1	0.38	0.16	87	0.12	0.097	4.6	29.2	0.19	70.6	0.045
77369	10.1	218	3.09	6.7	0.2	5.6	1	18	0.23	0.63	0.1	102	0.21	0.124	4.8	43.4	0.43	127.9	0.044
77370	8	487	2.12	4.8	0.7	2.8	1	23.2	0.13	0.52	0.24	71	0.32	0.033	11	38.3	0.42	144.9	0.038
77371	12.5	568	2.33	4.9	0.3	3.2	0.7	30.3	0.2	0.49	0.12	27	0.37	0.064	6.8	37.5	0.48	161.9	0.04
77372	12.8	672	3.75	7.8	4.3	5.1	2	46.4	0.81	0.9	0.22	100	0.6	0.037	12.1	65.9	0.52	368.6	0.04
77373	6.5	237	2.06	4.8	1.4	4	1	23.7	0.21	0.46	0.08	71	0.3	0.047	7.7	39.4	0.51	137.1	0.05
77374	6.3	217	1.84	4	0.3	3.3	0.7	19.4	0.2	0.39	0.08	64	0.23	0.041	5.1	33.5	0.42	160.1	0.035
77375	11	618	2.53	4.8	0.9	13.5	0.5	29.2	0.22	0.49	0.14	85	0.36	0.039	11.4	37.8	0.31	342.6	0.026 <1
77376	14.1	1129	3.54	8.1	7.1	4.3	1.5	78.9	0.31	0.86	1.02	121	1.07	0.088	13.1	40.8	0.62	658	0.022
Rocks																			
75597	14.6	1158	4.39	1.7	0.3	124	0.7	109.5	0.17	0.49	0.93	154	3.34	0.149	3.7	8.5	1.75	62.6	0.065
75598	41.9	3627	3.8	2.3	0.3	3.6	0.4	82.9	0.06	0.14	0.74	20	4.74	0.225	3.2	5.2	1	63.1	0.002
75599	19.6	819	4.5	1.7	0.4	7.5	0.5	34.6	0.11	0.25	0.18	146	0.79	0.21	2.3	7.3	1.69	69.9	0.164
76400	56.3	689	6.29	1	0.5	268.6	0.4	32.1	...	0.2	0.61	188	0.61	0.179	1.7	11.4	1.74	55.7	0.207 <1
																		1.87 0.043	

Phelps Dodge Assay Results Aug. 2000

Sample	K(%)	W(ppm)	Sc [?] (ppm)	Tl(ppm)	S(ppm)	Hg(ppb)	Se(ppm)	Te(ppm)	Ga(ppm)	Sample Box
--------	------	--------	-----------------------	---------	--------	---------	---------	---------	---------	------------

Soils

76838

77359

	0.02	0.2	2.1	0.05	0.01	80	0.2 < .02	4.5	15
--	------	-----	-----	------	------	----	-----------	-----	----

77360

	0.03	0.2	2.5	0.04 < .01		89	0.2	0.02	4.1	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77361

	0.02	0.2	2	0.04 < .01		59	0.2 < .02	4.2	15
--	------	-----	---	------------	--	----	-----------	-----	----

77362

	0.04 < .2		2.2	0.03	0.01	58	0.2 < .02	3.8	15
--	-----------	--	-----	------	------	----	-----------	-----	----

77363

	0.04	0.2	3.2	0.05	0.01	56	0.2	0.02	5.9	15
--	------	-----	-----	------	------	----	-----	------	-----	----

77364

	0.03 < .2		1.6	0.04	0.01	22	0.1	0.02	4.2	15
--	-----------	--	-----	------	------	----	-----	------	-----	----

77365

	0.03	0.2	2.5	0.05 < .01		62	0.2	0.13	5.8	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77366

	0.04	0.2	2.7	0.05	0.01	77	0.2	0.06	5.6	15
--	------	-----	-----	------	------	----	-----	------	-----	----

77367

	0.03	0.2	1.6	0.03 < .01		36	0.2	0.03	5.1	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77368

	0.03	0.2	1.5	0.03 < .01		24	0.1	0.02	4.6	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77369

	0.03	0.2	2.2	0.03 < .01		50	0.1	0.12	4.3	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77370

	0.03 < .2		4	0.06 < .01		70	0.2	0.05	3.2	15
--	-----------	--	---	------------	--	----	-----	------	-----	----

77371

	0.04 < .2		2.5	0.05 < .01		65	0.2	0.03	4	15
--	-----------	--	-----	------------	--	----	-----	------	---	----

77372

	0.07	0.2	7.5	0.08 < .01		149	0.5	0.03	6.6	15
--	------	-----	-----	------------	--	-----	-----	------	-----	----

77373

	0.03	0.2	2.9	0.03 < .01		74	0.2	0.02	2.2	15
--	------	-----	-----	------------	--	----	-----	------	-----	----

77374

	0.02 < .2		1.8	0.03 < .01		39 < 1	0.02	.3	15
--	-----------	--	-----	------------	--	--------	------	----	----

77375

	0.02 < .2		2.9	0.04	0.02	120	0.3	0.02	4.5	15
--	-----------	--	-----	------	------	-----	-----	------	-----	----

77376

	0.05	0.3	5.8	0.08	0.05	93	0.4	0.03	8.2	15
--	------	-----	-----	------	------	----	-----	------	-----	----

Rocks

75507	0.17	1.2	3.6	0.07	1.13	17	1.4	0.54	7.5
-------	------	-----	-----	------	------	----	-----	------	-----

76548	0.41	0.5	9.3	0.09	0.81 < 5		0.4	0.09	4.6
-------	------	-----	-----	------	----------	--	-----	------	-----

75599	0.15	1.4	4.6	0.05	1.55	10	1	0.17	7.9
-------	------	-----	-----	------	------	----	---	------	-----

76400	0.55	2.2	6.7	0.18	2.57	13	4.5	1.27	8.8
-------	------	-----	-----	------	------	----	-----	------	-----

Phelps Dodge Assay Results Aug 2000

CJL Enterprises

Attention: Lorne Warren

Project: TBOR

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0V0505 RJ

Date : Nov-28-00

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
BOR-001	<0.2	2.67	25	40	<0.5	<5	2.09	<1	26	40	59	4.76	0.03	2.47	780	<2	0.04	16	570	6	55	8	<10	31	0.28	132	<10	6	59	16
BOR-003	<0.2	1.40	<5	30	<0.5	<5	0.83	1	37	31	427	9.47	0.04	1.55	315	<2	0.05	38	90	14	<5	7	<10	38	0.21	620	<10	1	58	8
TBOR-5	.0.2	1.12	5	90	150	<5	5.50	1	16	9	124	4.89	0.35	0.63	3915	<2	0.02	6	1890	122	5	9	<10	138	0.01	69	<10	15	135	5
TBOR-6	<0.2	1.46	<5	170	<0.5	<5	1.62	<1	20	25	97	5.52	0.11	1.40	790	<2	0.08	9	2280	8	<5	4	<10	76	0.19	249	<10	7	46	5
TBOR-7	<0.2	1.44	<5	70	<0.5	<5	3.02	<1	29	20	421	5.65	0.15	1.42	2055	<2	0.04	9	2010	12	<5	12	<10	72	0.04	172	<10	11	108	5
TBOR-8	9.8	0.56	1615	10	<0.5	15	1.44	<1	15	80	25	>15.00	0.18	0.14	2510	<2	0.01	10	1130	296	15	3	<10	35	0.01	36	<10	4	138	14
TBOR-9	56.8	0.43	1175	10	<0.5	10	0.29	<1	36	114	513	13.98	0.22	0.25	7195	<2	0.01	11	1110	1962	30	3	<10	12	<0.01	23	<10	3	638	13
TBOR-10	7.0	0.76	125	70	0.5	<5	0.87	14	18	40	40	8.40	0.39	0.72	>10000	<2	0.01	9	2160	1328	5	10	<10	28	<0.01	62	<10	11	1403	8
TBOR-11	3.8	0.26	1080	20	<0.5	10	1.17	<1	6	151	14	12.99	0.12	0.64	>10000	<2	0.01	8	640	138	10	1	<10	22	<0.01	20	<10	1	144	10
TBOR-12	<0.2	1.22	<5	140	<0.5	<5	2.30	1	23	126	211	8.81	0.32	1.61	965	<2	0.05	20	1830	14	5	10	<10	60	0.15	457	<10	9	46	9
TBOR-13	<0.2	0.33	<5	230	<0.5	<5	0.19	<1	3	70	4	1.77	0.30	0.03	1345	2	0.03	3	630	4	<5	1	<10	6	<0.01	4	<10	4	33	22
TBOR-14	<0.2	1.53	<5	210	<0.5	<5	1.76	1	23	29	7	6.70	0.49	1.57	875	<2	0.06	11	3690	12	<5	5	<10	42	0.19	289	<10	9	82	7
TBOR-15	8.2	1.54	<5	60	<0.5	<5	0.81	<1	31	31	>10000	4.71	0.11	1.47	465	<2	0.07	9	2320	40	<5	3	<10	51	0.03	28	<10	4	76	3
TBOR-16	<0.2	0.39	<5	30	<0.5	<5	0.24	1	104	441	105	12.09	0.04	12.46	1105	<2	0.01	442	210	22	10	5	<10	7	0.05	270	<10	1	50	9
TBOR-17	<0.2	1.18	<5	60	<0.5	<5	1.29	1	33	226	35	9.02	0.10	1.59	565	8	0.07	54	1580	16	<5	5	<10	51	0.10	471	<10	3	64	8
TBOR-20	0.6	1.72	<5	50	<0.5	<5	0.77	<1	110	83	1539	10.50	0.77	1.34	580	8	0.10	19	1490	16	5	5	<10	43	0.22	144	<10	5	59	8
TBOR-21	0.4	1.15	<5	50	<0.5	<5	0.62	<1	39	77	316	11.47	0.16	0.99	445	20	0.05	26	1670	18	5	4	<10	54	0.19	111	<10	4	49	9
TBOR-22	<0.2	1.77	<5	90	<0.5	<5	0.66	<1	61	66	195	8.22	0.32	1.60	710	10	0.05	15	1640	12	<5	6	<10	40	0.20	153	<10	5	72	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

CJL Enterprises
 Attention: Lorne Warren
 Project: TBOR
 Sample: Soil

Assayers Canada
 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
 Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0V0505 SJ
 Date : Nov-28-00

MULTI-ELEMENT ICP ANALYSIS
 Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Tl %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
LS2E 100+00N	<0.2	1.41	5	140	<0.5	<5	0.32	<1	10	57	58	3.50	0.05	0.59	405	<2	0.01	45	900	10	<5	4	<10	29	0.07	97	<10	4	55	3
LS2E 101+00N	<0.2	1.57	5	110	<0.5	<5	0.25	<1	10	53	52	3.43	0.04	0.54	205	2	0.01	40	1360	10	<5	3	<10	22	0.07	87	<10	3	76	5
LS2E 101+50N	<0.2	2.43	10	260	<0.5	<5	0.33	<1	11	76	45	5.57	0.06	0.63	240	<2	0.01	55	2140	14	<5	4	<10	31	0.06	133	<10	3	141	4
LS2E 102+00N	<0.2	2.40	10	320	0.5	<5	0.90	<1	11	69	158	4.45	0.07	0.65	780	6	0.01	60	920	12	<5	8	<10	86	0.04	101	<10	15	87	4
LS2E 102+50N	<0.2	1.86	5	120	<0.5	<5	0.19	<1	10	49	55	3.68	0.03	0.41	195	<2	0.01	32	880	10	<5	3	<10	24	0.06	98	<10	3	53	3
LS2E 103+00N	<0.2	1.18	5	80	<0.5	<5	0.16	<1	5	46	15	3.67	0.03	0.23	150	<2	0.01	21	780	10	<5	2	<10	19	0.07	116	<10	1	36	3
LS2E 103+50N	<0.2	1.68	5	180	<0.5	<5	0.38	<1	8	49	49	2.86	0.05	0.71	330	4	0.01	41	410	8	<5	4	<10	35	0.08	74	<10	3	64	2
LS2E 104+00N	<0.2	1.77	10	110	<0.5	<5	0.22	<1	8	55	30	4.53	0.04	0.45	230	<2	0.01	32	2180	12	<5	3	<10	23	0.07	123	<10	2	86	4
LS2E 104+50N	<0.2	1.48	5	120	<0.5	<5	0.21	<1	6	42	22	3.73	0.05	0.36	190	<2	0.01	19	1910	12	<5	3	<10	24	0.08	109	<10	2	43	3
LS2E 105+00N	<0.2	2.60	<5	150	<0.5	<5	0.17	<1	10	53	68	3.60	0.05	0.50	290	<2	0.01	40	760	10	<5	3	<10	23	0.07	91	<10	2	92	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml with D.I.H2O.

CJL Enterprises
Attention: Lorne Warren

Assays Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0V0505 SJ
Date : Nov-28-00

Project: TBOR

Sample: Soil

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Tl %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
L100E 100+50N	<0.2	1.07	5	140	<0.5	<5	0.35	<1	11	79	27	2.61	0.05	0.66	320	<2	0.01	71	690	4	<5	4	<10	22	0.07	54	<10	5	49	2
L100E 101+00N	<0.2	0.78	<5	100	<0.5	<5	0.20	<1	5	46	10	2.53	0.04	0.19	220	<2	0.01	18	580	6	<5	2	<10	15	0.06	73	<10	2	49	2
L100E 101+50N	<0.2	1.42	5	120	<0.5	<5	0.25	<1	8	73	17	3.09	0.03	0.58	190	<2	0.01	55	1210	6	<5	3	<10	19	0.06	64	<10	3	68	3
L100E 102+00N	<0.2	1.22	5	170	<0.5	<5	0.28	<1	11	94	18	4.46	0.07	0.50	360	<2	0.01	55	1250	12	<5	3	<10	22	0.08	118	<10	2	83	3
L100E 102+50N	<0.2	0.98	5	90	<0.5	<5	0.23	<1	6	53	12	2.28	0.03	0.49	170	<2	0.01	30	640	2	<5	2	<10	18	0.07	55	<10	3	45	2
L100E 103+00N	<0.2	1.38	5	150	<0.5	<5	0.28	<1	9	67	29	3.17	0.05	0.56	425	<2	0.01	54	530	6	<5	3	<10	24	0.05	73	<10	3	76	2
L100E 103+50N	<0.2	0.77	5	100	<0.5	<5	0.33	<1	8	55	20	2.32	0.03	0.59	310	<2	0.01	40	830	4	<5	2	<10	25	0.06	55	<10	4	35	2
L100E 104+00N	<0.2	0.74	5	130	<0.5	<5	0.45	<1	6	49	23	2.26	0.04	0.46	255	<2	0.01	30	780	4	<5	2	<10	29	0.05	63	<10	5	37	2
L50E 100+00N	<0.2	1.19	5	130	<0.5	<5	0.35	<1	8	45	17	3.64	0.11	0.48	400	<2	0.01	23	2330	12	<5	2	<10	30	0.07	107	<10	2	90	3
L50E 100+50N	<0.2	1.08	<5	110	<0.5	<5	0.28	<1	7	37	45	2.35	0.03	0.38	205	<2	0.01	21	310	6	<5	3	<10	28	0.06	68	<10	4	49	2
L50E 101+00N	<0.2	1.07	<5	120	<0.5	<5	0.25	<1	6	38	58	2.36	0.04	0.31	225	2	0.01	18	270	6	<5	2	<10	26	0.07	70	<10	4	39	2
L50E 101+50N	<0.2	1.43	5	150	<0.5	<5	0.32	<1	8	48	37	3.31	0.06	0.46	195	<2	0.01	33	1080	10	<5	3	<10	29	0.06	87	<10	2	81	2
L50E 102+00N	<0.2	1.26	5	130	<0.5	<5	0.25	<1	8	31	21	4.85	0.04	0.30	205	6	0.01	13	240	16	<5	2	<10	32	0.12	192	<10	2	42	4
L50E 102+50N	0.4	4.55	5	150	1.0	5	0.16	<1	17	32	235	6.27	0.05	0.43	415	6	0.01	21	3880	36	<5	4	<10	16	0.05	163	<10	3	124	15
L50E 103+50N	<0.2	2.97	5	270	<0.5	<5	0.21	<1	12	39	88	5.89	0.06	0.63	735	2	0.01	30	3920	14	<5	4	<10	22	0.07	135	<10	2	110	9
L50E 104+00N	<0.2	1.36	<5	150	<0.5	<5	0.29	<1	8	29	35	2.74	0.04	0.45	225	<2	0.01	18	580	8	<5	2	<10	29	0.07	81	<10	2	56	2
L50E 104+50N	<0.2	2.08	10	150	<0.5	<5	0.23	<1	9	52	41	5.61	0.05	0.50	265	<2	0.01	29	3280	16	<5	3	<10	21	0.07	131	<10	2	87	4
L50E 105+00N	<0.2	1.43	<5	200	<0.5	<5	0.32	<1	11	40	37	3.49	0.05	0.50	630	<2	0.01	23	440	10	<5	3	<10	36	0.06	100	<10	4	90	2
LS1E 100+00N	<0.2	1.43	5	100	<0.5	<5	0.25	<1	7	48	19	3.88	0.05	0.39	195	2	0.01	27	1010	8	<5	2	<10	25	0.07	100	<10	2	65	3
LS1E 100+50N	<0.2	2.30	5	100	<0.5	<5	0.20	<1	9	53	58	4.15	0.04	0.43	200	2	0.01	35	1680	10	<5	3	<10	23	0.06	101	<10	2	76	5
LS1E 101+00N	<0.2	1.82	5	160	<0.5	<5	0.20	<1	8	46	56	3.58	0.05	0.44	335	2	0.01	37	1000	12	<5	3	<10	24	0.07	95	<10	2	77	3
LS1E 101+50N	<0.2	1.45	5	100	<0.5	<5	0.29	<1	9	52	38	3.52	0.04	0.40	180	<2	0.01	33	550	10	<5	3	<10	25	0.08	97	<10	2	52	3
LS1E 102+00N	<0.2	1.50	5	120	<0.5	<5	0.22	<1	11	52	44	3.60	0.04	0.52	440	2	0.01	40	1050	12	<5	3	<10	23	0.08	94	<10	2	55	4
LS1E 102+50N	<0.2	1.67	10	90	<0.5	<5	0.18	<1	8	60	25	4.98	0.04	0.43	190	2	0.01	29	1390	14	<5	3	<10	22	0.08	124	<10	2	94	4
LS1E 103+00N	<0.2	1.23	5	130	<0.5	<5	0.24	<1	5	40	20	3.02	0.04	0.33	145	2	0.01	18	510	10	<5	2	<10	26	0.08	96	<10	2	61	2
LS1E 103+50N	<0.2	2.35	5	180	<0.5	<5	0.31	<1	11	30	58	5.51	0.04	0.50	280	<2	0.01	20	950	12	<5	4	<10	36	0.10	164	<10	3	69	4
LS1E 104+00N	<0.2	1.50	5	180	<0.5	<5	0.38	<1	9	47	107	2.83	0.04	0.66	305	2	0.01	35	400	8	<5	5	<10	36	0.08	84	<10	8	64	2
LS1E 104+50N	<0.2	1.44	<5	160	<0.5	<5	0.31	<1	6	39	32	2.61	0.06	0.48	185	<2	0.01	27	1540	8	<5	3	<10	27	0.07	67	<10	3	89	2
LS1E 105+00N	<0.2	2.28	5	180	<0.5	<5	0.23	<1	10	54	49	4.38	0.05	0.56	295	<2	0.01	39	2530	10	<5	4	<10	20	0.06	106	<10	3	117	4
LS2E 100+00N	<0.2	1.00	<5	110	<0.5	<5	0.18	<1	7	34	18	3.43	0.03	0.18	355	<2	0.01	14	870	14	<5	2	<10	22	0.06	108	<10	1	45	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



TSL Assayers Vancouver
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Ap. Page 8

Assay Certificate

9V-0436-RA1

Company: CJL Enterprises Ltd
Project: BOR
Attn: L. B. Warren

Nov-17-99

We hereby certify the following assay of 4 rock samples submitted Nov-05-99 by L. B. Warren.

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	
BOR 1 #5513 A	0.03		5.4	0.629	Grade - Mafic int. D155. Chalco.
BOR 2 #5514 A	0.01		2.1	0.387	Grab - Oz Carb Altered Int.
BOR 3 #5515 A	0.33	0.31	15.2	3.130	Mafic Int. Highgrade.
BOR 4 #5516 A	0.01		1.8	0.031	Grab across 15 ft.
*DUP BOR 1 #5513 A			5.2	0.630	
*MP-1a			14.0	0.287	Labo Check Samples.
*97-3	1.36				
*Blank	0.01		<0.1	<0.001	

Certified by

TSL Assayers Vancouver
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

TSL Assayers Saskatoon
#2-302 East 48th Street
Saskatoon, Saskatchewan
S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

TSL Assayers Swastika
1 Cameron Ave.
Swastika, Ontario
P0K 1T0

Tel: (705) 642-3244 Fax: (705) 642-3300

CJL Enterprises Ltd

Attention: L. B. Warren

Project: BOR

Sample: rock

TSL Assa~~s~~ Vancouver

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 9V0436 RJ

Date : Nov-17-99

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
BOR 1 #5513 A	3.6	2.36	<5	90	<0.5	<5	1.05	<1	130	100	6292	7.59	0.78	1.85	785	52	0.08	20	2360	14	<5	9	<10	41	0.29	195	<10	7	128	6
BOR 2 #5514 A	1.0	0.89	<5	90	0.5	<5	7.14	<1	15	24	3776	9.23	0.41	1.86	5275	<2	0.02	12	1690	16	5	15	<10	117	<0.01	55	<10	8	8	6
BOR 3 #5515 A	14.8	2.60	<5	10	<0.5	<5	0.52	1	319	46	>10000	>15.00	0.38	1.99	850	<2	0.02	61	2780	54	5	12	<10	12	0.23	213	<10	5	149	15
BOR 4 #5516 A	8.2	1.98	<5	150	<0.5	<5	1.46	<1	17	74	288	5.48	0.40	1.73	885	8	0.10	12	2270	6	<5	8	<10	64	0.24	177	<10	8	71	5

A .5 gm sample is digested with 10 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml with D.I.H2O.



TSL Assayers Vancouver
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0436-RA1

Company: CJL Enterprises Ltd
Project: BOR
Attn: L. B. Warren

Nov-17-99

We hereby certify the following assay of 4 rock samples submitted Nov-05-99 by L. B. Warren.

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %
BOR 1 #5513 A	0.03		5.4	0.629
BOR 2 #5514 A	0.01		2.1	0.387
BOR 3 #5515 A	0.33	0.31	15.2	3.130
BOR 4 #5516 A	0.01		1.8	0.031
*DUP BOR 1 #5513 A			5.2	0.630
*MP-1a			14.0	0.287
*97-3	1.36			
*Blank	0.01		<0.1	<0.001

Certified by _____

TSL Assayers Vancouver
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

TSL Assayers Saskatoon
#2 - 302 East 48th Street
Saskatoon, Saskatchewan
S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

TSL Assayers Swastika
1 Cameron Ave.
Swastika, Ontario
P0K 1T0

Tel: (705) 642-3244 Fax: (705) 642-3300

Appendix #2



Province of
British Columbia

Ministry of
Energy, Mines and
Petroleum Resources
GEOLOGICAL SURVEY BRANCH

ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)]

Prospecting Geochim

TOTAL COST

35,694.62

AUTHOR(S) Lorne B. WARREN

SIGNATURE(S) *L.B.Warren*

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) 2000-1300691-9216

YEAR OF WORK 2000

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S)

3156139 Oct 23, 2000

PROPERTY NAME BOR

CLAIM NAME(S) (on which work was done) BOR 5-8 TBOR 1-13, 15-16

Tenure # 372948-372949-372958-59, 378976-41

~~381461-78~~

COMMODITIES SOUGHT Cu

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 68, 69,

MINING DIVISION Omineca NTS 93N 3E

LATITUDE 55° 13.63 LONGITUDE 125° 04.264 (at centre of work)

OWNER(S)

1) LORNE B. WARREN

Chris Warren

MAILING ADDRESS

Box 662

Smithers, B.C.

V0J-2N0

OPERATOR(S) [who paid for the work]

1) L. WARREN

CTL Enterprises Ltd

MAILING ADDRESS

Box 662

Smithers, B.C.

V0J-2N0

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Hogen Batholith, upper Jurassic to Lower Cretaceous Age

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 2617, 2729, 10,077,

20,272, 20,575

(OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo Interpretation			
GEOPHYSICAL (line-kilometres)			
Ground		BOR 5-8 TBOR 7-8	
Magnetic	2.5 Km		
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil	70 Samples		700.00
Silt			
Rock	18 Rocks		180.00
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)	Detailed 100 sq. Km.		33,500.00
PREPARATORY/PHYSICAL			
Line/grid (kilometres)	600 - 1 Km 3.5 Km		
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	35,694.62