

**BRITISH COLUMBIA**  
**PROSPECTORS ASSISTANCE PROGRAM**  
**MINISTRY OF ENERGY AND MINES**  
**GEOLOGICAL SURVEY BRANCH**

PROGRAM YEAR: 2000/2001

REPORT #: PAP 00-39


NAME: KEN GREENWAY

FEB 13 2001 14:03 FR GEOLOGICAL SURVEY BR.250 952 0381 TO 816048946729

P.06/10

D. TECHNICAL REPORT

- One technical report to be completed for each project area.
- Refer to Program Regulations 15 to 17, pages 6 and 7.



Information on this form is confidential subject to the provisions of the Freedom of Information Act.

SUMMARY OF RESULTS

- This summary section must be filled out by all grantees, one for each project area

Name KGJ Greenway Reference Number \_\_\_\_\_

LOCATION/COMMODITIES

Project Area (as listed in Part A) LOST VALLEY MINFILE No. if applicable \_\_\_\_\_

Location of Project Area NTS 92J Lat 545900 m E Long 5598400 m N

Description of Location and Access DRAINAGE THAT EMPTIES INTO ANDERSON LAKE ON ITS EAST SIDE. ACCESS WAS BY CHOPPER AS WELL AS BY ROAD TO MOUTH OF CR. ACCESS WAS ALSO TO COTEL RIM OF VALLEY HEADWATERS BY WAY OF ELLIOT CR. (BARKLEY VALLEY)

Prospecting Assistants(s) - give name(s) and qualifications of assistant(s) (see Program Regulation 13, page 6)

Main Commodities Searched For GOLD

Known Mineral Occurrences in Project Area JUST WATER SAMPLES MIDWAY UP VALLEY, SHOWING HIGH AU ANOMOLIES.

**WORK PERFORMED**

1. Conventional Prospecting (area) TESTING, (CHIPPING,) ALL QUARTZ FILLED FRACTURES
2. Geological Mapping (hectares/scale) \_\_\_\_\_
3. Geochemical (type and no. of samples) \_\_\_\_\_
4. Geophysical (type and line km) \_\_\_\_\_
5. Physical Work (type and amount) \_\_\_\_\_
6. Drilling (no. holes, size, depth in m, total m) \_\_\_\_\_
7. Other (specify) STAKING

Best Discovery ANOTHER SITE LOCATED ON BANKS OF BIRKENHEAD RIVER OPPOSITE OWL CR. Project/Claim Name ORO 1 / ORO 2 Commodities AU

Location (show on map) Lat. 519200 m E Long 5579000 m N Elevation 900'

Best assay/sample type GRAB SAMPLE OF QUARTZ VEIN 20 g/TONE. TWO MORE ASSAYED AT 10 g/t, AND 12 g/t

Description of mineralization, host rocks, anomalies REGIONAL FAULT BETWEEN TWO ANDESITE BODIES OF HOST ROCK. FAULT POSSIBLY 100 + METRES ACROSS FILLED WITH HEAVILY ALTERED ANDESITE, & QUARTZ VEIN 1 MTR. IN WIDTH CUTTING THROUGH FAULT MATERIAL. QUARTZ IS VUGGY AND HEAVY WITH SULPHIDE STAINING. GOLD VALUES WERE HIGHEST AT CONTACT TO WALL ROCK.

FEEDBACK: comments and suggestions for Prospector Assistance Program \_\_\_\_\_

To GARY PAULSREVISED

From K. GREENWAY

## Lost Valley Project 2000

DAY 1 - August 3/00, travelled length of Anderson Lake to mouth of Lost Creek and spent the day identifying rock types in stream course. It cannot be determined, with a certainty, whether the alluvials are directly associated with the host rocks of the valley or a product of glacial introduction, still it can aid in narrowing down the possibilities of potential mineral deposit types ( vein, disseminated, porphyry, etc.).

The investigation failed to yield much information of value this particular day, even subsequent panning of stream bank sediments failed to reveal any gold values, however being as it was an extremely high water level as a result of an unusually long spring run-off, finding a suitable site for sampling was severely restricted. The only semi-encouraging sample that I retrieved of the river rock was a very dark slaty sample that was extremely schistose and fracture filled with quartz. Pyrite was visible as well and this is a reminder of the host rock of the McGillivray Creek Mine further down the lake and on the west side. This piece was sent in for assay and is titled Sample #1, ( ICP was done ) on the analysis sheet provided.

DAY 2 - August 10/00, we flew in our camp to the proposed base site at 545900m.E. - 5598400m.N., and did a hasty setup then began prospecting locally around camp. There were many quartz veins cutting through the host rock, which is entirely argillite. The argillite was for the most part, very even in its structure, trending north-westerly and dipping almost vertical. The quartz fracture filling, followed the strike and dip without exception. A quartz grab sample, with some sulphide staining, was taken not far to the south-west of camp and sent in for fire assay, Sample # 3, ( 0.005 g/t )

DAY 3 - August 11/00, prospected from camp, further towards head of the valley, fairly high upslope out of the vegetation and over-burden. This was very rugged and unstable travel, so progress was slow. I concentrated entirely on the quartz alluvials on the talus slopes, for mineralization. Nothing of interest this day as the rock seems pretty barren.

DAY 4 - August 12/00, continued from where I left off the previous day at approximately 546000m.E. - 5597000m.N. and crossed over to the outer rim of the valley facing the Haylemore watershed, and prospected to 544750m.E. - 5597300m.N. Fog and cloud hampered work. No samples worth taking this day. No change in host rock. The granite intrusion we are hoping to prospect, can be seen across the valley on the east side, but first we must complete a thorough investigation on this western rim.

DAY 5 - August 13/00, overcast and drizzle, left base camp southwest to ridge dividing Haylemore and Lost Valley, and then prospected southeast along outer rim to where I left off the previous day. A serpentine body, approximately 6 mtrs. across, was exposed just short of the ridge, inside the Lost Valley drainage, and some quartz filling between the wallrock and serpentine was also in evidence. There was some minor sulphide staining and a sample was taken and assayed for gold. Sample # 4, ( <0.005 g/t ).

DAY 6 - August 14/00, prospected a ridge that is at 90degrees to the main valley, northwest of base camp, 543000m.E. - 5599300m.N. and followed it out to outer rim dividing Lost and Haylemore. There was one substantial quartz vein of uniform thickness 1.3 mtrs. wide, dipping steeply and in strike ( northwesterly ), with the shaley host rock. It was exposed for a distance of approximately 50 mtrs. on the north facing side of the ridge being as that side had collapsed into the valley below. The vein looked barren, yet a sample was taken anyway, Sample # 5, ( 0.010 g/t ).

DAY 7 - August 15/00, packed and left base camp to prospect on way out to Wade Cr. Headed west to valley divide and then followed ridge bearing northwest. Came across a chert intrusion approximately 5 mtrs. across at 544000m.E. - 5598000m.N. A portion of the vein resembles cherty quartz and as there was some staining I sampled this section, Sample # 6 ( <0.005 g/t ). Quartz veins were plentiful along the way but nothing over 35 cms. wide, and barren of mineralization.

DAY 8 - August 16/00, prospected out and down to D'arcy. No samples taken.

CONNECTION  
TO CO-ORDINATES



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project:  
 Comments: ATTN: KEN GREENWAY

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 05-SEP-2000  
 Invoice No. : I0027235  
 P.O. Number :  
 Account : MCF

## CERTIFICATE OF ANALYSIS

A0027235

SAMPLE	PREP CODE	Au g/t FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
SAMPLE#1	205 226	0.020	< 0.2	2.41	< 2	< 10	100	0.5	< 2	1.29	1.0	16	42	48	6.36	10	< 1	1.53	< 10	1.00
SAMPLE#2	205 226	0.235	>100.0	0.01	204	< 10	1400	< 0.5	< 2	0.01	6.0	< 1	161	2140	0.37	< 10	4	0.01	< 10	< 0.01
SAMPLE#3	205 226	0.005	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#4	205 226	< 0.005	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#5	205 226	0.010	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#6	205 226	< 0.005	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CERTIFICATION:



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project :  
 Comments: ATTN: KEN GREENWAY

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 05-SEP-2000  
 Invoice No. :I0027235  
 P.O. Number :  
 Account :MCF

## CERTIFICATE OF ANALYSIS A0027235

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SAMPLE#1	205 226	295	3	0.09	25	3180	8	0.94	< 2	6	46	0.26	< 10	< 10	171	< 10	130
SAMPLE#2	205 226	25	1	0.01	1	10	20	0.13	2000	< 1	25	< 0.01	< 10	< 10	< 1	< 10	226
SAMPLE#3	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#4	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#5	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE#6	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CERTIFICATION:



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project :  
 Comments: ATTN: KEN GREENWAY

Page Number :1  
 Total Pages :1  
 Certificate Date: 04-SEP-2000  
 Invoice No. : I0027753  
 P.O. Number :  
 Account : MCF

## CERTIFICATE OF ANALYSIS

## A0027753

SAMPLE	PREP CODE		Ag FA g/t									
SAMPLE #2	212	--	1985									

CERTIFICATION:

*Angela Green*



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 VON 2L0

Project:  
 Comments: ATTN: KEN GREENWAY

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 06-OCT-2000  
 Invoice No. :10030042  
 P.O. Number :  
 Account :MCF

## CERTIFICATE OF ANALYSIS A0030042

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
RYAN Q	205 226	50	-----	2.8	0.47	< 2	< 10	< 10	< 0.5	2	0.17	< 0.5	3	48	4800	0.92	< 10	< 1	0.01	< 10
MT. CURRIE 1	205 226	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
MT. CURRIE 2	205 226	>10000	20%0	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
002	205 226	65	-----	0.4	0.12	14	< 10	20	< 0.5	< 2	< 0.01	< 0.5	10	106	32	3.62	< 10	< 1	0.09	< 10
003	205 226	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
004	205 226	30	-----	0.2	1.82	< 2	< 10	160	< 0.5	2	3.76	2.5	35	51	184	12.00	10	1	0.64	< 10
005	205 226	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
006	205 226	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SERP	205 226	< 5	-----	8.4	2.88	508	< 10	80	2.5	18	0.05	3.5	33	719	15	2.15	< 10	< 1	3.14	< 10
007 T.L.	205 226	< 5	-----	0.4	0.23	574	< 10	20	< 0.5	< 2	0.05	< 0.5	1	111	22	1.94	< 10	< 1	0.18	< 10

CERTIFICATION:



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project:  
 Comments: ATTN: KEN GREENWAY

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 06-OCT-2000  
 Invoice No. : I0030042  
 P.O. Number :  
 Account : MCF

## CERTIFICATE OF ANALYSIS

A0030042

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
RYAN Q	205 226	0.17	65	< 1	0.11	3	30	2	0.58	< 2	< 1	21	0.02	< 10	10	8	< 10	18
MT. CURRIE 1	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
MT. CURRIE 2	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
002	205 226	0.01	25	21	< 0.01	51	30	12	3.69	< 2	< 1	1	< 0.01	< 10	< 10	2	< 10	72
003	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
004	205 226	1.50	1865	1	< 0.01	74	360	< 2	0.85	< 2	3	127	0.42	< 10	30	183	< 10	82
005	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
006	205 226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SERP	205 226	6.96	385	< 1	0.01	417	20	42	0.12	< 2	2	5	< 0.01	< 10	< 10	12	< 10	156
007 T.L.	205 226	0.04	190	< 1	< 0.01	4	340	14	0.35	< 2	< 1	6	< 0.01	< 10	< 10	2	< 10	56

CERTIFICATION:





# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project :  
 Comments: ATTN: KEN GREENWAY

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 30-OCT-2000  
 Invoice No. :10032187  
 P.O. Number :  
 Account :MCF

## CERTIFICATE OF ANALYSIS A0032187

SAMPLE	PREP CODE	Au g/t FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %
B-4	205 226	-----	< 1	0.93	30	880	< 5	< 10	1.20	< 5	< 5	30	205	5.50	< 10	0.28	0.20	2110	5	0.04
B-5	205 226	0.015	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
L-3	205 226	-----	< 1	1.26	< 10	20	< 5	< 10	0.73	< 5	75	90	330	4.68	< 10	0.02	0.22	220	5	0.14
L-4	205 226	0.010	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
LEACH	205 226	0.030	< 1	1.86	< 10	60	< 5	< 10	0.25	< 5	5	60	95	12.80	< 10	0.13	0.72	330	< 5	0.08
RY-1	205 226	-----	3	1.33	< 10	< 20	< 5	< 10	0.48	< 5	15	60	7150	2.62	< 10	0.04	0.90	230	70	0.07
RY-2	205 226	0.495	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
RY.Q.Q	205 226	0.005	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
RY.RD.	205 226	0.060	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
POP	205 226	0.045	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
RYAN	205 226	0.175	6	1.87	< 10	100	< 5	< 10	0.36	< 5	50	50	17790	6.68	< 10	0.21	1.25	300	15	0.05

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN

BOX 426  
 PEMBERTON, BC  
 V0N 2L0

Project:  
 Comments: ATTN: KEN GREENWAY

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 30-OCT-2000  
 Invoice No. :10032187  
 P.O. Number :  
 Account :MCF

## CERTIFICATE OF ANALYSIS A0032187

SAMPLE	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
B-4	205 226	20	5700	25	10	< 5	45	0.09	< 20	< 20	260	< 20	75
B-5	205 226	---	---	---	---	---	---	---	---	---	---	---	---
L-3	205 226	15	800	5	10	< 5	15	0.08	< 20	< 20	20	< 20	60
L-4	205 226	---	---	---	---	---	---	---	---	---	---	---	---
LEACH	205 226	5	600	20	20	< 5	15	0.13	< 20	< 20	80	< 20	65
RY-1	205 226	5	700	15	< 10	< 5	30	0.09	< 20	< 20	20	< 20	75
RY-2	205 226	---	---	---	---	---	---	---	---	---	---	---	---
RY.Q.Q	205 226	---	---	---	---	---	---	---	---	---	---	---	---
RY.RD.	205 226	---	---	---	---	---	---	---	---	---	---	---	---
POP	205 226	---	---	---	---	---	---	---	---	---	---	---	---
RYAN	205 226	25	600	15	< 10	5	15	0.10	< 20	< 20	80	160	105

CERTIFICATION: \_\_\_\_\_

ASSAY RESULTS FROM SAMPLES TAKEN  
BY CROSS LAKE MINERALS, JIM MILLERTAIT

PROPERTIES: OWL CREEK & RYAN CREEK							
OWNER: KEN GREENWAY							
BOX 426 - 7745 PORTAGE ROAD							
PEMBERTON, B.C. V0N 2L0							
Oct. 20, 2000							
<del>BIRKENHEAD RIVER</del> <del>OWL CREEK PROPERTY</del>							
(5575600N, 518521E)							
SAMPLE #	SAMPLE DESCRIPTION	Au (ppb)	Ag (ppm)	Cu (ppm)	Mo (ppm)	Pb (ppm)	Zn (ppm)
W203406	W=40cm. Oxid./Hem altered vuggy qtz. 164/vertical. At creek.	12.34g/t	24.2	87	1	20	6
W203407	At MC-2 (20g/t Au) sample site. 20cm qtz fragment of vein.	6730	3.6	544	1	2	20
W203408	W=80cm. Slab of oxid. Vuggy qtz. Oxid. Mainly on FW & HW.	1295	0.6	130	8	6	8
W203409	W=20cm, extremely sheared, ox. diorite 160/vert. On east side of vein.	60	0.2	400	9	2	64
W203410	W=100cm, unaltered diorite sheared at 160/vert. on east side of vein.	45	0.2	201	4	<2	76
W203458	E. side of fault. W=30cm. Ox. Qtz.	<5	<0.2	27	3	<2	16
W203459	E. side of #08 vein. W=100cm. Ox. Diorite.	10	0.2	46	1	24	68
W203460	Grab of 100cm. Boulders on strike w/ main creek vein.	2560	4.6	417	5	28	28
RYAN CREEK PROPERTY							
W203411	Grab of hi-grade Cpy, Py, mala, az. in diorite. w/silver f.g. mineral.	220	3.4	7110	1340	<2	60
W203412	Grab of hi-grade Cpy, Py, mala, az. in diorite. w/silver f.g. mineral.	55	3.2	4540	552	<2	56
W203413	W=15m. Along E-W trench. Diorite w/cpy, py along fractures.	15	0.6	731	16	<2	42
W203414	W=15m. Along N-S trend. Diorite w/cpy, py along fractures.	50	1.2	3060	7	<2	74



GEOCHEMICAL ANALYSIS CERTIFICATE

Interactive Enterprises Inc. File # A004872

1530 - 355 Burrard St., Vancouver BC V6C 2G8 Submitted by: Len Harris

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppb
ORO/2000 R1	9	573	4	52	.8	16	7	327	3.68	2	9	4	2	34	.4	4	<3	37	.18	.062	2	30	1.04	90	.04	9	2.27	.14	.28	4	2075
ORO/2000 R2	7	512	16	2	11.0	4	<1	36	1.59	<2	<8	12	<2	5	<2	<3	3	3	.01	.014	<1	28	.02	13	.01	4	.10	.01	.04	8	10455
ORO/2000 R3	9	99999	78	91	4.0	59	36	2785	2.60	<2	<8	<2	<2	33	<2	<3	<3	33	.68	<.001	29	101	1.38	34	<.01	<3	1.78	.06	.08	<2	95
ORO/2000 R4	5	219	10	19	<.3	5	<1	178	21.53	11	14	<2	2	38	<.2	<3	4	112	.07	.230	2	26	.39	86	.09	<3	1.27	.08	.12	<2	7
R5	8	1563	<3	32	.6	9	9	235	2.85	<2	<8	<2	<2	65	.3	3	<3	49	.58	.072	2	17	1.30	61	.13	4	2.06	.16	.19	2	57
R6	3	2519	3	34	.6	9	11	239	2.65	<2	<8	<2	2	60	.3	5	<3	40	.55	.074	2	20	1.38	70	.14	4	2.10	.16	.15	3	45
R7	6	3270	<3	36	.5	9	13	254	2.98	<2	<8	<2	<2	46	.3	<3	<3	46	.42	.057	2	16	1.33	83	.12	7	2.27	.22	.20	2	44
RE R7	5	3272	<3	34	.5	9	13	251	2.94	<2	<8	<2	2	43	.4	3	3	45	.41	.057	2	14	1.32	77	.12	3	2.18	.20	.19	3	39
STANDARD C3/AU-R	27	64	37	174	5.4	38	12	752	3.37	58	31	2	23	29	23.2	22	24	76	.57	.093	18	171	.60	146	.09	25	1.79	.05	.18	18	474
STANDARD G-2	2	6	4	44	<.3	8	4	523	2.04	<2	<8	<2	6	83	<.2	<3	<3	37	.66	.101	8	79	.58	233	.12	9	1.05	.12	.51	2	-

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 KCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.  
 UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U & B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.  
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
 - SAMPLE TYPE: ROCK R150 60C AU\*\* GROUP 38 - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.  
 Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

DATE RECEIVED: DEC 5 2000 DATE REPORT MAILED: Dec 14/00 SIGNED BY: *C. Toy* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS


**BIRKENHEAD OCCURRENCE**

# B.C. Ministry of Energy and Mines


Ministry of Energy and Mines  
Kamloops, B.C.

Rec'd FEB 20 2001

RYAN CR.



SCALE 1 : 64,533



- RYAN CR
- SAMPLE SITES
  - X - RY 1, RY 2
  - ⊗ - RY. RD.
  - ⊠ - RY.Q.Q., RYAN

Ken Greenwood



**ALS Chemex**  
Aurora Laboratory Services Ltd.  
Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN  
BOX 426  
PEMBERTON, BC  
V0N 2L0

Page Number : 1-A  
Total Pages : 1  
Certificate Date : 05-SEP-00  
Invoice No : 10027235  
P.O. Number :  
Account : MCF

Project :  
Comments : ATTN: KEN GREENWAY

**CERTIFICATE OF ANALYSIS A0027235**

SAMPLE	PREP CODE	Au g/t PAA	Ag ppm	Al %	As ppm	B ppm	Bi ppm	Be ppm	Ba ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Gy ppm	K %	Li ppm	Ni %	
SAMPLE#1	205 226	0.020	< 0.2	2.41	< 2	< 10	100	0.5	< 2	1.29	1.0	16	42	48	6.16	10	< 1	1.5	< 10	1.09	
SAMPLE#2	205 226	0.215	>100.0	0.01	204	< 10	1400	< 0.5	< 2	0.01	6.0	< 1	161	2140	0.37	< 10	4	0.91	< 10	< 0.01	
SAMPLE#3	205 226	0.005																			
SAMPLE#4	205 226	< 0.005																			
SAMPLE#5	205 226	0.010																			
SAMPLE#6	205 226	< 0.005																			

RETESTED AG AS IT WAS OVER  
LIMIT. SEE PAGE 2  
SOME GOLD VALUE / CU / SB

09/08/00 WED 07:53 FAX 6048948768  
09/05/99 6:06PM CAP. HWY. 9VC. PEMBERTON  
CHEMEX LABS ALPHA-FAX2  
PAGE 002

PAGE.02

6048946729

SEP 07 2000 11:02

CERTIFICATION

PAGE 02

KODIAK

6048946729

09/07/2000 09:58



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geoscientists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

To: GREENWAY, KEN  
 BOX 428  
 PEMBERTON, BC  
 V0N 2L0

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 05-SEP-00  
 Invoice No. : 10027235  
 P.O. Number :  
 Account : MCF

Project :  
 Comments: ATTN: KEN GREENWAY

**CERTIFICATE OF ANALYSIS      A0027235**

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
	CODE	QTY	ppm	ppm	µ	ppm	ppm	ppm	µ	ppm	ppm	ppm	µ	ppm	ppm	ppm	ppm	ppm
SAMPLE11	205	226	295	1	0.09	25	1180	6	0.94	< 2	6	46	0.26	< 10	< 10	171	< 10	110
SAMPLE12	205	226	25	1	0.01	1	10	20	0.13	2000	< 1	25	< 0.01	< 10	< 10	< 1	< 10	226
SAMPLE13	205	226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE14	205	226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE15	205	226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SAMPLE16	205	226	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CERTIFICATION: \_\_\_\_\_

09/08/00 WED 07:52 FAX 6048946729  
 09/05/99 6:07PM

CAP. HWY. SVC. PEMBERTON  
 CHEMEX LABS Alpha-FAX2

PAGE 003

SEP 07 2000 11:02

6048946729

PAGE: 04



# ALS Chemex

Alaska Laboratory Services Ltd.  
Analytical Chemists - Geochemists - Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-864-0221 FAX: 604-864-0218

To: GREENWAY, KEN

BOX 428  
PEMBERTON, BC  
V0N 2L0

Project:  
Comments: ATTN: KEN GREENWAY

Page Number : 1-A  
Total Pages : 1  
Certificate Date: 04-SEP-00  
Invoice No. : 10027753  
P.O. Number :  
Account : MCF

## CERTIFICATE OF ANALYSIS A0027753

SAMPLE	PREP CODE	Ag RA g/t													
SAMPLE #2	212 --	1985													

CERTIFICATION: \_\_\_\_\_

09/07/2000 09:58 6048946729 KODIAK

08/06/00 WED 07:50 FAX: 604-894-6729 6:54PM CAP. HWY. SVC. PEMBERTON  
CHEMEX LABS Alpha-FAX

PAGE 04

PAGE 002



09/08/00 WED 07:52 FAX 6048946788

CAP. HWY. SVC. PEMBERTON

004

09/05/99 8:27AM CHEMEX LABS Alpha-FAX

PAGE 001

FROM : ALS CHEMEX LTD., VANCOUVER

PHONE: 604-984-0221

5-SEP-00

TO : GREENWAY, KEN

ATTENTION :

WORKORDER : A0027235

PROJECT :

->  
->  
->  
->  
->  
->

PRELIMINARY DATA ONLY II

\*\*\* Samples are being analyzed for: Au g/t FA+AA, Ag ppm, Al %, As ppm, B ppm, Ba ppm, Be ppm, Bi ppm, Ca %, Cd ppm, Co ppm, Cr ppm, Cu ppm, Fe %, Ga ppm, Hg ppm, K %, La ppm, Mg %, Mn ppm, Mo ppm, Na %, Ni ppm, P ppm, Pb ppm, S %, Sb ppm, Sc ppm, Sr ppm, Ti %, Tl ppm, U ppm, V ppm, W ppm, Zn ppm

SAMPLE	494
DESCRIPTION	Au g/t
SAMPLE#1	0.020
SAMPLE#2	delay
SAMPLE#3	0.005
SAMPLE#4	<0.005
SAMPLE#5	0.010
SAMPLE#6	<0.005

\*\*\*END OF DATA\*\*\*


# B.C. Ministry of Energy and Mines

BIRKENHEAD RIVER

Ministry of Energy and Mines  
Kamloops, B.C.  
Rec'd FEB 20 2001

BIRKENHEAD R.  
OWL CR.

- BC Localities
- BC Communities
  - City
  - Town
  - Village
  - Resort Municip...
  - Settlement
  - Community
- Roads (20)
- Contours (250)
- RIVERS (250)
- LAKES (250)
- 1:250k Grid
- BC Border (1:2m)



SCALE 1 : 64,533




## SAMPLE SITE NAMES

- X - MT. CURRIE 1, MT. CURRIE 2
- △ - Oro 2000 R 3
- - POP
- - LEACH

# B.C. Ministry of Energy and Mines

BIRKENHEAD R.

Ministry of Energy and Mines  
Kamloops, B.C.  
Rec'd FEB 20 2001




SCALE 1 : 64,533




Military users refer to this map as: Références de cette carte pour usage militaire

SERIE A 721 SÉRIE MAP 92 J/9 CARTE ÉDITION 2 MCE ÉDITION



- DAY 1 AT MOUTH
- DAY 2
- DAY 3
- DAY 4
- DAY 5
- DAY 6
- DAY 7
- DAY 8
- DAY 9
- DAY 10
- DAY 11
- DAY 12



Ministry of Energy and Mines  
Kamloops, B.C.  
Rec'd FEB 20 2001



Use diagram only to obtain numerical values  
APPROXIMATE MEAN DECLINATION IN 1979  
FOR CENTRE OF MAP  
Annual change: decreasing 4.3'

Utilisez le diagramme uniquement pour obtenir des valeurs numériques  
DECLINAISON MÉDIANNE APPROXIMATIVE  
AU CENTRE DE LA CARTE EN 1979  
Variation annuelle: décroissance 4.3'

ONE THOUSAND METRE  
UNIVERSAL TRANSVERSE MERCATOR GRID  
ZONE 10  
QUADRILLAGE DE MILLE MÈTRES  
TRANSVERSE UNIVERSSEL DE MÉRIDIEN



EXAMPLE OF METHOD USED TO OBTAIN A REFERENCE TO NEAREST 100 METRES POUR FIXER DES REPÈRES À 100 MÈTRES PRÈS

REFERENCE POINT CHURCH - ÉGLISE (see above)

POINT DE REPÈRE

EASTING: Read number on grid line immediately to left of point

ESTIMATION: Note the distance of the figure to the quadrillage immédiatement à gauche du repère

Estimate tenths of a square from this line eastward to point

Estimer le nombre de dixièmes du carré entre cette ligne et le repère en direction est

NORTHING: Read number on grid line immediately below point

ORDONNÉE: Note le chiffre de la ligne du quadrillage immédiatement en dessous du repère

Estimate tenths of a square from this line northward to point

Estimer le nombre de dixièmes du carré entre cette ligne et le repère en direction nord

GRID REFERENCE: 96 98

REPÈRE AU QUADRILLAGE: 96 98

Number of squares to the east: 100 000 metres (about 62 miles)

Le nombre de carrés à l'est: 100 000 mètres (environ 62 miles)

MILLIÈRE D'ARRAINDAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

92 015	92 018	92 021
92 020	92 023	92 026
92 025	92 028	92 031

INDEX TO ADDING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

Produced by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES. Updated from aerial photographs taken in 1977. Culture check 1978. Published in 1982.

Copies may be obtained from the Canada Map Office, Department of Energy, Mines and Resources, Ottawa, or your nearest map dealer.

© 1982 Her Majesty the Queen in Right of Canada, Department of Energy, Mines and Resources.

Roads:   
 Route or stabilized surface, all weather: ligne ou agencement toute saison   
 Route surface, dry weather: surface de gravier, temps sec   
 Unclassified streets: rues non classées   
 Foot track: sentier, période de portage   
 Trail, out line or portage: sentier, période de portage

FOR COMPLETE REFERENCE SEE REVERSE SIDE POUR UNE LISTE COMPLÈTE DES SIGNES VOIR VERSO

**SHALALTH**  
LILLOOET LAND DISTRICT  
BRITISH COLUMBIA  
Scale 1:50 000 Échelle

Information concerning location and precise elevation of bench marks can be obtained by entering the coordinates, Survey Branch and Mapping Branch, Ottawa.

On peut obtenir des renseignements sur le lieu et l'altitude exacte des bornes de repère en entrant les coordonnées, Service des levés et de la cartographie, Ottawa.

CONVERSION SCALE FOR ELEVATIONS  
Mètres 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000

ÉCHELLE DE CONVERSION DES ALTITUDES  
Pieds 100 200 300 400 500 600 700 800 900 1000

CONTOUR INTERVAL 100 FEET  
Elevations in Feet above Mean Sea Level

ÉCHELLE DE CONVERSION DES ALTITUDES  
Mètres 1000 2000 3000 4000  
Yards 1000 2000 3000 4000

Coördinates: NAD 27 to NAD 83 (NWS 84)   
 Meters for this map:   
 Geographic: latitude: 49° 00'   
 Longitude: 122° 30'   
 Grid: Easting: 96 98   
 Northing: 98 99

Conversion des coordonnées: NAD 27 à NAD 83 (NWS 84)   
 Mètres pour cette carte:   
 Géographiques: latitude: 49° 00'   
 Longitude: 122° 30'   
 Graticule: Estimation: 96 98   
 Nord: 98 99

Scale: 1:50 000   
 Échelle: 1:50 000

Projection: Transverse Mercator   
 Système de projection: Transverse de Méridien

Carte par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES. Mise à jour à l'aide de photographies aériennes prises en 1977. Vérification des données en 1978. Publié en 1982.

Ces cartes sont en vente au Bureau des Cartes du Canada, Ministère de l'Énergie, des Mines et des Ressources, Ottawa, ou chez le revendeur le plus près.

© 1982 Sa Majesté la Reine du Chef du Canada, Ministère de l'Énergie, des Mines et des Ressources.

SHALALTH  
92 J/9  
EDITION 2

05.39  
PG 23

Rec'd Feb. 13, 2001  
AD

## Lost Valley Project 2000

DAY 1 - August 3/00, travelled length of Anderson Lake to mouth of Lost Creek and spent the day identifying rock types in stream course. It cannot be determined, with a certainty, whether the alluvials are directly associated with the host rocks of the valley or a product of glacial introduction, still it can aid in narrowing down the possibilities of potential mineral deposit types ( vein, disseminated, porphory, etc.).

The investigation failed to yield much information of value this particular day, even subsequent panning of stream bank sediments failed to reveal any gold values, however being as it was an extremely high water level as a result of an unusually long spring run-off, finding a suitable site for sampling was severely restricted. The only semi-encouraging sample that I retrieved of the river rock was a very dark slaty sample that was extremely schistose and fracture filled with quartz. Pyrite was visible as well and this is a reminder of the host rock of the McGillivray Creek Mine further down the lake and on the west side. This piece was sent in for assay and is titled Sample #1, ( ICP was done ) on the analysis sheet provided.

DAY 2 - August 10/00, we flew in our camp to the proposed base site at 545900m.E. - 556900m.N., and did a hasty setup then began prospecting locally around camp. There were many quartz veins cutting through the host rock, which is entirely argillite. The argillite was for the most part, very even in its structure, trending north-westerly and dipping almost vertical. The quartz fracture filling, followed the strike and dip without exception. A quartz grab sample, with some sulphide staining, was taken not far to the south-west of camp and sent in for fire assay, Sample # 3, ( 0.005 g/t )

DAY 3 - August 11/00, prospected from camp, further towards head of the valley, fairly high upslope out of the vegetation and over-burden. This was very rugged and unstable travel, so progress was slow. I concentrated entirely on the quartz alluvials on the talus slopes, for mineralization. Nothing of interest this day as the rock seems pretty barren.

DAY 4 - August 12/00, continued from where I left off the previous day at approximately 546000m.E. - 5597000m.N. and crossed over to the outer rim of the valley facing the Haylemore watershed, and prospected to 544750m.E. - 5597300m.N. Fog and cloud hampered work. No samples worth taking this day. No change in host rock. The granite intrusion we are hoping to prospect, can be seen across the valley on the east side, but first we must complete a thorough investigation on this western rim.

DAY 5 - August 13/00, overcast and drizzle, left base camp southwest to ridge dividing Haylemore and Lost Valley, and then prospected southeast along outer rim to where I left off the previous day. A serpentine body, approximately 6 mtrs. across, was exposed just short of the ridge, inside the Lost Valley drainage, and some quartz filling between the wallrock and serpentine was also in evidence. There was some minor sulphide staining and a sample was taken and assayed for gold. Sample # 4, ( <0.005 g/t ).

DAY 6 - August 14/00, prospected a ridge that is at 90degrees to the main valley, northwest of base camp, 543000m.E. - 5599300m.N. and followed it out to outer rim dividing Lost and Haylemore. There was one substantial quartz vein of uniform thickness 1.3 mtrs. wide, dipping steeply and in strike ( northwesterly ), with the shaley host rock. It was exposed for a distance of approximately 50 mtrs. on the north facing side of the ridge being as that side had collapsed into the valley below. The vein looked barren, yet a sample was taken anyway, Sample # 5, ( 0.010 g/t ).

DAY 7 - August 15/00, packed and left base camp to prospect on way out to Wade Cr. Headed west to valley divide and then followed ridge bearing northwest. Came across a chert intrusion approximately 5 mtrs. across at 544000m.E. - 5598000m.N. A portion of the vein resembles cherty quartz and as there was some staining I sampled this section, Sample # 6 ( <0.005 g/t ). Quartz veins were plentiful along the way but nothing over 35 cms. wide, and barren of mineralization.

DAY 8 - August 16/00, prospected out and down to D'arcy. No samples taken.

DAY 9 - August 23/00, Tried to access Lost Valley from Elliot Cr. at Twin Lakes. The mineralization at this point is quite substantial and I spent the day in this area prospecting and staking two claims, Crystal 1 and Crystal 2. One piece of quartz float assayed 0.235 g/t. AU and 1985 g/t. AG. Sample # 2 on analysis certificate A0027235. Further prospecting failed to yield source of float.

DAY 10 - September 20/00, went with Mike Cathro up into Elliot Cr., to try and access Lost Valley at its southern most section. The outer rim at this local, drains into the Twin Lakes and Crystal Creek portion of Elliot Creek ( Barkley Valley ). This area has a minfile report known as the Twin Lakes showing. The host rock again is predominantly argillaceous but it is cut by a large serpentine, listwanite, mariposite body, striking northwest with the host rock and dipping steeply as is the host rock. The intrusion is exposed for several hundred mtrs. on strike and approximately 100 mtrs. across strike. We spent the day prospecting the area at the Twin Lakes. Seven samples were taken and labeled 002, 003, 004, 005, 006, SERP., 007 T.L. ( see assay report A0030042 ).

DAY 11 - September 22/00, headed back to the Twin Lakes area and prospected up slope to top of ridge dividing Lost Valley and Barkley Valley. From this point I prospected along ridge that divides Melvin Creek and Lost Valley ( from 548000m.E. -5595000m.N. to 549600m.E. - 5596700m.N. ). The further away from Twin Lakes, the more barren the rock became, again it was an argillite host trending northwest, steeply dipping. Four samples titled B-4, B-5, L-3, L-4, on analysis certificate A0032187, failed to yield anything positive.

DAY 12 - September 23/00, spent the day staking two claims on the divide between Lost Valley and Melvin Creek. ( see claim copies for Lost and Lost II )

This concluded the time I spent on the Lost Valley Project, as weather at these elevations and the difficulty of access, hampered further investigation. With the exception of the Twin Lakes area, the portion of the Valley that we spent our time in was very uninteresting geologically. Predominantly shales, and very little sulphide associated with quartz fracture fillings. Granite intrusions identified on our GSC maps, could be seen across the valley to the east, and it is our plan to prospect these come the summer of 2001. This will be done without the aid of grant money, in the hope of fulfilling the initial grant funding of 2000. I will report to you our findings at the end of 2001.

In an effort to fulfill my contract days, I spent fifteen days on more local areas and received some encouraging assay results.

DAY 13 - September 24/00, prospected along Birkenhead River, directly opposite of the Owl Creek valley. The host rock is andesite and there is a regional fault which cuts the host and trends northwest towards Owl Creek. The fault is exposed on the river bank for approximately 50 mtrs. and dips almost vertically. The solution that filled the fault is an altered andesite, very decomposed, with a quartz vein 1 mtr. wide following strike and dip. two samples were taken this day labeled Mt. Currie 1 ( < 5 g/t. AU ) and Mt. Currie 2 ( 20 g/t. AU ). ( See certificate of analysis A0030042 )

DAY 14 - September 28/00, prospected the fault to determine its length southeast and to relocate the quartz vein ( which failed to surface through the overburden ).

DAY 16 - October 14/00, after receiving the results from assay of Mt. Currie 2 ( which was 20 g/t. AU ), I spent this day again trying to follow-up on the quartz vein and took two more samples for assay. One was from a large irregular pod of quartz which was apart from the fault structure, yet I wanted to determine if the mineralization carried outside of the regional fault. The sample graded 0.045 g/t. AU and is on certificate of analysis A0032187 entitled POP.

The second sample is a soil sample approximately 400 mtrs. southeast of the quartz vein which assayed 20 g/t. The soil sample had a very high iron content which had leached out of the material in the fault. Leaching is very prominent at the rivers edge as well and is concentrated to the extent that it binds up and cements the gravels and sand together. The sample sent in is entitled LEACH and is on certificate of analysis A0032187.

DAY 17 - October 16/00, again over to the Birkenhead to stake two units, ORO-1 and ORO-2.

DAY 18 - October 17/00, prospecting up the Ryan Creek, 12 kms. up the Pemberton Valley road. Staked two units, RY 1 and RY 2 over a copper deposit, The host rock is diorite and the deposit is disseminated chalcopyrite, with malachite and azurite evident. At times the chalcopyrite comes in lenses up to 10 cms. in thickness. The mineralized zone is exposed for some 11 mtrs. I had an assay from a previous year, which graded 36500 ppm CU, and 1.235 g/t. AU, and decided to follow up on this location. Five samples were taken this day and recorded on c. of a. A0032187, labeled RY-1, RY-2, RY.Q.Q., RY. RD., RYAN.

DAY 19 - October 20/00, Jim Millertait, of Cross-Lake Minerals, was interested enough in my assays to come up and inspect the Birkenhead and Ryan sites, at which he himself did some extensive sampling. I have provided a copy of his results for your files.

His best sample on the Birkenhead graded 12.84 g/t. AU.

DAY 20 - October 21/00, back over to the Birkenhead mineral occurrence to stake two more units, the Braydon and Spencer claims.

DAY 21 - October 28/00, more prospecting at the Birkenhead River, trying to trace the contact zone of the fault. At one point, where a logging road had disturbed the overburden, there was malachite encrusted on the soils and alluvial rocks. There is no evidence of where it had leached from, no visible outcrops, so trenching may be necessary to determine this.

DAY 22 - October 29/00, prospected up the Owl Creek drainage, from the mouth up to 2 km. Trying to determine if the Birkenhead occurrence continues up this watercourse.

DAY 23 - November 2/00, prospected from 2 km. to 3 km. on the Owl Creek.

DAY 24 - November 3/00, prospected from 3 km. to 4 km. again on the Owl Creek. There is no similarity in rock type to that of the Birkenhead Fault. The replacement rock in the Owl appears to be diorite, although heavily altered at times. The Birkenhead occurrence may be using the same fault structure as that of the Owl Creek, yet the solution that filled it is of a different time and nature.

DAY 25 - November 4/00, another day of tracing the contact zone at the Birkenhead site. The overburden and vegetation do not reveal much evidence. Soil samples will have to be taken in grid pattern, to help delineate the zone.

DAY 26 - November 9/00, Len Harris of Interactive Enterprises Inc., was interested in my assay results of the Birkenhead occurrence and came up with his geologist to investigate. The day was spent sampling the quartz vein, the surrounding wall rock and the malachite leach material that I had stumbled on earlier. I have provided a copy of his results, the best showing for Au anomaly was ORO/2000 R2, grading 10455 ppb. The malachite crust was assayed as well and graded 99999 ppm Cu. ( ORO/2000 R3 ).

DAY 27 - November 10/00, one more trip up the Ryan Creek site and investigated a rock quarry at 1 km. on the Ryan Creek Forest Service Rd., to determine whether the occurrence at 6 km. travelled in a northwesterly strike to this distance. There are massive lenses of pyrite and arsenopyrite in fracture fillings amongst the host rock at the quarry, which is a combination of altered diorite and greenstone. No copper carbonates were noted.