Geology, Exploration and Mining in British Columbia

1973

British Columbia Department of Mines and Petroleum Resources

,

TABLE OF CONTENTS

		Page
1	INTRODUCTION	5
2	METAL MINES	7
	Contents	7
	General Review of Exploration and Metal Mining	13
	Reports on Metal Mines	27
	Table I-Metal Production, 1973	22
3	PLACER	523
	Contents	523
	General Review of Placer Mining	523
	Reports on Placer Operations	524
4	STRUCTURAL MATERIALS AND INDUSTRIAL MINERALS	535
	Contents	535
	General Review of Structural Materials and Industrial Minerals	536
	Reports on Commodities	536
5	COAL	567
	Contents	567
	General Review of Coal Mining and Exploration	568
	Reports on Coal Mines	574

1

INTRODUCTION

The first Minister of Mines of the Province of British Columbia was appointed in 1874. One of his responsibilities was "the duty of collecting information on the subject of the mining industries of the Province." This material, which consisted of reports by the Gold Commissioners and Mining Recorders of the Province, was published in the Annual Report of the Minister of Mines.

A Bureau of Mines was established by Parliamentary authority in 1895 and in 1896 was staffed by a Provincial Mineralogist and an assayer and chemist. Technical reports on mines and mining activities were prepared by them and published in the Annual Report, together with reports contributed by the Mining Recorders and Gold Commissioners.

Over the years with the expansion of the mining industry, the staff of the Department of Mines grew, as did the number and size of the technical reports on geology and mining that were still published in the Annual Report of the Minister of Mines. Over a period of nearly 75 years the Annual Report became known as the authoritative record of mining in the Province.

However, in 1969, because of the size to which the Annual Report had grown, it was decided to publish all geological and technical reports on Metal Mining and Exploration, Placer, Structural Materials and Industrial Minerals, and Coal Mining and Exploration in a separate volume entitled *Geology*, *Exploration, and Mining in British Columbia*. Thus a new annual publication was initiated which, as a separate entity from the Annual Report, exists for the purpose of publishing geological and technical reports and of recording the exploration activity in the Province.

Each year the Annual Report of the Minister of Mines and Petroleum Resources is also published. It contains a general review of the mineral industry and chapters on Statistics, Departmental Work, Petroleum and Natural Gas, and Inspection of Mines.

2

METAL MINES

CONTENTS

	Page
General Review of Exploration and Metal Mining	13
Reports on Metal Mines	27
Introduction	27
Table I-Metal Production, 1973	22
Southeast British Columbia (NTS Division 82)	35
Princeton – Kamloops (NTS Division 92H and 921)	123
Southwest British Columbia (NTS Division 92 and part of 102)	223
East Central British Columbia (NTS Division 93)	287
Northeast British Columbia (NTS Division 94)	384
West Central British Columbia (NTS Division 103)	482
Northwest British Columbia (NTS Division 104 and part of 114)	494

LIST OF ILLUSTRATIONS

INDEX MAPS

1.	Distribution of metallic mineral properties active in 1973	20
2.	Distribution of metallic mineral properties active in 1972	21
3.	Index map of mining divisions and Figures A to G	28
A.	Index map of properties in NTS Grid Division 82 and part of 83 $$.	Facing 33
В.	Index map of properties in NTS Grid Division 92H and 921	120
C.	Index map of properties in NTS Grid Division 92 and part of 102	Facing 221
D.	Index map of properties in NTS Grid Division 93	Facing 285
E.	Index map of properties in NTS Grid Divison 94	Facing 383
F.	Index map of properties in NTS Grid Division 103	Facing 481
G.	Index map of properties in NTS Grid Division 104 and part of	
	114	Facing 493

DRAWINGS

4.	Composite section looking north of the East Dodger tungsten mine and the Jersey lead-zinc mine	Facing 55
5.	East Dodger tungsten mine, detailed composite section looking north and projected onto 7100N plane	Facing 55
6.	Lower hemisphere equal area plot of poles to bedding (+) and fold hinge direction (.) across the East Dodger mine at approximately 7100N and between 8975E and 9250E .	55
7.	Diagrammatic section of the Jersey anticline on the north slope of Iron Mountain, showing the Reeves limestone (pattern) and underlying Truman member	56
8	Generalized geology and setting of Frenchman Can gnaiss dome	105
9.	Geology of Copeland Ridge, Jordan River area, showing location	100
10.	Section A-B drawn from Figure 9 to indicate the structural setting of the Mount Copeland mine	109
11.	Plan of Mount Copeland mine workings, showing the 6550, 6600, and 6670 levels; the distribution of ore zones illustrates tight folding and a gentle southeastward axial plunge	110
12.	Geology of an area southwest of Harrison Lake	Facing 125
13.	Geology of the Seneca area (base map from company plans)	Facing 127
14.	Royal claims – sketch map showing location of diamond-drill	171
15.	Geological map of the Sheba property, showing locations of 1973	171
	drill holes	176
16.	Rey – plan showing geology and location of diamond-drill holes	182
17. 18.	Ford property – geological map of the HW 3 to 6 claims Ford property – section parallel to diamond drill hole No. 2	187
19.	along A-A' shown on Figure 17	188
20	(based on company plans)	Facing 245
20.	levels (as of February 26, 1974)	Facing 245
21.	Tectonic sketch map of the Central Cariboo	300
22.	Geological sketch, southern Granite Mountain pluton	302
23.	Gibraltar mine, geology of East Gibraltar pit, August 1974 (in part after company plans)	Facing 307
24.	Gibraltar East pit, stereoprojection of structural elements related to S2 foliation	314
25.	Gibraltar East pit, stereoprojection of structural elements, S3 foliation and V4 veins	315

Page

.

DRAWINGS (continued)

Figs.		Page
26.	Geological map of the Sam Goosly property	334
27.	Lorraine, location map	370
28.	Geology of the Lorraine copper deposit and vicinity, Duckling	
	Creek area	Facing 371
29.	Poles of measured joints, Lorraine claims and vicinity	372
30.	Lorraine, drill sites and trenching, main mineralized zone	
	(locations only approximate)	376
31.	Lorraine, diagrammatic cross-section, main mineralized zone	377
32.	Beveley claims, sketch of rnain mineral zones	393
33.	Surficial geology of the Johanson Moose Valley area	Facing 411
34.	Geological cross-sections in the Sustut area	Facing 413
35.	Composition range of some Mesozoic volcanic rocks in the Sustut	
	area	415
36.	Geology of Sustut Copper	418
37.	Sustut Copper, composition range of the Mesozoic volcaniclastic	
	rocks	422
38.	Sustut Copper, equal area plot of poles to beds	423
39.	Sustut Copper, orientation of steep cross joints	425
40.	Sustut Copper, computer fitted 'surface of mineralization' and	
	'ore isopachs'	427
41.	Geology of the Marmot prospect, Menard Creek area	434
42.	Composition range of Takla volcanic rocks, Menard Creek area	437
43.	Fracture orientation, Menard Creek area	441
44.	Geology of the DWG Copper claims, McConnell Creek	448
45.	Fracture orientation, McConnell Creek area	452
46.	Geology of the Chappelle adit	458
47.	Geological map of Richards Creek area	470
48.	Structural cross-section of the Richards Creek area	474
49.	Red Cliff, geology of 700-foot level	Facing 495
50.	Red Cliff, geology of 800, 900, and 1,000-foot levels	Facing 495
51.	Red Cliff, sections B-B' and C-C'	496
52.	Stikine Copper, Central zone, cross-section at 22,400N	Facing 501

PHOTOGRAPHS

Plates

	Lucky Jim mine layout, old dumps, and mill building looking toward	t.
88	Reco Peak (1945)	
	On a vertical joint surface in the roof of the 6550 decline Phase 2 folds	11.
	are seen deforming what may be a recumbent Phase 1 fold.	
112	The pencil is 5.5 inches (13.9 centimetres) long	

Plates		Page
IIIA.	Photograph showing flow tops and flow thickness of massive to vesicular lavas in the open cut above the adit shown on Figure 17	189
IIIB.	Detail of an amygdaloidal flow top as shown on Plate IIIA. Amygdules often contain copper mineralization. Note the volcanic clast below the pencil, centrally located and one-third up from the base	189
IV.	Gibraltar East pit, August 1973, view west. Folded foliation extends roughly from lower ramp to the west. First and second ridges in the distance are capped by Miocene plateau basalt with the Fraser River between; hills beyond formed of Eocene volcanic rocks	307
VA.	Warped foliation in zone of transition between folded and unfolded parts of Gibraltar East pit, viewed up-plunge to northwest on 3545 bench	310
VB.	Stack of sharp folds of foliation, view northwest up-plunge showing S2 and S3, northwest part of Gibraltar East pit (3500 bench)	310
VIA.	Sharp synclinal keel in folded foliation in northwest part of Gibraltar East pit (3365 bench). Note variable intensity of foliation, dark V ₁ vein folded with foliation, boudinaged white V ₄ vein	
VIB.	with chalcopyrite below coin Foliated Granite Mountain Granodiorite, western Gibraltar East pit, showing S ₂ with intensity F ₃ to F ₄ , parallel dark V ₁ veins,	312
VII.	and incipient S3 at about 25 degrees to S2 and V1 Foliated Granite Mountain granodiorite, westernmost Gibraltar East pit, showing intense S2 foliation (F4), crenulation of S2 to form S3, dark V1 veins with pyrite (white) crenulated with S2, drusy V2 vein with minor decollement and chalcopyrite (nearly white)	312 317
VIIIA.	Sam Goosly property – pyrite crystals with adhering colloform banded marcasite growths (2) and veinlets of pyrrhotite and chal- copyrite (1). Chalcopyrite also forms blebs in sphalerite, pyrrhotite, and mantles on small pyrite crystals (3)	336
VIIIB.	Sam Goosly property – magnetite (1) interspersed among pyrite grains; chalcopyrite occurs as blebs associated with pyrite (2) and very fine blebs and disseminations in magnetite	336
١Χ.	Lorraine typical syenite migmatite (unit 4) from main mineralized zone. Light areas are pink holofelsic syenite dykelets; dark areas are fine-grained biotite-rich mafic zones containing disseminated chalcopyrite and bornite	374
XA.	Beveley – veinlets of galena occur as bands and disseminations in dolomite-barite rock. The bands may follow relict bedding. Euhedral crystals of barite can be seen in the centre of the photograph. Note also the post-mineral fracture offsetting galena bands (from trench E4E-159)	391

•

PHOTOGRAPHS (continued)

Plates		Page
XB.	Beveley – fine infillings of galena throughout matrix of fault contain rusty brown ferrodolomite and barite and light grey dolomite (from trench G1-275)	391
XIA.	Takla Group pillow basalt, Mount Savage area	414
XIB.	Hazelton ? Group welded tuff breccia, near Red Creek	414
XIIA,	Sustut Copper, panoramic view of the north cliff area	419
XIIB.	Sustut Copper, accretionary Iapilli	419
XIIIA.	Sustut Copper – interbedded volcanic sandstone and conglomerate	42 1
XIIIB,	Sustut Copper – volcanic sandstone with large fluvial cross-bed	421
XIV.	Sustut Copper – mud cracks in volcaniclastic unit	424
XV.	Sustut Copper - disseminated native copper (red) in lahar	428
XVI.	Sustut Copper – patches of chalcocite (red) in tuff breccia	429
XVII.	Sustut Copper vein of native copper in tuff breccia	431
XVIIIA.	View of the Takla succession in the Willow Creek area, looking west	433
XVIIIB.	Willow prospect – chalcopyrite grains disseminated in tuffaceous argillite	433
XIX.	Marmot prospect blebs of chalcocite and a bornite-quartz vein in feldspathic basaltic andesite	442
XX.	DWG Copper McConnell Creek, chalcopyrite-quartz vein, 'B' showing	454
XXIA.	Thrust sheet of Cambro-Ordovician rocks on the north-facing slope of Richards Creek showing three of the units mapped: ribbed limestone unit (CO_{rls}), micritic limestone unit (CO_{mls}), and bioturbated dolomite unit (CO_{bd}). This thrust sheet sits on the Stone Formation (Ds) which occupies the valley bottom. Note the overturned resumbent anticling of CO_{rls}	472
XXIB.	South-facing slope of Richards Creek showing three thrust panels. The lowest panel of Dunedin (Dd) and Besa River Formations (Dbr) is overthrust by the Stone (Ds) and Dunedin Form- ations which in turn are overthrust by Cambro-Ordovician (CO) rocks and the Silurian (Sn and Sn _g) Nonda Formation .	472
XXIIA.	Irregular zone of oxidation in the upper part of the Stone Formation; sulphide mineralization occurs in horizontal and vertical	<i>47</i> 5
XXIIB.	Pyrite, marcasite, sphalerite, and galena in fractures (see arrows) and	475
XXIII.	Bedding plane exposure of coarse dolomite breccia zone in Stone Formation; these are typical of the Robb Lake area but are	4/5
	not mineralized at Richards Creek	476

GENERAL REVIEW OF EXPLORATION AND METAL MINING

By Stuart S. Holland

PRODUCTION

The outstanding features of 1973 were the enormous increases in copper production and in the prices of copper, gold, and silver. As a consequence metal production in British Columbia reached a new record of \$808,155,982 in 1973, an increase of \$436,123,272 or 117.2 per cent. The main increase was in copper but there were important increases in production of gold, silver, zinc, and molybdenum.

METAL PRODUCTION OF BRITISH COLUMBIA, 1973

	1972		1973	
	Quantity	Value \$	Quantity	Value \$
METALS				
Antimony Ib.	679,601	419,042	1,660,331	1,192,118
Bismuth Ib.	93,820	324,617	2,851	13,058
Cadmium lb.	695,650	1,759,995	810,779	2,951,236
Cobalt lb.	155,739	155,739	40,907	117,403
Copper lb.	467,012,694	209,403,822	714,648,946	594,830,904
Gold, placer oz.	691	26,905	3,831	311,524
Gold, lode, fine oz.	121,624	6,995,448	185,986	18,117,268
Iron concentrates tons	1,256,308	11,642,379	1,568,912	12,906,063
Lead Ib.	194,249,571	28,896,566	186,680,656	30,400,945
Molybdenum Ib.	28,041,603	43,260,349	30,390,928	52,260,232
Nickel Ib.	3,240,483	4,601,486	2,467,472	3,775,232
Silver oz.	6,926,036	11,519,660	7,681,514	19,712,301
Tin lb.	351,043	473,908	304,727	597,265
Tungsten (WO3) Ib.	1,273,196	2,167,663	1,411,800	4,243,769
Zinc Ib. Others –	263,347,996	47,172,894	302,874,331	62,564,751
Mercury, indium, rhenium .		3,212,297		4,161,923
TOTALS		372,032,770		808,155,982

Gold production increased in both quantity and value, the increase in quantity being a by-product to the increased copper production. The average price per fine ounce of gold increased from \$57.52 in 1972 to \$97.41 in 1973. Small-scale placer mining was stimulated and there was increased production of placer gold. During the year the average price per ounce of silver increased from \$1.66 in 1972 to \$2.566 in 1973. The production of silver increased by 755,478 ounces because of the increased production by Granduc, Lynx, and Silver Queen (Nadina) mines.

The price of copper rose spectacularly during the year and as a consequence the average price per pound of copper increased from 44.8 cents in 1972 to 83.2 cents in 1973. Copper production again increased significantly in quantity by 247,636,252 pounds or 53.0 per cent and by \$385,427,082 or 184.1 per cent. Copper continues to be the most important metal produced in the Province, contributing 73.6 per cent of the total value.

The gain in copper production resulted from a full year's operation by the Gibraltar, Lornex, Similkameen (Ingerbelle), and Bell (Newman) mines which had come into production at various times in 1972.

During the year the average price per pound of lead rose from 14.88 cents in 1972 to 16.285 cents in 1973. Total value of production increased by 5.2 per cent despite a decrease in quantity of production of 3.9 per cent, mostly because of reduced production by Sullivan and Silmonac mines.

During the year the average price per pound of zinc increased from 15.58 cents to 20.657 cents in 1973. Increased quantity of production combined with the higher price resulted in an increase in value of \$15,391,857 or 32.6 per cent to \$62,564,751. Production from Lynx, Sullivan, HB, and Silver Queen (Nadina) were all higher than last year. Zinc maintained its position as the Province's second most valuable metal.

Molybdenum, the third most important metallic product, increased both in quantity and value from \$43,260,349 in 1972 to \$52,260,232 in 1973, a gain of 20.8 per cent. The average price received per pound of molybdenum increased from \$1.54 in 1972 to \$1.72 in 1973 because a greater proportion of metal was sold as molybdic oxide.

Rhenium was produced for the first time in the Province in 1973 as a by-product of roasting the molybdenite concentrates from Island Copper mine near Port Hardy.

It is anticipated that the total value of metal production should increase further in 1974. The possibility of a slight decline in quantity of copper produced should be more than compensated by a higher average price and higher average prices for all the other major metals are anticipated.

PROVINCIAL REVENUE FROM MINING COMPANIES

Direct revenue to the Provincial Government derived in 1973 from the mining sector of the mineral industry was as follows:

Free miners' certificates, recording fees, lease rentals,	
assessment payments, etc.	\$1,663,859.29
Royalties on iron concentrates	156,292.47
Rentals and royalties on industrial minerals and	
structural materials	386,606.27
Fifteen per cent mining tax (received during 1973)	6,071,613.00
Coal licences	453,094.31
TOTAL	\$8,731,465.34

EXPENDITURE BY MINING COMPANIES

Major expenditures in 1973 by companies involved in the exploration, development, and mining of metals, minerals, and coal were as follows:

Capital expenditures	\$47,219,771	
Exploration and development	56,689,505	\$103,909,276
Mining operations (metals, minerals, coal)		292,657,005
Mining operations (structural materials)		23,421,523
Repair expenditures		87,277,356
TOTAL		\$507,265,160

MINING

In 1973, 91,753,846 tons of ore from 66 mines was mined and subsequently was concentrated or shipped directly to a smelter. This represents an increase in tonnage of 46.8 per cent over 1972. Fifteen mines, of which 11 were open-pit mines, produced more than 1 million tons each and eight mines, of which two were open-pit mines, produced between 100,000 and 1,000,000 tons each. The 13 open-pit mines produced 81,875,246 tons of ore or 89.2 per cent of the total tonnage of ore mined.

During the year Noranda Mines, Limited in December reopened their Boss Mountain molybdenum mine which had been closed since December 1971; Cominco Ltd. reopened their HB zinc-lead mine which had been closed since November 1966; Consolidated Churchill Copper Corporation Ltd. reopened their Magnum copper mine which had been closed since October 1971; and Consolidated Columbia River Mines Ltd. reopened the Ruth Vermont mine which had been closed since June 1971.

During the year mining operations were terminated by Placid Oil Company at their Bull River copper mine at Wardner; by Canex Placer Limited (Tungsten Division) at their Invincible and East Dodger tungsten mines at Iron Mountain; by the Bradina Joint Venture at the Silver Queen (Nadina) mine at Owen Lake; and by King Resources Company at their Mount Copeland molybdenum mine near Revelstoke.

CONCENTRATING

In 1973, 33 concentrators were in operation: nine treated copper ore, three treated copper-iron ore, five treated copper-molybdenum ore, one treated molybdenum ore, one treated nickel-copper ore, two treated silver-lead-zinc-copper ore, ten treated silver-lead-zinc ore, one treated tungsten ore, and one treated mercury ore.

SMELTING

The only base-metal smelter in operation in the Province is owned and operated by Cominco Ltd. at Trail. From mines in British Columbia it received 143,050 tons of lead concentrates, 227,438 tons of zinc concentrates, and 8,174 tons of crude ore. The company's own mines (Sullivan and HB) contributed 131,100 tons of lead concentrates and 225,906 tons of zinc concentrates. Other mines in the Province contributed 11,950 tons of lead concentrates and 1,533 tons of zinc concentrates which were treated on a custom basis. In addition the smelter also treated a large tonnage of ore, concentrates, and scrap from sources outside the Province; the company's Pine Point mine on Great Slave Lake was a large contributor.

Products exported to American smelters were: copper concentrates, 37,291 tons; lead concentrates, 4,223 tons; zinc concentrates, 41,162 tons; iron concentrates, 210,661 tons; and tungsten concentrates, 803 tons. The value of these products was \$38.79 million. It represents about 4.8 per cent of its value of the 1973 metal production of the Province.

	1968	1969	1970	1971	1972	1973	
Exploration expenditure*	\$35,000,000	\$44,400,000	\$46,400,000	\$39,100,000	\$38,200,000	\$37,300,000	
Number of properties *	389	422	481	407	389	352	
Average exploration expenditure per property	89,974	105,161	96,361	95,945	98,226	106,072	
Claims recorded	60,384	84,665	69,546	57,778	78,901	35,659	
Certificates of work	66,229	88,954	118,633	106,704	97,573	128,641	
Free miners' certificates -							
Individual	9,305	9,880	10,034	9,351	9,032	7,084	
Companies	761	1,060	91 1	930	927	563	
Average copper price (cents per pound)	54.2	66.7	58.7	46.7	44,8	83.23	

.

*From returns to Economics and Planning Division, Department of Mines and Petroleum Resources,

Products exported to Japanese smelters were: copper concentrates, 1,214,598 tons; zinc concentrates, 32,647 tons; nickel-copper concentrates, 6,764 tons; iron concentrates, 1,291,478 tons; and tungsten concentrates, 283 tons. The value of these products was \$603.69 million, an increase of \$392.1 million from 1972. It represents about 74.7 per cent of the 1973 metal production of the Province.

DEVELOPMENT

Statistical returns from mining companies indicate that in 1973 there was no expenditure by companies in preproduction development of new metalliferous mines. Work was undertaken by the following companies to rehabilitate and to reopen their formerly productive mines which had closed in the recent past:

> Noranda Mines, Limited -- Boss Mountain mine Cominco Ltd. -- HB mine Consolidated Churchill Copper Corporation Ltd. -- Magnum mine Consolidated Columbia River Mines Ltd. -- Ruth Vermont mine Dankoe Mines Ltd. -- Horn Silver mine

EXPLORATION AND PROSPECTING

Indicators of prospecting activity and exploration on metalliferous properties for 1973 and the past several years are shown by the tabulated statistics on page 16.

The amount of money spent on exploration in 1973 was down only slightly (2.3 per cent) from the previous year but the reduction in number of properties explored means that the average amount spent on each property was up slightly.

The number of mineral claims located in 1973 declined significantly by 43,242 claims or 54.8 per cent from 78,901 in 1972 to 35,659 in 1973. Most activity was at the head of the Sustut River where copper mineralization in volcanic rocks received a considerable amount of attention.

About 715 geological, geochemical, and geophysical reports were accepted in 1973 by the Department for assessment work credit. They represent not less than \$4.6 million in work done on claims.

Information provided by exploration companies to the Geological Division on questionnaires mailed to them yearly is the basis of much of the text and enables a reasonably complete coverage of activities to be provided. The cooperation of the Industry is a valued asset and is very much appreciated. Exploration information is summarized in the following table.

[Type of Wor	k		
	ties	Ð	sγs	eys	Phy	/sical		Drillin		
NTS	Number of Proper	Geological Mappir	Geophysical Surve	Geochemical Surv	Surface	Underground	Surface Diamond (Ft.)	Underground Diamond (Ft.)	Rotary (Ft.)	Percussion (Ft.)
82/SE	7	4		2	1		4,212		370	
82/SW	86	36	8	19	6	11	30,876	4,505	734	7,361
82/NW	52	29		19	11	9	14,511			
82/NE						•				
83/SE										
92/SE	114	46	58	56	7	1	37,456			16,387
92/SW	28	10	10	10	8	6	125,489	27,309	••••••	
92/NW	33	17	15	17	4		4,328		2,536	
92/NE	182	56	89	69	15	2	175,257	3,570		128,060
93/SE	39	13	14	16	7		22,268	1,091	·	19,560
93/SW	23	4	9	10	4		30,975	••	**	3,740
93/NW	92	35	49	40	12	3	102,365	11,742	1,600	28,330
93/NE	1	1	1	1				•		
94/SE	32	20	4	26			17,218			[
94/SW	72	47	25	50	11		16,555	••••••		500
94/NW	4	2	1	2		•	198			
103/SE	4	1	2	3		-				
103/NE	15	5	1	2	5		5,864	-	•	
104/SE	21	10	7	7	3	1	54,423	35,498		3,012
104/NW	6	2	3	2	1		500	······		
104/NE	14	11	7	8	3	1	13,374	•••••••		
114/NE	2		•	1	1	•	••			
Totals	827	349	303	360	99	34	693,325	83,715	6,840	206,950

SUMMARY OF INFORMATION FROM GEOLOGICAL DIVISION QUESTIONNAIRES, ASSESSMENT REPORTS, AND MINES INSPECTORS' REPORTS

The number of properties not in production on which major exploration programmes were undertaken was 27, considerably more than in 1972. Major programmes, namely more than 10,000 feet of drilling or more than 1,000 feet of underground development, were carried out at the following properties (see body of the report for details):

Afton near Kamloops Amy near Tootsee Lake Axe on Summers Creek Berg near Kidprice Lake Bralorne mine near Lillooet Chappelle near Thutade Lake Eagle east of Dease Lake

Fish Lake near Taseko Lakes Han, Fir near Endako Homestake mine near Skwaam Bay Huckleberry near Sweeney Lake Iron Mask near Kamloops Joem at Mount Haskin near Cassiar Mosquito at Wells Motherlode at Greenwood Peach, Pit northeast of Lac la Hache Price mine at Buttle Lake Rainbow near Kamloops **Reko near Port Renfrew Rey near Merritt** Robb Lake at the head of Halfway River Sam Goosly south of Houston Stikine Copper at Galore Creek Sustut Copper at the head of Sustut River Thezar near Topley Landing Vollaug on Table Mountain near Cassiar Warman (Northair) near Alta Lake

The areal distribution of exploration work on metallic mineral properties in 1973 and 1972 can be compared by referring to the two maps of the Province (Figs. 1 and 2). Development of this type of map is explained in the *Western Miner*, April 1972, pages 28 to 30. The percentage figures refer to the number of active properties per unit area but for the purposes here are used to illustrate a gradation of activity.

Comparison of the two figures shows a general similarity in the two years of the distribution of exploration activity but also shows changes in detailed distribution. In 1973 work in northern British Columbia was less dispersed and showed a greater concentration of activity in the Robb Lake, Sustut, and Hogem areas and less activity in the Smithers area and the Stikine Basin. In the south were was a greater concentration of activity in the Guichon Creek batholith and between Clearwater and Quesnel Rivers and a general contraction of areas elsewhere.





Figure 2. Distribution of metallic mineral properties active in 1972.

TABLE 1 - METAL PRODUCTION, 1973

									Gross Metal Contents						
Property or Mine	NTS	Muning Division	Location of Mine	See Page	Owner or Operator	Ore Shipped ore Treated	Product Shipped	Gold	Silver	Copper	Lead	Zinc	Cadmium		
					-	lons		Q2.	02.	LO.	LD.	Lo.	LD.		
Burnt Basin	82E/1E	Greenwood	Paulson	36	Donna Mines Ltd.	164	Grude ore.	34	42		563	328			
Phoenix mine	82E/2E	Greenwood	Phoenix	39	The Granby Mining Co. Ltd., Phoenix Copper Division	1,003,815	Copper concentrates, 18,786 tons.	17,781	100,502	9,975,337					
Providence	82E/2E	Greenwood	Greenwood	41	W E MacArthur, Greenwood	53	Siliceous are from dump.	8	593	64	534	321			
Smuggler	82E/4E	Osoyoos	Fairview		K.G. Ewers, Okanagari Falts	20	Crude ore.	8	24		40	79			
Susie	82E/4E	Osoyoos	Oliver	43	Hem Mines Ltd.	2,788	Crude ore.	284	5,704		14,274	7,368			
Mars (Torres)	82E/4E	Osoyoas	Oliver	44	Topper Mining Ltd.	44	Siliceous ore.	2	26		176	88			
Fur, Flo (Doorn)	82E/6E	Greenwood	Beaverdell	47	Argentia Mines Ltd.	60	Crude ore.	27	119		238	119			
Highland Bell mine	82E/6E	Greenwood	Beaverdell	48	Teck Corp. Ltd.	37,202	Lead concentrates, 1,020 tons; zinc concentrates, 318 tons, jig concentrates, 112 tons,	417	459,883	1,157	457,724	453,047	1,920		
H 8 Mine	82F/3E	Nelson	Salmo	57	Cominco Ltd.	351,682	Lead concentrates, 4,416 tons; zinc concentrates, 24,250 tons.	28	42,195		6,185,800	26,525,600	209,003		
Invincible, East Didger	92F/3E	Nelson	Salmo, Iron Mountain	54	Canex Placer Ltd., Tungsten Division	106,763	Tungsten ooncentrates, 1,086 tons containing 1,411,800 lb. of tungsten (WO ₃).								
Nugget	82F/3E	Nelson	\$almo	58	S.A. Endersby, White Rock	649	Sificcous ore from tailings,	161	144		1,457	1,298			
Reno	82F/3E	Nelson	Salmo	58	S.A. Endersby, White Rock	138	Siliceous are from dump,	39	14		275	275			
Annex	82F/3W	Nelson	Nelway	59	Reeves MacDonald Mines Ltd.	191,438	Lead concentrates, 4,207 tons; kinc concentrates, 14,127 tons.		159,543		5,641,590	15,748,032	161,477		
Blue Bird	82F/4W	Trail Creck	Rossland	60	Standonray Mines Ltd,	487	Crude ore,	72	7,472		40,742	55,609			
IXL	82F/4W	Trail Creek	Rossland	60	J.A. Ruelle, Rossland	26	High-grade ore.	87	31		52	52			
Midnight	82F/4W	Trail Creek	Rossland	61	Consolidated Cinota Mines Ltd.	219	Crude ore.	131	77		879	855			
Golden Age, Euphrates	82F/6E	Nelson	Nelson	65	Robert Mines Ltd.	88	Test shipment	7	101	236	241	241			
Goodenough	82F/6E	Nelson	Ymir	64	E.B. Carlson, L. Masura, P. Marchinek, Trail	44	Test shipment of siliceous ore.	2	110		2,284	2,020			
Ymir	82F/6E	Netson	Ymir	64	A.M. Gerun, Nelson Lessee	49	Crude ore from dump.	11	59	20	489	489			
Rice (Quartz Mountain)	82F/9E	Fort Steele	Sawmill Creck	66	Peter Lane, Granbrook	1,373	Crude ore.	352	275	2,363	5,738	2,746			

Sullivan mine	82F/9E	Fort Steele	Kimberley	67	Ceminoo Ltd.	2,214,415	Lead concentrates, 126,684 tons; zine concentrates, 201,656 tons; tin concentrates, 161 tons containing 180,783 lb, of tin; iron sinter, 14,397 tons.	152	3,151,073	618,200	187,884,000	207,250,000	551,462
Silver Hoard, Dellic Little May	e, 82F/10W	Slocan	Airsworth	72	R.B. Savage, Taghum	891	Crude ore.	1	3,885		9,265	20,223	
Enterprise	82F/14W	Siocan	Slocan City	75	L.M. Fried, New Denver	67	Crude ore.		1,917		17,836	24,165	
Freddy	82F/14W	Stocan	Silverton	77	V. Hansen, New Donver	33	Crude ore.	2	1,038		264	132	
Little Tim (V-Day)	82F/14W	Slocan	Slocan City	76	Wayne Turley, Kaslo	2	Crude ore,		369	31	450	320	
Marmion <u>.</u> Maryland	82F/14W	Stocan	Stocan City	73	M.R. Maze, Castlegar	7	Crude ore.	4	14		56	28	
Mary	82F/14W	Slocan	Enterprise Graak	74	S. Berisoff, Silverton	14	Crude ore.	5	143		1,833	291	
Ottawa	82F/14W	Slocan	Springer Creck	73	Mike Poznikoff, Slocan City	28	Crude ore.		8,620		307	128	
Silmonac (Minniehaha)	82F/14W	Stocan	Sandon	78	Kam-Kotia and Burkam Joint Venture	13,949	Lead concentrates, 1,172 tons; zinc concentrates, 1,133 tons,		190,133		1,436,333	1,386,171	9,533
Victor {Violamac}	82F/14W	Slocan	Sandon	79	E. Petersen, Now Deriver	30	Crude ore.	6	3,479		41,127	1,068	
Bluebell	82F/15W	Siocan	Riondell	~	O, Pearco, Nelson		Lead concentrates, 65 tons; salvage from Kootenay Bay.		489		41,432	5,632	
Nor	82F/15W	Stocan	Ainsworth	81	H. McGowan, Ainsworth	74	Crude ore,		522		863	1,554	
Bull River mine	82G/11W	Fort Steele	Wardner	84	Placid Oil Co.	206,812	Copper concentrates, 14,423 tons	1,766	88,692	7,214,068			
Best	82K/3E	Slocan	New Denver	89	Thomas Eccles, Trail	10	Crude ore.		145		416	250	
Dublin Queen	82K/3E	Slocan	New Deriver	87	Fostall Mines Ltd.	8	Crude ore.		407		6,562	2,540	
Washington	82K/3E	Stocan	Retallack, Three Forks	89	J.O.H. Nesbitt	17	Crude ore.		2,152		25,824	1,007	
Mike	82K/11W	Revolstoke	Ferguson	96	H.A. McGowan Ferguson	2	Crude ore.		25		430	1,448	
Silver Cup, Towser	82K/11W	Revelstoke	Ferguson	95	Pandora Management Ltd	440	Crude ore.	69	9,696		29,012	23,368	
Ruth Vermont	82K/15W	Golden	Parson	96	Consolidated Columbia River Mines Ltd.	26,957	Lead concentrates, 1,161 tons; zinc concentrates, 1,134 tons,	49	96,105	21,850	1,440,928	1,216,042	8,059
St. Paul	82L/1₩	Vernon	Monashee Mountain	98	W. Miller, Vernon	ទេ	Silver concentrates, 5 tons, crude ore, 14 tons.	21	424		854	153	
Chaput	82L/7W	Vernon	Lumby	~	Alberta Gypsum Ltd.	6	Mitt salvage.		262		477	432	
Mount Copeland mine	82M/1W	Reveistoke	Reveistoke	104	King Resources Co.	21,761	Molybdenite concentrates, 271 tons containing 301,471 Ib. of molybdenum.						
Mosquito King, Ex	82M/4E	Kamloops	Adams Piateau		Consolidated Giant Metailics Ltd.	220	Lead concentrates, 16 tons; zinc concentrates, 11 tons,		726		17,453	13,386	93

TABLE 1 - METAL PRODUCTION, 1973 {continued}

		Міліол	Location	See		Orc Shipped			Gross Metal Contents					
Property or Mine	NTS	Division	of Mine	Page	Owner or Operator	or Treated	Product Shipped	Gold Oz,	Silver Oz.	Copper Lb.	Lead Lb	Zinc	Cadmium Lb.	
Sunró mine	92C/8E	Victoria	River Jordan	225	Jordan River Mines Ltd	273,628	Copper concentrates, 9,137.	943	10,220	4,397,828				
Texada mine	92F/10E	Nanaumo	Texada Island	233	Texada Mines Ltd.	1,029,189	Iron concentrates, 520,022 tons; copper concentrates, 9,716 tons,	1,897	58,590	4,532,896				
Lynx and Myra mines	92F/12E	Alberne	Buttle Lake	235	Western Mines Ltd.	354,240	Copper concentrates, 10,191 tons, lead concentrates, 8,334 tons, kine concentrates, 47,790 tons.	22,326	1,329,960	7,506,797	8,389,066	55,971,577	229,576	
Britannia mine	92G/11E	Vancouver	Howe Sound	239	Anaconda Canada Ltd.	548.801	Copper concentrates, 25,216 tons.		102,913	14,954,100				
Pride of Emory mille	92H/SE, 6W	New Westminister	Норе	131	Giant Mascot Mines Ltd.	352,758	Nickel copper concentrates, 14,746 tens containing 2,803,945 Ib: of nickel and 40,907 lb, of cob			1,880,057				
Goldrop	92H/7E	\$imi@ameen	Whipsaw Creek		Robert Dealy, Oliver	257	Crude are.	113	1,090		1,569	513		
Simifkameen mino (Ingerbelle)	92H/7E	Simitkameen	Princeton	132	Similkameen Mining Co. Ltd.	5,356,829	Copper concentrates, 76,446 tons	28,912	133,528	41,802,628				
Brenda mine	92H/16Ê	Οιογοσι	Brenda Lake	163	Brenda Mines Ltd.	8,867,805	Copper concentrates, 62,985 tons; molybdenite concentrates, 9,837 tons containing 11,105,912 Ib: of molybdenum,	3,497	259,628	34,096,095				
Craigmont mine	921/2W	Nicola	Merritt	165	Graigmont Mines Ltd.	1,429,556	Copper concentrates, 65,103 tons: iron concentrates, 38,799 tons,			38,605,663				
Lornex mine	921/6E	Kamloops	Highland Vatley	169	Lornex Viroing Corp Ltd.	13,987,000	Copper concentrates, 154,414 tons, molybdenite concentrates, 6,315 tons containing 3,385,000 lb, of molybdenum,	763	431,000	102,180,000				
Bethlehem mine	921/7W	Kamloops	Highland Valley	179	Bethlehem Capper Corp, Ltd.	6,339,122	Copper concentrates, 114,951 tons.		176,000	73,301 .000				
Old Sport Mine	921/6E	Nanaimo	Senson Lake		Coast Copper Co Ltd		Copper concentrates shipped from stockpile, 3,665 tons. Mine ceased production in 1972.	1,026	7,696	1,776,680				
tsland Copper mane	92L/12E	Nanaimo	Port Hardy	260	Utan Mines Ltd.	12,071,446	Copper concentrates, 228,104 rows, molybdonite concontrates, 1,105 ions containing 970,500 lb, of molybdenum, Rhenium shipments are confidential.	49,729	269,331	106,724,851				
Providence	93A/11W	Canboo	Blackbear Creok		Walt, Pederson Enterprise, St. Cloud, Minnesota	3	Crude ore.		142		1,386	6		

Gibraltar mine	938/9W	Cariboo	McLeese Lake	299	Gibraltar Mines Ltd.	15,082,233	Copper concentrates, 217,464 tons; molybdenite concentrates, 412 tons containing 493,535 lb, of molybdenum,			124,694,080				
Endako mine	93K/3E	Omineca	Éndako	330	Canex Placer Ltd (Endako Mines Division)	8,446,000	Molybdenito concentrates, 3,098 tons; molybdenum trioxide, 7,905 tons; ferro-molybdenum, 1,015 tons containing 14,134,510 lb. of molybdenum.							
Pinchi Lake mino	93K/9W	Omineca	Pinchi Lake	333	Cominco Ltd.		Mercury							
Silver Queen	93L/2E	Omineca	Houston	338	Bradina Joint Venture	98,278	Copper concentrates, 1,386 tons; zinc concentrates, 10,759 tons.	1,913	301,573	543,780	1,181,214	8,617,475	20,120	
Cronin mine	93L/15W	Omineca	Smithers	347	Haltmark Resources Ltd.	2,000	Lead concentrates, 86 tons; zinc concentrates, 80 tons.	11	8,125	2,967	92,732	109,195	1,122	
Granisle mine	93L/16E	Omineca	Babine Lako	351	Granisle Copper Ltd,	4,545,105	Copper concentrates, 58,844 tons.	16,676	176,448	39,565,757				
Belt mine (Newman)	93M/1E	Ómineca	Babine Lake	352	Noranda Mines Itd. (Bell Copper Division)	4,114,324	Copper concentrates, 75,200 tons,	24,888		38,026,499	-			
Silver Standard mine	93M/6E	Omineca	Hazelton	357	George Braun, New Hazelton	130	Leed-zinc concentrates, 7 tons, crude ore, 80 tons.	12	7,009		15,548	23,463		
Magnum miné	94K/11W	Liard	Delano Creek	478	Consolidated Churchill Copper Corp. Ltd		Ore stockpilled, 13,471 tons.							
Tasy mine	103C/16E	Skeena	Tasu Harbour	482	Wesfrob Mines Ltd.	1,781,379	Iron concentrates, 995,694 tons; copper concentrates, 18,308 tons.	3,010	110,128	7,486,860				
Blue Grouse	103P/13W	Skeena	Stewart	-	John Lehto, Stewart	4	Crude ore.							
Red Cliff mine	104A/4W	Skeena	Stewart	494	Adam Milling Ltd.	4,154 ¹								
Granduc mine	1048/1W	Skeena	Stewart	497	Granduc Operating Co	2,797,948	Copper concentrates, 124,809 tons.	11,004	651,373	69,553,559				

.

25

INTRODUCTION

The reports that form the body of this Chapter comprise a large number of brief tabulated summaries of information concerning known active properties and mines and a small number of detailed geological reports of properties, mines, and areas of mineral potential. The sources of information, organization of the report, locations, policy on names, and other Departmental publications during 1973 are discussed below.

SOURCES OF INFORMATION: (1) Geologists on the staff of the Geological Division, Mineral Resources Branch prepare reports on mineralized areas and mineral deposits for publication in *Geology, Exploration, and Mining in British Columbia*. These reports are concerned either with areas and properties under active exploration, recent mineral discoveries of importance, or are part of a more general study of mineralized areas which will form the body of a subsequent bulletin. The following substantial geological reports are included in this volume:

BEVELEY by J. A. Garnett DWG COPPER by B. N. Church GIBRALTAR MINE by A. Sutherland Brown HARRISON, LUCKY JIM by D. E. Pearson INVINCIBLE, EAST DODGER by R. I. Thompson LORRAINE by J. A. Garnett MARMOT by B. N. Church MOUNT COPELAND MINE by W. J. McMillan REY by W. J. McMillan RIC by R. I. Thompson SAM GOOSLY by B. N. Church STIKINE COPPER by A. Panteleyev SUSTUT AREA by B. N. Church SUSTUT COPPER by B. N. Church WARMAN (NORTHAIR) by D. E. Pearson

(2) A considerable amount of information in the following reports was supplied by exploration companies. Their cooperation in completing and returning exploration questionnaires for each of the properties on which they worked is gratefully acknowledged by the Department and should be greatly appreciated by all users of this report. In some instances this information is augmented by staff geologists or mine inspectors.

(3) Geological, geophysical, and geochemical reports accepted by the Department for credit as assessment work contain a large amount of valuable information. The results of work presented in assessment reports that were accepted by April 1, 1974 are summarized and published herein. The last report summarized is Assessment Report 4905. Assessment reports accepted after April 1, concerning properties for which exploration questionnaires have already been submitted to the Department, are entered as references on the property write-up until this manuscript is finalized for publication.



Figure 3. Index map of mining divisions and Figures A to G.

28

Reports accepted in 1973 for work done in 1972 are not summarized if the work was previously reported on exploration questionnaires. Because of this policy not all assessment reports appear as references.

Assessment reports are available for study or for duplication at cost one year after the date of their submission.

ORGANIZATION: The reports are arranged sequentially according to National Topographic System map designation. In the NTS designation, the whole of Canada is divided into primary quadrangles, each 4 degrees latitude by 8 degrees longitude. Each is described by a number, the last digit of which indicates latitude and the first one or two indicates longitude (for example, 104). British Columbia is covered by six of these primary quadrangles except for minor areas. Figure 3 locates index maps (Figs. A to G) used in this report. They coincide closely to the primary quadrangles: for example, Figure A includes quadrangle 82 and part of 83; Figure B, 92H and 921; Figure C, 92 and part of 102; Figure D, 93; Figure E, 94; Figure F, 103; and Figure G, 104 and part of 114.

Each primary quadrangle is subdivided into 16 map-sheets, each 1 degree latitude by 2 degrees longitude, and described by letters A to P (for example, 104G) proceeding from the southeast corner to the west in the southern panel, then east to the next panel, and so on. Each lettered quadrangle is subdivided into 16 map-sheets, each 15 minutes latitude by 30 minutes longitude and numbered 1 to 16 in an analogous manner to the lettering (for example, 104G/7). Finally each sheet is halved east and west for maps of the 1:50,000 series and each is described, for example, 104G/7E and 104G/7W.

An index to published maps may be obtained by requesting Indexes 8 to 14 from the Department of Lands, Forests, and Water Resources, Victoria. The reports in this Chapter proceed by primary quadrangle from the southeastern part of the Province, Figure A, to the northwestern part, Figure G. Within each primary quadrangle the order proceeds from A/1E to A/1W to A/2E, and sequentially to P/16E. In some instances, exceptions are made so that adjacent prospects are not widely separated.

LOCATIONS: In this report a description of the property location is given as well as the latitude and longitude and NTS designation of the 1:50,000 map-sheet in which the property lies. The latitude and longitude given is either the centre of the property or the area of major work. NTS designation is that of the main showing(s) or for the majority of the claims. In cases where claims cover more than one NTS sheet, several NTS designations are given.

NAMES: Most often the name or names given to a property are those used for the Mineral Inventory. This is often the name by which the property was originally or formerly known (for example, Glacier Gulch, Magnum). Sometimes the name or names are those of one or more of the claims that constitute the group; occasionally a name is used which is derived from the name of the company owning the property (for example, Bralorne, Granisle). Where established to a reasonable degree of confidence, the Mineral Inventory number appears after the property name (for example, Providence, 82E/SE-1). Where practicable, all names of claims comprising a property are given under the heading 'Claims.'

OWNERSHIP: Whenever possible the owner (or owners) of the claims reported is stated. For recorded claims the owner is taken directly from Departmental records at the time the manuscript is being prepared. Unrecorded bills of sale and outstanding option agreements sometimes make it impossible to determine the owner at a given date. For Crown grants, unless an extensive search is made, it is sometimes impossible to be certain of their ownership.

In instances when the operator (the company or individual for whom the work was done or who paid for it) is known but the owner is uncertain, then only the operator is recorded; when the owner is also the operator, then only the owner is recorded; and when the owner is not the operator and both are known, then both are recorded.

PUBLICATIONS: Geology, Exploration, and Mining in British Columbia continues to be the main vehicle for publication of data on metal, mineral, and coal exploration.

The following bulletin was published by the Department in 1973:

Bulletin No. 61, Geology of the White Lake Basin, by B. N. Church.

The purpose of the study was to establish the stratigraphic succession, structural history, and petrology of the Early Tertiary volcanic rocks in the White Lake area near Penticton. The results of this work provided material for a Ph.D. thesis which was submitted by the author to the University of British Columbia. Subsequently the author while on the staff of the Department of Mines and Petroleum Resources mapped an additional area in which the Dusty Mac gold-silver property is located.

The following preliminary geological maps were released in 1973:

- Map No. 10, Preliminary Geological Map of Aspen Grove Area, by P. A. Christopher.
- Map No. 11, Preliminary Geological Map of the Buck Creek Area, by B. N. Church.
- Map No. 12, Preliminary Geological Map of the Northern Babine Lake Area, by N. C. Carter.
- Map No. 13, Preliminary Geological Map of the Owen Lake Goosly Lake Area, by B. N. Church and Petrochemical overlay maps 'a' to 'g' for the same area by J. Barakso and B. N. Church.

The following 28 aeromagnetic maps of the Federal-Provincial Government-financed programme were released in 1973:

82E - 1 to 16; 82F - 2 to 4; 82L - 1 to 3, 6 to 11.

The following papers were published outside the Department by staff members:

- Holland, Stuart S. and members of the Department of Mines and Petroleum Resources staff, Review of Mining Activity for 1972, Western Miner, April 1973.
- McMillan, W. J., Petrology and Structure of the West Flank, Frenchman's Cap Dome, Geol. Surv., Canada, Paper 71-29.
- McMillan, W. J., Agar, C. A., and Ulrych, T. J., A Gravity Model for the Guichon Creek Batholith, *Cdn. Jour. Earth Sci.*, Vol. 10, No. 6, pp. 920-935.
- Sutherland Brown, A., A Phoenix Seen in Transition, Geolog, G.A.C., Vol. 2, Pt. 4, p. 31.



KEY TO PROPERTIES ON INDEX MAP, FIGURE A.

- 1. TONEY, VEN, page 37.
- 2. SUE, page 42,
- 3. MARS (TORRES), page 44.
- 4. JACK, page 44.
- 5. FUR, FLO (DOORN), page 47.
- 6. SILVER DOLLAR, BARNATO, HACKLA, page 48.
- 7. DEER, PARK, page 49.
- 8. ROY, page 52.
- 9. JOB, page 60.
- 10. JAG, EVANS, GOODHOPE, FALLER, WHITEFISH, page 70.
- 11. CHICAGO, SNOW KING, page 70.
- 12. DALHOUSIE, page 75.
- 13. MOLLY HUGHES, page 90.
- 14. WADE, page 100.
- 15. BUDGET (MM), page 102.
- 16. PEM, HY, page 103.
- 17. HYAS, RHO, page 103.
- 18. MOLY (LH), page 104.
- 19. SHUSWAP, page 116.
- 20, LUCKY, CEDAR, RS, page 117,
- 21. IKE, SEATTLE, page 36.
- 22. JOE, OLD NO. 9 (WALT, BUL),
- page 45. 23. SUNNYSIDE, FANNY JOE,
 - page 37.
- 24. ELK, DKD, BRU, page 51.
- 25. ROSEMONT, page 50.
- 26. LEADER (WELLINGTON), page 66.
- 27. LEY (LEI), page 78.
- 28. SHADOW, NORJACK, page 77.
- 29. BJ, page 72.
- 30. MARSHALL, page 40.
- 31. PASS, page 42.
- 32. KING EDWARD (SUSAP), page 45.
- 33. PA, page 45.
- 34. HILL, page 46.
- 35. AU, page 47.
- JEWEL-ENTERPRISE, ETHIOPIA, page 41.
- 37. FUKI, DONEN, page 49.
- 38. ANN, CALEDONIA, page 35.
- 39. BASIC, page 35.
- 40. IVY, CAPCO, MAY, page 50.
- 41. CU (ARLINGTON, CAPTAIN GORDON), page 51.
- 42. PB, page 52.
- 43. FAP, SIG, DAN, page 52.
- 44. JACK POT, page 58.
- 45. GIANT, NOVELTY, ST. ELMO, page 62.
- 46. SILVER KING, page 63.
- 47. ICE, page 65.
- 48. POLARIS, page 85.
- 49. UNITED COPPER, page 71.
- 50. HUMBOLT, page 71.

- 51. CRAW, page 72.
- 52. COMSTOCK, page 80.
- 53. RECO, BLUEBIRD, NOBLE FIVE, page 81.
- 54. SILVER RANCH, page 80.
- 55: BOB, IRON MASK, page 76.
- 56. REPUBLIC, page 74.
- 57. HILO, page 82.
- 58. COMMERCE, page 83.
- 59. BETH, page 83.
- 60. ABC, page 83.
- 61. MAX, page 84.
- 62. HUNT, page 86.
- 63. DOC, page 87.
- 64, ACE, page 86.
- 65. SHAKESPEARE, SKYLARK, page 91.
- 66, RAD, page 91,
- 67. ANNETTE, SLIDE, page 92.
- 68. BEE, page 93.
- 69. TAMARAK, page 92.
- 70. LEAD QUEEN, page 94.
- 71. WINSLOW, OKANAGAN, page 95.
- 72. BUTT, page 94.
- 73. SILVER BASIN, page 93.
- 74. McLEAN, page 93.
- 75. ECLIPSE (BOB, HL), page 97.
- 76. ST. PAUL, page 98.
- 77, DONA, page 97,
- 78. ROSE, page 97.
- 79. KL, page 98.
- 80. McPHAIL, MONASHEE, page 99.
- 81. TOP, page 98.
- 82. PETE, page 99.
- MOUNT VERNON (SILVER STREAK, DCK), page 101.
- 84. BLACK HAWK (BJ), page 100.
- 85. AB, page 100.
- 86. A, NEWF, page 101.
- 87. SH, page 101.
- 88. OK, page 102.
- 89. ANNIS, page 103.
- 90. TOM, page 113.
- 91. NSP, page 115.
- 92. JUNE, KAYJUN, page 115.
- 93. EBL-REM, page 115.
- 94. REXSPAR, SMUGGLER, page 117.
- 95. BOULDER, page 117.
- 96. IT, TO (RUDDOCK CREEK), page 118.

100. MOTHERLODE, GREYHOUND, page 38. 101. TAM O'SHANTER, IVA LENORE,

33

- 97. HAIL, GOOF, SUE, page 116.
- 98. SAPHIRE, page 118.

102. NIKKI, page 42. 103. JJ, page 46.

99. PHOENIX MINE, page 99.

page 37.

KEY TO PROPERTIES ON INDEX MAP, FIGURE A (Continued).

- 104. PAY DAY, page 53.
- 105. GOLDEN AGE, EUPHRATES, page 65.
- 106. NINE LAKE, page 82.
- 107. MOUNT COPELAND MINE, page 104.
- 108. ANNA, page 74.
- 109. BULL RIVER MINE, page 84.
- 110. MASTADON, page 35.
- 111. BURNT BASIN, page 36.
- 112. PROVIDENCE, page 41.
- 113. SUSIE, page 43.
- 114. HIGHLAND BELL MINE, page 48.
- 115. LIZ B, page 53.
- 116. RENO, page 58.
- 117. NUGGET, page 58.
- 118. HB, page 57.
- 119. ANNEX, REEVES MacDONALD MINE, page 59.
- 120. COLUMBIA, KOOTENAY, page 61.
- 121. IXL, page 60.
- 122. MIDNIGHT, page 61.
- 123. COXEY MINE, page 62.
- 124. BLUE BIRD, page 60.
- 125, PORTO RICO, SPOTTED HORSE, page 63.
- 126. GOODENOUGH, page 64.
- 127. YMIR, page 64.

- 128. RICE (QUARTZ MOUNTAIN), page 66.
- 129. SULLIVAN MINE, page 67.
- 130. SILVER HOARD, DELLIE, LITTLE MAY, page 72.
- 131. LITTLE TIM (V-DAY), page 76.
- 132. OTTAWA, page 73.
- 133. HEWITT, page 76.
- 134. FREDDY, page 77.
- 135. ENTERPRISE, page 75.
- 136. MARMION, MARYLAND, page 73.
- 137. MARY, page 74.
- 138. SILMONAC (MINNIEHAHA), page 78.
- 139. VICTOR (VIOLMAC), page 79.
- 140. NOR, page 81.
- 141. MIKE, page 96.
- 142. SILVER CUP, TOWSER, page 95.
- 143. LUCKY JIM, page 89.
- 144. WASHINGTON, page 89.
- 145. RUTH VERMONT, page 96.
- 146. DUBLIN QUEEN, page 87.
- 147. BEST, page 89.
- 148, MILLIE MACK, page 90.
- 149. HOMESTAKE, page 114.
- 150. HORN SILVER, page 43.
- 151. MOUNTAIN CHIEF, page 79.
- 152. INVINCIBLE, EAST DODGER, page 54.

SOUTHEAST BRITISH COLUMBIA (NTS Division 82 Figure A)

PENTICTON 82E

BASIC (Fig. A, No. 39)

LOCATION:	Lat. 49° 01′ Long. 118° 02′	(82E/1E)
	TRAIL CREEK M.D. Eighteen and one-half miles east	of Grand
	Forks, extending south from Santa Rosa Creek 3 miles.	
CLAIMS:	BASIC 1 to 20.	
OWNER:	HUNTER POINT EXPLORATION LTD., 105 West Sixt	h Avenue,
	Vancouver.	
DESCRIPTION:	The claims are underlain by nickeliferous ultramafic rocks.	
WORK DONE:	Surface diamond drilling, one hole totalling 100 feet on Basic	; 7.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 373 (MASTC	DON).

MASTADON	(82E/SE-91)	(Fig. A, No. 110)	By P. E. Olson
LOCATION:	Lat. 49 [°] 01'	Long. 118° 10'	(82E/1E)
	GREENWOO	D M.D. One and one-half mile	s southeast of Cascade, on
	Mastodon Cre	eek, at 3,000 feet elevation.	
CLAIMS:	MASTADON	, CANYON C, SYLVESTER	K, LITTLE BURNE FR.,
	MASTADON	FR. (Lots 2384s to 2388s) a	nd LITTLE BROWN (Lot
	2390s) Crowr	n-granted claims.	
OWNER:	HUNTER PC	NT EXPLORATION LTD. (w	holly owned subsidiary of
	Chromex Nic	kel Mines Ltd.), 105 West Sixth	Avenue, Vancouver.
METALS:	Nickel, coppe	er.	
DESCRIPTION:	Early explore	ation on outcrops of dunite st	ocks for chromium subse-
	guently discl	osed nickel values in the order o	f 0.25 per cent in the main
	dunite mass.		
WORK DONE:	Three diamor	nd-drill holes, totalling about 1,	000 feet, were drilled late
	in 1973. Son	ne copper values are reported t	to have been found in this
	drilling.		
DECEDENCES	RC Dont o	f Minon & Pot Don CEM 10	CO - 211, 1071 - 272

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 311; 1971, p. 373 (MASTODON); 1972, p. 34.

ANN, CALEDONIA (82E/SE-88) (Fig. A, No. 38)

- LOCATION: Lat. 49° 02' Long. 118° 09' (82E/1E) GREENWOOD M.D. Twelve and one-quarter miles east of Grand Forks, on and surrounding Castle Mountain and extending south to the International Boundary, between 3,000 and 4,000 feet elevation.
- CLAIMS: ANN 1 to 158, HANEY, MOSES, CHARLES, SURPRISE 1 to 4, TUFF 1 to 4, HAZ-AL 1 to 4, 9 to 16, H 1 to 16, HUP 1 to 8 plus Mineral Lease M-265 comprising CALEDONIA (Lot 1756).

(82E/1E)

OWNER: HUNTER POINT EXPLORATION LTD. (wholly owned subsidiary of Chromex Nickel Mines Ltd.), 105 West Sixth Avenue, Vancouver.

METALS: Nickel, chromium, iron.

DESCRIPTION: The property is centred on nickeliferous ultramafic rocks carrying finely disseminated nickel sulphides, chromite, and magnetite in dunite. WORK DONE: Surface diamond drilling, one hole totalling 200 feet on H 12 and one hole totalling 560 feet on Ann 31.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 373 (MASTODON); 1972, pp. 33, 34.

BURNT BASIN (82E/SE-81, 82, 99, 100, 102, 103) (Fig. A, No. 111)

By P. E. Olson

- LOCATION: Lat. 49° 10' Long. 118° 07' (82E/1E) GREENWOOD M.D. Nine and one-half miles north-northeast of Christina Lake village, at the headwaters of Josh and Mollie Creeks, at approximately 4,500 feet elevation.
- CLAIMS: Mineral Leases M-52, M-118, M-119, M-131, M-183, M-196, M-197, M-205, and M-365 which comprise 15 Crown-granted claims including BURNT BASIN (Lot 1136), AJAX (Lot 1509), EVA BELL (Lot 2031), and HALIFAX (Lot 3042); also the located claims SHIRLEY 1 to 8, CHRISTINA 1 to 6, BP 1 to 3 Fractions, HAVANA Fraction, and GALENA Fraction.

OWNER: DONNA MINES LTD., 642 Clark Drive, Vancouver.

METALS: Silver, lead, zinc (production shown on Table I).

- DESCRIPTION: In the vicinity of Burnt Basin, the Rossland Group of volcanic rocks predominate. The succession contains considerable limestone and argillaceous sedimentary rocks locally altered to skarn. Mineralization is irregular.
- WORK DONE: Stripping of overburden, cutting of pits in bedrock, and some mining from the surface showings were done during the year. About 164 tons of ore was shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 33.

IKE, SEATTLE (82E/SE-156, 158) (Fig. A, No. 21)

- LOCATION: Lat. 49° 08' Long. 118° 28.5' (82E/1W) GREENWOOD M.D. Eight miles north of Grand Forks, on the west side of Granby River.
- CLAIMS: IKE 1 to 25, 30 to 36 plus Mineral Leases M-330 comprising SEATTLE (Lot 652) and VIRGINIA CITY (Lot 1606), M-331 comprising LOYAL CANADIAN (Lot 1608), M-332 comprising NO. 1 (Lot 1362) and M-360 comprising BUNKER HILL (Lot 1609).
- OWNER: RYSLO SILVER MINES LTD., 418, 837 West Hastings Street, Vancouver.

METAL: Copper.
DESCRIPTION: Chalcopyrite occurs in skarn.
WORK DONE: 1972 – IP survey, 2.5 line-miles.
REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 34; Assessment Report 4424.

SUNNYSIDE, FANNY JOE (82E/SE-159, 160) (Fig. A, No. 23)

- LOCATION:Lat. 49° 03.5'Long. 118° 37.5'(82E/2E)GREENWOODM.D.Approximately3.5 milessoutheast ofGreenwood, on the northwest slope of Mount Attwood.CLAIMS:Mineral Lease M-401 comprising SUNNYSIDE (Lot 2879) and FANNYJOE (Lot 7295).
- OWNER: T. B. WRIXON, 410, 1119 Hornby Street, Vancouver.
- WORK DONE: Linecutting.
- REFERENCE: Assessment Report 4462.
- TONEY, VEN (82E/SE-121) (Fig. A, No. 1)
- LOCATION: Lat. 49° 05' Long. 118° 42' (82E/2E) GREENWOOD M.D. One and one-half miles west-southwest of Greenwood, extending south from Buckhorn Creek to Haas Creek. CLAIMS: TONEY (Lot 1907), VEN, VEND, VENDELA, ANTON, SERF,
- VICKI, ARN, GOTCHA, PKK, totalling approximately 80.
- OPERATOR: MAPLETREE EXPLORATION CORPORATION, 1101, 510 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Chalcopyrite and pyrite occur as disseminations and fracture fillings in diorite of the Cretaceous Nelson intrusions, with chalcopyrite also noted along Haas Creek as fracture fillings in brecciated paragneiss. Massive pyrrhotite is found in the eastern portion of the property where a diorite pluton intruded metamorphosed sedimentary rocks.
- WORK DONE: Topographic mapping covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 35; Assessment Report 4237.

TAN USHANTER, IVA LENURE (022/SE-130, 104) (FIG. A, NO	. 101/
--	--------

- LOCATION: Lat. 49° 05' Long. 118° 43' (82E/2E) GREENWOOD M.D. Two miles west of Greenwood, on Buckhorn Creek near its head, at approximately 4,000 feet elevation.
- CLAIMS: GOTCHA, totalling approximately 20, two mineral leases: M-388 comprising TAM O'SHANTER (Lot 2405) and M-389 comprising SALAMANCA Fraction (Lot 2902), IVA LENORE (Lot 1262), VICEROY Fraction (Lot 1722), ARLINGTON Fraction (Lot 1110), and NO. 9 (Lot 882s).

OWNERS:	John MacLean and A. Bombini.
OPERATOR:	MASCOT MINES & PETROLEUMS LIMITED, Box 10010, Pacific
	Centre, 700 West Georgia Street, Vancouver.
METALS:	Copper, molybdenum, (gold).
DESCRIPTION:	Diorite is present along with Knob Hill quartzite and greenstone. The
	greenstone units carry disseminated chalcopyrite, pyrrhotite, and pyrite
	and quartz stringers containing minor molybdenite and some chalcopy-
	rite.
WORK DONE:	Percussion drilling, four holes totalling 600 feet on Iva Lenore.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 35 (TONEY, VEN).

MOTHERLODE, GREYHOUND (82E/SE-34, 35, 37, 38, 48, 50) (Fig. A, No. 100) By P. E. Olson

LOCATION: Lat. 49° 06' Long. 118° 43' (82E/2E) GREENWOOD M.D. One and one-half miles northwest of Greenwood, on Motherlode, Deadwood, Greyhound, and Boundary Creeks, between elevations of 3,000 and 3,600 feet.

CLAIMS: FOX 1 to 6, MT 1 to 17, BIRTHDAY Fraction, HARDSCRABBLE Fraction, etc., totalling 31; four mineral leases: M-122 comprising PEACOCK (Lot 1243), M-294 comprising ST. EUGENE Fraction (Lot 2321), GOLD BUG (Lot 895), M-306 comprising PLUTONIA (Lot 884), M-315 comprising SF Fraction (Lot 832), HILL Fraction (Lot 2945); and 15 Crown-granted claims including MOTHERLODE (Lot 704), SUNSET (Lot 788), CROWN SILVER (Lot 789), GREYHOUND (Lot 1014), STANDARD (Lot 1463), etc. OWNERS: Zeus Oil & Holdings Ltd. and Mascot Mines & Petroleums Limited.

OPERATOR: MASCOT MINES & PETROLEUMS LIMITED, Box 10010, Pacific Centre, 700 West Georgía Street, Vancouver. METALS: Copper, silver, gold.

METALS: Coppe DESCRIPTION:

The property is underlain by the Brooklyn limestone of the Attwood Group, granite and granodiorite of Jurassic age, and pulaskite porphyry of Miocene age. Chalcopyrite, pyrite, pyrrhotite, and magnetite or hematite occur along fractures and interstitially between grains in a skarn zone formed at the contact of the limestone and granitic rocks.

Skarn at the Greyhound pit is unique in the district and is characterized by an absence of magnetite and contains an abundance of pyrite. Rocks throughout the Greyhound pit are intensely brecciated and altered with considerable development of epidote, chlorite, hematite, and actinolite. Mineralization occurs in parallel and coalescing lenses trending east-west and dipping southerly with some isolated zones probably resulting from faulting.

WORK DONE:

During 1973 the company completed a general exploration programme over a large part of the property with emphasis on known zones of mineralization. Approximately 10 miles of geophysical lines were recleared and magnetometer surveys completed. Stadia and geological mapping was also done near mineralized areas following which 25 diamond- drill holes (6,949 feet), 7 rotary holes (734 feet), and 15 percussion holes (3,066 feet) were completed. A programme of rotary and percussion drilling with reverse circulation was carried out to test the quality of the collapsed zone in the centre of the Mother Lode pit.

The mill, surface plant, and equipment at the property were examined and a few minor alterations made.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1968, pp. 228-230; B.C. Dept. of Mines & Pet, Res., GEM, 1971, p. 380.

PHOENIX MINE (8)	2E/SE-13 to 15,	18 to 30, 161, 163)	(Fig. A, No. 99)
------------------	-----------------	---------------------	------------------

By P. E. Olson

- LOCATION: Lat. 49° 06' Long. 118° 36' (82E/2E) GREENWOOD M.D. Approximately 3.5 miles east of Greenwood, on Knob Hill and Montezuma Ridge. ATT and MUZ claims are on the north slope of Attwood Mountain.
- CLAIMS: Approximately 225 Crown-granted and located claims and claims held by mineral leases including OLD IRONSIDES (Lot 589), GREY EAGLE (Lot 793), AETNA (Lot 978), VICTORIA (Lot 933), GOLD DROP FR. (Lot 1252), FOURTH OF JULY (Lot 922) plus ATT, MUZ, WENDY, COY.
- OWNER: THE GRANBY MINING COMPANY LIMITED, Phoenix Copper Division, Box 490, Grand Forks.

METALS: Copper, gold, silver (production shown on Table I).

DESCRIPTION:

Ore horizons at Phoenix lie within a lens of fossiliferous argillite, limestone, chert, quartzite, and greenstone enclosed within an irregular mass of poorly sorted chert conglomerate. The conglomerate is apparently volcanic in origin, presumed to be Triassic in age and lies unconformably on a series of Early Paleozoic andesites and cherts.

In the northern portion of the Old Ironsides open pit the recrystallized limestone has been replaced in part by chert and chlorite. Metamorphic grade increases to the south, with epidote and magnetite becoming more common, and at the south end of the pit the rock has been completely replaced by garnet.

Copper occurs as disseminated grains of chalcopyrite in the limy rocks and, to a lesser extent, in massive magnetite which commonly occurs as lenses injected between the limy sedimentary rocks and the footwall argillite. Small amounts of gold and silver occur in solid solution and as minute blebs in pyrite and chalcopyrite grains.

WORK DONE:

The bulk of the ore milled came from the marginal ore stockpile which had an average grade of 0.42 per cent copper.

Ore reserves in place amount to 1,379,600 tons grading 0.80 per cent copper and marginal ore stockpiles amount to 3,712,000 tons grading 0.40 per cent copper as of January 1, 1974. The concentrator capacity was increased from 2,600 tons per day to 2,750 tons per day by the addition of a new rod mill.

A geochemical soil survey, consisting of 304 samples taken at a 400 by 500-foot grid spacing, was done on the Att 1 to 17, Muz 1 to 4, and six Crown-granted claims including Winner (Lot 1158) and Rattler (Lot 1265).

Reclamation of finished areas continued, with waste dumps being hydroseeded and several varieties of shrubs being planted on dumps and abandoned tailings ponds.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 36; Assessment Report 4750.

MARSHALL (82E/SE-31) (Fig. A, No. 30)

- LOCATION: Lat. 49° 07' Long. 118° 36' (82E/2E) GREENWOOD M.D. Three and one-quarter miles east-northeast of Greenwood, extending north from Providence Lake as far as the Canadian Pacific Railway.
- CLAIMS: Mineral Lease M-138 comprising MARSHALL, LITTLE ANNIE, LITTLE BROWN (Lots 2388 to 2390), BRANDON (Lot 2382), BRANDON Fraction (Lot 2403), CUSTER Fraction (Lot 160); Mineral Lease M-229 comprising MARSHALL Fraction (Lot 2404); Mineral Lease M-269 comprising LITTLE BURNE Fraction (Lot 2387); TIO BURACHO 1 to 6 Fractions; TIA 1 to 12.

OWNER: San Jacinto Explorations Limited.

OPERATOR: HIGHLAND LODE MINES LTD., 728, 510 West Hastings Street, Vancouver.

METALS: Gold, silver, copper, (lead, zinc).

DESCRIPTION: The rocks in the area consist of late Paleozoic limestone and chert, dipping gently southward to the north and west of Providence Lake. On the Marshall Crown-granted claim, pyrrhotite, pyrite, chalcopyrite, sphalerite, and minor magnetite, galena, and specular hematite occur in a garnet-chlorite skarn at the contact of limestone and rubbly chert, near the crest of an isoclinal fold. Highly altered quartz diorite occurs approximately 300 feet to the northwest of the mineralization.

- WORK DONE: Percussion drilling, nine holes totalling 1,000 feet on the Marshall claim; existing 200-foot-spaced grid lines were resurveyed and rechained at 100-foot intervals; magnetometer survey, reading every 25 feet covering mineral leases; atomic probe, on polished sections of some grab samples; preliminary metallurgical report on assay rejects.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 228; *B.C. Dept, of Mines & Pet. Res.,* GEM, 1971, p. 376; 1972, p. 33 (CALEDONIA, ANN).

PROVIDENCE	(82E/2E (82E/SE-1) (Fig. A, No. 112) By P. E. Olson
LOCATION:	Lat. 49° 07' Long. 118° 40' (82E/2E GREENWOOD M.D. Approximately 1.5 miles north of the centre o Greenwood, on Providence Creek, at approximately 2,700 fee elevation.
CLAIM:	PROVIDENCE (Lot 618).
OWNER:	W. E. MacARTHUR, Greenwood.
METALS:	Silver, gold, lead, zinc (production shown on Table I).
DESCRIPTION:	A high-grade gold-silver vein with some lead and zinc, lies in sheared argillite and volcanic rocks along the northern contact of a granodiorite stock.
WORK DONE.	The encycles could a trial chipment of any to the Trail employ late in th

- WORK DONE: The operator sent a trial shipment of ore to the Trail smelter late in the year.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1961, p. A47; B.C. Dept. of Mines & Pet. Res., Bull. 20, Pt. III, p. 13.

JEWEL-ENTERPRISE, ETHIOPIA (82E/SE-55, 151) (Fig. A, No. 36)

By P. E. Olson

- LOCATION: Lat. 49° 10′ Long. 118° 37′ (82E/2E) GREENWOOD M.D. Five and one-quarter miles northeast of Greenwood, extending southeast from the southern end of Jewel Lake, at approximately 3,800 feet elevation.
- CLAIMS: JEWEL (Lot 850), DENERO GRANDE (Lot 851), ANCHOR (Lot 1021), ENTERPRISE (Lot 1022), ETHIOPIA (Lot 932), PERSER-VERENCE (Lot 3088), GEM Fraction (Lot 1416), MASSACHUSETTS (Lot 1401) plus DENORO CHICO and DENORO CHICO Fraction located claims.

OWNER: W. E. McArthur.

OPERATOR: COLT RESOURCES LTD., 711, 475 Howe Street, Vancouver.

METALS: Gold, silver, lead.

- DESCRIPTION: In the claim area, an epithermal quartz vein carrying gold and silver tellurides and galena cuts a granodiorite intrusion in contact with altered volcanic rocks and quartzites.
- WORK DONE: Airphoto mapping, 1 inch equals 1,000 feet covering Denero Grande, Jewel, Enterprise, and Ethopia; reconnaissance underground geological mapping covering Jewel, Enterprise, and Ethiopia; surface diamond drilling, 11 holes totalling 3,000 feet and underground diamond drilling, 1 hole totalling 255 feet on Denero Grande; trenching, 300 feet on Denero Grande; 290 feet of underground work (12 by 6-foot shaft on Denero Grande with a view to developing the ore suggested by diamond drilling); surface workings mapped, 1 inch equals 50 feet on Jewel and Denero Grande.
- REFERENCE: Minister of Mines, B.C., Ann. Rept., 1933, p. 158 (DENTONIA).
SUE (Fig. A, No. 2)

LOCATION: Lat. 49° 02' Long. 119° 23' (82E/3W) OSOYOOS M.D. Four miles east of Osoyoos, astride Highway 3, on the southwest side of Anarchist Mountain between elevations of 2,800 and 3,700 feet.

CLAIMS: SUE 13, 15, 17, 19, 27 to 42.

OWNER: WHITE RIVER MINES LTD., 675, 555 Burrard Street, Vancouver.

- DESCRIPTION: The claims cover part of a northwest-trending contact zone between the metasedimentary Anarchist Group, consisting of greywacke, quartzite, and andesite, and the gneissic quartz diorites of the Nelson pluton. In the contact zone, the quartz diorite is increasingly foliated, then gneissic and fine grained toward the metasedimentary rocks where it is also cut by dacite dykes.
- WORK DONE: Ground magnetometer survey, approximately 17.6 line-miles covering all claims; surface geological mapping, 1 inch equals 200 feet and geochemical soil survey, 465 samples taken at 100 by 400-foot grid spacing, 9 line-miles, covering Sue 13, 15, 17, and 29-40.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 38; Assessment Reports 4381, 4548.

NIKKI (Fig. A, No. 102)

LOCATION:	Lat. 49° 00′	Long. 1	119 [°] 38′	(82E/4E)
	OSOYOOS M.D.	Seven and one-	half miles west-so	uthwest of Osoyoos,
	extending north	three-quarters	of a mile from	n the International
	Boundary, betwee	en 2,000 and 2,8	00 feet elevation.	
CLAIMS:	NIKKI 1 to 12.			
OWNER:	BONAVISTA MI	INING CORPOR	RATION LTD.,	315, 543 Granville
	Street, Vancouver	r.		
WORK DONE:	Magnetometer, el	lectromagnetic, a	and radiometric s	urvey, 34 line-miles

- covering all claims.
- REFERENCES: Assessment Reports 2219 (CAM, BB), 4759.

PASS (82E/SW-111) (Fig. A, No. 31)

LOCATION:	Lat. 49° 03′	Long. 119)° 33′	(82E/4E)
	OSOYOOS M.D.	Four miles west	of Osoyoos,	extending east from
	Blue and Kilpoola	a Lakes and north t	from the Inter	national Boundary to
	the Richter Pass H	lighway, at approxi	imately 3,000	feet elevation.
CLAIMS:	PASS 1 to 91, SK	l 1 to 16.		
OWNER:	CONE PROPERT	IES LTD., 14th	Floor, 1030	West Georgia Street,
	Vancouver V6E 2	Y3.		-
METALO.		••		

METALS: Copper, lead, gold, silver.

DESCRIPTION: The property is underlain by metasedimentary and metavolcanic rocks of the Kobau Group intruded by rocks of the Nelson batholith.

(82E/4E)

Scattered occurrences of copper, lead, gold, and silver mineralization occur in narrow lenses and veins of quartz within Kobau Group rocks. WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 58 line-miles; and geochemical soil survey, 3,100 samples, 58 line-miles covering all claims; percussion drilling, 10 holes totalling 2,695 feet on Pass 19, 23, 24, 53, 57, 89, and 91.

HORN SILVER	(82E/SW-2)	(Fig. A, No. 150)	By David Smith
LOCATION:	Lat. 49° 03'	Long. 119° 41'	(82E/4E)
	OSOYOOS M.D.	Ten miles west-northwest	of Osoyoos, covering
	Richter Mountair	n from the Similkameen River	road to Richter Creek.
CLAIMS:	Approximately 14	45 claims and fractions includin	ng UTICA, AMY, PINE,
	BEN, plus HORN	I SILVER (Lot 1928), SILVE	R BELL, and BRITISH
	Crown-granted cla	aims.	
	DANKOE MINES	SITD 2002 1177 West Hast	tinge Street Vancouver

OWNER:DANKOE MINES LTD., 2002, 1177 West Hastings Street, Vancouver;
mine address, Box 190, Keremeos; W. K. Beach, general manager.METALS:Silver, gold, copper.

DESCRIPTION: The ore occurs in a series of narrow, gently dipping quartz veins cutting a syenitic-dioritic host rock. Ore minerals, including argentite, tetrahedrite, pyrargyrite, cerargyrite, galena, sphalerite, pyrite, and chalcopyrite, occur² as irregular concentrations and bands within the vein system.

WORK DONE:

To date the mine has been developed by drifts and crosscuts on three principal levels. Room and pillar slusher stopes have been developed either directly from the drifts or by short access raises to the veins. Mining has been done exclusively by slusher stopes with drilling by Jackleg drills.

Development work in 1973 was restricted to initiation of rehabilitation of the mine. This work was aimed at resuming production in early 1974. Exploration work consisted of the commencement of diamond drilling on the lowest level of the mine. Approximately 350 feet was drilled in December.

The tailings impoundment dyke was raised to accommodate production for the years 1974 to 1976.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 394.

SUSIE	(82E/SW-	-90) (Fiç	j. A, No. 113)		Bγ	David Smith
LOCATIC	DN: La O so 1,	at. 49° 13' ISOYOOS outhwest fr ,900 feet ele	M.D. Three om Victoria evation.	Long. 119° 36' miles northwes Creek to Sawmill	t of Oliver, Creek, at app	(82E/4E) extending roximately
CLAIMS:	SU G FI	USIE (Lot REY GAB EDERAL, E	1917) plus LES, AGRIG ANKER (Lo	six other Crown-g COLA, TRES HE ts 2026 to 2031).	ranted claims ERMANOS, O	comprising AKVILLE,
OWNER:	Fa	airview Min	ing Company	Ltd.		

OPERATOR: HEM MINES LTD., Box 855, Oliver; Harold Hemmerick, manager.

METALS: Silica, silver, gold, copper, lead, zinc (production shown on Table I).

DESCRIPTION: Cretaceous granite of the Nelson plutonic rocks encloses quartz veins carrying pyrite, galena, chalcopyrite, and sphalerite.

WORK DONE: Open stoping, slusher, loading into 1-ton car using Emico loader; hoisted to surface on slope; trucked to Oliver for shipment by rail to the Trail smelter.

REFERENCE: Minister of Mines, B.C., Ann. Rept., 1964, p. 109.

MARS (TORRES) (82E/SW-108) (Fig. A, No. 3)

LOCATION: Lat. 49° 13' Long. 119° 40' (82E/4E) OSOYOOS M.D. Five and three-quarter miles northwest of Oliver, near the summit of the old Fairview-Cawston road, astride and extending east from Blind Creek:

CLAIMS: MARS 1 to 4, YORK 1 and 2, BAR 1 to 8, DOE 1 to 18.

OWNER: TOPPER MINING LTD., 1203, 1177 West Hastings Street, Vancouver.

METALS: Gold, silver, copper, lead, zinc (production shown on Table I).

- DESCRIPTION: The southern claims lie on the north side of a large roof pendant of Carboniferous Kobau chloritic schist with intercalated limestone, greenstone, and serpentine. The rest of the property is underlain by Nelson diorite and Valhalla granite and granodiorite. On the Mars 1 claim, quartz veins occupy shear zones in altered diorite and contain lenses and disseminations of pyrite, chalcopyrite, galena, sphalerite, arsenopyrite, tetrahedrite, silver, and gold.
- WORK DONE: Pace and compass geological survey, 1 inch equals 200 feet covering Mars 1-4, York 1 and 2, Bar 1-8; geological mapping, 1 inch equals 1,200 feet covering Doe 1-14 and 16-18.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1933, p. 167; 1934, p. D15; Assessment Reports 4383, 4637.
- JACK (Fig. A, No. 4)
- LOCATION: Lat. 49° 14′ Long. 119° 40′ (82E/4E) OSOYOOS M.D. Six miles northwest of Oliver, lying across the headwaters of Blind Creek, between 3,400 and 5,200 feet elevation. CLAIMS: JACK 1 to 26.
- OWNER: JETEX RESOURCES LTD., 430, 1155 West Georgia Street, Vancouver.
- DESCRIPTION: The property is underlain by quartz diorite, with some amphibolite zones, of the Nelson plutons and granite of the Valhalla plutons. The only sulphide noted was pyrite, both accompanied by limonite staining, contained in a quartz vein, and disseminated in granite within 60 feet of the lithologic contact.
- WORK DONE: Geochemical soil and rock chip survey, 275 samples, 13 line-miles and geological survey covering all claims.
- REFERENCE: Assessment Report 4382.

(82E/4E)

JOE, OLD NO. 9 (WALT, BUL) (82E/SW-28, 37, 54) (Fig. A, No. 22)

LOCATION: Lat. 49° 02.5' Long. 119° 35.5' (82E/4E) OSOYOOS M.D. Five and one-half miles due west of Osoyoos, extending west and south from Richter Lake between 1,800 and 3,900 feet elevation.

CLAIMS: WALT 1 to 16, 18, 22, 24, 26, 28, 30 to 40, BUL 1 to 26, BUD 1 to 3 Fractions, BILL 1 to 3 Fractions.

- OWNER: MULTIPLE MINING DEVELOPMENT LTD., 5017 Ross Street, Red Deer, Alta.
- METAL: Copper.
- DESCRIPTION: The southern two-thirds of the property is underlain by Kruger syenite and the northeast part by granodiorite and quartz diorite separated by a northwest-trending band of Kobau quartzite and quartz-mica schist. The quartzite and adjacent quartz diorite contain some disseminated pyrite, chalcopyrite, and bornite adjacent to the quartz and calcite veins.
- WORK DONE: 1972 VLF EM survey, 15.1 line-miles covering Walt 11-14, 31, 32, Bul 7-17, 19-24; 1973 – surface geological mapping, 1 inch equals 400 feet covering Bul 1-26, Walt 1-16, 31, 32, 38-40.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 39; Assessment Reports 4423, 4919.

PA (82E/SW-105) (Fig. A, No. 33)

LOCATION:	Lat. 49 [°] 09'	Long. 119° 56′	(82E/4W)		
	OSOYOOS M.D.	Six and one-half miles southwest	st of Keremeos, near		
	the head of Gillanders Creek, immediately west of Indian Reserve 13, at approximately 6,500 feet elevation.				
CLAIMS:	PA 1 to 18.				
OWNED		E EVELOPATION CORPORATI	ON 601 1112 West		

- OWNER: UNION CARBIDE EXPLORATION CORPORATION, 601, 1112 West Pender Street, Vancouver V6E 2S1.
- METAL: Tungsten.
- DESCRIPTION: In the claim area, tightly folded volcanic cherts, tuffs, and greenstones with minor intercalations, including lenses of limestone, carry scheelite mineralization in skarn lenses.
- WORK DONE: Surface diamond drilling, 13 holes totalling 827 feet on Pa 1.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 40.

KING EDWARD (SUSAP) (82E/SW-3) (Fig. A, No. 32)

- LOCATION: Lat. 49° 06' Long. 119° 49' (82E/4W) OSOYOOS M.D. Seven miles south of Keremeos, extending south from Susap Creek and north to Hunter Creek, between 3,000 and 3,500 feet elevation.
- CLAIMS: RON 1 to 21, DON 1 to 3, BUCK 11 to 26, SUP 3 to 6, SUSAP 2 Fraction and part of Indian Reserve 13.

- OWNER: Cro-Mur Mining and Exploration Co. Ltd.
- OPERATOR: CANADIAN OCCIDENTAL PETROLEUM LTD., 801, 161 Eglinton Avenue East, Toronto, Ont.

METALS: Copper, molybdenum, silver, gold.

- DESCRIPTION: The claims are underlain by a contact zone between a quartz monzonite porphyry batholith and volcanic and metasedimentary rocks. The Old Tom Formation has four mappable hybrid igneous units in this zone and carries hydrothermal mineralization consisting of pyrite, chalcopyrite, and molybdenite with minor values of silver and gold.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; underground geological mapping, 1 inch equals 20 feet (two adits, 200 feet); ground magnetometer survey, 80 line-miles covering all claims; geochemical survey, 80 line-miles, 3,200 soil samples and 498 rock chip samples covering all claims; surface diamond drilling, 1,000 feet on Sup 6; 4 miles of road reconstructed on Ron claims.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1962, p. 64; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 39.

JJ (82E/SW-114) (Fig. A, No. 103)

LOCATION: Lat. 49° 25' Long. 119° 54' (82E/5W) OSOYOOS M.D. Fourteen miles southwest of Penticton, on Shatford Creek, extending southwest to Keremeos Creek, between 4,300 and 5,300 feet elevation.

CLAIMS: JJ 1 to 32.

OWNER: J. J. Oberbillig.

OPERATOR: NEW NORTHCAL MINES LTD., 420, 475 Howe Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Batholithic granodiorite encloses a small roof pendant or large inclusion of quartz-biotite schist and gneiss. These rocks are truncated to the southeast by a fault zone underlying Shatford Creek. Near the fault the schist contains disseminated pyrite, pyrrhotite, and minor chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 193 samples taken at 200 by 400-foot and 800-foot grid spacing covering JJ 3-10 and 14-22.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 41; Assessment Report 4794.

HILL (82E/SW-113) (Fig. A, No. 34)

LOCATION:Lat. 49° 16'Long. 119° 41'(82E/5E)OSOYOOS M.D. Seven and one-half miles northeast of Keremeos,
astride the access road on the north side of Orofino Mountain, at
approximately 4,700 feet elevation.RevenueCLAIMS:HILL 2 to 5.OWNER:D. W. Vieweger.

OPERATOR: CRIPPLE CREEK RESOURCES LTD., c/o T. R. Tough and Associates, 602 West Hastings Street, Vancouver.

METAL: Gold.

- DESCRIPTION: The claim group is underlain by a medium-grained hypidiomorphic granular, grey granodiorite of the Osoyoos granitic intrusion. Mineralized irregular quartz veins are present within northwest-trending narrow shear zones which generally parallel a variable schistosity in the granodiorite.
- WORK DONE: Geochemical soil survey, 105 samples taken at 50-foot centres covering Hill 3 and 5.
- REFERENCE: Assessment Report 4604.

AU (82E/SW-112) (Fig. A, No. 35)

- LOCATION: Lat. 49° 18' Long. 119° 17' (82E/6W) OSOYOOS M.D. Twelve and three-quarter miles east-southeast of Okanagan Falls, on the east side of Fish Creek, 4 miles north of Vaseaux Creek, at approximately 4,600 feet elevation.
- CLAIMS: AU 1 to 6, RAIN 1 and 2.

OWNERS: K. G. Ewers, R. W. McLean, and K. G. Thompson.

OPERATOR: TECK MINING GROUP LIMITED, 700, 1177 West Hastings Street, Vancouver V6E 2K5.

METAL: Gold, silver.

- DESCRIPTION: Tertiary volcanic rocks are traversed by a northeasterly trending shear zone with associated silicified patches and bands and calcite veins. Rare fine-grained pyrite is exposed in Northwood Pulp Company's roadcut on the Au 2 claim.
- WORK DONE: Magnetometer survey, 4,500 feet; VLF EM survey, 4,500 feet; and geochemical soil survey, one-half line-miles, 63 samples at 50 by 200-foot grid spacing covering Au 2.
- REFERENCE: Assessment Report 4763.

FUR, FLO (DOORN) (82E/SW-101, 102) (Fig. A, No. 5) By P. E. Olson

- LOCATION: Lat. 49° 22' Long. 119° 06' (82E/6E) GREENWOOD M.D. Four and one-quarter miles south of Beaverdell, astride the West Kettle River and Eugene Creek, at approximately 4,000 feet elevation.
- CLAIMS: FUR, FLO, FILL, DOORN, RON, DIP, GOFUR, PLAN, LOR, AG, etc., totalling 119.

OWNER: Argentia Mines Ltd.

OPERATORS: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4 and ARGENTIA MINES LTD., 1460 Pandosy Street, Kelowna.

METALS: Copper, lead, zinc (production shown on Table I).

DESCRIPTION: The claims are underlain by zoned (?) Nelson plutons cut by hornblende feldspar dykes. Sphalerite, galena, and chalcopyrite occur as fracture fillings and disseminations in an altered granodiorite.

47

- WORK DONE: Rio Tinto Canadian Exploration Limited IP survey, 10.1 line-miles and magnetometer survey, 14.4 line-miles covering Fur 1-15, Flo 1-3, Dip 1, 3-8, Betty 1; geological and preliminary topographical mapping, 1 inch equals 400 feet and trench sampling covering Fur 1-12, Gofur 1-3, Dip 1-6, Plan 2-7; surface diamond drilling, nine holes totalling 3,287 feet on Fur 1, 2, 3, and 4; Argentia Mines Ltd. mined two truck loads (60 tons) of ore and shipped it to the Trail smelter.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 42; Assessment Reports 4384, 4385, 4851.

HIGHLAND	BELL	MINE	(82E/SW-30)	(Fig. A, No. 114)	By P. E. Olson

- LOCATION: Lat. 49° 26' Long. 119° 04' (82E/6E) GREENWOOD M.D. One and one-third miles due east of Beaverdell, at the head of Wallace Creek, at approximately 4,100 feet elevation.
- CLAIMS: Fourteen located and 31 Crown-granted claims including HIGHLAND LASS (Lot 2341) and BELL (Lot 2343).
- OWNER: TECK CORPORATION LTD., 700, 1177 West Hastings Street, Vancouver; mine office, Beaverdell.
- METALS: Silver, lead, zinc (production shown on Table I).
- DESCRIPTION: The mine is situated along 7,000 feet of mineralized structure within which a number of quartz-calcite vein systems occur. Intense block faulting which followed ore deposition has greatly complicated exploration and mining within the lode system.

WORK DONE:

Salvage of pillars and the extending of the abandoned stopes accounted for most of the production during the year. Jacklegs and stopers are used to slash out ore and slushers are used to move the ore to chutes. Country rock and vein material are both fairly weak and are also cut by numerous fractures and faults, making mining difficult. Thus far, there appears to be no general failure of hangingwall rocks, but local failure is quite common. Irregularity of the mineralized zones necessitates much exploration and diamond drilling, but does permit waste zones to be left as pillars to support the hangingwall.

The mill treated all produced ore and recovered 459,883 ounces of silver during the year.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1949, pp. 138-148; B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 42, 43.

SILVER DOLLAR, BARNATO, HACKLA (82E/SE-69, 109) (Fig. A, No. 6)

- LOCATION: Lat. 49° 29' Long. 118° 54' (82E/7W) GREENWOOD M.D. About 27 miles north-northwest of Greenwood, between the Kettle River and Triple Lakes, from Stewartson Creek north.
- CLAIMS: Mineral Lease M-400 comprising GOLDEN NUGGET (Lot 3142), THUNDER HILL (Lot 3143), SILVER DOLLAR (Lot 2842), GOLD DOLLAR FR., (Lot 2844), MONETOR, HUNTER, UTOPIA (Lots 2858 to 2860), YORKSHIRE LASS (Lot 3024), MAME (Lot 2864), KAFFIR KING (Lot 2646), SILVER BELL (Lot 2644).

(82E/8E)

OWNER: G. V. LLOYD, 607 Willowbrook Drive SE., Calgary, Alta.

METALS: Gold, silver.

DESCRIPTION: According to old reports, pyrite, pyrrhotite, and arsenopyrite are present as disseminations and in stocks, lenses, and fissures, in metamorphosed tuffs and lavas of the Wallace Group, which has been intruded by quartz diorite.

WORK DONE: Linecutting, 25 miles.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1900, p. 879 (HACKLA, SILVER DOLLAR); 1928, p. 255 (HACKLA, BARNATO FR.); 1938, pp. D-17-D22; *B.C. Dept. of Mines,* Bull. 1, 1932, p. 86; Assessment Report 4238.

DEER, PARK (82E/SE-162) (Fig. A, No. 7)

LOCATION: Lat. 49° 20' Long. 118° 02' (82E/8E) TRAIL CREEK M.D. Twenty-eight miles northeast of Grand Forks, 4,500 feet southwest of Mount Shields at approximately 5,000 feet elevation.

CLAIMS: DEER 11 to 20, 27 to 29, 31, 33 to 40, DEER Fraction, PARK Fraction, PARK 5 Fraction, PARK 6 to 12, 14 to 24, CAMEL 1 to 42. OWNERS: H. Veerman and William Botel (bill of sale to Amax Exploration Inc.

OWNERS: H. Veerman and William Botel (bill of sale to Amax Exploration, Inc., December 7, 1973).

OPERATORS: 1972 – WEST COAST MINING & EXPLORATION LTD., 205, 122 East 14th Street, North Vancouver; 1973 – AMAX EXPLORATION, INC., 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Molybdenum.

- DESCRIPTION: The Coryell monzonite to quartz monzonite pluton has been intruded by aphanitic feldspar porphyry and a swarm of syenite porphyry dykes, all of which are cut by a series of *en echelon* lenses of breccia. Pyrite, molybdenite, fluorite, chalcopyrite, sphalerite, hematite, and magnetite are present.
- WORK DONE: 1972 geochemical soil survey, biogeochemical survey, and self profile test pit on Deer 27 and 28 by West Coast Mining & Exploration Ltd.; 1973 –topography mapped; surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 21 line-miles; IP survey, 10 line-miles; and geochemical soil and rock chip survey, 609 samples, 21 line-miles covering Camel 1, 3, 5, Deer Fraction, and Deer 27-29, 31, 33, 34.
- REFERENCES: B.C. Dept. of Mines, Bull. 9, 1940, p. 16 (MIDAS); Assessment Reports 4236, 4867.

FUKI, DONEN (82E/NE-15, 41) (Fig.	A, No. 37)	1
-----------------------------------	------------	---

LOCATION: Lat. 49° 33' Long. 118° 52' (82E/10W) GREENWOOD M.D. About 35 miles southeast of Kelowna, from 2 to 4 miles west of the Kettle River, extending from Dear Creek to Lassie Lake, at approximately 4,250 feet elevation.

CLAIMS: FUKI 1 to 40, DONEN, totalling approximately 135.

(82E/11E, 6E)

OWNER: NISSHO-IWAI CANADA LTD., 801, 1111 West Hastings Street, Vancouver.

METAL: Uranium.

- DESCRIPTION: The local lithology consists of six mappable units: the so-called Anarchist Group of Paleozoic age, the Mesozoic Valhalla and Nelson plutons, the Tertiary Phoenix Group and Plateau Basalt Formation, the Tertiary Coryell plutons, and the Quaternary Beaverdell Formation. Radiometric anomalies equivalent to 0.02 per cent to 0.70 per cent U₃ O₈ have been recognized in two different formations over an area 1,200 feet by 2,500 feet. One is in the lower part of the Plateau Basalt Formation consisting mainly of the Lower Cup Lake Basalt Member overlying mudstone, sandstone, and conglomerate, and the other is in the Phoenix Group.
- WORK DONE: Surface diamond drilling, 4,240 feet covering Donen 281-320.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 43; Assessment Report 4630.

IVY, CAPCO, MAY (82E/NW-36; 82E/SW-29, 103, 104) (Fig. A, No. 40)

- LOCATION:Lat. 49° 30'Long. 119° 08'(82E/11E, 6E)GREENWOOD M.D.Twenty miles east of Penticton, extending north
from Carmi Creek to Ferroux Creek and including the town of Carmi.CLAIMS:IVY, CAPCO, MARY-O, JUSTIN, etc., totalling approximately 175
claims and Mineral Lease M-290 comprising MAY (Lot 2355).
- OWNER: J. V. HINKS, 755 Francis Avenue, Kelowna.
- METALS: Molybdenum, copper.

DESCRIPTION: Molybdenite with minor pyrite, chalcopyrite, and associated fluorite occurs in a breccia pipe within the contact zone of Cretaceous granodiorite.

- WORK DONE: Linecutting.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 44; Assessment Report 4682.

ROSEMONT (82E/NW-46) (Fig. A, No. 25)

LOCATION:	Lat. 49° 31′	Long, 119°01′	(82	2E/11E)
	GREENWOOD M.D.	About 7 miles northe	east of Beaverdell, as	tride St.
	John Creek, at approx	imately 4,400 feet ele	evation.	
CLAIMS:	QUIS 1 to 4.			
OWNER:	Herman O. Plank.			
OPERATOR:	AUSTRO-CAN EXPL	ORATIONS LTD.,	2050, 777 Hornby	Street,
	Vancouver V6Z 1S4.			
METALS:	Gold, silver.			
DESCRIPTION:	The claims are underla	in by the Wallace Fo	rmation consisting la	rgely of
	granitized sedimentary	rocks, some of which	h are limy, which ha	ve been
	intruded and surround	led by quartz diorite	Pyrite and pyrrhot	ite with

minor chalcopyrite are present in the silicified wallrock.

WORK DONE: VLF EM survey, 3.2 line-miles covering Quis 1-4.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1937, p. D23; Assessment Report 4521.

CU (ARLINGTON, CAPTAIN GORDON) (82E/NW-1, 15) (Fig. A, No. 41)

- LOCATION: Lat. 49° 35' Long. 119° 05' (82E/11E) GREENWOOD M.D. Twenty-four and one-quarter miles east-northeast of Penticton, extending westerly from the top of Arlington Mountain and south from the south end of the Arlington Lakes.
- CLAIMS: CU 1 to 14, 16.
- OWNER: D. C. MITCHELL, 928 Mapledale Place SE., Calgary, Alta.
- METAL: Copper.
- DESCRIPTION: In the claim area, gneissic diorite and quartz diorite are traversed by chlorite-biotite-hornblende schist zones and intruded in the northeast by porphyritic granite of the Beaverdell batholith. Chalcopyrite and pyrite occur in quartz veins in the diorite, and in the schist bands; in the schist they are sparsely disseminated, but locally form massive lenses.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 176 samples taken and dithizone-tested for total heavy metals covering CU 3-14 and 16.
- REFERENCES: Geol. Surv., Canada, Mem. 79, p. 129; Assessment Report 4720.

ELK, DKD, BRU (82E/NW-5, 6, 41-45) (Fig. A, No. 24)

- LOCATION: Lat. 49° 36' Long. 119° 05' (82E/11E) GREENWOOD M.D. Twenty-six and one-half miles southeast of Kelowna, south of Arlington Lakes, astride the West Kettle right-ofway.
- CLAIMS: DKD 1 to 6, BRU 15 to 23.
- OWNER: K. F. BRUNNING, 424 Lake Moraine Road SE., Calgary, Alta.
- METALS: Copper, molybdenum, lead, zinc, iron.
- DESCRIPTION: The claims are mainly underlain by gneissic quartz diorite and diorite. These rocks contain inclusions of Anarchist greenstone in the south part of the property which is cut by a band of chlorite-biotitehornblende schist along the east side. Tertiary basalt forms a capping along the western edge of the claims. Chalcopyrite, sphalerite, galena, and molybdenite occur in quartz veins cutting altered diorite. Chalcopyrite also occurs with pyrite in and near shear zones in all three older rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 150 samples taken on 200 by 750-foot grid spacing and tested with dithizone in a field laboratory, covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 407; 1971, p. 399; Assessment Report 4461.

FAP, SIG, DAN (82E/NW-48) (Fig. A, No. 43)

LOCATION: Lat. 49° 37' Long. 119° 51' (82E/12W) OSOYOOS M.D. Approximately 7 miles west of Summerland, astride Trout Creek and the Canadian Pacific Railway, extending east from Crump station.

CLAIMS: FAP 1 and 2, SIG 1 to 11, DAN 1 to 8, APIA 1 to 12, OCTO 1 to 4, SUN 1 and 2.

- OWNER: AUSTRO-CAN EXPLORATIONS LTD., 2050, 777 Hornby Street, Vancouver V6Z 1S4.
- METAL: Copper.
- WORK DONE: VLF EM survey, reading taken at 50-foot intervals, and 5.7 miles of linecutting covering Fap 1 and 2.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 392; Assessment Report 4691.
- ROY (Fig. A, No. 8)
- LOCATION:Lat. 49° 58'Long. 119° 42'(82E/13E)VERNON M.D. Ten and one-half miles northwest of Kelowna,
surrounding Lambly Lake and extending north astride Lambly Creek.CLAIMS:ROY 59 to 66, 89 to 112, 119 to 122, 128 to 135, A 1 and 2, A
Fraction.
- OWNERS: Wharf Resources Ltd. (formerly French Exploration Limited) and Coseka Resources Limited.
- OPERATOR: WHARF RESOURCES LTD., 2190, 1055 West Hastings Street, Vancouver.

METALS: Copper, zinc, cadmium.

- DESCRIPTION: Most of the grid area is reportedly underlain by Cache Creek Group rocks which are overlain by, or in contact with, Eocene or Oligocene andesites, tuffs, or shales east of Lambly Lake.
- WORK DONE: Linecutting and ground magnetometer survey, 15 line-miles covering most of the claims.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.*, GEM, 1970, p. 407; Assessment Reports 4242, 4272.

PB (Fig. A, No. 42)

LOCATION:Lat. 49° 45'Long. 119° 08'(82E/14E, 11E)GREENWOOD M.D.Seventeen miles southeast of Kelowna, astride
the Canadian Pacific Railway, one-half mile east of Hydraulic and
Haynes Lakes, at approximately 3,900 feet elevation.CLAIMS:PB 81 to 179.OWNER:NISSHO-IWAI CANADA LTD., 801, 1111 West Hastings Street,
Vancouver.

- DESCRIPTION: Plateau basalt, with a thin layer of sandstone and conglomerate at its base, unconformably overlies Coryell intrusions and older rocks. Anomalous radioactivity was found in the sandstone and conglomerate and locally in vesicular basalt.
- WORK DONE: Claims surveyed; surface geological mapping, 1 inch equals one-half mile and radiometric survey, 13 line-miles covering PB 91, 100, 114, 115, 117, 120, 127, and 139; surface diamond drilling, eight holes totalling 1,962 feet on PB 81-140.
- REFERENCE: Assessment Report 4629.

PAY DAY (82E/NE-37) (Fig. A, No. 104)

LOCATION: Lat. 49° 53' Long. 118° 29' (82E/16W) VERNON M.D. Two and one-quarter miles east-northeast of Lightning Peak, immediately west of Rampalo Creek, at approximately 6,100 feet elevation.

CLAIMS: PAY DAY 1 and 2.

OWNER: K. L. DAUGHTRY, R.R. 4, Vernon.

METALS: Silver, zinc, copper, lead, minor gold.

- DESCRIPTION: Metamorphosed calcareous tuff of the Anarchist Group of Upper Paleozoic to Mesozoic age has been broken by several slips and shear zones and injected by many calcite veins and veinlets. Pyrite, sphalerite, chalcopyrite, and galena occur as disseminated grains, fracture fillings, stringers, blebs, and massive lenses in quartz-carbonate gangue in intensely altered, fractured, and faulted rock.
- WORK DONE: Geological mapping of the Pay Day 2 adit at a scale of 1 inch equals 20 feet.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 300 (WATERLOO NO. 3); Assessment Report 4857.

NELSON 82F

LIZ B (82F/S	iE-5) (Fig. A, No. 115)
LOCATION:	Lat. 49° 12′ Long. 116° 34′ (82F/2E)
	NELSON M.D. Seven and one-half miles north-northwest of Creston,
	on Wilds Creek, between 2,200 and 4,000 feet elevation.
CLAIMS:	LIZ B 1 to 4, TAG 1 to 5.
OWNER:	ASPEN GROVE MINES LTD., 3428 East 28th Avenue, Vancouver.
METALS:	Silver, lead, zinc.
DESCRIPTION:	Pyrite, sphalerite, and galena are present in fractures and along layers in
	limestone and quartzite on the Liz B claims.
WORK DONE:	Linecutting, 5 miles of grid.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 322; Assessment
	Report 4888.

INVINCIBLE, EAST DODGER (82F/SW-234) (Fig. A, No. 152)

By R. I. Thompson

LOCATION:	Lat. 49 [°] 06′		Long, 1	117° 1:	3'		(8	2F/3E)
	NELSON M.	D. Six	and one-hal	f miles	south	southe	ast of Sa	lmo, on
	Iron Mountai	n, at 5,0	00 feet eleva	ation.				
CLAIMS:	PICKWICK (Lot 120	87), MARK	TAPL	EY (L	ot 232	27), BRY	CE FR.
	(Lot 14890), INVINCIBLE (Lot 12084), CODY FR. (Lot 14				(Lot 1489	9), plus		
	other adjoini	ng claims	3.					
OWNER:	CANEX PL	ACER	LIMITED,	700,	1030	West	Georgia	Street,
	Vancouver; m	ine offic	ce, Salmo.					
METAL:	Tungsten (pro	oduction	shown on T	able I)				
DESCRIPTION:								

EAST DODGER: The East Dodger tungsten orebody was found as a result of drilling to test an easterly extension of the Jersey lead-zinc mine. The orebody was brought into production in 1970 to complement the mining of the Invincible orebody. Access to the mine is from the 4200 Dodger crosscut, the portal of which is on the west slope of Iron Mountain. Trackless mining methods were used. The main workings are between 4100 and 4400 levels and in an area between mine coordinates 8900-9200E and 6900-7600N (see Fyles and Hewlett, 1959, Fig. 9).

The orebody is within parts of the following claims – Pickwick (Lot 12087), Mark Tapley (Lot 12117), and Bryce Fraction (Lot 14890). Mining operations were terminated in September of 1973 due to lack of accessible ore.

Tungsten mineralization (scheelite) at the East Dodger mine occurs with garnet-bearing skarn adjacent to the granitic Dodger stock, where the stock intrudes the upper limb of the recumbent Jersey anticline. The relationship of the orebody to the surrounding geology is shown diagrammatically on Figure 4 compiled from several sections belonging to Canex Placer Limited. Mineralization is confined to skarn beds within the Truman and Reeves Members of the Laib Formation which are contained within a re-entrant, or trough, of the Dodger stock formed by a tongue of granite extending upward from the main intrusion. In the area mined the orebody is nearly horizontal at its western contact with the stock but rises rapidly eastward and is overturned at its eastern extremity. Figure 4 also shows the relationship between the East Dodger tungsten orebodies and the lead-zinc orebodies of the Jersey mine. They occur within the lower part of the Reeves Member and are older than the Dodger stock and the tungsten orebodies.

In the mine area, the Truman Member consists of variegated calc-silicate skarn, quartzitic argillite, micaceous quartzite, and marble; the Reeves Member comprises banded grey and white medium to coarse crystalline marble.

The orebody consists of three mineralized zones called the upper lime, middle skarn, and lower lime zones. In each, scheelite occurs in light brown and green garnetiferous diopside skarn. The upper and lower ore zones are bounded by marble whereas the middle zone is in contact with unmineralized skarn, argillite, and marble of the Truman Member. The tungsten ore is roughly conformable with layering but is not stratiform. Individual mineralized areas have irregular outlines, are discontinuous along layers, and may transect layering. Continuity is further disrupted by numerous crosscutting granite and lamprophyre dykes. Scheelite ore normally occurs within or coincident with garnet-bearing zones.







Detailed nature of ore zones is shown on Figure 5, a compilation of four sections, 25 feet apart, projected into a common plane (7100N). Figure 6 is a lower hemisphere plot of poles to bedding which shows a regular distribution and defines a fold axis trending 190 degrees and plunging 10 degrees. The geology was projected along this orientation into the 7100N plane of section to construct Figure 5. Contacts between the zones are shown to be regular, defining distinct lithological breaks, but in fact the contacts are discontinuous gradations of skarn, argillite, and marble.



Figure 6. Lower hemisphere equal area plot of poles to bedding (+) and fold hinge direction (.) across the East Dodger mine at approximately 7100N and between 8975E and 9250E.

Mining was selective and confined to the more gently dipping parts of the ore zones, in particular the middle skarn zone which is thickest and has the greatest lateral continuity. Average width of ore mined was 8 to 10 feet but the thickness of the middle skarn zone exceeded 30 feet near its western limit adjacent to the Dodger stock.

Stratigraphic and structural relations in the Jersey anticline at Iron Mountain are illustrated diagrammatically on Figure 7 (taken from Fyles and Hewlett, 1959, p. 68). Complex interdigitations of the Truman and Reeves Members result from complex recumbent isoclinal folding and thrust faulting. The East Dodger mine is in the right-side-up limb near the contact of these two formations, and the major distribution of rock units is probably governed by these structures which were subsequently refolded about more steeply dipping axial planes and intruded by the Dodger stock. The presence of attenuated isoclinal folds in the mine with axial planes parallel to the regional layering support this interpretation.



Figure 7. Diagrammatic section of the Jersey anticline on the south slope of Iron Mountain, showing the Reeves limestone (pattern) and underlying Truman Member.

INVINCIBLE: The Invincible orebody is adjacent to the western margin of the Dodger stock where it transects flat-lying beds of the Reeves limestone. It is on the Invincible (Lot 12084) and Cody Fraction (Lot 14899) claims between mine coordinates 9500N to 10,000N and 7500E to 8800E (see Fyles and Hewlett, 1959, Figures 9 and 10, section E-E'); elevation of the main workings is between 3,300 and 3,600 feet. The orebody is rectangular in plan and trends north 20 degrees east. Access is by means of a decline trackless haulageway from the west slope of Iron Mountain.

The Invincible orebody is in the overturned limb of the Jersey anticline (Fig. 7) and is bounded above and below by skarn and argillite of the Truman and Emerald Members of the Laib Formation respectively. Most of the tungsten ore (scheelite) occurs in lenticular zones which extend at a high angle from the granitic stock, more or less conformable with layering of the marble. In cross section the ore appears as irregular jagged zones to which the descriptive term 'ore flame' was applied by mine geologists. In longitudinal section the flames are discontinuous and irregular. Ore zones extend up to 80 feet from the stock, and may be more than 10 feet thick, but most ore does not extend beyond 20 feet

from the stock and is typically less than 8 feet thick. Continuity of ore along strike seldom exceeds a few tens of feet. Ore grades as high as 7.6 per cent WO_3 (across 1.6 feet) were encountered. However, 0.75 to 1.50 per cent WO_3 are more typical of ore-grade material.

Some of the ore zones comprise aggregates of angular rock fragments enclosed in secondary coarse crystalline quartz; the scheelite is contained within the fragments which consist of diopside and garnet-rich skarn.

WORK DONE:

Production from the East Dodger and Invincible mines began in October 1970 and ceased in September 1973, bringing to an end more than 25 years of continuous mining of lead-zinc and tungsten ore on Iron Mountain by Canex Placer Limited. Between March 1971 and September 1973, 282,779 tons of ore with an average grade of 0.65 per cent WO_3 was produced from the Invincible mine and between May 1970 and August 1973, 225,094 tons with an average grade of 0.54 per cent WO_3 was produced from the East Dodger. On September 28 and 29, the entire plant and townsite were disposed of by auction and clean-up including removal of the buildings was proceeding at the end of the year and is expected to be complete late in 1974.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 47, 48; Fyles, James T. and Hewlett, C. G., 1959, Stratigraphy and Structure of The Salmo Lead-Zinc Area, B.C. Dept. of Mines & Pet. Res., Bull. 41.

HB	(82F/SW-4) (Fig. A., No	. 118)	By P. E. Olson
LOCA	TION:	Lat. 49° 09'	Long. 117° 12'	(82F/3E)
		west side of Asp	en Creek, one-half mile north of	Sheep Creek.
CLAI	MS:	HB (Lot 12672)), GARNET (Lot 10809), ZINC	TON (Lot 10810), and
		many other Crow	wn-granted and located claims.	
OWNE	R:	COMINCO LTD	., Trail.	
META	LS:	Lead, zinc (prod	luction shown in Table I).	
DESC	RIPTION:			

The HB mine is located within the Kootenay Arc in an assemblage of latest Proterozoic and Early Paleozoic sedimentary rocks. These units comprise quartzites and argillites overlain successively by limestones and argillites. Mineralization occurs in dolomitized limestone of the Reeves Formation.

The HB deposit consists of the main mine zone and a separate zone referred to as the Garnet orebody. The main mine is contained within a large fold of the Reeves limestone where sulphides occur as steeply dipping stringers or in flat-lying breccia zones. This orebody is limited by structural disturbance to the south.

Mineralization consists of pyrite, sphalerite, and galena; the lead-zinc ratio being 2:9.

WORK DONE:

The mill started in February and operated continuously throughout the year.

Stoping was done by jackleg slashing in the smaller ore sections and by longhole methods in the main mine. Broken ore was slushed to ore passes and then hauled from the mine via diesel-powered conventional trains.

Trailings were piped from the mill to a tailings pond area about 2 miles south of the operation. Testing of the main tailings dam was carried out during the fall, prior to raising this structure. The pondage area was cleared of old trees prior to being used.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 48.

NUGGET (82	?F/SW-40) (Fi	ig. A, No. 117)	By P. E. Olson
LOCATION:	Lat. 49° 10′	Long. 117° 07′	(82F/3E)
	NELSON M.D.	Seven and one-half miles east	t-southeast of Salmo, 1.2
	miles due south	of Reno Mountain, at 6,100 fe	et elevation.
CLAIM:	NUGGET (Lot	8341) Crown-granted claim.	
OWNER:	S. A. ENDERSI	BY, 1124 Lee Street, White Roo	:k.
METAL:	Gold (productio	on shown on Table I).	
DESCRIPTION:	The Nugget w gold-bearing qu Formation.	vorkings are located in the S Jartz veins lie within quartzite	heep Creek area where s of the Quartzite Range
WORK DONE: REFERENCES:	Selected dump Minister of Min Dept. of Mines	rock was shipped to the Trail sr <i>nes, B.C.,</i> Ann. Rept., 1958, p & <i>Pet. Res.,</i> Bull. 31, pp. 26, 31	nelter. b. 38; 1961, p. 68; <i>B.C.</i> I, 40, 77.

RENO (82F/SW-36) (Fig. A, No. 116) By P. E. Olson

- LOCATION:Lat. 49° 11'Long. 117° 08'(82F/3E)NELSON M.D.Seven miles east of Salmo, on the southwest slope of
Reno Mountain, at 6,500 feet elevation.CLAIM:RENO (Lot 12684) Crown-granted claim.
- OWNER: S. A. ENDERSBY, 1124 Lee Street, White Rock.
- METAL: Gold (production shown on Table 1).
- DESCRIPTION: The Reno mine was a major gold producer within the Sheep Creek camp. Production came from northerly trending quartz veins which cut the Quartzite Range Formation.

WORK DONE: Some ore was salvaged from dumps and shipped to the Trail smelter.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 400; 1972, pp. 48, 49 (Sheep Creek Camp).

JACK POT (82F/SW-12 to 15) (Fig. A, No. 44)

LOCATION: Lat. 49° 15' Long. 117° 09' (82F/3E, 6E) NELSON M.D. Six and one-half miles northeast of Salmo, extending southwest from the junction of Porcupine and Active Creeks, astride and to the west of Spot Creek.

(82F/3W)

CLAIMS: HUNTER V (Lot 2212), DOUBLE STANDARD (Lot 2213), MERCIA FR. (Lot 2224), ELDORADO (Lot 5198), CHIHUAHUA (Lot 5199) Crown-granted claims plus INK SPOT, JACK POT, ACE, JAMESONITE, CANADIAN BOY, CANADIAN GIRL, TWO SPOT, SPOT Fraction, CHIEF, JAY, CHIEF Fraction, JAY Fraction, JAMESONITE Fraction, ELM 5 Fraction, RUSH 1, RUSH 1 Fraction. OWNER: New Jersey Zinc Exploration Company (Canada) Ltd.

OPERATOR: COMINCO LTD., 200 Granville Square, Vancouver.

METALS: Lead, zinc, minor cadmium.

DESCRIPTION: The claims are underlain by isoclinally folded Lower Cambrian carbonate rocks of the Mural Formation in the south Kootenay Arc. Lead-zinc mineralization localized in dolomitized structures includes massive sulphides within dolomite envelopes. This is described as a concordant Salmo-subtype deposit.

WORK DONE: Surface diamond drilling, six holes totalling 2,100 feet on Two Spot.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 241; *B.C. Dept. of Mines* & *Pet. Res.,* Bull. 41, pp. 121-126.

LOCATION: Lat. 49° 01′ Long. 117° 22′ (82F/3W) NELSON M.D. At Remac, extending north from the International Boundary on both sides of the Pend-d'Oreille River.

CLAIMS: A large block of Crown-granted and located claims in and around Remac including ANNEX 1 (Lot 14070), INTERNATIONAL LEAD 2 (Lot 12492), DREADNAUGHT (Lot 14034), and RIVER (Lot 14036). OWNER: REEVES MacDONALD MINES LIMITED, Remac.

METALS: Lead, zinc (production shown on Table I).

DESCRIPTION: The Reeves and adjoining ore zones at Remac are mainly faulted sections of one main ore zone in the Reeves limestone. The limestone has been dolomitized and subsequently replaced in part by galena, sphalerite, and pyrite.

WORK DONE:

While some ore was produced at the Reeves mine on a salvage basis, the main supply of ore came from the Annex mine on the south side of the Pend-d'Oreille River. The Annex mine is developed by a long adit and an internal shaft. The orebodies in the Annex are developed by haulage and access levels and are stoped by means of sublevels which are slashed out to the full width of the orebodies on 25-foot vertical intervals. The remaining ore is drilled by longhole methods. Broken ore is slushed into chutes and hauled by cars to the shaft pocket. After hoisting, the ore is hauled by train to a surface dump, then loaded into dump trucks and hauled to the crushing plant via about 1 mile of road.

Development amounted to 9,000 feet and diamond drilling amounted to 7,000 feet during the year. During the second half of 1973, an effort was made to find sufficient ore to justify construction of a tailings pond and upgrading of main underground workings.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 49.

ANNEX, REEVES MacDONALD MINE (82F/SE-26 to 29, 219) (Fig. A, No. 119) By P. E. Olson

JOB (Fig. A, No. 9)

LOCATION: Lat. 49° 02′ Long. 117° 53′ (82F/4W) TRAIL CREEK M.D. Four miles southwest of Rossland, astride the Rossland-Cascade Highway, extending southwest from the Ivanhoe Ridge.

CLAIMS: JOB 1 to 46, 48 to 51, JOB 47 Fraction.

OPERATOR: MINERAL RESOURCES INTERNATIONAL LIMITED, 100, 330 Fifth Avenue SW., Calgary, Alta.

- DESCRIPTION: The claims are underlain by ultrabasic rock, mostly serpentinite. On the west they abut younger Coryell plutonic rocks, mostly syenite, and to the east the serpentine joins altered greenstones of the Rossland Formation. Some of the serpentine is highly altered with pronounced development of steatite. Magnetite and chromite are present with the serpentine in a diatreme and in several dykes.
- WORK DONE: Magnetometer survey covering all claims.

REFERENCE: Assessment Report 4269.

BLUE BIRD	(82F/SW-145, 146)	(Fig. A, No. 124)	By P. E. Olson
LOCATION:	Lat. 49° 04′	Long. 117° 48′	(82F/4W)
	TRAIL CREEK M.D	. One-half mile south o	of the Rossland municipal
	boundary, astride Tra	il Creek, at 2,900 feet el	evation.

CLAIMS: BLUE BIRD (Lot 1053), COPPER QUEEN (Lot 1210), OLLA PODRIDA (Lot 799) Crown-granted claims.

OWNER: Ross Island Mining Co. Ltd.

OPERATOR: STANDONRAY MINES LTD., 2086 St. Paul Street, Rossland.

METALS: Gold, silver, lead, zinc (production shown on Table I).

DESCRIPTION: The Blue Bird vein strikes westerly, is very steep, and is enclosed in volcanic rocks of the Mount Roberts Formation and augite porphyry. The ore is very complex, containing galena, sphalerite, pyrite, arsenopyrite, stibnite, and pyrrhotite in a gangue of quartz.

WORK DONE: A mill, erected at the property in 1972, was put into operation but failed to produce satisfactory concentrates. Consequently, ore was shipped directly to the Trail smelter.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 49, 50.

IXL	(82F/SW-	116)	(Fig. A,	No. 12	1)	By P. E. Olson
LOCAT	10N:	Lat. 49°	°04′		Long. 117° 50'	(82F/4W)
		TRAIL	CREEK	M.D.	About 2 miles west	of the centre of Rossland,
		on the s	outheast	slope o	of O.K. Mountain, at 3	,300 feet elevation.
CLAIM	:	IXL (Lo	ot 679).			
OPERA	TOR:	J.A. RU	ELLE, F	Rossland	d (under lease).	
METAL	:	Gold (p	roductio	n show	n on Table I).	

DESCRIPTION: Narrow, gold-bearing veins are located in fine-grained andesite of the Mount Roberts Formation. In places, the andesite is altered to serpentine or peridotite and is cut by northerly trending lamprophyre dykes. Gold values are erratic and hence ore shoots are small.

WORK DONE: Underground rehabilitation and some stoping were done by lessees who hand sorted about two sacks of very rich gold ore and also shipped a small amount of ore to the Trail smelter.

REFERENCE: Minister of Mines, B.C. Ann. Rept., 1967, p. 235.

MIDNIGHT	(82F/SW-119)	(Fig. A, No. 122)	By P. E. Olson
LOCATION:	Lat. 49° 04'	Long. 117 [°] 50′	(82F/4W)
	TRAIL CREE	K M.D. About 2 miles west o	f the centre of Rossland,
	on the southea	st slope of O.K. Mountain, at 3,	200 feet elevation.
CLAIMS:	MIDNIGHT (I	_ot 1186) Crown-granted clai	m and several adjoining
	claims.		
OWNER:	Tull Mines Ltd.		
OPERATOR:	CONSOLIDAT	ED CINOLA MINES LTD., 1	650, 777 Hornby Street,
	Vancouver.		
METAL:	Gold (producti	on shown on Table I).	
DESCRIPTION	: The principal	country rock in the vicin	ity of the property is
	fine mained an	desite of the Mount Deborte E	ormation locally altored

fine-grained andesite of the Mount Roberts Formation, locally altered to serpentine. The Midnight vein is somewhat irregular with a northerly strike and steep westerly dip. Gold is visible in parts of the vein.

- WORK DONE: About 219 tons of ore, mainly cleaned up from the idle mill on the property, was shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 403.

COLUMBIA, KOOTENAY (82F/SW-150, 151) (Fig. A, No. 120) By P. E. Olson

- LOCATION: Lat. 49° 05' Long. 117° 47' (82F/4W) TRAIL CREEK M.D. One mile northeast of the centre of Rossland, on the east side of Columbia Kootenay Mountain, at 3,500 feet elevation.
- CLAIMS: COLUMBIA (Lot 694), KOOTENAY (Lot 697), and adjoining Crowngranted claims.

OWNER: Cominco Ltd.

OPERATOR: ROSSLAND MINING SCHOOL, Rossland.

- WORK DONE: The property was mined to known limits of ore and then left idle for many years. In 1973 the property was turned over to the Rossland Mining School for training purposes. Services were provided, buildings erected, and sites prepared for open-pit and underground training of mine operators. The school operated throughout the year, training approximately 150 men.
- REFERENCES: *Geol. Surv., Canada*, Mem. 77, p. 128; *Minister of Mines, B.C.,* Ann. Rept., 1941, p. 72.

(82F/4W)

GIANT, NOVELTY, ST. ELMO (82F/SW-106 to 109, 134 to 136)

(Fig. A, No. 45)

- LOCATION: Lat. 49° 05' Long. 117° 49' (82F/4W) TRAIL CREEK M.D. One and one-quarter miles northwest of the centre of Rossland, just outside the municipal boundary, extending south and southwest from the peak of Red Mountain, between 4,000 and 5,000 feet elevation.
- CLAIMS: Three mineral leases M-5 (LITTLE DARLING, Lot 1043), M-14 (VICTOR, Lot 1062), and M-17 (NORTHERN BELLE, Lot 644; VIEW, Lot 645; and SNOWSHOE, Lot 1347); 11 Crown-granted claims – GERTRUDE (Lot 690), SURPRISE (Lot 693), GOLDEN QUEEN (Lot 994), ST. ELMO (Lot 923), CONSOLIDATED ST. ELMO (Lot 924), CLIFF (Lot 921), GIANT (Lot 997), NOVELTY (Lot 958), GOLD KING, EVENING, and EUREKA; four located claims – HARKOFF Fraction, CROWE HUNTER, VERNON Fraction, and HARDOR Fraction.

OWNER: Cascade Molybdenum Mines Ltd.

OPERATOR: MINE FINDERS, INC., 8700 West 14th Avenue, Lakewood, Colorado 80215.

METAL: Molybdenum.

DESCRIPTION: The claims are underlain by brecciated hornfels of the Mount Roberts Formation in which discontinuous disseminations and veinlets of pyrrhotite, arsenopyrite, pyrite, and molybdenite have been observed.

- WORK DONE: Surface geological mapping, 1 inch equals 200 feet and geochemical soil survey, 189 samples covering Gertrude, Surprise, Golden Queen, St.
 Elmo, Consolidated St. Elmo, Victor, Cliff, Gold King, Giant, Harkoff Fraction, Little Darling, Crowe Hunter, Evening, Eureka, Vernon Fraction, and Novelty.
- REFERENCE: Minister of Mines, B.C., Ann. Rept., 1968, p. 237.

COXEY MINE (82F/SW-110, 111, 137) (Fig. A, No. 123)

LOCATION:	Lat. 49° 05′	Long. 117° 49'	(82F/4W)			
	TRAIL CREEK M.D.	One and one-half miles nor	thwest of the centre			
	of Rossland, on the w	est slope of Red Mountain,	between 4,000 and			
	5,000 feet elevation.					
CLAIMS:	COXEY (Lot 1221) plus 11 other Crown-granted claims comprising					
	OPHIR, JUMBO, HIGH ORE, NEVADA, GOOD FRIDAY, ONTARIO,					
	MT. VIEW, PEAK, SOUTHERN BELLE, SAM HAYES, EDDIE J and					
	six located claims comprising TOR 1 and 2 Fractions and GREY 1, 2,					
	9, and 10.					
OWNER:	The International Nick	el Company of Canada Limit	ted.			
OPERATOR:	MINE FINDERS, INC.	, 8700 West 14th Avenue, I	Lakewood, Colorado			
	80215.					
METAL:	Molybdenum.					

- DESCRIPTION: Mineralization occurs in brecciated and hornfelsed units of the Mount Roberts Formation and consists of irregularly distributed disseminations and veinlets of pyrrhotite, pyrite, magnetite, molybdenite, scheelite, and chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 50 feet covering Mt. View, Nevada, and Coxey and 1 inch equals 200 feet covering Ophir, Peak, Sam Hayes, Good Friday, Grey 9, Grey 10, Jumbo, and High Ore; geochemical soil survey, 52 samples covering Nevada, Mt. View, Sam Hayes, and Good Friday; surface diamond drilling, 13 holes totalling 4,330 feet on Coxey, Nevada, Mt. View, and Good Friday; C and D pits surveyed at 1 inch equals 50 feet; road construction, one-quarter mile on Mt, View and Good Friday.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 50, 51.

PORTO RICO, SPOTTED HORSE (82F/SW-189, 190) (Fig. A, No. 125)

By P. E. Olson

- LOCATION: Lat. 49° 19' Long. 117° 20' (82F/6W) NELSON M.D. Nine miles north-northwest of Salmo, on Barrett Creek and the divide between Barrett and Craigtown Creeks, between 4,200 and 5,600 feet elevation.
- CLAIMS: PORTO RICO (Lot 2385), SPOTTED HORSE (Lot 5375), and several other Crown-granted claims.

OWNER: MURRAY ZULPS AND ASSOCIATES, Ymir.

METALS: Gold, silver.

- DESCRIPTION: The vein on this property is a quartz-filled fissure striking northeasterly and dipping around 45 degrees to the northwest. Country rocks comprise augite porphyry and a sill of augite feldspar porphyry with the productive part of the vein in the latter. The vein averages about 2 feet in width and is mineralized by pyrite and gold, the latter grading about 1 ounce per ton in stoped areas.
- WORK DONE: Some portals were reopened on the Porto Rico and a small shipment of ore, mined from the backs of drifts, was readied for shipping to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 51.

SILVER KING (82F/SW-176) (Fig. A, No. 46)

- LOCATION: Lat. 49° 25' Long. 117° 18' (82F/6W) NELSON M.D. Four and one-half miles south of Nelson, extending northwest from the lake at the head of Noman Creek to the east branch of Giveout Creek.
- CLAIMS: Five located claims COD Fraction, SHERI Fraction, BRENDA Fraction, JIM Fraction, GOLDENDALE Fraction; Mineral Lease M-60 – IVANHOE (Lot 416); 28 Crown-granted claims – SILVER KING (Lot 141) and Lots 140, 142, 105, 231, 233, 235, 236, 244, 245, 247, 371, 411, 412, 414, 417, 685, 976, 3252, 3254, 3255, 1054, 2541, 7304, 7305, 7436, 12273, and 12274.

OWNER: Silver King Mines Ltd.

OPERATOR: SPROAT SILVER MINES LTD., 333, 885 Dunsmuir Street, Vancouver.

METALS: Copper, silver (gold, lead).

DESCRIPTION: The area is underlain by augite porphyries of the Rossland Formation which have been intruded by fine-grained porphyritic syenites to quartz diorites. On the Silver King claim, the intrusion of monzonite stocks and dykes resulted in the development of strong shear and tension fractures which were later mineralized. Orebodies were located at the intersection of three of these veins, striking south 60 degrees east with a vein striking due east-west.

- WORK DONE: Linecutting and time-domain IP survey, 10.6 line-miles; geochemical soil survey, 200 samples taken at 200 by 500-foot grid spacing covering Lots 140, 142, 105, 231, 233, 235, 236, 244, 245, 247, 371, 411, 412, 414, 416, 417, 685, 976, 3252, 3254, 3255, 1054, 2541, 7304, 7305, 7436, 12273, 12274, and 7895.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 242; Assessment Report 4701.

GOODENOUGH	(82F/SW-73)	(Fig. A, No. 126)	By P. E. Olson
LOCATION:	Lat. 49° 19'	Long. 117° :	11' (82F/6E)
	NELSON M.D.	Nine and one-half n	niles north-northeast of Salmo,
	west of Huckleb	erry Creek, approxima	tely 1 mile north of Ymir Creek,
	at 4,300 feet elev	vation.	
CLAIM:	GOODENOUGH	(Lot 13025) Crown-g	ranted claim.
OPERATORS:	E. B. CARLSON	, L. MASURA, and P. I	MARCHINEK, Ymir.
METAL:	Gold (production	n shown on Table I).	
DESCRIPTION:	The Goodenous	gh lode system lies	mainly within schists of the

DESCRIPTION: The Goodenough Tode system fies mainly within schists of the Pend-d'Oreille series and is more or less conformable with foliation of the enclosing rocks. As indicated by stoping, which has been extensive, ore shoots occur mainly in the western workings of the old mine.

WORK DONE: A small shipment of ore was mined and shipped to the Trail smelter.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 440; Geol. Surv., Canada, Mem. 191, pp. 34-37.

YMIR	(82F/SV	N-74)	(Fig. A, N	o. 127)				By P. E. Olson
LOCATIO	SN:	Lat. 49°	20′	L	.ong. 117° 10′			(82F/6E)
		NELSO	M.D. T	en miles	north-northea	st of	Salmo,	approximately
		2,000 fe	et west of	Hucklebe	rry Creek, at 3,	700 f	eet eleva	ation.
CLAIMS:		YMIR (I	_ot 1708) (Crown-gra	anted claim and	seve	ral ad j oii	ning claims.
OWNER:		Murray 2	Zulps.					
OPERAT	OR:	A. M. G.	ERUN, Nel	son.				
METALS	:	Gold, sil	ver, lead, z	inc (prod	uction shown o	n Tał	ole I).	

(82F/6E)

- DESCRIPTION: The Ymir vein is a quartz-filled fissure striking northeasterly and dipping steeply to the northwest. This vein, which varies in width from a few feet to nearly 40 feet, lies within Pend-d'Oreille schists.
- WORK DONE: Some rehabilitation work was done and, where backs were down, ore was salvaged and shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 440.

GOLDEN AGE, EUPHRATES (82F/SW-185, 186) (Fig. A, No. 105)

By P. E. Olson

- LOCATION: Lat. 49° 23' Long. 117° 13' (82F/6E) NELSON M.D. Seven and one-half miles south-southeast of Nelson, astride Highway 6, between 3,000 and 4,000 feet elevation.
- CLAIMS: PIA 1 to 10, EVA 1 to 9, MIKE 2, 4, 6, 8, A 1 to 8, ACE 1 to 4, PETE 1 to 5, CONTACT 1 to 6.

OWNER: ROBERT MINES LTD., 2050, 777 Hornby Street, Vancouver.

- METALS: Gold, silver, lead, zinc, tungsten, copper (production shown on Table 1).
- DESCRIPTION: The property is underlain by metamorphosed augite porphyry and andesite belonging to the Triassic Rossland volcanic rocks. The schistosity strikes north 40 degrees west and dips southwesterly. A tongue of Nelson granite crops out 800 feet southwest of the Euphrates workings. Mineralization occurs largely in quartz shear zones which strike parallel to the schistosity. Metallic minerals are pyrite, chalcopyrite, sphalerite, tetrahedrite, galena, aikinite, scheelite, gold, and silver.
- WORK DONE: Work consisted of completely rehabilitating the main Golden Age adit on Pia 7 which was made ready for further development and production. Approximately 1,500 feet of rail was laid and three stopes were cleaned out and made safe. Waste material, totalling approximately 350 tons, was removed from underground and the drift was widened. Two diamond-drill holes totalling 164 feet were completed on A 3 and 4 claims. A test shipment was made to the Trail smelter. Additional prospecting led to 1,720 square feet of trenching and stripping on Pia 3.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 52.
- ICE (82F/SE-74) (Fig. A, No. 47)
- LOCATION:Lat. 49° 20'Long. 116° 06'(82F/8E)FORT STEELE M.D.Twenty-four and three-quarter miles northeast
of Creston, surrounding the junction of the Moyie River, south Moyie
Creek, and Cooper Creek, at approximately 5,000 feet elevation.CLAIMS:ICE 1 to 24.OWNER:COMINCO 1_TD., Box 2000, Kimberley.METAL:Titanium.

DESCRIPTION: Quartzite and argillite belonging to the middle part of the Aldridge Formation have been intruded by a metagabbro sill (dyke?). A single diamond-drill hole cored metagabbro only.

WORK DONE: Surface diamond drilling, one hole totalling 221 feet on Ice 12.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 52.

LEADER (WELLINGTON) (82F/NE-60) (Fig. A, No. 26)

- LOCATION: Lat. 49° 32′ Long. 116° 08′ (82F/9E) FORT STEELE M.D. Twelve and one-half miles east of Angus Creek, 5 miles southeast of the east end of St. Mary Lake, up to one-half mile east of Angus Creek, at approximately 5,700 feet elevation. CLAIMS: JIM 1 to 8.
- OWNER: URSUS MINERALS LTD., 2601, 505 Fourth Avenue SW., Calgary, Alta.
- METALS: Gold, silver, lead, minor copper, tungsten.
- DESCRIPTION: Galena, chalcopyrite, pyrite, (tetrahedrite?), and scheelite occur with quartz along a fault contact between the Creston and Kitchener-Siyeh Formations. The claims are underlain by argillite and quartzite, which have been intruded by a pegmatitic stock.
- WORK DONE: Geochemical soil survey, 255 samples taken on a grid spacing of 200 by 400 feet, 6.5 line-miles, covering Jim 4 and 8.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 53 (JIM); Assessment Reports 661, 4459.

RICE (QUARTZ MOUNTAIN) (82F/NE-55) (Fig. A, No. 128) By P. E. Olson

- LOCATION:Lat. 49° 34'Long. 116° 04'(82F/9E)FORT STEELE M.D.Five and one-half miles southeast of the east end
of St. Mary Lake, at the head of Sawmill Creek, at 6,100 feet elevation.CLAIMS:LONE EAGLE (Lot 14951), QUARTZ CREEK (Lot 14952).
- OWNER: PETER LANE, 327 Ninth Avenue South, Cranbrook.
- METALS: Gold, silica (production shown on Table I).
- DESCRIPTION: Massive quartz outcrops near the head of Sawmill Creek, a tributary of Perry Creek from the northwest. Portions of the quartz showings are mineralized with pyrite, chalcopyrite, gold, and silver but the structure is somewhat obscure in spite of trenching and diamond drilling.
- WORK DONE: About 1,373 tons of ore was mined from surface showings and shipped to the Trail smelter.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1933, p. 201; 1934, p. E30.

(82F/9E)

POLARIS (82F/NE-54, 101) (Fig. A, No. 48)

LOCATION: Lat. 49° 37' Long. 115° 59' (82G/12W; 82F/9E) Report on this property in section 82G/12W.

SULLIVAN MINE (82F/NE-52) (Fig. A, No. 129)

By P. E. Olson

- LOCATION: Lat. 49° 42' Long. 116° 01' (82F/9E; 82G/12W) FORT STEELE M.D. The operations in and around the Sullivan mine lie within the city limits of Kimberley and extend west to Matthew Creek.
- CLAIMS: The company owns 680 Crown-granted claims including SHYLOCK (Lot1385), HAMLET (Lot 1386), HOPE (Lot 1387), GEN FR. (Lot 4050), STONEY FR. (Lot 4051), OWEN SOUND BOY FR. (Lot 6190), MAC (Lot 6189), KING GEORGE (Lot 10210), WINNIE FR. (Lot 11992), XL FR. (Lot 11993), FINY FR. (Lot 11995), MOYIE FR. (Lot 11996), BEN FR. (Lot 11997), TRAIL FR. (Lot 11998), ERIC (Lot 11999), DEER FR. (Lot 12000), ALTA FR. (Lot 12001), KARL (Lot 12002), ETHEL FR. (Lot 12011), SEATON FR. (Lot 12527), JEW (Lot 2409) and 582 located claims including LUKE, LATE, MAR, MAT, etc.
- OWNER: COMINCO LTD., 200 Granville Square, Vancouver; mine office, Kimberley.

METALS: Silver, lead, zinc, iron (production shown on Table I).

DESCRIPTION:

MINE GEOLOGY

Stratigraphy: The Sullivan mine ore zone occurs at the transition between the Lower and Middle Aldridge Formations. The footwall stratigraphy comprises a rhythmic succession of thinly stratified graded beds ranging from fine-grained, dirty quartzite to argillite. The rocks overlying the ore zone are thickly bedded and much more arenaceous.

Immediately above the ore zone is a series of repeated siltstones with intercalated argillites which give way to a zone of quartzites, the upper of which lie some 100 to 150 feet above the general ore zone. The immediate footwall is marked by a large lens of intraformational conglomerate which occurs throughout much of the mine area.

Structure: The ore zone at the Sullivan mine occupies a broad anticline which plunges to the north. The crest of the anticline coincides approximately with the western margin of the orebody, which may be described as somewhat similar to an inverted saucer. Beds in the mine generally dip east. Dips in the upper part of the mine are between 0 degrees and 20 degrees while, lower down, dips up to 50 degrees may occur, with the average being between 30 degrees and 35 degrees. Some minor folding and flexing occur in portions of the ore zone, but no systematic trends have been established. A series of faults trending 10 degrees east of north cut through the orebody with a consistent east-side-up displacement ranging from a few feet to more than 100 feet. This group of faults is referred to as 'Sullivan type,' and is typified by the largest member which occurs near the western side of the mine. Just to the north of the mine is a prominent northeast-striking, north-dipping fault. This fault has major displacement, bringing rocks of the Creston Formation into contact with the Aldridge of the mine stratigraphy and involves a stratigraphic displacement in excess of 10,000 feet.

(82F/9E)

Economic Geology: The Sullivan ore zone is localized within a generally conformable zone between 200 and 300 feet thick. It rests either on the footwall intraformational conglomerate or on the regularly bedded footwall sequence. In the lower portions of the mine, the stratigraphy within the ore zone is extremely regular and consists of a number of interbedded bands of sulphides and barren rock within which sedimentary structures are preserved in great detail.

In the upper portions of the mine, the delicate layering is not present except in small patches. In this upper portion of the mine, large areas of massive ore occur. In addition, there are zones of essentially pure iron sulphide with little or no lead or zinc.

Mineralogy and Petrography: The principal sulphides in the Sullivan mine orebody are pyrrhotite, sphalerite, galena, and pyrite. Chalcopyrite and arsenopyrite are minor constituents. Boulangerite is locally prominent, and jamesonite and tetrahedrite have also been identified. Magnetite is fairly common in some parts of the orebody, and cassiterite is widely present in small amounts. In the oxide zone, sericite and pyromorphite are quite common.

Wallrock Alteration: Extensive and pronounced alteration is associated with large areas of the western portion of the ore zone. In the footwall the most striking feature is an extensive zone of tourmalinization which has given rise to the dark bluish black to brown rock locally referred to as 'chert.' In this rock, the argillaceous fraction of the original sediment has been completely altered to an anastomosing network of tourmaline needles.

WORK DONE:

During 1973, 2,214,415 tons of Sullivan ore was treated at the concentrator which operated for 233 days.

Development driven totalled approximately 32,000 feet, and underground core-hole diamond drilling about 3,900 feet. Backfill totalled 519,940 cubic yards of float rock and cave.

Longhole drilling underground totalled approximately 397,000 feet while surface core-hole drilling totalled approximately 3,600 feet on the Mar 17 and Advance 2 claims.

The U-13-30 pillar blast in August with 81 tons of explosives was the largest blast (tons of explosives) to take place underground at the Sullivan mine to date.

The rock mechanics section continued to work on monitoring techniques to improve mining methods at the Sullivan mine. Extensive surveillance was carried out in relation to subsidence on the surface of the Sullivan mine, including two helicopter surveys.

The ventilation system handled approximately 975,000 cubic feet per minute of primary air.

Intake air heating plants at Nos. 1, 24, and 41 shafts operated from October 1972 to April 1973, using natural gas, with combined input of 44.3 million Btu per hour to heat approximately 650,000 cubic feet per minute. In October 1973, the capacity of No. 24 shaft was increased to provide approximately 300,000 cubic feet per minute of intake air. A direct-fire heater was installed at No. 33 shaft designed to heat approximately 200,000 cubic feet per minute for 50 degrees Fahrenheit maximum design temperature increment of intake air. This requires 12 million Btu per hour input. At the end of 1973, a total of 87,000 cubic feet per minute of intake air was heated by a combined input of 56.3 million Btu per hour.

Oxidation continued in one producing pillar. The area has been isolated from the regular mine ventilation network and the SO_2 gas produced exhausts directly to surface via Nos. 14, 31, 34, and 42 shafts and open caves.

A 550-foot, 8 by 8-foot plywood tunnel was installed at No. 24 shaft to supply No. 1 shaft mine section with intake air relatively low in SO_2 contamination. No. 1 and No. 24 shaft air supply was monitored continuously for SO_2 by autometer recording machines.

Technical Development

- (1) *General:* The Sullivan mine technical development department continued to provide services to other mines and divisions within Cominco, and to be involved in cooperative ventures with other companies and government agencies.
- (2) Rock Drilling: Blasthole diamond drilling of 2 7/8-inch holes in broken ground using improvised equipment was a success and indicated room for further development.
- (3) Explosives: (a) Operational development of slurry blasting agents in underground operations continued, with appreciable technical improvement achieved; (b) A start was made on investigation of space technology detonating systems which have potential safety features far beyond anything now in regular use in mining; (c) A share was taken in providing data on which shipping rules for ammoniumnitrate/ fuel oil explosives were promulgated.
- (4) *Backfilling:* Extensive work was done to determine basic design criteria for the Radmark pneumatic back filling systems.
- (5) *Ventilation:* Computer programmes were developed for calculating complicated ventilation systems.
- (6) Sulphide Oxidation: Oxidation mechanisms for complex sulphide ores having tendency for self combustion were studied and sufficient understanding was developed to be able to indicate when a risk existed, using assay data and a computer programme.
- (7) Hearing Conservation: Basic work on reverberation and resonance phenomena was started. Significant improvements in protective standards were achieved.

Safety: In 1973 the Sullivan mine had 59 lost-time accidents; there were 11 at the concentrator. Accident frequency per 1,000,000 man-hours worked was 50.8 at the mine and 26.9 at the concentrator. Severity rate per 1,000,000 man-hours worked was 1,770 calendar days at the mine and 1,199 at the concentrator. Fifteen Sullivan mine and concentrator employees obtained or renewed their industrial first-aid certificates, and 38 employees passed their St. John Ambulance first-aid examinations. Twelve Sullivan mine employees obtained their mine-rescue certificates, making a total of 422 since training first started in 1929.

Employees at year end totalled 670 at the mine and 225 at the concentrator.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 54, 55; Assessment Report 4902.

(82F/9W)

JAG, EVANS, GOODHOPE, FALLER, WHITEFISH

(82F/NE-69, 70, 71, 72, 126) (Fig. A, No. 10)

LOCATION: Lat. 49° 34' Long. 116° 19' (82F/9W) FORT STEELE M.D. About 6 miles west-southwest of St. Mary Lake, extending from Meachen Creek up the northwest slope of Mount Evans. CLAIMS: JAG 1 to 58.

OWNERS: J. A. GILBERT, 4701, Toronto-Dominion Centre, Toronto, Ont. and A. HOPKINS, 810 Duplex Avenue, Toronto, Ont.

METALS: Copper, lead.

- DESCRIPTION: The claims worked on contain seven showings, all of them quartz or quartz-calcite veins in shear zones and tension fractures in diorite sills which intrude sedimentary rocks of the Aldridge Formation. In and adjacent to these veins are chalcopyrite, pyrite, pyrrhotite, and minor galena with tetrahedrite and malachite and azurite-staining in places.
- WORK DONE: Linecutting and prospecting, 66,500 feet of line; geological mapping; geochemical soil and rock survey, 51,500 feet covering Jag 1-14, 23-33, 35, 37, 57, and 58.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1906, p. 251 (FALLER); 1915, pp. 110-112 (WHITEFISH CREEK AREA); 1920, p. 118 (WHITE-FISH); 1934, p. E29 (EVANS); Geol. Surv., Canada, Mem. 228, p. 57 (EVANS); Geol. Surv., Canada, Paper 52-15, p. 5; Assessment Report 4235.

CHICAGO, SNOW KING (82F/NE-108, 109) (Fig. A, No. 11)

- LOCATION: Lat, 49° 34' Long. 116° 39' (82F/10E) NELSON and FORT STEELE M.D. Ten and one-half miles south of the post office at Crawford Bay, near the headwaters on the north side of La France Creek.
- CLAIMS: Mineral Leases M-62 (CELEBRATION, Lot 7229) and M-63 (ECHO, Lot 7232); PEG 1 to 14.
- OWNERS: E. Denny and J. Denny.
- OPERATOR: E. DENNY, R.R. 1, Nelson.

METALS: Lead, zinc.

- DESCRIPTION: The claims are underlain by intensely folded limestone, dolomite, argillaceous schist, and chloritic schist possibly of the Horsethief Creek series and a conglomerate thought to be the Toby Formation. Galena, sphalerite, chalcopyrite, pyrite, and some tetrahedrite are present in quartz, calcite, and minor barite veins in siliceous, limonite-stained limestone, as disseminations in brecciated buff dolomite, and as disseminations and replacements in siliceous limestone.
- WORK DONE: Linecutting; geochemical silt and soil survey, 52 samples covering Celebration and Peg 5, 9, 11; geological mapping covering Celebration, Echo, and Peg 1, 3-6, 9, 11, 13, 14; trenching on Peg 9; old Snow King adit cleared on Peg 5.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1900, p. 855 (SNOW KING); 1926, pp. 283, 284; Assessment Report 4387.

UNITED COPPER (82F/NE-99) (Fig. A, No. 49)

- LOCATION: Lat. 49° 43' Long. 116° 36' (82F/10E) SLOCAN and FORT STEELE M.D. Ten and three-quarter miles east-northeast of Crawford Bay Post Office, extending northeast from Cogle Pass, at the headwaters of Sawyer Creek, between 6,500 and 7,200 feet elevation.
- CLAIMS: UNITED COPPER 2, 3, 9 to 12, LIMESTONE 3 to 8, 10 to 12, 14 to 16.
- OWNERS: F. W. Cartwright Jr., A. Mores, W. J. Gardner, J. D. Bond, and Cogle Copper Limited.
- OPERATOR: COGLE COPPER LIMITED, 704 Railway Street, Nelson.
- METALS: Copper, silver, lead, zinc.
- DESCRIPTION: Quartz veins and inclusions containing chalcopyrite, sphalerite, galena, pyrite, and pyrrhotite occur along a shear zone and in foliated zones in chlorite schist. Bornite, with silver minerals, occurs as replacements in limestone and quartzite.
- WORK DONE: Surface diamond drilling, two holes totalling 85 feet on United Copper 2 and 3; trenching, 1,150 feet on United Copper 3; stripping, 25 by 25 by 15 feet on United Copper No. 2.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 55.

HUMBOLT (82F/NE-47) (Fig. A, No. 50)

- LOCATION: Lat. 49° 45' Long. 116° 39' (82F/10E, 15E) SLOCAN and FORT STEELE M.D. Nine miles east of Riondel, astride Crawford Creek, extending from Spring Creek northeast to St. Mary River, between 5,200 and 6,400 feet elevation.
- CLAIMS: HUMBOLT (Lot 2015), SAILOR BOY (Lot 2016), JOAN 1 to 71, ELLEN 1 to 3, HOPE 1 to 6, DA-RI 1 and 2, ELEANOR, GEM 3, GEM Fraction, VI 1 to 8, SILVER ACE, SILVER KING, SILVER QUEEN, SILVER JACK, SILVER TEN, SILVER NINE, SILVER EIGHT, SILVER SEVEN, SILVER SIX, SILVER FIVE.

OWNER: ROSE PASS MINES LTD., 630A – 17th Avenue SW., Calgary, Alta.

METALS: Silver, lead, zinc.

- DESCRIPTION: Quartz veins in black argillaceous rocks contain galena, sphalerite, chalcopyrite, stannite, and pyrite.
- WORK DONE: Surface geological mapping covering Silver Ace, Silver King, Silver Queen, Silver Jack, Silver Ten, Silver Nine, Silver Eight, Silver Seven, Silver Six, and Silver Five; surface diamond drilling, 13 holes totalling 1,920 feet on Humbolt, Joan 2, and Ellen 1.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 56.

CRAW (Fig. A, No. 51)

LOCATION: Lat. 49° 39' Long. 116° 51' (82F/10W) SLOCAN M.D. One-half mile southwest of Crawford Bay Post Office, extending down the Crawford Peninsula, surrounding McGregor Lake, at approximately 2,500 feet elevation.

CLAIMS: CRAW 1 to 31.

OWNER: COMINCO LTD., 200 Granville Square, Vancouver.

METALS: Lead, zinc, copper.

DESCRIPTION: The claims are underlain by the Hamill and Badshot Formations and the Lardeau Group of Late Precambrian and Early Paleozoic age. Hamill Formation in the area is represented by pink quartzite and quartz mica schist, the Badshot Formation is coarse-grained limestone, and the Lardeau Formation is black siltstone and argillite. Mineralization consists of a number of mineralized boulders in fill overlying the Badshot limestone.

WORK DONE: Horizontal-loop EM and magnetometer surveys, 18.2 line-miles each covering Craw 1-5, 7-18, 21, 27, and 29; gravity survey, 0.25 line-mile.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 56; Assessment Report 4814.

BJ (Fig. A, No. 29)

LOCATION:	Lat. 49 [°] 40'	Long. 116 [°] 50′	(82F/10W)
	SLOCAN M.D.	On the west side of the head	of Crawford Bay and
	including Crawfo	ord Bay settlement.	
CLAIMS:	BJ 1 to 8.		
OWNER:	RICHARD DEAL	NE, 1832 Butte Street, Rossland	
DESCRIPTION:	The claims are a	t least partially underlain by lin	nestone of the Badshot
	Formation.		
WORK DONE:	Linecutting and '	VLF EM survey, 1.6 line-miles co	overing BJ 1-3.
REFERENCE:	Assessment Repo	ort 4510.	

SILVER HOARD, DELLIE, LITTLE MAY (82F/NE-24) (Fig. A, No. 130)

By P. E. Olson

LOCATION:	Lat. 49 [°] 45'	Long. 116° 57′	(82F/10W)
	SLOCAN M.D.	Two miles northwest of Ainsworth	, immediately south
	of Cedar Creek, a	at approximately 4,600 feet elevation	on.
CLAIMS:	Mineral Lease N	A-365 comprising SILVER HOARI	D (Lot 10712) and
	DELLIE Fractio	n (Lot 10711).	
OWNER:	Silver Hoard Min	ies Limited.	
OPERATOR:	R. B. SAVAGE,	Taghum.	
METALS:	Silver, lead (proc	luction shown on Table I).	
DESCRIPTION:	The Dellie mine	workings disclosed mineralization i	n shear zones near a
	contact between	black argillite and limestone. Fold	ing of the limestone
	appears to effect	a control over mineralization.	

(82F/14W)

- WORK DONE: R. B. Savage used a ¾-yard shovel to escavate the main dump and subsequently shipped 891 tons of this material to the Trail smelter. The material shipped to Trail graded around 4.3 ounces per ton silver.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 460; B.C. Dept. of Mines & Pet. Res., Bull. 53, pp. 106-109.

MARMION, MARYLAND (82F/NW-141) (Fig. A, No. 136) By P. E. Olson Long. 117° 18' Lat. 49° 45' LOCATION: (82F/14W) SLOCAN M.D. Seven and one-half miles east of Slocan, about 1,000 feet north of Tagart Creek, at approximately 6,000 feet elevation. CLAIMS: MARMION (Lot 4975) and MARYLAND (Lot 4976). OWNER: Gordon Cleland. **OPERATORS:** M. R. MAZE and partner, Box 398, Castlegar. METALS: Gold, silver (production shown on Table I). DESCRIPTION: The property has been developed by a short adit and crosscut at an elevation of approximately 6,000 feet. WORK DONE: Seven tons of ore, grading around 0.63 ounce per ton gold and 2.0 ounces per ton silver, was mined from the sidewalls and backs of the old workings and shipped to the Trail smelter. REFERENCE: Minister of Mines, B.C., Ann. Rept.; 1941, p. 63.

OTTAWA (82	F/NW-155) (F	ig. A, No. 132)		By P. E. Olson
LOCATION:	Lat. 49° 47'	Long. 11	7 [°] 24′	(82F/14W)
	SLOCAN M.D.	Two and one-hal	f miles northeast of	Slocan City,
	1,000 feet east	of Algiers Creek,	a tributary of Sprin	ger Creek, at
	approximately 5	,000 feet elevation.		
CLAIMS:	OTTAWA (Lot 4	968) and other adj	pining claims.	
OWNER:	Slocan Developm	ent Corporation Li	mited.	
OPERATOR:	MIKE POZNIKO	FF, Slocan City.		
METALS:	Silver, lead, zinc	(production shown	on Table I).	
DESCRIPTION:	The Ottawa mine	e workings, which a	re quite extensive, are	within a large
	northerly trendi	ng zone of shearin	g and brecciation. Di	ips vary from
	nearly flat to ab	out 45 degrees eas	sterly. Ore zones are	usually quite
	small but carry s	ignificant values in	silver with minor lear	d. Quartz and
	barite are the p	principal gangue m	inerals. Country rock	c is a coarse-
	grained feldspar	porphyry of the Ne	son granite.	
WORK DONE:	Mike Poznikoff	produced several sn	all shipments from st	topes between
	No. 8 and No. 9	levels, and above I	No. 8 level. Ore recove	ery is a salvage

operation around old stopes and is becoming very difficult. REFERENCE: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 56.

(82F/14W) By P. E. Olson

MARY (82F/NW-208) (Fig. A, No. 137)

- LOCATION: Lat. 49° 48' Long. 117° 17' (82F/14W) SLOCAN M.D. Eight and one-half miles east-northeast of Slocan City, immediately west of Timber Creek, between 4,900 and 5,500 feet elevation.
- CLAIMS: MARY 1 to 4 located claims which cover the area previously named JUMBO.
- OWNERS: S. and Mary Berisoff.
- OPERATOR: S. BERISOFF, Silverton.

METALS: Gold, silver, lead, zinc (production shown on Table 1).

- DESCRIPTION: A flat-dipping shear zone strikes easterly and dips southerly on the south side of Enterprise Creek, immediately west of Timber Creek. Country rock is a feldspar porphyry of the Nelson batholith.
- WORK DONE: A short tunnel was driven and about 14 tons of vein material was selected and sent to the Trail smelter.

ANNA (82F/NW-154) (Fig. A, No. 108)

- LOCATION: Lat. 49° 48' Long. 117° 23' (82F/14W) SLOCAN M.D. Four miles northeast of Slocan City, on the south slope of Ottawa Hill, extending west from Little Tim Creek, at approximately 5,300 feet elevation.
- CLAIMS: SALLY, CHARLES, HENRY, MAY Fraction.
- OWNER: SILVER BENN MINES LTD., Box 74, Slocan City.
- METAL: Silver.
- DESCRIPTION: Native silver, argentite, stephanite, and tetrahedrite occur in siliceous stringers and lenses in two parallel shear zones in granite porphyry of the Nelson batholith.
- WORK DONE: A small test hole drilling programme was conducted on the Anna mine, with assay results running from 0.06 to 13.39 ounces of silver per ton.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1927, pp. 271-281; 1960, pp. 76, 77; 1966, p. 219; *Geol. Surv., Canada,* Mem. 184, pp. 167-168.
- REPUBLIC (82F/NW-167 to 169) (Fig. A, No. 56)
- LOCATION: Lat. 49° 48' Long. 117° 27' (82F/14W) SLOCAN M.D. Two miles north-northeast of Slocan City, astride and extending to the headwaters of Climax and Scorpion Creeks, between 3,300 and 4,650 feet elevation.
- CLAIMS: ERIN (Lot 1530), BLACK BESS NO. 3 (Lot 3263), EVENING STAR NO. 9 (Lot 5235), ERIN FR. (Lot 5236), SUNLIGHT FR. (Lot 5319), BONANZA NO. 3 (Lot 5497), REPUBLIC NO. 2 (Lot 5498), AMERICAN EAGLE (Lot 5499), BELL NO. 2 (Lot 5500), VE FR. (Lot 5501), EVENING STAR NO. 9 FR. (Lot 7058), ROSS 1 to 19, ROSS 7 Fraction, AJ Fraction.

OWNERS: Tandem Resources Ltd. and D. Vigouret.

- OPERATOR: DENU MINES & DEVELOPMENT LTD., 5316 Fleming Street, Vancouver.
- METALS: Silver, gold, lead, zinc.

DESCRIPTION: The property overlies syenite, quartz, and quartz feldspar porphyries, granite, and quartz diorite phases of the Nelson batholith which are cut by quartz veins and lamprophyre dykes. Native silver, argentite, galena, sphalerite, bornite, chalcopyrite, and pyrite occur in quartz veins.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer and VLF EM surveys, approximately 40 line-miles each; geochemical soil survey, approximately 200 samples covering all claims.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 57; *Geol. Surv., Canada,* Mem. 184, p. 167 (NORTHERN LIGHT), p. 170 (CLUB), p. 184 (REPUBLIC); Assessment Report 4877.

ENTERPRISE	(82F/NW-148)	(Fig. A, No. 135)	By P, E. Olson				
LOCATION:	Lat. 49° 49′	Long. 117° 20'	(82F/14W)				
	SLOCAN M.D.	Seven miles northeast of Slocan	City, immediately east				
	of Nepawa Creel	<, at approximately 4,700 feet ele	evation.				
CLAIM:	ENTERPRISE (Lot 1014) Crown-granted claim.					
OWNER:	Enterprise Silver	Enterprise Silver Mines Ltd.					
OPERATORS:	L. M. FRIED, New Denver (and others).						
METALS:	Silver, lead, zinc (production shown on Table I).						
DESCRIPTION:	: The Enterprise mine has been the biggest producer of silver-lead-zinc						
	ore in the area	and has been worked intermitte	ently since 1894. The				
	Enterprise lode :	strikes northeasterly and dips ste	eply to the southwest.				
	Coarse-grained porphyry of the Nelson batholith is the underlying rock						
	in the area, cut i	n a few places by basic dykes.					
WORK DONE:	Hand-sorted ore the Trail smelter	, mainly from No. 5 and No. 6	levels, was shipped to				

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 57.

DALHOUSIE	(82F/NW-146)	(Fig. A, No. 12)	
LOCATION:	Lat. 49° 49'	Long. 117 [°] 21'	(82F/14W)
	SLOCAN M.D.	Six and one-half miles northeas	st of Slocan City, south
	of Enterprise Cr	eek astride Bondholder Creek.	
CLAIMS:	EO 1 to 10, JJ 1	to 10, PEDRO, DINERO.	
OWNER:	CASCO INDUS	TRIES LTD., 1035 King Georges	Way, West Vancouver.
METALS:	Zinc, lead.		
DESCRIPTION:	A quartz-calcite	e vein with disseminated sphale	rite and minor galena
	occurs in porphy	ritic granite.	
WORK DONE:	Linecutting, 13,	500 feet.	
REFERENCES:	Minister of Mine	<i>s, B.C.,</i> Ann. Rept., 1896, p. 70); Geol. Surv., Canada,
	Mem. 184, p. 17	2; Assessment Report 4388.	
			(82F/14W)
---------------	-------------------------------	---------------------------------	----------------------
LITTLE TIM (V	/-DAY) (82F/NW-192)	(Fig. A, No. 131)	By P. E. Olson
LOCATION:	Lat. 49 [°] 49'	Long. 117° 22′	(82F/14W)
	SLOCAN M.D. Five and	one-half miles northeast	of Slocan, at the
	head of Bondholder Creek	, at approximately 6,400 fe	et elevation.
CLAIMS:	The LITTLE TIM mine is	on the V-DAY located clair	n.
OWNER:	Moly-Win Mining Ltd., 823	7, 510 West Hastings Street	, Vancouver.
OPERATOR:	WAYNE TURLEY, Kaslo.		
METALS:	Silver, copper, lead, zinc (p	production shown on Table	I).
DESCRIPTION:	High-grade silver ore is fou	ind in stringers and bunches	s in a shear zone in
	granites of the Nelson	batholith. The main sho	wings have been
	developed by four adits.		
WORK DONE:	Two tons of ore was han	d-sorted from a showing d	on No. 3 level and
	shipped to the Trail smelte	er.	
REFERENCE:	B.C. Dept. of Mines & Pet,	<i>Res.,</i> GEM, 1970, p. 449.	

BOB, IRON MASK (Fig. A, No. 55)

LOCATION:	Lat. 49° 56′ Long. 117° 16′ (8	82F/14W)
	SLOCAN M.D. Four and one-quarter miles east of Silverto	on, astride
	and north of Silverton Creek, extending from Wakefield	Creek to
	Fennell Creek, between 3,500 and 6,500 feet elevation.	
CLAIMS:	Mineral Lease M-348 consisting of IRON MASK (Lot 3520)	plus BOB
	A to M, ALBOB 7 to 51 (of which 13 claims are in contrave	ntion with
	BOB claims).	
OWNER:	Robert Joy.	
OPERATOR:	COPPER HORN MINING LTD., Box 11, Nakusp.	
METALS:	Silver, lead, zinc.	
DESCRIPTION:	The claims are underlain to the north by sedimentary roo	cks of the
	Slocan Group and Nelson granite to the south.	
WORK DONE:	Geochemical survey, 27 samples covering Iron Mask and Bob	B claims;
	trenching, 1,348 cubic yards and stripping covering Iron Mas	sk, Bob B,
	and Albob 50 and 51.	

HEWITT	(82F/NW-65)	(Fig. A, No. 133)	By P. E. Olson
LOCATION	: Lat. 49° 56	' Long. 117° 18'	(82F/14W)
	SLOCAN I	A.D. Three miles east-southeast of S	Silverton, 500 feet west
	of Twigg C	reek, a tributary of Silverton Creek,	at approximately 3,700
	feet elevati	on.	
CLAIMS:	HEWITT(claims.	Lot 4440) and LORNA DOONE (Lo	ot 1401) Crown-granted
OWNER:	Arjan Pacit	ic Ltd.	
OPERATOR	R: MIN CON	ASSOCIATES, 320, 475 Howe Street	, Vancouver,
METALS:	Silver, lead	, zinc.	

- DESCRIPTION: Approximately 120,000 tons of ore has been produced from the Hewitt mine to date. The workings lie mainly within sedimentary rocks of the Slocan series, close to the northern contact of the Nelson batholith. The mine has been developed by 13 levels, the lower levels being serviced by a shaft which is now caved and flooded.
- WORK DONE: The portal of No. 10 level west was cleared and some rehabilitation work done in this level to accommodate modern mining machinery. It is planned to extend this level for about 1,500 feet in order to explore the western ore section.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 450.

FREDDY (82F/NW-209) (Fig. A. No. 134) By P. E. Olson

- LOCATION: Lat. 49° 56' Long. 117° 21' (82F/14W) SLOCAN M.D. One and one-quarter miles south of Silverton, extending north from Hasty Creek, at approximately 2,900 feet elevation.
- CLAIM: FREDDY (Lot 4025) Crown-granted claim.
- OWNER: V. HANSEN, New Denver.

METALS: Silver, lead, zinc (production shown on Table I).

- DESCRIPTION: The area is underlain by granitic rocks chiefly but, in the vicinity of the Freddy lode, metamorphosed quartzitic and argillaceous sedimentary rocks predominate. The lode is irregular, striking in a northerly direction and dipping easterly.
- WORK DONE: Thirty-three tons of hand-sorted ore was mined from surface workings on the Freddy vein system and was shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 326.

SHADOW, NORJACK (Fig. A, No. 28)

- LOCATION: Lat. 49° 57' Long. 117° 20' (82F/14W) SLOCAN M.D. About one-half mile southeast of Silverton, extending south from Silverton Creek and east from Slocan Lake.
- CLAIMS: NORJACK 1 to 4, SHADOW 1 to 7, 10 to 14, 16, SHADOW 1 to 6 Fractions, WINONA 3 and 4.

OWNER:AMIGO SILVER MINES LTD., 16, 448 Seymour Street, Vancouver 2.METALS:Lead, zinc, trace silver.

- DESCRIPTION: The claim group is underlain in the northeast by the Upper Triassic or early Lower Jurassic Slocan Group, consisting of slate, argillite, quartzite, limestone, conglomerate, and tuff, and in the southwest by Lower Cretaceous Nelson plutonic rocks, composed mainly of porphyritic granite.
- WORK DONE: Linecutting and VLF EM survey, 8 line-miles in the southwestern corner of the claim group; linecutting and magnetometer survey, 4 line-miles covering Norjack 1 and 2 and Shadow 4; two bulldozer trenches excavated and five rock samples assayed in the southwestern corner.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 57; Assessment Reports 4537, 4649.

(82F/14W)

SILMONAC (MINNIEHAHA) (82F/NW-50) (Fig. A, No. 138) By P. E. Olson

- LOCATION: Lat. 49° 58' Long. 117° 15' (82F/14W) SLOCAN M.D. Approximately 5 miles east-northeast of Silverton, on the west fork of Tributary Creek, at approximately 4,900 feet elevation.
- CLAIMS: MINNIEHAHA (Lot 3171) Crown-granted claim plus 61 claims and several leases.

OWNER: Silmonac Mines Limited.

OPERATORS: KAM-KOTIA MINES LIMITED and BURKAM MINES LTD., New Denver.

METALS: Silver, lead, zinc (production shown on Table I).

DESCRIPTION: The property is underlain by massive, argillaceous to quartzitic sedimentary rocks of the Slocan series. A flat-lying lode system has been developed by several levels, raises, and many stopes. Ore deposition has been found to be irregular but in sufficient quantity to justify mining.

WORK DONE:

Jackleg stoping was done in the upper workings mainly on a salvage basis, while a decline was being driven below the adit level to develop and explore the lode system below the old workings. The decline was driven with jacklegs and a diesel-powered load-haul-dump machine.

Exploration shows that the hangingwall rocks in the lower part of the mine are mainly quartzitic, whereas the hangingwall rocks in the higher workings tended to be more argillaceous. It has also been noted that the character of the ore has changed, there being less massive sulphides than in the upper workings. However, the strength of the hangingwall is greater and hence stoping will be cheaper and safer.

Production, which amounted to 13,949 tons, all came from above the 4625 level. From this ore, 1,172 tons of lead concentrate and 1,133 tons of zinc concentrate were produced at the company mill at Sandon.

Development amounted to 3,047 feet, of which 1,105 feet was related to sinking below the 4625 level.

Ventilation to the mine workings is provided by a 30,000-cubic-foot-per-minute electric fan which exhausts air via raises and levels to the Mascot level.

The tailings impoundment area, which is situated beside Carpenter Creek about 500 feet from the mill, was used continuously during the year, necessitating an addition to the main dykes. There were no spills from the impoundments.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 57, 58.

LEY (LEI)	(Fig. A, No. 27)		
LOCATION:	L at. 49 [°] 58′	Long. 117° 20'	(82F/14W)
	SLOCAN M.D.	Two miles southeast of New Denve	r, on and west of
	Bartlett Creek.		
CLAIMS:	LEY 1 to 30.		

(82F/14W)

OWNER:	B. Marini.
OPERATORS:	P. FITZGIBBON, T. WILKINSON, D. ARSCOTT, and B. MARINI,
	4260 Elgin Street, Vancouver.
DESCRIPTION:	In this area folded argillite with intercalated limestone belonging to
	the Slocan Group have been cut by numerous diorite dykes and
	pyrite-bearing quartz veinlets.
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet and airphoto
	interpretation; two hand trenches on Ley 2, 4, 6, 8, 11, and 13.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 328; Assessment

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 328; Assessm Report 4502.

VICTOR (VIOL	AMAC) (82F/	NW-204) (Fig. A, No	139) By P. E. Olson
LOCATION:	Lat. 50° 00'	Long. 117° 16	5' (82F/14W)
	SLOCAN M.D.	Four and one-half mile	s east of New Denver, one-half
	mile west of Car	penter Creek, at approxi	mately 4,000 feet elevation.

CLAIM: VICTOR (Lot 4564) Crown-granted claim.

OWNER: Kam Kotia Mines Limited.

OPERATOR: E. PETERSEN, Sandon.

METALS: Silver, lead, zinc (production shown on Table I).

DESCRIPTION: The rocks embracing the Victor mine are chiefly massive argillaceous and quartzitic sedimentary rocks striking northwesterly and dipping southwesterly. The lode system, carrying massive galena, cuts the formations at about right angles.

- WORK DONE: A minor amount of exploration and development was done which disclosed a showing of shipping ore. Thirty tons of this ore was shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 59.

MOUNTAIN CHIEF (82F/NW-177) (Fig. A, No. 151)

LOCATION: Lat. 50° 00' Long. 117° 20' (82F/14W) SLOCAN M.D. One and three-quarter miles due east of the village of New Denver, along the southeast side of Carpenter Creek extending east to St. Clair Creek, at approximately 2,400 feet elevation.

CLAIMS: MOUNTAIN CHIEF (Lot 474) and MAMMOTH (Lot 1910) Crowngranted claims plus PET 1 to 4, 9 to 14, RT 1 to 4.

- OPERATOR: NEW DENVER EXPLORATIONS LTD., 726, 470 Granville Street, Vancouver.
- METALS: Zinc, silver, lead, copper.
- DESCRIPTION: Slate, argillite, tuff, limestone, and conglomerate of the Slocan Group have been cut by dykes and stocks of granitic rocks. The Nelson batholith outcrops 2 miles to the south. The strata are highly folded and fractured and the predominant attitude is a northwest strike and southwest dip. Sulphide minerals replace a 2-foot limestone bed which is intersected by the Apex and Mountain Chief quartz veins carrying heavy concentrations of sphalerite, galena with some pyrite, and chalcopyrite.

- WORK DONE: Surface diamond drilling, three holes and stripping on Mountain Chief and Mammoth.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 58, 59.

SILVER RANCH (82F/NW-215) (Fig. A, No. 54)

- LOCATION:Lat. 49° 47'Long. 117° 14'(82F/14E)SLOCAN M.D.Ten and three-quarter miles east-northeast of Slocan
City, extending southwest from Enterprise Creek, on the east side of
Boomerang Mountain.CLAIMS:SILVER RANCH 1 to 12.
- OWNER: W. J. GRANT, 808 West Gore Street, Nelson.
- OWNER. W. J. ONANT, 800 West Gole Street, Ner
- METALS: Gold, silver, lead, zinc.
- DESCRIPTION: The claim area is underlain by very coarse-grained granite of the Nelson batholith. A shear zone 15 to 30 feet wide and at least 1,500 feet long striking 005 degrees and dipping 50 degrees east contains several quartz veins and veinlets, some of which carry galena, sphalerite, and pyrite. A vein along the hangingwall 6 inches to 15 inches wide has been followed by two adits.
- WORK DONE: Surface geological mapping, 1 inch equals 300 feet and underground geological mapping, 1 inch equals 40 feet covering Silver Ranch 1-6. REFERENCE: Assessment Report 4632.
- HETERCHCE. Assessment Report 4032.

 COMSTOCK
 (82F/NW-77)
 (Fig. A, No. 52)
 By P. E. Olson

 LOCATION:
 Lat, 49° 54'
 Long, 117° 14'
 (82F/14E)

 SLOCAN M.D.
 Seven miles southeast of Silverton, one-half mile east
 of Fearable Creak, extending part to Silverton Creak, at approximately.

- of Fennell Creek, extending east to Silverton Creek, at approximately 5,500 feet elevation. CLAIMS: COMSTOCK (Lot 1814) and SILVER CHIEF (Lot 1813) Crowngranted claims; Mineral Leases M-278 comprising SILVER CUP (Lot 1815) and ISABEL FR. (Lot 1817) and M-319 comprising RUBY
- TRUST (Lot 1804) and KENTUCKY GIRL (Lot 1818) plus RUTH, SUSAN, MURPH Fraction, MURPH 1 Fraction, ISABELLE 1, 2, 7, 8, 16 to 19, SKI-DOO 1 and 2, TD 1, 2, 4, 5 located claims.

OWNERS: H. S. Murphy, R. H. Murphy, Mrs. V. Harding, and Paladora Mines Ltd. OPERATORS: ALBERT EMBLETON and S. G. CRAIK, 1545 Harvey Avenue, Kelowna.

METALS: Silver, lead, zinc.

DESCRIPTION: The property lies within the northern extension of a body of medium to fine-grained granite and granodiorite of the Nelson batholith. A brecciated and mineralized zone striking northeasterly and dipping to the southeast has been explored by nine adits amounting to around 2,800 feet of workings. A small amount of ore has been shipped from these adits.

- WORK DONE: Logging roads on Fennell Creek were extended to the Comstock workings and several cuts were made with a small bulldozer. Some ore was uncovered and taken to a cabin in the Fennell Creek basin.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 450; 1972, p. 60; Geol. Surv., Canada, Mem. 184, p. 33.

RECO. BLUEBIRD, NOBLE FIVE (82F/NW-19, 20, 31 to 37, 200)

(Fig. A, No. 53)

- Lat. 49° 59' Long. 117° 11' (82F/14E) LOCATION: SLOCAN M.D. Seven and three-quarter miles east-northeast of Silverton, extending south from Mount Reco and Mount Pavne to Carpenter Creek at Cody, between 4,000 and 7,000 feet elevation.
- CLAIMS: Sixty-eight Crown-granted and located claims including RUECAU (Lot 624), BLUEBIRD (Lot 540), NOBLE FIVE (Lot 467), NUMBER ONE (Lot 4560), GREY COPPER (Lot 580), TEXAS (Lot 589), CHAMBERS (Lot 1752).

OWNERS: Reco Silver Mines Limited and Vespar Mines Limited.

- OPERATOR: RAYROCK MINES LIMITED, 1011, 2200 Yonge Street, Toronto, Ont.
- METALS: Silver, lead, zinc.
- DESCRIPTION: Sedimentary rocks belonging to the Slocan Group are intruded by numerous quartz feldspar porphyry dykes. Galena-sphalerite-pyrite mineral shoots occur in structurally controlled traps along lodes or shear zones.
- WORK DONE: Geochemical soil survey, 2,400 samples covering 70 per cent of the claims; surface diamond drilling, 10 holes totalling 2,331 feet on Texas, Number One, Grey Copper, and Chambers; underground work, 964 feet on Number One and Chambers; part of road system surveyed.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 453 (SLOCAN SOVEREIGN); 1971, p. 408; Geol. Surv., Canada, Mem. 184, p. 107.

NOR	(82F/NE	-128)	(Fig. A, No.	. 140)		By P. E. Olson
LOCATI	ON:	Lat. 49°	46′	Long.	116 [°] 57′	(82F/15W)
		SLOCAN	IM.D. App	proximately	3 miles northy	vest of Ainsworth, south

of Lendrum Creek, at approximately 4,100 feet elevation.

CLAIMS: NOR II (key claim) and NOR 1, 3 to 5. OWNER: W. E. Lane.

OPERATOR: H. McGOWAN, Ainsworth.

METALS: Silver, lead, zinc (production shown on Table 1).

- DESCRIPTION: A somewhat irregular zone, striking westerly and dipping steeply to the north, has been developed by an open cut. Widths vary to a maximum of around 5 feet.
- WORK DONE: The mineral exposures made in 1972 were further explored by deepening and lengthening the open cut started earlier. Seventy tons of ore was selected from the excavation and shipped to the Trail smelter. REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 61, 62.

81

HILO (82F/NE-202 to 204) (Fig. A, No. 57)

LOCATION:	Lat. 49° 48' Long. 116° 20' (82F/16W)
	FORT STEELE M.D. Twenty-three and one-half miles east-northeast
	of Riondel, 6 miles north-northeast of the confluence of Dewar and
	White Creeks, extending down the north side of Mount Patrick to
	Diorite Lake, between 6,000 and 8,600 feet elevation.
CLAIMS:	HILO 1 to 12.
OWNER:	Texasgulf, Inc.
OPERATOR:	ECSTALL MINING LIMITED, 701, 1281 West Georgia Street,
	Vancouver.
METALS:	Lead, zinc.
DESCRIPTION:	The claims are underlain by clastic sedimentary rocks of the lower and
	middle divisions of the Aldridge Formation which have been intruded
	by dioritic Moyie sills. Galena and sphalerite occur in vein and
	replacement deposits in both the sedimentary and intrusive rocks.
WORK DONE:	Vertical-loop EM survey, 1.2 line-miles; magnetometer survey, 1.2
	line-miles; and geochemical soil survey, 62 samples taken at 100-foot
	intervals on five widely separated lines covering Hilo 3, 4, 6, and 11.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 414; Asessment Report 4713.

NINE LAKE	(82F/NE-132) (Fig. A, No. 106)	By R. W. Lewis
LOCATION:	Lat. 49° 59′ Long. 116° 13′	(82F/16E)
	FORT STEELE M.D. Twenty-two and one-half mile	s north-northeast
	of Kimberley, on Greenland Creek, a tributary o	f Skookumchuck
	Creek, between 6,100 and 7,700 feet elevation.	
CLAIMS:	NINE LAKE 1 to 4, 6, 8, 10 to 12, 25, 26, 28, 30, 3	2, 34 to 38, 41 to
	46, 49 to 51, 61 to 68, 70, 74, 76, 78.	
OWNER:	KERR ADDISON MINES LIMITED, 405, 1112 We	st Pender Street,
	Vancouver V6E 2S1.	
METALS:	Lead, zinc, copper, tungsten,	
DESCRIPTION:	In the area light grey to light brown, thin to thick-b	edded, micaceous
	quartzites and siltstone were intruded by a series	of diorite sills.
	Mineralization has been localized as fracture fillings,	, as quartz veins,
	and in shears within diorite sills and quartzite.	
WORK DONE:	1972 - surface geological mapping, 1 inch equals 400) feet covering all
	claims; magnetometer survey, 1 line-mile covering MC	claims; magneto-
	meter and EM surveys, 35 line-miles covering Ni	ine Lake claims;
	geochemical soil survey, 600 samples on Nine Lak	e claims and 35
	samples on MC claims; 1973 - road construction, 3.	75 miles on Nine
	Lake 63, 65, 68, and 70; trenching, 500 feet on Nine	e Lake 61 and 68.
REFERENCES	Minister of Mines BC App Rept 1068 p 267 (P)	COV Accessment

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 267 (PICO); Assessment Report 3927.

BETH (82G/SE-44) (Fig. A, No. 59)

LOCATION:	Lat. 49° 09' Long. 114° 17' (82G/1W)
	FORT STEELE M.D. Nine miles east of Flathead River, extending
	east from Roche Creek, about one-half mile north of the junction of
	Roche and Sage Creeks.
CLAIMS:	BETH 1 to 8.
OWNERS:	R. J. Goble, D. F. Goble, E. O. Goble, E. M. Goble, and L. E. Goble.
OPERATOR:	KINTLA EXPLORATIONS LIMITED, 7, 8540 - 109th Street,
	Edmonton, Alta.
METAL:	Copper.
DESCRIPTION:	In the claim area, green Kintla shales contain a lens of chalcopyrite-
	bearing red sandstone 6 inches to 2 feet thick.
WORK DONE:	1972 - reconnaissance surface geological mapping; 18 rock samples
	taken covering Beth 2, 4, and 6.
REFERENCE:	Assessment Report 4535.

.

ABC (Fig. A, No. 60)

LOCATION:	Lat. 49° 09'	Long. 114° 22'	(82G/1W)
	FORT STEELE M.D.	Five and one-half	miles east of the Flathead
	River, astride Sunkist	Brook, about one-ha	If mile north of its junction
	with Sage Creek, betwe	en 4,500 and 5,000	feet elevation.
CLAIMS:	ABC 3, 4, 13 to 18.		
OWNER:	MARK V MINES LTD	., 301, 540 Burrard S	treet, Vancouver.
DESCRIPTION:	The claims are underla	in by interbedded red	d argillite and white to green

- quartz sandstone of the Grinnell Formation.
- WORK DONE: Trenching, 74 cubic yards on ABC 16.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 63.

COMMERCE (82G/SE-6, 39, 41, 42, 43) (Fig. A, No. 58)

LOCATION:	Lat. 49° 11' Long. 114° 23' (82G/1W)
	FORT STEELE M.D. Approximately 4 miles east of Flathead River,
	north and northeast of Commerce Peak, between Commerce Creek and
	Sunkist Ridge.
CLAIMS:	COMMERCE 1 to 16, 19 to 38, 41 to 48, CHAIN LINK 39.
OWNERS:	R. J. Goble, D. F. Goble, E. O. Goble, E. M. Goble, and L. E. Goble.
OPERATOR:	KINTLA EXPLORATIONS LIMITED, 7, 8540 - 109th Street,
	Edmonton, Alta.
METALS:	Copper, gold.
DESCRIPTION:	The Commerce claims are underlain by Purcell rocks ranging from
	Appekunny to lower Kintla. The formations have an overall gentle east
	dip, but the Appekunny and Grinnell are gently folded on east and

north axes. The Grinnell argillite contains thin sandstone beds which

(82G/6W)

locally contain sparse bornite, chalcocite, and chalcopyrite as blebs and replacements or clasts of green shale; there is some concentration along fold axes. The middle Siyeh dolomite and upper Siyeh shale have been intruded by diorite sills and dykes, and in the shales both the diorite and adjacent shale contain pyrite, pyrrhotite, and subordinate chalcopyrite. The Purcell lava contains pyrite, pyrrhotite, and subordinate chalcopyrite at flow contacts, joint planes, and in vesicles. On 'Sill' Mountain a trench exposed sulphides extensively disseminated in the base of a thick sill and in underlying lower Sheppard argillites.

- WORK DONE: Surface geological mapping, 1 inch equals 417 feet and 1 inch equals 200 feet; 124 rock samples taken covering Commerce 1-16, 19-38, and 41-48.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 272; *B.C. Dept. of Mines* & *Pet. Res.,* GEM, 1970, p. 477; Assessment Report 4535.
- MAX (Fig. A, No. 61)
- LOCATION: Lat. 49° 29' Long. 115° 20' (82G/6W) FORT STEELE M.D. Eleven miles west of Fernie, adjacent to Murray Lake and astride Supply Creek, immediately southeast of the Bull River Hydro Dam, between 3,000 and 3,500 feet elevation.

CLAIMS: MAX 9 to 42, 46 to 51.

OWNER: PLACID OIL COMPANY, 860 Guinness House, Calgary, Alta.

- DESCRIPTION: In the area of the claims, scattered quartz veins are present in argillite and quartzite of the Aldridge Formation.
- WORK DONE: Magnetometer survey, 12.06 line-miles covering Max 9-16, 19, 21, 25, 27-39, 47, 49.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 64.

BULL RIVER	MINE (82G/NW-2)	(Fig. A, No. 109)	By R. W. Lewis
LOCATION:	Lat. 49° 30'	Long. 115° 23'	(82G/11W)
	FORT STEELE M.D.	Fourteen and one-half m	iles due west of Fernie,
	extending north from	1 the Bull River, astride	Burntbridge Creek, at
	approximately 3,500 f	eet elevation.	
CLAIMS:	Mineral Lease M-69 c	comprising Lots 14717 to	14752, which includes
	BIG BONANZA 1 to	4, BONANZA 5 to 14, 17	to 19, LIZ 1 to 3, 8, 9,
	11, 13, 14, FEB 1 to	4, JUNE 1, 8 to 13 plus JU	JNE 2 to 6, LIZ 4 to 7,
	10 to 12, BONANZA	15, 16, 20 to 33, 38, and 4	0 located claims.
OWNER:	PLACID OIL COMPA	NY, 860 Guinness House	, 727 Seventh Avenue
	SW., Calgary, Alta.;	mine address, Box 850 C	ranbrook; Leo Piwek,
	general superintendent	t.	
METALS:	Copper, silver, gold (p	roduction shown on Table	1).
DESCRIPTION:	This deposit at the Bo	ull River mine comprises c	halcopyrite as fracture
	fillings and massive re	eplacements in quartz sider	rite gangue that occurs
	in vein networks.		

WORK DONE:

Mining was done using open-pit methods. Caterpiller dozers were used to strip overburden with a minimum amount of drilling and blasting, which was hauled from the pit area by 35-ton trucks and spoiled at a terraced dump location. The uncovered ore was drilled and blasted and hauled to a small stockpile adjacent to the crusher building.

Milling of the ore was accomplished using simple crushing grinding and flotation circuits with a capacity of 750 tons per day.

EXPLORATION: Twenty-eight holes totalling 4,212 feet were drilled. Twenty-five of the holes were located in open-pit areas to confirm original grade estimates. The remaining holes were located to the north and east of the pits and were drilled to investigate geological and geophysical anomalies.

The drilling was done using a BBS-1 wireline machine recovering BQ core. An average of two men per shift, one shift per day, drilled from mid-January until the beginning of June.

Approximately 6,000 line-feet of experimental VHF EM survey was performed to the north of the open pits. The survey utilized a number of different core configurations and spacings. Anomalies were tested by diamond drilling.

MILLING OPERATIONS: A total of 206,812 tons of ore was processed and yielded 14,423 tons of concentrate.

Manpower in the mill remained at 10 operators, 1 mechanic, and 1 electrician.

MINING OPERATIONS: Production work for 1973 came from No. 2 pit to April and then from No. 1 pit: total ore production, 243,547 tons; total overburden, 905,619 billion cubic yards; total rock, 85,443 tons.

The pit operated 16 hours per day, five days per week, with 17 operators, 4 mechanics, and 2 shiftbosses.

After completion of No. 2 pit, the pit was backfilled with material from No. 1 pit and almost completely refilled.

Contouring of the west dump was almost complete and spring seeding will complete this area.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 65, 66.

POLARIS (82F/NE-54, 101) (Fig. A, No. 48)

LOCATION: Lat. 49° 37' Long. 115° 59' (82G/12W; 82F/9E) FORT STEELE M.D. Approximately 13 miles northwest of Cranbrook, lying astride St. Mary River and extending north to Dipper Lake and Marysville and south astride Pitt Creek, between 3,000 and 5,000 feet elevation.

CLAIMS: POLARIS 17 to 24, 31 to 38, 45 to 54, 59 to 70, 72 to 149, RIGEL 1 to 46, MOLOCH 1 to 6, THREEFINGERS 1 to 18.

OWNER: Texasgulf, Inc.

OPERATOR: ECSTALL MINING LIMITED, 701, 1281 West Georgia Street, Vancouver.

- METALS: Lead, zinc, copper.
- DESCRIPTION: The claims are underlain by a sequence of clastic sedimentary rocks of the Aldridge Formation, cut by dioritic Moyie sills. The structural pattern is complex with an overall strike of the beds of approximately 170 degrees with dips varying from 25 to 85 degrees to the southwest. Effects of low-grade regional metamorphism are evident.
- WORK DONE: Magnetometer survey, approximately 3 line-miles; radem survey, approximately 3 line-miles; vertical-loop EM survey, approximately 0.8 line-mile; and geochemical soil survey, 206 samples taken at a 100 by 400-foot grid spacing covering Polaris 89 to 94, 121, 123.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 53; Assessment Report 4711.

HUNT (Fig. A, No. 62)

LOCATION:	Lat. 49 [°] 42′	Long, 115° 48′	(82G/12W)
	FORT STEELE M.	D. Eight and one-quarter mile	es east of Kimberley,
	straddling Wait Cr	eek, one-quarter mile north	of its junction with
	Mather Creek, at ap	proximately 2,000 feet elevation	on.
CLAIMS:	HUNT 1 to 6, 8, 10,	, 25 to 34.	

- OWNER: C. Warren Hunt.
- OPERATOR: C. WARREN HUNT EXPLORATION LTD., 1119 Sydenham Road SW., Calgary, Alta.
- DESCRIPTION: The claims are underlain by argillites, siltstones, and quartzites of the Creston and Aldridge Formations.
- WORK DONE: Rotary drilling, two holes totalling 370 feet on Hunt 27.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 67.

SULLIVAN MINE (82F/NE-52) (Fig. A, No. 129)

LOCATION: Lat. 49° 42′ Long. 116° 01′ (82F/9E; 82G/12W) Report on this property in section 82F/9E.

LARDEAU 82K

ACE (82K/SE-63) (Fig. A, No. 64)

LOCATION:	Lat. 50° 01′ Long. 116° 13′ (82K/18	E)
	GOLDEN M.D. Thirty-three miles south-southwest of Invermer	e,
	surrounding the headwaters of Doctor Creek, between 6,000 and 9,00	00
	feet elevation.	
CLAIMS:	ACE 1 to 28, 35, ACE 36 Fraction.	
OWNER:	Texasgulf, Inc.	
OPERATOR:	ECSTALL MINING LIMITED, 701, 1281 West Georgia Stree	t,
	Vancouver.	
METALS:	Minor copper, lead, zinc.	

(82K/1E)

- DESCRIPTION: Gently dipping clastic sedimentary rocks of the Aldridge Formation have been cut by dioritic Moyie sills. Mineralization is minor and consists of pyrite, pyrrhotite, chalcopyrite, magnetite, goethite, and sphalerite disseminated in the sedimentary units and in veins which cut both rock types.
- WORK DONE: Geochemical soil survey, 206 samples taken at 200 by 500-foot grid spacing covering Ace 2, 4, 6, 8, 10, 12, 13, 15, 17, 19, 21, 23.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 420; Assessment Report 4705.

(82K/SE-60) DOC (Fig. A, No. 63)

- Long. 116° 10' (82K/1E) Lat. 50° 06' LOCATION: GOLDEN M.D. Twenty-seven miles south-southwest of Invermere, 6.25 miles south 80 degrees west of the mouth of Doctor Creek, at approximately 8,000 feet elevation. DOC 1 to 9.
- CLAIMS:
- OWNER: KERR ADDISON MINES LIMITED, 405, 1112 West Pender Street, Vancouver V6E 2S1.

METAL: Lead.

- DESCRIPTION: Dark grey to black argillite overlies light brown to green, massive, fine-grained quartzites within the top horizon of the upper part of the Aldridge Formation, which strikes northwesterly and dips northerly. Medium to coarse-grained galena is associated with quartz within the argillaceous rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Doc 1-3 and 7; IP and VLF EM survey, 1 line-mile covering Doc 2 and 7; geochemical survey, 60 soil samples covering Doc 2, 3, and 7 and 15 rock samples covering Doc 1-3 and 7; topography mapped.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 68; Assessment Report 4658.

DUBLIN QUEEN	N (82K/SW-15)	(Fig. A, No. 146)	By P. E. Olson		
LOCATION:	Lat. 50° 00′	Long. 117° 10'	(82K/3E)		
	SLOCAN M.D. Nir	ne miles east of New Denve	r, at the head of Stenson		
	Creek.				
CLAIMS:	DUBLIN QUEEN (L	_ot 1167) plus nine adjoinin	g Crown-granted claims.		
OWNER:	Iskut Silver Mines L	imited.			
OPERATOR:	FOSTALL MINES LTD., c/o Dick Fowler, Box 40, Robson.				
METALS:	Silver, lead, zinc (pr	oduction shown on Table I)			
DESCRIPTION:	Rich stringers of sil through argillite me	ver, lead, and zinc ore occu mbers.	ur in lode strands cutting		



Plate I. View looking toward Reco Peak of old Lucky Jim mine layout, dumps, and mill building (in 1945).

- WORK DONE: This property has been worked intermittently since the turn of the century and was the site of operations for Jackson Basin Mines Ltd. approximately 20 years ago. During 1973 the upper level was cleared out and the vein exposed. Eight tons of rich ore was hand sorted from the vein and shipped to the Trail smelter.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 421.

WASHINGTON	(82K/SW-8)	(Fig. A, No. 144)	By P. E. Olson
LOCATION:	Lat. 50 [°] 00'	Long. 117° 13′	(82K/3E)
	SLOCAN M.D.	Six and one-half miles east of N	ew Denver.
CLAIM:	WASHINGTON	(Lot 541) Crown-granted claim.	
OWNER:	Larch Mining Lt	td.	
OPERATOR:	J.O.H. NESBIT	T, Silverton (formerly W. McLeo	d).
METALS:	Silver, lead, zind	c (production shown on Table I).	
DESCRIPTION:	Sedimentary ro	cks of the Slocan series strike n	orthwesterly and dip to
	the southwest.	The Washington lode strikes near	rly at right angles to the
	formation, and	dips steeply to the southeast.	
WORK DONE:	Seventeen tons	of selected and hand-sorted ore v	was shipped to the Trail
	smelter.		
REFERENCE:	B.C. Dept. of M	<i>ines & Pet. Res.,</i> GEM, 1972, p	69.

BEST	(82K/SI	N-18)	(Fig. A,	No. 147)			В	y P. E. Olson
LOCATI	ON:	Lat. 50°	01′		Long. 117° 1	1.5'		(82K/3E)
		SLOCA	N M.D.	Eight m	iles east-north	neast of N	New Denve	er, between
		Ramble	r and Dar	danelles	Creeks.			
CLAIM:		BEST (L	ot 451) (Crown-gr	anted claim.			
OWNER:	:	THOMA	SECCLE	ES, Box 6	38, Trail.			
METALS	5:	Silver, le	ad, zinc i	(producti	on shown on	Table I).		
DESCRI	PTION:	Minerali	zation o	ccurs in	narrow fault	fissures	which co	nform with
		joints in	i a stock-	like mas	s of quartz di	orite. Sedi	imentary r	ocks of the
		Slocan s	series adj	oin the	gneous rocks	in the vic	inity of th	ie workings.
		The str	ike of tl	he mine	ralized zone	varies cor	nsiderably	but trends
		generally	y to the s	outheast	and dips gentl	y to the n	ortheast.	
WORKD	ONE:	The lod	e has bee	en develo	oped by severa	al adits an	id a shaft	from which

was shipped to the Trail smelter. REFERENCE: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1971, p. 422.

 c^{j}

LUCKY JIM	(82K/SW-23)	(Fig. A, No. 143)	By P. E. Olson
LOCATION:	Lat. 50° 02′	Long. 117° 12′	(82K/3E)
	SLOCAN M.D.	Approximately 8 miles east-nort	heast of New Denver
	and one-half m	ile south of Bear Lake.	
CLAIMS:	LUCKY JIM (L	ot 844) and adjoining Crown-grante	ed claims.

considerable ore has been shipped. During 1973, 10 tons of sorted ore

OWNER: J.A.C. Ross & Associates.

OPERATOR: W. McCRORY, New Denver.

METALS: Lead, zinc.

WORK DONE: The Lucky Jim mine and mill have been closed since 1953 except for surface exploration carried out in 1971. During 1973 the old bins in the mill were swept out and some concentrate was salvaged. Approximately 1 ton of lead concentrate and approximately 1.5 tons of zinc concentrate were salvaged.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1953, p. 138; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1971, p. 422.

MOLLY HUGHES (82K/SW-2) (Fig. A, No. 13)

- LOCATION: Lat. 50° 01' Long. 117° 22' (82K/3W) SLOCAN M.D. One mile north of New Denver, extending from the mouth of Tryon Creek on Slocan Lake, at approximately 4,000 feet elevation.
- CLAIMS: KINKORA, REAL IDEA 2, MOLLY HUGHES, PINTO, TRYON (Lots 2104 to 2108), plus PPH 1 and 2, PHP 1 to 4.
- OWNER: DYKE MINES LIMITED, 320, 475 Howe Street, Vancouver.
- METALS: Silver, gold, lead, zinc.
- DESCRIPTION: The property lies within porphyritic granite and granodiorite of the Nelson batholith. Argentiferous tetrahedrite, pyrite, and some galena and sphalerite occur disseminated in quartz filling along at least five fault-fissure lodes which vary from 1 to 8 feet in width and strike approximately north 75 degrees west. The lodes are cut by numerous north-south faults.
- WORK DONE: Completion of 1972 reconnaissance surface and underground geological mapping covering all claims and Kinkora adit; 16 grab samples taken on Real Idea 2, Kinkora, and Pinto.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 71; Assessment Report 4390.

MILLIE MACK (82K/SW-51) (Fig. A, No. 148)

- LOCATION: Lat. 50° 03' Long. 117° 44' (82K/4E) SLOCAN M.D. Eight miles northeast of Burton, on the west side of Independence Creek, 1 mile north of Caribou Creek, at approximately 6,000 feet elevation. CLAIMS: MILLIE MACK (Lot 1831), BLACK BEAR FR. 1 (Lot 4850),
- CLAIMS: MILLIE MACK (Lot 1831), BLACK BEAR FR. F (Lot 4850), TRIUMPH (Lot 4194), IMPREGNABLE (Lot 4195), RAINBOW QUARTZ (Lot 4193), WOLF (Lot 1830), GOLD RING (Lot 1828), HEF FR. (Lot 4849), GREAT WESTERN (Lot 2200), plus approximately 30 located claims including RMW and RSM.
- OWNER: RICHWOOD INDUSTRIES LTD., 601, 850 West Hastings Street, Vancouver.
- METALS: Silver, lead, zinc, gold.

- DESCRIPTION: Exploration was confined to quartz veins within argillites belonging to the Slocan series. Sulphide mineralization includes galena, tetrahedrite, pyrite, arsenopyrite, and sphalerite.
- WORK DONE: Re-opened road from Blue Grouse Creek to Millie Mack property; trenching on RMW 36.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 72.

SHAKESPEARE, SKYLARK (82K/SW-67) (Fig. A, No. 65)

LOCATION: Lat. 50° 05′ Long. 117° 48′ (82K/4W) SLOCAN M.D. Ten and one-half miles south of Nakusp, surrounding the headwaters of Mineral Creek, at approximately 6,400 feet elevation. CLAIMS: Mineral Leases M-197 comprising SKYLARK (Lot 5719) and SHAKESPEARE (Lot 5720) and M-290 comprising MOUNTAIN MEADOW (Lot 3604), MEADOW QUEEN (Lot 3605), and MEADOW (Lot 5862).

OPERATOR: TAPIN COPPER MINES LIMITED, 307, 475 Howe Street, Vancouver. METALS: Silver, lead, zinc, copper.

- DESCRIPTION: The area is underlain by the lower part of the Slocan Group which has been intruded by igneous rocks of the Nelson batholith. A fractured quartz vein bearing galena, sphalerite, and argentite with minor chalcopyrite, pyrite, and pyrrhotite cuts biotite granite.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; VLF EM survey, 5 line-miles; geochemical survey, 161 samples covering 5 line-miles.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 424.

RAD (82K/SE-27) (Fig. A, No. 66)

LOCATION: Lat. 50° 24′ Long. 116° 25′ (82K/8W) GOLDEN M.D. Seventeen miles west-southwest of Invermere, extending south from Delphine Creek, at approximately 6,000 feet elevation.

CLAIMS: RAD 1, 3 to 5, 16, 17, 28, 40, 41.

OWNER: J. S. Adamson.

OPERATOR: MEDESTO EXPLORATION LTD., 4, 215A - 10th Street NW., Calgary, Alta.

METALS: Silver, lead.

- DESCRIPTION: The claims are underlain by the broadly folded and metamorphosed Mount Nelson Formation, a sequence of Precambrian sedimentary rocks of the Purcell Supergroup. This formation consists of buffweathering grey dolomitic limestones, purple, grey, and black argillites, and slates with white and green quartzites.
- WORK DONE: Surface geological mapping, 1 inch equals 300 feet covering Rad 16, 17, and 28; trenching, 199 feet by 5 feet on Rad 16, 17, and 28. REFERENCE: *B.C. Dept. of Mines & Pet. Res.*, GEM, 1972, p. 73.

ANNETTE, SLIDE (82K/NE-16, 40 to 44, 46, 47, 50 to 52, 54)

(Fig. A, No. 67)

- LOCATION: Lat. 50° 38' Long. 116° 30' (82K/9W, 10E) GOLDEN and SLOCAN M.D. Approximately 22 miles west of Radium, near the headwaters of Welsh and Forster Creeks. The ZEN claims are about 5 miles west, surrounding Whirlpool Lake. The claims range between 5,500 and 7,500 feet in elevation.
- CLAIMS: ANNETTE 1, 2, 27 to 33, SLIDE 1 to 6, 23 to 32, 39 to 49, ZEN 1 to 8, BEV 1 to 12, DOLLY 1 to 4, GRANITE 1 to 7, BLUE 2, 4, 6, 8, 26, 27, ICE 2, 4, 6, 20, 22.
- OWNER: CANADIAN JOHNS-MANVILLE COMPANY LIMITED, 9, 219 Victoria Street, Kamloops.

METALS: Molybdenum, copper.

- DESCRIPTION: Quartz monzonite and granodiorite of the Horsethief stock has intruded quartzite, limestone, argillite, and sandstone of the Horsethief Creek Group, Mount Toby Formation (conglomerate), Dutch Creek Formation, and Mount Nelson Formation. Molybdenite and chalcopyrite are present in quartz veins and fractures in both quartz monzonite and hornfels along the contact. An extensive gossan zone has developed on hornfels on the Ice and Granite claims.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet, 1 inch equals 100 feet, and 1 inch equals 400 feet covering Zen 1-8, Slide 39-44, Annette 28-32, Blue 2, 4, 6, 8, Dolly 1-4, Granite 1-7, Ice 2, 4, 6, and Bev 1, 3, 5; geochemical soil, rock chip, and talus fines survey, approximately 500 samples covering same claims; surface diamond drilling, one hole totalling 53 feet on Zen 3.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.*, GEM, 1972, p. 74; Assessment Reports 4485, 4559, 4613, 4614.

TAMARAK (82K/NE-57) (Fig. A, No. 69)

LOCATION:	Lat. 50° 32' Long. 116° 32' (82K/10E)				
	GOLDEN M.D. Twenty-two miles west of Invermere, at the junction				
	of Paulding and Horsethief Creeks, at approximately 4,500 feet				
	elevation.				
CLAIMS:	TAMARAK 1 to 23, J RANK 1 and 2.				
OWNERS:	J. H. CONROY and A. LOUIE, Box 325, Invermere.				
METALS:	Lead, zinc, (gold).				
DESCRIPTION:	Lead and zinc mineralization occurs as lithologic replacements in				
	calcareous schist, argillite, and dolomite of the Mount Nelson				
	Formation.				
WORK DONE:	Stripping, five pits on J Rank 2 and Tamarak 1, 2, and 18.				
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 74.				

BEE (82K/NE-55) (Fig. A, No. 68)

LOCATION:	Lat. 50 [°] 40′	Long. 116° 36′	(82K/10E)
	GOLDEN and SLOCA	N M.D. Twenty-thre	e and one-half miles west of
	Radium Hot Springs,	extending down th	e eastern and southeastern
	slopes of Taurus Moun	itain, at approximatel	y 7,800 feet elevation.
CLAIMS:	BEE 1 to 12.	·	
OWNER:	Union Carbide Explore	ation Corporation	
OPERATOR:	UNION CARBIDE C	ANADA MINING L	D., 601, 1112 West Pender
	Street, Vancouver.		
METALS:	Tungsten, molybdenur	n.	
DESCRIPTION:	Altered limestone un	its of the Horsethie	f Creek series, intruded by
	granitic stocks, carry s	cheelite in a pale dior	oside skarn.
WORK DONE:	Surface geological map	oping, 1 inch equals 2	00 feet and 1 inch equals 50
	feet; surface diamond	drilling, seven holes	totalling 714 feet on Bee 10.
REFERENCE:	B.C. Dept. of Mines &	Pet. Res., GEM, 1972	2, p. 75 .

SILVER BASIN (82K/NE-20) (Fig. A, No. 73)

- LOCATION: Lat. 50° 41′ Long. 116° 44′ (82K/10E) GOLDEN and SLOCAN M.D. Thirty-three miles northwest of Invermere, in Bugaboo Pass, at the head of Bugaboo Creek, at approximately 7,200 feet elevation.
- CLAIMS: NO. 21 (Lot 1977) and WESTERN CROSS (Lot 1978) Crown-granted claims plus SILVER TIP 1 to 6, 24 to 29, SILVER 15 and 16 located claims.

OWNERS: Purcell Development Co. Ltd. and Y. Mercier.

- OPERATOR: PURCELL DEVELOPMENT CO. LTD., Box 1, Fairmont Hot Springs. METALS: Silver, lead, zinc, copper.
- DESCRIPTION: Carbonate rock and calcareous argillite of the Upper Horsethief Creek Formation crop out on the property. Sphalerite and galena occur as replacements of the carbonate rock, and pyrite and chalcopyrite occur as disseminations and associated with guartz stringers.
- WORK DONE: Surface diamond drilling, eight holes totalling 2,200 feet on No. 21 and Western Cross Crown-granted claims.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 75.

McLEAN (82K/NE-49) (Fig. A, No. 74)

- LOCATION: Lat. 50° 42′ Long. 116° 34′ (82K/10E) GOLDEN M.D. Twenty-six miles northwest of Invermere, extending south along McLean Creek from Frances Creek, between 6,000 and 7,200 feet elevation.
- CLAIMS: EVELYN 2 to 18.
- OWNER: PURCELL DEVELOPMENT CO. LTD., Box 1, Fairmont Hot Springs.
- METALS: Silver, lead, antimony, zinc.

- DESCRIPTION: Dolomitic limestone of the Mount Nelson Formation is bounded by the Toby Formation (conglomerate) to the west and the Dutch Creek Formation (argillite) to the east. Quartz-carbonate veins contain argentiferous galena, possible jamesonite, and minor sphalerite.
- WORK DONE: Surface diamond drilling, six holes totalling 1,500 feet on Evelyn 2 and 3.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 427.

LEAD QUEEN (82K/NE-26) (Fig. A, No. 70)

- LOCATION: Lat. 50° 43′ Long. 116° 33′ (82K/10E) GOLDEN M.D. Twenty-seven miles northwest of Invermere, extending north from the junction of Frances and McLean Creeks.
- CLAIMS: Mineral Lease M-40 comprising STEELE (Lot 12499) and STEELE 2 (Lot 12500), seven Crown-granted claims comprising COLUMBIA CHIEF FR., LUCKY CHIEF, LUCKY STRIKE (Lots 11423 to 11425), LEAD QUEEN, COLUMBIA (Lots 12763 and 12764), and BIG CHIEF (Lot 12766), plus CREEK 1 and 2, CHAN 1 to 16, FM 1 to 14, KLICK 1 and 2, SB 1 to 3 Fractions, WS 1 to 16 located claims.
- OWNER: FRANCES CREEK MINES LTD., 409, 603 Seventh Avenue SW., Calgary, Alta.
- METALS: Silver, lead, zinc.
- DESCRIPTION: Several quartz-carbonate veins, carrying galena and minor sphalerite, form a linear zone (a possible fault) in quartzite of the Mount Nelson Formation.
- WORK DONE: Chain and compass survey of workings and roads covering Creek 1, 2, Chan 1-8, FM 7-9, Klick 2, Mineral Lease M-40, and all Crown-granted claims; surface diamond drilling, one hole totalling 195 feet on Lead Queen and three holes totalling 414 feet on First Effort.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 75; Assessment Reports 4538, 4712, 4747.

BUTT (82K/NW-95) (Fig. A, No. 72)

LOCATION:	Lat. 50° 33′ Long. 117° 16′	(82K/11W)
	REVELSTOKE and SLOCAN M.D. Sevent	teen miles southeast of
	Beaton, east of Trout Lake, at the headwater	s of Horsefly, American,
	and Haskins Creeks, between 6,000 and 7,300	feet elevation.
CLAIMS:	Mineral Lease M-219 comprising BUTT (Lo	t 14082), BUTT FR. 1,
	BUTT FR. 2, BONANZA KING, GALLANT	BOY, HARLOCK (Lots
	14176 to 14180), plus FI 1 to 24, TROUT 1 to	o 4, 6, 7, BB 1 and 2, TR
	1 and 2 Fractions, and AMERICAN located cla	ims.
OWNER:	BURDOS MINES LTD., 515, 602 West Has	stings Street, Vancouver
	V6B 1P2.	

METALS: Lead, silver, zinc, copper, (gold).

- DESCRIPTION: Phyllite, limestone, and argillite of the Lardeau Group have been intruded by an altered diorite dyke which parallels the regional northwesterly trend. Irregular masses of quartz occur in tension fractures. Galena, pyrite, minor sphalerite, and chalcopyrite in quartz gangue occur in tension fractures.
- WORK DONE: Surface diamond drilling, three holes totalling 759 feet on Butt claim. REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1923, p. 234 (BUTTE); 1927, p. 295 (Lardo Gold Silver Mines, Ltd.).

WINSLOW, OKANAGAN (82K/NW-24, 25) (Fig. A, No. 71)

- LOCATION: Lat. 50° 37' Long. 117° 23' (82K/11W) REVELSTOKE M.D. Seventeen miles southeast of Beaton, east of Trout Lake, at the head of Cup and Burg Creeks, between 6,000 and 7,000 feet elevation.
- CLAIMS: WINSLOW (Lot 8680), GLADHAND (Lot 8681), OKANAGAN (Lot 9127), ENDERBY (Lot 9128) Crown-granted claims plus WINDSLOW 1 to 12 located claims.
- OWNERS: Corvus Mines Ltd. (formerly Condor Mines Ltd.) and Milestone Mines Ltd.
- OPERATOR: CORVUS MINES LTD., 514, 602 West Hastings Street, Vancouver V6B 1P2.
- METALS: Gold, silver, lead, zinc.
- DESCRIPTION: Pyrite, gold, silver, galena, and sphalerite are present in vein systems associated with shear zones that make an acute angle with the regional trend of host phyllite belonging to the Broadview Formation of the Lardeau Group. A large anticlinal structure strikes to the northwest.
- WORK DONE: Road construction, 4.5 miles (from highway northeast to property); trenching, 180 cubic yards on Windslow 5 and Winslow (Lot 8680) claims.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 76.

SILVER CUP,	TOWSER (82K/NW-27, 28) (Fig. A, No. 142)	By P. E. Olson
LOCATION:	Lat. 50° 38′ Long. 117° 22′	(82K/11W)
	REVELSTOKE M.D. Five miles southeast of Ferg	uson, at the head of
	Cup Creek, between 5,500 and 7,000 feet elevation.	
CLAIMS:	SILVER CUP (Lot 768), TOWSER (Lot 1565),	and other adjoining
	Crown-granted and located claims.	
OWNER:	PANDORA MANAGEMENT LTD., Kaslo.	
METALS:	Silver, lead, zinc (production shown on Table I).	
WORK DONE:	Mine dumps below the upper levels of the min	ne carry significant
	amounts of silver, lead, and zinc as a result of hand s	orting and the need
	of taking out lower grades of ore at a time when	only rich ore was
	economical. There have been several attempts to mil	I these dumps. Dur-

the Towser claim. Concentration proved difficult, resulting in high losses and poor concentrates. Approximately 440 tons of ore was shipped to the Trail smelter.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 77.

MIKE (82K/NW-96) (Fig. A, No. 141)

By P. E. Olson

- LOCATION: Lat. 50° 39' Long. 117° 33' (82K/12E) REVELSTOKE M.D. Approximately 1 mile west of the northwest end of Trout Lake. CLAIMS: MIKE 1 to 12.
- OWNER: H. A. McGOWAN, Ferguson.
- METALS: Lead, zinc, silver (production shown on Table I).
- WORK DONE: Surface exploration was done and 2 tons of ore was shipped to the Trail smelter.

RUTH VERMON	NT (82K/NE-9)	(Fig. A, No. 145)	By R. W. Lewis
LOCATION:	Lat. 50° 57′	Long. 116° 59	, (82K/15W)
	GOLDEN M.D.	Twenty-seven miles	west of Spillimacheen, on
	Vermont Creek, a	tributary of Vowell	Creek, at approximately 6,000
	feet elevation.		
CLAIMS:	Mineral Lease M-1	6 comprising RUTH,	MINNIE (Lots 418 and 419),
	CHARLOTTE (Lo	t 405), CLEOPATRA	, VERMONT, SHEBA, RUTH
	FR. (Lots 8122 to 3	8125), plus surroundi	ng located claims.
OPERATOR:	CONSOLIDATED	COLUMBIA RIVER	MINES LTD., 73 Water Street,
	Vancouver.		
METALS:	Silver, lead, zinc, ca	admium (production s	hown on Table I).
DESCRIPTION:	The mineral claims	s overlie rocks of the	Horsethief Creek Formation.
	Mineralization con	sists of sulphides w	hich have replaced limestone
	following the trend	of numerous fissure v	eins.

WORK DONE:

The Ruth Vermont mine was formerly operated by Copperline Mines Ltd. until the date of cessation of operation in June 1971.

Consolidated Columbia River Mines Ltd. commenced work on the rehabilitation of the mine and mill facilities in June of 1973 and completed this work by the end of September. The mine and mill were brought into production in October, with underground mining operations being performed by a mining contracting company. Production continued until December 17, when at this time the decision was made to stop production for the remainder of the winter months. Ore production was mainly from room and pillar stoping with a minor amount derived from development which consisted of a total of 326 feet of advance.

Total man-power at the operation was approximately 60 to 65. A total of 26,957 tons of concentrate was shipped to the Trail smelter.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 467; 1971, p. 430.

ECLIPSE (BOB, HL) (82K/NE-24) (Fig. A, No. 75)

LOCATION: Lat. 50° 53′ Long. 116° 44′ (82K/15E) GOLDEN M.D. Sixteen and one-quarter miles west of Spillimacheen, three-quarters of a mile east-southeast of Warren Creek, 4.5 miles upstream from its mouth. CLAIMS: BOB 1 to 4, HL 1 to 8, 20 to 25, LIZ 166 and 167.

OWNERS: Carolin Mines Ltd. and H. Sykes.

OPERATOR: JUNIPER MINES LTD., Box 833, Merritt.

METAL: Copper.

- DESCRIPTION: Chalcopyrite occurs in quartz veins along faults cutting phyllite of the Horsethief Creek Formation.
- WORK DONE: Linecutting, 12.8 miles of grid; geochemical soil survey, 298 samples taken at 200 by 400-foot grid spacing covering Bob 3, 4, Liz 166, 167, and HL 1-8.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 78; Assessment Reports 182, 4716.

VERNON 82L

ROSE (Fig. A, No. 78)

LOCATION:	Lat. 50° 08′	Lo	ng. 118° 20'		(82L/1W)
	VERNON M.D.	Twenty-nine	e miles east-so	utheast of Lumb	y, approx-
	imately 300 feet	due north of	FKeefer Lake,	at the head of K	ettle River,
	at 5,000 feet ele	ation.			
CLAIMS:	ROSE 1 to 26.				
OWNER:	EL PASO MINI	NG AND MI	LLING COMP	ANY, 500, 885	Dunsmuir
	Street, Vancouve	r.			

- DESCRIPTION: Quartzites and argillites of the Permian Cache Creek Group have been cut by a northerly trending, diorite dyke or sill.
- WORK DONE: VLF EM survey, 5.7 line-miles and geochemical soil survey, 5.7 line-miles, 324 samples taken at 100 by 400-foot grid spacing covering Rose 1-6.
- REFERENCE: Assessment Report 4761.

DONA (82L/SE-16) (Fig. A, No. 77)

- LOCATION:Lat. 50° 08'Long. 118° 24'(82L/1W)VERNON M.D.Twenty-five and one-half miles east-southeast of
Lumby, on the east slope of Monashee Mountain, 2 miles west of
Keefer Lake, at approximately 5,000 feet elevation.miles west of
Keefer Lake, at approximately 5,000 feet elevation.CLAIMS:DONA 1 to 17.OWNER:EL PASO MULTIC AND MULTING COMPANY, 500,005 D
- OWNER: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver.
- METALS: Gold, silver, lead, tin.

- DESCRIPTION: Quartzites and argillites of the Permian (?) Cache Creek Group, intruded by small dioritic plugs, carry veinlets containing galena, stibnite, and arsenopyrite.
- WORK DONE: VLF EM survey, 12.5 line miles and geochemical soil survey, 13.2 line-miles, 788 samples taken at 100 by 200-foot grid spacing covering Dona 1-8.
- REFERENCE: Assessment Report 4740.

ST. PAUL (82L/SE-10) (Fig. A, No. 76)

- LOCATION: Lat. 50° 09' Long. 118° 27' (82L/1W) VERNON M.D. Twenty-four miles east-southeast of Lumby, extending down the north slope of Monashee Mountain to within one-quarter of a mile of Yeoward Creek, at approximately 5,000 feet elevation.
- CLAIMS: BLACK BESS, MINERVA, ZILPAH, TOUGHNUT (Lots 4186-4189) plus SNOW, SNOWSHOE, SKB.
- OWNER: St. Paul Mines, Ltd.

OPERATOR: W. MILLER, RR 2, Kidston Road, Vernon.

METALS: Gold, silver, antimony, lead, zinc (production shown on Table I).

- DESCRIPTION: Gold, silver, antimony, lead, and zinc minerals occur in veins contained within volcanic and sedimentary rocks.
- WORK DONE: Trenching, 90,000 cubic feet and stripping, 20,000 square feet on Snow, Toughnut, and Minerva.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 79.
- KL (Fig. A, No. 79)
- LOCATION: Lat. 50° 08' Long. 118° 19' (82L/1W) VERNON M.D. Twenty-nine and one-half miles east-southeast of Lumby, extending north from approximately one-quarter mile due north of the east end of Keefer Lake, at 4,800 feet elevation.
- CLAIMS: KL 1 to 12, KL 13 and 14 Fractions.
- OWNER: DUCANEX RESOURCES LIMITED, 312, 409 Granville Street, Vancouver.
- DESCRIPTION: The claims are underlain by argillites of the Cache Creek Group.
- WORK DONE: Geochemical soil survey, 88 samples, 3.1 line-miles covering KL 1-12.

TOP (82L/SE-17) (Fig. A, No. 81)

LOCATION:Lat. 50° 05'Long. 118° 32'(82L/2E)VERNON M.D.Ten miles southeast of Lumby, extending north and
south from Highway 6, at McIntyre Lake, between 4,000 and 4,200
feet elevation.CLAIMS:TOP 1 and 2, GOLD 1 to 20.OWNER:E. O. Chisholm.

OPERATOR: NEW CINCH URANIUM LTD., 416, 25 Adelaide Street West, Toronto, Ont.

METALS: Gold, silver.

- DESCRIPTION: The claims lie near the north margin of the Nelson pluton in an area of pink to cream-coloured massive granite. The granite is cut by a strong, persistent zone of shearing and brecciation which has been traced for over 550 feet and varies in width from 1 foot to over 40 feet. Pyrite, arsenopyrite, and sulphosalts, carrying gold and silver values, occur in fault gouge, quartz, carbonate, and intensely altered granite in the shear zone.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet covering Top 1 and 2; surface workings mapped; road construction, 2,900 feet on Gold 1 and 2; trenching, 270 feet on Top 1 and 2.

McPHAIL, MONASHEE (82L/SE-1, 9) (Fig. A, No. 80)

- LOCATION: Lat. 50° 07' Long. 118° 31' (82L/2E) VERNON M.D. Twenty-one miles southeast of Lumby, extending west from Highway 6 at Monashee Pass. The RISKE claim is 1.5 miles east, at the head of Marsh Creek.
- CLAIMS: Mineral Lease M-37 comprising ROSSLAND, MASCOT, EVENING STAR (Lots 3766 to 3768), NUMBER FOUR, SNOWSHOE, NUMBER TWO, NUMBER THREE (Lots 3913 to 3916) and Mineral Lease M-38 comprising RISKE (Lot 195).
- OWNER: KEDA RESOURCES (1973) LIMITED, Suite 6, 219 Victoria Street, Kamloops.

METALS: Gold, silver, lead, zinc.

- DESCRIPTION: Most of the claims are underlain by metamorphosed limestone and subordinate argillite and quartzite of the Cache Creek Group. A lobe of a granodiorite batholith extends onto the Evening Star and Number Four, and the main contact angles across the Number Two. The sedimentary rocks have been injected by northwest-striking quartz veins, of which three carry bunches of fine-grained pyrite, galena, and sphalerite with minor chalcopyrite and tetrahedrite.
- WORK DONE: Surface geological mapping, 1 inch equals 450 feet and geochemical soil survey, 138 samples taken at 200 by 500-foot grid spacing, covering all claims.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1914, pp. 359, 360; 1915, p. 252; 1921, p. 191; Assessment Report 4771.

PETE (Fig. A, No. 82)

LOCATION:	Lat. 50° 03' Long. 119° 14'		(82L/3E)				
	VERNON M.D.	Fourteen and	one-half	miles	south	of	Vernon,
	covering and surro	unding Swalwe	ll Lake.				
CLAIMS:	PETE 1 to 27.						
OWNER:	WESTLEY MINES	S LIMITED, 58	21 Dalgleis	sh Roac	NW., C	Calga	ry, Alta.
WORK DONE: Linecutting, 6.1 miles of grid; VLF EM and magnetometer si				surv	veys, 5.5		
	line-miles each cov	vering Pete 8, 10), 12, 14, 1	7, 20, 2	25-27.		
REFERENCES:	Assessment Repor	ts 4798, 4799.					99

- WADE, (Fig. A, No. 14)
- LOCATION: Lat. 50° 22′ Long. 120° 00′ (82L/5W; 92I/8E) KAMLOOPS M.D. Eleven and one-half miles southwest of Westwold and about 32 miles west-northwest of Vernon, astride Weyman Creek. CLAIMS: WADE 1 to 8.
- OWNER: W. Tisdale.
- OPERATOR: DARMA EXPLORATIONS LTD., 400, 153 Seymour Street, Kamloops.
- WORK DONE: Linecutting.
- REFERENCE: Assessment Report 4241.
- BLACK HAWK (BJ) (82L/SW-7) (Fig. A, No. 84)

LOCATION: Lat. 50° 25' Long. 119° 23' (82L/6W) KAMLOOPS and VERNON M.D. Eleven miles north-northwest of Vernon, extending from Gurney Creek to Moffat Creek.

CLAIMS: AU 1 to 16, 18, 19.

OWNER: KEDA RESOURCES (1973) LIMITED, Suite 6, 219 Victoria Street, Kamloops.

- METALS: Gold, silver, zinc.
- DESCRIPTION: The claims are underlain by argillite and chloritized andesite of the Cache Creek Group. A shear zone of argillite near the contact contains a quartz vein and sulphides disseminated through the sheared rocks. At the East showing the zone is 20 feet wide and carries pyrite, arsenopyrite, and sphalerite, with traces of chalcopyrite and galena. At the West showing minor pyrite and arsenopyrite occur across 4 feet of sheared rock. The vein is very sparsely mineralized.
- WORK DONE: Geochemical soil survey, 95 samples taken at 100 by 200-foot grid spacing; VLF EM survey, 3 line-miles; two short lines tested with SP and 'shootback' EM and one with magnetometer.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1922, p. 144; B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 239; Assessment Report 4797.
- AB (82L/SW-67; 82L/NW-38) (Fig. A, No. 85)
- LOCATION: Lat. 50° 30' Long. 119° 29' (82L/6W, 11W) KAMLOOPS M.D. Two and three-quarter miles due east of Falkland, extending down a steep, southwesterly slope from Silvernail Lake, at approximately 4,000 feet elevation.
- CLAIMS: AB 7 to 22.

OWNER: J. Currie,

OPERATOR: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver.

METAL: Copper.

DESCRIPTION: The property is underlain mainly by Cache Creek argillite, with some biotite-chlorite schist and calcareous talc schist near the centre of the claim area. Chalcopyrite and pyrite are disseminated through a gneissic unit in the schists and through a small outcrop of impure limestone in a creek bed to the northeast.

- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering AB 9-12, 18, 20; geochemical soil survey, 13 line-miles, 722 samples taken at 100 by 200-foot grid spacing covering same claims.
- REFERENCE: Assessment Report 4830.

MOUNT VERNON (SILVER STREAK, DCK) (82L/SW-8) (Fig. A, No. 83)

- LOCATION: Lat. 50° 17′ Long. 119° 10′ (82L/6E) VERNON M.D. Three miles east of Vernon, on Vernon Hill, stretching from Becker Lake to Brookside and Bate Creeks, at approximately 4,000 feet elevation.
- CLAIMS: SILVER STREAK, DCK, ANNE, WCR, DENYSE, DAKOTA, GOLD, COPPER, X, totalling approximately 115.
- OWNERS: King Graybarr Mines Ltd. and Vernon Copper Ltd.
- OPERATOR: KING GRAYBARR MINES LTD., Box 904, Vernon.
- METALS: Lead, zinc, silver, gold, copper, molybdenum, nickel, cobalt, cadmium.

DESCRIPTION: Copper and molybdenum mineralization is present in highly fractured diorite, and quartz veins, 6 to 8 feet wide, carry silver-bearing galena and sphalerite.

- WORK DONE: Trenching, 1,560 feet on Copper, Gold, and Silver Streak; stripping, 40,000 cubic feet on DCK 1 and 2 Fractions, DCK 55, and ANNE 4.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 80 (DCK).

SH (82L/SE-19) (Fig. A, No. 87)

LOCATION:	Lat. 50° 18′ Long. 118° 49′	(82L/7W)			
	VERNON M.D. Seven and one-half miles nor	rtheast of Lumby,			
	stretching from Shuswap Falls north-northwest p	ast the junction of			
	Bessette Creek and Shuswap River, at approxi	mately 2,500 feet			
	elevation.				
CLAIMS:	SH 1 to 15.				
OWNER:	STANHOLM RESOURCES LTD., 1545 Harvey Avenue, Kelowna.				
METAL:	Uranium.				
DESCRIPTION:	Uranium mineralization is associated with pegmatite.				

WORK DONE: Road construction, 500 feet (old trail improved) on SH 12 and 14; trenching, 150 feet on SH 12 and 14.

A, NEWF (82L/SE-18) (Fig. A, No. 86)

LOCATION:	Lat. 50° 24′	Long. 118° 35′	(82L/7E)	
	VERNON M.D.	Nineteen miles northeast of Lumb	y, at the headwaters	
	of Ireland and Reiter Creeks, extending east to Sugar Lake.			
CLAIMS:	A 1 to 27, NEW	/F 1 to 15.		
OWNERS:	B. Turner and H	I. Hatchard.		
OPERATOR:	TORONADO E	EVELOPMENT CORP. LTD., 107	, 325 Howe Street,	
	Vancouver.			

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 80.

METAL: Copper.

- DESCRIPTION: Schists and gneiss of the Monashee Group strike northwest and dip gently to moderately northeast. An extensive rusty, fine-grained biotite schist contains traces of pyrrhotite, pyrite, chalcopyrite, and at an old log camp on A 4 it contains lenses of massive pyrrhotite with appreciable chalcopyrite and some hydrozincite stain.
- WORK DONE: Reconnaissance geological mapping along roads; geochemical soil survey, 111 samples taken on two widely spaced lines at 100-foot intervals covering Newf 4, 6, 10-13 and A 1-4, 7, 9-12, 16, 18, 20-24, 26.
- REFERENCE: Assessment Report 4609.

OK (82L/NE-13) (Fig. A, No. 88)

- LOCATION: Lat. 50° 40' Long. 118° 41' (82L/10E) VERNON M.D. Thirty-one miles southwest of Revelstoke, 5 miles north-northeast of Kingfisher, immediately west of Mabel Lake, at approximately 2,500 feet elevation.
- CLAIMS: OK 1 to 8.
- OWNER: K. ROSS, Box 1297, Vernon.
- METALS: Zinc, lead.
- DESCRIPTION: A highly deformed sequence of high-grade metasedimentary rocks, including marble, calc-silicate gneiss, biotite gneiss, and quartzite has been intruded by pegmatite dykes. Disseminated sphalerite, galena, pyrite, pyrrhotite, and minor chalcopyrite occur as stratiform zones.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering OK 1-4; trenching.

BUDGET (MM) (82L/NW-35) (Fig. A, No. 15)

LOCATION: Lat 50° 34' Long. 119° 36' (82L/12E) KAMLOOPS M.D. Five miles north-northwest of Falkland, extending south-southeast from Blair Creek and Joyce Lake to Arthur Creek, between elevations of 3,000 and 4,500 feet.

CLAIMS: BUDGET 1 to 48.

- OWNER: CANADIAN JOHNS-MANVILLE COMPANY LIMITED, 9, 219 Victoria Street, Kamloops.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by interbedded Cache Creek quartzite, quartz-mica schist, and andesite, irregularly intruded by small stocks, sills, and dykes ranging in composition from quartz diorite to pyroxenite. All rocks are intensely altered. Chalcopyrite and malachite fill fractures and are disseminated in andesite and quartz-mica schist.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering all claims; IP survey, 5 line-miles covering Budget 27-32; geochemical soil survey, 1,297 samples, approximately 15 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 81; Assessment Reports 4271, 4735.

- HYAS, RHO (Fig. A, No. 17)
- LOCATION: Lat. 50° 47' Long. 119° 57' (82L/13W) KAMLOOPS M.D. Twenty miles northeast of Kamloops, surrounding Hyas, Pemberton, and Rhoda Lakes, at approximately 4,000 feet elevation.

CLAIMS: HYAS 1 to 37, 41 to 46, RHO 1 to 16, 19 to 34, 39 and 40.

- OWNER: SPIRIT EXPLORATIONS LTD., 616, 850 West Hastings Street, Vancouver.
- DESCRIPTION: There is very little outcrop in the claim area, however, Geological Survey of Canada Map 1059A indicates the bedrock to be of the Cache Creek Group of Permian age. Basic intrusive rocks were found to the northeast of the claim group. Some quartzite float carrying pyrite was found on the property.
- WORK DONE: Linecutting; magnetometer survey, 68 line-miles; geochemical soil survey, 68 line-miles, 1,760 samples taken at 200 by 500-foot grid spacing covering all claims; road construction, 4 miles (one north for 1.3 miles -- access to southeast corner of Rho claims and one south for 2.7 miles -- access to north end of Hyas claims).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 82; Assessment Reports 4389, 4741.

PEM, HY (Fig. A, No. 16)

- LOCATION:Lat. 50° 47'Long. 119° 58'(82L/13W)KAMLOOPS M.D.Twenty miles northeast of Kamloops, surrounding
Warren and Pemberton Lakes, between 4,000 and 5,000 feet elevation.CLAIMS:PEM 1 to 19, 21, 27 to 36, 41 to 50, HY 1 to 26, 29, 30, HELLO 1 to
4.
- OWNER: DRESSER INDUSTRIES, INC., Dresser Minerals Division, 525, 404 Sixth Avenue SW., Calgary, Alta.
- DESCRIPTION: Drilling on the west side of Pemberton Lake intersected 100 feet of amygdaloidal lava above argillaceous shale, suggesting the presence of Kamloops Tertiary volcanic rocks overlying Cache Creek sedimentary rocks.
- WORK DONE: 1970 airborne electromagnetic and magnetometer survey covering whole area; 1971-1972 – claims staked, geochemical soil sampling, horizontal and vertical loop EM survey, 753 feet of core drilling; 1973 – vertical loop electromagnetic and magnetometer surveys covering Pem 2-4, 10, 13, 15, 30-32, 42 and HY 1-12, 25, 26.

REFERENCE: Assessment Report 4239.

ANNIS (82L/NW-21, 23-25) (Fig. A, No. 89)

LOCATION: Lat. 50° 47' Long. 119° 04' (82L/14E) KAMLOOPS M.D. Four and one-half miles southwest of Sicamous, on the ridge and northwest slope between Mara Lake and the Salmon Arm of Shuswap Lake, between 2,000 and 3,000 feet elevation. CLAIMS: JOANNE 1 to 10, MOUSE 1 to 10.

OWNER: SICAMOUS RESOURCES LTD., 1008, 1666 Pendrell, Vancouver.

METALS: Lead, zinc, silver, minor copper.

DESCRIPTION: The Joanne 1 to 4 claims are underlain by interbedded quartzite, micaceous quartzite, and schist of the Mara Formation. Small lenses of pyrite, sphalerite, galena, and minor copper sulphide occur along the schist beds parallel to the bedding.

- WORK DONE: Surface geological mapping; 1 inch equals 250 feet; VLF EM survey; geochemical soil survey, 179 samples; and linecutting covering Joanne 1-4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 319; Assessment Report 4453.
- MOLY (LH) (Fig. A, No. 18)
- LOCATION: Lat 50° 59' Long. 118° 48' (82L/15W) REVELSTOKE M.D. Two and one-half miles due north of Malakwa and 26 miles west of Revelstoke, on the steep east slopes of Queest Mountain, astride Legerwood Creek, between 2,000 and 4,500 feet elevation.
- CLAIMS: MOLY 1 to 18.
- OWNER: DARVA RESOURCES AND DEVELOPMENT LTD., 1155, 555 Burrard Street, Vancouver.
- METAL: Molybdenum.
- DESCRIPTION: The claims cover granite, granite gneiss, and mica schist of the Shuswap Complex. Molybdenite occurs in a north-trending, flatly west-dipping shear zone in granitoid rocks.
- WORK DONE: Claims surveyed; chain and compass survey, 13.2 line-miles and ground magnetometer survey, 13.2 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 435; Assessment Report 4369.

SEYMOUR ARM 82M

MOUNT COPEL	AND MINE (82M-2)	(Fig. A, No. 107)	By W. J. McMillan
LOCATION:	Lat. 51 [°] 08′	Long. 118° 28'	(82M/1W)
	REVELSTOKE M.D. F	ifteen miles nort	hwest of Revelstoke, on
	Mount Copeland, betwee	n Hiren and Copela	and Creeks and west to the
head of Bews Creek, at approximately 7,000 feet elevation.			
CLAIMS:	KNOX 1 to 69, 71 to 12	28, ARM 1 to 18, 2	21 to 23, 35, AVA 9 to 11,
	20 to 24, 33 to 40, 48 to	58, 60, 62, 64, AA	101, 102, 105 to 108, 115
	to 128, 130, 132, plu	us JRE, GRIZ, H	AP, KEN, etc., totalling
	approximately 290.		
OWNER:	King Resources Company	·.	
OPERATOR:	KRC OPERATORS LTD	., Box 1700, Revels	toke.



Figure 8. Generalized geology and setting of Frenchman Cap gneiss dome.

•

METAL: Molybdenum (production shown on Table I).

DESCRIPTION:

ACKNOWLEDGMENTS: This report draws heavily on work done in the Jordan River area by Dr. James T. Fyles. The writer spent two seasons mapping similar rocks in the Perry River area, but field work for this report consisted of only two days in May of 1973. Both days were spent underground studying rocks of the Glacier zone. The cooperation and help of the mine manager, W. G. Fothergill; the mine superintendent, W. Patterson; and the mine surveyor, A. Carron were greatly appreciated.

HISTORY: Molybdenite showings on the north flank of Copeland Ridge were discovered and claims staked by E. H. Ewar and associates in 1964. The claims covering the showings were called the Joan group. In 1965 King Resources Company optioned the claims and then mapped, sampled, and drilled the showings in the period of 1965 to 1967. In 1967 the Joan claims were abandoned and relocated by KRC Inc. (King Resources Company) as the Knox group. Underground exploration commenced in September of 1967.

During 1968 an access road was constructed up Hiren Creek and the south adit was driven to intersect the earlier workings. A decision to go into production was made in 1969 and installation of a 200-ton-per-day crusher and concentrator was completed in February of 1970. Development work was underway simultaneously and production officially began on July 1, 1970. At that time, reserves were 180,000 tons of 1.82 per cent MoS₂.

Production to the end of 1973 was 188,602 tons from which 2,352,547 pounds of molybdenite was recovered. Production ceased in July of 1974 and the mine was officially closed in October 1974. Almost all production during the life of the mine was from a locality called the Glacier zone.

REGIONAL GEOLOGY: The Shuswap Metamorphic Complex, first described by G. M. Dawson in the late 1800's, is a narrow belt of high-grade metamorphic rocks in the Columbian orogen of southeastern British Columbia. The Frenchman Cap dome is one of a series of gneiss domes which occur along the eastern border of the Shuswap Complex. This dome, which is centred 20 miles (32 kilometres) northwest of Revelstoke, has a core zone of migmatite and a fringing zone of metasedimentary rocks (Fig. 8).

The Frenchman Cap dome was mapped on a regional scale by Wheeler in 1965. Subsequently, more detailed studies were conducted along the west side of the dome by McMillan (1970) and along the south side by Fyles (1970).

Concordant bodies of syenite and nepheline syenite gneiss were recognized within the metasedimentary envelope of the dome in both the Jordan River (Wheeler, 1965) and Perry River areas (McMillan, 1970). Molybdenite occurs as an accessory mineral in the syenite gneiss as well as within contained aplitic and pegmatitic zones. It also occurs in metasedimentary rocks adjacent to the syenites in Jordan River area.

Field, petrographic, and to a lesser extent, chemical evidence (Fyles, 1970; McMillan, 1974) suggest the syenitic gneisses were emplaced as sills, and that these sills were emplaced before Shuswap deformation and metamorphism (McMillan, 1970; Fyles, 1970).

(82L/15W)

LOCAL GEOLOGY: The metasedimentary succession underlying Copeland Ridge (Fig. 9) comprises a series of mappable units of biotite schist and grey gneiss, white quartzite, calc-silicate gneiss and marble, and grey gneiss. Concordant bodies of nepheline syenite gneiss occur with the calc-silicate gneiss and marble unit.

The rocks have been metamorphosed and subjected to three phases of deformation (Fyles, 1970). The oldest folds are recumbent and isoclinal with deformed axial surfaces and shallow easterly or westerly plunging axes. Second phase folds have overturned axial surfaces which dip steeply to the southwest and south. These folds dominate rock unit map patterns. For example, all the folds portrayed on Figure 10 belong to Phase 2. The broad curvature of the foliation around the southwest corner of the dome is referred to as a Phase 3 fold.

Nepheline syenite gneiss is most abundant along Copeland Ridge. Fyles (1970) describes the rock as a grey, medium-grained feldspar biotite gneiss that is locally calcareous. Diagnostic features used to distinguish it in the field from other grey gneisses are its lack of quartz, locally pitted weathered surface, and effervescence of some specimens with acid. The margins of the syenite bodies are nepheline-free, which may be the result of reaction with enclosing rocks.

Lenses of syenite pegmatite or syenite aplite are fairly common along the northern border of the nepheline syenite unit and, because of their concentrations of molybdenite, are the focus of economic interest. These pegmatites and aplites have both sharp and gradational contacts with enclosing syenite gneisses. Characteristically they lie parallel to foliation but they cross it locally. Massive disseminated molybdenite occurs randomly in the aplite and pegmatite lenses and to a lesser extent in calc silicate gneisses adjacent to the syenite gneiss contact. During the life of Mount Copeland mine, almost all production was from these aplite-pegmatite bodies within the syenite gneisses.

Geology, Ore Mineralogy, and Structural Geology of the Glacier Zone: The productive Glacier zone occurs in a digitation which is either a fold limb or a sill of syenite gneiss in the calc-silicate gneiss unit (Fig. 9). In this digitation, the syenite gneiss appears to be free of nepheline. In most specimens perthitic microcline is the dominant mineral but in some sodic oligoclase (An_{10-15}) forms up to 40 per cent of the feldspar present. Microscopically, string, rod, bead, and interlocking types of perthite can be seen. The amount of exsolved albitic plagioclase varies from being a minor component, up to half of the perthitic mixture.

Biotite is the most common mafic mineral normally forming about 20 per cent of the syenites. It is seen microscopically, to be pleochroic from chocolate brown to tan. Locally, amphibole occurs which is black in hand specimen but pleochroic from turquoise to green to brown in thin section. The mineral does not extinguish when the microscope stage is rotated and pleochroic colours mask its birefringence. Its 2V is apparently small and negative. This optical evidence suggests that the mineral is ferrohastingsite.

Calcite is commonly present in small amounts and locally is prominent. Minor constituents of the rock include zircon, sphene, apatite, and magnetite. Some specimens also contain fluorite, some pyrite and/or pyrrhotite, and some molybdenite.

The syenite gneisses contain scattered pods of molybdenite-bearing leucocratic aplite and pegmatite syenite. The Glacier zone is a lens up to 10 feet thick of such pegmatite and aplite. It has been folded into tightly appressed, overturned Phase 2 folds (Fyles, 1970)



Figure 10. Section A-B drawn from Figure 9 to indicate the structural setting of the Mount Copeland mine.

109

that plunge 15 degrees southeastward (Fig. 11). The axial surfaces of the folds dip at moderate angles toward the south. In the 6550 east decline of the mine, Phase 2 minor folds (Plate II) are parallel to the ore folds and support the interpretation that the ore folds are Phase 2 folds. In the figure, these minor folds deform what appears to be a recumbent Phase 1 fold. In detail, the aplite-pegmatite zones are irregular and molybdenite distribution is highly variable.

The pegmatites and aplites have similar mineralogies. Both are leucocratic relative to the enclosing gneisses but both have local mafic-rich folia and lenses. K-feldspar is the dominant mineral. In the pegmatite, greenish yellow microcline cyrstals or crystal aggregates attain widths of 3 inches. Exsolved albitic plagioclase locally forms as much as 40 per cent of these crystals. Both aplite and pegmatite form lenses in the host syenite gneisses and contacts between the aplites, pegmatites, and syenites may be either sharp or gradational. Locally the pegmatite matrix consists of masses of calcite that contain clusters of biotite, pyrrhotite, pyrite, and ilmenite (Fyles, 1970). Minor amounts of zircon are present in most of the specimens; quartz is rare but occurs interstitially or as vug fillings. The oxide minerals, magnetite and ilmenite, are fairly common and locally form equant blobs up to three-quarters of an inch across. Sulphide minerals present include pyrite, pyrrhotite, molybdenite, and rare chalcopyrite. Sulphides fill cracks in the oxide minerals and apparently post-date them.

Molybdenite has a number of habits; it may be disseminated, form clumps and rosettes of crystals along hairline cracks, fill vugs, or occur as intergrowths with calcite, sericite, and K-feldspar. Large crystals of molybdenite contain inclusions of K-feldspar, calcite, and zircon. However, molybdenite also occurs in K-feldspar crystals and commonly is concentrated around K-feldspar megacrysts in the pegmatites. Pyrrhotite and pyrite are also distributed as disseminations, fracture fillings, and line or fill vugs.

ALTERATION AND VEINING: In the syenite gneisses, feldspars are clouded by kaolinite alteration or stained pink by sericite-calcite alteration. Biotite is locally chloritized. The pegmatite-aplite zones are similarly altered. Epidote and chlorite coat late-stage fractures in the rocks. Veinlets commonly consist of calcite, K-feldspar, chlorite, or rarely, quartz.

ORIGIN OF MINERALIZATION AND ALTERATION: Molybdenite-bearing pegmatitic and aplitic segregations locally crosscut layering in the syenite gneisses that outlines Phase 1 folds. Therefore, aplite-pegmatites formed or were remobilized after the main Phase 1 deformation and were involved in and possibly locally remobilized during Phase 2 deformation.

Mineral assemblages indicate that pressure and temperature conditions of the sillimanite, almandine, orthoclase subfacies of the almandine-amphibolite facies were attained in the Jordan River area. Sparse evidence indicates that metamorphic conditions peaked during or after Phase 2 deformation (McMillan, 1970). Consequently, it is likely that Mount Copeland mine ore was metamorphosed by or formed under conditions of high-grade metamorphism.

In contrast, the alteration mineral assemblages found indicate formation under pressure-temperature conditions of the green schist facies or lower. Chloritization of biotite and formation of epidote and chlorite on fractures are post-ore and later than high-grade metamorphic features. Kaolinite is not stable under conditions of the green


Plate II. Mount Copeland mine – On a vertical joint surface in the roof of the 6550 decline Phase 2 folds are seen deforming what may be a recumbent Phase 1 fold. The pencil is 5.5 inches (13.9 centimetres) long.

(82M/4E)

schist facies; therefore, kaolinite-sericite-calcite alteration of feldspars probably occurred even later. These alteration events may be related to an igneous event dated at $44_{\pm}3$ m.y. during which lamprophyre dykes were injected (Wanless, *et al.*, 1973, p. 25).

GENERAL COMMENTS: Nepheline syenite gneisses and local associated carbonatites (McMillan, 1973) form concordant layers within the metasedimentary envelope of the Frenchman Cap dome. The rocks are easily overlooked on a reconnaissance survey and more alkalic bodies can probably be found by mapping areas 'stratigraphically' above white quartzite units mapped by Wheeler (1965).

The syenite gneisses are favourable prospecting targets for molybdenum mineralization, particularly zones with aplitic and pegmatitic segregations. McMillan (1973, 1974) found small amounts of molybdenite, pyrochlore, and columbite-tantalite in carbonatites associated with the nepheline syenite gneisses in the Perry River area. Locally, specimens assayed 0.5 per cent Nb₂O₅. Similar carbonatites are known from the Blue River area (McCammon, 1953), and it is likely others occur in the vicinity of the Frenchman Cap dome.

- WORK DONE: Underground geological mapping, 1 inch equals 20 feet and 1 inch equals 100 feet; underground diamond drilling, 32 holes totalling 2,312 feet on Hap 4; exploration and development, 44.5 feet and stope development, 650.5 feet on Hap 4.
- REFERENCES: Fyles, James, T. (1970), Jordan River Area near Revelstoke, British Columbia, B.C. Dept. of Mines & Pet. Res., Bull. 57, 64 pp.; McCammon, J. W., Lempriere, Minister of Mines, B.C., Ann. Rept., 1952, pp. 115-119; McMillan, W. J. (1970), Petrology and Structure of West Flank, Frenchman's Cap Gneiss Dome, near Revelstoke, British Columbia, unpublished Ph.D. thesis, Carleton University, 150 pp.; McMillan, W. J. (1973), Geology of West Flank, Frenchman's Cap Gneiss Dome, Geol. Surv., Canada, Paper 71-29, 88 pp.; McMillan, W. J. (1974), Gneissic Alkalic Rocks and Carbonatites in the Frenchman's Cap Gneiss Dome, Shuswap Complex, B.C., Cdn. Jour. Earth Sci., Vol. 11, pp. 304-318; Wanless, R. K., Stevens, R. D., Lachein, G. R., Delabio, R. N (1973), Age Determinations and Geological Studies, Geol. Surv., Canada, Paper 73-2.

TOM (82M-55) (Fig. A, No. 90)

LOCATION:	Lat. 51° 02′	Long. 119° 4	3'	(82M/4E)
	KAMLOOPS M.D.	Thirty-six miles we	est-southwest	of the settlement
	of Seymour Arm, e	xtending south on th	ne east side of	Adams Lake from
	a point opposite Sk	waam Bay.		
CLAIMS:	AD 1 to 4, BEE 1 1	to 4, BON 1 to 4, DA	Y 1 to 4, LEN	1 to 4, ZEE 1 to

4

- OWNERS: Lorne Donovan, Stanley Kostiuk, Steve Clark, and Leonard Sprackman. OPERATOR: AGATE BAY MINING LTD., 2173A Dundas Street, Vancouver V5L 1J7.
- METALS: Gold, silver, lead, zinc, copper.

(82M/4W)

- DESCRIPTION: Permian or younger greenstone, schist, limestone, and quartzite of the Monashee Group trend northwesterly and dip from 20 to 65 degrees northeasterly. The contorted, altered schists contain veins and lenses of quartz carrying pyrite, galena, sphalerite, pyrrhotite, chalcopyrite, and limonite.
- WORK DONE: Geochemical soil survey, 183 samples taken on 100 by 400-foot grid spacing covering Bee 1-4 and Day 1, 3, 4.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 134; Assessment Report 4504.

HOMESTAKE	(82M-25)	(Fig. A, No. 149)	By E. Sadar
LOCATION:	Lat. 51° 07′	Long. 119° 50'	(82M/4W)

- LUCATION: Lat. 51 07' Long. 119 50' (82M/4W) KAMLOOPS M.D. Two and three-quarter miles northwest of the head of Skwaam Bay on Adams Lake, on Sinmax and Homestake Creeks, immediately north of the road.
- CLAIMS: HOMESTAKE, MAPLELEAF, TROUBLESOME, ARGENTUM, SILVERSTAR FR. (Lots 827 to 830, 4566, respectively) plus 106 located claims including DELL, FRED, H, JOE, KAM, MAX, and RAY. OWNERS: Kamad Silver Co. Ltd. and Canadian Reserve Oil and Gas Ltd.
- OPERATOR: CANADIAN RESERVE OIL AND GAS LTD., 907, 235 First Avenue,
- Kamloops.
- METALS: Barite, silver, zinc, lead, copper, minor gold.
- DESCRIPTION: The rocks in the area are members of the Adams Lake series of the Shuswap Complex. In the vicinity of the mine, the main member is a quartz-sericite-talc schist. Argillite bands overlie sericite schist at higher elevations. Chloritic beds are present in the general vicinity. The general dip is northeast varying from 15 degrees to 40 degrees. Three main zones of mineralization occur as 'veins' conforming to the dip of the beds. The zones contain barite, tetrahedrite, proustite, galena, sphalerite, chalcopyrite, pyrite, and minor gold. Percentages of the individual minerals vary independently.

WORK DONE:

Mining of the orebodies has not started at this time. It is planned to use a modification of breast and pillar stoping to mine this orebody.

The following work was carried out during the year: underground geological mapping, 1 inch equals 20 feet and 1 inch equals 40 feet covering Lots 827 and 829; underground diamond drilling, 12 holes totalling 2,253 feet on Lot 829; underground workings surveyed; adit driven at 1,750 feet elevation, 1,899 feet; three remuck stations cut out, 100 feet; bottom of ore-pass raise collared, 20 feet; drifting and raising, 465 feet; slashing, 6,880 feet; bad section of ground timbered on 2250 level.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 437; 1972, pp. 86, 87.

(82M/5W)

JUNE, KAYJUN (82M-58) (Fig. A, No. 92)

LOCATION: Lat. 51° 15′ Long. 119° 48′ (82M/5W) KAMLOOPS M.D. Thirty-seven miles due west of the settlement of Seymour Arm, extending east from the southeast end of East Barriere Lake, at approximately 2,400 feet elevation.

CLAIMS: JUNE 1, KAYJUN 1 to 14, 17, 18, KAYJUN 15 and 16 Fractions.

OWNER: Red River Mines Ltd.

OPERATOR: WESTERN MINES LIMITED, Box 8000, Campbell River.

METALS: Lead, zinc, silver, minor copper,

- DESCRIPTION: Galena, sphalerite, and minor chalcopyrite have replaced calcareous horizons, adjacent to a quartz stockwork, in the Cache Creek Group of sericite schists, phyllites, quartz-biotite schists, and interbedded argillaceous marble.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; airborne EM survey, 8 line-miles; airborne magnetometer survey, 8 line-miles; and geochemical survey, 6.7 line-miles, 420 soil samples and 122 rock chip samples taken at 10-foot intervals along a trench covering all claims; surface diamond drilling, one hole totalling 176 feet on June 1.

REFERENCES: Assessment Reports 4579, 4685.

EBL-REM (82M-51) (Fig. A, No. 93)

LOCATION: Lat. 51° 19' Long. 119° 47' (82M/5W) KAMLOOPS M.D. Thirty-six miles west-northwest of the settlement of Seymour Arm, extending northwest from the north shore of East Barriere Lake, at approximately 3,800 feet elevation.

CLAIMS: EBL 1 to 56, 55A, 56A, 57 to 92, 93 and 94 Fractions, REM 1 to 18, BRAD 1 to 6, SNARK 1 and 2 Fractions.

OWNER: Pan Ocean Oil Ltd.

OPERATOR: WESTERN MINES LIMITED, Box 8000, Campbell River.

- METAL: Copper.
- DESCRIPTION: Cache Creek sericite, schist, chlorite schist, meta-arkose, and quartzite or rhyolite are adjacent to a Jurassic/Cretaceous granodiorite intrusion to the east. Disseminated pyrite, pyrrhotite, and chalcopyrite occur in the chlorite schist with some skarn-type mineralization close to the intrusive contact.
- WORK DONE: Topography mapped; core relogged; airborne EM and magnetometer survey, 80 line-miles covering all the Snark, Rem, and Brad claims and EBL 1-70, 75, 81, 82, 85, 86, 89, and 90.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 87; Assessment Report 4685.

NSP (82M-127) (Fig. A, No. 91)

LOCATION: Lat. 51° 17' Long. 119° 37' (82M/5E) KAMLOOPS M.D. Six miles due east of East Barriere Lake, on the ridge 1 mile south of East Barriere River, at approximately 4,700 feet elevation.

- CLAIMS: NSP 1 to 64.
- OWNER: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METAL: Copper.

- DESCRIPTION: Chalcopyrite occurs as disseminations and in thin quartz stringers parallel to the foliation in quartz-biotite gneiss which is intercalated with granite of the Baldy batholith and schist and greenstone of the Adams Lake Group.
- WORK DONE: IP survey, 6.9 line-miles covering NSP 5-12, 17-22, 31, 33, 38, 40, 42; geochemical soil survey, 233 samples, 7.5 line-miles.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 89.

SHUSWAP (Fig. A, No. 19)

LOCATION: Lat. 51° 28' Long. 118° 50' (82M/7W) KAMLOOPS M.D. Eight miles north-northeast of the head of Seymour Arm, extending from Blais Creek up the northwest slope of Mount Grace, between 4,000 and 6,300 feet elevation.

CLAIMS: SHUSWAP 1 to 30, GN 11 and 13.

- OWNER: GREAT NORTHERN PETROLEUMS & MINES LTD., 1110, One Bentall Centre, 505 Burrard Street, Vancouver.
- DESCRIPTION: The property is underlain by rocks of the Shuswap Complex consisting of interbedded quartz-biotite-feldspar schist and paragneiss in the east and leucocratic granitic gneiss in the west.
- WORK DONE: Airborne magnetometer and VLF EM survey covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 318; Assessment Reports 486 (ZAN), 4367.

HAIL, GOOF, SUE (82M/7, 9) (Fig. A, No. 97)

- LOCATION: Lat. 51° 32′ Long. 119° 49′ (82M/12W, 5W) KAMLOOPS M.D. Five miles southeast of Birch Island, covering the headwaters of Jones, Baker, and Harper Creeks, at approximately 5,300 feet elevation. The MUF claims are 1 mile further south, to the east of Harper Creek.
- CLAIMS: HAIL, GOOF, SUE, BETH, HARP, LEO, JUDY, KARINA, BOB, MUF, totalling approximately 340.
- OWNERS: QUEBEC CARTIER MINING COMPANY, 1400, 1030 West Georgia Street, Vancouver and NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METALS: Copper, zinc, lead.

DESCRIPTION: The property is underlain by a succession of Permian or earlier low-grade metamorphic rocks consisting of fine-grained phyllitic greenschist, fine-grained graphitic marble and impure limestone, dark green phyllite, and fine-grained sericitic quartzite. The Cretaceous

(82M/12W)

Baldy batholith is a short distance south. Chalcopyrite and pyrite, with sparse sphalerite and galena, occur in quartz lenses in schist and as disseminations, small veins, and replacements in schist and phyllite.

WORK DONE: VLF EM survey, 14 line-miles covering Hail claims; surface diamond drilling, four holes totalling 1,771 feet on Hail 6, 11, 12, and 573.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 93.

REXSPAR, SMUGGLER (82M-21, 23, 31, 42, 43) (Fig. A, No. 94)

- LOCATION: Lat. 51° 34' Long. 119° 54' (82M/12W) KAMLOOPS M.D. One-half mile south of Birch Island, on the south slope of the North Thompson Valley, stretching from Foghorn Creek to Lute Creek, at approximately 4,000 feet elevation.
- CLAIMS: TOP, PA, CS, JAM, ELLA, ACTIVE, RADIO, JANE, RAY, totalling 225 and 40 Crown-granted claims including BLACK DIAMOND, SMUGGLER, SPAR, REX, etc. (Lots 5387 to 5405, 5408 to 5411, 5477 to 5482, 5484 to 5494).

OWNER: Consolidated Rexspar Minerals & Chemicals Limited.

OPERATOR: KERR ADDISON MINES LIMITED, 405, 1112 West Pender Street, Vancouver.

METALS: Uranium, fluorite, molybdenum, celestite, lead, rare earths.

DESCRIPTION: Uranium minerals and fluorite occur as hydrothermal replacement deposits in tuffaceous trachyte.

WORK DONE: Surface diamond drilling, six holes totalling 2,020 feet on Lots 5395, 5399, 5408, 5481, and 5486.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 92.

LUCKY, CEDAR, RS (Fig. A, No. 20)

LOCATION: Lat. 51° 36' Long. 120° 00' (82M/12W; 92P/9E) KAMLOOPS M.D. Two miles northwest of the Birch Island Post Office, extending south from the Thompson River and lying astride Hascheak Creek.

CLAIMS: LUCKY 1 to 28, CEDAR 1 to 16, RS 1 to 16.

- OWNER: CEDAR CITY MINES LTD., 427, 470 Granville Street, Vancouver.
- WORK DONE: Linecutting covering Cedar 1-16 and Lucky 19-24.
- REFERENCE: Assessment Report 4368.

BOULDER (82M-123) (Fig. A. No. 95)

LOCATION: Lat. 51° 50′ Long. 119° 42′ (82M/13E) KAMLOOPS M.D. Nineteen miles north-northeast of Birch Island, 2.5 miles due north of Silence Lake, on Maxwell Creek, between elevations of 3,600 and 4,500 feet.

CLAIMS: BOULDER 1 to 32.

OWNER: Union Carbide Exploration Corporation.

OPERATOR: UNION CARBIDE CANADA MINING LTD., 601, 1112 West Pender

Street, Vancouver V6E 2S1.

METAL: Tungsten.

- DESCRIPTION: Several pendants of quartz-biotite schist, marble, quartzite, and coarse, siliceous garnet-idocrase skarn, tremolite skarn, and banded diopside skarn are present in quartz monzonite, granodiorite, and minor pegmatite acid intrusive rocks. Medium-sized (1 to 5-millimetre) crystals of scheelite occur in the skarn, usually in the garnet-idocrase variety.
- WORK DONE: Surface geological mapping, 1 inch equals 50 feet covering Boulder 1-12 and 29-32 and 1 inch equals 50 feet covering Boulder 1, 11, 21, 23, and 25; geochemical soil survey, 450 samples, 16 line-miles covering Boulder 1-12, 13, 15, 17, 19, 21, 23, 25, 27, and 29-32; surface diamond drilling, three holes totalling 1,433 feet on Boulder 1; surface workings mapped; linecutting, 20,000 feet on Boulder 1, 5-11, 13, 23-25, and 27; trenching, 5,200 feet.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 94.

IT, TO (RUDDOCK CREEK) (82M-82, 83, 84) (Fig. A, No. 96)

- LOCATION: Lat. 51° 46' Long. 118° 54' (82M/15W) KAMLOOPS and REVELSTOKE M.D. Thirty-six and one-half miles due north of the settlement of Seymour Arm, on the western slope of Golden Horne Peak, between Oliver Creek and the head of Ruddock Creek, at approximately 7,000 feet elevation.
- CLAIMS: IT 1 to 16, 19 to 24, 27 to 30, 33 to 44, 59, 61, 83 to 85, TO 9 to 14, IN 2, 4, 6 to 19.

OWNER: Falconbridge Nickel Mines Limited.

OPERATOR: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.

METALS: Zinc, lead.

- DESCRIPTION: The property comprises highly metamorphosed calcareous and non-calcareous schists and gneisses. Mineralization includes sphalerite and minor galena, pyrrhotite, and fluorite.
- WORK DONE: Airborne magnetometer and EM survey, 87 line-miles covering In 13, 15, 17, 19, It 5, 7-16, 28-30, 39, 41, 42, 59, 61, 83-85, and To 9-14.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1963, pp. 86-88; Assessment Report 4567.

GOLDEN 82N

SAPHIRE	(82N-42)	(Fig. A, No. 98)
---------	----------	------------------

LOCATION: Lat. 51° 22' Long. 117° 59' (82N/5W) REVELSTOKE M.D. Forty-three and one-half miles west-northwest of Golden, one-quarter mile north of Downie Lake, at approximately 7,500 feet elevation.

CLAIMS:	SAPHIRE 1 to 4.
OWNER:	John R. Grant.
OPERATOR:	CALTOR SYNDICATE, 1011, 2200 Yonge Street, Toronto, Ont.
METALS:	Lead, zinc, silver.
DESCRIPTION:	The claims are underlain by limestone of the Badshot Formation.
WORK DONE:	Surface geological mapping, 1 inch equals 100 feet covering Saphire
	1-4; X-ray diamond drilling, three holes totalling 130 feet on Saphire 2.



Figure B. Index map of properties in NTS Grid Division 92H and 921.

120

- 1. ASH, NOLA, page 123.
- 2. BEN, PIK, page 133.
- 3. JM, page 136.
- 4. NICKEL PLATE, page 136.
- 5. TAS, TAT, page 133.
- 6. AZURITE, page 134.
- 7. GH, K, L, page 136.
- 8. ILSE, SOB, page 133.
- 9. DENISE, page 135.
- 10. E. page 134.
- 11. NOB, page 135.
- 12. DC. page 137.
- 13. ELK, SLEEPER, page 137.
- 14. ELN, SHR, page 139.
- 15. HO, page 138.
- 16. FK, page 138.
- 17. STAR, page 139.
- 18. SHAMROCK, NELLIE, page 148.
- 19. PRIMER, KING GEORGE, page 160.
- 20. AXE, page 142.
- 21. EJ (CALICO SILVER), page 140.
- 22. EJ (VARGAS), page 139.
- 23. LP, LB, page 140.
- 24. HAL, page 140.
- 25. V.W. page 141.
- 26. EXIE, JM, page 141.
- 27, ANITA (MONTANA MINES), page 142.
- 28, FAN, ANITA, page 142.
- 29. FAN, NU, page 143,
- 30. FAN (BRONSON), page 143.
- 31. NU (BUTTERWORTH), page 144,
- 32. JE. HI. page 144.
- 33. ANITA (BUTTERWORTH), page 144.
- 34. HW, page 144.
- 35. MIC, page 145.
- 36. ANN, page 145.
- 37. X, Y, page 145.
- 38. EG, page 146.
- 39. BULL, KP, page 146.
- 40. PINE, page 146.
- 41. AL, page 147.
- 42. AT, page 141.
- 43. LISA, AD, page 147.
- 44. DD, page 147.
- 45. CINDY, page 148.
- 46. LOG, page 149.
- 47. IRA, page 150.
- 48. D, R, page 148.
- 49. WHY, page 150.
- 50. TOTEM POLE, page 151.
- 51. MUG, JOSIE, page 149.
- 52. BOB, TAB, page 158.
- 53. BOSS, DAISY, page 156.
- 54. ESP, page 155.
- 55. DEX, page 155.

- 56 BLUE JAY, page 159.
- 57 RL page 157.
- 58. JUNE, page 158.
- 59. JAY FEB page 156.
- 60. MIX page 157.
- 61. WD, page 157.
- 62. MISS, page 156.
- XX, KV, page 159. 63.
- BUCK, ZULA, page 161, 64.
- WHERE, page 154. 65
- COPPER STAR, DOR, page 159. 66
- 67. HN-WEN, page 162.
- SNOWSTORM, AMANDA, page 160. 68.
- DUCHESS, page 161. 69.
- 70. SUNSET (SILENT FRIEND), page 124.
- 71. MT. CHEAM NO. 2, page 124,
- 72. TAN, page 124.
- 73, CLOVER LEAF, page 130.
- 74. NI, page 153.
- 75. SKU, page 129.
- 76. HARRISON, LUCKY JIM, page 125.
- 77 WB page 129.
- 78. LUV, STONEY, page 129.
- 79. KU, page 130.
- 80. SF, page 130.
- 81. AUFEAS, page 132.
- 82. WHAT, page 152.
- 83. COLDWATER, MAG, page 152.
- 84. AURUM, IDAHO, PIPESTEM,
 - page 152.
- 85. OLE, page 154.
- 86. MAG, page 163.
- 87. ME, page 164.
- 88. JUA, LOST, page 166.
- 89, ES, SA, page 165,
- 90. HAWK, page 164.
- 91. JANETTE, page 190.
- 92. NAP, page 191.
- 93. SACK, page 191.
- 94. ULLA, page 191.
- 95. SAR, page 192.
- 96. DERBY, page 192.

99. POM POM, page 184.

98. MARY REYNOLDS, page 190,

101. KR&K (GREENSTONE CREEK),

121

page 185.

102. KR&K (WALLOPER LAKE),

page 185. 103. LYN, KAY, page 180.

97. SVEN, page 190.

100. REY, page 181.

104. LEO, page 181.

106. MAX, page 185.

105. HH, page 186.

107. SA, page 180.

KEY TO PROPERTIES ON INDEX MAP, FIGURE B (Continued).

108.	CAPER, CAP, page 173.
109.	SHEBA, page 175.
110.	FIN, LUCK, page 173.
111.	MLM, GCM, page 174.
112.	NYE, page 178.
113	JUA page 166
114	EHK page 174
115	KR&K (CHARTRAND CREEK)
110.	page 179
116	ALAMO SAN JOSE page 168
117	LOBNEX page 169
118	OK (ALWIN) MINE page 172
110.	LAKEN page 169
120	BOVAL CANA page 170
120.	MEL page 169
121.	EVE page 169
122.	ETE, page 100.
123.	AR, page 172.
124.	AB, page 167.
125.	H, page 166.
126.	B&B, SPIN, page 167.
127.	CORNINAL L maga 210
120.	MAN page 200
129.	MAN, page 209.
130.	DEN, page 106.
131.	RAF, TAW, page 206.
132.	KEV, page 208.
133.	SALLUS, page 210.
134.	AV, page 210.
135.	RAW, SAM, RANGER, page 211.
136.	R, V, GILL, page 213.
137.	RENE, page 212.
138.	BEAU, page 211.
139.	MARDI, page 215.
140.	PYRITE, page 214.
141.	FAIRVIEW, P&L, page 214.
142.	MO, page 207.
143.	JOY, BLU, page 207.
144.	CHRIS, VAL, page 208.
145.	KRAIN COPPER, page 205.
146.	OUTRIDER, page 203.
147.	EDEN, EZRA, page 180.
148.	BCD, page 204.
149.	POD, page 204.
150.	BLB, page 204.
151.	BERU, page 205.
152.	BEV, PAL, page 205.
153.	GEO, page 208.
154.	CON, page 200.
155.	MM, page 202.
156.	GUT, CARM, page 203.
157.	PAT, page 203.
158.	RPM, page 202.
159.	AFTON, page 201.
160.	RAINBOW, page 197.
161.	IRON MASK, DM, page 199.

162. JAM, GOLDEN, page 202.

- 163. IM, page 196.
- 164. AJAX, WHEAL TAMAR, MONTE CARLO, page 197.
- 165. PAM, BUDA, page 196.
- 166. PYTHON, COPPER HEAD, page 198.
- 167. HILLTOP, page 200.
- 168. GIBBI, page 198.
- 169. JR, page 199.
- 170. KENCO, page 197.
- 171. JD, page 195.
- 172. JEAN, page 195.
- 173. MB, SUGI, page 195.
- 174. DOT, page 193.
- 175. CLAIRDON, page 193.
- 176. AFT, LEE, page 192.
- 177. TIRE, page 193.
- 178. IC, page 194.
- 179. MOT, page 194.
- 180. CAT, PAM, page 216.
- 181 PAM, page 217.
- 182. ZEKE, CAT, page 217.
- 183. ALLIES, page 216.
- 184. DV, page 216.
- 185. KB, page 215.
- 186. T, ZEKE, page 217.
- 187. BEN, page 217.
- 188. HOMESTAKE, MOLLY GIBSON, page 218.
- 189. EVE, page 219.
- 190. IRON RANGE, page 218.
- 191. FAWN, page 151.
- 192. BUCK, page 150.
- 193. KATHLEEN MOUNTAIN, page 162.
- 194. EL PASO, page 160.
- 195. PRIDE OF EMORY MINE, page 131.
- 196. VICTOR, page 153.
- 197. LARK, page 123.
- 198. JAN, page 173.
- 199. BETHLEHEM MINE, page 179.
- 200. LED, page 200.
- 201. SIMILKAMEEN MINE (INGERBELLE), page 132.
- 202. BRENDA MINE, page 163.
- 203. CRAIGMONT MINE, page 165.
- 204. IND, page 177.
- 205. JOE, BET, page 178.
- 206. MAGGIE MINE, page 212.
- 207. S, B, page 212.
- 208. M, T, page 213.
- 209. MO, page 213.
- 210. R, page 211.
- 211. Y, MUD, page 214.
- 212. GAP (GAZA), page 175.
- 213. FORD, page 186.

PRINCETON – KAMLOOPS (NTS Division 92H and 92I Figure B)

ASH, NOLA (92H/SE-94) (Fig. B, No. 1)

- LOCATION: Lat. 49° 07' Long. 120° 19' (92H/1W) OSOYOOS M.D. Twenty miles southeast of Princeton between McBride and Cat Creeks, tributaries of the Ashnola River, between elevations of 4,000 and 6,000 feet.
- CLAIMS: ASH 2, 4, 6, 8, 10, 12, NOLA 1 to 28, 35 to 44, MAX 1 to 4, CAT 1 to 6, CAR 9, 15, 28, 30, 33, 34, CAT 1 and 2 Fractions, JAM 1 to 47, GC 1 to 6, McBRIDE 1 and 2 Fractions, Q 1 to 25, 30 to 33, 35, 37, 39 to 42, 47, 48.

OWNER: Prism Resources Ltd.

OPERATOR: CRAIGMONT MINES LIMITED, 270, 180 Seymour Street, Kamloops. METALS: Copper, molybdenum.

- DESCRIPTION: A sequence of acid volcanic rocks of probable Kingsvale age is intruded by quartz porphyry and by a plug of biotite quartz monzonite. Fracturing and pyritization are strong and extensive. Quartz vein stockwork and (or) pervasive silicification are locally strong. Sericitization and kaolinization are also present. Mineralization consists of abundant and widespread pyrite with minor chalcopyrite, molybdenite, and possibly chalcocite. Malachite and ferrimolybdite are alteration products of chalcopyrite and molybdenite. A brief examination of the property indicated that fracturing and wallrock alteration crudely conform to a circular pattern centred on a small body of quartz monzonite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; surface diamond drilling, two holes totalling 828 feet on McBride 1 Fraction and Ash 6.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, pp. 219, 220; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 99.

LARK (Fig. B, No. 197)

LOCATION: Lat. 49° 14' Long. 120° 30' (92H/1W, 2E) SIMILKAMEEN M.D. Four miles south of Copper Mountain, 1.5 miles east of the Similkameen River, between 3,500 and 5,000 feet elevation.

CLAIMS: LARK 1 to 20, 25 to 65.

- OWNER: TAMPICO DEVELOPMENTS LTD., 615, 543 Granville Street, Vancouver.
- WORK DONE: Linecutting, 31 miles of grid; geochemical soil survey, 803 samples taken at 200 by 800-foot grid spacing.
- REFERENCE: Assessment Report 4866.

SUNSET (SILENT FRIEND) (92H/SW-29) (Fig. B, No. 70)

- LOCATION: Lat. 49° 01' Long. 121° 08' (92H/3E) NEW WESTMINSTER M.D. Twelve and one-half miles due east of the southern end of Chilliwack Lake, on Galene Creek, at approximately 5,000 feet elevation.
- CLAIMS: ORE 1 to 54, ROSS 1 and 2.

OWNERS: Fury Explorations Ltd. and Brent Olheiser.

- OPERATOR: FURY EXPLORATIONS LTD., 433, 355 Burrard Street, Vancouver. METALS: Zinc, copper, lead, silver.
- DESCRIPTION: In the northeast part of the claim area Hozameen andesite, greywacke, and limestone have been intruded by a large stock of very coarsegrained granodiorite. Near the contact, on Ore 1 and 2, a limestone bed has been altered to magnetite, hematite, and pyrite skarn with sphalerite, less chalcopyrite, and minor galena.
- WORK DONE: 1972 surface geological mapping, 1 inch equals 500 feet; X-ray diamond drilling; reconnaissance geochemical soil survey and 1973 reconnaissance geochemical soil survey and surface geological mapping, covering Ore 1-49 and Ross 1 and 2.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1938, p. F14; 1967, p. 66 (HOPE); Assessment Reports 1195, 4719.

MT. CHEAM NO. 2 (92H/SW-65) (Fig. B, No. 71)

LOCATION:	Lat. 49° 12′	Long	. 121° 42′			(92	H/4E)
	NEW WESTMINST	ER M.D. T	wo and on	e-half n	niles east-i	north	east of
	Bridal Falls village, on the north slope of Cheam Peak, at approximately						
	3,000 feet elevatior	า.					
CLAIMS:	LUCKY 1 to 8, A 5	5 to 10.					
OWNERS:	RON McBEAN, V	VICTOR N.	BRIGGS,	JACK	WHITE,	and	W. E.
	HARVEY, 3450 We	est 35th Ave	nue, Vanco	uver.			

- METAL: Copper.
- DESCRIPTION: Argillite, slate, sandstone, and limestone have been intruded by granite. Iron, copper, and zinc mineralization noted at a limestone-granite contact did not prevail to depth with blasting.
- WORK DONE: Trenching, 432 feet on Lucky 8; surface geological mapping covering A 5-10; trenching, 300 cubic feet and stripping, 600 cubic feet on A 7.
- REFERENCE: Minister of Mines, B.C., Ann. Rept., 1966, p. 61.

TAN (92H/SW-85) (Fig. B, No. 72)

LOCATION:	Lat. 49° 01'	Long. 121° 48′	(92H/4W)
	NEW WESTMINSTER M.I	D. Ten miles southeast of Vedde	r Crossing,
	on Tamihi Creek, at approx	imately 2,100 feet elevation.	
CLAIMS:	TAN 1 to 14, 17 to 50, SO	0 1 to 6, 8, SO 7 and 9 Fractions,	AX 1 to 4.
OWNERS:	W. Bell, M. McLaren, G. St	apely.	



OPERATOR: COMINCO LTD., 2100, 200 Granville Square, Vancouver.
METALS: Copper, zinc.
DESCRIPTION: Chalcopyrite, sphalerite, and pyrite mineralization was observed at an intrusive contact with Chilliwack Group volcanic rocks.
WORK DONE: IP survey, 2.9 line-miles covering Tan 39, 40, 42, and 49; road construction, 0.7 mile on Tan 39.
REFERENCE: *B.C. Dept. of Mines & Pet. Res.*, GEM, 1972, p. 102.
HARRISON, LUCKY JIM (92H/SW-13) (Fig. B, No. 76) By D. E. Pearson

LOCATION: Lat. 49° 19.0' Long. 121° 56.5' (92H/5W) NEW WESTMINSTER M.D. Eight miles west of Harrison Hot Springs, on Chehalis River, at approximately 1,000 feet elevation.

CLAIMS: HARRISON 1 to 32, LUCKY JIM, CHEHALIS 8, BONANZA 1 and 2, BONANZA 1 Fraction, DOROTHY 1 to 3, JOY 1 to 44, JOY 1 Fraction, ZIP 1 to 16, 20 POT, LH 1 to 20, LYN 1 to 4, HILL 1 to 3, C 1 to 11, MZ 1 to 8, SNO 14, 16, H 3, HW 1 to 4.

OPERATOR: COMINCO LTD., 2100, 200 Granville Square, Vancouver.

METALS: Copper, zinc, silver, lead, gold.

DESCRIPTION:

The results of a four-week regional mapping project in the southern part of the Harrison Lake Formation are contained in *Geology, Exploration, and Mining in British Columbia, 1972* (Thompson, GEM, 1972, pp. 102-114).

In June and July, 1973, the writer commenced detailed geological mapping on the west side of Harrison Lake. The purpose of this mapping programme was to produce a geological map at a scale of 1 inch equals 200 feet of the Harrison-Lucky Jim property (better known as Seneca), together with a mapped section through the Harrison Lake Formation at a scale of 5 inches equals 1 mile. The following observations establish some hitherto unknown facts about the area.

REGIONAL GEOLOGY: The regional distribution of volcanic and sedimentary rocks west of Harrison Lake is controlled by the Camp Cove anticline and the Sakwi Creek fault (Fig. 12). The presence of this fault precludes the identification in this area of a complete stratigraphic section through the Harrison Lake Formation. West of Sakwi Creek fault lies a volcanic terrane in which stratigraphic relationships are not easily established, whereas to the east, a north-northwesterly strike predominates.

The oldest rocks in the area are poorly sorted polymictic conglomerates that form the core of the Camp Cove anticline. These in turn are overlain by graded greywackes and interbedded shales that contain several discontinuous black chert beds. In new roadcuts at the south end of the anticline, above the aforementioned member, a very coarse, poorly bedded exotic conglomerate, possibly a fluxoturbidite,* separates the greywackes from an overlying black argillite. Beds of this latter rock type are the highest in the Camp Cove Formation as defined by Crickmay (1925). The presence of *Dactylioceras* (Brookfield, 1973 and pers. comm.) in the greywacke member indicates that some, if not all, of the Camp Cove Formation is of Toarcian (Lower Jurassic) age.

*Fluxoturbidites are coarse-grained, thickly bedded, poorly graded, and often channeled marine clastic rocks, that occur in turbidite sequences and frequently are indistinguishable from proximal turbidites.

A fault at the north end of the Camp Cove anticline brings andesite and andesite breccia into contact with the rocks of the Camp Cove Formation. However, dip measurements on the chert bed (Fig. 12) and its trace in map view strongly suggest that the fault has bisected the hinge of a fold closing to the north. This implies that the Camp Cove anticline is an eroded plunge culmination, and confirms Crickmay's earlier suggestion that it is 'domed up.'

The basal member of the overlying Harrison Lake Formation is taken as the thick (>2,000 feet) structurally monotonous dark green tuff, well exposed in the roadcuts in the hinge area of the Camp Cove anticline, and along the Harrison Lake shoreline. Rare graded bedding, and one accretionary lapilli-bearing outcrop attest to the subaqueous origins of this deposit.

On the westerly dipping limb of the Camp Cove anticline a fluxion-banded, spherulitebearing intrusive rhyolite obscures the contact between cherts of the Camp Cove Formation and the basal tuff of the Harrison Lake Formation. At the south end of this rhyolite dyke, a western extension strikes toward Weaver Lake, clearly intrusive to the attitude of the basal tuff member.

Fossiliferous, dark blue-grey shales, that are well exposed at Celia Cove in the hinge of the Camp Cove anticline, overlie the basal tuffs of the Harrison Lake Formation. Faunas from these shale beds at the 700-foot level along the Morris Valley road apparently indicate a Middle Bajocian (Middle Jurassic) age (Frebold, *in* Monger, 1970).

On the road from Camp Cove up to Mount Klaudt, the basal tuff of the Harrison Lake Formation is succeeded by a thin conglomerate bed, which in turn is overlain by a thin (>10-foot) fossiliferous shale, that has yielded a varied fauna including lamellibranchs (trigonids), brachiopods (rhynchonellids and terebratulids), and corals.

Details of the stratigraphy between the mouth of Harrison River and Celia Cove have not been worked out satisfactorily, although the presence of a carbonate bed, a rhyolite flow, and a coarse breccia has been observed.

Along Morris Valley road, the fossiliferous shale bed is overlain by a thick sequence of andesites and andesitic breccias. Above the fossiliferous shale exposed along the Mount Klaudt road, original textures in the rocks have been obscured by silicification that is unrelated to the granodiorite stock exposed on the north side of the mountain. Thin sphalerite - chalcopyrite - pyrite stringers and one limonite-stained, sphalerite-bearing outcrop appear to be the only surface mineralization at this locality.

West of this belt of variable lithology, is a thick waterlain tuff that is characterized by load-casts and common convolute laminae. On Mount Klaudt this tuff is succeeded upward by a conglomerate bed with a channeled base that is overlain by pillowed andesites and pillow breccias. The waterlain tuff with convolute laminations is 500 feet thick on the east side of Mount Klaudt, and thins to about 100 feet to the west of Weaver Lake, where it is cut out by an intrusive, fluxion-banded rhyodacite. The waterlain tuff member crosses the Morris Valley road by the junction with Weaver Lake road, and obtains its maximum thickness (>600 feet) in the cliffs above Grace Lake.

On Mount Klaudt the pillow breccias are overlain by bedded ash fall tuffs and breccias.



In contrast to the gently westerly dipping rocks exposed east of Sakwi Creek fault, the volcanic terrane to the west shows more variation in direction and amount of dip. Interbedded shale and sandstone at the 1,400-foot level in Sakwi Creek is subhorizontal, as is the sequence of sandstones exposed at the 3,200-foot level on Mount Keenan, and the erroneous conclusion could be drawn that the sequence is essentially flat lying. However, the contact between laumontite-bearing andesitic breccias and laumontite and other zeolite-bearing dacite tuffs on the east side of Mount Keenan is evidently very steep. Moreover, it cannot be demonstrated that this is a faulted contact.

From the junction with Morris Valley road to the 1,000-foot level on the Hemlock Valley road, the mottled, laumontite-bearing dacite tuffs possess a banding that (with the exception of the summit) is unfortunately absent over most of the rest of the mountain. This is not a cleavage or a tectonic foliation but an original sedimentary feature clearly visible where the tuffs are seen in conformable contact with undoubted, but rare, sedimentary wedges, as for example, at the 900-foot level on Hemlock Valley road. Variation in the attitude of this surface, including steep easterly, steep westerly, and even vertical dips (as for example at the 500-foot level on the Hemlock Valley road), implies the presence of folding on northwesterly trending axes. No such folding has yet been demonstrated west of the Sakwi Creek fault, but it is the writer's opinion that this is due not so much to their absence, as to the difficulty in both finding a marker bed to define them and the absence of bedding in the dacite tuffs at intermediate levels on the mountain.

An alternative explanation, involving the juxtaposition of rotated fault-separated blocks similarly cannot yet be demonstrated.

The outlines of several feldspar porphyry bodies on the east side of Mount Keenan have been mapped in detail. In each case columnar jointing plunges shallowly, and where found, fluxion banding dips steeply, generally subparallel to the margins of the bodies. The three feldspar porphyries which go above the 3,000-foot level on Mount Keenan are dykes. They all have very steeply dipping margins, that cross both the banding in the laumontite-bearing dacite tuffs at about the 3,200-foot level and the bedding in the subhorizontal sandstones. On the basis of similar shallowly plunging columnar jointing and steeply dipping fluxion banding, the other feldspar porphyries above Hemlock Valley road are considered to be dykes. These data are at variance with earlier views expressed on the make-up of the Harrison Lake Formation volcanic rocks, which have tended to stress the dominance of porphyritic flows (Crickmay, 1925; Thompson, GEM, 1972).

GEOLOGICAL SETTING OF THE SENECA DEPOSIT: The geology of the area immediately adjacent to the open pit at Seneca is shown on Figure 13.

Southwest of the baseline the most abundant rock type is a volcanic breccia characterized by coarse and fine angular volcanic pyroclasts of andesitic to rhyolitic character.

Two columnar jointed dyke sets transect the aforementioned pyroclastic deposit southwest of the open pit. The older set, which are comprised of rhyodacites, generally possess a vertical fluxion banding in addition to the shallowly plunging cooling joints. A younger andesitic dyke set possesses only the shallowly plunging columnar jointing.

A small area of black argillite exposed in the floor of the pit is overlain by a pyroclastic breccia that forms the walls of the pit. Immediately beyond the pit headwall there are outcrops of andesite and these are presumed to be intrusive.

To the northeast above the pit, a distinctive volcanic breccia with wispy andesite clasts is overlain by about 15 feet of well-bedded convolute laminated tuff. This member, which dips shallowly to the northeast terminates against an intrusive rhyodacite that extends for at least 1,600 feet across the property in a southeasterly direction forming the cliffs at the 1,100-foot level. Vertical contacts between this rhyodacite and a 1-inch thick hornfelsed tuff is exposed between andesite and rhyodacite dykes east of the baseline on picket lines 26 + 00S and 27 + 00S.

Upon casual inspection it might be erroneously concluded that the convolute laminated tuff and the two hornfelsed tuffs were separate sections of the same tuff member. However, diamond-drill hole 73-2 east of the baseline between picket lines 30 + 00S and 34 + 00S, which is on strike with the convolute laminated tuffs above the pit, has demonstrated that the tuffs above the wispy andesite-bearing breccia occur at about the 950-foot level. In other words, between the drill hole location and the tuffs above the pit, there is a fault with a throw of about 100 feet.

The rocks of the pit area are separated from the more extensive outcrops of pyroclastic breccia to the southwest by a fault, the trace of which passes between the mouth of the old adit and the pit, from whence it is considered to follow the major break in slope east of the pit. It is this fault that is considered to have a downthrow to the south of about 100 feet. Company maps show the trace of this fault along a small break in slope from the pit southeastward, subparallel to the baseline.

No movement is apparent on the dyke sets and, at the present state of knowledge, the presence of a fault with this trend cannot be confirmed.

Thus, mapping to date has demonstrated the previously unrealized presence of numerous unmineralized dykes, that tend to block out potential areas of ore location.

In 1961, 287 tons of ore was shipped from Seneca to Britannia Beach for milling. Metal content of the ore was: 17 ounces gold, 959 ounces silver, 7,118 pounds copper, and 40,657 pounds zinc. Subsequent exploration has failed to locate more ore.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet and geochemical soil survey, approximately 300 samples covering all claims; surface diamond drilling, five holes totalling 1,292 feet on Lucky Jim, C 8, and Harrison 1; diamond-drill holes 73-25 to 73-29 surveyed; road construction, approximately 1 mile on Lucky Jim, C 8, and Harrison 1.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 265; 1972, pp. 102-114; Brookfield, M. E., 1973, Can. Jour. Earth Sci., Vol. 10, pp. 1688-1692; Crickmay, C. H., 1925, The geology and paleontology of the Harrison Lake District, B.C., together with a general review of the Jurassic faunas and stratigraphy of western North America, unpub. Ph.D. thesis, Stanford University, Stanford, California; Minister of Mines, B.C., Ann. Rept., 1962, p. 93; Monger, J.W.H., 1970, Hope Map-area, West Half, British Columbia, Geol. Surv., Canada, Paper 69-47, 75 pp.; Assessment Reports 2833, 2998, 3440, 3441, 3490, 3560.

WR (Fig. B, No. 77)

LOCATION:	Lat. 49°20'	Long. 121	l° 52′	(92H/5W)
	NEW WESTMINSTER	M.D. Four	and one-half	miles northwest of
	Harrison Hot Springs,	1 mile south	of Weaver La	ke, at approximately
	500 feet elevation.			

CLAIMS: WR 1 to 8, 10 to 22, 24, 25, including fractions.

- OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 5, 465 Victoria Street, Kamloops.
- DESCRIPTION: The property is underlain mainly by Middle Jurassic volcanic rocks of the Harrison Lake Formation. Alteration and pyrite mineralization increase northeastward across the claim group.
- WORK DONE: 1972 and 1973 linecutting, 47 miles of grid; geochemical rock chip survey, 66 samples collected and analysed; surface geological mapping, 1 inch equals 400 feet covering all claims.
- REFERENCE: Assessment Report 4375.
- LUV, STONEY (92H/SW-69) (Fig. B, No. 78)
- LOCATION: Lat. 49° 22' Long. 121° 53' (92H/5W) NEW WESTMINSTER M.D. The property is centred 6 miles northwest of Harrison Hot Springs, between 500 and 2,500 feet elevation.
- CLAIMS: LUV 1 to 52, STONEY 1 to 28, CS 10, 15 to 18, DS 1 to 8, LM 1 to 8, OATS 1 to 6, 9, 10, 12, OATS 11 Fraction, RYE 1 to 11, 13, 15, TRIO 1 to 8.
- OWNER: AARON MINING LTD., 120, 890 West Pender Street, Vancouver. METALS: Copper, zinc.
- WORK DONE: Linecutting, 9 miles of grid established covering Luv 1, 3, 9, 11, 27-34, 36, 38, 40, 42.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 247; Assessment Report 4470.

SKU (92H/SW-86) (Fig. B, No. 75)

LOCATION:	Lat. 49° 23' Long. 121° 55' (92H/5W)		
	NEW WESTMINSTER M.D. Four miles west of Harrison Lake, at the	è	
	head of Brett and Sakwi Creeks, at approximately 3,500 feet elevation	•	
CLAIMS:	SKU 3 to 10.		
OWNER:	HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171		
	Pemberton Avenue, North Vancouver V7P 2R4.		
METAL:	Copper.		
DESCRIPTION:	A Tertiary (?) granitic pluton has intruded volcanic rocks of the Middle	;	
	Jurassic Harrison Lake Formation. Mineralization comprises pyrite in		
	an alteration halo around the granitic pluton.		
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet and geochemica	I	
	rock chip and soil survey, 83 samples covering Sku 3-10.		

- SF (92H/SW-87) (Fig. B, No. 80)
- LOCATION: Lat. 49° 25' Long. 121° 52' (92H/5W) NEW WESTMINSTER M.D. Two miles west of Harrison Lake, between Simms and Cartmell Creeks, at approximately 2,000 feet elevation.
- CLAIMS: SF 1 to 16.

OWNER: T. J. DONALDSON, 101, 535 Thurlow Street, Vancouver.

METALS: Copper, zinc.

- DESCRIPTION: The property is underlain by quartz porphyry lava and altered tuff of the Harrison Lake Formation. Chalcopyrite, associated with sphalerite and pyrite, was noted in veinlets in altered tuffs in the central portion of the claims.
- WORK DONE: Linecutting, 2.5 miles of grid; geochemical survey, 166 soil and 23 rock samples taken at 100 by 400-foot grid spacing covering SF 12 and 14-16.
- REFERENCE: Assessment Report 4858.
- KU (Fig. B, No. 79)
- LOCATION: Lat. 49° 29' Long. 121° 59' (92H/5W) NEW WESTMINSTER M.D. Two miles northeast of the north end of Chehalis Lake, between 2,500 and 4,500 feet elevation.
- CLAIMS: KU 1 to 30.

OWNER: Fred Carney.

- OPERATOR: CHEVRON STANDARD LIMITED, 833, 355 Burrard Street, Vancouver.
- DESCRIPTION: The claims are underlain by Jurassic volcanic and sedimentary rocks of the Harrison Lake and Echo Island Formations. The volcanic rocks are mainly andesite to rhyolite tuffs, with lesser amounts of coarse pyroclastics, with andesite flows in the lower part of the sequence. Marine tuffs and argillite are intercalated in the upper part. The rocks are moderately folded about east-trending axes. Pyrite and pyrrhotite are disseminated through most of the rocks and are somewhat concentrated in rhyolite tuffs.
- WORK DONE: Surface geological mapping, 1 inch equals 500 feet; geochemical soil survey, 658 samples taken at 100 or 200 by 500-foot grid spacing covering most of the claims.
- REFERENCE: Assessment Report 4838.

CLOVER LEAF (Fig. B, No. 73)

- LOCATION: Lat. 49° 22' Long. 121° 37' (92H/5E) NEW WESTMINSTER M.D. Eight miles west-southwest of Hope, 1 mile above the mouth of Ruby Creek, between 300 and 800 feet elevation.
- CLAIMS: CLOVER LEAF 1 to 4, BEN 1, 2, 9 to 11, 13, 32 to 34.

OWNERS: JACK WHITE and W. E. HARVEY, 3450 West 35th Avenue, Vancouver.

METALS: Talc, copper, nickel, silver.

- DESCRIPTION: Pyrrhotite, carrying some nickel and copper values, was noted in talc enveloped in a serpentinite shear zone.
- WORK DONE: Surface diamond drilling, one hole totalling 50 feet on Ben 9 and one hole totalling 45 feet on Ben 34; trenching, 96 cubic feet on Clover Leaf 1.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 249.

PRIDE OF EMORY MINE (92H/SW-4) (Fig. B, No. 195) By J. W. Robinson

Long. 121° 31' Lat. 49° 28' LOCATION: (92H/5E, 6W) NEW WESTMINSTER M.D. Eight miles north of Hope, at the head of Stulkawhits (Texas) Creek, which flows eastward into the Fraser River. CLAIMS: Current production is from the area of the Crown-granted claims LAST CHANCE FR. (Lot 861), OLD CROW (Lot 862), A ZONE (Lot 1397), FAIRVIEW, NICKEL CORE FR., and ST. JULIEN FR. (Lots 1401 to 1403), Former production has come from PRIDE OF EMORY NO. 1 and NO. 2 (Lots 793 and 794), MOLLY (Lot 800), PROGRESS (Lot 801), BLUEBIRD (Lot 811), NICKEL STAR (Lot 812), APEX (Lot 1390), and PRIDE FR. (Lot 1416). In total the property consists of 92 Crown-granted claims, two mineral leases (M-32 and M-33), and 56 unsurveyed claims including PENTAX, TARFU, TD, WINDY, BURN, etc.

OWNER: GIANT MASCOT MINES LIMITED, Box 10010, Pacific Centre, 700 West Georgia Street, Vancouver.

METALS: Nickel, copper (production shown in Table I).

DESCRIPTION: Nickel, copper, and iron sulphide mineralization occurs in vertical or steeply inclined pipe-like orebodies. These bodies occur in and around an irregularly shaped ultramafic stock-like body engulfed in diorite.

WORK DONE:

During the year the Climax No. 1 orebody was fully developed and placed in production on the 3050 level and between the 2600 and 3050 levels. The Chinaman orebody, which was developed and placed into production between the 2600 and 3050 levels, was drilled off ready for production above the 3275 (Chinaman) level.

Development of the 4300 orebody for production below the 3250 level was partially completed during the year and is continuing. The 3250 level pillar of the 1600 orebody was blasted and some production was obtained from this source. Production from the 4600 orebody was discontinued except for production from the 2750 scraper drift.

Diamond drilling to the west of the Brunswick-Pride of Emory area revealed the presence of several zones of mineralization, subsequently designated the 6800 zone. Crosscuts were driven toward the zone on the 3250 and 2950 levels, and fill-in diamond drilling commenced. The 6800 zone of mineralization lies about 800 feet west of earlier workings.

The mining method used is longhole stoping. The ore is blasted in longhole stopes by vertical or horizontal fans of 2-inch diameter blastholes. Ore is extracted from the stopes through slusher drift, bulldoze chamber, or mucking machine drawpoints as individual circumstances dictate. On the 3050 level the ore is extracted through drawpoints using Eimco 915 longhole drill units to muck and tram the ore to the 84-inch-diameter bored ore-pass raise.

The ore is trammed to the concentrator on the 2600 main haulage level with direct current trolley locomotives and trains of 100-cubic-foot Granby cars.

In March, the concentrator was changed from bulk to differential flotation.

During the summer, an extensive programme of surface geological mapping, soil sampling, and rock sampling was carried out to confirm and refine previous knowledge of the host ultramafic rock complex. Extensive ground magnetometer and IP surveys were completed over selected areas of the ultramafic rocks.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 248; 1971, pp. 267-269; 1972, pp. 117, 118.

AUFEAS (92H/SW-36) (Fig. B, No. 81)

LOCATION: Lat. 49° 21' Long. 121° 29' (92H/6W) NEW WESTMINSTER M.D. Three miles southwest of Hope, one-half mile up Wardle Creek from Silverhope Creek, between 750 and 1,500 feet elevation.

CLAIMS: CAM 1 to 5, CAM EXT 1 to 3, RAM 1.

OWNER: CAMROCK MINES LTD., c/o C. Lee, R.R. 2, Skagit Road, Hope.

METALS: Gold, silver, copper, iron, arsenic.

- DESCRIPTION: Auriferous arsenopyrite and chalcopyrite have been observed in sheared quartz diorite.
- WORK DONE: Trenching, 50 feet and stripping, 50 feet on Cam 2.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 116, 117.

SIMILKAMEEN MINE (INGERBELLE) (92H/SE-4, 5, 6) (Fig. B, No. 201)

By David Smith

- LOCATION:Lat. 49° 20'Long. 120° 33'(92H/7E)SIMILKAMEEN M.D.Ten miles south of Princeton, on Highway 3.CLAIMS:Eighty-eight Crown-granted claims including INGERSOLL BELLE,
INVINCIBLE, LELA, and RED BUCK, Mineral Leases M-64, M-96,
M-97, M-98, M-99, and 126 recorded claims including AF, RAY, MCB,
DEER, NUT, RAD, SER, BETH, OREGON, PEON, MAY, SL, and EM.OWNER:SIMILKAMEEN MINING COMPANY LIMITED, Box 520, Princeton.
Copper (production shown on Table I).DESCRIPTION:Most of the known copper mineralization occurs in altered Nicola
- Group volcanic breccia near the contact with intrusive rocks of the Lost Horse Complex.
- WORK DONE: During the year, approximately 21,219,800 tons was mined including 14,276,971 tons of rock waste, 1,586,000 tons of overburden, and 5,356,829 tons of concentrate.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 385; 1971, p. 270; 1972, p. 120; Bull. 59, 1972, Geology of Copper Mountain.

BEN, PIK (Fig. B, No. 2)

- LOCATION: Lat. 49° 23' Long. 120° 32' (92H/7E) SIMILKAMEEN M.D. Five miles south of Princeton, straddling the Similkameen River.
- CLAIMS: Nineteen BEN, PIK 1 to 22, DEC 54 to 56, GAM 17, 18, 23, 51 to 53, WR 1 to 26, BX 1 to 8.
- OWNER: BENPEL INDUSTRIES LTD., 200, 535 Howe Street, Vancouver.

WORK DONE: Geochemical soil survey, approximately 825 samples taken at 200 by 400-foot spacing and 29 line-miles of pace and compass grid covering most of the Ben, Pik, BX, and Dec claims.

REFERENCES: Assessment Reports 4528, 4635.

- ILSE, SOB (Fig. B, No. 8)
- LOCATION:Lat. 49° 16'Long. 120° 28'(92H/8W)SIMILKAMEEN M.D.Thirteen miles south of Princeton and 4 miles
east of the Similkameen River at approximately 5,500 feet elevation.CLAIMS:ILSE 1 to 12, SOB 1 to 8.
- OWNER: AURUS MINING LTD., 312, 510 West Hastings Street, Vancouver V6B 1L8.

WORK DONE: IP survey covering approximately 6 line-miles.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 123; Assessment Report 4376.

TAS, TAT (92H/SE-132) (Fig. B, No. 5)

LOCATION:	Lat. 49° 19' Long. 120° 27' (92H/8W)		
	SIMILKAMEEN M.D. From 6 to 12 miles south-southeast of		
	Princeton, along the west side of Willis Creek at approximately 5,500		
	feet elevation.		
CLAIMS:	TAS 5 to 12, 19, 21, 23, 25, 41 to 46, TAT 2, 4, 21, 23, 25 to 32, RB		
	1 to 84, SHL 1 to 22, 24 to 28, 30, 31.		
OWNER:	PHELPS DODGE CORPORATION OF CANADA, LIMITED, 404,		
	1112 West Pender Street, Vancouver V6E 2S1.		
METAL:	Copper.		
DESCRIPTION:	Most of the claim group is reported to be underlain by volcanic rocks of		
	the Upper Triassic Nicola Group cut by bodies of the Upper Triassic		
	Copper Mountain Intrusions and by the Lower Cretaceous Verde Creek		
	quartz monzonite.		

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering TAS, TAT, and RB claims during 1972 and 1973; IP survey, 10 line-miles and magnetometer survey, 19.5 line-miles covering TAS and TAT claims during 1972; geochemical survey, approximately 600 samples at 200-foot intervals over 19.5 line-miles covering the TAS and TAT claims during 1972.
- REFERENCES: Assessment Reports 4380, 4526, 4806.

AZURITE (92H/SE-21) (Fig. B, No. 6)

- LOCATION: Lat. 49° 20' Long. 120° 28' (92H/8W) SIMILKAMEEN M.D. Nine miles south of Princeton, on the east side of Copper Mountain.
- CLAIMS: CAS 1, 3 to 32, ASP 1 to 3 Fractions. (The claims in part cover the AZURITE, COPPER GLANCE, NO. 54, NO. 55, and NO. 56 lapsed Crown-granted claims.)
- OWNER: SHELTER GOLD LTD. (formerly Sinmax Mines Ltd.), 335, 470 Granville Street, Vancouver V6C 1V5.
- METAL: Copper.
- DESCRIPTION: The showings on the old Azurite and Copper Glance Crown-granted claims are located near the southern contact of the Voigt stock in massive andesite and breccia of the Nicola Group. Mineralization consists of magnetite-epidote veinlets with some chalcopyrite.
- WORK DONE: Magnetometer survey at 50 and 25-foot intervals.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 274, 275; Bull. 59, p. 78; Assessment Report 4372.
- E (Fig. B, No. 10)

LOCATION:	Lat. 49° 22' Long. 12	20° 27′	(92H/8W)
	SIMILKAMEEN M.D. Six miles	southeast of Princeton	, on Little
	Agate Mountain, 1.5 miles southw	est of Lorne Lake, at app	proximately
	3,500 feet elevation.		
CLAIMS:	E 1 to 12.		
OWNER:	HOKO EXPLORATION LTD., Bo	k 100084, 700 West Geo	rgia Street,
	Vancouver.		
DESCRIPTION:	Coarse-grained, porphyritic grano	diorite of the Okanagan	batholith,
	exposed in a few places, has been	cut by felsitic dykes. Spa	rse pyrite is
	finely disseminated along a fracture	in one outcrop.	
WORK DONE:	Reconnaissance geological survey;	11.2 line-miles of grid a	and magne-
	tometer survey; geochemical soil	survey, 276 samples	at 200 by
	400-foot grid spacing.		
REFERENCE:	Assessment Report 4696.		

LOCATION:	Lat. 49° 23' Long. 120° 25' (92H/8W)			
	SIMILKAMEEN M.D. At the southwest end of Lorne Lake, at			
	approximately 4,000 feet elevation.			
CLAIMS:	DENISE 1 to 21.			
OWNER:	GEO-DYNE RESOURCES LTD., 1606, 1055 West Georgia Street,			
	Vancouver.			
METAL:	Copper.			
DESCRIPTION:	The property is underlain mainly by Nicola volcanic rocks which have			
	been intruded in the northeast by diorite of the Okanagan batholith.			
	Along part of the contact Nicola andesite has been altered to skarn.			

- which contains veinlets, blebs, and disseminations of chalcopyrite and pyrite.
 WORK DONE: Surface geological mapping, 1 inch equals 1,250 feet; geochemical soil survey, approximately 250 samples taken at 250 by 500-foot grid spacing; approximately 20 line-miles of magnetomter and VLF EM
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 123; Assessment Reports 3903, 4553, 4727.

runs, 14,000 feet in length and 500 feet apart.

survey; airborne magnetic, EM, and radioactivity survey involving 15

NOB (92H/SE-123) (Fig. B, No. 11)

LOCATION: Lat. 49° 25′ Long. 120° 29′ (92H/8W) SIMILKAMEEN M.D. From 3 to 5 miles south of Princeton, on the Copper Mountain road, at approximately 3,200 feet elevation. CLAIMS: NOB 1 to 59 (includes a former surveyed claim, Lot 1802s).

OWNER: NEWMONT MINING CORPORATION OF CANADA LIMITED, 1230, 355 Burrard Street, Vancouver V6C 2G8.

METAL: Copper.

- DESCRIPTION: Limy breccia, tuff, and andesite of the Nicola Group have been intruded in the vicinity of Knob Hill by indistinct dykes of diorite and monzonite. The westerly portion of the property is underlain by volcanic and sedimentary rocks of the Princeton Group. Disseminated pyrite and minor chalcopyrite occur in the vicinity of Knob Hill. Traces of chalcopyrite can be found in the limy breccia. Some quartzcarbonate veins with chalcopyrite have been found on Knob Hill.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; ground magnetometer survey, 37 line-miles; grid cut and flagged covering all claims.
 REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 269 (BOB, BON).

GH, K, L (Fig. B, No. 7)

LOCATION: Lat. 49° 27' Long. 120° 18' (92H/8W) SIMILKAMEEN M.D. On the north bank of the Similkameen River, immediately west of Steven Creek, at approximately 3,000 feet elevation.

CLAIMS: GH 1 to 6, K 1 to 10, L 1 to 15.

- OWNER: FURY EXPLORATIONS LTD., 433, 355 Burrard Street, Vancouver V6C 2G8.
- DESCRIPTION: The property is underlain by leucocratic quartz diorite which has been intruded by various dykes.
- WORK DONE: Reconnaissance geological survey covering all claims; preliminary magnetometer survey, 11 line-miles at 100-foot intervals covering K and L claims.
- REFERENCES: Assessment Reports 4373, 4636.

NICKEL PLATE (92H/SE-38) (Fig. B, No. 4)

- LOCATION: Lat. 49° 22.5' Long. 120° 02.0' (92H/8E) OSOYOOS M.D. Two miles northeast of Hedley, on Nickel Plate Mountain, between 4,000 and 6,000 feet elevation.
- CLAIMS: Mineral leases M-68 to M-73 comprising 36 claims and 83 Crowngranted claims.

OWNER: MASCOT NICKEL PLATE MINES LIMITED, Box 10010, Pacific Centre, 700 West Georgia Street, Vancouver.

METALS: Gold, copper.

- DESCRIPTION: Mineralization on Nickel Plate Mountain occurs in masses of skarn which are developed where small bodies of gabbro and diorite have invaded a thick pile of westerly dipping and complexly folded Upper Triassic sedimentary rocks of the Nicola Group.
- WORK DONE: Surface geological mapping, 1 inch equals 50 feet covering Exchange Fraction (Lot 725), Mound (Lot 1876), and Nickel Plate (Lot 741); surface diamond drilling, three holes totalling 407 feet on Exchange Fraction (Lot 725) and Warhorse (Lot 2478); road construction, one-half mile on Exchange Fraction, Mound, Sunnyside (Lot 740), and Woodland (Lot 1798).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 393; Billingsley, P. and Hume, C. B, CIM, Trans., Vol. XLIV, 1941, pp. 524-590.

JM (92H/SE-113) (Fig. B, No. 3)

LOCATION: Lat. 49° 27' Long. 120° 09' (92H/8E) OSOYOOS M.D. Eight miles north-northwest of Hedley, on a branch of McNulty Creek, at approximately 5,500 feet elevation.

(92H/9W)

CLAIMS: HI 1, 3, 5, 7, 9, 11, 13, 18 to 26, 29, 31, 33, 35, DUC 1 to 14.

OWNER: J. M. McAndrew.

OPERATOR: DUCANEX RESOURCES LIMITED, 312, 409 Granville Street, Vancouver V6C 1T2.

METAL: Copper (trace).

- DESCRIPTION: The showings are in a roof pendant of Upper Triassic Nicola rocks, surrounded by intrusive rocks of the Okanagan batholith. Mineralization consists of disseminated pyrite and magnetite, minor chalcopyrite. Molybdenite was previously reported.
- WORK DONE: Magnetometer survey, 7.1 line-miles covering H1 5, 7, 9, 20-26, 35; geochemical soil survey, 268 samples, 7.0 line-miles covering same claims; percussion drilling, five holes totalling 1,270 feet on H1 22 and 23; road construction, 2 miles on H1 3, 5, 7, 9, 21, 22, 23.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 219; Assessment Reports 1225, 1615, 1617, 4421.
- DC (Fig. B, No. 12)
- LOCATION:Lat. 49° 32'Long. 120° 26'(92H/9W)SIMILKAMEEN M.D.Six miles northeast of Princeton and 1 mile
southeast of Jura station, at approximately 3,500 feet elevation.CLAIMS:DC 4, 6, 8, 11 to 13, 15 to 19.OWNER:COMINCO LTD., 2100, 200 Granville Square, Vancouver V6C 2R2.

METAL: Copper (trace).

- DESCRIPTION: Volcanic and sedimentary rocks of the Upper Triassic Nicola Group which underlie the property comprise basic to intermediate flow and pyroclastic units with minor intercalated limestone. Traces of copper mineralization have been noted along narrow shears and in fractures developed in the Nicola rocks.
- WORK DONE: Magnetometer survey, 10 line-miles covering DC 2, 4, 6, 8, 11-13, 17, 18.
- REFERENCE: Assessment Report 4419.

ELK, SLEEPER (Fig. B, No. 13)

LOCATION:	Lat. 49° 33'	Long. 120°	27′	(92H/9W)
	SIMILKAMEEN M.D.	Seven miles	north-northea	st of Princeton, 1
	mile north of Jura Stat	ion, between 3	,400 and 4,000	feet elevation.
CLAIMS:	ELK 1 to 6, 11 to 14,	15, 16; SLEE	PER 1 to 5 an	d 7 to 20, ND 4 to
	29.			
OWNER:	COP-EX MINING CO	RPORATION	LIMITED, B	ox 10054, Pacific
	Centre, 700 West Georg	gia Street, Vano	couver	,
METAL:	Copper.			

(92H/9W)

- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group which are intruded by granitic rocks of the Okanagan batholith. Mineralization consists of chalcopyrite, bornite, and magnetite in veinlets associated with kaolin alteration.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Elk and Sleeper claims and 1 inch equals 400 feet covering Elk, Sleeper, and ND claims; IP survey, 10 line-miles covering Elk 15 and 16 and ND 18, 20, 22, 47; surface diamond drilling, three holes totalling 1,410 feet on Elk 15 and 16 and ND 47.

HO (Fig. B, No. 15)

LOCATION: Lat. 49° 35' Long. 120° 27' (92H/9W) SIMILKAMEEN M.D. Eight miles north-northeast of Princeton, on Christian Creek.

CLAIMS: HO 1 to 37 (a restaking of the western half of the ROK claims).

- OPERATOR: TITAN POLARIS MINES LTD., 703, 535 Thurlow Street, Vancouver.
- DESCRIPTION: Claims extend across the contact zone between dense Nicola andesite and a diorite border phase of the Okanagan batholith.
- WORK DONE: Linecutting and magnetometer surveying, approximately 10 line-miles covering HO 1-10 and 22-37.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 277 (ROK); Assessment Report 4555.

FK (92H/NE-104) (Fig. B, No. 16)

LOCATION:	Lat. 49° 36' Long. 120° 22'	(92H/9W)		
	SIMILKAMEEN M.D. Eleven miles northeast of Princeto	n, on the		
	south side of Finnegan Creek and the east side of Hayes Creek	ς.		
CLAIMS:	PAT 1 to 34.			
OWNER:	RIMCO RESOURCES LTD., 330, 890 West Pender Street, V	/ancouver.		
METAL:	Copper.			
DESCRIPTION:	The claims are underlain mainly by Osprey Lake granodiorite. Minor pyrite and chalcopyrite are disseminated in it in places on the western claims			
WORK DONE:	Surface geological mapping, 1 inch equals 500 feet; mag survey, 24 line-miles covering Pat 1-34.	netometer		
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 125; A Report 4833.	Assessment		

(92H/9W)

- ELN, SHR (Fig. B, No. 14)
- LOCATION: Lat. 49° 36′ Long. 120° 28′ (92H/9W) SIMILKAMEEN M.D. Approximately 10 miles north of Princeton, on the east side of Summers Creek.

CLAIMS: ELN 1 to 19, 21 to 23, SHR 1 to 30, JOY 1 to 3.

OWNER: CANWEX EXPLORATIONS LTD., 1666 West Broadway, Vancouver.

- DESCRIPTION: Country rocks in the claim area include Nicola Group volcanic rocks bounding the west edge of the Osprey Lake batholith.
- WORK DONE: 1972 IP survey, approximately 6 line-miles covering SHR 4, 6 to 16;
 1973 surface diamond drilling, two holes totalling 1,175 feet on SHR
 6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 178; Assessment Report 4444.

STAR (92H/NE-124) (Fig. B, No. 17)

- LOCATION: Lat. 49° 43' Long. 120° 26' (92H/9W) SIMILKAMEEN M.D. Approximately 18 miles northeast of Princeton, at the headwaters of Rampart Creek.
- CLAIMS: STAR 1 and 2, 9 to 18, 50, 52, 54, 57 to 59, 61 to 63, 65; STAR 45 Fraction.

OWNER: Titan-Polaris Mines Limited (formerly Polaris Mines Limited).

OPERATOR: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METAL: Copper.

DESCRIPTION: The claims are underlain by Nicola Group basic to intermediate, porphyritic and non-porphyritic lavas and tuffs in contact with granitic rocks to the south. Mineralization includes finely disseminated pyrite and magnetite and scattered chalcopyrite on fracture faces.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; geochemical soil survey, 176 samples, 3.6 line-miles covering Star 1, 2, 11, 13, 15, 16, 50, 53, and 54; biogeochemical survey, 50 samples, 3.6 line-miles covering same claims.
- REFERENCE: Assessment Report 4491.
- EJ (VARGAS) (Fig. B, No. 22)

LOCATION:	Lat. 49° 41'	Long, 120° 30′	(92H/9W, 10E)
	SIMILKAMEEN M.D.	Between 15 and 18 n	niles north of Princeton,
	astride Summers Creek	, at approximately 3,000) feet elevation.
CLAIMS.	E 1 to 10 07 to 40 41	E 47	

CLAIMS: EJ 1 to 18, 37 to 42, 45, 47.

OWNER: VARGAS MINES LTD., 675, 555 Burrard Street, Vancouver.

- WORK DONE: Magnetometer survey, 18.4 line-miles.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 127; Assessment Report 4346.

EJ (CALICO SILVER) (92H/NE-119) (Fig. B, No. 21)

LOCATION:Lat. 49° 43'Long. 120° 30'(92H/9W, 10E)SIMILKAMEEN M.D.Between 18 and 20 miles north of Princeton,
astride Summers Creek, at approximately 3,000 feet elevation.CLAIMS:EJ 19 to 36, 43, 44, 48 to 74.

OWNER: J. Butterworth.

OPERATOR: CALICO SILVER MINES LTD., 420, 475 Howe Street, Vancouver.

- METAL: Copper.
- DESCRIPTION: The claim block is underlain by Nicola Group volcanic rocks consisting of fragmental rocks, flow breccias, and bedded tuffs and other minor units. Minor copper mineralization is present in the volcanic rocks as chalcocite and secondary malachite in an outcrop on EJ 24.
- WORK DONE: Surface geological mapping; aerial photogeological interpretation; geochemical soil survey, 168 samples collected and analysed.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 127; Assessment Report 4345.
- LP, LB (Fig. B, No. 23)
- LOCATION: Lat. 49° 34' Long. 120° 37' (92H/10E) SIMILKAMEEN M.D. Nine miles northwest of Princeton, at the headwaters of Asp Creek, between 4,000 and 5,000 feet elevation.

CLAIMS: LP 1 to 24, LB 1 to 6, LJ 1 to 4, LR 3 to 18.

- OWNER: AVALANCHE INDUSTRIES LTD., 24, 448 Seymour Street, Vancouver.
- DESCRIPTION: The property is underlain mainly by Kingsvale Group andesite breccia and porphyritic dacite. Spences Bridge Group rhyolite, showing pronounced flow lines, is exposed in the southeast and on the north boundary. Nicola Group andesite, in part pyritic, is exposed in the north between the rhyolite and porphyritic dacite. Otter granite is exposed along a 1,400-foot section of Asp Creek in the west.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; magnetometer survey, 9.5 line-miles covering LB 1-6, LJ 1 and 3, and LR 11.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 129; Assessment Reports 4231, 4848.

HAL (92H/NE-125) (Fig. B, No. 24)

LOCATION:	Lat. 49° 32′	Long. 120° 31'	(92H/10E)
	SIMILKAMEEN M.D.	Five miles north of	Princeton, on Highway 5, at
	approximately 2,500 fe	et elevation.	
CLAIMS:	HAL 1 to 16.		

OWNER: Canorex Development Ltd. (formerly Lancaster Mining Company Ltd.).

OPERATORS: DOME EXPLORATION (CANADA) LIMITED, 702, 360 Bay Street, Toronto, Ont. and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7.

METAL: Copper.

- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group which are unconformably overlain by Middle Eocene sedimentary rocks of the Princeton Group.
- WORK DONE: Percussion drilling, three holes totalling 628 feet on Hal 1.
- V, W (Fig. B, No. 25)
- LOCATION: Lat, 49° 32′ Long, 120° 35′ (92H/10E) SIMILKAMEEN M.D. Six miles north-northwest of Princeton, on Asp Creek.
- CLAIMS: V 1 to 20, W 1 to 20.
- OWNER: CANOREX DEVELOPMENT LTD. (formerly Lancaster Mining Company Ltd.), 8, 784 Thurlow Street, Vancouver.
- WORK DONE: Linecutting, magnetometer survey, and VLF EM survey, 15 line-miles covering V 1-6, 15-20 and W 9-12.
- REFERENCE: Assessment Report 4616.
- EXIE, JM (Fig. B, No. 26)
- LOCATION:Lat. 49° 31'Long. 120° 31'(92H/10E)SIMILKAMEEN M.D.Four miles north of Princeton, on Highway 5.CLAIMS:EXIE 7 to 18, EXIE 19 to 22 Fractions, JM 1 to 20, 26 to 31, JM 21 to
 - 23 Fractions.

OWNERS: Newconex Canadian Exploration Ltd, and J. McAndrew.

- OPERATOR: NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7.
- DESCRIPTION: The claim area is underlain mainly by agglomerate and other volcanic rocks of the Nicola Group. They have been intruded by two feldspar porphyry dykes. Princeton Group sedimentary rocks occur along Hardwick Creek on the Exie 14 claim.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 10 line-miles; and geochemical soil survey, 84 samples covering Exie 8, 10, 12, 14, 18, 20, 22, Exie 19 and 21 Fractions, and JM 1-7, 17, and 19.
- REFERENCES: Assessment Reports 4775, 4781.

AT (92H/NE-120) (Fig. B, No. 42)

LOCATION:Lat. 49° 38'Long. 120° 37'(92H/10E)SIMILKAMEEN M.D.Thirteen miles north-northwest of Princeton,
immediately south of Dry Lake, at approximately 3,550 feet elevation.CLAIMS:AT 1 to 29, 31 to 54.

(92H/10E)

OWNER: KOMO EXPLORATIONS LTD., 10th Floor, 549 Howe Street, Vancouver.

METAL: Copper.

DESCRIPTION: Trenching has exposed a copper showing in pyritized Nicola Group volcanic rocks at the contact with the Mount Pike stock.

WORK DONE: 1972 - linecutting, 14.4 miles of grid; reconnaissance geological, magnetometer, and geochemical surveys.

REFERENCE: Assessment Report 4349.

AXE (92H/NE-40) (Fig. B, No. 20)

LOCATION: Lat. 49° 39' Long. 120° 32' (92H/10E) SIMILKAMEEN M.D. Between 12 and 16 miles north of Princeton, on the west side of Summers Creek, at approximately 4,500 feet elevation.

CLAIMS: AXE, BUD, BOL, LOX, RUM, FAN, totalling 221.

OWNER: ADONIS MINES LTD., 301, 510 West Hastings Street, Vancouver.

- METALS: Copper, minor molybdenum.
- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group intruded by a northwest-trending body of granodiorite and by numerous dykes of diorite, microdiorite, feldspar porphyry, and andesite. Faulting is strong and complex. Chalcocite occurs in some areas.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet; surface diamond drilling, three holes totalling 1,367 feet on Axe 22; percussion drilling, 74 holes totalling 9,089 feet on Fan, Axe, and Lox claims; road construction, 5 miles on Lox claims; trenching, 6,000 feet on Axe 22.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 280.

ANITA (MONTANA MINES) (Fig. B, No. 27)

LOCATION:	Lat. 49° 43′	Long. 120° 33'	(92H/10E)
	SIMILKAMEEN M.D.	Eighteen Miles north of	Princeton and 2.5 miles
	northwest of Allison L	əke.	
CLAIMS:	ANITA 23 to 48.		
OWNER:	Chatham Resources Lte	d. (formerly Montana Mir	nes Ltd.).
OPERATOR:	CRAIGMONT MINES	LIMITED, 270, 170 Sey	mour Street, Kamloops.
WORK DONE:	IP survey, 4.7 line-mile	s on a 400 by 100-foot gr	id.
DECEDENCE	Assessment Barnaut 100	NO	

REFERENCE: Assessment Report 4228.

FAN, ANITA (92H/NE-113) (Fig. B, No. 28)

LOCATION: Lat. 49° 39' Long. 120° 35' (92H/10E) SIMILKAMEEN M.D. Twelve and one-half miles northwest of Princeton, 2 miles east of Dry Lake, at approximately 2,000 feet elevation,

(92H/10E)

- CLAIMS: FAN 25 to 28, 43 to 48, ANITA 3 to 10, JE 7, 9, 11, 12, 14, LEN 1.
 OWNER: EQUATORIAL RESOURCES LTD., 1019, 409 Granville Street, Vancouver.
 METAL: Copper.
 DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group which have been cut by pink granodiorite of the Allison Lake intrusive body.
 WORK DONE: IP survey, 4.0 line-miles covering Fan 25-28, 45, and 47; geochemical survey covering same claims.
 REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 130; Assessment Report 4416.
- FAN, NU (Fig. B, No. 29)
- LOCATION: Lat. 49° 38' Long. 120° 34' (92H/10E) SIMILKAMEEN M.D. Twelve miles north-northwest of Princeton, on the east side of Laird Lake.

 CLAIMS:
 FAN 1 to 6, 35 to 42, 55, NU 6 to 13, 25 to 28, 39 to 48, JE 21 to 24.

 OWNER:
 AALENIAN RESOURCES LTD. (formerly Croydon Mines Ltd.), 1620

- Westover Road, North Vancouver V7J 1X6. WORK DONE: A topographical survey of 35 line-miles of grid and a photogeological interpretation of the property.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 129 (FAN); Assessment Report 4417.

FAN (BRONSON) (Fig. B, No. 30)

LOCATION:	Lat. 49° 39' Long. 120)° 34′	(92H/10E)
	SIMILKAMEEN M.D. Thirteen m	niles north-northwest	of Princeton
	and 1 mile northeast of Laird Lake.		
CLAIMS:	FAN 29 to 34, 49 to 54, 56.		
OWNER:	Jay Butterworth.		
OPERATOR:	BRONSON MINES LTD., c/o J.	Butterworth, Route 1	, Box 1629,
	Auburn, California.		
METAL:	Copper.		
DESCRIPTION:	Rock exposed on the property inc	ludes Nicola Group ar	ndesite which
	has been epidotized and intruded by	two wide dykes of gra	nodiorite.
WORK DONE:	Surface geological mapping, 1 inch	equals 400 feet; geo	chemical soil
	survey, 494 samples taken at 100 by	400-foot grid spacing.	
REFERENCES:	B.C. Dept. of Mines & Pet. Res.,	GEM, 1972, p. 129	; Assessment
	Report 4738.		

NU (BUTTERWORTH) (Fig. B, No. 31)

LOCATION:	Lat. 49° 36′	Long. 120° 34′	(92H/10E)
	SIMILKAMEEN M.D.	Ten miles north-northwest	of Princeton, 1 mile
	east of McCaffrey Lake	9.	
CLAIMS:	NU 14 to 17, 29 to 34.		
OWNER:	J. BUTTERWORTH, F	oute 1, Box 1629, Auburn,	California.
WORK DONE:	Magnetometer survey, feet.	10 line-miles, spacing 400) feet, intervals 200
REFERENCE:	Assessment Report 434	43.	

JE, HI (Fig. I	B, No. 32)		
LOCATION:	Lat. 49 [°] 38'	Long, 120 [°] 35′	(92H/10E)
	SIMILKAMEEN M.D.	Thirteen miles north-northwest	of Princeton,
	immediately north of L	aird Lake.	
CLAIMS:	JE 13, 15 to 20, HI 1 ar	ndi 2.	
OWNER:	J. BUTTERWORTH, R	oute 1, Box 1629, Auburn, Califor	nia.
WORK DONE:	Magnetometer survey, 6	6.3 line-miles, grid spacing 400 fee	t by 100 feet.
REFERENCE:	Assessment Report 434	4.	

ANITA (BUTTERWORTH) (Fig. B, No. 33)

LOCATION:	Lat. 49° 42'	Long, 120° 33′	(92H/10E)
	SIMILKAMEEN M.D.	Sixteen miles north of	Princeton and 2 miles
	east of Allison Lake.		
CLAIMS:	ANITA 11 to 22.		
OWNER:	J. BUTTERWORTH, R	oute 1, Box 1629, Aubu	n, Calfiornia.
WORK DONE:	Linecutting.		
REFERENCE:	Assessment Report 434	8.	

HŴ (Fig. B, No. 34)

LOCATION:	Lat. 49° 36′		Lon	g. 120°	35'		(92H/10E)
	SIMILKAMEEN	M.D.	Ten	miles	north-northwest	of	Princeton,
	immediately west	of McC	Caffrey	∕ Lake.			
CLAIMS:	HW 1 to 24.						
OWNER:	BRENDON RESC	URCE	S LTO	D., 179	0, 771 Hornby St	reet,	Vancouver.
WORK DONE:	Linecutting and V	'LF EN	1 surve	y, 20 li	ine-miles; geocher	nical	soil survey,
	383 samples taker	n at 20	0 by !	500-foo	t grid spacing co	verin	g all claims.
REFERENCE:	Assessment Repor	t 4783					

- MIC (Fig. B, No. 35)
- LOCATION: Lat. 49° 36' Long. 130° 38' (92H/10E) SIMILKAMEEN M.D. Eleven miles northwest of Princeton, at the headwaters of Asp Creek.

CLAIMS: MIC 1 to 10.

OWNER: R. MacDONALD, 24, 448 Seymour Street, Vancouver.

- DESCRIPTION: Spences Bridge Group andesite underlies MIC 1 to 4 and has been intruded by Otter granite and quartz diorite. Kingsvale Group volcanic breccia underlies MIC 9 and 10. Andesite exposed on MIC 8 may comprise part of the Nicola Group sequence.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims. REFERENCE: Assessment Report 4757.
- ANN (Fig. B, No. 36)
- LOCATION: Lat. 49° 33' Long. 120° 31' (92H/10E) SIMILKAMEEN M.D. Six miles north of Princeton, on the west side of Summers Creek. CLAIMS: ANN 1 to 30.
- OWNER: CONSOLIDATED FORTUNE CHANNEL MINES LTD., 145, 890 West Pender Street, Vancouver V6C 1J9.
- WORK DONE: Magnetometer and VLF EM survey, 17.2 line-miles; geochemical soil survey, 736 samples taken at 100 by 400-foot grid spacing.
- REFERENCE: Assessment Report 4726.
- X, Y (Fig. B, No. 37)
- LOCATION: Lat. 49° 34′ Long. 120° 35′ (92H/10E) SIMILKAMEEN M.D. Eight miles north-northwest of Princeton, on the west side of Highway 5, at the headwaters of Hoover Creek. CLAIMS: X 8 to 22, 36 to 40, Y 1 to 7, 23 to 35.
- OWNER: DUNBAR RESOURCES LTD., 200, 1405 Hunter Street, North Vancouver.
- DESCRIPTION: The claims are underlain by Nicola Group andesite and altered volcanic rocks in the southeast, a small stock of Lower Cretaceous granodiorite and diorite in the north, and overlapping Kingsvale Group andesite breccia in the southwest. A feldspar porphyry dyke of the Otter intrusions cuts the Kingsvale unit.
- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 1,000 feet and surface geological mapping at 1 inch equals 400 feet; linecutting, 11.6 miles; magnetometer survey, 3 line-miles covering Y 24, 26, 28, 35, and 36.
- REFERENCE: Assessment Report 4674.
| EG (Fig. B, N | lo. 38) | | |
|--|---|--|---|
| LOCATION: | Lat. 49 [°] 33'
SIMILKAMEEN M.D.
Princeton, on the west
Creek. | Long. 120° 33'
Six and one-half r
side of Allison Creek | (92H/10E)
miles north-northwest of
< at the mouth of Hoover |
| CLAIMS:
OWNER:
OPERATOR:
WORK DONE: | EG 1 to 28.
Kaare J. Pettersen.
G. S. ELDRIDGE, c/o 29
Geochemical soil survey,
VLF EM survey, 20,000
15-28. | 50 north Grosvenor A
, 230 samples during
) line-feet during 193 | wenue, Burnaby.
1972; magnetometer and
73 covering EG 1, 2, and |
| REFERENCE: | Assessment Report 4590 | l. | |

BULL, KP (Fig. B, No. 39)

LOCATION:	Lat. 49° 31′	Long. 120° 33′	(92H/10E)
	SIMILKAMEEN M.D.	Five miles north-northwe	est of Princeton, at the
	head of Hardwick Cree	ek.	
CLAIMS:	BULL 1 to 28, KP 1 to	20.	
OWNER:	NATIONWIDE MININ	NG & EXPLORATION L	TD., 805, 1177 West
	Hastings Street, Vanco	uver.	
WORK DONE:	Linecutting and magnet	etometer survey, 22 line-m	iles covering Bull 1-20,

PINE (92H/NE-3) (Fig. B, No. 40)

REFERENCE: Assessment Report 4524.

LOCATION:	Lat, 49 [°] 42′	Long. 120° 35′			5'		(92H/10E)
	SIMILKAMEEN	M.D.	Sixteen	miles	north-northeast	of	Princeton,
	immediately east	of Alli	son Lake.				

CLAIMS: PINE 1 to 35, REG 1 to 16, DY 1 to 8.

22, 24, 26, 28 and KP 5-10.

OWNER: BLUE GULCH EXPLORATIONS LTD., 1700, 777 Hornby Street, Vancouver.

METAL: Copper.

DESCRIPTION: The property straddles the contact between granodiorite and quartz diorite of the Allison Lake intrusions on the southwest and Nicola Group andesite, argillite, and tuff on the northeast.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet and geochemical soil survey, 1,096 samples covering 45.7 line-miles on grid spacing of 200 feet by 400 feet covering Pine 1-35, Reg 5, 6, 13, and DY 1 and 2.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 278; Assessment Reports 1857, 4464.

AL (92H/NE-121) (Fig. B, No. 41)

LOCATION:	Lat. 49° 43' Long. 120° 36' (92H/10E)					
	SIMILKAMEEN M.D. Eighteen miles north-northwest of Princeton					
	and 1 mile northeast of the north end of Allison Lake.					
CLAIMS:	AL 1 to 6.					
OWNER:	J. POLONI, 5502 – 8B Avenue, Delta.					
METAL:	Copper (trace).					
DESCRIPTION:	Minor copper mineralization occurs in narrow shear zones in granitic					
	rock near the contact with Nicola Group volcanic rocks.					
WORK DONE:	Preliminary geological and geochemical surveys covering 2 line-miles					
	during 1972.					
REFERENCE:	Assessment Report 4420.					

LISA, AD (Fig. B, No. 43)

LOCATION:	Lat. 49° 43'	Long. 120°	39'	(92H/10E)		
	SIMILKAMEEN M.D.	Three miles	northwest of	the north end of		
	Allison Lake at elevation	s of 3,700 to	4,700 feet.			
CLAIMS:	LISA 1 to 20, 26 to 45, .	AD 1 to 22.				
OWNER:	MONTEGO RESOURCI	ES LTD. (for	rmerly Zenon	Silver Mines Ltd.),		
	107, 325 Howe Street, V	ancouver V6	C 1Z7.			
DESCRIPTION:	Most of the property is underlain by granitic and granodioritic plutons.					
	The southeast and north	west corners	are underlain b	by dark, medium to		
	fine-grained diorite. Nicola Group volcanic rocks are generally confined					
	to the southwest corner	of the proper	ty.			
WORK DONE:	Geochemical survey, 2,0	000 samples	covering 48 lin	ne-miles; geological		
	survey covering Lisa 1-8,	13-20, 26-33	and AD 1-22 d	during 1972.		
REFERENCES:	B.C. Dept. of Mines &	Pet. Res., (GEM, 1972, p	. 130; Assessment		
	Reports 4339, 4340.					

DD (Fig. B, No. 44)

LOCATION:	Lat. 49° 41'	Long. 120°	37'	(92H/10E)	
	SIMILKAMEEN M.D.	Immediately	southwest of t	the south end of	
	Allison Lake.	,			
CLAIMS:	DD 55, 56, 69 to 75.				
OWNER:	LAURA INDUSTRIES	& RESOURC	ES LTD. (form	erly Laura Mines	
	Ltd.), 403, 717 West Per	nder Street, V	ancouver V6C 10	Ga	
WORK DONE:	Detailed geochemical survey, 3 line-miles.				
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1971 p. 283 (DD (LAURA))				
	Assessment Report 4337	7.	,, p. 200	(00 (2/(OIIA)),	

(92H/10E)

CINDY (92H/NE-126) (Fig. B, No. 45)

LOCATION: Lat. 49° 30' Long. 120° 35' (92H/10E) SIMILKAMEEN M.D. Three and one-half miles north-northeast of the north end of Allison Lake, between 4,500 and 5,000 feet elevation.

CLAIMS: CINDY 2 to 21.

OWNER: JAY BUTTERWORTH, 4727 Wesley Drive, Delta.

METALS: Copper, lead.

DESCRIPTION: Nicola Group pyroclastic rocks, andesite flows, and minor limestone have been irregularly intruded by diorite, hornblende porphyry, and andesite. The area appears to have been broken by numerous faults. On Cindy 13 to 15 the flows and diorite are intensely altered, extensively pyritized, and contain some copper. A quartz vein carries some galena. On Cindy 3 and 4 a volcanic breccia contains pyrite, chalcopyrite, and traces of chalcocite.

WORK DONE: Surface geological mapping, 1 inch equals 500 feet; linecutting, 18 miles covering all claims.

REFERENCE: Assessment Report 4465.

SHAMROCK, NELLIE (92H/NE-92, 110) (Fig. B, No. 18)

LOCATION: Lat. 49° 45′ Long. 120° 30′ (92H/10E, 16W) SIMILKAMEEN M.D. Twenty-five miles north of Princeton immediately south and east of the south end of Missezula Lake at approximately 3,000 feet elevation.

CLAIMS: NEL 1 to 12, NEL 1 to 6 and 10 Fractions, LOST 1, 3, 5, 7, NELLIE 1 to 31, WARM 1 to 8.

OWNER: Belcarra Explorations Ltd.

OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.

METAL: Copper.

DESCRIPTION: The claims are underlain by rocks of the Upper Triassic Nicola Group intruded by fine-grained porphyritic diorite. Disseminated pyrite and minor chalcopyrite have been observed in microporphyritic diorite.

WORK DONE: Underground diamond drilling, six holes totalling 2,674 feet on Nellie 6, 8, 28 and Lost 1.

D, R (92H/NE-128) (Fig. B, No. 48)

LOCATION:	Lat, 49° 32′	(92H/10W)	
	SIMILKAMEEN M.D.	At the Junction of the	Tulameen River and
	Britton (Eagle) Creek a	t approximately 2,800 fee	t elevation.
CLAIMS:	D 1 to 3, R 1 to 3.		
OWNERS:	R. STEINER, W. E. PA	ARKER, and HUNTER PC	DINT EXPLORATION
	LTD., 371 – 56th Stre	et, Delta V4L 1Z4.	
METALS:	Iron, chromium, platin	um, copper, nickel.	

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 128.

(92H/10W)

- DESCRIPTION: The claims are reported to be underlain by an oval breccia pipe in peridotite, surrounded by pyroxenite and augite porphyry. Mineralization consists of chromite, magnetite, chalcopyrite, sperrylite, millerite, and asbestos in a gangue of olivine.
- WORK DONE: Surface diamond drilling, one hole totalling 100 feet on D 1.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 131.

MUG, JOSIE	(Fig. B, No. 51)			
LOCATION:	Lat. 49° 35' Long. 120° 48' (92H/10W)			
	SIMILKAMEEN M.D. On the west side of Otter Lake, north and			
	south of Lockie Creek between elevations of 3,300 and 4,400 feet.			
CLAIMS:	MUG 1 to 22, 24 to 29, 31 to 66, JOSIE 1 to 6.			
OWNERS:	Tom Rolston and Gold River Mines & Enterprises Ltd.			
OPERATOR:	GOLD RIVER MINES & ENTERPRISES LTD., 802, 1433 Burnaby			
	Street, Vancouver.			
DESCRIPTION:	The claims are underlain by Nicola volcanic rocks on the west and the			
	Coast Plutonic Complex on the east.			
WORK DONE:	Linecutting; magnetometer and VLF EM survey, 10.2 line-miles;			
	geochemical soil survey, 496 samples taken at 100 by 400-foot grid			
	spacing covering Mug 1-10 and Josie 3 and 5.			
REFERENCE:	Assessment Report 4588.			

LOG (92H/NE-127) (Fig. B, No. 46)

- LOCATION: Lat. 49° 35′ Long. 120° 55′ (92H/10W) SIMILKAMEEN M.D. Seven miles west-northwest of Tulameen, on Skwum Creek, a tributary of Lawless Creek, at approximately 4,000 feet elevation.
- CLAIMS: LOG 1 to 26, LOG 27 Fraction, DAG 1.

OWNER: Kertsi Livingstone.

- OPERATOR: HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171 Pemberton Avenue, North Vancouver V7P 2R4.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by sedimentary and volcanic rocks of Upper Triassic Nicola Group, intruded by feldspar porphyry dykes. The Eagle granodiorite lies immediately to the west. Pyrite and chalcopyrite are disseminated in the Nicola rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; percussion drilling, six holes totalling 1,000 feet on Log 1, 2, 7, and 8.

(92H/10W)

WHY (92H/NE-129) (Fig. B, No. 49)

LOCATION: Lat. 49° 35' Long. 120° 56' (92H/10W) SIMILKAMEEN M.D. Eight miles west-northwest of Tulameen, 1 mile west of the junction of Skwum and Lawless Creeks, at approximately 4,000 feet elevation.

CLAIMS: WHY 1 to 4.

OWNER: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver V6C 1N5.

METALS: Copper, iron.

- DESCRIPTION: The claims area extends across the contact zone between foliated Eagle granodiorite and sedimentary members of the Nicola Group. The granodiorite contains inclusions of augen gneiss. Magnetite, chalcopyrite, and minor bornite occur in a narrow skarn band on Why 2.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering 2 claims; linecutting, 4 miles; geochemical soil survey, 216 samples taken at 100 by 200-foot grid spacing.
- REFERENCE: Assessment Report 4673.

IRA (92H/NE-39) (Fig. B, No. 47)

- LOCATION:Lat. 49° 36'Long. 120° 55'(92H/10W)SIMILKAMEEN M.D.Nine miles west-northwest of Tulameen, at the
head of Skwum Creek, at approximately 4,500 feet elevation.CLAIMS:IRA 1, 2, 4, 6, 8 to 24, BIC 1 to 3, MAYNARD 1 to 12, CJH 1 to 20.
- OWNER:
 S. Young.
- OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.
- METALS: Copper, molybdenum.
- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group intruded by a body of altered quartz feldspar porphyry. The Eagle granodiorite lies immediately to the west. Pyrite, chalcopyrite, and molybdenite are disseminated through the Nicola volcanic rocks.
- WORK DONE: Reconnaissance geological survey covering IRA, BIC, and CJH claims and geochemical survey, 44 soil samples and 19 rock samples during 1972. Geochemical soil survey, 500 samples covering 16 line-miles on IRA, BIC, and Maynard claims and surface diamond drilling, two holes totalling 499 feet on Maynard 2 during 1973.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 381, 382; Assessment Reports 4463, 4466.

BUCK (Fig. B, No. 192)

LOCATION:Lat. 49° 38'Long. 120° 53'(92H/10W)SIMILKAMEEN M.D.Seven miles from the Tulameen River, on the
east side of Lawless Creek, at approximately 5,000 feet elevation.CLAIMS:BUCK 1 to 52.

(92H/10W)

- OWNER: CADET RESOURCES LTD., 805, 1177 West Hastings Street, Vancouver.
- DESCRIPTION: The claims are underlain by Nicola Group basalt in the east and granodiorite in the west. Adjacent to the basalt the granodiorite has been sheared and albitized and altered to sericite, muscovite, and talc schists; locally it has been intensely pyritized.
- WORK DONE: Linecutting and magnetometer survey, 52 line-miles; VLF EM survey, 35 line-miles; geochemical soil survey, 358 samples taken at 200 by 1,500-foot grid spacing; surface geological mapping, 1 inch equals 500 feet covering Buck 1, 3, 5, 7, 8, 11, 12, 17-22, 33, 35, 48, 50, 52.
- REFERENCE: Assessment Report 4840.
- FAWN (Fig. B, No. 191)

LOCATION:	Lat, 49° 40′ Long, 120° 47′ (92H/10W) SIMILKAMEEN M.D. On the west side of Otter Creek, immediately west of Thynne Lake, at approximately 3,500 feet elevation.				
CLAIMS:	FAWN 1 to 21.				
OWNER:	CADET RESOURCES LTD., 805, 1177 West Hastings Street,				
	Vancouver.				
DESCRIPTION:	Nicola Group vari-coloured lavas and Kingsvale Group basalt have been				
	intruded by quartz diorite in the west and south. A shear zone in quartz				
	diorite along Thynne Creek contains veins of massive pyrite.				
WORK DONE:	Linecutting and magnetometer survey, 27 line-miles; geochemical soil				
	survey, 166 samples taken at 200 by 1,500-foot grid spacing and 234				
	samples taken at 300-foot centres; surface geological mapping, 1 inch				
	equals 500 feet covering Fawn 1-8 and 17-20.				
REFERENCE:	Assessment Report 4841.				

TOTEM POLE (92H/NE-23) (Fig. B, No. 50)

LOCATION:	Lat, 49° 41'	Long. 120° 50'	(92H/10W)
	SIMILKAMEEN M.C). Three miles west of	Otter Creek on the north
	side of Thynne Creek	, between elevations of 3	,700 and 4,200 feet.
CLAIMS:	TB 1 to 10, TOT 1 to	42.	
OWNER:	Estey Agencies Ltd.		
ODEDATOD	DAN ADOTIO EVOL		

- OPERATOR: PAN ARCTIC EXPLORATIONS LTD., 211, 717 West Pender Street, Vancouver.
- METALS: Copper, molybdenum, silver, lead.
- DESCRIPTION: A trench on TB 3 exposes a shear zone in Nicola andesite. The shear is filled with quartz, calcite, pyrite, chalcopyrite, and molybdenite.
- WORK DONE: Linecutting, 10 miles; geochemical soil survey, 206 samples taken at 200 by 200-foot grid spacing covering TB 1-4.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1916, p. 261; *Geol. Surv., Canada,* Mem. 223, p. 97; Assessment Report 4515.

COLDWATER, MAG (92H/NW-22 to 24) (Fig. B, No. 83)

- LOCATION: Lat. 49° 41′ Long. 121° 01′ (92H/11E) NICOLA M.D. Three and one-half miles north of Coquihalla, on Coldwater River, between 3,400 and 7,000 feet elevation.
- CLAIMS: MAG, RIP, BIG JULIE, ZINC, BONNIE LYNN, NOV, LAVERNE, CAP, CRISP, HOPE, HDD, JULIE, LUCKY, COLD, RANDY, totalling approximately 95.
- OWNERS: Corval Resources Ltd., B. D. Speton, L. Ovington, Pat Henry, and J. E. Nott.
- OPERATOR: DENISON MINES LIMITED, 1500, 444 Fifth Avenue SW., Calgary, Alta.
- METALS: Zinc, silver, lead, copper, minor gold and cadmium.
- DESCRIPTION: Pyrite, galena, sphalerite, tetrahedrite, and chalcopyrite occur in veins and altered quartz monzonite along the contact between the Eagle granodiorite and altered metasedimentary rocks of the Nicola Group.
- WORK DONE: Linecutting and IP survey, 8 line-miles in 1973 extending the 1972 coverage east to the Coldwater River covering Mag 1, 2, Nov 1, 2, Nov Fraction, Hope 5, 6, Rip 1, 2, 55, 56, 59, Tab 1, 2, Rip 69, 70 Fractions.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 132; Assessment Reports 3595, 4173, 4174, 4371, 4516.

WHAT (Fig. B, No. 82)

LOCATION:	Lat. 49° 42'	Long. 121° 02'	(92H/11E)
	NICOLA M.D.	One mile west of Coldwater River	and 3 miles south of
	Juliet Creek, at	approximately 5,500 feet elevation	

- CLAIMS: WHAT 1 to 8, PIE 1 to 4.
- OWNER: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: The claims are underlain by foliated quartz diorite belonging to the Eagle granodiorite of Lower Cretaceous or Jurassic age. Minor chalcopyrite observed in float has been associated with aplite veining. WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering What 1-8 and Pie 1-4: reochemical soil survey 665 camples 14 line-miles
- and Pie 1-4; geochemical soil survey, 665 samples, 14 line-miles covering same claims.

AURUM, IDAH	O, PIPESTEM	(92H/NW-3,	, 6 to 11, 13, 14)	(Fig. B, No. 84)
LOCATION:	Lat. 49° 31′	Lo	ong. 121° 18′	(92H/11W)
	NEW WESTMIN	NSTER M.D.	Seven miles east-	southeast of Yale, at the
	head of Ladner	Creek, at app	roximately 3,000 f	eet elevation.
CLAIMS:	AURUM 1 to	6 (Lots 1236	to 1241), IDAHC	and TRAMWAY (Lots
	1234 and 1235), GOLD STA	AR 1 to 4, CABIN	1 to 14, CABIN 20 and
	21 Fractions, C	ARO 1 to 30,	CARO 1 to 7 Frac	ctions.

Carolin Mines Ltd. and Summit Mining Co. Ltd. OWNERS:

CAROLIN MINES LTD., c/o Cochrane Consultants, 4882 Delta Street, **OPERATOR:** Delta.

Gold. METAL:

DESCRIPTION: The claims straddle a serpentine band which is flanked to the east by Jurassic-Cretaceous Ladner slates that strike northeast and dip at moderate angles to the northwest. Mineralization comprises auriferous zones and quartz veins. The zones consist of silicified argillites with disseminated pyrite, pyrrhotite, and chalcopyrite.

- WORK DONE: Surface geological mapping, 1 inch equals 100 feet covering Aurum and Idaho claims and 1 inch equals 100 feet and 1 inch equals 400 feet covering all claims; ground magnetometer survey, 30 line-miles covering south half of the property; geochemical soil survey, approximately 3,200 samples, 30 line-miles covering south half of the property; surface diamond drilling, seven holes totalling 1,760 feet on Idaho; surface and underground workings mapped; trenching, 500 feet on Idaho.
- Minister of Mines, B.C., Ann. Rept., 1935, pp. F35-F37. REFERENCE:

VICTOR	(92H/NW-39) (Fig. B, No.	196)			By J. V	I. Ro	binson
LOCATION	: Lat. 49° NEW N betweer	[°] 34' WESTMINSTER n 2,400 and 3,600	Long. 1 M.D. T) feet elev	121°2 woi vation	28' miles 1.	(9) west-southwest)2H/ of	11W) Yale,

CLAIMS: VICTOR 1 to 24.

OWNERS: V. Dalstrom and G. Chrane.

- DALTON RESOURCES LTD., 4118 East Hastings Street, North **OPERATOR:** Burnaby.
- METALS: Nickel, copper.
- DESCRIPTION: The Victor claims are underlain by gneiss, schist, and amphibolite and Upper Cretaceous quartz diorite. A pyroxene amphibolite has intruded the gneiss. The amphibolite carries disseminated pyrrhotite and chalcopyrite mineralization.
- WORK DONE: Ten diamond-drill holes ranging in depth from 71 to 262 feet were drilled for a total of 1,398 feet.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 133.

(92H/NW-28, 42, 43, 45; 92H/SW-81) (Fig. B, No. 74) By J. W. Robinson NI

- LOCATION: Lat. 49° 31' Long. 121° 40' (92H/12E, 5E) NEW WESTMINSTER M.D. On the east side of Harrison Lake, in the vicinity of Talc and Cogburn Creeks, at approximately 3,000 feet elevation.
- CLAIMS: NI, totalling 428 claims and fractions.
- OWNER: GIANT EXPLORATIONS LIMITED, Box 10010, Pacific Centre, 700 West Georgia Street, Vancouver,

- METALS: Nickel, copper.
- DESCRIPTION: Pyrite, pyrrhotite, chalcopyrite, and pentlandite are disseminated in basic and ultrabasic intrusives into sedimentary and volcanic rocks. These rocks have an elongation and strike trending northwest. They are incorporated within diorite and quartz diorite of the Coast Plutonic Complex near its contact with the Chilliwack Group.
- WORK DONE: Magnetometer survey, 4.5 line-miles covering NI 3, 83, 85, 87, 261, 262; geochemical soil survey, 235 samples, 4.3 line-miles covering same claims; topography mapped.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 116; Assessment Report 4536.

OLE (Fig. B, No. 85)

LOCATION:	Lat. 49° 52′ Long. 121° 25′ (92H/14W)
	NEW WESTMINSTER M.D. One-half mile east of Boston Bar, at approximately 2,200 feet elevation.
CLAIMS:	OLE 1 to 15.
OWNER:	H. Schudeleit.
OPERATOR:	RED RIVER MINES LTD., 210, 535 Howe Street, Vancouver.
METALS:	Copper, nickel.
DESCRIPTION:	In the claim area slates of the Lower and Middle Jurassic Ladner Group have been intruded by ultrabasic plutons. Copper-nickel sulphides have been observed.
WORK DONE:	Trenching, 55 feet.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 284, 285.

WHERE (92H/NE-135, 136) (Fig. B, No. 65)

LOCATION: Lat. 49° 57' Long. 120° 49' (92H/15W) NICOLA M.D. Ten miles south of Merritt, 1 mile south of Selish Mountain, at approximately 4,000 feet elevation.

CLAIMS: WHERE 1 to 12.

OWNER: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver V6C 1N5.

METALS: Copper, iron.

DESCRIPTION: The property is underlain mainly by Nicola Group volcanic rocks which have been intruded by diorite and gabbro of the Selish Mountain stock in the north and northwest. The Nicola sequence comprises dacite tuff-breccia, massive to porphyritic andesite, massive and amygdaloidal basalt, and small lenses of bedded chert. These rocks have been intruded by aplite and basalt porphyritic dykes and one diorite dyke. Skarn andesite is exposed in two places on Where 3 and contains thin bands of magnetite and hematite and disseminated chalcopyrite.

- WORK DONE: Linecutting; surface geological mapping, 1 inch equals 200 feet; magnetometer survey, 14 line-miles; and geochemical soil survey, 762 samples covering 14 line-miles on Where 1-6.
- REFERENCE: Assessment Report 4677.

DEX (Fig. B. No. 55)

LOCATION:	Lat. 49 [°] 46′	(92H/15E)				
	NICOLA M.D. One m	nile west of the south	end of Missezula Lake at			
	approximately 4,000 fe	et elevation.				
CLAIMS:	DEX 1 to 16, RED BO	X 1 and 3 Fractions.				
OWNER:	Kalco Valley Mines Ltd					
OPERATOR:	ISO EXPLORATION	S LTD., 700, 117	7 West Hastings Street,			
	Vancouver V6E 2K5.					
METAL:	Copper.					
DESCRIPTION:	The claims are underlain by volcanic breccia, tuffs, and poorly stratified					
	flows of the Upper Triassic Nicola Group, cut by rare dykes.					
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet; magnetometer					
	survey, 5.5 line-miles; VLF EM survey, 7.25 line-miles; seismic survey					
	approximately 1 line-r	nile; geochemical soil	survey, 148 samples, 5.5			
	line-miles covering all c	laims.				
DEEEDENIOE		~				

REFERENCE: Assessment Report 4415.

ESP (Fig. B, No. 54)

- LOCATION: Lat. 49° 46′ Long. 120° 33′ (92H/15E) NICOLA and SIMILKAMEEN M.D. Two miles west of the south end of Missezula Lake at approximately 4,000 feet elevation.
- CLAIMS: ESP 3 to 6, 33 to 38, 49, 50, 58, 73 to 80, 96, 97, RED BOX 2 and 4 Fractions.

OWNER: Barrier Reef Resources Ltd.

OPERATOR: ISO EXPLORATIONS LTD., 700, 1177 West Hastings Street, Vancouver V6E 2K5.

METAL: Copper.

DESCRIPTION: The claims are underlain by volcanic breccias, tuff, and poorly stratified flows of the Upper Triassic Nicola Group, cut by rare dykes. Mineralization consists of very minor chalcocite and malachite on the ESP 34 claim; elsewhere, minor pyrite, hematite, and limonite.

- WORK DONE: Claims surveyed; linecutting; surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 16 line-miles; VLF EM survey, 13.75 line-miles; geochemical soil survey, 218 samples, 9 line-miles covering all claims;
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 135; Assessment Report 4709.

JAY, FEB (Fig. B, No. 59)

- LOCATION: Lat. 49° 47' Long. 120° 35' (92H/15E) NICOLA and SIMILKAMEEN M.D. Six miles north of Allison Lake and 2.5 miles west of Missezula Lake.
- CLAIMS: JAY 23 to 26, FEB 69 to 78, LIL 1 to 12, NICK 87 to 90, PL 1 to 6, 11, 12.
- OPERATOR: COMMAND RESOURCES LTD. (formerly Kodiak Mines Ltd.), 1400, 1030 West Georgia Street, Vancouver V6E 3C2.
- WORK DONE: IP survey, 9.8 line-miles during 1972.
- REFERENCE: Assessment Report 4446.

MISS (92H/NE-132) (Fig. B, No. 62)

Lat. 49 [°] 48'	Long. 120° 3	517	(92H/15E)
NICOLA M.D.	Surrounding and to the	ne east of the nort	thern half of
Missezula Lake.			
MISS 1 to 70.			
Maurice Mathieu	1.		
SCOPE EXPLO	RATION SERVICES LT	D., Box 1101, Mer	ritt.
Copper.			
Chalcopyrite, py	rite, and minor bornite	e have been reporte	d to occur in
veinlets and as f	ine disseminations.		
Linecutting; ma	agnetometer survey, 7.	.5 line-miles; geoc	hemical soil
survey, 278 sam	ples taken at 100 by 200) or 400-foot grid s	pacing.
Assessment Rep	ort 4694.		
	Lat. 49° 48' NICOLA M.D. Missezula Lake. MISS 1 to 70. Maurice Mathieu SCOPE EXPLOI Copper. Chalcopyrite, py veinlets and as f Linecutting; ma survey, 278 sam Assessment Rep	Lat. 49° 48′ Long. 120° 3 NICOLA M.D. Surrounding and to the Missezula Lake. MISS 1 to 70. Maurice Mathieu. SCOPE EXPLORATION SERVICES LT Copper. Chalcopyrite, pyrite, and minor bornite veinlets and as fine disseminations. Linecutting; magnetometer survey, 7. survey, 278 samples taken at 100 by 200 Assessment Report 4694.	Lat. 49° 48' Long. 120° 31' NICOLA M.D. Surrounding and to the east of the nort Missezula Lake. MISS 1 to 70. Maurice Mathieu. SCOPE EXPLORATION SERVICES LTD., Box 1101, Mer Copper. Chalcopyrite, pyrite, and minor bornite have been reporte veinlets and as fine disseminations. Linecutting; magnetometer survey, 7.5 line-miles; geoc survey, 278 samples taken at 100 by 200 or 400-foot grid s Assessment Report 4694.

BOSS, DAISY (92H/NE-130, 91) (Fig. B, No. 53)

Adonis Mines Ltd.

- LOCATION: Lat. 49° 50' Long. 120° 36' (92H/15E) NICOLA M.D. The property is centred 3.5 miles northwest of Missezula Lake at approximately 4,000 feet elevation.
- CLAIMS: BOSS 25 to 32, 43 to 54, 65 to 84, 101 to 134, GAIL 81 to 92, BIM 1 to 32, 37, 38, 47 to 82, 91 to 100, 33A to 36A, 39A to 46A, J 1, 3 to 6, J 2 Fraction, LO 89 to 94, 96, 98, PAC 85 to 94, PIXIE 1 to 14, TIGHT 8 and 9, WAL 77 to 92.

OWNER:

OPERATOR: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METAL: Copper.

DESCRIPTION: The claims are underlain by varicoloured tuffs and agglomerates and green andesite of the Nicola Group. Narrow bands of grey-green agglomerate contain chalcocite, native copper, and malachite, generally concentrated in and around the fragments. Some fractures in the other rock types are coated with malachite.

- WORK DONE: Linecutting; surface geological mapping, 1 inch equals 1,000 feet and 1 inch equals 400 feet; ground magnetomter survey, 35 line-miles; helicopter-borne magnetometer survey, 73 line-miles; ground VLF EM survey, 17 line-miles; topographic mapping, approximately 17 square miles; surface diamond drilling, two holes totalling 230 feet on Bim 74 and 80
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1915, p. 224; *B.C. Dept. of Mines* & *Pet. Res.,* GEM, 1972, p. 135; *Geol. Surv., Canada*, Mem. 243, p. 95; Assessment Reports 175, 4495.
- RI (Fig. B, No. 57)

LOCATION:	Lat. 49° 52'	Long	Long. 120° 42'			(92H/15E)		
	NICOLA M.I	D. Six miles south	west of Aspen	Grove, nort	heast o	f Davis		
	Lake, at appi	oximately 4,000 f	eet elevation.					
CLAIMS:	RI 1 to 56.							
OWNER:	NORANDA	EXPLORATION	COMPANY,	LIMITED,	1050	Davie		

- Street, Vancouver V6E 1M4. DESCRIPTION: The claims are underlain by rocks of the Upper Triassic Nicola Group which are intruded to the south by granodiorite of the Pike Mountain
- pluton. WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 1,000 feet; low level aeromagnetic survey, 34 line-miles; low VLF EM survey, 34

line-miles covering all claims.

WD (Fig. B, No. 61)

LOCATION:	Lat, 49° 53'	Long, 120	° 37′	(92H/15E)
	NICOLA M.D. Fou	r miles south of	Aspen Grov	re, astride Highway 5.
CLAIMS:	WD 3 to 6, 19 to 26,	28 to 30, 32, 33	8 to 45.	
OWNER:	J. S. Godfrey.			
OPERATOR:	GROVE EXPLORA	TIONS LTD.,	211, 717	West Pender Street,
	Vancouver.			
WORK DONE:	Linecutting, 13.3 mi	les; geochemical	soil survey,	315 samples taken at
	200 by 400-foot gr	id spacing cover	ing WD 3-6,	, 19-26, 33-39 during
	1972.			
REFERENCE:	Assessment Report 4	475.		

MIX (Fig. B, No. 60)

LOCATION:	Lat. 49° 55'	Lo	ong, 120° 36′		(92H/15E)
	NICOLA M.D.	Three miles	south-southeast	of Aspen G	rove, east of
	Highway 5.				
CLAIMS:	MIX 1 to 9, 11;	BUNNY 1 to	6, 22, 31 to 33,	35, 36; 3 WA	Y 11, 12.

OWNER: ASPEN GROVE MINES LTD., 3428 East 28th Avenue, Vancouver.

WORK DONE: Linecutting, magnetometer survey, and VLF EM survey, 7.5 line-miles covering Mix 3, 4, and 9.

- REFERENCES: B.C. Dept. of Mines & Pet. Res., G.E.M., 1972, p. 136; Assessment Report 4474.
- BOB, TAB (Fig. B, No. 52)
- LOCATION: Lat. 49° 58' Long. 120° 36' (92H/15E) NICOLA M.D. One mile north of Aspen Grove, on Highway 5, at approximately 3,200 feet elevation.
- CLAIMS: BOB 1 to 10, TAB 1 to 5.

OPERATORS: NORMAN ORR, 2839 Conrad Drive NW., Calgary, Alta. and MILE-STONE MINES LIMITED, 574 One Calgary Place, Calgary, Alta.

- DESCRIPTION: The claims are underlain by Nicola Group volcanic rocks.
- WORK DONE: Claims mapped; magnetometer survey, 10.2 line-miles covering Bob 1-10; geochemical soil survey, 350 samples covering all claims during 1972.
- REFERENCE: Assessment Report 3637.

JUNE (92H/NE-61) (Fig. B, No. 58)

LOCATION: Lat. 49° 59' Long. 120° 33' (92H/15E) NICOLA M.D. Four miles northeast of Aspen Grove on the east side of Quilchena Creek, at approximately 3,300 feet elevation.

CLAIMS: JUNE 1 to 6, 8, 10, 12 to 15.

- OWNER: BALLINDERRY EXPLORATIONS LTD., 1030, 540 Fifth Avenue SW., Calgary, Alta.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by massive green andesite and some tuff of the Upper Triassic Nicola Group, which contain widespread epidote and garnet and are cut by a large number of quartz veinlets, most of which trend east-west and dip steeply. K-feldspar and ankerite alteration are also present, especially in the southern part of the property where some dykes of fine-grained syenite and strong faulting in a northeasterly direction are present. To the north and east the volcanic rocks are intruded by granodiorite of the Pennask batholith. Pyrite and chalcopyrite occur in quartz veinlets and as disseminations in the altered volcanic rocks, together with widespread magnetite.

WORK DONE: Surface diamond drilling, three holes totalling 297 feet on June 4.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, p. 169; *B.C. Dept. of Mines* & Pet. Res., GEM, 1970, p. 379.

BLUE JAY (92H/NE-105) (Fig. B, No. 56)

- LOCATION: Lat. 49° 59' Long. 120° 36' (92H/15E) NICOLA M.D. Four miles north of Aspen Grove, on the east side of Highway 5, at approximately 3,500 feet elevation.
- CLAIMS: BLUE JAY 1 to 24 and 1 to 6 Fractions.

OWNER: H. Nesbitt.

OPERATOR: CRAIGMONT MINES LIMITED, 270, 180 Seymour Street, Kamloops.

- DESCRIPTION: The claims are underlain by reddish, autobrecciated augite porphyry, massive red and green breccia, and minor volcanic siltstone and/or tuff of the Upper Triassic Nicola Group, cut by dykes of fine-grained syenite and monzonite porphyry. To the east the volcanic rocks are cut by a large body of diorite which is fine-grained, porphyritic, and brecciated on its western margin. Native copper, chalcocite, bornite, and chalcopyrite occur in the volcanic rocks, especially near dyke boundaries.
- WORK DONE: Surface diamond drilling, one hole totalling 408 feet on Blue Jay 4; percussion drilling, 19 holes totalling 4,400 feet on Blue Jay 3-8, 21, and 22.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 286.

XX, KV (Fig. B, No. 63)

LOCATION:	Lat. 49° 56' Long. 120° 45' (92H/15)
	NICOLA M.D. Five miles west of Aspen Grove, on Voght and
	Howarth Creeks, at approximately 3,500 feet elevation.
CLAIMS:	XX 1 to 10, 12 to 32, KV 1 to 14, 16, 18 to 22, 24.
OWNER:	BOW RIVER RESOURCES LTD., 333, 885 Dunsmuir Street,
	Vancouver V6C 1N5.
WORK DONE:	Geochemical survey on a 400 by 200-foot grid system.
REFERENCE:	Assessment Report 4428.

COPPER STAR, DOR (92H/NE-36; 92I/SE-164) (Fig. B, No. 66)

LOCATION:	Lat. 50° 00′	Long. 120° 36'	(92H/15E;92I/2E)
	NICOLA M.D. Elev	en miles southeast of M	erritt, at Courtney Lake,
	between 3,500 and 4,	000 feet elevation.	
CLAIMS:	DOR 1 to 34.		
OWNER:	TANJO MINES LTD.	, 520, 602 West Hastings	Street, Vancouver.
METAL:	Copper.		
DESCRIPTION:	Chalcocite and malac along northwest-strik	hite occur on fracture su ing shear zones in Nicola	rfaces and in quartz veins Group volcanic rocks.
WORK DONE:	SP and time-domain and 29-32.	IP survey, 10 line-miles co	overing Dor 1-7, 9, 19-25,
REFERENCES:	B.C. Dept. of Mines Reports 4336, 4779.	8 & Pet. Res., GEM, 19	172, p. 139; Assessment

PRIMER, KING GEORGE (92H/NE-55, 56) (Fig. B, No. 19)

LOCATION: Lat. 49° 46' Long. 120° 28' (92H/16W) SIMILKAMEEN M.D. Twenty-five miles north of Princeton, immediately south and east of the south end of Missezula Lake, at approximately 3,000 feet elevation.

CLAIMS: OB 1 to 40, OC 1 to 40, OD 1 to 30, BILL 1 to 10.

OWNER: Primer Group Minerals Limited.

- OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.
- METAL: Copper.

DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group intruded by fine-grained porphyritic diorite. Mineralization consists of quartz-magnetite-chalcopyrite veinlets and stringers which cut feldspar porphyry.

WORK DONE: Surface diamond drilling, five holes totalling 2,103 feet on OB 5, 6, 12, and 14.

SNOWSTORM, AMANDA (92H/NE-32, 63) (Fig. B, No. 68)

- LOCATION:Lat. 49° 46'Long. 120° 19'(92H/16W)SIMILKAMEEN M.D.Eight miles west-northwest of Osprey Lake
village, on Siwash Creek, between elevations of 3,600 and 4,200 feet.CLAIMS:AMANDA 1 to 24, AMIE 1 and 2, PACO 1 to 20 and 101 Fraction.
- OWNER: DIANA EXPLORATIONS LTD., 551 Howe Street, Vancouver.

METALS: Gold, silver, lead, zinc, copper.

- DESCRIPTION: Altered porphyritic quartz monzonite of the Siwash Creek body of the Lower Cretaceous Otter Intrusions is heavily mineralized along northeasterly striking shear and fracture zones. Pyrite, chalcopyrite, bornite, tetrahedrite, galena, sphalerite, and arsenopyrite occur in shear zones, quartz veins, and zones of silicification.
- WORK DONE: Prospecting on Amanda, Amie, and Paco claims; surface diamond drilling, three holes totalling 150 feet on Paco 1 and 2.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 141; Geol. Surv., Canada, Mem. 243, pp. 108, 109.

EL PASO (92H/NE-30) (Fig. B, No. 194)

- LOCATION: Lat. 49° 49' Long. 120° 22' (92H/16W) SIMILKAMEEN M.D. Seven miles east-northeast of the south end of Missezula Lake, on the north side of Siwash Creek, at approximately 4,500 feet elevation.
- CLAIMS: PEM 1 and 2, BLUESTONE 1 to 4, TJ 1 to 8, RHS 1 to 14, DRAW 1, FU 2 Fraction.
- OWNER: E, Mullin.
- OPERATOR: PAN ARCTIC EXPLORATIONS LTD., 1714, 1055 West Georgia Street, Vancouver.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 128.

(92H/16W, 15E)

METALS: Lead, silver, gold, zinc.

DESCRIPTION: One or more veins of banded quartz carry arsenopyrite, pyrite, sphalerite, and galena and cut andesitic rocks of the Nicola Group. The vein(s) have been explored by adits and open cuts.

Surface diamond drilling, one hole totalling 372 feet on Pem 2. WORK DONE:

REFERENCES: Geol. Surv., Canada, Mem. 243, p. 109; Assessment Report 4894.

BUCK, ZULA (92H/NE-133, 134) (Fig. B, No. 64)

LOCATION: BUCK, DOE, MAD:

> Long. 120° 28' Lat. 49° 50' (92H/16W, 15E) SIMILKAMEEN and NICOLA M.D. The claims are centred 4 miles east-northeast of the north end of Missezula Lake. ZULA:

Lat. 49° 47' Long. 120° 29' (92H/16W, 15E) SIMILKAMEEN and NICOLA M.D. The Zula claims are centred 1 mile north of the south end of Missezula Lake.

CLAIMS: BUCK 1 to 99, DOE 1 to 79, MAD 1 to 16, ZULA 1 to 12, 15 to 32.

GREAT PLAINS DEVELOPMENT COMPANY OF CANADA, LTD., OWNER:

736 Eighth Avenue SW., Calgary, Alta.

METAL: Copper.

- DESCRIPTION: The claims are underlain by a generally well-layered succession of green volcanic breccia and lahar deposits intercalated with abundant tuff, volcanic siltstone, and some andesitic flows of the Upper Triassic Nicola Group. These rocks trend northerly and dip at moderate angles to the west. They are intruded by a few northerly trending dykes of fine-grained svenite and monzonite porphyry and, a short distance north of the claim group, by a mass of granodiorite and quartz monzonite of the Pennask batholith. Minor disseminations of chalcocite, bornite, and chalcopyrite are reported to occur within the claim boundary.
- WORK DONE: Surface geological mapping covering all Buck claims; magnetometer survey, 30 line-miles covering Buck claims and 8 line-miles covering Mad claims; geochemical soil survey, 824 samples, 30 line-miles covering Buck claims; 234 samples, 8 line-miles covering Mad claims; and 88 samples, 6.5 line-miles covering Doe claims.

REFERENCES: Assessment Reports 4347, 4552, 4695.

- DUCHESS (92H/NE-137) (Fig. B. No. 69)
- Lat. 49° 52' Long. 120° 19' LOCATION: (92H/16W) SIMILKAMEEN M.D. Eleven miles north-northwest of Osprey Lake village, 1.5 miles north-northwest of Siwash Lake, at an elevation of approximately 5,500 feet. CLAIMS:
- DUCHESS 5 to 16, 18, 20, 22, 24, 26, 36 to 42.

OWNER: D. E. Agur.

161

- OPERATOR: OREQUEST EXPLORATION SYNDICATE, 711, 850 West Hastings Street, Vancouver V6C 1E1.
- METAL: Copper.
- DESCRIPTION: The claims extend across the contact between Nicola Group andesite and biotite-hornblende quartz diorite of the Osprey Lake batholith. Epidotized meta-andesite at the contact contains disseminated pyrrhotite and minor chalcopyrite.
- WORK DONE: Linecutting, 25 miles; magnetometer and VLF EM survey, 24 linemiles; geochemical soil survey, 600 samples taken at 200 by 400-foot grid spacing covering Duchess 7-14, 18, 20, 22, 24.
- REFERENCE: Assessment Report 4525.

HN-WEN (92H/NE-58) (Fig. B, No. 67)

- LOCATION: Lat. 49° 56' Long. 120° 27' (92H/16W) NICOLA M.D. Six miles east-northeast of Alleyne Lake, at approximately 4,500 feet elevation.
- CLAIMS: HILL 1 to 42, 47 to 60, 65 to 126, 201 to 229, 250 to 264, KEV 1 to 78, 81 to 84, 89 to 92, TI 1 to 10.
- OWNER: NITRACELL CANADA LTD., 10th Floor, 549 Howe Street, Vancouver V6C 2C6.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by andesitic volcanic rocks and shale of the Upper Triassic Nicola Group which to the north have been intruded by granitic rocks of the Pennask batholith. Minor chalcopyrite mineralization along fractures in Nicola rocks is found near three old short adits.
- WORK DONE: In 1972, 19.2 miles of line was cut and picketted on Hill 1 to 20. Geochemical, VLF EM, IP, and geological surveys were conducted over the grid. Five BQ wireline holes, totalling 2,902.5 feet, were diamond drilled on Hill 4, 11, and 13.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 201 (ECHO, TOE); Assessment Reports 4229, 4230.

KATHLEEN MOUNTAIN (92H/NE-34) (Fig. B, No. 193)

LOCATION: Lat. 49° 46' Long. 120° 05' (92H/16E) SIMILKAMEEN M.D. Eight and one-half miles south-southwest of the Brenda mine, on the west slope of Kathleen Mountain, at approximately 5,500 feet elevation.

CLAIMS: LEAP 1 to 40.

- OWNER: EXEL EXPLORATIONS LTD., 1, 8431 Granville Street, Vancouver.
- METALS: Gold, silver, copper, manganese.
- DESCRIPTION: The claims are underlain by Kathleen Mountain granodiorite rocks which have been intruded by the Trout Creek porphyry stock and injected by mineralized quartz veins.

- WORK DONE: Linecutting and magnetometer survey, 13 line-miles; geochemical soil survey, 555 samples taken at 100 by 300-foot grid spacing covering Leap 1-8.
- REFERENCES: Geol. Surv., Canada, Mem. 243, pp. 110, 111; Assessment Report 4896.

BRENDA MINE (92H/NE-47) (Fig. B, No. 202) By David Smith

- LOCATION: Lat. 49° 53' Long. 120° 00.5' (92H/16E)
- CLAIMS: OSOYOOS M.D. One and one-half miles southeast of Brenda Lake. CLAIMS: Mineral Leases M-58, M-59, M-77, M-78, M-79, M-82, and M-83 plus 233 located claims. The open pit lies primarily within Mineral Lease M-58.
- OWNER: BRENDA MINES LTD., Box 420, Peachland.
- METALS: Copper, molybdenum (production shown in Table I).
- DESCRIPTION: Chalcopyrite and molybdenite occur with quartz or quartz feldspar as fracture fillings in a quartz diorite host. The majority of fractures are less than one-half inch in width, strike approximately north 60 degrees east, and dip essentially vertical. The intensity of fracturing decreases from the centre of the orebody outwards.
- WORK DONE: The mill worked to capacity of 24,000 tons per day throughout the year. Copper concentrates are trucked to Kelowna and transferred to railway cars. During 1973, approximately 16,327,000 tons of material was removed from the pit consisting of: ore mined, 8,969,900 tons; low grade to stockpile, 2,862,800 tons; waste, 3,992,700 tons; overburden, 501,600 tons. The mill treated 8,867,805 tons of ore grading 0.203 per cent copper and 0.058 per cent molybdenum.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 391; 1971, p. 288; 1972, p. 142.

ASHCROFT 921

MAG	(92I/SE-	87) (Fig. B, No	. 86)	
LOCATI	ON:	Lat. 50° 10′	Long. 120° 28′	(921/11W)
		NICOLA M.D. T	wo miles northwest of Quilchena, one-ha	If mile east
		of Nicola Lake a	nd 3,000 feet south of Indian Reserve	1, between
		2,500 and 3,000 f	eet elevation.	
CLAIMS	:	MM 1 to 10.		
OWNER	:	M. Morrison.		
OPERAT	FOR:	EL PASO MININ	G AND MILLING COMPANY, 500, 885	Dunsmuir
		Street, Vancouver		
METAL	:	Copper.		

DESCRIPTION: The claims are underlain by volcanic rocks of the Nicola Group which to the west have been intruded by granodiorite of the Nicola batholity. Mineralization consists of very minor chalcopyrite and bornite as disseminations in the volcanic rocks, epidote veinlets, and occasional narrow guartz veins.

WORK DONE: Percussion drilling, six holes totalling 1,200 feet on MM 2, 3, and 4.

- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 377.
- ME (921/SE-165) (Fig. B, No. 87)
- LOCATION: Lat. 50° 04' Long. 120° 34' (921/2E) NICOLA M.D. Five miles south of Nicola Lake, on the west side of Indian Reserve 7, between 3,500 and 4,000 feet elevation.
- CLAIMS: ME 1 to 8, TYE 1 to 20, YT 1 to 12.
- OWNER: Carolin Mines Ltd.
- OPERATOR: TORONADO DEVELOPMENT CORP. LTD., 107, 325 Howe Street, Vancouver.
- METALS: Copper, molybdenum, silver.
- DESCRIPTION: The property is underlain mainly by Nicola Group green andesites with intercalated tuffs and argillites. Intrusive rocks vary from monzonitic to dioritic composition. Mineralization consists of chalcopyrite, bornite, pyrite, and minor values of molybdenum and silver.
- WORK DONE: 1972 geological and geochemical surveys; 1973 time-domain IP survey, approximately 4 line-miles.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 167; Assessment Reports 4325, 4805.

COPPER STAR, DOR (92H/NE-36; 921/SE-164) (Fig. B, No. 66)

LOCATION: Lat. 50° 00' Long. 120° 36' (92H/15E; 92I/2E) Report on this property in section 92H/15E,

HAWK (Fig. B, No. 90)

LOCATION:	Lat. 50° 10′ Long. 120° 59′ (921/2W)
	NICOLA M.D. Nine and one-half miles west-northwest of Merritt, on
	the south slope of Promontory Hill, at approximately 4,200 feet
	elevation.
CLAIMS:	HAWK 1 to 35.
OWNER:	RED RIVER MINES LTD., 210, 535 Howe Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	The claims are underlain by volcanic and predominantly limy sedimentary rocks of the Nicola Group northwest of the northeast- striking contact of the Coyle granodiorite stock.
WORK DONE:	Magnetometer survey, 5 line-miles.
REFERENCES:	<i>B.C. Dept. of Mines & Pet. Res.,</i> GEM, 1972, p. 145; Assessment Reports 330, 4767.

- ES, SA (Fig. B, No. 89)
- LOCATION: Lat. 50° 12′ Long. 120° 48′ (921/2W) NICOLA M.D. Six miles north of Merritt, on the eastern boundary of Indian Reserve 1, between 4,000 and 4,500 feet elevation.

CLAIMS: ES 1 to 45, 47, 48, SA 1 to 7.

- OWNER: MINAS DE CERRO DORADO LTD., 107, 325 Howe Street, Vancouver.
- DESCRIPTION: The property is underlain mainly by altered Nicola Group volcanic rocks. The southeastern portion of the claims is underlain by what appears to be a medium to fine-grained quartz diorite which is similar in appearance to the Bethlehem phase of the Quichon Creek batholith. Sedimentary rocks of the Tertiary Coldwater series may underlie the north end of the claim group.
- WORK DONE: Linecutting, 12 miles of grid; magnetometer survey, 36 line-miles covering ES 1-34, 47, 48 and SA 3-6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 146; Assessment Report 4640.

CRAIGMONT	MINE	(921/SE-35)	(Fig. B, No. 203)	By David Smith
LOCATION:	Lat. 50	ວ [°] 12.5′	Long, 120° 55.5	, (921/2W)
	NICOL	A M.D. Eight	t miles northwest c	of Merritt, at the forks of
	Birket	t Creek, betwee	n 3,800 and 4,200 fee	et elevation.
CLAIMS:	Minera	al Leases M-1 (N	AcLEOD 7, 8), M-2 (MERRELL 5 to 8, McLEOD
	1 to 6	, AL 1 and 5 F	ractions), M-7 (AL 3	FR.), M-10 to 12 (HEC 12,
	13, ar	d 14 Fractions), M-14 and 15 (ME	RCHANTS 7 and 8), M-16
	(HEC	5 FR.), M-17	(NED 6), and 74	4 located claims including
	PAYS	TIN, MERRELI	L, EDITH, PRICE, C	UARTZITE, NED, etc. The
	Craign	nont orebodies	are located on the	MERRELL 7 and 8 and
	McLE	OD 5 and 6 clair	ns.	
0110150				1000 W . C

OWNER: CRAIGMONT MINES LIMITED, 700, 1030 West Georgia Street, Vancouver; mine address, Box 3000, Merritt.

METALS: Copper, iron (production shown in Table I).

DESCRIPTION: The Craigmont orebodies are pyrometasomatic replacement deposits occurring mainly in a limy host rock lying within the thermal aureole of the Guichon Creek batholith.

WORK DONE:

Mining and milling were not continuous during the year due to a work stoppage by a strike which commenced on September 16 and lasted to year end.

Underground work consisted of 14,500 feet of trackless lateral development and 630 feet of raising. A total of 953 feet of diamond drilling for exploration purposes was completed during the year.

Copper concentrates were loaded at Coyle Siding and hauled by Canadian Pacific Railway to Vancouver for shipment to Japan. Shipments of magnetite were made to Kaiser's coal operation at Natal.

(921/2W)

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 373; 1971, p. 292; 1972, pp. 146, 147.

JUA (921/SE-171) (Fig. B, No. 113)

- LOCATION: Lat. 50° 14′ Long. 120° 53′ (921/2W) NICOLA M.D. Six and one-half miles north of Lower Nicola, one-half mile west of Guichon Creek, straddling the Aberdeen road at approximately 3,500 feet elevation.
- CLAIMS: JUA 1 to 28, 39 to 52.
- OWNER: EXEL EXPLORATIONS LTD., 5, 6112 Willow Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Two holes drilled encountered quartz diorite of the Hybrid border phase of the Guichon Creek batholith. Sparse native copper was found in both holes.
- WORK DONE: Approximately 27 line-miles of linecutting followed by a magnetometer survey on Jua 1-6, 23-29, and 39-52; surface diamond drilling, two holes, 885 feet and 286 feet in the vicinity of Jua 5.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 147; Assessment Report 4512.
- JUA, LOST (Fig. B, No. 88)
- LOCATION: Lat. 50° 15′ Long. 120° 52′ (921/2W, 7W) NICOLA M.D. Ten miles north-northwest of Merritt, at the confluence of Tyner and Guichon Creeks.
- CLAIMS: JUA 29 to 38, LOST 1 to 3, 5, 7, 9 to 27, 29 to 32, GO 1, 3, 5, 7, 9, 11, 15, GO 1 and 2 Fractions.
- OWNER: G. S. ELDRIDGE, 2907 West 42nd Avenue, Vancouver.
- DESCRIPTION: Few outcrops occur on the property but those seen are quartz diorites of the Hybrid border phase of the Guichon Creek batholith. One outcrop with malachite-stained fractures was found on the road at the junction of Tolman and Guichon Creeks. A second outcrop 9,000 feet southward and 500 feet west of Guichon Creek contains minor chalcopyrite mineralization.
- WORK DONE: Magnetometer and VLF EM surveys, approximately 28 line-miles covering GO 1 and 3.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 147; Assessment Reports 2410, 4329, 4473, 4501.

H (921/SW-63, 64, 65) (Fig. B, No. 125)

LOCATION: Lat. 50° 03' Long. 121° 38' (921/4E) NEW WESTMINSTER and KAMLOOPS M.D. Twelve miles south-southwest of Lytton, 4 miles west of the Fraser River, between 5,300 and 5,500 feet elevation. CLAIMS: H 1 to 24.

OWNERS: G. W. Hornby, E. B. Johnson, E. W. Hope, and A. Tsumura.

OPERATOR: HORNBY SYNDICATE, c/o G. W. Hornby, 4678 West 12th Avenue, Vancouver.

METALS: Nickel, talc.

DESCRIPTION: The claims overlie a segment of a narrow band of serpentinite which extends intermittently for 50 miles through Boston Bar and Jessica. It contains talc-carbonate zones on H 7, 9 and H 16, 18. The H 7, 9 zone is at least 300 feet wide and has a known strike length of 700 feet with a possible strike length in excess of 2,000 feet. Talc constitutes about 50 per cent of the rock, the balance being mainly carbonate, probably magnesite.

WORK DONE: Surface geological mapping, 1 inch equals 1,500 feet; nine rock samples taken for nickel assay which ranged from 0.12 per cent to 0.22 per cent.

REFERENCE: Assessment Report 4508.

B&B, SPIN (921/SW-59, 61, 62) (Fig. B, No. 126)

LOCATION: Lat. 50° 21' Long. 121° 38' (921/5E) KAMLOOPS M.D. Ten miles north of Lytton, on the south and west slopes of Botanie Mountain, between 4,000 and 5,500 feet elevation.

CLAIMS: B&B 5 to 10, 17 to 20, 29 to 34, 57 to 76, FOLLY 1 to 8, SPIN 1 to 30, RERUN 1 to 4 Fractions.

OWNER: CANADIAN JOHNS-MANVILLE COMPANY LIMITED, 9, 219 Victoria Street, Kamloops.

METAL: Copper.

DESCRIPTION: The claims are underlain by diorite and quartz diorite of the Mount Lytton batholith which has intruded sedimentary units of the Cache Creek Group. Mineralization which includes quartz veins and mineralized fractures in the batholithic rocks comprises chalcopyrite and malachite.

- WORK DONE: Geochemical survey, approximately 300 samples, 7 line-miles covering B&B 5 to 10.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 148; Assessment Report 4302.

AB (Fig. B, No. 124)

LOCATION:Lat. 50° 29'Long. 121° 20'(921/6W)KAMLOOPS M.D.Four miles north of Spences Bridge, 1.5 miles west
of Martel on the Canadian National Railway, at approximately 4,500
feet elevation.CLAIMS:AB 18 to 25.OWNER:ANGLO-BOMARC MINES LTD., 301, 540 Burrard Street, Vancouver.DESCRIPTION:The claims are underlain by volcanic rocks of the Cretaceous Spences
Bridge Group.

WORK DONE: Trenching, 63 cubic yards on AB 22.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 149.

ALAMO, SAN JOSE (921/SW-33, 20) (Fig. B, No. 116)

LOCATION:Lat. 50° 21'Long. 121° 00'(921/6W, 7E)KAMLOOPS M.D.Three miles northeast of the junction of Skuhun
and Skuhost Creeks, at approximately 5,000 feet elevation.CLAIMS:ALAMO and SAN JOSE, totalling 57.

OWNER: SAN JACINTO EXPLORATIONS LIMITED, 3513 West 31st Avenue, Vancouver.

METAL: Copper.

WORK DONE: 1972 – reconnaissance IP survey, three lines, 4,000 feet each on Alamo claims in the centre of the property.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 157; Assessment Report 4328.

EYE (921/SW-19) (Fig. B, No. 122)

LOCATION:	Lat. 50° 21′	Long. 121° 08'	(921/6E)
	KAMLOOPS M.D.	Four miles east of Clapperton,	on the east sides of
	Indian Reserves 12	and 13, at approximately 4,000	feet elevation.
CLAIMS:	EGG 1 to 30, GK 1	to 22, 24 to 53, KG 34 to 37, L	.AST 1 to 12.

OWNER: J. L. Wilson.

OPERATOR: NEW CHIEF MINES LTD. (formerly Highland Chief Mines Ltd.), 1700, 777 Hornby Street, Vancouver.

METALS: Copper, molybdenum.

- DESCRIPTION: The eastern part of the claim block covers a portion of the western contact of the Guichon Creek batholith with metamorphosed Nicola volcanic rocks. The western part is underlain by younger volcanic and sedimentary rocks of the Spences Bridge Group. The younger rocks unconformably overlie the batholithic and Nicola Group volcanic rocks.
- WORK DONE: Linecutting and magnetometer survey, 29.4 line-miles; geochemical soil survey, 1,572 samples taken at 100-foot intervals on lines approximately 250 feet apart covering Egg 4, 6, 8-16, 19-24, KG 34-37, and GK 2, 4, 6, 8, 10, 12, 26-32, 35.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1958, p. 24 (EYE); *B.C. Dept. of Mines & Pet. Res.,* GEM, 1971, p. 343 (TAM, BEN); Assessment Reports 2385, 2613, 3322, 4584.

MEL (Fig. B, No. 121)

LOCATION:	Lat. 50° 24′	Long. 121° 11	′ (921/6E)
	KAMLOOPS M.D.	Three miles west of	Pimainus Lake, on the south
	side of Pimainus Cr	eek, at approximately	4,500 feet elevation.
CLAIMS:	MEL 1, 2, 4, 6 to 1	0.	

(921/6E)

OWNER: ANGLO-BOMARC MINES LTD., 301, 540 Burrard Street, Vancouver.

- DESCRIPTION: The claims apparently straddle the unconformable contact between volcanic flows and agglomerates of the Early Cretaceous Spences Bridge Group and quartz diorites of the border phase of the Late Triassic Guichon Creek batholith. The intrusive rocks underlie the eastern part of the claim group.
- WORK DONE: Trenching, 91 cubic yards on Mel 4.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 149.

LAKEN (921/SW-4) (Fig. B, No. 119)

LOCATION:	Lat. 50° 25′	Long. 121 [°] 06′	(921/6E)
	KAMLOOPS M.D. TI	ne property is centred	1 mile north-northwest of
	Pimainus Lake, at app	roximately 4,700 feet	elevation.
CLAIMS:	LAKEN 1 to 16, LAK	E 1 to 10, SPOT 1 and	2, PLES 1 to 3.
OWNER:	Decca Resources Limi	teď.	
OPERATORS:	HOME OIL COMPA	NY LIMITED and	DOME EXPLORATION
	(CANADA) LIMITED	, 202, 850 West Hastir	igs Street, Vancouver.
METAL:	Copper.		
DESCRIPTION:	Much of the propert	y is underlain by fr	esh Bethsaida granodiorite
	containing 7 to 10 p	er cent mafic minerals	, mostly hornblende, trace
	biotite and muscovite,	2 to 3 per cent magne	tite, and minor amounts of
	carbonate. Mineralizat	ion includes traces of	oyrite and chalcopyrite.
WORK DONE:	Percussion drilling, fou	ir holes totalling 1,360	feet on Laken 7 and 8.
REFERENCE:	B.C. Dept. of Mines &	Pet. Res., GEM, 1971,	. p. 343.

LORNEX	(921/SW-45)	(Fig. B,	No. 117)			By E. Sadar
LOCATION:	Lat. 50° 2	6.8′	Long.	121 [°] 02.8	1	(921/6E)
	KAMLOO	PS M.D.	Highland V	alley, 2.5/	miles south	of Quiltanton
	Lake, at a	oproxima	tely 5,000 fee	et elevatior	۱.	
CLAIMS:	Mineral L	eases M-4	18 to M-145	and othe	r claims inclu	ding AWARD,
	SKEENA	COPPER	, AM, LORI	NEX SOU	TH, totalling	approximately
	460.					
OWNER:	LORNEX	MINING	CORPORAT	ION LTD.	, Box 1500, Lo	ogan Lake.
METALS:	Copper, m	olybdenu	m (productio	on shown ii	n Table I).	
DESCRIPTIO	N:					

The porphyry-type orebody is located in the Guichon Creek batholith mainly within Skeena (Bethlehem) quartz diorite host rock adjacent to the Bethsaida quartz monzonite contact. The host rock has been intruded by pre-mineral quartz porphyry and aplite dykes. The mineralization generally consists of fracture fillings of quartz - chalcopyrite - bornite and molybdenite. Minor disseminations of chalcopyrite and bornite are also present, and minor sphalerite, galena, etc.

169

WORK DONE:

Mining is carried out by conventional open-pit mining methods with benches being developed on 40-foot intervals. Major mining equipment is as follows: three Bucyrus-Erie 45-R rotary drills; four P&H 2100-B, 15-cubic-yard electric shovels; one Bucyrus-Erie 280-B, 15-cubic-yard electric shovel; 23 Wabco 120-B, 120-ton haul trucks; and one Wabco 3200, 200-ton haul truck.

Twenty-five diamond-drill holes were completed during 1973 and three were currently underway on December 31. A total of 27,755 feet of drilling was completed. A minor amount of trenching was done on the property. One hundred and fifty line-miles of linecutting, 20.5 line-miles of IP surveying, and 12 line-miles of ground magnetometer surveying were completed.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 150.

ROYAL, CANA (921/SW-9) (Fig. B, No. 120)

By W. J. McMillan and G.P.E. White

LOCATION: Lat. 50° 27' Long, 121° 05' (921/6E) KAMLOOPS M.D. The property is centred 1 mile southeast of Calling Lake, at approximately 5,500 feet elevation, CLAIMS: ROYAL 2, 4, 6, 8, 10, 12 to 40, ROYAL A, B, C Fractions, CANA 9 and 10, RC 1 to 4. OWNERS: Pan Ocean Oil Ltd. and Northlode Exploration Ltd. **OPERATOR:** PAN OCEAN OIL LTD., 1050, 355 Fourth Avenue SW., Calgary, Alta. METAL: Copper. DESCRIPTION:

The claims are underlain primarily by quartz monzonites of the Bethsaida phase of the Guichon Creek batholith. However, locally in this area the quartz monzonites are cut by Mesozoic or Tertiary porphyry dykes.

Three holes were diamond drilled to test the property during 1973. Drill hole 1, on Royal 18 claim, was entirely in fault gouge which was probably derived from porphyry similar to that in hole 2. Drill hole 2, on Royal 18 claim (Fig. 14), encountered flow-banded sanidine - quartz - oligoclase porphyry near the top of the hole which graded downward into breccia consisting of porphyry and Bethsaida granodiorite clasts in a finely comminuted porphyry matrix. Drill hole 3, on Royal 37 claim, contains a biotite - sanidine - quartz - oligoclase porphyry dyke cutting Bethsaida granodiorite.

By comparison with similar-looking rocks which underlie Little OK Lake and outcrop in cuts along the Alwin mine road, the porphyries are inferred to be of Tertiary age. Speculatively, Sack Lake may be underlain by a small Tertiary plug similar to that underlying Little OK Lake. Conversely, perhaps a dyke occupies the linear between Sack and Calling Lakes.

- WORK DONE: Surface diamond drilling, three holes totalling 685 feet on Royal 18. and 37.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 349, 350.



Figure 14. Royal claims - sketch map showing locations of diamond-drill holes.

(92I/6E)

BAR (921/SW-16) (Fig. B, No. 123)

LOCATION: Lat. 50° 28' Long. 121° 10' (921/6E) KAMLOOPS M.D. Approximately 3 miles southwest of the OK mill, 14,000 feet due west of Calling Lake, between 4,600 and 5,300 feet elevation.

CLAIMS: BAR 1 to 40, BAR 1 to 3 Fractions.

OWNER: NORTHLODE EXPLORATION LTD., 32730 South Fraser Way, Abbotsford.

METAL: Copper.

- DESCRIPTION: The claims are underlain by phases of the Guichon Creek batholith, Guichon granodiorite underlying the northeast third and hybrid quartz diorite the remainder. A gouge zone strikes northwest through the granodiorite near the contact. Three sets of mineralized fractures appear to be concentrated near the gouge zone. The mineralization consists of chalcopyrite and/or bornite fracture fillings or coatings, with malachite staining and alteration of wallrock to chlorite, biotite, and epidote. On Bar 39 a 20-foot wide shear zone carries chlorite, hematite, and minor chalcopyrite and malachite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims.
 REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 152; Assessment Report 4782.

OK (ALWIN) MINE (921/SW-10) (Fig. B, No. 118)

- LOCATION: Lat. 50° 28.7' Long. 121° 06.0' (921/6E) KAMLOOPS M.D. Highland Valley, 3 miles west of Quiltanton Lake, at approximately 5,400 feet elevation.
- CLAIMS: OK (Lot 3644), APEX (Lot 3645), IOU (Lot 3643), OK 5 to 10, EZZ 12, 14, 19 to 22, PAL 1 to 3 Fractions, CALL 1 to 4, ALWIN 1 and 2 Fractions, FBI Fraction.

OWNER: D K Mining, Inc.

OPERATORS: D K MINING, INC. and INTERNATIONAL MINERALS & CHEMICALS CORP., 635 Sixth Avenue SW., Calgary, Alta. (former operator: OK Syndicate).

METALS: Copper, silver, gold, trace molybdenum.

- DESCRIPTION: Chalcopyrite, bornite, and some chalcocite occur in two near-vertical sericitized shear zones. The main zone strikes 110 degrees, a lesser zone strikes 80 degrees.
- WORK DONE: Underground geological mapping, 1 inch equals 20 feet; surface diamond drilling, two holes totalling 2,400 feet on OK (Lot 3644); underground diamond drilling, eight holes totalling 3,443 feet on OK (Lot 3644).
- REFERENCE: B.C. Dept, of Mines & Pet. Res., GEM, 1972, pp. 155-157.

JAN (921/SW-25) (Fig. B, No. 198)

LOCATION:	Lat. 50° 29′	Long. 121° 09'	(921/6E)
	KAMLOOPS M.D.	Highland Valley, wes	t of Island Lake, on the north
	side of Inkikuh Cree	ek.	
CLAIMS:	JAN 1 to 28.		
OWNER:	Canadian Centura I	Developments Ltd. (f	ormerly Centura Industries &
	Resources Ltd.).		
OPERATORS:	K. and D. ROSS, c/	o Penthouse, 1177 We	st Hastings Street, Vancouver.
METAL:	Copper.		
DESCRIPTION:	The claims cover a	segment of the contac	t between the Highland Valley
	and Hybrid phases of	of the Guichon Creek	batholith,
WORK DONE:	Linecutting and from	equency-domain IP s	urvey, 3.7 line-miles covering
	Jan 3-6 and 11-16.		
REFERENCES:	B.C. Dept. of Min	es & Pet, Res., GEN	1, 1969, p. 255; Assessment
	Report 4887.		

FIN, LUCK	(Fig. B, No. 110)
LOCATION:	Lat. 50° 17' Long. 120° 51' (921/7W)
	NICOLA M.D. Adjoins Aberdeen mine on the south and lies on the
	west side of Guichon Creek, opposite and south of the mouth of
	Tolman Creek, at approximately 3,500 feet elevation.
CLAIMS:	Approximately 24 FIN and 22 LUCK.
OWNER:	Magnus Bratlien.
OPERATOR:	RIO PLATA SILVER MINES LTD., 420, 475 Howe Street, Vancouver.
DESCRIPTION	: Outcrops are rare on the property but it is underlain by granitic rocks
	of the Guichon Creek batholith.
WORK DONE:	Three IP surveys, 20 line-miles covering Fin 9-24, 35-38 and LUCK 1,
	2, and 11 to 28.
REFERENCES:	Assessment Reports 4331, 4667, 4825.

CAPER, CAP	(Fig. B, No. 108	3)	
LOCATION:	Lat. 50° 19'	Long. 120° 53′	(921/7W)
	NICOLA M.D.	On Broom Creek, 3 miles south	of the south end of
	Dot Lake, at ap	proximately 4,000 feet elevation.	
CLAIMS:	CAPER 1 to 8,	CAP 1 to 9, CAP Fraction.	
OWNERS:	H. H. Shear and	I D. F. Pasco.	

OPERATOR: CRAIGMONT MINES LIMITED, 270, 180 Seymour Street, Kamloops. METAL: Copper.

- DESCRIPTION: The claims are underlain mainly by granodiorite of the Chataway variety of the Highland Valley phase of the Guichon Creek batholith. Mineralization which includes malachite, chalcocite, and bornite occurs in fractures and shears.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet covering Caper 1, 2,
 7, 8 and Cap 1, 2; surface diamond drilling, two holes totalling 899 feet on Cap 1.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 161.
- MLM, GCM (921/SE-65, 66, 151) (Fig. B, No. 111)
- LOCATION: Lat. 50° 24' Long. 120° 50' (921/7W) NICOLA and KAMLOOPS M.D. On the west side of Mamit Lake, from 4 miles north of the lake to 2 miles south, between 3,200 and 4,400 feet elevation.
- CLAIMS: Approximately 96 MLM, approximately 48 GCM, ED 1 to 5, DUDE 5 and 6, LEE 6.
- OWNER: MAMIT LAKE MINING LTD., 303, 550 Burrard Street, Vancouver.

METAL: Copper.

DESCRIPTION: The claims cover the contact area between the eastern border of the Guichon Creek batholith and the Gump Lake granodiorite. A thin selvedge of metamorphosed Nicola Group volcanic and sedimentary rocks locally separates the intrusions.

- WORK DONE: Linecutting, magnetometer survey, and VLF EM survey, 27.8 linemiles; geochemical soil survey, 1,300 samples taken at 100 by 200-foot grid spacing covering GCM 9, 24, 101-107, and 110-116.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 162; Assessment Report 4828.

FHK (Fig. B, No. 114)

LOCATION:	Lat. 50 2	6′	Long. 120 48'				(921/7)			
	NICOLA	M.D.	Approximately	2.5	miles	north	of	Mamit	Lake,	
	straddling	the Ma	amit Lake road.							

CLAIMS: FHK 1 to 10.

OWNER: EXEL EXPLORATIONS LTD., 5, 6112 Willow Street, Vancouver.

DESCRIPTION: Variations in magnetic patterns either side of the baseline, which closely follows the highway, suggest that the Guichon Creek batholith – Nicola Group volcanic contact strikes northerly and is just east of the baseline. Deep glacial overburden prevents direct observation of this contact.

WORK DONE: Linecutting and magnetometer survey, 12 line-miles.

- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 168; Assessment Report 4512.
- GAP (GAZA) (921/SE-70) (Fig. B, No. 212)

LOCATION: Lat. 50° 26.5' Long. 120° 55.5' (921/7W) KAMLOOPS M.D. The property is reached via a branch road off the Highland Valley road 7 miles east of Quiltanton Lake.

CLAIMS: GAP, JERICHO, BOB, GEM, STIBBARD, JC, MARK, NAT, FARGO, BUD, HATCH, JAMES, JIM, GNAT, WENDY, totalling approximately 200.

OWNER: Highmont Mining Corp. Ltd.

- OPERATORS: HIGHMONT MINING CORP. LTD. and TECK MINING GROUP LIMITED, 700, 1177 West Hastings Street, Vancouver V6E 2K5. METALS: Copper. molybdenum.
- DESCRIPTION: Minoralization consisting of herei
- DESCRIPTION: Mineralization consisting of bornite, chalcopyrite, and molybdenite occurs in stockworks and locally in disseminations in quartz diorite.
- WORK DONE: Surface diamond drilling, seven holes totalling 2,289 feet.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 169.

SHEBA (921/SE-10, 76, 81, 152) (Fig. B, No. 109)

By W. J. McMillan

- LOCATION: Lat. 50° 27' Long. 120° 58' (921/7W) KAMLOOPS M.D. On the east and north slopes of Gnawed Mountain, between 4,000 and 5,500 feet elevation.
- CLAIMS: SHEBA 21 to 26, JAY 9 to 20, 101, JAY 104 Fraction, JJ 1 and 2 Fractions, DEE 1 and 3 Fractions, DO 1 to 6, DO 1 to 8 Fractions, LYNN 1 to 8, LYNN 7 and 10 Fractions, DAWN 1 to 8, ANN 1, 2, 5, 6, and 14 to 17 Fractions, VI 1 Fraction, J 1 to 8, 31, 32, 41, 42, J 33 to 38 and 40 Fractions, CU 1 to 6, 17 to 20, CS 1 and 3, CS 1 Fraction. OWNER: Saba Copper Mines Limited.
- OPERATOR: THE DOWA MINING CO., LTD., 1101, 1111 West Hastings Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION:

Seven holes were drilled in 1973 with an aggregate length of 5,373 feet on the Sheba prospect. Their locations are detailed on Figure 15. Holes 1, 2, 3, 6, and 7 were drilled to test geophysical anomalies whereas holes 4 and 5 probed for an extension of mineralization encountered in an earlier percussion drill hole.

Mineralization is widely dispersed on the Sheba property but very low grade. Copper and molybdenite minerals occur in veins and along fractures in association with quartz, calcite, epidote, and chlorite. Argillic and sericitic alteration occurs locally and is sometimes associated with ore minerals, but weak propylitic alteration is the most common type developed.



Figure 15. Geological map of the Sheba property, showing locations of 1973 drill holes.

(92I/7W)

Drill hole 1 pierced local argillic, sericitic, and propylitic alteration zones in Skeena quartz diorite country rock, but little copper mineralization. Tertiary andesite dykes were cut from 562 to 588 and 716 to 736. The Skeena quartz diorite country rock of hole 2 is locally propylitized and sericitized. Pink zeolite veins are common. A zone from 640 to 680 feet runs better than 0.5 per cent copper but elsewhere grades are very low. Bornite is the dominant copper mineral present. Alteration and rock type in drill hole 3 are similar to those in 2 but mineralization is sparse. A gouge zone occurs from 500 to 575 feet. Holes 4 and 5 cut quartz diorites of the Highland Valley phase. No mineralization was seen but hole 5 displays mild propylitic alteration. Holes 6 and 7 cut Skeena quartz diorite which is sparsely mineralized. Hole 6 is weakly propylitized but hole 7 is strongly propylitized.

WORK DONE: Surface diamond drilling, seven holes totalling 5,373 feet on CU 18, DO 4, J 33 Fraction, Sheba 25, and DO 1.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 163-167.

IND (921/SE-172) (Fig. B, No. 204)

LOCATION:	Lat. 50° 27.5′	Long. 120° 55′			(92)	I/7W)
	KAMLOOPS M.D.	In the Highland Valley,	covering	Indian	Reserv	/e 15,
	at approximately 3,8	300 feet elevation.				
CLAIMS:	IND 1 to 3, 5 to 9, 1	ND 4, 10 to 13 Fraction	s.			
OWNER:	BETHLEHEM COP	PER CORPORATION	LTD.,	2100,	1055	West
	Hastings Street, Van	couver V6E 2H8.				
METAL:	Copper.					
DESCRIPTION:						

Due to a complete lack of rock exposure, the geology can only be inferred from diamond drilling carried out on the property, and from existing geological maps of the surrounding properties. The main rock type underlying the claims is a medium to coarse-grained, light grey quartz diorite, with 15 to 20 per cent biotite and hornblende mafic minerals. It is locally called Guichon quartz diorite.

A quartz-feldspar porphyry dyke which was intersected in hole 14S-189E is the only other rock type seen on the property. The dyke itself is weakly mineralized with bornite replacing mafic minerals, but the mineralization does not extend into the surrounding rock.

Alteration minerals are chlorite, epidote, sericite, and carbonates. Stronger alteration is apparently associated with fault zones while the remaining rock is rather fresh.

Faulting on the property appears to be more intense in the west and central parts. However, because of limited drilling in the area, it is very difficult at the present time to correlate these faults.

WORK DONE: Surface diamond drilling, five holes totalling 3,442 feet on IND 1, 3, 5, and 8 and IND 11 Fraction; rotary drilling, two holes totalling 995 feet on IND 3 and 5; claims mapped, 1 inch equals 400 feet.

(921/7W)

NYE (921/SE-148) (Fig. B, No. 112)

LOCATION:	Lat. 50° 28′ Long. 120° 51′ (921/7W)
	KAMLOOPS M.D. On the south side of Witches Brook, 2 miles
	northeast of Gump Lake, at approximately 4,000 feet elevation.
CLAIMS:	NYE 1 to 12, 15 to 23, RHODA 1 to 5, HK 1, SEX 1 and 2 Fractions,
	COOL 1 to 6.
OWNER:	ROCKY MOUNTAIN TRENCH MINES LTD., 407, 470 Granville
	Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	The claims are crossed by the eastern contact of the Guichon Creek
	batholith with schists and gneisses of the Late Triassic Nicola Group.
WORK DONE:	Geochemical soil survey, 1,100 samples taken at 100 by 200-foot grid
	spacing; magnetometer and VLF EM survey, 21 line-miles (follow up of
	previous reconnaissance surveys) covering Nye 2-7 and Rhoda 1-5.
DEFENDEN	

REFERENCES: Assessment Reports 3453, 4845.

JOE, BET (Fig. B, No. 205)

LOCATION:	Lat. 50° 28′	Long. 120°	56.5'	(921/	(7W)
	KAMLOOPS M.D.	In the Highland	Valley, I	bordering Indian Res	serve
	14 on the south an	d Indian Reserve	15 on the	e north, at approxima	ately
	3,800 feet elevation	1.			
CLAIMS.	INE 1 to 9 PET 1	to F JEAN 1 Eroot	tion		

CLAIMS: JOE 1 to 8, BET 1 to 5, JEAN 1 Fraction,

OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.

DESCRIPTION:

The main rock types underlying the property are the Guichon and Chataway quartz diorites. The Guichon quartz diorite occupies the central and eastern parts of the property, and the Chataway is confined to the western part.

These rocks are generally fresh in appearance, light grey to cream grey, usually mottled by pink, fine to medium grained, with euhedral to subhedral black to dark green mafic minerals.

The Chataway variety has been locally intruded by a pink quartz-feldspar porphyry dyke, similar in texture and composition to dykes occurring in the east wall of the Jersey pit.

Chlorite alteration is commonly developed along fractures. Sericite was mostly seen in, or adjacent to, fault zones. Epidote alteration is generally weak and occurs as a replacement of mafic minerals.

WORK DONE: Surface diamond drilling, four holes totalling 3,136 feet on Bet 1, 2, 4, and Joe 4; rotary drilling, one hole totalling 812 feet on Joe 4; claims surveyed.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 256.

(921/7W)

		(02.), 1,
BETHLEHEM	MINE (921/SE-1, 2, 3, 4, 6) (Fig. B, No. 199)	By E. Sadar
LOCATION:	Lat. 50° 29.5′ Long. 120° 59′	(921/7W)
	KAMLOOPS M.D. On the north side of Highland Vall	ey, 2 miles east
	of Quiltanton Lake.	
CLAIMS:	The company owns 56 Crown-granted and 372 located	mineral claims
	and fractions and controls another 14 located o	claims through
	agreement.	
OWNER:	BETHLEHEM COPPER CORPORATION LTD., 210	0, 1055 West
	Hastings Street, Vancouver V6E 2H8; mine address, Box	< 520, Ashcroft
	VOK 1A0.	
METAL:	Copper (production shown on Table I).	

DESCRIPTION: The two main orebodies, the Jersey and the Huestis, lie across the contact of the Guichon and Bethlehem quartz diorites. Mineralization (mainly chalcopyrite and bornite) is present as fracture fillings and disseminations. A drilling programme is at present underway on the lona zone which is a breccia zone near the above-mentioned contact.

WORK DONE:

The mine continued to work on a three-shift basis with production coming mostly from the Huestis pit, with minor tonnages from the Jersey and Iona.

Major mine equipment in service includes twenty-two 50-ton haulage units, three Bucyrus-Erie 88-B 5½-yard capacity shovels, four Michigan 475 12-yard capacity front-end loaders, two Bucyrus-Erie 45-R rotary drills, three D-8 tractor bulldozers, two Caterpillar 824 rubber-tired bulldozers, and two model 14-E motor graders.

Concentrator throughput for 1973 averaged 17,367 tons per calendar day.

Exploratory investigations were carried out on both the Jersey and Iona zones.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 170, 171.

KR&K (CHARTRAND CREEK) (Fig. B, No. 115)

LOCATION:	Lat. 50° 30' Long. 120° 49' (921/7W)				
	KAMLOOPS M.D. On Chartrand Creek between the Four Corners and				
	Logan Lake townsite extending south of the highway and sout				
	Logan Lake.				
CLAIMS:	KR&K 1, 2, 9 to 21, 23 to 38.				
OWNER:	NICOLA COPPER MINES LTD., 9897 – 138A Street, Surrey.				
DESCRIPTION:	The property is underlain by rocks of the Late Triassic Nicola Group				
	just eat of the contact with the Guichon Creek batholith.				
WORK DONE:	VLF EM survey, 18.5 line-miles covering KR&K 1, 2, 9-20, which are				
	the claims south of the highway and south of Logan Lake.				
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 180; Assessment				
	Report 4332.				

(921/7)

- SA (921/SE-167) (Fig. B, No. 107)
- LOCATION: Lat. 50° 28' Long. 120° 46' (921/7) KAMLOOPS M.D. Two and one-half miles southeast of Logan Lake, at approximately 4,300 feet elevation.

CLAIMS: SA, totalling 136.

OWNERS: Western Copper Mines Ltd. and Patrick Shea.

OPERATOR: WESTERN COPPER MINES LTD., 1151 Hornby Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The claims are underlain by a conformable succession of volcanic conglomerate, breccia, greywacke, amygdaloidal basalt, andesite, and limestone. Flows are subordinate. The succession is nearly flat lying. Stringers and disseminations of chalcocite, bornite, and rarely chalcopyrite occur in highly fractures, malachite-stained, rusty weathering Nicola limestone (?) on SA 108.
- WORK DONE: During the latter part of 1972, a magnetometer survey was conducted over approximately 17 miles of grid on the north-central claims and several holes totalling 100 feet were percussion drilled on SA 108.
- REFERENCE: Assessment Report 4413.
- EDEN, EZRA (Fig. B, No. 147)
- LOCATION: Lat. 50° 30' Long. 120° 54' (921/7W, 10W) KAMLOOPS M.D. Highland Valley, 4 miles east of the Bethlehem mine.
- CLAIMS: EDEN 1 to 20, EZRA 1 to 20, JOB 1 to 4, 14, CL 60 to 69, INDIAN 1 and 2 Fractions.

OWNER: D. R. Foster,

- OPERATOR: AZURE RESOURCES LTD. (formerly NEW INDIAN MINES LTD.), 422, 355 Burrard Street, Vancouver.
- DESCRIPTION: The property is underlain by leucocratic granodiorite which is generally unaltered and massive. In the north half of Eden 2 claim the granodiorite is silicified and appears to be more fractured.
- WORK DONE: Reconnaissance geological and magnetometer surveys, 15.7 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 251, 252; Assessment Report 4321.
- LYN, KAY (Fig. B, No. 103)

LOÇATION:	Lat. 50° 16′	Long. 120° 41	,	(92I/7E)	
	NICOLA M.D. T	welve miles north-nort	hwest of Merritt,	surrounding	
	Revelle and Hensell Lakes, between 4,700 and 5,400 feet elevation.				
CLAIMS:	LYN 1 to 4, 11, 1	2, 32 to 40, 44 to 59	78 to 81, 83, KA	Y 1, 20, 30,	
	40.				
OWNER:	G. Milburn.				
OPERATOR:	HESCA RESOUR	CES CORPORATION	LIMITED, 101,	, 325 Howe	
	Street, Vancouver.				

- WORK DONE: 1972 reconnaissance geochemical survey, 160 soil and silt samples and 21 rock chip samples taken from three small grids aggregating 4 line-miles and from scattered lines; 1973 — 8 line-miles of new grid was established and 210 soil samples taken from it at 200 by 1,000-foot spacing.
- REFERENCE: Assessment Report 4503.
- LEO (Fig. B, No. 104)

LOCATION: Lat. 50° 20' Long. 120° 40' (921/7E) NICOLA M.D. Six and one-half miles east-southeast of Mamit Lake, 1 mile northwest of Helmer Lake, at approximately 4,500 feet elevation. CLAIMS: LEO 1 to 25.

OWNER: E. O. Chisholm.

- OPERATOR: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.
- DESCRIPTION: The claims are underlain by volcanic rocks of the Nicola Group and possibly by younger granitic rocks.
- WORK DONE: IP survey, 10 line-miles; magnetomter survey, 8.1 line-miles; aeromagnetic, EM, and VLF EM survey, 3.4 line-miles; surface diamond drilling, two holes totalling 746 feet on Leo 7 and 11.
- REFERENCE: Assessment Report 4765.

REY (92I/SE-160) (Fig. B, No. 100) By W. J. McMillan Lat, 50° 20' Long, 120° 42' (921/7E) LOCATION: NICOLA M.D. Sixteen miles north-northeast of Merritt, surrounding Rey Lake, at approximately 4,400 feet elevation. CLAIMS: REY, totalling approximately 185. OWNERS: W. A. Dexter, C. L. Bourgh, Lloyd Woodman. AMERICAN SMELTING AND REFINING COMPANY, 504, 535 OPERATOR: Thurlow Street, Vancouver. METALS: Copper, molybdenum. **DESCRIPTION:**

GENERAL GEOLOGY: The Rey property occurs within a belt of volcanic and sedimentary rocks which have been correlated with rocks of the Nicola Group (Cockfield, 1948) which is of Triassic and possibly partly Jurassic age. North of Nicola Lake and south of Kamloops Lake, this belt of rocks is bounded by the Guichon Creek batholith on the west and the Nicola batholith on the east. Copper showings in it are generally of the vein type although occasionally tops of lava flows are mineralized. The Rey showing is unusual because it occurs in a breccia zone adjacent to a small quartz monzonite stock. The stock was not discovered during 4-mile mapping conducted by Cockfield.


Figure 16. Rey property - plan showing geology and location of diamond-drill holes.

LOCAL GEOLOGY: The country rock on the periphery of the quartz monzonite stock consists mainly of volcanic flows, fine-grained volcaniclastic rocks, and pyroclastic (?) rocks with a few skarn zones derived from siliceous limestone layers. A few thousand feet west of the stock are shales, limestones, arenites, and pebble to cobble conglomerates which comprise a zone at least several hundred feet wide. Beds strike north and dips are steep. The stock outline is conformable with bedding south of Rey Lake but is elongated northwestward parallel to the valley of Rey Lake in the north (Fig. 16).

PETROLOGY: Rocks of the stock are characteristically porphyritic, consisting of biotite, quartz, and plagioclase (mainly oligoclase) phenocrysts in a matrix rich in quartz, plagioclase, and K-feldspar. K-feldspar phenocrysts occur rarely and are anhedral and partially resorbed. Plagioclase crystals have average composition near An²₂₀ (oligoclase) but are zoned. Apatite and sphene are typical accessory minerals. Disseminated pyrite is ubiquitous whereas chalcopyrite and molybdenite are comparatively uncommon.

Feldspars may be fresh or variably altered chalky white crystals composed principally of sericite, calcite, and albite (?). Biotite phenocrysts may be fresh but typically are partially chloritized. Veins of quartz, calcite, calcite - plagioclase - quartz, quartz - calcite - pyrite, and pyrite were noted. In one specimen, euhedral quartz, sphene, and apatite crystals fill what appear to have been miarolitic cavities.

The apparent control of part of the outline of the stock by regional bedding and the presence of infilled miarolitic cavities suggest the stock was emplaced at a high level in the crust. The apparent influence of regional structures as well as bedding further suggests that the stock was emplaced after the beds were rotated to their present dip. A K/Ar age date of 67 ± 2.5 m.y. was obtained from a fresh biotite concentrate from the quartz monzonite (Fig. 16). This Late Cretaceous age strengthens the inference that the stock was emplaced at a high level in the crust.

METAMORPHISM ADJACENT TO THE STOCK: The mineralogy of rocks in drill core adjacent to the stock indicates contact metamorphic conditions of the albite - epidote - hornfels facies. However, several specimens containing mineral assemblages typical of the hornblende - hornfels facies were found.

In metamorphosed basic volcanic rocks, groundmass is variably converted to felted biotite with some chlorite and actinolite. Plagioclase phenocrysts are normally altered to albite, biotite, sericite, and calcite but are locally converted to actinolite, albite, and quartz. In metamorphosed calcareous tuffs or skarns, where metamorphic grade was apparently higher, mineral assemblages include calcic plagioclase, garnet, diopside, calcite, and rarely remnants of epidote crystals. The mineral assemblages suggest that temperatures were in the range of 450 to 550 degrees centigrade, adjacent to the stock (Winkler, 1967, p. 79). The higher grade assemblages probably represent zones where porosity and permeability were higher in the country rock.

MINERALIZATION: Mineralization occurs in three forms: disseminated in the quartz monzonite stock; in veinlets in the stock and country rocks; and in a breccia zone as veinlets and disseminations in breccia fragments. Pyrite is the dominant sulphide with lesser chalcopyrite and some molybdenite. Quartz and calcite with K-feldspar and zeolite are the dominant non-metallic minerals.

(921/7E)

Veins have diverse mineralogy and comprise several generations. The following examples illustrate the complexity: quartz - K-feldspar - calcite - pyrite - chalcopyrite veins with sericite - chlorite envelopes are cut by similar veins which lack K-feldspar; calcite - pyrite - chalcopyrite - molybdenite \pm quartz veins are cut by quartz - pyrite veins with biotite-rich selvages and by calcite - zeolite (stilbite) veins; some quartz - feldspar veins predate brecciation although most postdate it. Other minerals which occur in veins either alone or in combination with other minerals are actinolite, epidote, chlorite, sericite, biotite, plagioclase, and zoisite.

What appears to be the latest generation of veins contain zeolite with or without calcite. These veins clearly crosscut veins lacking zeolite, however, some zeolite-bearing veins contain chlorite and/or pyrite or sericite. Zeolite and calcite form cores to some quartz - calcite veins where they are intimately associated with sulphides. These data suggest the zeolites are a late stage part of the mineralizing process rather than being much younger features.

Veins in the quartz monzonite stock are mineralogically simpler than those in the country rock. Most contain quartz and calcite with sulphides and lesser amounts of plagioclase. Some contain actinolite.

The origin of the mineralized breccia zone is enigmatic. The zone contains both granitic and volcanic fragments, although volcanic fragments seem to predominate. The matrix is very fine and seems to consist of comminuted rather than coherent intrusive material. The breccia may predate the stock but clearly some post-stock brecciation is necessary to account for angular granitic fragments and pre-breccia veins within it. Because the breccia is interpreted by American Smelting and Refining Company geologists to strike northward and dip steeply subparallel to regional bedding, it is possible that channelling of volatiles along a fractured, dyked bed produced the breccia. Crystallization of the stock is a likely source of both the volatiles and attendant sulphide mineralization.

The economic potential of the deposit is limited according to American Smelting and Refining Company's drill results. However, one hole drilled down the breccia zone returned several hundred feet of about 0.5 per cent copper.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; surface diamond drilling, 12 holes totalling 5,622 feet; percussion drilling, 39 holes totalling 9,040 feet; road construction, approximately 12 miles; trenching, 160 feet.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 181; Assessment Report 4846; Cockfield, W. E. (1948), Geol. Surv., Canada, Mem. 249; Winkler, H.G.F. (1967), Petrogenesis of Metamorphic Rocks (revised second edition), Springer-Verlag New York Inc.

POM POM (921/SE-170) (Fig. B, No. 99)

LOCATION: Lat. 50° 25′ Long. 120° 43′ (921/7E) NICOLA M.D. Four and one-half miles east-northeast of the north end of Mamit Lake, on the south side of Quenville Creek, at approximately 4,350 feet elevation. CLAIMS: POM POM 1 to 20.

OWNER: S. W. Barclay.

OPERATOR: NEWMONT MINING CORPORATION OF CANADA LIMITED, 1230, 355 Burrard Street, Vancouver V6C 2G8.

METAL: Copper.

- DESCRIPTION: The claims are underlain by a microdiorite dyke which intrudes grey-green and purple andesitic tuffs, flows, and breccias of the Nicola Group. Chalcopyrite and bornite occur in the dyke as fracturecontrolled mineralization, accompanied by epidote-calcite and hematite alteration. Grade is low and showing is restricted.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering parts of Pom Pom 15, 4, 8, 9; IP survey, 1 line-mile covering Pom Pom 15, 4, and part of 9; magnetometer survey, 1 line-mile covering part of Pom Pom 15, 4; geochemical soil survey, 58 samples, 1.5 line-miles covering part of Pom Pom 15, 4; stripping, 100 square feet on Pom Pom 15.

MAX (Fig. B, No. 106)

LOCATION:	Lat. 50° 28'	Long. 120° 34'	(92I/7E)
	KAMLOOPS M.D.	Three miles west of Lac Le Je	une, on Melba Creek,
	between 4,000 and	4,300 feet elevation.	
CLAIMS:	MAX 1 to 20.		
OWNER:	HOST VENTURES	LTD., 534, 789 West Pender S	treet, Vancouver.
WORK DONE:	Magnetometer surve	ey, 11 line-miles covering Max 3	3-20.
REFERENCE:	Assessment Report	4334.	

KR&K (GREENSTONE CREEK) (Fig. B, No. 101)

- LOCATION: Lat. 50° 28′ Long. 120° 42′ (921/7E) KAMLOOPS M.D. On the north side of Meadow Creek, at Greenstone Creek, at approximately 3,400 feet elevation.
- CLAIMS: KR&K 200 to 211.
- OWNER: NICOLA COPPER MINES LTD., 9897 138A Street, Surrey.
- DESCRIPTION: The property is underlain entirely by Nicola Group volcanic rocks.

WORK DONE: VLF EM survey, 10 line-miles; SP survey, 1 line-mile; geochemical soil survey, approximately 600 samples taken at 50 and 100-foot by 200-foot grid spacing covering KR&K 200-205, 208.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 184; Assessment Reports 4499, 4793.

KR&K (WALLOPER LAKE) (Fig. B, No. 102)

LOCATION: Lat. 50° 29' Long. 120° 31' (921/7E) KAMLOOPS M.D. One mile northwest of Lac Le Jeune, surrounding Walloper Lake, between 4,300 and 4,600 feet elevation.

- CLAIMS: KR&K 135 to 148, 163 to 168, 300 to 310, GH 1 and 2.
- OWNER: NICOLA COPPER MINES LTD., 9897 138A Street, Surrey.
- DESCRIPTION: The property is underlain entirely by Nicola Group volcanic rocks.

WORK DONE: VLF EM survey, approximately 19 line-miles covering KR&K 135-137, 302-310, and GH 1 and 2.

- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 323; Assessment Report 4333.
- HH (Fig. B, No. 105)

LOCATION:	Lat. 50 [°] 29′	Long. 120 [°] 42′	(921/7E)
	KAMLOOPS M.D.	One mile north of Meadow C	reek, on the west side
	of Greenstone Cree	k, between 4,000 and 4,500 fee	et elevation.
CLAIMS:	HH 1 to 4.		
OWNER:	MUNDEE MINES I	LTD., 301, 540 Burrard Street,	Vancouver V6C 2K3.
DESCRIPTION:	The property is u	underlain by volcanic rocks o	f the Upper Triassic
	Nicola Group; Up	oper Triassic granitic rocks of	the Guichon Creek
	batholith lie 5 mile	s due west of the property.	
WORK DONE:	Geochemical survey	y, 105 samples, 4 line-miles cov	ering HH 1-4.
REFERENCE:	Assessment Report	4576.	

FORD (921,	/SE-9) (Fig. B, No.	213)	By W. J. McMillan
LOCATION:	Lat. 50 [°] 29'	Long. 120° 44'	(92I/7E)
	KAMLOOPS M.D. adjoining the highw	The showings are 3.5 vay on the north.	miles east of Logan Lake
CLAIMS:	HW 3 to 5, JG 1 to	32.	
OWNERS:	Nicola Copper Min	es Ltd. and H. W. Wiggins,	
OPERATOR:	NICOLA COPPER	MINES LTD., 9897 - 138	3A Street, Surrey.
METALS: DESCRIPTION	Copper, silver.		

LOCAL GEOLOGY AND MINERALIZATION: The site of an old adit and trenches, as well as the present drilling (Fig. 17) is underlain by dark grey, purplish red, porphyritic amygdaloidal flows of the Late Triassic Nicola Group. The lavas are typically amygdaloidal and vary in composition from 'olivine' basalt to augite andesitic basalt. The olivine is now a pseudomorphous mixture of iddingsite, serpentinite (?), and carbonate. Plagioclase in the rock has been albitized and now ranges in composition from albite to oligoclase. Locally it is shot through with sericite and epidote, or has been subjected to propylitic alteration. Pyroxene is generally fresh but is commonly altered along cracks to epidote, zoisite, and calcite with or without chlorite.

The old adit, which is about 40 feet long, follows a mineralized shear zone striking north 40 degrees east into the hillside. An east-west set of faults is also exposed in the adit. Up the hill, a trench was blasted into the lavas. It is roughly 10 feet wide and 50 feet long. Thirty tons of material which was shipped from the adit dump and the open cut in 1929 assayed: silver, 0.3 ounce per ton and copper, 2.14 per cent.



Figure 17. Ford property – geological map of the HW 3 to 6 claims.

(92I/7E)

About 100 feet of section is exposed between the adit and the drill sites (Fig. 17). Zones enriched in amygdules (Plates IIIA and IIIB) distinguish tops of flows and suggest that individual flows average between 5 and 7 feet in thickness. The flows strike north 50 degrees west and dip 30 degrees northeastward into the hillside. Within the section examined, virtually all the flow tops contain some mineralization in amygdules and associated veins (Fig. 18). Chalcocite (?) and bornite are the predominant copper minerals but malachite commonly occurs in and near the mineralized amygdules. Gangue minerals include chlorite, sericite, clinozoisite, zeolite, and calcite. Some mineralization also occurs in calcite veins, calcite - epidote - sericite veins, sericite - zoisite veins, and chlorite veins. Carbonate - zeolite veins are barren. Only assay results from drill holes 2 and 3 were released to trade journals by the company. The assays show local sections a few feet long of 0.22 to 2.8 per cent copper. The locations of mineralized sections are depicted on Figures 17 and 18.

WORK DONE: Three diamond-drill holes with aggregate length about 2,500 feet were drilled on HW 4 to test for extensions of the old Ford workings.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1929, p. 228; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 158; Geol. Surv., Canada, Mem. 249, 1948, p. 126.



Figure 18. Ford property – section parallel to diamond-drill hole No. 2 along A-A' shown on Figure 17.



Plate IIIA. Photograph showing flow tops and flow thickness of massive to vesicular lavas in the open cut above the adit shown on Figure 17.



Plate IIIB. Detail of an amygdaloidal flow top as shown on Plate IIIA. Amygdules often contain copper mineralization. Note the volcanic clast below the pencil, centrally located and one-third up from the base.

(921/8W)

JANETTE	(Fig. B, NO. 91)		
LOCATION:	Lat. 50° 16′	Long. 120° 24′	(921/8W)
	NICOLA M.D.	One mile northeast of the north	end of Nicola Lake,
	between 2,100	and 2,300 feet elevation.	
CLAIMS:	JANETTE 1 to	12, SPANISH EYES 1 to 4.	
OWNER:	LORENA MINE	ES LTD., 505 Burrard Street, Vancou	uver.
DESCRIPTION	N: The property is	underlain by Nicola Group volcanic	rocks.
WORK DONE	: Magnetometer s	urvey, approximately 15 line-miles.	
REFERENCE	Assessment Rep	oort 4327.	

MARY REYNOLDS (921/SE-115) (Fig. B, No. 98)

- LOCATION: Lat. 50° 20' Long. 120° 20' (921/8W) NICOLA M.D. Two miles south-southeast of the middle of Stump Lake, at approximately 3,400 feet elevation.
- CLAIMS: Mineral Lease M-20 (MARY REYNOLDS and GOLD CUP, Lots 674 and 675), Mineral Lease M-19 (ROBERT DUNSMUIR, Lot 673), ND 1 to 4, ARD 1 to 6, ARD 1 and 2 Fractions, PV 1 to 12.
- OWNER: PINE VALLEY EXPLORERS LTD., Box 441, Merritt.
- METALS: Gold, silver, lead, minor zinc and copper.
- DESCRIPTION: The claims are underlain by massive and mildly foliated augite andesite of the Nicola Group which in the central part of Mineral Lease M-20 contain a northeast-trending zone of quartz-carbonate alteration 3,000 feet long and up to 150 feet wide. Silver and gold-bearing veins composed of quartz calcite, galena, sphalerite, and pyrite occur in the alteration zone.
- WORK DONE: Magnetometer survey, 30 line-miles; SP survey, 30 line-miles; geochemical survey, 1,612 samples (288 analysed), 31 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 186; Assessment Report 4412.

SVEN (Fig. B, No. 97)

LOCATION:	Lat. 50° 23'	Lor	ng. 120° 24′	(921/8W)
	NICOLA M.D.	Seven miles	east-southeast of	Lac Le Jeune, on the
	west side of Mod	ore Creek.		
CLAIMS:	SVEN 1 to 10, 9	SVEN 1 and 2	Fractions.	
OWNER:	LAGUNA RESC	OURCES LTD.	, 101, 325 Howe	Street, Vancouver.
DESCRIPTION:	In the extreme	southwest cor	mer of the prope	ty gneissic granodiorite
	has been cut by	small bodíes o	f rhyolite.	
WORK DONE:	Linecutting, mag	gnetoemter, ar	d EM surveys, 11	.5 line-miles.
REFERENCE:	Assessment Rep	ort 4411.		

ULLA (Fig. B, NO. 94)

LOCATION: Lat. 50° 23' Long. 120° 27' (921/8W) NICOLA and KAMLOOPS M.D. Six miles south-southeast of Lac Le Jeune, 1 mile west of Moore Creek, between 3,400 and 4,100 feet elevation.

CLAIMS: ULLA 1 to 14.

OWNER: ENVOY RESOURCES LTD., 2006, 727 Sixth Avenue SW., Calgary, Alta.

- DESCRIPTION: The claims are underlain by andesite and basalt of the Nicola Group, intruded on the western part by granitic rocks of the Nicola batholith. No economic mineralization was noted during preliminary examination.
- WORK DONE: Linecutting, magnetometer survey, and reconnaissance geological mapping.

REFERENCE: Assessment Report 4322.

SACK (921/SE-166) (Fig. B, No. 93)

LOCATION: Lat. 50° 24' Long. 120° 25' (921/8W) KAMLOOPS and NICOLA M.D. Six miles south-southeast of Lac Le Jeune, on Moore Creek, between 3,400 and 4,100 feet elevation.

CLAIMS: SACK 1 to 18, SACK 1 and 2 Fractions.

- OWNER:TWIN RIVER RESOURCES LTD., 101, 325 Howe Street, Vancouver.METALS:Molybdenum, minor silver and copper.
- DESCRIPTION: The claims are underlain by rocks of the Nicola Group which include andesite and basalt with interbedded pyroclastic strata, and sedimentary rocks with some limestone. These rocks are cut by gabbro dykes and to the west are intruded by granitic rocks of the Nicola batholith.
- WORK DONE: Linecutting; claims surveyed; surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 19 line-miles covering all claims.
- REFERENCE: Assessment Report 4323.

NAP (921/SE-169) (Fig. B, No. 92)

- LOCATION: Lat. 50° 25' Long. 120° 17' (921/8W) KAMLOOPS M.D. Twenty-one miles south of Kamloops, on the east side of Napier Lake and Highway 5, at approximately 3,000 feet elevation. CLAIMS: NAP 1 to 54. OWNERS: DOME EXPLORATION (CANADA) LIMITED and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7. METAL: Copper. DESCRIPTION: The claims are underlain in part by pyroclastic rocks of the Nicola
- Group which have been extensively silicified and pyritized along an east-west-trending shear zone. Mineralization consists of chalcopyrite associated with disseminated pyrite.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 15 line-miles; geochemical soil survey, 208 samples, 15 line-miles covering all claims; percussion drilling, 12 holes totalling 3,000 feet on Nap 3, 5, 7, 8, 9, 11, 12, and 15.
- REFERENCE: Assessment Report 4500.

DERBY (Fig. B, No. 96)

LOCATION:	Lat. 50° 25′ Long. 120° 24′	(921/8W)
	KAMLOOPS M.D. Six miles southeast of Lac	Le Jeune, on the east
	side of Moore Creek.	
CLAIMS:	DERBY 1 to 22.	
OWNER:	MONITOR RESOURCES LTD., 534, 789	West Pender Street,
	Vancouver.	
DESCRIPTION:	: Volcanic rocks of the Nicola Group outcrop on	about 10 per cent of
	the property.	
WORK DONE:	Magnetometer survey, 17 line-miles.	
REFERENCE:	Assessment Report 4324.	

SAR (921/SE-163) (Fig. B, No. 95)

LOCATION:	Lat. 50° 25′	Long. 120 27'	(921/8W)
	KAMLOOPS M.D.	Five miles south-southeast o	f Lac Le Jeune, 1.5
	miles west of Moor	e Creek, between 3,800 and 4,6	00 feet elevation.
CLAIMS:	SAR 1 to 24		

OWNER: TRIEX RESOURCES LTD., 101, 535 Thurlow Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Nicola Group volcanic rocks underlie the western half of the claims and granitic rocks, the eastern half. Chalcopyrite occurs in quartz vein material on SAR 14.
- WORK DONE: Geochemical soil survey, 305 samples covering most of the claims.
- REFERENCE: Assessment Report 4326.

WADE (Fig. A, No. 14)

LOCATION: Lat, 50° 22′ Long, 120° 00′ (82L/5W; 92I/8E) Report on this property in section 82L/5W.

AFT, LEE (Fig. B, No. 176)

- LOCATION:
 Lat. 50° 32'
 Long. 120° 13'
 (921/9E)

 KAMLOOPS M.D.
 Ten miles south-southeast of Kamloops, on the east side of Shumway Lake.

 CLAIMS:
 AFT 1 to 39, LEE 1 to 16, TON 1 to 34, MAC 1 to 14.
- OPERATOR: KOMO EXPLORATIONS LTD., 549 Howe Street, Vancouver.

(921/9E)

- DESCRIPTION: The western portion of the property is underlain by Cache Creek Group rocks and the eastern portion, by the Iron Mask batholith.
- WORK DONE: 1972 reconnaissance IP survey, approximately 13 line-miles.
- REFERENCE: Assessment Report 4414.

TIRE (Fig. B, No. 177)

LOCATION:	Lat. 50° 33'	Long. 120° 03	,		(92	1/9E)
	KAMLOOPS M.D.	One and one-half m	iles east-sou	theast	of the	e east
	end of Campbell Lak	e.				
CLAIMS:	TIRE 1 to 20.					
OWNER:	M. Boyle.					
OPERATOR:	BRITISH PACIFIC	EXPLORATIONS	LIMITED,	704,	602	West
	Hastings Street, Vand	couver.				
WORK DONE:	Linecutting; geochen	nical soil survey, 528	samples tak	en on	a grid	of 12

- line-miles (alternate samples were analysed).
- REFERENCES: Assessment Reports 4318, 4489.

DOT (Fig. B, No. 174)

.

LOCATION:	Lat, 50° 33′	Long. 120° 11'		(921/9E)
	KAMLOOPS M.D.	Ten miles southeast o	f Kamloops, halfway	/ between
	Scuitto and Walker	Lakes.		
CLAIMS:	DOT 1 to 20.			
OWNER:	M. Boyle.			
OPERATOR:	MATADOR DEVI	ELOPMENTS LTD., d	c/o 837 West 19th	Avenue,
	Vancouver,			
DESCRIPTION:	The property is up	derlain mainly by coars	e, massive quartz dio	orite.

- WORK DONE: Geological, magnetometer, and geochemical surveys, approximately 12 line-miles.
- REFERENCE: Assessment Report 4320.

CLAIRDON	(921/NE-103) (Fig. B, No. 175)
LOCATION:	Lat. 50° 34′ Long. 120° 14′ (921/9E)
	KAMLOOPS M.D. Eight miles southeast of Kamloops, immediately
	north of Walker Lake.
CLAIMS:	HARP 1 to 40.
OWNER:	SARAFAND DEVELOPMENTS LIMITED, 3rd Floor, 540 Howe
	Street, Vancouver.
METAL:	Gold.
DESCRIPTION:	The northeastern claims are underlain by intrusive granite and the
	remaining claims, by Cache Creek argillite, greenstone, and serpentine
	units.

(921/9E)

- WORK DONE: 1972 geological mapping, geochemical soil survey, 460 samples; two IP surveys, 6.9 line-miles (one at 400-foot electrode separation and one at 800-foot separation).
- REFERENCES: *Geol. Surv., Canada,* Mem. 249, p. 72 (Clairdon Mining Company); Assessment Report 4442.
- IC (Fig. B, No. 178)

LOCATION:	Lat. 50° 35' Long. 120° 14' (921/9E)
	KAMLOOPS M.D. Seven miles southeast of Kamloops, 2.5 miles east
	of Separation Lake.
CLAIMS:	IC 1 to 24.
OWNER:	E. AMENDOLAGINE, 4450 Harriet Street, Vancouver 10.
DESCRIPTION:	The claims are underlain by granitic rocks of the Coast Plutonic
	Complex.
WORK DONE:	1972 — reconnaissance geological and geochemical surveys.
REFERENCE:	Assessment Report 4440.

MOT (921/NE-128) (Fig. B, No. 179)

- LOCATION: Lat. 50° 38' Long. 120° 07' (921/9E) KAMLOOPS M.D. Eight miles east of Kamloops, at Barnhart Vale, at approximately 2,200 feet elevation.
- CLAIMS: MOT 11 to 18, 21 to 24, 27 to 30, BHV 1 to 10, BUGLE 1 to 6,
- OWNER: Copper Range Exploration Company, Inc.
- OPERATORS: COPPER RANGE EXPLORATION COMPANY, INC., 1425 Brentwood Street, Lakewood, Colorado 80215 and TECK CORPORATION LTD., 700, 1177 West Hastings Street, Vancouver V6E 2K5.

METALS: Gold, minor copper, silver, molybdenum.

- DESCRIPTION: The Mot claims are situated in a mixed terrane which includes Paleozoic Cache Creek Group chert, limestone, and argillite and Mesozoic (?) plutonic rocks and volcanic flows of the Middle Eocene Kamloops Group. The metalliferous anomaly lies approximately 1 mile east of the Iron Mask batholith – Cache Creek Group contact in Cache Creek rocks that have been intruded locally by light-coloured feldspar porphyry dykes. In the vicinity of an anomaly iron oxide is pervasive as fracture filling in the extensively cracked host rock. Argillic alteration is present in and near dyke rocks. Oxides and sulphides of copper are visible in trenches that occupy part of the main anomaly.
- WORK DONE: Claims mapped, 1 inch equals 400 feet; surface geological mapping, 1 inch equals 1,000 feet covering Mot and BHV claims and 1 inch equals 400 feet covering Mot 14, 15, 28 and Bugle 5; geochemical rock chip survey, approximately 100 samples covering Mot 14, 22, 23, and 27.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 189; Assessment Report 4315.

(921/9)

- MB, SUGI (Fig. B, No. 173)
- LOCATION: Lat. 50° 34' Long. 120° 15' (921/9) KAMLOOPS M.D. Eight miles south-southeast of Kamloops, 1 mile northwest of Walker Lake, at approximately 3,000 feet elevation. CLAIMS: MB 1 to 22, SUGI 1 to 12.

OWNERS: M. Boyle and Command Resources Ltd. (formerly Kodiak Mines Ltd.).

- OPERATORS: COMMAND RESOURCES LTD., 1400, 1030 West Georgia Street, Vancouver and HIBERNIAN INTERNATIONAL DEVELOPMENT CORPORATION LTD., 307, 475 Howe Street, Vancouver.
- WORK DONE: 1972 prospecting, line picketting, and geochemical soil survey, 240 samples.
- REFERENCE: Assessment Report 4448.
- JEAN (Fig. B, No. 172)
- LOCATION: Lat. 50° 31' Long. 120° 17' (921/9W) KAMLOOPS M.D. Ten miles south of Kamloops, on the west side of Highway 5 and Shumway Lake.
- CLAIMS: JEAN 1 to 112.
- OWNER: JOY INDUSTRIES LIMITED (formerly Joy Mining Limited), 534, 789 West Pender Street, Vancouver.
- DESCRIPTION: The property is underlain by various rocks of the Cache Creek, Nicola, and Kamloops Groups.
- WORK DONE: 1972 IP survey, approximately 40 line-miles.
- REFERENCE: Assessment Report 4306.

JD (921/NE-125) (Fig. B, No. 171)

- LOCATION:Lat. 50° 34'Long. 120° 18'(921/9W)KAMLOOPS M.D.Seven miles south of Kamloops, south and south
west of Separation Lake, between 2,500 and 3,600 feet elevation.CLAIMS:JD 12, 21 to 34, 41 to 71, 85 to 90, JD 78 Fraction, PIN 1 to 7.
- OWNER: Flagstone Mines Limited.
- OPERATOR: IMPERIAL OIL LIMITED, 314, 1281 West Georgia Street, Vancouver V6E 3J7.

METAL: Copper.

- DESCRIPTION: The claims are underlain by coarse and fine-grained rocks of the Iron Mask batholith enclosed on the west, south, and east by volcanic rocks of the Nicola Group and unconformably overlain to the west by Middle Eocene basaltic flows of the Kamloops Group. Upper Paleozoic rocks of the Cache Creek Group are in contact with the Nicola Group on the east side of the property. Mineralization consists of disseminated chalcopyrite and chalcocite in altered zones spatially associated with faulting.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering JD claims; geochemical soil survey, 1,030 samples, 36 line-miles covering JD claims; surface diamond drilling, three holes totalling 1,812 feet on JD 56; linecutting, 36 line-miles on JD claims.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 191 (JOKER).

IM (921/NE-112) (Fig. B, No. 163)

LOCATION:	Lat. 50° 36' Long. 120° 20' (921/9W)
	KAMLOOPS M.D. From Knutsford southward to Edith Lake, at
	approximately 3,500 feet elevation.
CLAIMS:	IM 1 to 75, KN 1 to 3, MR 7 to 10, 12 to 22, 24, 25, A Fraction, EL 1
	to 16, HAWTHORNE and DISPATCHER (Mineral Leases M-36 and
	M-35, Lots 834 and 1748).
OWNER:	Pan Ocean Oil Ltd.
OPERATOR:	CRAIGMONT MINES LIMITED, 270, 180 Seymour Street, Kamloops.
METAL:	Copper.
DESCRIPTION:	The property covers a portion of the southeastern end of the Upper
	Triassic Iron Mask batholith and is underlain mostly by microdiorite
	and micromonzonite.
WORK DONE:	Surface diamond drilling, nine holes totalling 2,286 feet on IM 30-35
	and 52.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 194; Assessment

PAM, BUDA (921/NE-116) (Fig. B, No. 165)

Report 4844.

LOCATION:	Lat. 50° 36'	Long. 120° 2	3′	(921/9W)
	KAMLOOPS M.D.	Five miles southwe	st of Kamloop	os, adjoining Jacko
	Lake on the south a	and southeast along P	Peterson Creek	κ.
CLAIMS:	PAM 8 to 24, 28, 2	9, 32, 33, MAP 2 to	5 Fractions, [DAVE 1 to 3, 5, 7,
	9, 23, 24, 26, 28	, 30 to 32, DAVE	2, 3, 5 Fra	ctions, DAVE 1B
	Fraction, DAVE 2	B Fraction, DAVE 3	38A to 41A, 4	43A, 44A, 49A to
	51A, FOX 7 to 10,	13, FOX 4, 11, 12 F	ractions, DOI	V 1 to 9 Fractions,
	B 1 to 6, 30 to 33,	X 31 to 34, WADE 3	3.	
OWNERS:	Rolling Hills Copp	per Mines Limited a	nd New Mine	ex Resources Ltd.
	(formerly Minex De	evelopment Ltd.).		
OPERATOR:	NEW MINEX R	ESOURCES LTD.,	210, 470	Granville Street,
	Vancouver.			
METAL:	Copper.			
DESCRIPTION:	The claims cover a	section of the centr	al part of the	southwestern edge
	of the Upper Trias	sic Iron Mask bathol	ith and are ur	derlain by dioritic
	rocks of this bathe	lith and, to the sout	h, by andesiti	c volcanic rocks of
	the Upper Triassic I	Nicola Group.		
WORK DONE:	Magnetometer surv	eys, 12 line-miles an	d 14 line-mile	es covering Dave 3
	Fraction, Pam 12-2	20, 22, 23, 28, Wade	3, Don 4, 5,	7, 8, 9 Fractions,
	Dave 38A, 42A-44/	۹.		
REFERENCES:	B.C. Dept. of Mir	nes & Pet. Res., GE	EM, 1972, p.	193; Assessment
	Reports 4312, 4313	3, 4314.		

KENCO (Fig. B, No. 170)

LOCATION:	Lat. 50° 37′	Long. 120° 19′	(921/9W)
	KAM LOOPS M.D.	Three miles south of Kamloops, o	on Highway 5.

CLAIMS: KENCO 25 to 32, 34, 35, 38, 39.

OWNER: NORTH BAY MINES & OILS LTD., 414, 198 West Pender Street, Vancouver.

WORK DONE: Magnetometer survey, 10 line-miles.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 295; Assessment Report 4441.

AJAX, WHEAL TAMAR, MONTE CARLO (921/NE-12, 13, 14) (Fig. B, No. 164)

- LOCATION: Lat. 50° 37' Long. 120° 23' (921/9W) KAMLOOPS M.D. Five miles southwest of Kamloops, 1 mile east of Jacko Lake, at approximately 2,500 feet elevation.
- CLAIMS: AJAX (Lot 4710), WHEAL TAMAR (Lot 2126), MONTE CARLO (Lot 4716), NEPTUNE (Lot 4712), GRASS ROOTS (Lot 1496), COPPER STAR FR. (Lot 3015), FORLORN (Lot 3016), SULTAN (Lot 4717), AJAX Fraction, JACKO 4, 6, 8, 10, and 18 Fractions.

OWNER: Comínco Ltd.

OPERATOR: ATTAN MINES LTD., Box 34183, Vancouver.

METAL: Copper.

- DESCRIPTION: The claims cover a section of the central part of the southwestern edge of the Upper Triassic Iron Mask batholith and are underlain by gabbro, diorite, monzonite, microdiorite porphyry, and serpentinized picrite basalt.
- WORK DONE: IP survey, 9.4 line-miles covering Jacko 8, 10, 18 Fractions, Copper Star Fraction, Forlorn, Sultan, Wheal Tamar, Monte Carlo, and Grass Roots; percussion drilling, 23 holes totalling 6,900 feet on Wheal Tamar, 4 holes totalling 1,200 feet on Jacko 10 Fraction, and 28 holes totalling 7,210 feet on Ajax.
- REFERENCE: Minister of Mines, B.C., Ann. Rept., 1967, p. 142.
- RAINBOW (921/NE-28) (Fig. B, No. 160)

LOCATION:	Lat. 50° 38′ Long. 120° 28′ (921/9W)
	KAMLOOPS M.D. Seven miles west-southwest of Kamloops, on
	Sugarloaf Hill, at approximately 3,200 feet elevation.
CLAIMS:	RAINBOW 1 to 23, 51, 211, LEE 1 to 8 Fractions, 10 Fraction, 16 to
	18 Fractions, LEE 1 to 8, NATIVE 1, 4, and 6 Fractions, PATCHUP 3
	and 4, LOPS 13, 35, 37, 39, 41 to 45, 47, 48, Lot 883, DING 2
	Fraction, D 1 Fraction.
OWNER:	Leemac Mines Ltd.
OPERATOR:	GETTY MINING PACIFIC, LIMITED, 614, 510 West Hastings Street,
	Vancouver.
METAL:	Copper.

- DESCRIPTION: The mineralization is in altered microdiorite of the Iron Mask batholith and in microdiorite porphyry of the Sugarloaf intrusions, all of which are Upper Triassic in age. Strong faulting and fracturing in a northwesterly direction and crossfaulting in a northeasterly direction are prominent on the property.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; IP survey, 3.8 line-miles and magnetometer survey, 18 line-miles covering most of the claims; rotary drilling, five holes totalling 2,922 feet on Rainbow 5 and 6 and D 1 Fraction; percussion drilling, 47 holes totalling 16,380 feet on Rainbow 2, 3, 5, 6, 9, 10, 12, 13, 18, Lee 5, 7, Lee 2 and 8 Fractions, and D 1 Fraction; linecutting.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 236.

PYTHON, COPPER HEAD (921/NE-2, 3, 4, 5, 7) (Fig. B, No. 166)

- LOCATION: Lat. 50° 39' Long. 120° 24' (921/9W) KAMLOOPS M.D. The property is centred 4 miles west-southwest of Kamloops. CLAIMS: PYTHON (Lot 2565), COPPER HEAD (Lot 2564), EVENING STAR
- (Lot 1013), GOLDEN STAR (Lot 845), SUNRISE (Lot 879), LUCKY STRIKE (Lot 1036), CUB, PYTHON, PYE, JET, COLT, LINE, etc., totalling approximately 65.

OWNER: Makaoo Development Company Limited.

- OPERATOR: TECK CORPORATION LTD., 700, 1177 West Hastings Street, Vancouver V6E 2K5.
- METALS: Copper, silver, gold.
- DESCRIPTION: The claims cover several old showings including Python-Copper Head, Orphan Boy, Noonday, Lost Chord, and Evening Star-Golden Star and cover part of the central section of the northeastern margin of the Upper Triassic Iron Mask batholith.
- WORK DONE: IP survey, 6 line-miles.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 196 (MAKAOO); Assessment Report 4317.

GIBBI (Fig. B, No. 168)

LOCATION:	Lat. 50° 39'	Long. 1 20° 26 ′	(921/9W)
	KAMLOOPS M.D.	Five miles west-southwest	of Kamloops, on Iron
	Mask Hill, at appro	ximately 3,000 feet elevation.	
CLAIM:	GIBBI 1 (formerly	KEY).	
OWNER:	D.I.T. HOLDINGS	LTD., 102, 2222 Bellevue Av	enue, West Vancouver.
WORK DONE:	Magnetometer surv	ey, approximately 5 line-miles	on Gibbi 1.
REFERENCES:	Minister of Mines,	B.C., Ann. Rept., 1967, p. 1	42 (EVENING STAR,
	GOLDEN STAR); /	Assessment Report 4837.	· •

(921/9W)

.

IRON MASK, DM (921/NE-8, 10, 11, 18, 30) (Fig. B, No. 161)

LOCATION: Lat. 50° 40′ Long. 120° 27′ (921/9W) KAMLOOPS M.D. Five miles west of the centre of Kamloops, surrounding Ironmask Lake, at approximately 2,500 feet elevation.

CLAIMS: DM 55 to 57, 61 to 64, 71, 73, 75, 77, 96 to 99, 120, 121, 124, DM 2, 3, 5, 94, 95, and 99 Fractions, LORNA 1 to 4, AUDRA 1 Fraction, RO 5, 7 to 10, 11 to 26, 47 to 52, 61, 63 to 65, EB 1 to 12, 14 to 19, ID 3, 5, 6, and 16 Fractions, A 1 to 10, 12, 13, 15, 16, A 1 to 3 Fractions, AA 1 and 2, REX 4 to 7 Fractions, DELLA 2 and 3 Fractions, DEN 4 and 5 Fractions, JAN 1 to 3, JAN 4 to 8 Fractions, MRO 1 to 8 and 10 to 14 Fractions, IRON CAP (Mineral Lease M-21), ERIN FR. (Lot 1066), NORMA (Lot 1302), IRON MASK (Lot 878), SUNRISE (Lot 879), COPPER QUEEN (Lot 880), CIVIL FR. (Lot 1068), VICTOR (Lot 1340), MINT FR. (Lot 1342), EARNSCLIFF FR. (Lot 1301), EMORY (Lot 1050), NIGHTHAWK (Lot 1747), LUCKY STRIKE (Lot 1036), JUMBO FR. (Lot 1067), CHAMPION NO. 1 (Lot 5622), CHAMPION NO. 2 (Lot 5623), LS 6 (Lot 5624), LS 7 (Lot 5625), LS 8 (Lot 5628); LS 9 (Lot 5629), LS 10 (Lot 5627), LS 11 (Lot 5626), WINTY (Lot 4667), CON VERDANT (Lot 1341), MAY FR. (Lot 1311), SODIUM FR. (Lot 4666).

OWNER: Comet Industries Ltd.

OPERATOR: GETTY MINING PACIFIC, LIMITED, 614, 510 West Hastings Street, Vancouver.

METAL: Copper.

DESCRIPTION: The property covers many old showings including Lucky Strike, Iron Mask, Erin, Larsen, Iron Cap, and DM (Truth). Mineralization occurs along the northeastern edge of the eastern part of the Upper Triassic Iron Mask batholith where microdiorite is intruded by microdiorite and micromonzonite porphyry and by bodies of serpentinized picrite basalt.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; IP survey, 54 line-miles and magnetometer survey, 54 line-miles covering most of the claims; rotary drilling, eight holes totalling 6,839 feet on Lots 880, 1302, 1340, 5625, and 5628; percussion drilling, 159 holes totalling 50,897 feet on 12 RO, 4 DM, and 2 EB claims and 20 lots; claims surveyed; linecutting.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 197 (IRON MASK); 1972, p. 195 (DM, LORNA, RO); 1972, p. 198 (EB).
- JR (Fig. B, No. 169)

LOCATION:	Lat. 50° 42′	Lon	g. 120° 3	0'		(9	21/9W)
	KAMLOOPS	M.D. Eight mile	s west of	Kamle	oops, (on the sout	h shore
	of Kamloops	Lake.					
CLAIMS:	JR 5 to 20.						
OWNER:	STYNRO [Vancouver.	DEVELOPMENT	LTD.,	427,	470	Granville	Street,

WORK DONE: 1972 - linecutting. REFERENCE: Assessment Report 4311.

HILLTOP (921/NE-97) (Fig. B, No. 167)

LOCATION:	Lat. 50° 43′	Long. 12	0° 27′			(9	21/9W)
	KAMLOOPS M.D. A	Approximately	1 mile	north	of Ka	mloops	airport.
CLAIMS:	BD 1 to 19, DB 1 to 1	14.					
OWNER:	BARREL RESOUR	CES LTD.,	534,	789 \	Nest	Pender	Street,
	Vancouver.						
METALS:	Gold, silver.						
WORK DONE:	A grid aggregating 25	line-miles was	establi	shed, a	nd soil	samplir	ig and a
	magnetic survey cond	ucted on it,					
REFERENCES:	Minister of Mines, B.	C., Ann. Rept.	., 1913,	p. 192	; Geol.	Surv., (Canada,
	Mem. 249, p. 69; Asse	essment Repor	t 4456.				

CON (Fig. B, No. 154)

LOCATION: Lat. 50° 33' Long. 120° 40' (921/10E) KAMLOOPS M.D. Approximately 8 miles northeast of Logan Lake, immediately north of Wyse Lakes, at 4,800 feet elevation.

CLAIMS: CON 1 to 20.

OWNERS: DOME EXPLORATION (CANADA) LIMITED and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7.

- DESCRIPTION: The claims are underlain by a sequence of northwesterly trending Nicola Group pyroclastic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 8 line-miles; and geochemical soil survey, 211 samples, 8 line-miles covering all claims.

LED (921/NE-119, 122) (Fig. B, No. 200)

LOCATION:	Lat. 50° 37′	Long. 12	20° 38′	(921/10E)
	KAMLOOPS M.D.	Thirteen miles	west-southwest of	of Kamloops, on the
	north slope of Gr	reenstone Mount	tain, between 2,5	500 and 5,884 feet
	elevation.			
CLAIMS:	LED 2 to 6, 8 to	10, 12 to 14, 23	to 35, 74, 76, 81	to 94, 112 to 122,
	GG 1 to 3, 5 to 8,	GG 11 Fraction.		
OWNERS:	J. P. Henry and Mo	oneta Porcupine I	Mines Limited.	
OPERATOR:	MONETA PORCL	JPINE MINES	LIMITED, 420,	475 Howe Street,
	Vancouver 1.			
METALS:	Copper, molybden	um.		

.

- DESCRIPTION: The property is underlain mainly by Nicola Group volcanic rocks which have been intruded by small bodies of quartz monzonite east of Gilbert Lake and northeast of Greenstone Mountain. Chalcopyrite, molybdenite, and pyrite occur in quartz veins in the Nicola rocks and on the north slope of Greenstone Mountain brecciated volcanic rocks are mineralized with pyrite and minor chalcopyrite. The Gilbert Lake stock contains minor disseminated chalcopyrite and molybdenite.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet; geochemical soil survey, 236 samples taken mostly at 200 by 600-foot grid spacing covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 202; Assessment Report 4881.

AFTON (921/NE-113, 23) (Fig. B, No. 159)

- LOCATION: Lat. 50° 39' Long. 120° 31' (921/10E) KAMLOOPS M.D. Eight miles west of the centre of Kamloops, on the south side of the Trans-Canada Highway, at approximately 2,100 feet elevation.
- CLAIMS: AFTON 1 to 7, AFTON Fraction, ADD 1 to 30, POT 3, 4, 10, 15, and 17 Fractions, POT 5, 8, 9, 11 to 14, TOP 1 to 4 Fractions, BERNIE 7 and 8 Fractions, BERNIE 9, AD 1 Fraction, ADD 1 Fraction, Mineral Lease M-22 (DOMINION, Lot 1595).

OWNER: Afton Mines Ltd.

OPERATORS: ISO MINES LIMITED and TECK CORPORATION LTD., 700, 1177 West Hastings Street, Vancouver V6E 2K5.

METALS: Copper, gold, silver.

- DESCRIPTION: The orebody is located on the extreme northwestern edge of the eastern part of the Upper Triassic Iron Mask batholith. Mineralization is confined largely to altered phases of this batholith and to the north is in fault contact with a thick succession of barren Early Tertiary sedimentary and volcanic rocks of the Kamloops Group.
- WORK DONE: Surface geological mapping, 1 inch equals 20 feet covering Dominion and 1 inch equals 400 feet covering Add 1, 3, 4 and Dominion; IP survey, 35 line-miles and magnetometer survey, 43 line-miles covering all claims; geochemical soil survey, 1,165 samples, 43 line-miles covering all claims; surface diamond drilling, 54 holes totalling 48,533 feet on Dominion, Add 30, Add 1, Add 21, Add 3, and Add 16; rotary drilling, 18 holes totalling 6,729 feet on Add 3, Dominion, and Pot 5; percussion drilling, 55 holes totalling 10,673 feet on Add 24, 23, 19, 25, 16, 2, 17, Pot 2, 3, and 4 Fractions, Pot 5, Top 2 Fraction, Afton 7, and Afton Fraction; surface workings, claims, and topography mapped; linecutting covering all claims; trenching, 2,270 feet on Dominion.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 209-220.

JAM, GOLDEN (Fig. B, No. 162)

LOCATION: Lat. 50° 40' Long. 120° 32' (921/10E) KAMLOOPS M.D. Nine miles west of Kamloops on the north side of the Trans-Canada Highway, between 2,400 and 2,600 feet elevation.

CLAIMS: JAM 1 to 10, 15 to 20, GOLDEN 1 to 6 Fractions, GOLDEN 7 to 21. OWNERS: Golden Gate Explorations Ltd. and Alhambra Mines Ltd.

OPERATOR: CANEX PLACER LIMITED, 7th Floor, 1030 West Georgia Street, Vancouver.

- DESCRIPTION: The property is underlain by a black-faulted succession of sedimentary and volcanic rocks of the Early Tertiary Kamloops Group which unconformably overlay Upper Triassic volcanic rocks of the Nicola Group and intrusive rocks of the Iron Mask batholith.
- WORK DONE: Reconnaissance surface geological mapping; magnetometer, EM, and IP surveys covering the southern portion of the claim block; surface diamond drilling, one hole totalling 2,000 feet on a Jam claim; claims surveyed.

MM (Fig. B, No. 155)

LOCATION:	Lat. 50° 41′	Long. 120° 42′	(92I/10E)
	KAMLOOPS M.D.	On the northwest side of	f Duffy Creek, 4 miles
	from Kamloops La	ke, at approximately 3,500 fe	eet elevation.
OLAIMAC.	MANA 1 ++ 00		

CLAIMS: MM 1 to 20.

OWNER: Ashcroft Resources Ltd. (formerly Vastlode Mining Company Limited). OPERATOR: SONIC-RAY RESOURCES LTD., Box 371, Vancouver.

- DESCRIPTION: The claims are underlain mainly by dark grey andesite of the Triassic Nicola Group.
- WORK DONE: 1972 magnetometer and geochemical surveys, approximately 12 line-miles.

REFERENCE: Assessment Report 4216.

Kamloops Group.

RPM (Fig. B, No. 158)

LOCATION:	Lat. 50° 42′	Long. 120°	32'	(921/10E)
	KAMLOOPS M.D.	Ten miles west of	f Kamloops, alc	ng the south shore
	of Kamloops Lake, a	at approximately '	1,700 feet eleva	tion,
CLAIMS:	RPM 1 to 4, 9 to 36.			
OWNER:	Cree Lake Mining Lt	d.		
OPERATOR:	TRICENTROL CAN	NADA LIMITED	, 2640 One C	algary Place, 330
	Fifth Avenue SW., C	algary, Alta.		
DESCRIPTION:	The claims are unde	rlain by Upper Tr	iassic volcanic i	rocks of the Nicola
	Group cut by diori-	tic and gabbroic	rocks of the U	pper Triassic Iron
	Mask batholith. T	hese rocks are	unconformably	/ overlain by an
	extensive cover of se	dimentary and vo	lcanic rocks of	the Middle Eocene

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 205.

(92I/10E)

· · - ----

- WORK DONE: IP survey, 3 line-miles covering RPM 1-4 and 9-12; geochemical soil survey, 1,066 samples, 20 line-miles covering RPM 1-4 and 9-14.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 207; Assessment Report 4905.

PAT (Fig. B, No. 157)

LOCATION:	Lat, 50° 42′	Long. 120° 39′	(921/10E)	
	KAMLOOPS M.D.	Two and one-half miles fr	om Kamloops Lake, on	
	Duffy Creek, at app	roximately 2,000 feet elevat	ion.	
CLAIMS:	PAT 1 to 6.			
OWNER:	P. J. MacLEAN, 326	30 Admirals Road, Victoria.		
DESCRIPTION:	The area is underlain in part by rocks of the Triassic Nicola Group and			
	in part by Tertiary v	volcanic rocks.		
WORK DONE:	Linecutting and VL	F EM survey, 3.4 line-miles	; magnetometer survey,	
	2.8 line-miles; geoc	hemical soil survey, 61 san	nples taken at 100-foot	
	intervals along one I	ine covering Pat 1-4.		
REFERENCE:	Assessment Report	4721.		

GUT, CARM	(Fig. B, No. 156)
LOCATION:	Lat. 50° 35′ Long. 120° 45′ (921/10)
	KAMLOOPS M.D. Two miles west of Dominic Lake, at approximately
	5,000 feet elevation.
CLAIMS:	GUT 19 to 28, 34, 36, 38, 40, 42, CARM 9 to 18, 21, 23, 25, 27, 29.
OWNER:	G. S. ELDRIDGE, 2907 West 42nd Avenue, Vancouver.
DESCRIPTION:	The area is apparently underlain by rocks of the Triassic Nicola Group.
WORK DONE:	1972 - reconnaissance EM and magnetometer surveys, 9.7 line-miles;
	geochemical survey, 3.5 line-miles.
REFERENCE:	Assessment Report 4217.

OUTRIDER	(921/NE-41)	(Fig. B, No. 146)
LOCATION:	Lat. 50° 31'	Long. 120° 58' (921/10W)
	KAMLOOPS	M.D. Highland Valley, surrounding Bose Lake, at
	approximately	4,500 feet elevation.
CLAIMS:	OUTRIDER 1	13, 15, 16 to 22, 24, BAY 1 and 2 Fractions, BAY 16, 18,
	19, 21, 23, 29	9 to 31, DAVE 2, 4 to 6, 7 to 12, 14 to 24, 27 to 33, 35,
	42, LODGE	1 to 6, 13 to 15, 17, 19, 21, 24, 33, 34, 154 to 160,
	LODGE 1 and	d 153 Fractions, SD 5 to 10, KB 1 to 4, BAD 12, B, D,
	and F Fraction	ns, COW 1 to 8.
OWNER:	VALLEY CO	PPER MINES LIMITED, 431 General Office Building,
	Trail.	-

METAL: Copper.

- DESCRIPTION: The claims are underlain by Guichon quartz diorite phase of the Guichon Creek batholith which has been cut by dykes and irregular bodies of younger quartz diorite. Low-grade mineralization has been found at several places on the property in or closely associated with north-south faults.
- WORK DONE: Time-domain IP survey, 18 line-miles covering Outrider, Lodge, SD, KB, and Bay claims.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1967, p. 156; Assessment Report 4724.
- BCD (Fig. B, No. 148)

LOCATION:Lat. 50° 33'Long. 120° 55'(921/10W)KAMLOOPS M.D.Highland Valley, 2.5 miles northeast of Bose Lake.CLAIMS:BCD 1 to 30, 32 to 51, BCD 31 Fraction.

OWNER: COMET INDUSTRIES LTD., 2502, 1177 West Hastings Street, Vancouver.

DESCRIPTION: The property is underlain primarily by Guichon phase granodiorite which has been intruded locally by dykes and small bodies of porphyry. The outcrops occur in north-trending ridges because of fault control and glacial scouring.

- WORK DONE: VLF EM survey, 3.6 line-miles covering BCD 5-12, 23-26, 35, 36, and 50.
- REFERENCES: Assessment Reports 4560, 4561.

POD (Fig. B, No. 149)

LOCATION:	Lat. 50° 35′	Long. 120° 55'	(921/10W)
	KAMLOOPS M.D. Fo	our miles west-southwest o	f Tunkwa Lake.
CLAIMS:	POD 1 to 4, 6, 8, 10 to	o 32.	
OWNERS:	D. J. McDonald, M. Ma	artin, J. E. McDonald, and	W. Bonin.
OPERATOR:	DUSTY MAC MINES	LTD., 433, 355 Burrard St	reet, Vancouver.
METALS:	Copper, silver.		
DESCRIPTION:	The property is under	lain by granodiorite of the	e Guichon phase of the
	Guichon Creek bathol	ith. Little alteration has b	een noted. A prospect
	pit near the east bord	der of Pod 2 contains two	narrow, chaicopyrite-
	bearing quartz veins.		
WORK DONE:	Linecutting and magne	tometer survey, 16.6 line-	miles.
REFERENCES:	B.C. Dept. of Mines	& Pet. Res., GEM, 1972	2, p. 222; Assessment
	Report 4408.		

BLB (Fig. B, No. 150)

LOCATION:	Lat. 50 [°] 40'	Long. 120° 46'	(921/10W)
	KAMLOOPS M.D. Seve	n miles south-southwest of Savo	na, on Durand
	Creek, between 2,200 an	d 3,000 feet elevation.	
CLAIMS:	BLB 1 to 10, 41 to 50.		

(921/10W)

OWNER: CANDEX DEVELOPMENT CORPORATION (formerly Darsi Mines Ltd.), 307, 475 Howe Street, Vancouver.

DESCRIPTION: The eastern portion of the property is underlain by Nicola Group volcanic rocks and the western portion, by Kamloops Group basalts.

WORK DONE: Magnetometer survey, 1,500-foot intervals; geochemical soil survey, 83 samples collected.

REFERENCE: Assessment Report 4319.

BERU (Fig. B, No. 151)

LOCATION: Lat, 50° 42′ Long, 120° 47′ (921/10W) KAMLOOPS M.D. Five miles south-southwest of Savona, on the west side of Durand Creek, between 3,000 and 4,000 feet elevation.

CLAIMS: BERU 1 to 20.

OWNER: CHALLENGER EXPLORATION LTD., 328 Rogers Building, 470 Granville Street, Vancouver.

DESCRIPTION: Outcrops are sparse but the few located on claims 15 to 20 are reported to be metavolcanic and metasedimentary rocks.

WORK DONE: Airborne magnetometer and radiometric survey, 80 line-miles comprising 20 runs of 21,000 feet each at 500-foot spacing.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 223; Assessment Report 4669.

BEV, PAL (Fig. B, No. 152)

 LOCATION:
 Lat. 50° 44'
 Long, 120° 47'
 (921/10W)

 KAMLOOPS M.D.
 Two miles southeast of Savona, on Durand Creek.

 CLAIMS:
 BEV 3 to 20, 22, 25, 27, 29 to 35, 37, 39 to 42, PAL 12, 14, 16, 18 to 20.

OWNER: R. Shaw.

OPERATOR: CELTIC MINERALS LTD., 107, 325 Howe Street, Vancouver.

- DESCRIPTION: In the north part of the claim area agglomerate is underlain by a thin limestone band which in turn is underlain by tuff. The south part is underlain by resistant andesite. No outcrop was found in the western part of the claims. The northern outcrops may belong to the Cache Creek Group but those to the south belong to the Nicola Group.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims. REFERENCE: Assessment Report 4452.

KRAIN COPPER (921/NE-38) (Fig. B, No. 145)

LOCATION:Lat. 50° 34'Long. 121° 00'(921/10W, 11E)KAMLOOPS M.D.Six miles north of the Bethlehem mine, on the east
flank of Forge Mountain, at approximately 5,700 feet elevation.CLAIMS:KRAIN COPPER, KRAIN 1 to 14, DW 1 to 6, DW 1 Fraction, KRAIN
1 to 6 Fractions.

- OWNER: North Pacific Mines Ltd.
- OPERATOR: GETTY MINING PACIFIC, LIMITED, 614, 510 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The Krain property is underlain by rocks of the Guichon Creek batholith. A large number of porphyry dykes intrude the granitic rocks. In the northern part of the property, the granites are unconformably overlain by Tertiary volcanic flows. Chalcopyrite with minor bornite and pyrite occurs as specks, disseminations, and fracture fillings in shattered zones near the margins of porphyry dykes.
- WORK DONE: IP survey, 6.1 line-miles covering DW 1, 3-6, and DW 1 Fraction; surface diamond drilling, 2,693 feet on Krain Copper and Krain 1 Fraction.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 224.
- RAF, TAM (Fig. B, No. 131)

LOCATION:	Lat. 50° 31′	Long. 121° 06'	(921/11E)
	KAMLOOPS M.D.	Three miles west-northwest	of Quiltanton Lake.
CLAIMS:	RAF 1 to 10, 18 to	20, TAM 1 to 20.	
OWNERS:	Lornex Mining Corp	oration Ltd. and Valley Co	oper Mines Limited.
OPERATOR:	LORNEX MINING	CORPORATION LTD., 20	2, 580 Granville Street,
	Vancouver.		
DESCRIPTION:	Chataway granodio	rite which underlies the cla	aims has been cut by a
	dyke of porphyrit	ic dacite and overlapped	to the northwest by
	Kamloops Group tu	ff. A few malachite-bearing	quartz veinlets cut the
	granodiorite on RAF	= 5.	
WORK DONE:	Surface geological p	appring 1 inch aquala 500	fact covarian RAE1 E

- WORK DONE: Surface geological mapping, 1 inch equals 500 feet covering RAF 4, 5, 7, and 9; surface diamond drilling, one hole totalling 401 feet on RAF 5.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 264, 265; Assessment Report 4708.

DEN	(921/NW-14,	32, 33)	(Fig. E	3, No.	130)
-----	-------------	---------	---------	--------	------

LOCATION:	Lat. 50° 32' Long. 121° 03' (921/11E)
	KAMLOOPS M.D. Two miles north of Quiltanton Lake, on the
	southwest slope of South Forge Mountain.
CLAIMS:	DEN 9, 11, 13, 15, 17, 19 to 37, 47 to 62, 78 to 80, 84, 85, NED 1 to
	4 Fractions, LEM Fraction, ELKE 1 and 2 Fractions, DN 1 to 5
	Fractions.
OWNERS:	Western Adera Limited (formerly Adera Mining Limited) and Grandora
	Explorations Ltd.
OPERATOR:	ACHERON MINES LTD., 107, 325 Howe Street, Vancouver.
METAL:	Copper.

DESCRIPTION: The area is underlain mainly by granodiorite of the Bethlehem phase of the Guichon Creek batholith. Local Tertiary volcanic cover occurs in association with magnetic lows in the southeast corner of the property. Magnetic and resistivity lows suggest that a north-trending fault occurs in the centre of the property.

WORK DONE: Time-domain IP survey, 15.3 line-miles covering the central claims; magnetometer survey, 47 line-miles covering most of the claims.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 225; Assessment Reports 4404, 4804.

MO (921/NW-53) (Fig. B, No. 142)

LOCATION: Lat. 50° 34' Long. 121° 07' (921/11E) KAMLOOPS M.D. Seven miles northwest of the Bethlehem mine, on the north side of Cinder Hill, at approximately 4,000 feet elevation. CLAIMS: MO 1 to 19. MO Fraction.

OWNER: John McGoran.

OPERATOR: QUINTANA MINERALS CORPORATION, 1215, Two Bentall Centre, Vancouver V7X 1G4.

METALS: Copper, iron.

DESCRIPTION: The claims are underlain by Guichon quartz diorite and Hybrid quartz diorite of the Guichon Creek batholith covered in part by Kamloops Group volcanic rocks and glacial debris. Specular hematite and chalcopyrite mineralization occurs in a north-northwest-trending zone.
 WORK DONE: Surface geological mapping, 1 inch equals 1,320 feet covering all claims; percussion drilling, one hole totalling 200 feet on MO 2; road construction, one-quarter mile on MO Fraction and MO 2 (drill hole access).

JOY, BLU (921/NW-29, 30) (Fig. B, No. 143)

Continental Cinch Mines Ltd.

- LOCATION: Lat. 50° 35' Long. 121° 05' (921/11E) KAMLOOPS M.D. The claims enclose the Glossy Crown grants and lie between Cinder Hill and Forge Mountain, at approximately 5,500 feet elevation.
- CLAIMS: JOY 1 to 6, 8, 10, 12, JOY 1 and 2 Fractions, BLU 1 to 8, BLU 1 Fraction, JAY 1 to 6, JAY 1, 2, 4, and 6 Fractions, JO 1 to 11, JOE 1 to 15, JACK 1 to 8, JACK 1 to 3 Fractions, JAE 1 to 3 Fractions, BLUE 2 Fraction.

OWNER:

OPERATOR: QUINTANA MINERALS CORPORATION, 1215, Two Bentall Centre, Vancouver V7X 1G4.

METALS: Copper, iron.

DESCRIPTION: The area is underlain mainly by Guichon phase quartz diorite covered in part by Kamloops Group volcanic rocks and by glacial debris. Specular hematite and copper minerals occur in west-northwesttrending veinlets with some tourmaline. WORK DONE: Surface geological mapping, 1 inch equals 1,320 feet covering Joy, Jae, Jack and Blu claims; surface diamond drilling, two holes totalling 1,751 feet on Joe claims; percussion drilling, 10 holes totalling 2,750 feet on Joe, Blu, and Joy claims; road construction, 2 miles (access to drill holes).

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 256, 257.

CHRIS, VAL (Fig. B, No. 144)

LOCATION:	Lat. 50° 37′	Long. 121° 03'	(92I/11E)
	KAMLOOPS M.D.	North Highland Valley,	on the northwest flank of
	Forge Mountain, at	approximately 5,500 fee	t elevation.
CLAIMS:	CHRIS and VAL, to	otalling 40.	
OPERATOR:	QUINTANA MINE	RALS CORPORATION,	1215, Two Bentall Centre,
	Vancouver V7X 1G	64.	
DESCRIPTION	The claims are unc	lerlain mainly by Kamlo	ops Group volcanic rocks

DESCRIPTION: The claims are underlain mainly by Kamloops Group volcanic rocks. One diamond-drill hole extended through the Kamloops cover to Guichon quartz diorite at a depth of 1,439 feet.

- WORK DONE: Surface diamond drilling, one hole totalling 1,538 feet on Val 13; road construction, one-half mile (access to drill hole).
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 226.

GEO (921/NW-18) (Fig. B, No. 153)

LOCATION:	Lat. 50° 44'	Long. 121° 02'	(92I/11E)
	KAMLOOPS M.D.	Two miles west-southwest	of Walhachin, on Brassy
	Creek, at approxim	ately 2,200 feet elevation.	
CLAIMS:	GEO 57 to 61, CH	IEF 1 to 48, HASSO 3, 5 t	o 8, 15 to 21, URSUS 1
	to 4.		
OWNERS:	Ursus Minerals Ltd	. and Supertest Investments	and Petroleum Limited.
OPERATOR:	URSUS MINERAL	S LTD., 2610, 505 Fourth	n Avenue SW., Calgary,
	Alta.		
METALS:	Silver, copper, iron.		
DESCRIPTION:	Nicola Group volca	anic rocks with limestone l	ayers are intruded by a
	quartz diorite plug	g which is apparently an o	ffshoot of the Guichon
	Creek batholith. T	hese rocks are unconformal	oly overlain by Jurassic
	conglomerates whi	ch are in turn unconformat	bly overlain by Tertiary
	lavas of the Kamloo	ops Group.	
WORK DONE:	Surface diamond d	rilling, six holes totalling 3,0	11 feet on Chief 14, 15,
	25 and Geo 61; trer	nching, 150 feet on Chief 14	and 28.
DECEDENCE	DO D. CAR	0.0 1.0 0544 4030	007

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 227.

KEV (Fig. B, No. 132)

LOCATION: Lat. 50° 45′ Long. 121° 07′ (921/11E, 14E) KAMLOOPS M.D. Seven miles east-northeast of Ashcroft, surrounding Separating Lake, at approximately 3,000 feet elevation.

- CLAIMS: KEV 13 to 26, 55 to 68, 74 to 80.
- OWNER: MUNDEE MINES LTD., 301, 540 Burrard Street, Vancouver V6C 2K3.
- DESCRIPTION: The claims are underlain by Kamloops Group sedimentary and volcanic rocks of Tertiary age.
- WORK DONE: Geochemical soil survey, 289 samples, approximately 6 line-miles covering Kev 19 and 21-24.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 227; Assessment Report 4650.
- MARS (Fig. B, No. 127)
- LOCATION: Lat. 50° 34' Long. 121° 18' (921/11W) KAMLOOPS M.D. Opposite Spatsum 10 miles north of Spences Bridge, on the west side of the Trans-Canada Highway, between 1,500 and 1,900 feet elevation.

CLAIMS: MARS 1 to 8.

- OWNER: Murray Morrison.
- OPERATOR: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver.
- METALS: Iron, minor gypsum and sulphur.
- DESCRIPTION: The claims are underlain by quartz sericite talc limonite gossan in andesitic and tuffaceous Cache Creek Group rocks. The gossan area is well mineralized with pyrite.
- WORK DONE: Percussion drilling, three holes totalling 1,200 feet on Mars 2 and 5; road construction, 1,000 feet on Mars 5.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 228.

MAN (921/NW-17, 34) (Fig. B, No. 129)

- LOCATION: Lat. 50° 35' Long. 121° 17' (921/11W) KAMLOOPS M.D. Two miles south of Basque, on the east side of the Fraser River, from river level to 4,000 feet elevation.
- CLAIMS: MAN 1 to 60.
- OWNERS: R. G. Hawley and D. R. Morgan.
- OPERATOR: MANTLE MINERALS LTD., c/o 4481 232nd Street, Langley.

METAL: Copper.

- DESCRIPTION: The claims are underlain by volcanic and sedimentary rocks of the Cache Creek and Nicola Groups at the western contact of the Guichon Creek batholith. These older rocks were intruded first by quartz diorite of the Hybrid phase of the batholith then by a stock, the Spatsum porphyritic quartz monzonite. The stock was preferentially emplaced along the contact and separates the Hybrid and older rocks under most of the claim area. Limonitic gossans on the property have little or no remnant sulphides. The Spatsum stock, however, is reported to contain disseminated pyrite and some disseminated chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 1,000 samples taken at 100 by 400-foot grid spacing; linecutting, 20 miles of grid covering Man 47-60.

- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1970, p. 344; Assessment Reports 2840, 4586.
- CORNWALL (Fig. B, No. 128)

LOCATION:	Lat. 50° 42′	Long. 121° 26′	(921/11W)
	KAMLOOPS M.D.	Seven miles southwest of C	ache Creek on the north
	and east flanks of C	Cornwall Hills,	
CLAIMS:	CORNWALL 1 to 9	53, 75 to 106.	
OWNER:	LONE CREEK MIN	NES LTD., 750, IBM Building	g, Calgary, Alta.
METAL:	Copper.		
DESCRIPTION:	The claims are ap	parently underlain by rocks	of the Permian Cache
	Creek Group and M	larble Canyon Formation.	
WORK DONE:	Linecutting, 40 m	iles of grid; magnetometer	survey, 36.5 line-miles
	covering Cornwall 1	1-10, 37-41, 87, 99, 100, 105	, and 106.
REFERENCES	RC Dept of Mir	nes & Pet Res GEM 197	1 n 298 Assessment

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 298; Assessment Reports 2947, 3380, 4550.

SALLUS (921/NW-16) (Fig. B, No. 133)

- LOCATION: Lat. 50° 47' Long. 121° 48' (921/13W) L1LLOOET M.D. Ten miles northeast of Lillooet, on Gibbs and Sallus Creeks, between 2,000 and 5,500 feet elevation.
- CLAIMS: Sixty-six SALLUS, 39 SALLUS CREEK, GIBBS 1 to 10, 26 to 29, CHUCK 1 to 16, 19, 20, HILL 1 to 3 Fractions.
- OWNER: CANADIAN JOHNS-MANVILLE COMPANY LIMITED, 9, 219 Victoria Street, Kamloops.

METALS: Copper, molybdenum, gold, zinc.

- DESCRIPTION: The Mount Martely granodiorite stock has cut limestone and black argillite of the Cache Creek Group. The rocks are unconformably overlain in the southern portion of the property by sedimentary rocks of the Spences Bridge Group. Chalcopyrite, bornite, malachite, and molybdenite occur in quartz veins and fractures in the granodiorite near its contact. Fine-grained sphalerite and chalcopyrite occur in lenses of argillite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Sallus 1-10; geochemical talus fines survey, approximately 1,100 samples, approximately 10 line-miles covering Sallus 1-10 and 117-124.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 229; Assessment Reports 4405, 4796.

AV (921/NW-51) (Fig. B, No. 134)

LOCATION: Lat. 50° 28' Long. 121° 32' (921/13E) KAMLOOPS M.D. Seven and one-half miles northwest of Carquille, on Maiden Creek, at approximately 3,500 feet elevation.

(921/13E)

CLAIMS:	AV 5 to 10.
OWNER:	JOHN McGORAN, 3091 West 3rd Avenue, Vancouver.
METAL:	Gold.
DESCRIPTION:	Gold occurs in conglomerate of the Tertiary Coldwater Group.
WORK DONE:	Geological and geochemical surveys.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1901, p. 1091; Assessment Report
	4304.

R (Fig. B, No. 210)

LOCATION:	Lat. 50° 51′ Long. 121° 32′ (921/13E)
	KAMLOOPS M.D. On Highway 12 approximately 9.5 miles north 69
	degrees west of Cache Creek junction and between Indian Reserves 1
	and 2, at approximately 2,500 feet elevation.
CLAIMS:	R 41 to 62.
OWNER:	BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West
	Hastings Street, Vancouver V6E 2H8.
DESCRIPTION:	Hat Creek Valley in the area of the claims is underlain by sedimentary
	rocks of the Tertiary Coldwater Group.
WORK DONE:	Surface diamond drilling, one hole, totalling 518 feet on R 49.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 228, 229.

PAW, SAM, RANGER (Fig. B, No. 135)

- LOCATION: Lat. 50° 59' Long. 121° 00' (921/13E, 14W) KAMLOOPS and CLINTON M.D. Fifteen miles north-northwest of Cache Creek, on Highway 97 at Maiden Creek.
- CLAIMS:
 PAW 1 to 43, PAW 3 to 5 Fractions, SAM 1 to 25, RANGER 1 to 37, 45 to 48, RANGER 1 to 10, 13, 15, 18 Fractions, GW 1 to 13, 15, 17.

 OWNER:
 W. Walodarsky.

OPERATOR: PEYTO OILS LTD., 335, 805 Fifth Street SW., Calgary, Alta.

DESCRIPTION: The claims are underlain on the west by rocks of the Permian Cache Creek Group and on the east by rocks of the Tertiary Coldwater Group. WORK DONE: Percussion drilling.

BEAU (Fig. B, No. 138)

LOCATION:	Lat. 50 [°] 49′	Long. 121° 21'	(921/14W)
	KAMLOOPS M.D. One	mile northwest of Cache	Creek, on the
	southeast side of Indian elevation.	Reserve 3, between 1,600	and 2,700 feet
CLAIMS:	BEAU 1 to 28.		
OWNER:	ACROLL OIL & GAS LT	D., 574, 330 Fifth Avenue SM	I., Calgary, Alta.

211

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 229.

(921/14W)

DESCRIPTION: The claims overlie Permian Cache Creek Group rocks which here consist of argillites, cherts, thin limestone, and greenstone with an upper unit of massive crystalline limestone.

WORK DONE: Linecutting, 5.7 miles of grid; geochemical soil survey, 148 samples taken at 200 by 750-foot grid spacing covering Beau 5-16. REFERENCE: Assessment Report 4566.

RENE (Fig. B, No. 137)

 LOCATION: Lat. 50° 49' Long. 121° 23' (921/14W) KAMLOOPS M.D. Two miles west of Cache Creek, on the south side of Indian Reserve 3A, between 2,000 and 4,000 feet elevation.
 CLAIMS: RENE 1 to 32.
 OWNER: ACROLL OIL & GAS LTD., 574, 330 Fifth Avenue SW., Calgary, Alta.
 DESCRIPTION: The claims are underlain by rocks of the Permian Cache Creek Group of argillites, cherts, limestones, and greenstones.
 WORK DONE: Linecutting, 8.5 miles of grid; geochemical soil survey, 502 samples taken at 100 by 500-foot grid spacing covering Rene 9-18.

REFERENCE: Assessment Report 4583.

MAGGIE MINE (921/NW-15) (Fig. B, No. 206)

LOCATION:	Lat. 50° 55.5′	Long. 121° 25.5	1	(921/14W)
	KAMLOOPS M.D.	Eight and nine-tenth m	iles north 27 dec	grees west of
	Cache Creek juncti	ion in the Bonaparte	Valley on the	west side of
	Highway 97 , at appr	roximately 1,700 feet e	levation.	
CLAIMS:	Mineral Lease M-33	3 (Lots 410 to 421), B	ETH 1, 3, M 5,	8, 10, 12 to
	14, 17 to 21, 23, 3	4 to 38, 42 to 46, 48,	57, 71 to 78, 84	to 90, 92 to
	95, 97, 99 to 108,	113, 114, M 59 and	80 Fractions, M/	AG 41, 141,
	151, 161, 171, MM	1 to 22 Fractions.		
OWNER:	BETHLEHEM COF	PPER CORPORATION	N LTD., 2100,	1055 West
	Hastings Street, Var	ncouver V6E 2H8.		
METALS:	Copper, molybdenu	m.		
WORK DONE:	Topographic mappi	ng, 1 inch equals 200	feet covering 6 s	quare miles.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 232.

Hastings Street, Vancouver V6E 2H8.

\$, B (Fig. B, No. 207)

LOCATION:Lat. 50° 58'Long. 121° 27.5'(921/14W)KAMLOOPS M.D.Twelve and four-tenth miles north 28 degrees west
of Cache Creek junction near the intersection of Highway 97 and the
Loon Lake road, at approximately 1,800 feet elevation.CLAIMS:S 1 to 28, 31, 33, 35, 37, S 1 and 2 Fractions, B 1 to 39.OWNER:BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West

(921/14W)

- DESCRIPTION: The hole intersected chert, argillite, and greenstone of the Cache Creek Group throughout its entire length. Some pyrite mineralization was encountered.
- WORK DONE: Surface diamond drilling, one hole totalling 503 feet on S 5.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 233, 234.

M, T (Fig. B, No. 208)

- LOCATION: Lat. 50° 52' Long. 121° 24' (921/14W) KAMLOOPS M.D. Five and six-tenth miles north 36 degrees west of Cache Creek junction and approximately 1 mile south of the junction of Highways 97 and 12, at approximately 1,600 feet elevation.
- CLAIMS: M 115 to 161, MA 41 and 42 Fractions, T 1 to 20, R 27 to 32, 50, 51. OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West
- Hastings Street, Vancouver V6E 2H8.
- DESCRIPTION: The holes intersected various members of the Cache Creek Group, mainly chert and argillite. Weak pyrite mineralization was present in much of the core.
- WORK DONE: Surface diamond drilling, four holes totalling 1,909 feet on T 14, M 122, 135, and 140.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 231.

MO (Fig. B, No. 209)

- LOCATION: Lat. 50° 54′ Long. 121° 27′ (921/14W) KAMLOOPS M.D. Eight miles north 45 degrees west of Cache Creek junction, on the north side of Bonaparte Indian Reserve 2, at approximately 2,100 feet elevation.
- CLAIMS: MO 1 to 70, MO 80 to 82 Fractions, R 1 Fraction, R 1, 3 to 30, 37, 39, 40.
- OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.
- DESCRIPTION: The claims are underlain by rocks of the Cache Creek Group.
- WORK DONE: Surface diamond drilling, one hole totalling 600 feet on MO 48.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 325.
- R, V, GILL (Fig. B, No. 136)
- LOCATION: Lat. 50° 59' Long. 121° 23' (921/14W; 92P/3W) KAMLOOPS M.D. On Scottie Creek, 3 miles above the Bonaparte River. The claims surround the Scottie Creek Crown-granted claims which cover a chromium deposit.
- CLAIMS: R 1 to 30, V 1 to 20, GILL 1 to 12.
- OWNER: ROCKET MINES LTD., 508, 789 West Pender Street, Vancouver.
- METAL: Chromium.

- DESCRIPTION: The Permian Cache Creek Group greenstone and argillite units are unconformably overlain on the north and east sides of the claim group by Miocene plateau basalts.
- WORK DONE: Airborne magnetometer survey, approximately 70 line-miles covering the R and V claims at a flight spacing of 500 feet. The area covered by the survey measures 20,000 feet by 6,500 feet. The central part of the survey also covered a number of Crown-granted claims (Lots 3532 to 3539).
- REFERENCE: Assessment Report 4454.

PYRITE, (Fig. B, No. 140)

LOCATION: Lat. 50° 45′ Long. 121° 11′ (921/14E) KAMLOOPS M.D. Five and one-half miles east-northeast of Ashcroft, on the south side of the Thompson River.

CLAIMS: PYRITE 1 and 2.

OWNER: A. A. ABLETT, 1714 Clifford Avenue, Kamloops.

WORK DONE: Linecutting, 1.2 miles of grid.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 362; Assessment Report 4594.

Y, MUD (Fig. B, No. 211)

LOCATION:	Lat. 50° 46′	Long. 121° 13′	(92I/14E)	
	KAMLOOPS M.D.	Four miles northeast of Ashc	roft, on the north side	
	of the Thompson River, at approximately 2,000 feet elevation.			
OL 41440	1/0. 10 10. 00			

CLAIMS: Y 3 to 10, 13 to 22, 31 to 42, 149 to 152, MUD 4 to 9.

OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.

METAL: Copper.

- DESCRIPTION: The diamond-drill hole penetrated various volcanic flows to a depth of 497 feet where a grey limestone was encountered. This was cut off by a fault zone at 507 feet below which volcanic rocks continued to the end of the hole. The volcanic rocks consisted of breccia and porphyritic and reddish brown flows showing various degrees of epidote-chlorite alteration. Rare chalcopyrite was observed below the fault zone but elsewhere pyrite was the only sulphide noted.
- WORK DONE: Surface diamond drilling, one hole totalling 531 feet on Mud 4.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 348 (MUD).

FAIRVIEW, P&L (921/NW-37, 52) (Fig. B, No. 141)

LOCATION: Lat. 50° 47' Long. 121° 01' (921/14E) KAMLOOPS M.D. One mile northeast of Anglesey, at approximately 2,000 feet elevation.

(92I/14E)

- P&L 1 to 10, ED 1 to 6, LUCKY 1 to 6, PAR 1 to 4, HUSKY 1 to 19, CLAIMS: BOZO 1, 4, and 5.
- M. Hurd, T. A. Winters, and J. R. Ashdown. OWNERS:

NORTHLAND MINES LTD., 1130, 700 West Georgia Street, OPERATOR: Vancouver.

METALS: Copper, zinc.

DESCRIPTION: A deep gully, locally called Cabin Gulch, separates intrusive rocks on the west from red to purple Kamloops Group volcanic rocks on the east. The claims cover the old Fairview showing. Pyrite, chalcopyrite, and malachite are fairly widespread in veins, fine stockworks, and disseminations. Sphalerite occurs locally.

WORK DONE: Linecutting, 17.4 miles of grid and magnetometer survey covering P&L 1-10, Lucky 1-2, ED 1-6, and Husky 1.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1967, p. 148 (ED, A&H, TOGO); B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 230; Geol. Surv., Canada, Mem. 262, p. 107; Assessment Report 4718.

(Fig. B, No. 139) MARDI

- Long. 121° 05' Lat. 50° 48' (92I/14E) LOCATION: KAMLOOPS M.D. Eleven miles east of Cache Creek, on and north of the Trans-Canada Highway, between 1,400 and 3,200 feet elevation. CLAIMS: MARDI 7 to 10, 13 to 40.
- OPERATORS: ACHERON MINES LTD., 107, 325 Howe Street, Vancouver and CREAM SILVER MINES LTD., 9th Floor, 850 West Hastings Street, Vancouver.
- DESCRIPTION: The property is underlain by Late Triassic Nicola Group volcanic rocks which have been intruded on the west by quartz diorite, possibly an offshoot of the Guichon Creek batholith. To the north, Miocene volcanic rocks unconformably overlie the older rocks. WORK DONE:
- Magnetometer survey, approximately 20 line-miles.
- REFERENCE: Assessment Report 4303.

KB (Fig. B, No. 185)

LOCATION:	Lat. 50° 46′	Long. 120° 33′	(921/15E)	
	KAMLOOPS M.D.	Three miles north-northwes	t of Tranquille.	
CLAIMS:	KB 1 to 15.			
OWNER:	GREEN BLUFF CO	OPPER MINES LTD., 534, 1	789 West Pender Street,	
	Vancouver.			
DESCRIPTION:	The claims are un	derlain by tuff, andesite, b	asalt, agglomerate, and	
	breccia of the Kamloops Group.			
WORK DONE:	Surface geological n	napping, 1 inch equals 400 fe	et.	
REFERENCE:	Assessment Report	4309.		

DV (Fig. B, No. 184)

LOCATION:	Lat. 50° 46′	Long. 120° 37′	(92I/15E)
	KAMLOOPS M.D.	On the north side of Kam	loops Lake, 1.5 miles
	north of Frederick,	between 2,000 and 2,400 feet	elevation.
CLAIMS:	DV 1 to 30, 33 to 4	46, 49 to 56, KB 44 to 76, GA	TE 1 to 4, BULL 1 to
	3 Fractions.		
OWNER:	Cream Silver Mines	Ltd.	
OPERATOR:	CELTIC MINERAL	S LTD., 107, 325 Howe Stree	t, Vancouver.
DESCRIPTION:	The property is unc	derlain by volcanic rocks of th	e Nicola and Kingsvale
	Groups and by a sec	ction of the Iron Mask batholi	th.
WORK DONE:	1972 — surface geo	ological mapping, magnetomet	er and IP surveys, and
	geochemical survey,	, 774 samples, covering DV 1	-16, 17-30, 33-36 and
	Bull 1-3 Fractions.		
DEFEDENCES.	A	4040 4000	

REFERENCES: Assessment Reports 4219, 4220.

CAT, PAM (Fig. B, No. 180)

LOCATION:	Lat. 50° 52′	Long. 120° 33′	(921/15E)	
	KAMLOOPS M.D	. Two and one-half miles south	east of Sydney Lake,	
	on Cannell Creek,	between 3,500 and 4,500 feet ele	evation.	
CLAIMS:	CAT 1 to 12, 20,	22, 24, PAM 27 to 29, 31, 32.		
OWNER:	V.M.L. HOLDING	GS LTD. (formerly Grand Prix F	Resources Ltd.), 320,	
	475 Howe Street, Vancouver.			
WORK DONE:	Magnetometer and	d VLF EM surveys, 10 line-miles	covering Cat 1-8, 22,	
	24 and Pam 27-29).		

REFERENCE: Assessment Report 4218.

ALLIES (921/NE-44) (Fig. B, No. 183)

- LOCATION: Lat. 50° 52′ Long. 120° 34′ (921/15E) KAMLOOPS M.D. Ten miles north-northwest of Tranquille, 1 mile southeast of Sydney Lake, on Cannell Creek, at approximately 4,700 feet elevation.
- CLAIMS: DOG 103 to 132.
- OWNER: BON-VAL MINES LTD., 515, 602 West Hastings Street, Vancouver V6B 1P2.
- METALS: Gold, copper, lead.
- DESCRIPTION: The property is underlain by Middle Eocene volcanic rocks of the Kamloops Group, which overlay unconformably Upper Paleozoic metasedimentary rocks of the Cache Creek Group and some dykes that carry gold, copper, and lead mineralization.
- WORK DONE: Magneotometer and VLF EM survey, 20.4 line-miles covering Dog 103-112, 114-118, 120, 123-131; filtering of Government aeromagnetic maps covering all claims; geochemical soil survey, 240 samples, 4.7 line-miles covering Dog 103-108, 118, 120, 123, 124, 126, 130.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 234; Assessment Report 4546.

T, ZEKE (Fig. B, No. 186)

LOCATION:	Lat. 50° 54′	L	ong. 120	° 33′			(921/	15E)
	KAMLOOPS M.D.	Twelve	miles nor	th of Tran	quille, a	at the	headw	aters
	of Watching and	Cannell	Creeks,	between	4,800	and	5,200	feet
	elevation.							
CLAIMS:	T 1 to 30, ZEKE 1	1 to 30.						

OPERATOR: SPARTAN EXPLORATIONS LTD., 3165 Dunbar Street, Vancouver. DESCRIPTION: The claims are underlain by Middle Eocene andesitic basaltic volcanic

flows and pyroclastic rocks of the Kamloops Group.

WORK DONE: Surface geological mapping, 1 inch equals 750 feet covering T 1-30; ground magnetometer survey, 9 line-miles covering Zeke 11-30.

REFERENCES: Assessment Reports 4310, 4407.

- ZEKE, CAT (Fig. B, No. 182)
- LOCATION: Lat. 50° 54' Long. 120° 35' (921/15E) KAMLOOPS M.D. The property is centred 1 mile east of Andrus Lake.
- CLAIMS: ZEKE 1 to 10, CAT 25 to 40, PAM 1, 25, 33, 34, RAT 10, 12 to 14, 16.
- OPERATOR: T & C MANAGEMENT LTD., 520, 602 West Hastings Street, Vancouver.

WORK DONE: Geochemical soil survey, 502 samples taken at 100 by 400-foot grid spacing and magnetometer and VLF EM survey, 10 line-miles covering Cat 25-34 and Zeke 1-4, 6, 8.

REFERENCES: Assessment Reports 4307, 4770.

- PAM (Fig. B, No. 181)
- LOCATION: Lat. 50° 54′ Long. 120° 37′ (921/15E) KAMLOOPS M.D. Thirteen miles north-northwest of Tranquille, surrounding Strachan Lake.

CLAIMS: PAM 3 to 24.

OPERATOR: ALBERTA PETROLEUM & RESOURCES LTD., Box 6240, Station D, Calgary, Alta.

DESCRIPTION: The area is underlain by Middle Eocene volcanic rocks of the Kamloops Group, which overlay unconformably Upper Paleozoic metasedimetnary rocks of the Cache Creek Group and some dykes that carry gold, copper, and lead mineralization.

WORK DONE: Magnetometer and VLF EM survey, 15.6 line-miles covering Pam 3-24. REFERENCES: Assessment Reports 4308, 4617.

BEN (Fig. B, No. 187)

LOCATION:	Lat. 50 [°] 46′	Long. 120 [°] 28′	(921/16W)
	KAMLOOPS M.D.	Four miles north-northeast of Tranquille	
CLAIMS:	BEN 1 to 20.		
OWNER:
 A. Johnston.

 OPERATORS:
 FLINT ROCK MINES LIMITED, KALLIO MINES LIMITED, and CAT LAKE MINES LIMITED, 507, 55 Yonge Street, Toronto, Ont.

 WORK DONE:
 1972 --- magnetometer and SP surveys, 20 line-miles.

 REFERENCE:
 Assessment Report 4439.

HOMESTAKE, MOLLY GIBSON (921/NE-82 to 85, 89 to 91) (Fig. B, No. 188)

- LOCATION: Lat. 50° 54′ Long. 120° 18′ (921/16W) KAMLOOPS M.D. The property is centred 2 miles up Jamieson Creek from the North Thompson River.
- CLAIMS: DIANE, CHE, CHA, TREE, MARK, totalling 114.
- OWNERS: T. Rolston and P. Burjoski.
- OPERATOR: ALBERTA PETROLEUM & RESOURCES LTD., Box 6240, Station D, Calgary, Alta.
- METALS: Gold, silver, lead, zinc.
- DESCRIPTION: The claims cover several old gold showings named the Homestake, Molly Gibson, Francis, Alexander, Shufly Central, Shufly North, and Polestar.
- WORK DONE: 1972 airborne magnetometer and VLF EM survey, 84 line-miles at a 500-foot separation.
- REFERENCES: Geol. Surv., Canada, Mem. 249; Assessment Report 4406.

AJS (92P-50) (Fig. C, No. 71)

- LOCATION: Lat. 51° 00' Long. 120° 27' (92P/1W; 92I/16W) Report on this property in section 92P/1W.
- IRON RANGE (921/NE-96) (Fig. B, No. 190)

LOCATION:	Lat. 50° 50′	Long. 120° 03′	(921/16E)
	KAMLOOPS M.D.	On the north side of Heffley Lake	e, 1 mile east of
	the east end, at app	roximately 3,200 feet elevation.	
CLAIMS:	NAN 1 and 2.		

OWNER: WESTERN CANADA STEEL LIMITED, 450 Southeast Marine Drive, Vancouver.

METALS: Iron, copper.

- DESCRIPTION: The claims are underlain by Upper Paleozoic metavolcanic rocks intruded by bodies of gabbro.
- WORK DONE: Magnetometer survey and EM-16 surveys, approximately 1.5 line-miles each and linecutting covering Nan 1 and 2.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1967, p. 137 (HAL); B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 319 (NAN); Geol. Surv., Canada, Mem. 249, p. 143; Assessment Reports 820, 821, 2597, 4418, 4624.

EVE (Fig. B, No. 189)

- LOCATION: Lat. 50° 51' Long. 120° 05' (921/16E) KAMLOOPS M.D. On the north side of Heffley Lake, one-half mile east of the west end. CLAIMS: EVE 1 to 3, 5, 6, and 9.
- OWNER: WESTERN CANADA STEEL LIMITED, 450 Southeast Marine Drive, Vancouver.

METALS: Copper, iron.

- DESCRIPTION: The claims are underlain by Upper Palaeozoic metavolcanic and metasedimentary rocks intruded by bodies of gabbro.
- WORK DONE: Ground magnetometer and EM-16 surveys, approximately 1 line-mile each and linecutting covering Eve 3, 5, 6, and 9.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1967, p. 137 (HAL); B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 320; Assessment Reports 820, 821, 2600, 4418, 4624.



<u>ا</u>

KEY TO PROPERTIES ON INDEX MAP, FIGURE C.

- 1. KINKAM, page 223.
- 2. SUNRO MINE, page 225.
- 3. VAL, page 226.
- 4. DL, page 226.
- 5. EBB, page 227.
- 6. NI, page 228.
- 7. BUS, page 227.
- 8. SYDNEY, SYD, ACCESS, page 228.
- 9. ESP, page 230.
- 10. HESQUIAT, BROWN JUG, page 229.
- 11. ALBERNI, page 230.
- 12. LONE CONE, IRON CAP, page 231.
- 13. BUCCANEER, page 232.
- 14. NOBLE, page 232.
- 15. PROSPER, page 232.
- 16. GOOD HOPE, CYPRUS, page 231.
- 17. PAUL, page 233.
- 18. DECEMBER, page 234.
- 19. MT, WASHINGTON COPPER, page 236.
- 20. LOSS, WOLF, page 225.
- 21. B, page 233.
- 22. X, D, F, page 234.
- 23. H1, DEE, page 236.
- 24. RAT, page 238.
- 25. BOR, page 238.
- 26. MAC, page 240.
- 27. ANDY, page 239.
- 28. WAR, page 241.
- 29. SUNDOWN, page 241.
- 30. DAY, page 242.
- 31. RENO, page 242.
- 32. COPPER, page 242.
- 34. LORI (BOW RIVER RESOURCES), page 245.
- 35. LORI (NORTHAIR, GEO-DYNE), page 245.
- 36. WARMAN, page 245.
- 37. PINTO, page 244.
- 38. SIL, page 244.
- 39. KAY, page 244.
- 40. CD, page 248.
- 41. FASS, page 248.
- 42. CI, JE, page 243.
- 43. BLUE JACK, page 243.
- 44. SK1, GM, page 249.
- 45. COPPER QUEEN, page 249.
- 46. CHIP, PEM, page 250.
- 47. FALL, page 250.
- 48. GRAY ROCK, page 252.
- 49. RELIANCE, page 251.
- 50. COPPER ROAD, page 253.
- 51. LOUGHBOROUGH, page 254.
- 52. BELL page 253.
- 52. BELE, page 255.
- 53. ZEB, page 255.
- 54. WOSS LAKE, page 255.
- 55. MORRIS, MONTEITH, page 256.

- 56. TINY, page 256.
- 57. PABLO, page 257.
- 58. ATLUCK, page 255.
- 59. BATTLE, page 256.
- 60. SINKER, MEXICAN (RUF), page 257.
- 61. R, page 258.
- 62. BOB, HAB, page 258.
- 63. B, C, E, page 259.
- 64. MAGNET, page 259.
- 65. LORENA, page 260.
- 66. ISLAND COPPER MINE, page 260.
- 67. EXPO, page 262.
- 68. MO, page 261.
- 69. HPH, DORLON, page 261.
- 70. SILTA (DUD), page 263.
- 71. AJS, page 269.
- 72. HOOP, page 269.
- HAMILTON CREEK, SAVONA, page 270.
- 74. DON, RON, page 270.
- 75. JIM, page 271.
- 76. BAR, page 272.
- 77. RICK page 273.
- 78. WINDPASS, SWEET HOME, page 273.
- 79. JUDY, LINE, page 273.
- 80, DUM, page 271.
- 81. LYN, page 272.
- 82. PYCU, LV, FORT, page 275.
- 83. LAKEVIEW, SILVER, RED, page 275.
- 84. FL, page 276.
- 85. ANTICLIMAX, page 276.
- 86. SO, page 277.
- 87. PEST, page 274.
- 88. MANN CREEK, page 274.
- 89. ELLEN, GIZELLE, page 277.
- 90. NOD, SL, CS, page 283.
- 91. IQ, page 282.
- 92, CHRIS, page 282.
- 93. NOD, page 281.
- 94, BEER, page 281.
- 95, RM, page 280.
- 96, SHERI, page 282.
- 97. MATH, page 280.
- 98. WILL, page 280.

101. WB, page 278.

102. WD, page 277.

103, WC, page 279,

105. B, page 266.

106. X, Y, Z, page 266.

108. BJB, page 267.

109, EGGS, page 267.

110. HI DO, page 267.

107. MUGWUMP, page 266.

99. STAN, FIR, page 279.

100. PEACH, PIT, page 278.

104. ASTONISHER, CHISHOLM, page 265.

221

KEY TO PROPERTIES ON INDEX MAP, FIGURE C (Continued)

- 111. FISH LAKE, page 268.
- 112. BJ, page 268.
- 113. LLL, page 269.
- 114. FLY, page 263.
- 115. A&E, page 263.
- 116. ORWILL, page 265.
- 117. MOUNTAIN BOSS, page 264.
- 118. PIN, page 264.
- 119. BIG ANDY, page 254.
- 120. SUNSET, FS, page 252.
- 121. TEEN, page 243.
- 122. BOYES, page 259.
- 123. I, page 260.
- 124. PUP, page 262.
- 125. BEN, HUR, page 283.
- 126. INDIAN CHIEF, PRINCE, page 229.
- 127. FOREMOST, page 230.
- 128. VICTORIA, COPPER CANYON, page 224.

- 129. BEAR CREEK, page 223.
- 130. JILL, page 223.
- 131. REKO, page 226.
- 132, TEXADA MINE, page 233.
- 133. MYRA MINE (PARAMOUNT),
- page 235.
- 134. LYNX MINE, page 235.
- 135. PRICE, page 236.
- 136. TOWER, page 253.
- 137. MC, page 240.
- 138. BRITANNIA MINE, page 239.
- 139. CASH, page 240.
- 140. LORI, page 238.
- 141. SAM, page 237.
- 142. PITT, page 237.
- 143. BRALORNE MINE, page 251.
- 144. BD, VB, page 271.
- 145. SILVER QUEEN, PATRICK, page 250.

SOUTHWEST BRITISH COLUMBIA (NTS Division 92 and part of 102 Figure C)

VICTORIA 92B

JILL (92B-101) (Fig. C, No. 1	30)		
LOCATIO	SN:	Lat. 48° 29'	Long, 123° 46	5'	(928/5W)
		VICTORIA M.D.	Two and one-half m	iles due west of	Leechtown on
	1	the south slope of	Mount Jack, at appre	oximately 1,800	feet elevation.
CLAIMS:		JEL 1 to 30, JEL	1 Fraction.		
OWNER:	1	LEECH RIVER	MINES LTD., 102,	1765 Duchess	Avenue, West
		Vancouver.			
METAL:	(Copper.			
DESCRIP	TION: 7	A stock, said to I	be of syenitic compo	sition, has intruc	led Metchosin
	i	Formation basalt i pyrrhotite occur i appears to be relate	n the claim area. Chal n veinlets and as diss ed to the stock but is i	copyrite with mi eminations. The modified by fault	nor pyrite and mineralization ting.
WORK D REFERE	ONE: NCE:	Linecutting and IP Assessment Report	survey, 0.7 line-mile o : 4744.	covering Jill 5-8.	

BEAR CREEK (92B-100) (Fig. C, No. 129)

LOCATION:	Lat. 48 [°] 29′	Long. 123° 52′	(92B/5W)
	VICTORIA M.D.	Between Sooke and Jordan	Rivers, centred 10 miles
	northwest of Sook	e, at approximately 2,000 fe	et elevation.
CLAIMS:	Mining screement	e 71 and 72 (approximate	ly 22 square miles) on

CLAIMS: Mining agreements 71 and 72 (approximately 22 square miles) on Esquimalt and Nanaimo Railway land grants.

OWNERS: CanPac Minerals Limited and Rio Alto Exploration Ltd.

OPERATOR: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir Street, Vancouver V6C 1N5.

METAL: Copper.

DESCRIPTION: The claim area is underlain by Metchosin Formation basalt which has been intruded by small bodies of gabbro, granodiorite, and aplite. These rocks are bounded on the north by the Leech River fault. Mineralization consists of disseminated pyrite and chalcopyrite in patches and in thin veinlets.

WORK DONE: Surface geological mapping, 1 inch equals 1,320 feet; geochemical silt survey, 20 samples.

KINKAM (92B-98) (Fig. C, No. 1)

LOCATION:	Lat. 48° 32′	Long. 123° 32′	(92B/12E)		
	VICTORIA M.D.	On the east shore of Finlays	on Arm, on the south		
	slope of Jocelyn Hill, at approximately 1,000 feet elevation.				
CLAIMS:	KINKAM 1 to 16, I	Mineral Lease M-16 (MERYL, I	Lot 90).		

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 239.

- OWNERS: Armside Mining Ltd. and G. Kinneard.
- OPERATOR: ARMSIDE MINING LTD., c/o Campney & Murphy, 1030 West Georgia Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION: The predominant rock type is dark gabbro-gneiss derived from sedimentary and volcanic rocks of the Vancouver Group. This rock unit has been intruded by andesite dykes. An old adit driven in a rusty material on the Kinkam 1 and 3 claims has exposed pyrite, pyrrhotite, and ilmenite, with traces of copper and molybdenum mineralization.

- WORK DONE: Photogeological survey, approximately 6 square miles; reconnaissance magnetometer survey, approximately 1 line-mile; geochemical soil survey, 90 samples taken over approximately 1.5 miles of reconnaissance lines on Kinkam 1, 2, 4, 9 to 12.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 240; Assessment Reports 3675, 3952, 4469.

VICTORIA, COPPER CANYON (92B-4, 86) (Fig. C, No. 128)

- LOCATION: Lat. 48° 52' Long. 123° 49' (92B/13W) VICTORIA M.D. On Chemainus River, 5.5 miles southwest of Chemainus.
- CLAIMS: Mineral Lease M-19 comprising VICTORIA (Lot 21G), COPPER CANYON (Lot 22G), SUSAN (Lot 23G), KLONDYKE (Lot 68G), VICTORIA FR. (Lot 90G), and ELMOORE FR. (Lot 91G) and the located claims COPPER MINT 1 to 3.

OWNERS: A.B.C. Whittles, F. C. Loring, and G. E. Kinneard.

- OPERATOR: VIVA VENTURES LIMITED, c/o G. E. Kinneard, 8, 94 Commercial Street, Nanaimo.
- METALS: Copper, minor silver and gold.

DESCRIPTION: On the Copper Canyon claim chlorite schists are interbanded with metavolcanic rocks. Both rocks are cut by quartz veins carrying massive and disseminated pyrite; some also carry minor chalcopyrite. On the Klondyke claim to the west chlorite schist is cut by a 6-inch pyrite-bearing quartz vein.

- WORK DONE: Linecutting; 2 line-miles of elevation profiles; 800 line-feet of gravity survey; 300 line-feet of time-domain IP survey; 5,700 line-feet of 'shoot-back' EM survey; 2,500 line-feet of magnetometer survey; two seismic profiles; 900 line-feet of SP survey; 3.6 line-miles of VLF EM survey; geological mapping, 1 inch equals 100 feet.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1902, pp. 239, 252, 253; 1928, pp. 365, 366; Assessment Reports 3099, 4626.

CAPE FLATTERY 92C

SUNRO MINE	(92C-73) (Fig.	C, No. 2)	ByW	I. C. Robinson
LOCATION:	Lat. 48° 26.5′	Long. 124°	02′	(92C/8E)
	VICTORIA M.D.	One mile north of t	he mouth of Jordan I	River.
CLAIMS:	Approximately 5	0 Crown-granted	claims including	SUNLOCH,
	GABBRO, and VU	LCAN and the loca	ted claims COOK 1 to	o 20, RED 1
	to 14, SUN 1 and 2	Fractions, and GA	B 2, 3, and 4 Fractio	ns.
OWNER:	Pechiney Developn	nent Limited. (This	company has an op	erating lease
	from Sunro Mines	Ltd. to mine on 5	l contiguous claims,	which cover
	the Cave, Central, a	nd River ore zones.)	
OPERATOR:	JORDAN RIVER I	MINES LTD., 744	West Hastings Street	, Vancouver.
METALS:	Copper, iron (produ	uction shown in Tal	oleI).	
DESCRIPTION:	Copper mineralizat	ion occurs in shea	r zones in the Metcl	hosin Form-
	ation volcanic rocks	s close to a sill-like	mass of Sooke gabbro).
WORK DONE:	Surface and under	ground workings s	urveyed; undergroun	d geological
	mapping, 1 inch	equals 20 feet co	vering Sunloch 6, 0	Gabbro, and
	Gabbro Fraction; d	rifting and crosscut	ting, 2,927 feet; raisi	ng, 886 feet;
	underground diam	ond drilling, 108	holes totalling 19,0)51 feet on
	Sunloch 6, Gabbro,	, and Gabbro Fracti	on, A ventilation rais	e was driven
	from 5100 level t	o 5200 level and	the ramp, being dri	iven at 11.5
	degrees, was advand	ed 682 feet betwee:	n 5300 and 5400 leve	els.
REFERENCES:	Minister of Mines.	B.C., Ann. Rept.	. 1950, pp. 180-193	3: 1962, pp.

ERENCES: *Minister of Mines, B.C.*, Ann. Rept., 1950, pp. 180-193; 1962, pp 127-129; *B.C. Dept. of Mines & Pet. Res.*, GEM, 1972, pp. 240, 241.

LOSS, WOLF	(92C-108, 94) (Fig. C, No. 20)
LOCATION:	Lat. 48° 29' Long. 124° 06' (92C/8E) VICTORIA M.D. Along the south sides of Loss and Rough Creeks, centred 5 miles northwest of River Jordan.
CLAIMS:	LOSS 1 to 105, 129 to 179, WOLF 1 to 12.
OWNER:	G. E. White.
OPERATOR:	RIVER JORDAN SYNDICATE, c/o G. E. White, 925 Beckwith Road, Richmond.
METAL:	Copper.
DESCRIPTION:	Hornblendite and associated mineralization occur in northwesterly and in northeasterly trending shear zones cutting Tertiary gabbro and Metchosin volcanic rocks.
WORK DONE:	Linecutting; VLF EM survey, 5 line-miles; geochemical soil survey, 145 samples taken at 200 by 400-foot grid spacing covering Loss 85, 86, 103, 104, 174, 176-179.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 241; Assessment Report 4751.

- VAL (92C-89) (Fig. C, No. 3)
- LOCATION: Lat. 48° 35' Long. 124° 23' (92C/9W) VICTORIA M.D. Three miles northeast of Port Renfrew at approximately 300 feet elevation.
- CLAIMS: VAL 1 to 14, SUE 1 to 6, 11 to 13, CATY 2 to 8, 11 to 24, ED 6, LELLA 1 to 10.
- OWNER: PERBELL MINES LTD., 1700, 777 Hornby Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Disseminated chalcopyrite, pyrite, and pyrrhotite have been observed in shale and near shale-tuffaceous andesite contacts.
- WORK DONE: Geochemical soil survey, 350 samples covering Caty 2-8, 12, 14, 16, 18, 20, 22, 24, Sue 1-6, 11-13, Ed 6, and Val 1-14; trenching, 600 feet on Lella 1 and Caty 2 and 4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 242; Assessment Report 4359.

REKO (92C-90, 91) (Fig. C, No. 131)

- LOCATION: Lat. 48° 39' Long. 124° 18' (92C/9W) VICTORIA M.D. Approximately 8 miles northeast of Port Renfrew, on Renfrew Creek, at 1,200 feet elevation.
- CLAIMS: REKO 1 to 66, KESTREL 1 to 15.
- OWNER: REAKO EXPLORATIONS LTD., 118, 815 West Hastings Street, Vancouver V6C 1B4.

METALS: Iron, copper.

- DESCRIPTION: The claims are underlain by volcanic and sedimentary rocks of the Vancouver Group which have been cut by Island intrusions. The limy members have been recrystallized to marble, and skarn zones were formed which contain magnetite, pyrite, pyrrhotite, and chalcopyrite.
 WORK DONE: Magnetometer survey, 25 line-miles covering Reko 1, 2, 9, 10, 19, 28, 30, 38, 42; IP survey, 12 line-miles covering Reko 1-4; surface diamond drilling, 86 holes totalling 13,391 feet on Reko 3, 4, 9, 10, and 42; trenching, 4,000 cubic feet on Reko 9.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 242, 243.

DL. (Fig. C, No. 4)

LOCATION:	Lat. 48° 43'	Long. 124° 16'	(92C/9W)
	VICTORIA M.D.	Twelve miles north-northeast	of Port Renfrew, at
	the headwaters of	Harris Creek, at approximately	2,500 feet elevation.
CLAIMS:	DL 1 to 10.		
OWNER:	NEW COSMIC IN	DUSTRIES LTD., 420, 475 Ho	we Street, Vancouver.
METAL:	Copper.		

- DESCRIPTION: Pyroclastic andesite and intercalated limestone and argillite have been intruded by dykes of diabase, and dykes and small stocks of diorite. Minor pyrrhotite and chalcopyrite occur with magnetite in shear zones in andesite on DL 1.
- WORK DONE: Linecutting, approximately 8 line-miles on DL 1-4 and 7-10; surface geological mapping, 1 inch equals 200 feet; geochemical survey, 213 soil samples and 7 silt samples taken at 100 by 400-foot grid spacing; magnetometer survey, 4.5 line-miles covering DL 1-4.
- REFERENCES: Assessment Reports 4468, 4792.

EBB (92C-77) (Fig. C, No. 5)

LOCATION: Lat. 48° 42' Long. 124° 46' (92C/10) VICTORIA M.D. At Doobah, Cheewhat, and Sprise Lakes, 1.5 miles east of Nitinat Lake, between sea-level and 400 feet elevation. CLAIMS: EBB (12 claims), TIDE 1 to 20, 24 to 29, IT 1 to 24.

OWNER: DOOBAH MINING LTD., Box 802, Kelowna.

METALS: Copper, silver, zinc.

- DESCRIPTION: The northern half of the property is underlain by coarse-grained, leucocratic quartz monzonite. The southern half is underlain by several units of hybrid quartz diorite of varied texture and composition which contains small pendants and abundant xenoliths of volcanic rock and lesser skarn. Chalcopyrite, sphalerite, pyrite, and pyrrhotite occur as disseminations and fracture fillings, and in xenoliths of skarn.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet and 1 inch equals 50 feet covering Tide 3, 4, 6, 7, 10, 28, 29, lt 5, 7, 9, 11, and four Ebb claims; airborne magnetometer survey, 96 line-miles covering all claims; IP survey, 6.2 line-miles partially covering the same claims as the geological survey; linecutting.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 256, 257; Assessment Report 4690.

BUS (92C-97) (Fig. C, No. 7)

andesite.

LOCATION:	Lat. 48° 55′	Long. 124	° 57′	(92C/15W)
	ALBERNI M.D.	One mile north of	f Sarita River and '	2 miles west of
	Sarita Lake, on	the south side of N	lount Blenheim, be	tween 100 and
	1,000 feet elevati	ion.		
CLAIMS:	BUS 1 to 8.			
OWNERS:	W. Waters and K.	Buchanan.		
OPERATOR:	WESTERN MINE	ES LIMITED, Box 80	000, Campbell Rive	r.
METALS:	Copper, iron.			
DESCRIPTION:	Pods and lenses	of pyrite, chalcor	oyrite, magnetite,	and pyrrhotite
	mineralization o	occur in skarnified	sheared andesite.	Skarnification
	extends over a h	orizontal distance of	f approximately 50	feet within the

WORK DONE: Reconnaissance geological and geochemical surveys over 12.5 line-miles, sampling at 200-foot intervals.

REFERENCE: Assessment Report 4357.

- NI (92C-92) (Fig. C, No. 6)
- LOCATION: Lat. 48° 53' Long. 124° 42' (92C/15E) ALBERNI M.D. On the west bank of the Little Nitinat River, 4.5 miles north of the north end of Nitinat Lake, at approximately 1,000 feet elevation.

CLAIMS: NI 1 to 12, 21 to 30, NI 1 to 4 Fractions.

- OWNER: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.
- METALS: Copper, lead, zinc.
- DESCRIPTION: The claims are underlain by andesite, basalt, breccia, and limestone of the Vancouver Group which have been cut by basalt dykes. The rocks have been locally intensely altered as expressed by sericite, chlorite, carbonate, and silica and are cut by two major faults. Bornite, chalcopyrite, galena, sphalerite, and pyrite occur in small fractures and faults.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering NI 21-30; IP and magnetometer surveys, 6 line-miles covering selected claims; geochemical survey, 231 soil samples, 5 line-miles and 70 rock samples, 3 line-miles covering mainly NI 21-30.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 260, 261; Assessment Reports 2019, 4279.

NOOTKA 92E

SYDNEY, SY	D. AC	CESS	(92E-39.	55.	56)	Fia.	C .	No.	8)
------------	-------	------	----------	-----	-----	------	------------	-----	----

LOCATION:	Lat. 49° 23′			Long	Long. 126° 16'				(92E/8W)		
	ALBERNI	M.D.	One	mile	north	of	Hot	Springs	Cove,	at	
	approximat	ely 700) feet e	levatio	n.						
CLAIMS.	CVD 1 to 2	1 100	PECC 1	+- 6 /	10774	- 10	20 20	1 21 22	CO 2		

CLAIMS: SYD 1 to 21, ACCESS 1 to 6, HOT 7 to 10, 26, 28, 31, 32, SC 3 and 4 Fractions, MATHEW Fraction, MATHEW 1 and 2 Fractions.

OWNERS: Florex Mining Co. Ltd. and Sam Craig.

OPERATOR: WESTERN MINES LIMITED, Box 8000, Campbell River.

METALS: Copper, molybdenum.

- DESCRIPTION: Chalcopyrite, pyrite with minor bornite, and molybdenite occur in fractures in a multiphase Tertiary stock of diorite to granodiorite composition. Mineralization has been examined on the Syd 3, 5, and 11 and on Access 2 claims.
- WORK DONE: IP survey, 4 line-miles, 400-foot spacing, covering Syd 11 and 12 and Access 1 to 6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 262; Assessment Report 4402.

(92E/8W)

INDIAN CHIEF, PRINCE (92E-11, 32) (Fig. C, No. 126)

LOCATION: Lat. 49° 27' Long. 126° 19' (92E/8W) ALBERNI M.D. Twenty-seven miles northwest of Tofino, on the west side of Stewardson Inlet, at approximately 1,700 feet elevation.

CLAIMS: VICTOR (Lot 571), PRINCE (Lot 572), PRINCE 2 to 4, 6, 7, 5, 8 (Lots 573 to 579), TINNICANUM (Lot 580), DEW DROP FR. (Lot 581), SCOTLET (Lot 582), LESCHI (Lot 583), VICTOR NO. 1 FR. (Lot 584), BEERSHALAM (Lot 698), MEPHISTOPHELES (Lot 711), BRUTUS NO. 2 FR. (Lot 712) Crown-granted claims.

OWNER: Estate of Hubert E. Dendoff (executors, Ernest F. Burnett and Gertrude G. Sproston).

OPERATOR: TEXADA MINES LTD., 407, 1111 West Georgia Street, Vancouver.

METALS: Copper, iron, gold, silver.

DESCRIPTION: Northeast-dipping basaltic and andesitic flows, lithic tuff, and limestone lenses of the Bonanza Subgroup have been altered to skarn near a quartz diorite contact. Skarn zones comprising garnet, epidote, and diopside contain masses and disseminations of magnetite with veins and disseminations of chalcopyrite and bornite.

- WORK DONE: Surface geological mapping, 1 inch equals 2,400 feet covering the Indian Chief group; underground geological mapping, 1 inch equals 480 feet covering Scotlet and Prince 4; magnetometer survey, 12.3 line-miles covering Indian Chief group; geochemical soil survey, 673 samples, 12 line-miles covering Indian Chief group.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1899, pp. 791, 792; 1938, p. F68; 1956, p. 119; 1963, p. 101; *Geol. Surv., Canada,* Sum. Rept., 1918, Pt. B, p. 37; 1920, Pt. A, p. 20; Assessment Reports 462, 463.

HESQUIAT, BROWN JUG (92E-31, 16) (Fig. C, No. 10)

LOCATION: Lat. 49° 30′ Long. 126° 23′ (92E/8W, 9W) ALBERNI M.D. Thirty-three miles northwest of Tofino, east side of Hesquiat Lake, between sea-level and 100 feet elevation.

CLAIMS: HESQUIAT 5 to 9, BROWN JUG 1 to 6, SATCHIE 2 to 7, HESTERVAN 1, 10 to 12, ESTEVAN 1 to 9, HES 1 to 5.

OWNER: Lindale Copper Mines Ltd.

OPERATOR: TEXADA MINES LTD., 407, 1111 West Georgia Street, Vancouver.

METALS: Lead, copper, zinc, iron.

- DESCRIPTION: Sicker and Karmutsen volcanic rocks have been intruded by quartz diorite and diorite. Galena, sphalerite, and chalcopyrite associated with quartz, epidote, and sericite alteration occur in a shear zone. Chalcopyrite and magnetite mineralization occurs in quartz-epidote skarn at the intrusive contact.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering Brown Jug 1-6, Satchie 2-7, and Hestervan 2-5; ground magnetometer survey, 5 line-miles covering Satchie 2-7; geochemical soil and silt survey, 91 samples, 2 line-miles covering Satchie 2-7 and Brown Jug 5 and 6; trenching, 187 cubic feet on Satchie 3 and Hestervan 2 and 4; stripping, 2,400 square feet on Brown Jug 2.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 262.

ESP (92E-52, 53) (Fig. C, No. 9)

LOCATION: Lat. 49° 56' Long. 126° 57' (92E/15W) ALBERNI M.D. One-half mile west of Espinosa Inlet and 5 miles north of Esperanza Inlet, at approximately 500 feet elevation. CLAIMS: ESP 1 to 37.

OWNER: ESPINA COPPER DEVELOPMENTS LTD., 902, 850 West Hastings Street, Vancouver.

DESCRIPTION: The property is underlain by Bonanza andesitic volcanic rocks. Chalcopyrite, molybdenite, and pyrite are reported to occur in quartz-filled fractures.

WORK DONE: Geochemical soil survey, approximately 200 samples covering Esp 16-20; percussion drilling, 12 holes totalling 1,000 feet on Esp 3, 4, 5, and 6; claims surveyed; topography mapped.

REFERENCE: Assessment Report 4280.

ALBERNI 92F

- ALBERNI (92F-79) (Fig. C, No. 11)
- LOCATION: Lat. 49° 10' Long. 124° 40' (92F/2E) ALBERNI M.D. Eight miles southeast of Alberni, on Mineral Creek, a tributary of China Creek, between 2,600 and 2,900 feet elevation.
- CLAIMS: SAM 1 to 16.
- OWNER: KEYWEST RESOURCES LTD., 818, 510 West Hastings Street, Vancouver.
- METALS: Gold, lead, zinc.

DESCRIPTION: Gold occurs in quartz veins in a strong northerly trending shear zone in andesite. The veins contain minor amounts of pyrite, galena, and sphalerite.

- WORK DONE: Surface geological mapping covering Sam 2, 4, 9, and 11; underground geological mapping, seven adits and two raises, totalling approximately 2,270 feet covering Sam 2 and 4; 300 feet of underground work on Sam 4 (cleaning out adits and sampling).
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1936, pp. F25-30; 1944, p. 148 (Vancouver Island Gold Mines Ltd.); Assessment Report 4915.

FOREMOST (92F-9 to 28) (Fig. C, No. 127)

- LOCATION:Lat. 49° 15'Long. 125° 35'(92F/4E, 5E)ALBERNI M.D.At the head of Tofino Inlet, on the east and west
sides of Tofino Creek, between sea-level and 800 feet elevation.CLAIMS:FOREMOST 5 to 8, FOREMOST COPPER 1 to 4, CLEAR CREEK 1
- to 6, COPPER CREEK 1 to 4, VELVET 13 to 16, SALT CHUCK, SW 1 to 12.
- OWNER:SUN-WEST MINERALS, LIMITED, 803, 1636 Haro Street, Vancouver.METALS:Copper, molybdenum, nickel, gold, silver.

- WORK DONE: Trenching, 4 feet by 5 feet by 90 feet on Clear Creek 4; stripping, 12 feet by 12 feet by 400 feet on Foremost Copper 2 and Clear Creek 2, 3, and 5.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 265.

LONE CONE, IRON CAP (92F-204, 158) (Fig. C, No. 12)

- LOCATION: Lat. 49° 12' Long. 125° 54' (92F/4W) ALBERNI M.D. The property lies from 2 to 6 miles north of Tofino and covers most of the western peninsula of Meares Island, between sea-level and 2,000 feet elevation.
- CLAIMS: LONE CONE 1 to 39, 42 to 44, 52 to 59, 60 to 69, BL 1 to 24, 90 to 98, LITE 1 to 3, NICKEL, NICKEL 1 to 6, WIN 1 to 6.
- OPERATOR: TEXADA MINES LTD., 407, 1111 West Georgia Street, Vancouver.
- METALS: Copper, nickel, molybdenum.
- DESCRIPTION: Sicker volcanic rocks and diorite gneiss have been intruded first by gabbro and later by Tertiary Catface intrusions. The intrusive complex is strongly faulted. Sulphide mineralization occurs in fractures. Chalcopyrite and molybdenite occur in quartz diorite, gabbro, and andesite. Chalcopyrite, pyrrhotite, and pentlandite mineralization has been found in gabbro.
- WORK DONE: Surface diamond drilling, four holes totalling 987 feet on Lone Cone 1, 8, BL 2, 8, 1, 7, 4, 10, and Win 3; road constructed, 0.8 mile (access to drill site); trenching, 901 feet on Lone Cone 8, 1, BL 1, 7, 2, 8, 3, 9, 4, 10, and Win 3.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 265.

GOOD HOPE, CYPRUS (92F-154, 299) (Fig. C, No. 16)

LOCATION: Lat, 49° 16′ Long, 125° 56′ (92F/5W) ALBERNI M.D. On the west side of Cypress Bay, 7.5 miles north of Tofino, between sea-level and 1,500 feet elevation.

CLAIMS: CYPRESS 1 to 10, 12 to 15, TOP 1 to 14.

OWNER: TEXADA MINES LTD., 407, 1111 West Georgia Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Sicker greenstone and argillite units have been cut by Catface intrusions. Chalcopyrite occurs in quartz veins and in greenstone near the intrusive contact.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil and silt survey, 150 samples, 3.5 line-miles; and linecutting covering Cypress 7-10 and Top 1 and 2.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1906, p. 188; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 266; Assessment Report 4688.

PROSPER (92F-53) (Fig. C, No. 15)

- Lat. 49° 24' Long. 125° 45' (92F/5) LOCATION: ALBERNI M.D. On Bedwell River, north of the mouth of Ursus River, between 100 and 1,200 feet elevation.
- CLAIMS: PROSPER 1, BE 1 to 6, BW 1 to 6, BW Fraction, BUR 1 to 3, Mineral Lease M-60 (BROOKLYN, Lot 701).
- OWNER: Golden Hinde Mines Ltd., Box 94, Tofino.
- METALS: Copper, lead, iron, gold, silver.
- DESCRIPTION: The Prosper property is underlain by Karmutsen volcanic rocks and limestone in contact with guartz diorite and diorite on the northwest part of the claims. Lenses of magnetite up to 10 feet wide, with chalcopyrite, occur as replacements in limestone and nearby volcanic rock. Similar lenses of magnetite and chalcopyrite occur in the volcanic rocks elsewhere on the claims. Mineralized guartz veins carrying gold values in some sections also occur on the property.
- WORK DONE: Road construction, one-quarter mile on Prosper 1; trenching, 200 feet on Prosper 1 and Bur 1; underground work, 20 feet on Bur 1.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1947, p. 181; B.C. Dept. of Mines, Bull, 8, pp. 22-26.
- BUCCANEER (92F-61) (Fig. C, No. 13)
- Long. 125° 41' Lat. 49° 25.5' (92F/5E) LOCATION: ALBERNI M.D. South side Bedwell River, 8.5 miles from mouth, between 1,700 and 2,000 feet elevation.
- CLAIMS: MAY 1 to 8, JUNE 1 to 6, DEL 1 to 3.
- OWNER: CRAIG MINING LTD., Box 72, Tofino.
- METALS: Gold, silver, copper, lead, zinc.
- DESCRIPTION: The claims are underlain by granodiorite cut by andesite dykes. Gold is associated with galena, sphalerite, chalcopyrite, minor pyrite, and ankerite (?) in guartz veins and fractures.
- WORK DONE: Road constructed, 500 feet on May 5; trenching, approximately 2,000 cubic feet on May 5 and 6.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1946, p. 182; 1959, p. A45; B.C. Dept. of Mines, Bull. 13, pp. 47-61.

NOBLE (92F-57) (Fig. C, No. 14)

- Lat. 49° 26' Long. 125° 44' LOCATION: (92F/5E) ALBERNI M.D. At the confluence of Noble and Dry Creeks with Bedwell River, 5.5 miles north of Bedwell Sound, between 500 and 2,500 feet elevation. CLAIMS: CUB 1 to 12, NUB 1 and 2, OWNER:
- GOLDEN HINDE MINES LTD., Box 94, Tofino.
- METALS: Copper, molybdenum, gold, silver.

- DESCRIPTION: A contact between Island intrusions and Vancouver Group volcanic rocks passes through the property. Quartz veins up to 2 feet wide, some of which carry gold and silver mineralization, occur at various places on the property. Molybdenite occurs in fractures in intrusive rock and in a stockwork of quartz veins containing other sulphides. A major east-west-trending fault contains pyrrhotite as disseminations and as massive pods which contain erratic chalcopyrite.
- WORK DONE: Geochemical soil and rock survey, 70 samples, 3.5 line-miles covering Cub 1-6; geochemical soil survey, 102 samples, 3.5 line-miles covering Cub 5-7 and Nub 1 and 2.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1947, p. 181; *B.C. Dept. of Mines,* Bull. 8, pp. 36-39; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 267 (CUB); Assessment Report 4354.
- B (92F-356) (Fig. C, No. 21)
- LOCATION: Lat. 49° 17' Long. 125° 06' (92F/6E) ALBERNI M.D. At the middle of the north side of Sproat Lake, at approximately 900 feet elevation.
- CLAIMS: B 1 to 6, 11 to 20.
- OWNER: McLEOD COPPER LTD.; 13887 102nd Avenue, Surrey.

METAL: Copper.

- WORK DONE: Surface diamond drilling, seven holes totalling 180 feet on B 13.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 268.

PAUL (92F-287) (Fig. C, No. 17)

- LOCATION: Lat. 49° 37' Long. 124° 24' (92F/9W) NANAIMO M.D. Approximately 5 miles southeast of Gillies Bay, west side of Texada Island, between sea-level and 1,000 feet elevation.
- CLAIMS: PAUL 1 to 15, 19 to 34, 37, 38, 42, 44 to 46, 50 to 52.
- OWNER: LAFARGE CANADA LTD., 1051 Main Street, Vancouver V6A 2V9. METALS: Iron, copper.
- WORK DONE: Surface geological mapping, 1 inch equals 500 feet covering all claims; surface diamond drilling, six holes totalling 1,990 feet on Paul 8, 9, 10, 27, 29, and 31: linecutting covering eight claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 249; Assessment Report 4723.
- TEXADA MINE(92F-106, 107, 257 to 259)(Fig. C, No. 132)By W. C. RobinsonLOCATION:Lat. 49° 43'Long. 124° 34'(92F/10E)NANAIMO M.D.Three and one-half miles south of Vananda, at
Welcome Bay on the southwest coast of Texada Island.CLAIMS:CLAIMS:EASTGATE (Lot 53), GOODALL (Lot 234), LEROI, BOULDER
NEST, JACK NORTH, YELLOW KID, LMC (Lots 264 to 268), and
CAMERON (Lot 182) Crown-granted claims and approximately 55

located claims including LIME, IRON, and TML,

OWNER: TEXADA MINES LTD., Box 10, Gillies Bay.

METALS: Iron, copper (production shown in Table I).

- DESCRIPTION: The Lake and Paxton orebodies are summarized as magnetite deposits with minor chalcopyrite and pyrrhotite replacing limestone, basalt, and minor amounts of quartz diorite. Mineralization occurs at the keels of compressed synclines which plunge gently westerly and are overturned northerly. The western orebodies, Prescott, Midway, and Yellow Kid, have similar mineralization but form an upward branching system which follows the contact between the Gillies stock and the volcanic rocks. The presence of irregular porphyry bodies and breccia appears to have influenced ore deposition.
- WORK DONE: Trackless mining methods completed 2,010 feet of drifting. Other work included 122 feet of subdrifting and 788 feet of raising. The major portion of the ore was mined by longhole stoping. In the concentrator, magnetic separation and selective flotation methods were used to produce iron and copper concentrates.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1952, pp. 217-221; 1964, pp. 146-151; B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 269, 270; Geol. Surv., Canada, Summ. Rept., 1924, Pt. A, pp. 106-144.
- DECEMBER (92F-355) (Fig. C, No. 18)
- LOCATION: Lat. 49° 44' Long. 124° 32' (92F/10E) NANAIMO M.D. Approximately 2 miles south of Vananda and south of the road to Raven Bay, between 300 and 500 feet elevation.
- CLAIMS: DECEMBER 6 to 8, DECEMBER C Fraction, APRIL 24, MAY 1 Fraction.

OWNER: LAFARGE CANADA LTD., 1051 Main Street, Vancouver V6A 2V9. METALS: Copper, iron.

DESCRIPTION: The claims are underlain by limestone containing numerous skarn zones which have been cut by porphyritic dykes. Chalcopyrite and magnetite occur in veinlets and as minor disseminations.

- WORK DONE: Surface diamond drilling, two holes totalling 855 feet on December 6 and 8.
- X, D, F (Fig. C, No. 22)

LOCATION:	Lat. 49° 31′	Long. 125° 33′	(92F/12E)
	ALBERNI M.D.	On Price Creek, from 2 to 6 m	niles south of the south
	end of Buttle Laf	ke, at approximately 700 feet ele	evation.
CLAIMS:	X 1 to 25, D 1 to	9 18, F 1 to 28.	
OWNER:	Cream Silver Min	es Ltd.	
OPERATOR:	WESTERN MINE	ES LIMITED, Box 8000, Campb	ell River.
DESCRIPTION:	The claims are u	nderlain by Sicker Group volca	nic rocks consisting of
	rhyolite breccia,	minor argillite, and dacitic	lapilli tuff which are
	interbedded and	dipping at a low angle to the sou	itheast.
WORK DONE:	Surface diamond	drilling, one hole totalling 860 f	eet on X 1.
REFERENCE:	B.C. Dept, of Mir	nes & Pet. Res., GEM, 1972, pp.	267, 268.

(92F/12E)

LYNX MINE (92F-71) (Fig. C, No. 134) By W. C. Robinson

LOCATION: Lat. 49° 34.5′ Long. 125° 35.5′ (92F/12E) ALBERNI M.D. On the north slope of Myra Creek valley, 2.5 miles west-northwest of the south end of Buttle Lake.

CLAIMS: Mineral Lease M-19 (RED DEER, OTTER, Lots 1343, 1662), the Crown-granted claims PEARL, BETTY, ELWOOD, MINT, LYNX, COUGAR, BLUE GROUSE, BLUE JAY, RED SQUIRREL, GREY SQUIRREL, and BESSIE B (Lots 1340 to 1342, 1659, 1660, 1663 to 1667), and approximately 75 located claims including W, ELK, and MAR.

OWNER: WESTERN MINES LIMITED, 870, One Bentall Centre, Vancouver; mine office, Myra Creek.

METALS: Copper, zinc, lead, silver, gold (production shown in Table I).

DESCRIPTION: The Lynx deposit is, in summary, comprised of massive sulphide orebodies consisting mainly of chalcopyrite, galena, sphalerite, and pyrite in a gangue of quartz-sericite schist, calcite, and barite. Mineralization occurs in sheared andesite flows, volcanic breccias, and massive and thin-bedded tuffs.

WORK DONE: Drifting and crosscutting, 4,852 feet; raising, 2,712 feet; diamond drilling, 55,077 feet. Approximately three-quarters of the ore was obtained from underground and one-quarter from the open pit. Most of the underground ore was mined by cut-and-fill method, with mill tailings being used for backfill. A chlorine plant was installed to counteract residual cyanide in the concentrator tailings.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1964, pp. 157-166; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 271.

MYRA MINE (PARAMOUNT)	(92F-72)	(Fig. C, No. 133)	By W. C. Robinson
LOCATION:	Lat. 49° 34'	Lo	ong. 125° 35.5′	(92F/12E)
	ALBERNI M.D.	On the sou	uth slope of Myra C	reek valley, 1.5 miles
	west-northwest o	f the south e	end of Buttle Lake.	
CLAIMS:	BEAR PAW, BEA	AVER PAW	, RIGHT PAW, LEF	T PAW (Lots 1344 to
	1347), SOUTH I	PAW, WEST	PAW, NORTH PA	W, EAST PAW (Lots
	1668 to 1671), a	nd approxim	nately 60 located claim	ms including W, ELK,
	and HAT.			
OWNER:	WESTERN MINE	S LIMITED	, 870, One Bentall Ce	entre, Vancouver.
METALS:	Zinc, silver, copp	er, lead, gold	l (production shown	in Table I).
DESCRIPTION:	Massive, irregular	, lens-shaped	l orebodies occur in	altered, acidic, Sicker
	Group volcanic ro	ocks.		
WORK DONE:	Drifting and cro	sscutting, 5	,338 feet; raising, 1	2,277 feet; diamond
	drilling, 48,737 f	eet. Ore was	trucked to the nearb	y concentrator at the
	Lynx mine.			
REFERENCE:	B.C. Dept. of Min	es & Pet. Re	s., GEM, 1972, pp. 2	70, 271.

PRICE	92F-73)	(Fig	С	No.	135)
FNIQE I	021-101	\1 JY.	ν,	140.	1001

By W. C. Robinson

LOCATION: Lat. 49° 33' Long. 125° 34' (92F/12E) ALBERNI M.D. One-half mile southwest of the south end of Buttle Lake

CLAIMS: BOULDER, RAVEN, BETTY, BARITE (Lots 1971 to 1974) Crowngranted claims and approximately 45 W and HAT located claims.

OWNER: WESTERN MINES LIMITED, 870, One Bentall Centre, Vancouver.

METALS: Copper, zinc, lead, silver, gold,

DESCRIPTION: Massive sulphide mineralization occurs in altered, siliceous, Sicker Group volcanic rocks.

- WORK DONE: Work started on the driving of a tunnel from the west slope of Thelwood Creek valley to connect with No. 13 level of the Myra mine. At the end of the year the tunnel had advanced a distance of 2,312 feet from the portal, with 4,100 feet separating the face from a heading being driven from the Myra mine. Other work included 8,258 feet of diamond drilling from underground.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 251; 1972, p. 270.

MT. WASHINGTON COPPER (92F-116, 117) (Fig. C, No. 19)

- LOCATION: Lat. 49° 46' Long. 125° 18' (92F/14, 11) NANAIMO M.D. Fifteen miles west-northwest of Courtenay, on the north slope of Mount Washington, between 1,300 and 4,500 feet elevation.
- CLAIMS: Four Crown-granted claims (Lots 91G to 94G) and the located claims DOMINEER, RONDO, KEN, GEM, PEARL, MUREX, ENA, CAM, MWC, MTW, etc., totalling approximately 260.

OWNERS: Mt. Washington Copper Co. Ltd. and Imperial Oil Limited.

OPERATOR: IMPERIAL OIL LIMITED, 500 Sixth Avenue SW., Calgary, Alta.

METALS: Copper, molybdenum, silver, gold.

- WORK DONE: 1972 linecutting, approximately 61 miles of grid; 1973 surface geological mapping, 1 inch equals 400 feet covering MWC and MTW claims; IP survey, 7.5 line-miles covering MWC 134, 137-140, 174-178, 151, 152, 247, and 248; geochemical soil, silt, and water survey, approximately 5,000 samples, 150 line-miles; surface diamond drilling, seven holes totalling 2,812 feet on MWC 176, 175, and 527; 34.5 miles of line cut and surveyed.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 281; Assessment Reports 4471, 4505.

HI, DEE (92F-292, 291) (Fig. C, No. 23)

LOCATION:Lat. 49° 56'Long. 124° 21'(92F/16W)VANCOUVERM.D.BetweenHaslam and Dodd Lakes, 8 miles
east-northeast of Powell River, at approximately 1,200 feet elevation.CLAIMS:HI 1 to 8, DEE 1 to 4, BECUS 1 to 4, MARS 1 to 8, WOF 1 to 6,
BULL 1 to 12.

OWNERS: R. E. Mickle and M. V. Boylan.

OPERATOR: PHELPS DODGE CORPORATION OF CANADA, LIMITED, 404, 1112 West Pender Street, Vancouver V6E 2S1.

METALS: Minor copper and molybdenum.

DESCRIPTION: The claims are underlain by three phases of the Coast Range intrusive granodiorite and a central small quartz monzonite body showing chilled contacts. Known mineralization comprises a patchy zone of pyrite and chalcopyrite with molybdenite in slightly altered medium-grained biotite granodiorite near contacts with the quartz monzonite body.

- WORK DONE: Surface diamond drilling, two holes totalling 600 feet on HI 6 and 2; road construction, one-half mile on HI 2, 6 and Mars 1, 2; stripping, 2 feet by 20 feet by 20 feet on HI 2 and 6.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 272, 273.

VANCOUVER 92G

PITT (Fig. C, No. 142)

LOCATION:	Lat. 49° 22′ Long. 122° 34′ (92G/7E)
	NEW WESTMINSTER M.D. On the east side of Pitt Lake, 1 mile
	north-northwest of Eunice Lake.
CLAIMS:	PITT 1 to 6.
OWNER:	A. Stephenson.
OPERATOR:	V, ADAIR, c/o 723 Fifth Street, New Westminster.
DESCRIPTION:	The area is underlain by granodiorite of the Coast Plutonic Complex.
WORK DONE:	Two vertical packsack drill holes totalling 145 feet on Pitt 2.
REFERENCE:	Assessment Report 4862.

SAM (Fig. C, No. 141)

LOCATION: Lat. 49° 26' Long. 122° 34' (92G/7E) NEW WESTMINSTER M.D. On the west side of Pitt Lake, 1.5 miles northwest of Goose Island. CLAIMS: SAM 1 to 16.

OWNER: KERRY MINING LTD., 2070, 777 Hornby Street, Vancouver.

- DESCRIPTION: The claim area is underlain by rocks of the Coast Plutonic Complex, consisting mainly of quartz diorites and diorites. Some migmatite occurs in the northwestern part of the group. Pyrite is common as a fine dissemination and along some fractures. Copper was noted in minor amounts in an irregular shear just east of the property.
- WORK DONE: Linecutting, 34 miles of grid; geochemical soil survey, 930 samples taken at 200-foot centres covering all claims.
- REFERENCE: Assessment Report 4834.

RAT (Fig. C, No. 24)

LOCATION:	Lat. 49° 23′	Long. 122° 02′	(92G/8E)
	NEW WESTMINST	ER M.D. One and one-half mi	iles south of the south
	end of Chehalis Lak	e, between 800 and 2,500 feet	elevation.
CLAIMS:	RAT 1 to 14, 21 to	23, 25.	

OWNER: LAURA MINES LTD., 403, 717 West Pender Street, Vancouver.

- WORK DONE: Geochemical soil survey, 144 samples taken on 200 by 200-foot grid spacing.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 274; Assessment Report 4364.

BOR (92G-78) (Fig. C, No. 25)

LOCATION:	Lat. 49° 40′	Long	j. 12	2° 38′			(92G/10E)
	NEW WESTMINSTER	M.D.	On	Corbold	Creek	at	approximately
	2,500 feet elevation.						
CLAIMS:	BOR 1 to 24.						

- OWNER: DUNBAR RESOURCES LTD., 200, 1405 Hunter Street, North Vancouver.
- METALS: Copper, silver, gold.
- DESCRIPTION: The property is underlain by metavolcanic rocks of the Corbold pendant which are in gradational contact with quartz diorite on the north and southeast, and both rocks are cut by northerly trending Tertiary dykes and shear zones. On Bor 1 and 2 a shear zone carries chalcopyrite and bornite.
- WORK DONE: Surface geological mapping, 1 inch equals 800 feet; geochemical rock chip survey, 45 samples taken at irregular intervals along logging roads.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 274, 275; Assessment Reports 3906, 4513.

LORI (92G-72) (Fig. C, No. 140)

LOCATION:	Lat. 49° 43'	Lon	g. 122° 56'		(92G/10W)
	VANCOUVE	R M.D. Ten mile	es east of Squa	mish, on Mar	nquam River,
at approximately 3,000 feet elevation.					
CLAIMS:	5: LORI 1 to 20, ALCO 1 to 6, 11 to 16, 21 to 32, L 1 to 18, S 1 to 12 TULSA 13 to 16, SEE 1, 2, 9, 10, 15 to 17, BEN 1 to 4, J 1 to 8, BE				18, S 1 to 12,
					J 1 to 8, BEE
	1 to 24, LOF	RI 1 Fraction.			
OWNERS:	Exeter Mines	Limited, et al.			
OPERATOR:	NORANDA	EXPLORATION	COMPANY,	LIMITED,	1050 Davie
	Street, Vanco	ouver V6E 1M4.			
METALS:	Copper, moly	ybdenum.			

- DESCRIPTION: The area is underlain by rocks of the Coast Plutonic Complex including quartz diorite-diorite, pendants of andesite - granulite - migmatite, andesite porphyry, and aplite dyke swarms. Pyrite, chalcopyrite, and molybdenite occur along fractures and in quartz veinlets.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet; IP survey, 6.5 line-miles covering Lori 7-10, See 9, 10, Tulsa 15, 16, S 8, 10, Alco 1-4, 25, 27, 29-32; surface diamond drilling, three holes totalling 920 feet on Lori 9 and Alco 30.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 275; Assessment Reports 4916, 4917, 4918.

BRITANNIA MINI	E (92G-82)	(Fig. C. No. 138)	By J, W. Robinson
DITERIVINE MIN		(119, 0, 190, 190)	Dy 5, 11, 11001130

- LOCATION: Lat. 49° 36′ Long. 123° 20′ (92G/11E) VANCOUVER M.D. The Britannia mine is at Britannia Beach, on the east side of Howe Sound, 40 miles by road north of Vancouver.
- CLAIMS: The No. 10 mine area is located under the Crown-granted claims MINERAL CREEK (Lot 1894), DAISY (Lot 1899), NEWCASTLE (Lot 1936), and NANCY FR. (Lot 1997). The property consists of approximately 560 Crown-granted claims.
- OWNER: ANACONDA CANADA LIMITED, Anaconda Britannia Mines Division, Britannia Beach.

METALS: Copper, zinc (production shown on Table 1).

DESCRIPTION: Copper and zinc sulphides occur as veins and beds in folded, metamorphosed dacitic to andesitic tuffs and tuffaceous sediment, that form a pendant in granodiorites of the Coast Plutonic Complex.

WORK DONE:

Development work in the Britannia mine consisted of 8,310 feet of drifting and 690 feet of sublevel drifting. The Alimak raise machine was used to drive 397 feet of raise. There was 2,585 feet of raises driven using conventional staging. Diamond drilling totalled 20,674 feet.

Preparatory development work for the No. 11 winze project continued during the year. This winze will give access to the ore below the present bottom of No. 10 shaft, A 7 by 14-foot winze was driven from 5500 level to 5980 level. The method of mining in the No. 10 shaft mine has been changed from a vertical-ring blasthole stoping system to a modified sublevel caving method during the past two years. The mining method changeover was almost completed by year end.

REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1969, p. 193; 1970, pp. 233-246; 1971, pp. 255, 256; 1972, pp. 275, 276.

ANDY (Fig. C, No. 27)

LOCATION:	Lat. 49° 41′	Long. 123° 11'		(9:	2G/11E)
	VANCOUVER M.D.	On Howe Sound,	opposite	Squamish	dock, at
	sea-level to 2,500 feet	elevation.			
CLAIMS:	ANDY 11, 12, 14, 16,	18, 20, 22, 23.			

OWNERS: R. B. Skinner and Conshell Resources Ltd.

OPERATOR: CONSHELL RESOURCES LTD., 126, 1111 Barclay Street, Vancouver.

WORK DONE: 1972 — an airborne combined magnetometer, electromagnetic, and radioactivity survey, covering 1,000 acres and comprising six runs of 15,000 feet, 500 feet apart.

REFERENCE: Assessment Report 4363.

CASH (Fig. C, No. 139)

LOCATION: Lat. 49° 42′ Long. 123° 02′ (92G/11E) VANCOUVER M.D. Five miles east of Squamish, on Raffuse Creek. CLAIMS: CASH 1 to 22.

OWNER: JAMES R. GLASS, 433, 355 Burrard Street, Vancouver.

DESCRIPTION: A roof pendant of Gambier volcanic rocks is intruded by granite dykes, and is in contact with the main granitic mass in the northwest. Two pyrite-bearing shear zones in the volcanic rocks strike subparallel to the main contact.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 4.2 line-miles covering Cash 1-8.
- REFERENCE: Assessment Report 4885.

MAC (Fig. C, No. 26)

LOCATION:	Lat. 49° 43′	Long. 123° 03′	(92G/11E)
	VANCOUVER M.D.	Four miles east of Squami	ish, on the south side of
	the Mamquam River,	at approximately 2,000 fee	et elevation.
CLAIMS:	MAC 1 to 8.		
OWNER:	NOMAD MINES LTD	., 502, 470 Granville Stree	t, Vancouver.
WORK DONE:	Magnetometer survey,	, 6 line-miles of grid at 400	-foot spacing.
REFERENCE:	Assessment Report 43	301.	

MC (92G-81) (Fig. C, No. 137)

LOCATION:	Lat. 49° 36′	Long. 123° 53'	(92G/12W)
	VANCOUVER M.D.	Six miles north of	Halfmoon Bay, on Sechelt
	Peninsula, at approxin	nately 2,600 feet eleva	ation.
CLAIMS:	MC 1 to 5, RUBI.		
OWNER:	R. C. Riepe,		
OPERATOR:	SQUAMISH STONE	& SILICA CO. L	TD., 8744 Joffre Avenue,
	Burnaby.		
METALS:	Copper, silver, iron.		
DESCRIPTION:	A northerly trending	band of limestone a	nd dolomite is engulfed by
	diorite. A shear zor	e in the sedimenta	ry rocks on the MC 2 is
	mineralized with magn	etite, pyrite, and cha	Icopyrite.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 119 samples taken at 200 by 400-foot grid spacing; VLF EM and magnetometer survey, approximately 2 line-miles; airborne magnetometer, electromagnetic, and radiometric survey, 30 line-miles.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 465-467 (Peninsula Lime and Magnesia Quarry); Assessment Report 4803.

WAR (92G-76) (Fig. C, No. 28)

- LOCATION: Lat, 49° 39' Long, 123° 54' (92G/12W) VANCOUVER M.D. On Sechelt Peninsula, surrounding Lyon Lake, at approximately 3,000 feet elevation.
- CLAIMS: WAR 7 to 47, 49 to 68, 71 to 74, REN 1 to 12, IT 1 to 6, WAR 3 and 4 Fractions.
- OWNER: Branta Explorations Ltd.
- OPERATOR: VANCO EXPLORATIONS LIMITED, Box 221, Commerce Court Postal Station, Toronto, Ont.
- METALS: Molybdenum, copper.
- DESCRIPTION: Roof pendants or large inclusions of the Jervis Group have been engulfed by granitic rocks of the Coast Plutonic Complex. The group consists of interlayered metavolcanic rocks, hornfels, and fine-grained amphibolite. Narrow feldspar porphyry dykes cut all other rocks. Both the pendant rocks and the granitic rocks are pyritized adjacent to their contacts. Minor disseminated chalcopyrite with traces of molybdenite occurs in a quartz stockwork in hornfels on the northeast shore of Lyon Lake.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering War 19, 21, 23, 28, 49, 71, War 3 and 4 Fractions, and IT 1-36; geochemical survey, 60 rock samples taken from road cuts and nearby exposures and 429 soil samples taken at 100 by 400-foot grid spacing covering War 19, 21, 23, 28, 49, 71, War 3 and 4 Fractions, and IT 1-6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 277; Assessment Report 4675.
- SUNDOWN (92G-65) (Fig. C, No. 29)
- LOCATION: Lat. 49° 39' Long. 123° 57' (92G/12W) VANCOUVER M.D. On Sechelt Peninsula, 2 miles northeast of Kleindale, at approximately 500 feet elevation. CLAIMS: SUNDOWN 3 to 8, 13, 14.
- OWNER: JOHN B. L. ROBERTSON, 17th Floor, 1075 West Georgia Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: Low-grade, disseminated copper-molybdenum mineralization has been reported to occur over a large area.
- WORK DONE: Linecutting.
- REFERENCE: Assessment Report 4278.

DAY (92G-77) (Fig. C, No. 30)

LOCATION:	Lat. 49° 41′	Long. 123 58'	(92G/12W)
	VANCOUVER M.D.	On the western shoulder c	of Mount Hallowell in
	the north central part	t of the Sechelt Peninsula	, between 2,900 and
	3,300 feet elevation.		
CLAIMS:	DAY 7 to 9, 8a, EDD	Y 1 to 8, M&H 1 to 10, JO	HN 1 to 12, BEV 1 to
	4.		
OWNER:	CONE MT. MINES LT	D., 8167 Main Street, Vanc	ouver.
METALS:	Copper, zinc.		
DESCRIPTION:	The property is under	rlain by quartz diorite an	d granodiorite of the
	Coast Plutonic Compl	ex and by basalt, andesite	e, pyroclastics, minor
	limestone, chert, and a	argillite of the Jervis Grou	p. The mineralization
	comprises lenses of cha	alcopyrite, pyrite, magnetit	te, and sphalerite that
	form vein-like bodies be	etween chert and limestone	
WORK DONE:	Magnetometer survey,	10 line-miles; electromag	netic survey, 10 line-
	miles; and geochemical	soil survey, 260 samples,	10 line-miles covering
	John 1-5; trenching, 12	2 feet by 2 feet by 4 feet o	n Day 7; 12 feet by 6
	feet by 5 feet on Eddy	5, and 40 feet by 5 feet by	4 feet on M&H 9.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 278.

RENO (Fig. C, No. 31)

LOCATION:	Lat. 49 [°] 42′	Long. 123 [°] 56′	(92G/12W)		
	VANCOUVER M.D.	On Mount Hallowell, Se	chelt Peninsula, between		
	600 and 4,100 feet el	evation.			
CLAIMS:	RENO 1 to 6, 11 to 1	8, RENO 1 and 2 Fractio	ns.		
OWNER:	R, O. SARKY, 8167 (Main Street, Vancouver.			
WORK DONE:	Reconnaissance geochemical soil survey, 113 samples taken at 200 k				
	200-foot grid spacing	over 3.2 line-miles coveria	ng Reno 13-18.		
REFERENCE:	Assessment Report 47	736.			

COPPER (92G-40) (Fig. C, No. 32)

LOCATION:	Lat. 49° 50'	Long, 123° 50'	(92G/13W)
	VANCOUVER M.D.	On the east side of Jervis	Inlet, near the mouth
	of Treat Creek, betwee	en sea-level and 3,000 feet e	levation.
CLAIMS:	T 1 to 14, 19, 22 to 29	5, 26 to 33, 51 to 57, 59, 6 ⁻	1, 91 to 102.
OWNER:	EL PASO MINING A	ND MILLING COMPANY	, 500, 885 Dunsmuir
	Street, Vancouver.		
METALS:	Copper, zinc.		
DESCRIPTION:	Fine-grained andesite	with lenses of argillites and	cherts which underlie
	the claims have been	cut by a 500-foot wide nor:	thwest-trending quartz
	diorite dyke. The roc	ks were mapped as Jervis	Group volcanic rocks.
	Mineralization occurs	as veinlets and massive su	Iphide replacement of
	pyrite, pyrrhotite, sph	alerite, and minor chalcopy	rite.

 WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; magnetometer survey, 6 line-miles covering T 1, 2, and 27; geochemical soil survey, 370 samples, 6 line-miles covering T 1, 2, and 27; surface diamond drilling, four holes totalling 1,862 feet on T 3, 5, and 7.
 REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 278, 279.

PEMBERTON 92J

TEEN (Fig. C, No. 121)

LOCATION: Lat. 50° 12′ Long. 122° 57′ (92J/2W) VANCOUVER M.D. Two miles north of Green Lake, at the head of Sixteen Mile Creek. CLAIMS: TEEN 1 to 11.

OWNER: Albert H. Manifold.

- OPERATOR: BOW RIVER RESOURCES LTD., 333, 885 Dunsmuir Street, Vancouver V6C 1N5.
- WORK DONE: Linecutting, 5.5 miles of grid; geochemical soil survey, 275 samples taken at 100 by 200-foot grid spacing covering Teen 1-6.
- REFERENCE: Assessment Report 4764.
- BLUE JACK (92J-51) (Fig. C, No. 43)
- LOCATION: Lat. 50° 04' Long. 123° 08' (92J/3E) VANCOUVER M.D. From 1 mile to 5 miles north of Brandywine Falls, between 1,900 and 3,600 feet elevation.
- CLAIMS: VAN 1 to 43, 63 to 79, 81 to 83, 89, 90, SUNNY CAVE 1 to 28, MAT 1 to 8, SNOW 1 to 24, PETER 1, STAR 1 and 2, BRU, MILL, ASH, ELM, SPINE, MINE, THYNE, LU, JO, VERN 8.
- OWNER: VAN SILVER EXPLORATIONS LTD., 118, 815 West Hastings Street, Vancouver V6C 1B4.

METALS: Lead, zinc, silver, gold, copper.

- DESCRIPTION: Roof pendant rocks which include interbedded limestone, fine-grained, limy greenstone, diorite, dacite, quartz diorite, and minor rhyolite have been intruded by granodiorite and quartz diorite of Jurassic age. Aphanitic felsite dykes intrude the above rock types. Mineralization includes gold, tetrahedrite, galena, sphalerite, pyrite, and chalcopyrite.
 WORK DONE: Surface diamond drilling, two holes totalling 600 feet on Sunny Cave 9.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1936, pp. F56-F58; *B.C. Dept. of Mines & Pet. Res.*, GEM, 1971, pp. 306, 307 (VAN, SUNNY CAVE).

Cl, JE (92J-101, 102) (Fig. C, No. 42)

LOCATION:Lat. 50° 05'Long. 123° 02'(92J/3E)VANCOUVER M.D.Three miles southwest of Alta Lake village, on
Cheakamus River, at approximately 2,000 feet elevation.CLAIMS:CI 1 to 6, JE 1 to 6.OWNER:HOKO EXPLORATION LTD., 540, 645 Fort Street, Victoria.

METAL: Copper.
 DESCRIPTION: Chalcopyrite and malachite have been noted disseminated in the country rocks, and chalcopyrite occurs in a quartz vein exposed in several pits along a road.
 WORK DONE: Linecutting, 10.6 miles of grid; geochemical soil survey, 407 samples taken at 100 by 400-foot grid spacing.

REFERENCE: Assessment Report 4666.

SIL. (Fig. C, No. 38)

LOCATION:	Lat. 50° 05′	Long. 123 [°] 05′	(92J/3E)
	VANCOUVER M.D.	Four miles north-northeas	t of Brandywine Falls,
	on the north side of	Cheakamus River, betweer	1 2,000 and 4,800 feet
	elevation.		
CLAIMS:	SIL 1 to 58.		
OWNERS:	SPROAT SILVER M	INES LTD, and HIGHHA	WK MINES LIMITED,
	333, 885 Dunsmuir St	reet, Vancouver.	
WORK DONE:	Linecutting, 46 lines	of grid; geochemical soil	survey, 1,215 samples
	taken at 200 by 400-fe	oot grid spacing covering Si	il 1-30.
REFERENCE:	Assessment Report 45	47.	

PINTO (Fig. C, No. 37)

LOCATION:	Lat. 50° 06′	Long. 123° 06'	(92J/3E)
	VANCOUVER M.D.	Five miles north of Brandy	wine Falls, on the east
	side of Callaghan Cree	k, between 2,200 and 5,400) feet elevation.
CLAIMS:	PINTO 1 to 14.		
OWNER:	Kendal Leahy.		
OPERATOR:	NORTHAIR MINES L	_TD., 333, 885 Dunsmuir S	treet, Vancouver.
WORK DONE:	Linecutting, 17 miles	of grid established; geoche	mical soil survey, 459
•	samples taken on 200	by 400-foot grid spacing co	vering all claims.
REFERENCE:	Assessment Report 44	94.	

KAY (Fig. C, No. 39)

LOCATION:	Lat. 50° 06′	Long. 123° 07'	(92J/3E)
	VANCOUVER M.D.	Five miles north of	Brandywine Falls, astride
	Callaghan Creek, betw	een 2,100 and 3,000 fe	et elevation.
CLAIMS:	KAY 1 to 30, KAY 31	and 32 Fractions.	
OWNER:	Consolidated Standard	l Mines Ltd.	
OPERATOR:	HART RIVER MINES	LTD., 333, 885 Dunsi	nuir Street, Vancouver.
WORK DONE:	Linecutting, 15.5 mile	es of grid; geochemica	l soil survey, 325 samples
	taken at 200 by 1,000	foot grid spacing cover	ing Kay 1-30.
REFERENCE:	Assessment Report 46	02.	





(92J/3E)

LORI (BOW RIVER RESOURCES) (Fig. C, No. 34)

LOCATION: Lat. 50° 07' Long. 123° 03' (92J/3E) VANCOUVER M.D. Six miles north-northeast of Brandywine Falls, on the southeast flank of Mount Sproatt, between 3,100 and 5,900 feet elevation.

CLAIMS: LORI 1 to 12, 25 to 36.

- OWNER: BOW RIVER RESOURCES LTD., 333, 885 Dunsmuir Street, Vancouver.
- METAL: Copper.
- DESCRIPTION: The area is underlain by Mesozoic acidic volcanic rocks which occur as a roof pendant within the Coast Plutonic Complex.
- WORK DONE: 1972 linecutting, 24.6 miles of grid; 1972 geochemical soil survey, 659 samples taken at 200 by 400-foot grid spacing covering all claims.
 REFERENCE: Assessment Report 4533.

LORI (NORTHAIR, GEO-DYNE) (Fig. C, No. 35)

- LOCATION:Lat. 50° 08'Long. 123° 03'(92J/3E)VANCOUVER M.D.Eight miles north-northeast of Brandywine Falls,
on the northwest flank of Mount Sproatt, between 4,500 and 5,900
feet elevation.CLAIMS:LORI 13 to 24, 37 to 48.
- OWNER: Northair Mines Ltd.

 OPERATOR: GEO-DYNE RESOURCES LTD., 1155, Two Bentall Centre, Vancouver and NORTHAIR MINES LTD., 333, 885 Dunsmuir Street, Vancouver.
 WORK DONE: Linecutting, 18.5 miles of grid; geochemical soil survey, 475 samples taken at 200 by 400-foot grid spacing covering all claims.

REFERENCE: Assessment Report 4534.

(Fig. C, No. 36) WARMAN (92J-89) By D. E. Pearson Long. 123° 06' LOCATION: Lat. 50° 08' (92J/3E) VANCOUVER M.D. Seven miles north of Brandywine Falls, on the east side of Callaghan Creek, at approximately 3,500 feet elevation. CLAIMS: WARMAN 1 to 18, DOG 1 to 50, 52 to 55, 63 to 66, CAT 1 to 10, 19 to 32, 35 to 38, CAT 1 to 5 Fractions, BERT 1, 4, 5 to 9 Fractions. OWNER: NORTHAIR MINES LTD., 333, 885 Dunsmuir Street, Vancouver. METALS: Gold, silver, zinc, lead, copper. **DESCRIPTION:**

An amateur prospector, Dr. M. P. Warshawski, and a geologist, Mr. A. H. Manifold, located the first claims on the Warman property in September 1970, following encouraging results from prospecting and chemical analysis of stream waters that enter Callaghan Creek from the east side. Since early September 1972, when Northair Mines Ltd., optioned the property, a considerable amount of work has outlined three zones of economic interest. The following description is based on two one-day visits to the

property. On the first visit in September 1973, the 3700 level crosscut and drift were mapped, while during the second visit in February 1974, the crosscut and first advances in the 3500 level drift were mapped.

GENERAL GEOLOGY: Three separate sections of what may be the same vein have been defined by the company. These are called the Discovery zone, the Warman vein, and the Manifold or Main zone (Fig. 19). To date, underground exploration has proceeded on the Manifold zone and Warman vein (Fig. 20).

The vein is composed of gold and silver-bearing quartz-carbonate rock with visible galena, sphalerite, chalcopyrite, and pyrite. It is a vertical or steeply dipping tabular body that is repeatedly offset by northerly trending faults with left lateral separation. The vein is emplaced in a series of foliated volcanic rocks including dacite, rhyodacite, and feldspar-crystal tuff, that form a roof pendant in granodioritic rocks of the Coast Plutonic Complex.

MINERALOGY OF THE VEIN

Manifold Zone: The Manifold zone was located by diamond drilling in the fall of 1972, having been previously outlined as an area of anomalously high silver by soil geochemical surveys. Assays from this drilling programme which were released by the company in October 1972 are shown in Table 1.

Hole	Dip	Interval	Width	Gold	Silver	Lead	Zinc
No.	degrees	feet	feet	oz. per ton	oz. per ton	per cent	per cent
1	- 0	79.8 – 82.5	2.7	.2	23.5	••	
		sludge 79 – 85	6.0	.22	29.7	•	
2	-32	95.5 - 98.9	3.4	.15	23.0		
7	-33	85 88	3.0	.8	3.4		
		131.2 - 131.5	0.3	.48	1.8		
10	43	123 - 130	7.0	.34	8.03	1.5	6.5
11	-45	89.3 - 94.3	5.0	.58	11.9	••••	
12	- 8	91.5 - 94	2.5	,13	11.5		
13	-40	80.6 - 81.5	.9	.16	17.8		
14	- 8	77 – 78	1.0	.13	26.4		
		83 – 83.7	.7	.31	71.9		
		101.5 — 113,3	11.8	.19	17.5		
15	-43	91.1 - 92	.9	.04	3.9		
		111 - 112	1.0	.09	5.5		
		126 - 135	9.0	.11	11.0		****
17	- 8	115 - 123	8.0	.085	12.65		
18	43	145 — 163.3	18.3	.15	24.5		
19	-55	182.7 – 199.1	17.4	.19	17.0		

TABLE 1: ASSAYS FROM MANIFOLD ZONE

By September 1973, underground exploration had proceeded on the west and east drifts of the 3700 level as shown on Figure 20. Mineralization underground consisted of disseminated galena - sphalerite - pyrite in a quartz - carbonate - chlorite gangue. No free gold was seen.

The company has estimated that this zone contains 305 tons per vertical foot averaging: gold, 0.36 ounce per ton; silver, 19.4 ounces per ton; and combined lead and zinc (diluted), 2 per cent, over average mining widths of 5.7 feet. The vein crops out at 3,900 feet, and has been intersected 150 feet beneath the 3700 level, giving a known depth of at least 350 feet.

Discovery Zone: As the name implies, this was the area where mineralized outcrops were first seen. However, the area was not tested by diamond drill until the summer of 1973.

The following table (Table 2) indicates the results obtained.

Hole	Dip	Interval	Width	Gold	Silver	Copper	Lead	Zinc
No.	degrees	feet	feet	oz, per ton	oz. per ton	per cent	per cent	per cent
35	- 5	130.0 - 140.5	5.5	.025	1.50	.89	5.03	17.75
37	30	71.6 - 77.6	6.0	.02	1.5	.43	4.13	5.13
		142.2 - 148	5.8	.43	1.5	.40	.84	3.2
39	42	76.8 - 87.2	10.4	.015	1.4	.80	6.35	7.00
41	-30	130 - 139	9.0	.03	1,5	.80	3.9	12.0
43	- 0	130.2 - 140.7	10.5	.615	.62	.17	.71	2.37
		130.2 – 147	16.8	.39	.80	.37	.52	4.28
44	-50	131.2 - 156.7	25.5	.58	2.77	.93	12.31	14.72
45	- 0	227 - 260.2	33.2	.082	1.4	.56	9.65	8.46

TABLE 2: ASSAYS FROM DISCOVERY ZONE

Warman Vein: The Warman vein was located by diamond drilling in October 1973 following geochemical and geophysical surveys over the area between the Discovery and Manifold zones. Assay results from this drilling programme were released by the company in January 1974 (Table 3).

TABLE 3: ASSAYS FROM WARMAN VEIN

Hole	Dip	Interval	Intersection	Gold
No.	degrees	feet	feet	oz, per ton
65	15	107.0 - 116.6	9.6	.31
68	-53	147.0 — 149.0	2.0	.07
69	-70	258.0 - 267.1	9.1	.47
74	- 4	358.3 364.3	6.0	.37
75	15	358.0 - 362.3	4.3	.52
76	-15	254.0 262.0	8.0	.24
77	-13	361.8 - 380.0	18.2	.77
79	-25	126.0 — 168.5	42.5	1.74
80	-46.5	244.3 - 264.0	19.3	.88
81	15	215.5 - 223.0	7.5	.08
82	-55	222.5 - 229.5	7.0	1.10

On the second visit to the minesite in late February 1974, the vein had been intersected by a crosscut on the 3500 level, and drifting east toward the high-grade gold section had commenced.

Mineralization from the Warman vein differs somewhat from that of the Manifold zone. Massive galena and sphalerite are common and galena may be banded with the quartz-carbonate veining. The proportion of gangue to sulphides seems to be less. While polished sections of the mineralization have not yet been studied, in hand specimens, free gold was not recognized. Finally, gold-silver ratios from the two zones are quite distinct: Warman vein, approximately 1:1; Manifold zone, 1:19.

On the basis of the reported diamond-drill-hole data, the company has estimated that the Warman vein contains 964 tons per vertical foot averaging 1.05 ounce per ton gold over average mining widths of 12.4 feet, for a strike length of about 1,200 feet. Diamond-drill holes 70, 71, 72, and 73 did not intersect the Warman vein, and it is likely that the separation between this zone and the Discovery zone is caused by a fault with right lateral separation. The vein is known to a depth below the surface of 400 feet.

- WORK DONE: Crosscutting, 450 feet; drifting, 1,150 feet; underground geological mapping, 1 inch equals 20 feet; surface diamond drilling, 53 holes totalling 17,299 feet; underground diamond drilling, 31 holes totalling 3,570 feet; magnetometer, EM, and geochemical survey, 11.5 line-miles and 295 soil samples taken at 200 by 1,000-foot grid spacing.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 306; 1972, pp. 280, 281; Assessment Reports 3273, 4541.

CD (Fig. C, No. 40)

LOCATION:	Lat. 53° 09′	Long. 123 [°] 04′	(92J/3E)
	VANCOUVER M.D.	At the headwaters of Two	entyone Mile Creek, 8
	miles north-northeast	of Brandywine Falls, betw	veen 2,500 and 6,000
	feet elevation.		
CLAIMS:	CD 1 to 28.		

- OWNER: CUTLASS EXPLORATION LTD., 1840, 777 Hornby Street, Vancouver.
- WORK DONE: Linecutting, 30 miles of grid; geochemical soil survey, 711 samples taken at 200 by 400-foot grid spacing covering all claims.
- REFERENCE: Assessment Report 4612.

FASS (Fig. C, No. 41)

LOCATION:	Lat. 50° 10'	Long, 123° 05′	(92J/3E)			
	VANCOUVER M	VANCOUVER M.D. Nine miles north of Brandywine Falls, 2 miles				
	southwest of Ra elevation.	inbow Mountain, betwee	n 3,000 and 6,000 feet			
CLAIMS:	FASS 1 to 48, 51	to 98, 201 to 221.				
OPERATOR:	CALTOR SYNDIC	CATE, 1011, 2200 Yonge S	Street, Toronto, Ont.			

WORK DONE: Geochemical survey, approximately 200 silt and soil samples taken in reconnaissance along creeks and gullies and 215 soil samples taken on a 100 by 400-foot grid spacing covering approximately 46 Fass claims.

REFERENCE: Assessment Report 4652.

SK1, GM (92J-103) (Fig. C, No. 44)

LOCATION:Lat. 50° 25'Long. 123° 10'(92J/6E)LILLOOET M.D.Eighteen miles west-northwest of Pemberton, 3
miles south of Ryan River, between 3,700 and 7,100 feet elevation.CLAIMS:SKI 1 to 14, GM 1 to 8, KP 1 to 10, 21 to 32.

OWNER: A.L.J. MacDonald.

OPERATOR: OREQUEST EXPLORATION SYNDICATE, 711, 850 West Hastings Street, Vancouver.

METALS: Copper, molybdenum.

- DESCRIPTION: Hornblende granodiorite and diorite have been cut by a northwesttrending zone of shearing, in which the rocks are progressively chloritized, then sericitized and silicified toward a quartz-sericite core. A narrow zone adjacent to the core contains as much as 3 per cent disseminated pyrite. Outside the pyrite zone widely separated fractures and narrow quartz veins carry blebs of chalcopyrite and less molybdenite. Small bodies of hornblende microdiorite and dykes of basalt appear to have been intruded after the alteration.
- WORK DONE: Surface geological mapping, 1 inch equals 350 feet covering approximately 1.5 square miles (GM 1-8 and Ski 1-14).
- REFERENCE: Assessment Report 4664.

COPPER QUEEN (92J-48, 54, 55) (Fig. C, No. 45)

- LOCATION: Lat. 50° 24' Long. 122° 47' (92J/7W) LILLOOET M.D. On Owl Creek, 6 miles north of Pemberton, between 2,500 and 3,700 feet elevation.
- CLAIMS: OWL 1 to 8, OC 1 to 6, 43 to 48, KB 1 to 14, OL 1 to 22, OLN 1 to 24, OLS 1 to 30, BO 1 to 12.

OWNER: PINE LAKE MINING CO. LTD., 616, 402 West Pender Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION: Upper Triassic volcanic rocks and intercalated sedimentary rocks underlie the valley of Owl Creek, and are flanked by younger granite and granodiorite on the northeast. A tongue of granite extends into the bank from the west, and several stocks of diorite or quartz diorite intrude it. Several directions of shearing are evident or inferred, the dominant one paralleling the axis of Owl Creek valley. The diorite stocks are altered along shear zones and contain considerable pyrite and subordinate chalcopyrite and molybdenite at shear zone intersections.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering approximately 8 square miles (most of the claims).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 282; Geol. Surv., Canada, Summ. Rept., 1924, Pt. A, p. 76; Assessment Reports 599, 2106, 3625, 4623.

SILVER QUEEN, PATRICK (92J-79, 80) (Fig. C, No. 145)

- LOCATION: Lat. 50° 21' Long. 122° 03' (92J/8E) KAMLOOPS M.D. Thirty-three miles east of Pemberton, on the west fork of Cottonwood Creek, at approximately 5,000 feet elevation.
- CLAIMS: SILVER QUEEN 1 to 5 (Lots 2168 to 2172), PATRICK 1 to 7 (Lots 7221 to 7227), REGINA and REGINA NO. 2 (Lots 2173 and 2174), SUNRISE (Lot 7228), FALL FR. (Lot 7331), LONG FR. (Lot 7230), LEG FR. (Lot 7229), KAR 1 to 26, GC 1 to 4, MOON 1 to 15, SUN 1 to 9, PEAK 1 to 4.

OWNERS: Rampart Mines Ltd. and K. E. Wickstrom.

- OPERATOR: RAMPART MINES LTD., 618, 510 West Hastings Street, Vancouver.
- METALS: Silver, lead, zinc, gold.
- DESCRIPTION: The Silver Queen claims are underlain by a stock of hornblende diorite that is intruded by aplite and is extensively silicified and altered to a quartz feldspar porphyry. Galena and sphalerite occur disseminated and as fracture fillings in the quartz-sericite siliceous intrusive. Gold and silver occur in the rock associated with the alteration.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Regina and Fall Fraction; geochemical survey, 110 samples, 2.5 line-miles covering Silver Queen 2 and 3, Regina, Regina No. 2, Fall Fraction, and Sunrise; linecutting on Silver Queen 3 and Regina; trenching, 9,000 cubic yards on Regina, Silver Queen 1 and 3, Sunrise, Fall Fraction, Kar 1, and Patrick 5.
- REFERENCE: Minister of Mines, B.C., Ann. Rept., 1957, p. 23.
- CHIP, PEM (Fig. C, No. 46)

LOCATION:	Lat. 50° 36′	Long. 123 [°] 02'	(92J/11E)
	LILLOOET M.D.	On the east side of Donelly Cr	eek, 4 miles south of
	Hurley River, at ap	pproximately 5,000 feet elevation	n.
CLAIMS:	CHIP 1 to 18, PEM	1 1 to 14, 26 to 30.	
OWNER:	John Grant.		
OPERATOR:	CALTOR SYNDIC	CATE, 1011, 2200 Yonge Street,	Toronto, Ont.
DESCRIPTION:	The property is u	underlain by acidic to interme	diate volcanic rocks,
	which to the south	west have been intruded by a gr	anodiorite pluton.
WORK DONE:	Geochemical surve	ey, approximately 400 samples	covering Pem 1-14,
	26-30 and Chip 1-3	18; linecutting.	
REFERENCE:	Assessment Report	t 4778.	

FALL (92J-94) (Fig. C, No. 47)

- LOCATION: Lat. 50° 40′ Long. 123° 29′ (92J/11W) LILLOOET M.D. One mile south of the junction of Salal Creek and Lillooet River, between 2,100 and 4,500 feet elevation.
- CLAIMS: FALL 1 to 42, VENT 1 to 30.
- OWNER: SILVER STANDARD MINES LIMITED, 808, 602 West Hastings Street, Vancouver V6B 1P2.
- METAL: Molybdenum.
- WORK DONE: Trenching, 1,050 feet on Fall 4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 308, 309; 1972, p. 281.

BRALORNE MINE (92J-1 to 4, 7, 9, 17, 18) (Fig. C, No. 143) By E. Sadar

- LOCATION: Lat. 50° 46' Long. 122° 48' (92J/15W) KAMLOOPS M.D. Five miles south of Gold Bridge, on Cadwallader Creek.
- CLAIMS: The company holds 133 Crown-granted mineral claims. The main workings underlie IDA MAY (Lot 457), BLACKBIRD (Lot 1176), HIRAM (Lot 581), LORNE (Lot 588), GOLDEN KING (Lot 587), LITTLE JOE (Lot 539), PIONEER (Lot 456), and COUNTLESS (Lot 1177). The Crown shaft is on the Blackbird claim.
- OWNER: BRALORNE RESOURCES LIMITED, 1005, Two Bentall Centre, Vancouver V7X 1H9.

METALS: Gold (minor silver).

- WORK DONE: The mine, which ceased operations in September 1971, was reopened and the No. 8 level or adit level was rehabilitated. Hoisting facilities of the Crown shaft were repaired, and ore and waste passes were pumped out, to allow a diamond drilling exploration programme of untested zones of the 51 and 77 veins near the Crown shaft area. Twenty-two diamond-drill holes, totalling 8,804 feet, were completed on the Hiram and Blackbird claims. Adequate surface facilities were renovated to facilitate the underground exploration programme.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 308.

RELIANCE (92J-33) (Fig. C, No. 49)

Long. 122° 46.5' LOCATION: Lat. 50° 53' (92J/15W) LILLOOET M.D. Three and one-half miles by gravel road east of Gold Bridge, between 2,000 and 5,000 feet elevation. CLAIMS: Mineral Lease M-65 comprising OMEN 1 to 8, NEMO 1 to 8, EROS 1, 2, 4, 5, OMEN FR., NEMO FR., THIN FR., BLUFF FR., NOVA FR., EROS FR. (Lots 7660 to 7663, 7463 to 7465, 7496, 7651 to 7658, 7497, 7498, 7500 to 7506, 7499 respectively). OWNER: Guy B. Allen. OPERATOR: T.V.I. MINING LTD., 501, 315 Eighth Avenue SW., Calgary, Alta. METALS: Antimony, gold.
- DESCRIPTION: Massive greenstones of the Ferguson Group have been cut by north-northeasterly striking shear zones. Mineralization consists of stibnite and gold in quartz and calcite-filled shear zones.
- WORK DONE: EM survey, 4 line-miles covering Mineral Lease M-65.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 312 (OMEN, NEMO); Geol. Surv., Canada, Mem. 130, pp. 73, 74.
- GRAY ROCK (92J-104) (Fig. C, No. 48)
- LOCATION: Lat. 50° 48′ Long. 122° 42′ (92J/15E) LILLOOET M.D. Seven miles southeast of Gold Bridge, at the headwaters of Truax Creek, between 6,800 and 7,300 feet elevation. CLAIMS: ROBIN 1 to 6, ROY 1 to 4, ANT 1 to 4, 10, 11.
- OWNER: GRAY ROCK MINING COMPANY LIMITED, c/o C. H. Mitchell, 1200 West Pender Street, Vancouver.
- METALS: Lead, zinc, silver, antimony.
- DESCRIPTION: Lead, zinc, antimony sulphides, and precious metals occur in quartz veins which transect metasedimentary rocks.
- WORK DONE: Surface and underground workings mapped at a scale of 1 inch equals 100 feet.
- REFERENCES: *Minister of Mines, B.C.*, Ann. Rept., 1936, pp. F43-F47; 1949, pp. 107-112; 1954, pp. 104-107; Assessment Reports 305, 837.

BUTE INLET 92K

SUNSET, FS	(92K-50, 123) (Fig. C, No. 120)
LOCATION:	Lat. 50° 10' Long. 125° 24' (92K/3W)
	NANAIMO M.D. Eleven miles north-northwest of Campbell River, 1
	mile west of Brown Bay,
CLAIMS:	FS 1 to 16.
OWNER:	FOUR SEASONS MANUFACTURING LTD., 1102, 1177 West
	Hastings Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	The claims are underlain by a succession of nearly flat-lying Karmutsen
	Group lava flows. Sparse bornite occurs along the base of a flow of
	pillow lava and pillow breccia, both in the lava and in a small limestone
	channel filling. At the old Sunset showing several parallel bornite-
	bearing quartz veins strike 330 to 345 degrees through the flows.
WORK DONE:	Geochemical soil survey, 98 samples taken at 200-foot intervals;
	VLF EM survey, 2.6 line-miles covering FS 2-8 and 11-14.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1899, p. 807; 1901, p. 1114;
	Assessment Reports 4179, 4823.

- COPPER ROAD (92K-60) (Fig. C, No. 50)
- LOCATION: Lat. 50° 12′ Long. 125° 18′ (92K/3W) NANAIMO M.D. One and one-half miles northeast of Deepwater Bay, Quadra Island, at approximately 1,400 feet elevation.

CLAIMS: COPPER ROAD 1, 2, 5 to 8, 39, 40, 43, 103, 104, RIB 1, 2, 15, 20 to 22, RIB 16 Fraction, VIN 1 Fraction.

OWNERS: Mr. and Mrs. E. Adams and Mrs. J. Adams.

OPERATOR: UNIVEX MINING CORP. LTD., 215, 744 West Hastings Street, Vancouver V6C 1A5.

METALS: Copper, minor silver.

- DESCRIPTION: The claims are underlain by massive and amygdaloidal Karmutsen Group basaltic flows which, in places where they are sheared and brecciated, contain quartz and carbonate. Mineralization occurs in an east-west-trending, steep southerly dipping shear zone which ranges from 17 to 40 feet and is said to extend for about 2,000 feet. Mineralization consists of bornite and chalcopyrite with minor chalcocite, tetrahedrite, and native copper reported.
- WORK DONE: Surface diamond drilling, two holes totalling 537 feet on Copper Road 1; topography mapped from airphotos at 1 inch equals 400 feet.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 280.

BELL (92K-105) (Fig. C, No. 52)

LOCATION:	Lat. 50° 02′ Long. 125° 33′ (92K/4E)
	NANAIMO M.D. On the north shore of the west end of Lower
	Campbell Lake, 13 miles west of Campbell River.
CLAIMS:	BELL 1 to 6, 8.
OWNERS:	J. SIROLA and J. L. WILLIAMS, c/o 3282 West 27th Avenue,
	Vancouver.
METALS:	Copper, iron,
WORK DONE:	Linecutting.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 285; Assessment
	Report 4358.

TOWER (Fig. C, No. 136)

LOCATION:	Lat. 50° 16′ Long. 125° 47′	(92K/5W)			
	NANAIMO M.D. Eleven miles southeast	of Sayward, between			
	Highway 19 and the headwaters of Big Tree Creek, between 1,000 and				
	2,000 feet elevation.				
CLAIMS:	TOWER 1 to 15.				
OWNER:	WESTERN STANDARD SILVER MINES LTD.	, Box 462, Kelowna.			
METAL:	Copper.				

DESCRIPTION: The claims are underlain mainly by massive and amygdaloidal Karmutsen Group basalts with minor interbedded tuff which has been intruded by granodiorite-quartz diorite on the east side of the claim block. The volcanic rocks have been altered, fractured, and locally mineralized by chalcopyrite and minor bornite within 3,000 feet of the intrusive contact.

WORK DONE: Geochemical soil survey, 65 samples covering Tower 1-15.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 286.

LOUGHBOROUGH (92K-48) (Fig. C, No. 51)

LOCATION:Lat. 50° 32'Long. 125° 32'(92K/12E)VANCOUVER M.D.Thirty-five miles north of Campbell River.CLAIMS:MAYO 1 to 4, 9 to 12.

OWNER: Tatsuya Takeda.

OPERATOR: TRIAKO ENTERPRISES INTERNATIONAL LTD., 433, 355 Burrard Street, Vancouver.

METALS: Gold, silver.

DESCRIPTION: The claims are underlain by granitic rocks of the Coast Plutonic Complex. A number of quartz veins 1 to 2 inches wide occur which commonly contain pyrite. During 1935-1939, 135 tons of hand-sorted gold ore was shipped from Mayo 11.

WORK DONE: Reconnaissance geological mapping; EM VLF survey; geochemical soil survey; linecutting, 8.1 miles of grid established.

- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1936, pp. F17-F20; 1961, p. 90; Assessment Reports 350, 4492.
- BIG ANDY (92K-122) (Fig. C, No. 119)
- LOCATION: Lat. 50° 47' Long. 124° 49' (92K/15W) VANCOUVER M.D. On the east side of Bute Inlet, four miles east-southeast of Purcell Point, at approximately 4,000 feet elevation. CLAIMS: BIG ANDY 1 to 10.

OWNERS: Leslie R. Harrison and Raymond Hrkac.

OPERATOR: HECLA OPERATING COMPANY, 2009, 1177 West Hastings Street, Vancouver V6E 2K3.

METALS: Copper, zinc, minor precious metals and lead.

- DESCRIPTION: The claims are underlain by andesitic volcanic rocks and siliceous sedimentary rocks containing minor limestone. These rocks are in close proximity to granitic rocks of the Coast Plutonic Complex and have been metamorphosed to phyllite, quartzite, amphibolite, schist, and marble. Chalcopyrite and pyrrhotite mineralization with minor sphalerite is massive in appearance in places and occurs in sheared and silicified argillite and phyllite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Big Andy 1-10; topography mapped from airphotos at 1 inch equals 500 feet; trenching, 50 feet on Big Andy 3 and 6.

ALERT BAY 92L

WOSS LAKE	(92L-64, 65, 66) (Fig. C, No. 54)
LOCATION:	Lat. 50° 07'Long. 126° 33'(92L/2E)NANAIMO M.D.Five miles south of the north end of Woss Lake and2 miles east of the lake, between 2,200 and 3,200 feet elevation.
CLAIMS:	COPPER DUKE I to III, WOSTHOPE 1 and 2.
OWNERS:	F. LORING, A. CHISHOLM, A.B.L. WHITTLES, and GEORGE KINNEARD, c/o 8, 94 Commercial Street, Nanaimo.
METALS:	Copper, iron, silver, gold.
DESCRIPTION:	Karmutsen basalt has been intruded by northwesterly trending dykes of porphyry and cut by northeasterly striking guartz veins. Some veins carry chalcopyrite and pyrite. Two vein-like bodies 20 to 30 feet wide, containing specularite, magnetite, and chalcopyrite, lie approximately parallel to the veins.
WORK DONE:	Reconnaissance geological mapping; magnetometer and VLF EM survey, 3.6 line-miles along irregular lines during 1972 and 1973.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1965, p. 233 (WOSS); Assessment Reports 663, 4568.
ZEB (Fig. C, I	No. 53)
LOCATION:	Lat. 50° 00' Long. 126° 49' (92L/2W) ALBERNI M.D. One mile northeast of Zeballos, at the headwaters of Hidden Valley Creek, at approximately 2,000 feet elevation.
CLAIMS:	ZEB 1 to 6.
OWNER:	CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.
METALS:	Gold, copper.
DESCRIPTION:	The Zeb claims cover the northwest extension of a bed of limestone which is partly mineralized by gold-bearing pyrrhotite and a small amount of chalcopyrite.
WORK DONE:	Geochemical soil survey, 57 samples, 1.07 line-miles covering Zeb 1-6.
REFERENCE:	Assessment Report 4819.
ATLUCK (92	L-260) (Fig. C, No. 58)
LOCATION:	Lat. 50° 12′ Long. 126° 59′ (92L/2W) NANAIMO M.D. At the western end of Atluck Lake.
CLAIMS:	ATLUCK 1 to 8.
OWNERS:	Stampede International Resources Ltd. and Northwest Ventures Ltd.
OPERATOR:	GROUNDSTAR RESOURCES LIMITED, 185 Davenport Road, Toronto, Ont.
METAL:	Copper.
DESCRIPTION:	The southwestern part of the property is underlain by Quatsino limestone, and the northeastern part by Karmutsen basalt. Chalcopyrite occurs as small grains and fracture coatings in basalt in a quarry on Atluck 3 and 4.

- WORK DONE: Surface geological mapping, 1 inch equals 300 feet; magnetometer survey, 11 line-miles covering all claims.
- REFERENCE: Assessment Report 4818.

TINY (92L-256) (Fig. C, No. 56)

LOCATION: Lat. 50° 03' Long. 127° 21' (92L/3W) ALBERNI M.D. Two miles northeast of Kyuquot, at the north end of McKay Cove.

- CLAIMS: TINY 1 to 8.
- OWNERS: PECHINEY DEVELOPMENT LIMITED and THE DOWA MINING CO., LTD., 701, 744 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The property is underlain by massive and pyroclastic andesites of the Bonanza Subgroup. Chalcopyrite, bornite, chalcocite, and azurite occur in a shear zone.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Tiny 1 to 8; magnetometer survey, 7 line-miles; geochemical soil survey, 150 samples taken at 200 by 500-foot grid spacing covering Tiny 1-8; trenching, 1,200 cubic feet on Tiny 6.
- REFERENCE: Assessment Report 4600.

MORRIS, MONTEITH (92L-72, 117) (Fig. C, No. 55)

LOCATION: Lat. 50° 07' Long. 127° 18' (92L/3W) ALBERNI M.D. Eight miles northeast of Kyuguot, on the west side of Kashutl Inlet.

CLAIMS: KASHU 1 to 4, 11 to 48, 50, 55 to 80, 83 to 94.

OWNER: KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730, 505 Burrard Street, Vancouver.

METALS: Pyrophyllite, trace copper.

- DESCRIPTION: Bonanza flows, tuffs, and mudstones dip moderately south to southwest and locally have been pyritized and progressively altered to quartz-sericite, quartz-pyrophyllite, and quartz-natroalunite rocks.
- WORK DONE: Reconnaissance geological mapping; geochemical rock-chip survey, 23 samples taken at varying intervals along shorelines covering Kashu 12-16, 18, 36, 39, 45, 47, 56, 65, 70, 72, and 89 during 1972.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1920, p. 198; *Geol. Surv., Canada,* Summ. Rept., 1913, p. 109; Assessment Report 4539.

BATTLE (92L-261) (Fig. C, No. 59)

LOCATION:Lat. 50° 14'Long. 127° 35'(92L/4E)ALBERNI M.D.Two and one-half miles north-northeast of the head
of Nasparti Inlet, at approximately 2,000 feet elevation.CLAIMS:BATTLE 1 to 6.OWNER:KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730, 505 Burrard
Street, Vancouver.

METAL: Trace copper.

- DESCRIPTION: The area is underlain by andesite flows and interbedded chert, tuff, and amphibole-rich rocks which are randomly cut by narrow andesite and diorite dykes. A small diorite stock intrudes the volcanic rocks on Battle 2 claim. Pyrite, pyrrhotite, and chalcopyrite occur in the bedded volcanic and sedimentary rocks. Pyrite is commonly disseminated throughout and occurs in amounts up to 15 per cent. Pyrrhotite is sporadic and chalcopyrite is low, averaging 0.05 per cent copper.
- WORK DONE: Surface geological mapping, 1 inch equals 600 feet; geochemical survey, 20 silt samples and 30 rock samples covering all claims.
- PABLO (92L-257, 258, 259) (Fig. C, No. 57)

LOCATION:	Lat. 50° 16'		Long. 127° 44′				(92L/5E)			
	NANAIMO	M.D.	Twenty-two	miles	northwest	of	Kyuquot,	on	the	
	west side of	Klaski	sh Basin.							

CLAIMS: PABLO 18 to 35, 40 to 43, PABLO 36 to 39 Fractions.

OWNERS: PECHINEY DEVELOPMENT LIMITED and THE DOWA MINING CO., LTD., 701, 744 West Hastings Street, Vancouver.

METALS: Copper, zinc.

- DESCRIPTION: Karmutsen andesite and basalt are irregularly intruded by diorite, which grades locally to gabbro or anorthosite. Chalcopyrite, pyrrhotite, magnetite, and sphalerite are disseminated in andesite adjacent to diorite on Pablo 22. Pyrite and chalcopyrite occur in two zones of brecciated, silicified diorite on Pablo 24.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering approximately 2 square miles; geochemical soil survey, 392 samples taken at 200 by 500-foot grid spacing; magnetometer survey, 16 line-miles covering Pablo 20-35, 40-43, and Pablo 36-39 Fractions; trenching, 10,440 cubic feet.
- REFERENCE: Assessment Report 4598.

SINKER, MEXICAN (RUF) (92L-144, 237) (Fig. C, No. 60)

as disseminations and fracture fillings.

LOCATION:	Lat. 50° 18′ Long. 127° 44′ (92L/5E)			
	NANAIMO M.D. On the north side of the east end of Klaskino Inlet,			
	at approximately 800 feet elevation.			
CLAIMS:	KLASKINO 1 to 42.			
OWNER:	R, J. Bilquist,			
OPERATOR:	BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602			
	West Hastings Street, Vancouver.			
METALS:	Copper, molybdenum, cobalt.			
DESCRIPTION:	The property is underlain by Karmutsen, Quatsino, and Bonanza			
	volcanic and Parson Bay sedimentary rocks which have been disrupted			
	by block faulting. The Parson Bay rocks have been intruded by			
	microdiorite and felsite dykes, and contain chalcopyrite and pyrrhotite			

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting, 20 miles of grid; geochemical soil survey, 550 samples taken at 100 by 200-foot grid spacing covering Klaskino 1-42 during 1972 and 1973.
- REFERENCES: *Minister of Mines, B.C.*, Ann. Rept., 1903, p. 195; 1967, p. 70; Assessment Reports 961, 2407, 4730.

R (92L-205) (Fig. C, No. 61)

LOCATION:	Lat. 50°28′	Long. 1:	27 [°] 36′	(92L/5E)
	NANAIMO M.D.	Eight miles nor	thwest of Port Al	ice, on the north
	slope of Comstock	Mountain, at ap	proximately 2,500	feet elevation.
CLAIMS:	R 1 to 14, 17 to 30	, 33 to 48, SU 1	to 6, 11 to 16, RS	U 1 to 8.
OWNER:	CELTIC MINERAL	S LTD., 107, 3	25 Howe Street, Va	incouver.
METAL:	Copper.			
WORK DONE:	Geological and geod	chemical surveys	s during 1972.	
REFERENCES:	B.C. Dept. of Min	nes & Pet. Res.	, GEM, 1972, p.	289; Assessment
	Reports 3023, 3164	4, 3652, 4355.		

BOB, HAB (92L-134, 164, 254, 255) (Fig. C, No. 62)

LOCATION: Lat. 50° 19' Long. 126° 45' (92L/7) NANAIMO M.D. Seventeen miles south of Beaver Cove, on the highway at the south end of Bonanza Lake, between 1,600 and 2,500 feet elevation.

CLAIMS: BOB 1 to 13, 15 to 24, 26 to 31, 33, HAB 1 to 48.

- OWNERS: R. McIver and Imperial Oil Limited.
- OPERATOR: IMPERIAL OIL LIMITED, 314, 1281 West Georgia Street, Vancouver V6E 3J7.

METALS: Copper, iron.

- DESCRIPTION: Karmutsen basalts have been cut by a granodiorite pluton. Faulted, northwest-trending inliers of intervolcanic (?) limestone and skarn are found both in the intrusive and the volcanic rocks. Chalcopyrite, pyrite, magnetite, and minor pyrrhotite are associated with garnet epidote skarn.
- WORK DONE: 1972 geological, geophysical, and geochemical surveys covering Hab 1-38; 1973 — surface geological mapping, 1 inch equals 400 feet and 1 inch equals 50 feet; EM survey, 32 line-miles; magnetometer survey, 32 line-miles; geochemical soil and silt survey, 684 samples, approximately 32 line-miles; linecutting, 32 miles of grid covering Bob 1-33 and Hab 39-48.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 100; *B.C. Dept. of Mines* & *Pet. Res.,* GEM, 1970, p. 274; 1972, p. 290; Assessment Reports 4350, 4351, 4353.

B, C, E (Fig. C, No. 63)

LOCATION: Lat. 50° 22′ Long. 126° 54′ (92L/7W) NANAIMO M.D. On the east side of Nimpkish Lake at the mouth of Storey Creek.

CLAIMS: B 1 to 9, C 1, 3, 5, 7, E 1 to 4, 11 to 18.

OWNER: ACHERON MINES LTD., 201, 714 West Hastings Street, Vancouver. METALS: Iron, zinc.

- DESCRIPTION: Minor magnetite and sphalerite are associated with skarn zones in Quatsino limestone.
- WORK DONE: Geochemical survey, 161 samples collected over a 200 by 200-foot grid spacing covering B 1-3, E 2, 4, 11-14; magnetometer survey, 9.5 line-miles.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 319; Assessment Report 4352.

MAGNET (92L-97) (Fig. C, No. 64)

- LOCATION: Lat. 50° 25′ Long. 126° 57′ (92L/7W) NANAIMO M.D. On the east side of Nimpkish Lake, 1 mile north of Noomas Creek.
- CLAIMS: EXCEL, EXCEL 1 to 20, EXCELSIOR.
- OPERATORS: FIRST NATIONAL URANIUM MINES LIMITED and GROUNDSTAR RESOURCES LIMITED, 185 Davenport Road, Toronto, Ont.

METALS: Iron, copper.

DESCRIPTION: Scattered skarn zones occur at Quatsino - Karmutsen - Island intrusion contacts. Mineralization consists of magnetite, pyrite, pyrrhotite, and chalcopyrite in garnet and epidote gangue.

REFERENCES: *Geol, Surv., Canada,* Summ. Rept., 1931, Pt. A, pp. 32, 33; Assessment Reports 93, 94, 4447, 4789.

BOYES (92L-165 to 169) (Fig. C, No. 122)

LOCATION:	Lat. 50° 17′	Long. 126 [°] 03′	(92L/8E)
	NANAIMO M.D.	Two miles south-southwest o	f Keta Lake, on the
	west side of Adam	River, between 1,500 and 2,000) feet elevation.
CLAIMS:	BOYES, DENNIS	, KEVIN, GEO, BRUCE, totallin	g approximately 103.

OWNER: Western Standard Silver Mines Ltd.

OPERATOR: CONOCO SILVER MINES LTD., 3, 4647 Kingsway, Burnaby V5H 2B4.

METAL: Copper.

DESCRIPTION: The Dennis 25 to 28 claims of the Boyes property are underlain by gently to moderately northeasterly dipping massive and amygdaloidal Karmutsen Group basalts containing an interlava limestone bed approximately 50 feet thick. The principal mineralization is found in basalt flows beneath the interlava limestone. Chalcopyrite and bornite occur mainly in amygdules and as disseminations in the basalt matrix. Chalcopyrite occurs in fractures in scattered areas.

WORK DONE: Surface geological mapping covering all claims: rotary drilling, five holes totalling 2,536 feet on Dennis 28.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 291.

(921-252) (Fig. C. No. 123) 1

Lat. 50° 30' Long. 126° 06' LOCATION: (921/8E) VANCOUVER M.D. Eight miles north-northwest of Kelsev Bay, 1 mile west of Port Neville, at approximately 600 feet elevation. CLAIMS: | 1 and 2, PORT 3 to 22, STAN 1 to 3, H&B 1 to 6.

OWNER: STANLEY WESTON (VALDEZ SYNDICATE), 1850 Southwest Marine Drive, Vancouver V6P 6B2,

METAL: Copper.

.

- WORK DONE: IP survey, 950 line-feet covering I1 and 2.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 292; Assessment Report 4895.

LORENA (92L-262) (Fig. C, No. 65)

LOCATION:	Lat. 50° 31′	Long. 126° 55′	(92L/10W)
	NANAIMO M.D.	Eight miles southeast of Port McNeill,	1.5 miles west
	of Beaver Cove, at	approximately 2,000 feet elevation.	

- LORENA 1 to 14, GRIZZLY 1 to 3, BEAVER 1 to 6, CLARKE 1 to CLAIMS: 16, RAVEN 1 to 5.
- OWNER: LORENA MINES LTD., 18th Floor, 505 Burrard Street, Vancouver.

- DESCRIPTION: The property is underlain by Karmutsen basalt and Quatsino limestone intruded by granodiorite. Chalcopyrite occurs in basalt as disseminations, fracture fillings, and in amygdules,
- WORK DONE: Geochemical survey, 60 soil samples taken in four selected areas and 44 rock samples taken at 50-foot centres on Lorena 1.
- REFERENCE: Assessment Report 4596.

ISLAND COPPE	R MINE	(92L-158)	(Fig. C, No. 66)	By W. C. Robinson
LOCATION:	Lat. 50° 30	5.01	Long. 127 [°] 28.3′	(92L/11W)
	NANAIMO) M.D. Five r	niles east of Coal Ha	rbour, on the north side of
	Rupert Inl	e <mark>t,</mark> between se	a-level and 300 feet	elevation.
CLAIMS:	BAY, COV	E, JIM, INLE	T, COIR, RUPERT,	and ART, totalling 175.
OWNER:	υταή Μι	NES LTD., 41	2, 510 West Hasting	gs Street, Vancouver; mine
	address, Bo	x 370 Port Ha	ardy.	
METALS:	Copper, m	olybdenum (p	roduction shown in	Table I).
DESCRIPTION:	The depos	it has been de	scribed as a porphy	ry copper deposit in which
	most of th	e mineralizati	on occurs within br	ecciated rocks of the lower
	part of the	Bonanza Subg	group. Copper and m	olybdenum mineralization
	occurs as o	lisseminatons	and in veinlets in sil	iceous and hydrothermally
	altered tuff	i and tuff bred	cia of andesite and b	pasalt composition.

METAL: Copper.

WORK DONE:

In addition to the 12 million tons of ore that was trucked directly to the nearby concentrator, 28,839,000 tons of waste material was removed from the pit during the year. A portion of the waste material was placed upon land adjacent to the pit and the remainder was deposited into Rupert Inlet. Mining at this operation was done with benches placed at 40-foot intervals. At the year-end the lowest elevation in the pit was 80 feet below sea level. Equipment in the pit consisted of twenty-three 120-ton Unit Rig M-120 trucks, five 15-cubic-yard P&H electric shovels, one 6½-cubic-yard Marion electric shovel, two 60-R Bucyrus-Erie rotary drills, and one 45-R Bucyrus-Erie rotary drill. During the year construction was completed on the addition of three ball mills in the concentrator. Tailings from the concentrator was discharged directly into Rupert Inlet although an emergency tailings impoundment, capable of storing a quantity of tailings that could be produced in a six-month period, was available.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 267-269; 1972, pp. 293-303; Cargill, D. G., Dissertation on Geology of Island Copper Deposit, U.B.C., (in preparation).

HPH, DORLON (92L-69, 74, 241 to 245) (Fig. C, No. 69)

- LOCATION: Lat. 50° 42′ Long. 127° 50′ (92L/12W) NANAIMO M.D. On the south side of Nahwitti Lake, between 800 and 1,300 feet elevation.
- CLAIMS: HPH, SUN, TAXI, NORMAN, SILVA, LPS, etc., totalling approximately 80.

OWNERS: Giant Explorations Limited, Meade Hepler, and Ida Pugh.

- OPERATOR: GIANT EXPLORATIONS LIMITED, Box 10010, Pacific Centre, Vancouver.
- METALS: Copper, lead, zinc, silver, iron.
- DESCRIPTION: The property is underlain by sedimentary rocks of the Parson Bay and Quatsino Formations and volcanic rocks of the Karmutsen Formation and Bonanza Subgroup. These rocks are intruded by Island intrusions. Magnetite, chalcopyrite, sphalerite, and silver-bearing galena occur in skarn and in siliceous replacements of limestone.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet; ground magnetometer survey, 3.5 line-miles; and geochemical soil survey, 82 samples, 5.3 line-miles covering Taxi and Sun claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 306; Assessment Report 4472.

MO (92L-181) (Fig. C, No. 68)

LOCATION:	Lat. 50 [°] 43′	Long. 127 [°] 55′	(92L/12W)
	NANAIMO M.D.	Two miles west of Nahwitti L	ake at approximately
	2,000 feet elevation	on.	
CLAIMS:	MO 1 to 4, MON	1 to 4, TI 2, 4, 6, 8, 29 to 34, 48	to 53, BUD 1.
OWNER:	ACHERON MINE	S LTD., 107, 325 Howe Street,	Vancouver,

METALS: Copper, zinc, minor lead.

DESCRIPTION: Chalcopyrite and sphalerite, with minor galena, occur in skarn developed in Quatsino limestone near a quartz diorite intrusion.

WORK DONE: 1972 – surface geological mapping of the western half of the property; magnetometer survey covering Mo 1-4 and Mon 2 and 3; detailed geochemical survey, 628 samples collected for analysis covering Mo 1-4, Mon 4, and TI 29.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 262; Assessment Report 4251.

PUP (Fig. C, No. 124)

LOCATION:	Lat. 50° 44′	Long. 1	28 [°] 00'	(92L/12W; 102L	/9E)
	NANAIMO M.D. F	ive miles nort	h of Holberg, at	approximately 1,	,000,
	feet elevation.				
CLAIMS:	PUP 1 to 146.				
OWNER:	J. P. Stevenson.				
OPERATOR:	CITIES SERVICE	MINERALS	CORPORATIO	N, 405, 1200 N	West
	Pender Street, Vanc	ouver.			
WORK DONE:	Surface geological m	happing, 1 inch	requals 1,000 fe	et covering all cla	ims;
	IP survey, 8.75 line-	miles (along ro	oads).		
REFERENCE:	Assessment Report	4810.			

EXPO (92L-88, 131, 240) (Fig. C, No. 67)

- LOCATION: Lat. 50° 39' Long. 127° 50' (92L/12) NANAIMO M.D. Fifteen to 21 miles west and southwest of Port Hardy, Vancouver Island, between 1,000 and 1,500 feet elevation.
- CLAIMS: Approximately 500 EXPO, 60 HEP, 12 DON Fractions, 9 EXPO Fractions, 2 WAN Fractions.
- OWNER: UTAH MINES LTD., 412, 510 West Hastings Street, Vancouver V6B 1L9.

METALS: Copper, molybdenum.

- DESCRIPTION: The Expo claims are underlain mainly by volcanic rocks of the Bonanza Subgroup. Some Karmutsen Group volcanic rocks and Quatsino and Parson Bay sedimentary rocks also are present. These rocks are intruded by plutons of varied size and degree of contamination and differentiation. The Bonanza rocks are cut by several silicified, brecciated zones which are possibly related to volcanic centres. Pyrite is abundant and widespread; chalcopyrite, though very minor, occurs in scattered zones.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 304; Assessment Report 4754.

- SILTA (DUD) (92L-178) (Fig. C, No. 70)
- LOCATION: Lat. 50° 59' Long. 127° 13' (92L/14E) VANCOUVER M.D. Twenty-two miles northeast of Port Hardy, on the north side of Nenahlmai Lagoon, at approximately 350 feet elevation.

CLAIMS: QC 1 to 40.

OWNER: Q.C. EXPLORATIONS LTD., 408, 470 Granville Street, Vancouver.

METALS: Gold, silver, copper, lead, zinc.

DESCRIPTION: Mineralization consists of an irregular, faulted quartz vein which cuts northwesterly trending, folded argillaceous sedimentary rocks ajdacent to a granodiorite contact. The quartz vein carries common sulphides as well as gold and silver values. The main workings are situated on the QC 3 claim.

WORK DONE: 1972 - EM survey over a 400 by 200-foot grid on the QC 1-4.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1949, p. 218; Assessment Report 4252.

MOUNT WADDINGTON 92N

FLY (Fig. C, No. 114)

LOCATION:	Lat. 51° 36′ Long. 124° 29′ (92N/9W)
	CLINTON M.D. Three miles west of Tatlayoko Lake, on the north
	fork of Jamison Creek, at approximately 6,500 feet elevation.
CLAIMS:	FLY 1 to 36.
OWNER:	VANCO EXPLORATIONS LIMITED, Box 221, Commerce Court,
	Toronto, Ont.
DESCRIPTION:	Pyrite and minor malachite occur in a roof pendant of Cretaceous
	volcanic rocks lying in Late Cretaceous or Early Tertiary quartz diorite
	of the Coast Plutonic Complex.
WORK DONE:	Surface diamond drilling, five holes totalling 2,230 feet on Fly 2, 3, and
	4.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 309.

A&E (92N-32) (Fig. C, No. 115)

LOCATION:	Lat. 51° 37′	Long.	125° 05′	(92N/11E)		
	CLINTON M.D. T	hree and one-	half miles northwes	t of Twist Lake, at		
	the head of Sand Ci	reek, at approx	imately 5,500 feet	elevation.		
CLAIMS:	A&E 1 to 48.					
OWNER:	CITIES SERVICE	MINERALS	CORPORATION,	405, 1200 West		
	Pender Street, Vand	ouver.				
METALS:	Copper, molybdenu	ım.				
DESCRIPTION:	: The claims are underlain by Late Cretaceous or Early Tertiary biotit					

granodiorite of the Coast Plutonic Complex. Pyrite, minor chalcopyrite, and minor molybdenite occur in fractures in biotite granodiorite.

- WORK DONE: Surface geological mapping, 1 inch equals one-half mile and geochemical silt and rock survey, 152 samples covering all claims.
- REFERENCE: Assessment Report 4809.

MOUNTAIN BOSS (92N-10) (Fig. C, No. 117)

- LOCATION: Lat. 51° 48' Long. 125° 05' (92N/14E) CARIBOO M.D. Twenty-two miles west-southwest of Tatla Lake post office, on the northeast flank of Perkins Peak, at approximately 7,000 feet elevation.
- CLAIMS: Mineral Lease M-26 comprising BRITON, BELCHOR 1 to 8, IRON CROWN NO. 7, MONARCH, HEATHER, BLUE BELL (Lots 1062 to 1071, 1076, 1083, 1084) and APEX 1 to 54 located claims.
- OWNER: KLEENA KLEENE GOLD MINES LTD., 105 West Sixth Avenue, Vancouver.
- METALS: Gold, silver, copper.
- DESCRIPTION: Gold-bearing arsenopyrite occurs in quartz veins cutting southerly dipping argillites, sandstones, and quartzites. Gold and minor amounts of silver and copper are present.
- WORK DONE: Surface diamond drilling, two holes totalling 900 feet on Apex 4; road construction, 4,000 feet on Apex 3 and 4; trenching, 800 feet on Apex 9; stripping, 700 feet by 16 feet by 12 feet on Apex 28.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 310, 311.

PIN (92N-34) (Fig. C, No. 118)

- LOCATION: Lat. 51° 49' Long. 125° 02' (92N/14E) CARIBOO M.D. Twenty miles west-southwest of Tatla Lake post office, on Chromium Creek, between elevations of 5,200 and 5,700 feet.
- CLAIMS: PIN 1 to 106.
- OWNER: CITIES SERVICE MINERALS CORPORATION, 405, 1200 West Pender Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The claims are underlain by Lower Cretaceous andesite lavas, pyroclastic rocks, and minor rhyodacite. A zone of intense shearing trends 070 degrees along upper Chromium Creek, and is apparently truncated to the northeast by a fault striking 300 degrees. Along the main shear zone and several parallel zones in lower Chromium Creek the rocks are altered to sericite schist. Minor chalcopyrite and malachite occur along fractures in tuff southwest of lower Chromium Creek.
- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 800 feet covering all claims; magnetometer survey, 12 line-miles and frequency-domain IP survey, approximately 3 line-miles covering Pin 1-10 and 23-30; geochemical soil and rock survey, 550 samples taken at 200 by 400-foot intervals on lines generally 1,200 feet apart covering all claims.
 REFERENCE: Assessment Report 4729.

ORWILL (92N-33) (Fig. C, No. 116)

LOCATION:	Lat. 51° 57′ Long. 125° 11′ (92N/14E)						
	CARIBOO M.D. Fifteen miles west of Kleena Kleene, on the						
	northwest side of the Klinaklini River, between 2,500 and 3,500 feet						
	elevation.						
CLAIMS:	ORWILL 4 to 16.						
OWNER:	McLeod Copper Ltd.						
OPERATORS:	CADILLAC EXPLORATIONS LTD. and McLEOD COPPER LTD.						
	6849 McPherson Street, Burnaby.						
METALS:	Gold, silver, lead, arsenic.						
DESCRIPTION:	Lower Cretaceous andesite is intensively fractured and contains galena,						
	sphalerite, arsenopyrite, chalcopyrite, argentite, pyrite, and pyrrhotite						
	both as fracture fillings and disseminated.						
WORK DONE:	1972 and 1973 - surface geological mapping, 1 inch equals 40 feet;						
	surface diamond drilling, three holes totalling 661 feet; sampling of						
	diamond-drill core and outcrops; road construction, 7 miles (from						
	Kleena Kleene to claims).						
REFERENCE:	Assessment Report 4572.						

TASEKO LAKES 920

ASTONISHER,	CHISHOLM (920-54, 56) (Fig. C, No. 104)
LOCATION:	Lat, 51° 08' Long. 122° 14' (920/1E)
	CLINTON M.D. At the headwaters of Stirrup Creek which flows south
	into Watson Bar Creek, at approximately 6,500 feet elevation.
CLAIMS:	Crown-granted claims ASTONSIHER (Lot 7979), MONITOR (Lot
	7980), CHEVALIER (Lot 7981), AJAX (Lot 7982), MONTY (Lot
	7983), (Lot 8192), SUN FR. (Lot 8199) and located claims W 1 to
	12 and LOST CHANCE.
OWNERS:	C. E. Robertson and H. V. Warren.
OPERATOR:	CANEX PLACER LIMITED, 700, 1030 West Georgia Street,
	Vancouver.
METALS:	Gold, antimony, mercury.
DESCRIPTION:	Highly altered quartz feldspar porphyry intrudes grey-green argillite and
	sandstone of Cretaceous age. Mineralization consists of pyrite, galena,
	stibnite, realgar, and chalcopyrite.
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet; geochemical soil
	survey, 1,322 samples, 13 line-miles covering all claims; trenching,
	3,250 feet on W 2, 3, 4, and 10.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1933, pp. 192, 193; B.C. Dept. of
	Mines & Pet. Res., GEM, 1970, p. 216 (GB); 1971, p. 326 (W);
	Assessment Report 4743.

MUGWUMP (Fig. C, No. 107)

- LOCATION: Lat. 51° 04' Long. 122° 49' (920/2W) LILLOOET M.D. On Relay Creek, 2 miles above Tyaughton Creek, at approximately 4,000 feet elevation.
- CLAIMS: MUGWUMP, MUGWUMP 2 to 14, MUGWUMP 1 to 6 Fractions, HONDA 1 to 6, WINDFALL 1 to 3 Fractions.
- OWNER: BALLINDERRY EXPLORATIONS LTD., 1030, 540 Fifth Avenue SW., Calgary, Alta.
- METALS: Mercury, antimony.

DESCRIPTION: Cinnabar, mercury, and stibnite occur in conglomerate.

- WORK DONE: Surface diamond drilling, three holes totalling 545 feet on Mugwump 10 and 2 Fraction.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 312.
- B (920-65) (Fig. C, No. 105)
- LOCATION: Lat. 51° 10′ Long. 122° 53′ (920/2W) LILLOOET M.D. On Relay Creek, 8.5 miles above Tyaughton Creek, at approximately 5,500 feet elevation.
- CLAIMS: B 1 to 12, A 1 to 12, C 1 to 12.

OWNER: EDINA RESOURCES LTD., 1065 – 16th Avenue, West Vancouver.

- METAL: Copper.
- DESCRIPTION: Intermediate to acidic tuffs, possibly of the Eldorado Group, are cut by quartz feldspar porphyry dykes. Pyrite is widely distributed through the intermediate tuffs, locally accompanied by pyrrhotite, and both are relatively abundant in porphyry, where they are accompanied by traces of chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering one-half square mile; magnetometer survey, 6 line-miles covering B 5-12.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 312; Assessment Reports 3179, 3829, 4597.

X, Y, Z (920-64) (Fig. C, No. 106)

LOCATION:	Lat. 51° 11'	Long. 122° 56	·		(92	0/2W)
200,000	LILLOOET M.D.	Eleven miles above	Tyaughton	Creek,	on	Relay
	Creek, at approxir	nately 5,500 feet elevat	tion.			
CLAIMS:	X 2, 4, 6, 8, 10, 1	2, Y 1 to 12, Z 1 to 12.				

OWNER: HOME OIL COMPANY LIMITED and U.V. INDUSTRIES INC. (Sheba Syndicate), 202, 850 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Quartz feldspar porphyry dykes intrude intermediate volcanic and sedimentary rocks. Pyrite and chalcopyrite occur in fractures and as disseminations in the porphyry and in fine-grained volcanic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; magnetometer survey, 9 line-miles; geochemical soil survey, 110 samples, 2 line-miles.
 REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 312, 313.

- BJB (920-24) (Fig. C, No. 108)
- LOCATION: Lat. 51° 06' Long. 123° 11' (920/3E) CLINTON M.D. Sixteen miles east-southeast of the south end of Upper Taseko Lake, mainly southwest of Lorna Lake, between 6,300 and 9,600 feet elevation.

CLAIMS: LORN 1 to 71.

OWNER: COMINCO LTD., 200 Granville Square, Vancouver.

METALS: Copper, molybdenum, lead, zinc.

DESCRIPTION: An Upper Cretaceous quartz monzonite stock intrudes lower Upper Cretaceous Kingsvale andesite and Upper Jurassic Relay Mountain sedimentary rocks. Mineralization is predominantly associated with the intrusive-volcanic contact and, in decreasing order, consists of pyrite, pyrrhotite, magnetite, chalcopyrite, molybdenite, arsenopyrite, native copper, lead, and zinc.

REFERENCE: B,C, Dept. of Mines & Pet. Res., GEM, 1972, p. 313.

HI DO (920-45) (Fig. C, No. 110)

LOCATION: Lat. 51° 06' Long. 123° 37' (920/4E) CLINTON M.D. Five miles south-southwest of the south end of Upper Taseko Lake, on the southeast side of Falls River, at approximately 7,800 feet elevation.

CLAIMS: HI 1 to 4, AU 1 to 24, AU 25 Fraction.

OWNER: LORD RIVER GOLD MINES LIMITED, 808, 602 West Hastings Street, Vancouver V6B 1P2.

METALS: Gold, silver.

- DESCRIPTION: Gold-bearing quartz veins occur within granodiorites of the Coast Plutonic Complex. The veins contain some hessite.
- WORK DONE: Surface geological mapping 1 inch equals 700 feet covering all claims; 14 miles of road rebuilt (from Fishem Lake to property); stripping, 12 feet by 4 feet on HI 1 and 2.
- REFERENCES: *Minister of Mines, B.C.*, Ann. Rept., 1937, pp. F6-F8; 1945, pp. 83, 84; 1947, p. 128.

EGGS (920-43) (Fig. C, No. 109)

- LOCATION:Lat. 51° 11'Long. 123° 40'(920/4E)CLINTON M.D.Four and one-half miles west of Upper Taseko Lake,
on the Tchaikazan River, between 5,200 and 7,200 feet elevation.CLAIMS:WASH (Lot 7831), CLEANUP (Lot 7832), GRIN (Lot 7834), BEAR
- (Lot 7833), HAM (Lot 7836), SAKES FR. (Lot 7835), EGGS, SUGAR, PORK, BEANS, ONION 1 to 3, A 1 to 20.

OWNER: H. Warren, et al.

OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.

WORK DONE: Surface geological mapping, 1 inch equals 500 feet covering all claims.

METALS: Gold, copper, molybdenum.

DESCRIPTION: Free gold and tellurides occur in quartz veins. Chalcopyrite and molybdenite occur as disseminations and as fracture coatings in diorite and altered volcanic rocks.

- WORK DONE: Surface diamond drilling, six holes totalling 1,500 feet on Beans, Onion 1, A 13 and 20, and Sugar.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 314.
- FISH LAKE (920-41, 42) (Fig. C, No. 111)
- LOCATION: Lat. 51° 28′ Long. 123° 37′ (920/5E) CLINTON M.D. Six miles north of the north end of Lower Taseko Lake, surrounding Fish Lake, at approximately 4,800 feet elevation.
- CLAIMS: TK, BJ, K, etc., totalling approximately 200.

OWNERS: Corbin J. Robertson and Taseko Mines Limited.

- OPERATOR: QUINTANA MINERALS CORPORATION, 1215, Two Bentall Centre, Vancouver.
- METALS: Copper, minor gold, trace molybdenum.
- DESCRIPTION: Quartz diorite and quartz diorite porphyry stocks intrude Mesozoic volcanic rocks which are overlain unconformably by Miocene basalts. Porphyry-type mineralization occurs in quartz diorite and hornfels and consists mainly of chalcopyrite and pyrite and traces of molybdenite.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering TK claims; surface diamond drilling, 15 holes totalling 10,034 feet on TK 4, 5, 6, 7, 8, and 19; surface workings mapped, 1 inch equals 2,000 feet; road construction, 2 miles (access to drill sites).

BJ (920-66) (Fig. C, No. 112)

LOCATION:	Lat. 51° 20′			Long.	122° 3	0'			(920/8W, 7	'E)
	CLINTON M.D.	On	the	west	slope	of	Black	Dome	Mountain,	at
	approximately 6,7	700 f	eet e	levatio	on.					

CLAIMS: BJ 1 to 6.

```
OWNER: ALFRED J. SKIBER, 19 Crescent Blvd. SW., Calgary, Aita.
```

METALS: Gold, silver.

- DESCRIPTION: Black Dome Mountain is underlain by basalt flows of uncertain age that dip southeast of 45 degrees. They are cut by gold-bearing quartz fissure veins which strike 030 degrees. In 1973 an 18-inch vein was found on BJ 5, on strike with the Giant vein. The vein consists of quartz, calcite, and rare electrum-bearing pyrite, and has a surface coating of goethite and pyrolusite.
- WORK DONE: Surface geological mapping, 1 inch equals 300 feet; limited testing for copper with rubeanic acid; 61 feet of hand trenching; 1,500 feet of trail.
- REFERENCE: Assessment Report 4549.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 314.

LLL (Fig. C, No. 113)

LOCATION:	Lat. 51° 46′	Long. 122 [°] 30′	(92O/15E, 16W)
	CLINTON M.D.	Two miles from the Chilcotin River,	, on Cargile Creek.
CLAIMS:	LLL, totalling ap	proximately 50.	

OWNER: Walter Lawrin.

- OPERATOR: GENESEE MINING CORPORATION LTD., c/o Walter Lawrin, 119 Yale Road West, Chilliwack.
- DESCRIPTION: Argillaceous sedimentary rocks and andesitic volcanic rocks are exposed on the southern portion of the claims. To the west and outside the boundary of the claims, there is a prominent quartz monzonite plug. Pyrite and pyrrhotite occur in most of the rock types.

WORK DONE: 1972 – linecutting, magnetometer survey, and geochemical soil survey covering LLL 746, 748 to 750, 752, 761, 762, 765, and 767.

REFERENCE: Assessment Report 4460.

BONAPARTE RIVER 92P

- AJS (92P-50) (Fig. C, No. 71)
- LOCATION: Lat. 51° 00′ Long. 120° 27′ (92P/1W; 92I/16W) KAMLOOPS M.D. Ten miles west-southwest of McLure, 2 miles north of Wentworth Lake, at approximately 5,200 feet elevation.

CLAIMS: RAVE 1 to 73, NANCY 1 to 14.

- OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.
- METALS: Molybdenum, copper.

DESCRIPTION: A quartz diorite stock and feldspar porphyry dykes intrude metagreywackes of the Cache Creek Group. Mineralization noted includes molybdenite and chalcopyrite.

- WORK DONE: Topography mapped; surface geological mapping, 1 inch equals 1,000 feet covering all claims; magnetometer survey, 30 line-miles covering all claims; IP survey, 12 line-miles covering Rave 24, 26, 33-44, 55, 57-68, 71 and Nancy 10, 12; geochemical silt, soil, and rock survey, 500 samples covering all claims; surface diamond drilling, two holes totalling 981 feet on Rave 62 and 64.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 234; Assessment Report 4665.

HOOP (Fig. C, No. 72)

LOCATION:	Lat. 51° 10′	Long, 120 [°] 26′	(92P/1W)
	KAMLOOPS M.D.	Five miles south of the east e	nd of Bonaparte Lake,
	between 4,500 and	5,000 feet elevation.	
CLAIMS:	HOOP 1 to 118, H	OOP 1 and 2 Fractions.	
OWNER:	PICKANDS MATH	ER & CO., 216, 475 Howe Str	eet, Vancouver.

- DESCRIPTION: The claims are underlain by quartz mica schist of the Cache Creek Group intruded by granitic rocks of the Upper Triassic to Lower Jurassic Thuya batholith and unconformably overlain by Miocene plateau basalts. Traces of malachite and molybdenite have been found in float near Dagger Lake.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; magnetometer survey, 65 line-miles covering all claims; geochemical soil survey, 992 samples, 18.8 line-miles.
- REFERENCES: Assessment Reports 4633, 4634.

HAMILTON CREEK, SAVONA (92P-85, 87, 126, 127) (Fig. C, No. 73)

- LOCATION: Lat, 51° 11' Long, 120° 54' (92P/2W) CLINTON M.D. Thirteen miles southwest of the west end of Bonaparte Lake, surrounding Vidette Lake, at approximately 3,000 feet elevation.
- CLAIMS: VID 1 to 43, VID 1 to 3 Fractions, DET 1 to 16, 19 to 22, 30, Mineral Leases M-32 (NEW HOPE, Lot 4751), M-33 (ARGENTIA NO. 1, Lot 4766), M-34 (SEARCHER NO. 3, PIONEER, TF FRACTION, Lots 4745, 4746, 4762), M-35 (VALLEY NO. 1, Lot 4747), M-38 (VALLEY NO. 2, Lot 4748).

OPERATOR: KEDA RESOURCES LIMITED, 6, 219 Victoria Street, Kamloops.

METALS: Gold, silver, copper, molybdenum.

DESCRIPTION: The claims are underlain by Upper Triassic volcanic rocks of the Nicola Group cut by granitic rocks of the Upper Triassic to Lower Jurassic Thuya batholith and overlain unconformably by extensive Miocene plateau basalts. Gold-silver-copper mineralization occurs in northwesterly trending quartz and quartz-carbonate veins which are found at several locations on the property.

WORK DONE: 1972 – prospecting and geochemical soil survey, 400 samples.

- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1936, pp. F36, F41-F43; 1940, p. 60; *Geol. Surv., Canada,* Mem. 179, pp. 34-36; Assessment Report 4257.
- R, V, GILL (Fig. B, No. 136)
- LOCATION: Lat. 50° 59' Long. 121° 23' (921/14W; 92P/3W) Report on this property in section 921/14W.

DON, RON	(Fig. C, No. 74)		
LOCATION:	Lat. 51° 04′	Long. 121° 34′	(92P/4E)
	CLINTON M.D.	One mile southeast of Clinton,	between 3,000 and
	3,500 feet elevation	on.	
CLAIMS:	DON 1 to 22, 22 (CLIFFORD, AD	A, 23 to 31, RON 1, 2, 9, 10, 20, A B, Lots 4791, 4792).	, Mineral Lease M-27

(92P/6E)

OPERATOR: ACROLL OIL & GAS LTD., 574 Calgary Place One, 330 Fifth Avenue SW., Calgary, Alta.

WORK DONE: 1972 – geochemical survey, 24 line-miles, 425 samples collected and analysed.

REFERENCE: Assessment Report 4623.

BD, VB (92P-5) (Fig. C, No. 144)

- LOCATION: Lat. 51° 04' Long. 121° 06' (92P/6E) CLINTON M.D. Thirteen miles east of 70 Mile House, on Rayfield River, at approximately 3,000 feet elevation.
- CLAIMS: BD 51, 53 to 62, 65 to 70, 77 to 81, 83, VB 1 to 4, 11, BRUCE 2, BRUCE 3 Fraction, DAN 1 and 2 Fractions.
- OWNER: PERRY, KNOX, KAUFMAN, INC., Box 14336, Spokane, Wash.

METAL: Copper.

- DESCRIPTION: The claims are underlain by diorite, monzonite, syenite, and nepheline syenite pegmatite, all of which could be phases of a zoned intrusion. Bornite, chalcopyrite, and chalcocite occur in the syenite as disseminations and along veinlets.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering VB 2, 11, 61 and BD 6, 60, 66, 68; surface diamond drilling, four holes totalling 1,200 feet on BD 58, 60, and 68; road construction.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 218-221; 1972, p. 316; Assessment Report 2135.

JIM (Fig. C, No. 75)

- LOCATION:Lat. 51° 24'Long. 121° 07'(92P/6E)CLINTON M.D.Fourteen miles northeast of 70 Mile House, on the
north side of Jim Lake, at approximately 3,500 feet elevation.CLAIMS:JIM 1 to 13, 15, 17, 19, 21, 23, 25 to 28.CWNIED:HANNING CORPORTION
- OWNER: UNION MINIERE EXPLORATIONS AND MINING CORPORATION LIMITED, 200, 4299 Canada Way, Burnaby V5G 1H4.
- DESCRIPTION: The property is covered mostly by Pleistocene glacial overburden, the only rock exposures being part of a Tertiary gabbro intrusion.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; IP survey, 3.21 line-miles; magnetometer survey, 3.97 line-miles; geochemical soil survey, 3.97 line-miles covering all claims; surface diamond drilling, two holes totalling 221 feet on Jim 5, 6, 7, and 8.

DUM (Fig. C, No. 80)

LOCATION: Lat. 51° 27' Long. 120° 19' (92P/8W) KAMLOOPS M.D. Six miles west-northwest of Little Fort, 1 mile west of Dum Lake, at approximately 4,000 feet elevation. CLAIMS: DUM 1 to 24.

- OWNER: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.
- DESCRIPTION: The claims are underlain by granodiorite of the Upper Triassic to Lower Jurassic Thuya batholith which to the east are in contact with Upper Triassic volcanic rocks of the Nicola Group.
- WORK DONE: Reconnaissance surface geological mapping; geochemical soil survey, 337 samples, 12 line-miles covering all claims.
- REFERENCE: Assessment Report 4689.

LYN (Fig. C, No. 81)

LOCATION:	Lat. 51° 29′	Long. 120° 22′	(92P/8W)			
	KAMLOOPS M.D.	About 9 miles northwest	of Little Fort, between			
	Latremouille and Long Island (Janice) Lakes, at approx					
	feet elevation.					
CLAIMS:	LYN 1 to 154, LV 2	27 to 68, LV 69 to 72 Frac	tions.			
OWNER:	RIO TINTO CAN	ADIAN EXPLORATION	LIMITED, Box 49108,			
	Vancouver V7X 1G	4.				
DESCRIPTION:	: The claims are underlain mostly by granitic rocks of the Upper Triass					
	to Lower Jurassic T	huya batholith.				
WORK DONE:	Reconnaissance sur	face geological mapping	covering Lyn 1-154; air-			
	borne magnetometer and EM survey, 107.6 line-miles cove					
	claims; geochemical	soil survey, 373 samples, 1	4 line-miles covering Lyn			
	5-10, 33, 34, 63-69.					
REFERENCES:	B.C. Dept. of Min	es & Pet. Res., GEM, 19	370, p. 307; Assessment			

- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 307; Assessment Report 4264.
- BAR (Fig. C, No. 76)

LOCATION:	Lat. 51° 18′ Long. 120° 04′ (92P/8E)
	KAMLOOPS M.D. Nine miles north-northeast of Barriere, on
	Newhykulston Creek, at approximately 5,000 feet elevation.
CLAIMS:	BAR 5 to 24, 29 to 48.
OWNER:	HIGHLAND LODE MINES LTD., 728, 510 West Hastings Street,
	Vancouver V6B 1L8.
DESCRIPTION:	The claims are underlain by volcanic and sedimentary rocks of the
	Upper Paleozoic Fennell Formation.
WORK DONE:	Magnetometer survey, 27.5 line-miles covering Bar 9-20, 34-44;
	linecutting.
REFERENCES:	Assessment Reports 4434, 4776.

(92P/8E)

WINDPASS, SWEET HOME (92P-39, 40) (Fig. C, No. 78)

- LOCATION: Lat. 51° 26' Long. 120° 05' (92P/8E) KAMLOOPS M.D. Five miles east-northeast of Little Fort, on the southwest slope of Baldy Mountain, at approximately 5,000 feet elevation.
- CLAIMS: Mineral Lease M-37R (WINDPASS 1 to 3, Lots 3839 to 3841), Mineral Lease M-38R (SWEET HOME, Lot 3844), Mineral Lease M-40R (GOTT, JUPITER, ELISE, ERIN, DOLLY VARDEN, MAPLE LEAF, BRENDA FR., SIGNE, Lots 3842, 3971, 3972, 3974 to 3978), Mineral Lease M-42R (DYKE FR., DYKE, BEST, DIAMOND, NUGGET, SNOWSHOE FR., SYDNEY X, BOBBY B FR., KAY FR., Lots 1607, 1615, 1618 to 1621, 3521, 3523, 3524), Mineral Lease M-44R (BLUE DIAMOND, SILVER BELL, PREMIER, RIDGEWAY, Lots 1875, 1876, 3973, 4851), Mineral Lease M-45R (FIFTY, FIFTY-ONE, Lots 1873, 1874), Mineral Lease M-46R (NORTH DANN, DONEGAL, BELFAST, Lots 3843, 3979, 3980).

OWNER: Kamad Silver Co. Ltd.

OPERATORS: GOLD RIVER MINES & ENTERPRISES LTD. (formerly Gold River Mines Ltd.) and DALTON RESOURCES LTD., 4075 Union Street, Burnaby.

METALS: Gold, copper, bismuth, iron, silver.

DESCRIPTION: The claims are underlain by volcanic and sedimentary rocks of the Upper Paleozoic Fennell Formation that are cut to the east by granitic rocks of the Cretaceous Baldy batholith. Gold-bearing mineralization is associated with a diorite to pyroxenite sill.

WORK DONE: 1972 – magnetometer and VLF EM survey, 19.8 line-miles.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1934, pp. D26, D27; 1961, p. 49; *Geol. Surv., Canada,* Summ. Rept., 1921, Pt. A, pp. 99, 100; Assessment Reports 329, 4261.

RICK (Fig. C, No. 77)

LOCATION:	Lat. 51° 27′	Long. 120 [°] 03′	(92P/8E)
	KAMLOOPS M.D.	Six miles east-northeast of Li	ttle Fort, on the south
	slope of Baldy Mou	intain, at approximately 6,500	feet elevation.
CLAIMS:	RICK 1 to 8.		
OWNER:	DANIEL L. RABB	ITT, RR 4, Trans-Canada High	way 1E, Salmon Arm.
WORK DONE:	1972 and 1973 - fi	necutting, 12,000 feet of grid	and tie line.
REFERENCE:	Assessment Report	4585.	

JUDY, LINE	(92P-36, 37, 38)	(Fig. C, No. 79)	
LOCATION:	Lat. 51° 28′	Long. 120° 03'	(92P/8E)
	KAMLOOPS M.D.	Seven miles northeast of I	Little Fort, on the north
	slope of Baldy Mou	intain, between 6,500 and 7	,500 feet elevation.

CLAIMS:	SS 1 to 22.
OWNER:	A. Smith.
OPERATOR:	DARKHAWK DEVELOPMENT CORPORATION LTD. (formerly
	Darkhawk Mines Ltd.), c/o 1840, 777 Hornby Street, Vancouver.
METALS:	Molybdenum, copper.
DESCRIPTION:	Molybdenite and chalcopyrite occur in quartz and aplite veinlets which cut dacitic rocks. Several areas of gossan have been mapped on the property.
WORK DONE:	1972 — geochemical soil survey.
REFERENCES:	Assessment Reports 1047, 4267.

PEST (Fig. C, No. 87)

LOCATION:	Lat. 51° 34′	Long	J. 120° 04′		(92	2P/9E)
	KAMLOOPS	M.D. Two miles	east-southeas	t of Blackpo	ool stat	ion, at
	the headwate	ers of Rennie Creel	<, at approxim	ately 4,000 f	feet ele	vation.
CLAIMS:	PEST 1 to 4,	6, 11 to 16.				
OWNER:	NORANDA	EXPLORATION	COMPANY,	LIMITED,	1050	Davie
	Street, Vanco	ouver V6E 1M4.				

- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Paleozoic Fennell Formation which to the east are intruded by granitic rocks of the Cretaceous Baldy batholith. Outcrop is scarce.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 318.

MANN CREEK (92P-29) (Fig. C, No. 88)

LOCATION: Lat. 51° 35' Long. 120° 09' (92P/9E) KAMLOOPS M.D. Two miles west of Blackpool station, on Mann Creek, between 1,400 and 4,500 feet elevation.

CLAIMS: X 1 to 40.

OWNER: GOLDEN EARS MINES LTD., 307, 850 West Hastings Street, Vancouver.

METALS: Copper, lead, silver.

- DESCRIPTION: In the area Fennell Formation gneiss is overlain by Tertiary basalt in the valley of Mann Creek. Some calcite-epidote veins in the gneiss contain pyrite and minor chalcopyrite, a quartz-carbonate vein carries galena.
- WORK DONE: Linecutting, 12 miles of grid; geochemical soil survey, 596 samples taken at 100-foot intervals along lines normally 500 feet apart; surface geological mapping, 1 inch equals 400 feet covering X 1-18, and 22-32.
- REFERENCES: Geol. Surv., Canada, Summ. Rept., 1921, Pt. A, p. 105; Assessment Report 4777.

(92P/9E)

LUCKY, CEDAR, RS (No. 20, Fig. A)

LOCATION: Lat. 51° 36′ Long. 120° 00′ (82M/12W; 92P/9E) Report on this property in section 82M/12W.

PYCU, LV, FORT (Fig. C, No. 82)

LOCATION: Lat. 51° 31' Long. 120° 22' (92P/9W) KAMLOOPS M.D. About 10 miles northwest of Little Fort, surrounding Deer and Laurel Lakes, at approximately 4,500 feet elevation.

CLAIMS: PYCU 1 to 42, LV 11 to 92, FORT 1 to 6.

OWNER: Deer Lake Mines Ltd.

OPERATORS: BARRIER REEF RESOURCES LTD., 1418, 355 Burrard Street, Vancouver and RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.

METAL: Copper.

- DESCRIPTION: The claims are underlain by volcanic rocks of the Upper Triassic Nicola Group cut by a body of pyroxenite and gabbro, and by granitic rocks of the Thuya batholith. Minor chalcopyrite occurs in shears.
- WORK DONE: 1972 Barrier Reef Resources Ltd. geochemical soil and rock survey, prospecting, reconnaissance geological mapping, EM survey over two selected areas, and surface diamond drilling, three short holes; 1973 Rio Tinto Canadian Exploration Limited reconnaissance surface geological mapping covering LV 27-72; IP survey, 9 line-miles and ground magnetometer survey, 11 line-miles covering LV 31, 32, 41, 42, 47, 48, 55, 56, 61-64; airborne magnetometer and EM survey, 107.6 line-miles covering LV 27-72; geochemical soil survey, 887 samples, 28 line-miles covering LV 27-72.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 307; 1972, p. 320; Assessment Reports 4262, 4264, 4835.

LAKEVIEW, SILVER, RED (92P-10, 8, 27) (Fig. C, No. 83)

LOCATION:	Lat. 51° 32′	Long. 120° 22.5'	(92P/9W)
	KAMLOOPS M.D.	Eleven miles northwest	of Little Fort, surrounding
	Deer Lake, between	4,500 and 4,600 feet e	evation.
CLAIMS:	UNITED 1 to 8, U	NITED 1 and 9 Fractio	ns, SILVER 1 to 12, 21, 24
	to 26, 38, 41 to 44,	109 to 112, BILL 1 to	4, SP 1 to 6, MAE 1 to 4.
OWNER:	MEDALLION EX	PLORATIONS LTD.	(formerly United Copper
	Corporation Limite	d), 3165 Dunbar Street,	Vancouver V6R 3P1.
METALS:	Copper, gold, zinc,	iron.	
DESCRIPTION:	The claims are unde	erlain mostly by volcani	c rocks of the Upper Triassic
	Nicola Group that a	are locally metasomatize	d near dioritic intrusions.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering Mae 1-4 and SP 1-6; 1 inch equals 1,600 feet covering Silver 18, 19, 21, 24-26; and 1 inch equals 1,000 feet covering Bill 1, 3, and 4; surface diamond drilling, five holes totalling 105 feet on United 5.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 307; 1972, p. 320; Assessment Reports 4260, 4678, 4684.
- FL (Fig. C, No. 84)
- LOCATION: Lat. 51° 35′ Long. 120° 27′ (92P/9W) KAMLOOPS M.D. Sixteen miles northwest of Little Fort, at Friendly Lake, at approximately 5,000 feet elevation.

CLAIMS: FL 1 to 149.

OWNER: Vangulf Exploration Company.

OPERATOR: IMPERIAL OIL LIMITED, 314, 1281 West Georgia Street, Vancouver. METALS: Copper, molybdenum, lead, silver.

- DESCRIPTION: The claims are underlain by volcanic and sedimentary rocks of the Upper Triassic Nicola Group that have been intruded by a small stock of leucogranite. Disseminated pyrite, chalcopyrite, molybdenite, and galena occur in a large altered zone adjacent to the Friendly Lake stock.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering FL 1-34 and 49-61; geochemical survey, 83 stream sediment samples covering FL 1-49 and 1,600 soil samples, 165 line-miles covering FL 21-41 and 102-145; surface diamond drilling, two holes totalling 1,384 feet on FL 25 and 27; linecutting, 29 miles of grid on FL 102-145; road construction, 1 mile on FL 25, 27, and 29.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 307; 1972, pp. 320, 321; Assessment Reports 4702, 4817.
- ANTICLIMAX (92P-14, 15, 16) (Fig. C, No. 85)
- LOCATION: Lat. 51° 36′ Long. 120° 18′ (92P/9W) KAMLOOPS M.D. Twelve miles north-northwest of Little Fort, one-half mile northeast of the north end of Tintlhohtan Lake, between 4,000 and 4,500 feet elevation.
- CLAIMS: MO 4, 6, 8, 10 to 18, 20 to 34, 41 to 42, MO 39 and 40 Fractions, SEVEN UP, BLUE JAY, MOOSE, LUCKY STRIKE, GORDON NO. 3, LOON, FLY, LUCKY, RUB.

OWNERS: K. Calder and Gung Loy Jim.

- OPERATOR: IMPERIAL OIL LIMITED, 314, 1281 West Georgia Street, Vancouver. METAL: Molybdenum.
- DESCRIPTION: The claims are underlain by Lower to Middle Jurassic (?) argillite and pyroxene andesite breccia which have been intruded by a stock of leucogranite and quartz feldspar porphyry approximately 3,000 feet in diameter and of probable Cretaceous age. Pyrite and molybdenite are disseminated in the altered granitic rocks and in quartz veins.
- WORK DONE: Surface diamond drilling, three holes totalling 3,882 feet on Fly, Gordon, and Seven Up.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 304; 1972, p. 321.

---- -

ELLEN, GIZELLE (92P-129) (Fig. C, No. 89)

- LOCATION: Lat. 51° 32′ Long. 120° 34′ (92P/10E) CLINTON and KAMLOOPS M.D. Eighteen miles west-northwest of Little Fort, between Wavey and Willow Lakes, between 3,900 and 4,600 feet elevation.
- CLAIMS: ELLEN 1 to 64, GIZELLE 1 to 16.
- OPERATOR: OREQUEST EXPLORATION SYNDICATE, 711, 850 West Hastings Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: The claims are mainly underlain by volcanic and sedimentary rocks of the Upper Triassic Nicola Group which have been cut by a number of dykes and irregular intrusive bodies which range from diorite to monzonite in composition.
- WORK DONE: 1972 linecutting, geological, geochemical, and EM surveys.
- REFERENCE: Assessment Report 4365.
- SO (92P-7) (Fig. C, No. 86)
- Long. 121° 31' Lat. 51° 37' (92P/10E) LOCATION: KAMLOOPS M.D. Approximately 19 miles northwest of Little Fort, 3.5 miles northwest of Friendly Lake, between 4,500 and 5,500 feet elevation. CLAIMS: FRI 1 to 17, 19, 31 to 38, BOG 3 to 42, 44 to 46, 48. OWNER: G. H. Rayner, CITIES SERVICE MINERALS CORPORATION, 405, 1200 West **OPERATOR:** Pender Street, Vancouver. METAL: Copper.

WORK DONE: Linecutting and frequency-domain IP survey, 21 line-miles.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 321, 322; Assessment Report 4836.

WD (Fig. C, No. 102)

LOCATION:	Lat. 51° 55' Long. 121° 25'	(92P/14W)
	CLINTON M.D. Eight miles north-northeast of Lac la Hache	e village, at
	approximately 3,200 feet elevation.	
CLAIMS:	WD 1 to 28.	
OWNER:	AMAX POTASH LIMITED, 601, 535 Thurlow Street,	Vancouver
	V6E 3L6.	
DESCRIPTION:	The claims are underlain by Upper Triassic Nicola andes	ite cut by
	coarse-grained monzonite. Both these units are unconformab	ly overlain
	by Eocene plagioclase andesite porphyry.	
WORK DONE:	IP survey, 10 line-miles covering WD 1-28; percussion dril	lling, three
	holes totalling 900 feet on WD 5, 13, 22; road constructio	n, one-half
	mile on WD 5, 13, 16, 22.	
DEFEDENCES.	R.C. Dant of Mines & Dat Res. CEM 1070 and 200 202	A

REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, pp. 322, 323; Assessment Report 4544. PEACH, PIT (92P-2, 34, 35, 115) (Fig. C, No. 100)

- LOCATION: Lat. 51° 58′ Long. 121° 19′ (92P/14W) CLINTON M.D. Thirteen miles north-northeast of Lac Ia Hache village, on the south side of Peach and Lower Peach Lakes, at approximately 4,000 feet elevation.
- CLAIMS: PEACH 44, 46, 48, 50, 59 to 68, 73, 74, 79 to 90, 161, 163, 165, 215, 216, 230, PEACH 211 and 212 Fractions, PIT 5 to 17, 23, 26, 28, 30, 59 to 62, 67, 69 to 71, WC 170 to 173, 181 to 189, 207 to 210, WC 190 and 191 Fractions.

OWNER: Coranex Syndicate (optioned to Amax Exploration, Inc.).

OPERATOR: AMAX EXPLORATION, INC., 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Copper.

- DESCRIPTION: The claims are underlain by massive and fragmental volcanic rocks of the Upper Triassic Nicola Group complexly cut by intrusive bodies of dioritic to syenitic composition. Mineralization consists of chalcopyrite-pyrite stockworks in several areas near the margin of the stock.
- WORK DONE: IP survey, 6 line-miles covering Peach 44, 46, 48, 79, 81, 83, 161, 163, 165 and Pit 71; magnetometer survey, 10 line-miles covering WC 186-189, 190 Fraction, 207, 208; percussion drilling, 46 holes totalling 12,600 feet on Peach 44, 45, 61, 62, 64, 79-82, 165, Pit 61, 62, 71, and WC 188, 189; road construction, 2 miles (from existing access roads to drill sites).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM. 1972, p. 324; Assessment Report 4542.
- WB (Fig. C, No. 101)
- LOCATION: Lat. 51° 58′ Long. 121° 27′ (92P/14W) CLINTON M.D. Ten miles north of Lac Ia Hache village, 2 miles northeast of Rail Lake, at approximately 3,500 feet elevation.
- CLAIMS: WB 2, 4, 6, 8, 10, 12 to 16, 18, 20, 22, 24, 26, 28 to 30, 32, 33 to 60, 69 to 78.
- OWNER: AMAX POTASH LIMITED, 601, 535 Thurlow Street, Vancouver V6E 3L6.
- DESCRIPTION: There are no bedrock exposures on the property but drill cuttings indicate the presence of schist and gabbro.
- WORK DONE: Magnetometer survey, 15 line-miles covering WB 20, 22, 24, 26, 28-30, 32, 39, 41, 43, 45, 47, 49, 51, 78; IP survey, 3 line-miles covering WB 24, 26, 28-30, 32, 41, 43, 45, 47, 49; percussion drilling, six holes totalling 1,250 feet on WB 24, 30, 41, and 45; road construction, one-half mile on WB 24, 30, 41, 43, 45 (from existing access road to drill sites).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 323; Assessment Report 4558.

WC (92P-108, 120) (Fig. C, No. 103)

LOCATION:	Lat. 51° 59′	Long. 121° 25′	(92P/14W)
	CLINTON and CARIBO	O M.D. Thirteen miles north	th of Lac la Hache
	village, on the north and	d south sides of Spout Lake,	at approximately
	3,700 feet elevation.		

- CLAIMS: Clinton M.D. -- WC 1 to 12, 15 to 26, 29 to 40, 45 to 60, 64 to 68, 74 to 76, 90 to 96, 146, 147, WC 198 to 204 Fractions; Cariboo M.D. -- WC 13, 14, 27, 28, 41 to 44, 97 to 132, 135 to 141, 192 to 197, 205, 206.
- OWNER: AMAX POTASH LIMITED, 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Copper.

- DESCRIPTION: The claims are underlain by volcanoclastic rocks of the Upper Triassic Nicola Group extensively altered to skarn and cut by a monzonite stock. Mineralization includes chalcopyrite, pyrite, and magnetite.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet covering WC 22, 24, 26, 35, 37, 39 and 200 and 201 Fractions; IP survey, 8.6 line-miles covering WC 22, 24, 26, 37-40, 45, 46; ground magnetometer survey, 13 line-miles covering WC 22, 24, 26, 35, 37, 39 and WC 200 and 201 Fractions; surface diamond drilling, seven holes totalling 3,145 feet on WC 24, 26, and 39; road construction, one-quarter mile on WC 24 and 26 (from existing access road to drill sites).
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 323, 324; Assessment Report 4490.

STAN, FIR (92P-32, 114) (Fig. C, No. 99)

LOCATION:	Lat. 51° 48′	Long. 121° 12'	(92P/14E)
	CLINTON M.D.	North-northeast of 100	Mile House, on the east and
	southeast sides o	f Spring Lake, between 3,	300 and 3,500 feet elevation.
CLAIMS:	STAN 3 to 6, FI	R 1 to 24, SKULL 1 to	18, MAC 1 to 6, BRETT 1 to
	8.		
OWNER:	CANWAY EXPL	ORATIONS LTD., 12042	– 56th Avenue, Surrey.
METALS:	Copper, molybde	num.	
DESCRIPTION:	The claims are	underlain by granitic roo	ks of the Upper Triassic to
	Lower Jurassic	Takomkane batholith. Ch	alcopyrite and molybdenite
	associated with fr	actures and potassic intru	sions have been noted.

- WORK DONE: Percussion drilling, eight holes totalling 1,200 feet on Stan 3, 4 and Skull 7, 9, 10.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 324, 325.

WILL (Fig. C, No. 98)

LOCATION: Lat. 51° 49′ Long. 121° 54′ (92P/14E) CLINTON M.D. Fourteen miles north-northeast of 100 Mile House, on the north side of Wilcox Lake.

OWNER: STYNRO DEVELOPMENT LTD., 427, 470 Granville Street, Vancouver.

- WORK DONE: 1972 linecutting.
- REFERENCE: Assessment Report 4258.

MATH (92P-133) (Fig. C, No. 97)

- LOCATION: Lat. 51° 51' Long. 121° 08' (92P/14E) CLINTON M.D. Sixteen miles north-northeast of 100 Mile House, 2 miles northeast of Lake of the Trees, at approximately 3,200 feet elevation.
- CLAIMS: MATH 1 to 120, 127 to 130, 135 to 140.
- OWNER: PICKANDS MATHER & CO., 216, 475 Howe Street, Vancouver.

METAL: Molybdenum.

- DESCRIPTION: The claims are underlain by quartz monzonite of the Takomkane batholith. A 50-foot-wide dyke of feldspar porphyry is exposed in the north-central part of the claim area. The quartz monzonite is silicified and epidotized in the central part, where it is cut by quartz and some calcite veins. Some quartz veins contain very fine-grained molybdenite, and adjacent quartz monzonite contains finely disseminated pyrite.
- WORK DONE: Linecutting, 81.5 miles of grid; surface geological mapping, 1 inch equals 400 feet covering all claims; magnetometer survey, 8.1 line-miles covering Math 11, 13, 15, 21-26; geochemical soil survey, 3,882 samples taken at 100 by 400-foot and 800-foot grid spacing covering all claims and 185 soil samples taken for mercury vapour sensing covering Math 11, 21-26, 41, 42; trenching, nine test pits on Math 11, 21, and 22.
- REFERENCES: Assessment Reports 4647, 4822.

RM (92P-128) (Fig. C, No. 95)

LOCATION:	Lat. 51° 49′	Long. 120 [°] 48′	(92P/15W)
	CLINTON M.D.	From 2 to 8 miles northeast of	Canim Lake village,
	on the south and	d east shores of Canim Lake, at a	pproximately 3,000
	feet elevation.		
CLAIMS:	RM 1 to 203.		

OWNERS: DOME EXPLORATION (CANADA) LIMITED and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V7B 3H7.

METAL: Copper.

- DESCRIPTION: A succession of Lower to Middle Jurassic submarine volcanic rocks has been intruded by a Cretaceous diorite stock. Mineralization consists of disseminations and fracture fillings of pyrite and chalcopyrite.
- WORK DONE: 1972 linecutting, 65 miles of grid; geological mapping; magnetometer survey, 40 line-miles; geochemical survey, 700 samples, 40 line-miles; trenching; 1973 surface geological mapping, 1 inch equals 200 feet; IP survey, 20 line-miles; geochemical soil survey, 200 samples; linecutting, 20 miles of grid.
- REFERENCES: Assessment Reports 4259, 4366.

BEER (92P-125) (Fig. C, No. 94)

- LOCATION:Lat. 51° 54'Long. 120° 53'(92P/15W)CLINTON M.D.Three miles north-northwest of Eagle Creek village, 1
mile northeast of Roger Lake, at approximately 3,000 feet elevation.CLAIMS:BEER 1 to 40, BET 1 to 8, PAT 1 to 14, SUN 1 to 10.
- OWNER: ARAGON EXPLORATIONS LTD., 1763 East Hastings Street, Vancouver.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by volcanic and sedimentary rocks of the Upper Triassic Nicola Group, cut to the northwest by granitic rocks of Upper Triassic to Lower Jurassic Takomkane batholith.
- WORK DONE: 1972 surface geological mapping; detailed and reconnaissance geochemical surveys, 166 samples; IP survey, 5.3 line-miles; magnetometer survey, 8 line-miles; bulldozer trenching on Beer 4, 10 and Bet 2, 4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 325; Assessment Reports 4265, 4266.

NOD (92P-112) (Fig. C, No. 93)

LOCATION: Lat. 51° 55′ Long. 120° 56′ (92P/15W) CLINTON M.D. Four miles northwest of Eagle Creek village, immediately northwest of Roger Lake, at approximately 3,200 feet elevation.

CLAIMS: JULY 1 to 34.

OWNER: UTAH MINES LTD., 412, 510 West Hastings Street, Vancouver V6B 1L9.

METAL: Copper,

- DESCRIPTION: Syenitic dykes have intruded a contact breccia zone. The breccia zone is composed of welded angular fragments of metavolcanic rocks which belong to the Triassic Nicola Group and granitic fragments which belong to the Takomkane batholith. Minor pods and impregnations consisting of chalcopyrite and bornite occur in the syenitic dykes and breccia zone.
- WORK DONE: Surface diamond drilling, one hole totalling 500 feet on July 25.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 325, 326; Assessment Report 4496.

SHERI (92P-113, 132) (Fig. C, No. 96)

- LOCATION: Lat. 51° 56' Long. 120° 52' (92P/15W) CLINTON M.D. Five miles north of Eagle Creek village, at approximately 3,300 feet elevation.
- CLAIMS: SHERI 1 to 97, 99 to 130, SUCC 1 to 20.

OWNER: PICKANDS MATHER & CO., 216, 475 Howe Street, Vancouver.

METALS: Copper, iron.

- DESCRIPTION: The property is underlain predominantly by hornblende of the Takomkane batholith, with quartz monzonite underlying the western claims. In the southeast the hornblende is brecciated and intruded by diorite, and in the east it contains inclusions of Nicola Group basalt and tuff. The hornblende and quartz monzonite are intruded by aplite and trachyte porphyry dykes. The rocks are variably altered, and in the east are generally intensely silicified. Chalcopyrite occurs in two small, widely spaced outcrops of hornblende near the centre of the claim area.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all Sheri claims; linecutting, 76 miles of grid; magnetometer survey, 71 line-miles covering Sheri claims; geochemical survey, 3,270 soil samples and 66 lake sediment samples taken at 100 by 800-foot grid spacing and 112 soil gas mercury samples taken at 200-foot intervals covering Sheri claims.

REFERENCES: Assessment Reports 4734, 4821.

CHRIS (92P-130, 131) (Fig. C, No. 92)

LOCATION: Lat, 51° 54' Long, 120° 35' (92P/15E) CLINTON M.D. Two miles northeast of the east end of Canim Lake, at approximately 3,200 feet elevation.

CLAIMS: CHRIS 1 to 70.

OWNER: PICKANDS MATHER & CO., 216, 475 Howe Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The claims are mainly underlain by volcanic and sedimentary rocks of Lower to Middle Jurassic age. Mineralization includes traces of chalcopyrite and copper stain.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; linecutting, 50 miles of grid; geochemical survey, 2,095 soil samples taken at 100 by 400-foot and 800-foot grid spacing covering all claims and 109 samples of soil gas mercury taken and measured covering Chris 9, 11, 17-20, 25-28, 46-50.

REFERENCE: Assessment Report 4733.

- IQ (Fig. C, No. 91)
- LOCATION: Lat. 51° 58' Long. 120° 33' (92P/15E) KAMLOOPS M.D. Five miles north of the west end of Mahood Lake, on the south side of Spanish Creek, at approximately 3,000 feet elevation.
- CLAIMS: IQ 71, 81 to 83, 91 to 94.

OWNER:	C. Warren Hunt.		
OPERATOR:	C. WARREN HUNT EXPLORATION LTD., 1119 Sydenham Road,		
	Calgary, Alta.		
DESCRIPTION:	There are no bedrock exposures on the property, but the claims are		
	believed to be underlain by argillite of the Upper Triassic Nicola Group.		
WORK DONE:	Biogeochemical survey, 125 samples, 2.5 line-miles covering IQ 83, 93, and 94.		
REFERENCE:	Assessment Report 4769.		
NOD, SL, CS	(92P-22, 26, 103) (Fig. C, No. 90)		
LOCATION:	Lat. 51° 47′ Long. 120° 24′ (92P/16W)		
	KAMLOOPS M.D. Eighteen miles northwest of Clearwater,		
	surrounding Patricia Lake, at approximately 3,000 feet elevation.		
CLAIMS:	WAP 1 to 156.		
OWNER:	AMOCO CANADA PETROLEUM COMPANY LTD., 2160, 1055 West		
	Hastings Street, Vancouver V6E 2E9.		
METAL:	Molybdenum.		
DESCRIPTION:	The mineralization is in quartz veinlets cutting quartz monzonite of the		
	Cretaceous Raft batholith.		
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet covering all claims;		
	magnetometer survey, 30 line-miles covering Wap 1-84; geochemical		
	soil, silt, and rock survey, 569 samples covering all claims.		
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1967, p. 132 (MAD, NOD); B.C.		
	Dept. of Mines & Pet. Res., GEM, 1969, p. 231 (SL); 1971, pp. 336,		
	337 (CS); Assessment Reports 1013, 2571.		

CAPE SCOTT 1021

BEN, HUR	(Fig. C, No. 125)
LOCATION:	Lat. 50° 44' Long. 128° 01' (1021/9E)
	NANAIMO M.D. Five and one-half miles north of Holberg.
CLAIMS:	BEN 1 to 20, HUR 1 to 20.
OWNERS:	H. Veerman and W. G. Botel.
OPERATOR:	PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings
	Street, Vancouver.
WORK DONE:	Frequency-domain IP survey, 7.5 line-miles covering Ben 1, 14-20 and
	Hur 2.7, 18-20.
REFERENCE:	Assessment Report 4872.
PUP (Fig. C	, No. 124)

LOCATION: Lat. 50° 44′ Long. 128° 00′ (92L/12W; 102I/9E) Report on this property in section 92L/12W.



KEY TO PROPERTIES ON INDEX MAP, FIGURE D.

- 1. HAN, FIR, page 332.
- 2. BIG JOE, page 354.
- 3. MOSQUITO, page 363.
- 4. DP, page 364.
- 5. FAIRVIEW, page 368.
- 6. JO ANN, page 378.
- 7. WED, page 297.
- 8. BOSS MOUNTAIN MINE, page 287.
- 9. REISETER, page 347.
- 10. TACH1, page 350.
- 11. GM, BM, page 298.
- 12, DW, CUP, page 321.
- 12, DW, COT, page 521
- 14. WA, page 288.
- 15. JOY, page 292.
- 16. SL, page 288.
- 17. LYNDA, SL, page 292.
- 18. AL, page 291.
- 19. HS, page 290.
- 21. B, page 293.
- 22. CEDAR, page 293.
- 23. BJ, CARIBOO-BELL, page 293.
- 24. LILY (DUAL), page 325.
- 25. THEZAR, page 344.
- 26. GISCO, PARK, PITTMAN, page 295.
- 27. MB, page 296.
- 28. BREN, page 290.
- 29. MOFFAT, FALLS, page 290.
- 30. HL, ZL, page 296.
- 31. SIL, page 296.
- 32, PINE, FLY, page 288.
- 33. BJ, page 297.
- 34. AXEL, page 298.
- 35. KATE, page 318.
- 36. LEN (HUCKLEBERRY), page 319.
- 37. SLIDE, BOG, TWIN, MAX, page 324.
- 38. RD, page 322.
- 39. TA, page 322.
- 40. BERG page 323.
- 41. BERGETTE, page 324,
- 42, TETS, page 326.
- 43, FORD, page 326.
- 44. TEL, page 333.
- 45. SAM GOOSLY, page 335.
- 46. HDP, page 338.
- 47. HAGAS, page 339.
- 48. ROCK, page 340.
- 49. JILL, page 342.
- 50. RED TOP, page 343.
- 51. JACK-RABBIT (SAW), page 342.
- 52, SUMMIT, page 345.
- GLACIER GULCH MOLYBDENUM, page 347.
- 54. BAB, R, page 352.
- 55. ROJO, page 349.
- 56. FULL, page 349.

- 57. FORT, page 353.
- 58. OFF, RAID, DDT, page 353.
- 59. HOL, page 355.
- 60. TRAVIS, page 355.
- 61. SHO, page 354.
- 62. BLUNT, page 355.
- 63. BRUNSWICK, page 356.
- 64. SULTANA (SILVER TIP), page 356.
- 65. WAG, WET, page 356.
- 66. HOT, page 358.
- 67. RED (FOSS), page 359.
- 68. FRENCH, page 358.
- 69. LYNN, page 359.
- 71, CAVZ (TRAIL PEAK), page 359.
- 72, RAINBOW, page 360.
- 73. BRIAN, ADD, page 360.
- 74. 7A, page 361.
- 75. DRIFTWOOD, page 361.
- 76. LION, page 362.
- 77. FIRE (KAZA), page 361.
- 78. PU, page 363.
- 79. LSD, page 363.
- 80. CIR (SRM), page 364.
- 81. JEAN, page 365.
- DO DOOM EDANKIE (KWA
- BOOM, FRANKIE (KWANIKA CREEK), page 365.
- 83. DIANE, page 287.
- 84. IAN, page 365.
- 85. CZ, page 291.
- 86. BURN, page 369.
- 87. MISTY, FORE (KAY), page 369.
- 88. LORRAINE, LORREX, page 370.
- 89. BOX (VALLEY), page 379.
- 90. VERNON (BUD), page 380.
- 91. OSI, page 380.
- 92. SKEL, page 368.
- 93. HAWK, page 369.
- 94. SHEILA, page 380.
- 95. TYGER, page 366.
- 96. STROH, REYNOLDS, page 367.
- 97. VIC, page 294,
- 98. CARIBOO-HUDSON, page 294.

IDA, NAD1, page 321.

G, GG, R, RB, page 328.

MOSQUITO, page 328. SILVER QUEEN, page 338.

99. GIBRALTAR MINE, page 299.

EMERALD GLACIER MINE, page 321.

285

100. KF, page 319.

MR, page 327.

SWAN, page 342.

FLY, page 344.

LAY, page 343,

111. CRONIN MINE, page 347.

112. GRANISLE MINE, page 351.

110. FIND, page 344.

101. 102.

103.

104.

105.

106.

107.

108.

109.

KEY TO PROPERTIES ON INDEX MAP, FIGURE D (continued).

- 113. SAT, page 349.
- 114. PRO, page 350.
- 115. BELL MINE (NEWMAN), page 352.
- 116. MORRISON, page 354.
- 117. SILVER STANDARD MINE, page 357.
- 119. TAM, page 379.
- 120. VERGIL, page 368.
- 121. HEATH, page 366.
- 122. SOONER, page 367.
- 124. KEN, page 331.
- 125. ENDAKO MINE, page 330.
- 126. NU, ELK, page 331.
- 127. SILVER GLANCE, GOLDEN GLORY, page 331.
- 128. KID, page 332.
- 129. PINCHI LAKE MINE, page 333.
- 131. VERN, page 339.
- 132. DOME, page 341.
- 133. HUBERT, page 346.
- 134. NH, page 346.

- 135. TOM, page 340.
- 136. RUDY, page 341.
- 137. PETE, page 341.
- 138, CRATER, page 345.
- 139. WET, GAVIN, page 289.
- 140. MARY, BELL, page 294.
- 141. ED (SPITFIRE), page 295.
- 142. PP, page 289.
- 143. GR, page 297.
- 144. MIN, page 326.
- 145. SUS, page 320.
- 146. TX, page 324.
- 147. ANNA, page 320.
- 148, NICK, page 329,
- 149. MJM, MINT, LODE, page 327.
- 150. BUZ, page 328.
- 151. PC, JOW, page 323.
- 152. BUCK, page 335.
- 153. DAY, page 345.
- 154. SUNRISE, page 357.

EAST CENTRAL BRITISH COLUMBIA (NTS Division 93 Figure D)

QUESNEL LAKE 93A

DIANE (Fig. D, No. 83)

LOCATION:	Lat. 52° 05'	Long. 120 [°] 38′	(93A/2E)
	CARIBOO M.D.	Approximately 10 miles n	orth of the east end of
	Canim Lake, bord	lering the southwest shore of	McNeil Lake.
CLAIMS:	DIANE 1 to 64.		
OWNER:	PICKANDS MAT	HER & CO., 216, 475 Howe	Street, Vancouver.
DESCRIPTION:	The claims are ur and greywacke.	nderlain predominantly by b	asalts, minor dacite, tuff,
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet; geochemical survey, 90 soil-gas mercury samples taken at 500-foot intervals on six lines and 1,691 soil samples taken at 100 by 800-foot grid spacing; linecutting, 40 miles of grid covering all claims.		
	A		

REFERENCE: Assessment Report 4768.

BOSS MOUNTAIN MINE (93A-1, 13 to 16) (Fig. D, No. 8) By A. D. Tidsbury

- LOCATION: Lat. 52° 06' Long. 120° 54' (93A/2W) CARIBOO M.D. Approximately 35 miles northeast of 100 Mile House, on the northeast slope of Takomkane Mountain.
- CLAIMS: Eleven Crown-granted claims including TOOTY FRUITY (Lot 11116), ANNE (Lot 11117), GERALDING (Lot 11118), BLACKIE (Lot 11119), UTOO (Lot 11120), and ADANAC (Lot 11123) and the located claims BEN, BOSS, CC, DAP, FC, HH, PR, RO, ROVER, etc., totalling 83.
- OWNER: NORANDA MINES, LIMITED (Boss Mountain Division), 1050 Davie Street, Vancouver V6E 1M4; mine address, Hendrix Lake.
- METAL: Molybdenum.
- DESCRIPTION: Molybdenite occurs as veinlets and seams in two silicified quartz diorite breccia pipes and as stockwork lenses and irregular veinlets in quartz veins.

WORK DONE:

The mine closed on December 3, 1971 and was put on caretaker basis. During the latter part of 1973, the campsite, townsite, and mine were reconditioned preparatory to production by an average work force of 17 employees.

The concentrator operated on a one-shift test basis for 14 days in December, treating approximately 6,500 tons of ore.

Development work included 82 feet of raising and 284 feet of subdrifting. Diamond drilling consisted of four surface holes totalling 933 feet and 11 underground holes totalling 1,091 feet. Magnetometer and geochemical soil surveys were also conducted.

No reclamation was undertaken in 1973 and there were no plant alterations or extensions.
REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, p. 133; *B.C. Dept. of Mines* & *Pet. Res.,* GEM, 1971, p. 129; 1972, p. 329.

SL (Fig. D, No. 16)

LOCATION:	Lat. 52° 02' L	_ong.	121° 20′	(93A/3W; 92P/14W)
	CARIBOO and CLINTON I	M.D.	Twenty-1	ive miles northeast of Lac la
	Hache, centred 2 miles north	heast o	of Spout	Lake.
CLAIMS:	SL 1 to 245.			
OWNER:	CRAIGMONT MINES LIM	ITED,	270, 180) Seymour Street, Kamloops.
DESCRIPTION:	Syenite and granodiorite of	f the T	Гакоткаr	ne batholith are overlain by a
	band of Miocene plateau bas	salt.		
WORK DONE:	Surface geological mapping,	, 1 inc	ch equals	1,000 feet; VLF EM survey,
	90 line-miles; magnetometer	er sur	vey, 100	line-miles; and geochemical
	soil survey, 2,500 samples, 1	1 0 0 lir	ne-miles c	overing all claims.
REFERENCE:	Assessment Report 4697.			

WA (Fig. D, No. 14)

LOCATION:	Lat. 52° 03′	Long. 121° 26'	,	(93A/3W)
	CARIBOO M.D.	On Eagle Creek, at the	e southeast corner	r of land lot
	9425, at approxir	nately 3,600 feet elevati	on.	
CLAIMS:	WA 1 to 16.			
OWNER:	AMAX POTASH	I LIMITED, 601, 535	Thurlow Street,	Vancouver
	V6E 3L6.			

- DESCRIPTION: The area is underlain by Tertiary plateau basalt which outcrops sparingly in this area.
- WORK DONE: Magnetometer and time and frequency-domain IP survey; geochemical soil survey, 26 samples taken at 200-foot intervals; and 1 mile of linecutting covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 330; Assessment Reports 3882, 4556.

PINE, FLY (93A-2, 61) (Fig. D, No. 32)

LOCATION:	ANT 1 to 58 -				
	Lat. 52 [°] 24′	Lor	ıg. 121° 31′		(93A/5E)
	CARIBOO M.D.	Seven and	one-half mil	es northwest	of Horsefly,
	immediately south	h of Antoine	Lake.		
	HOOK 1 to 72, 83	7, 89, HOOK	ER 1 Fraction	– ר	
	Lat. 52° 24′	Lon	g. 121° 22′		(93A/6W)
	CARIBOO M.D.	Five miles i	horth of Hor	sefly, surround	ling Lea and
	Jim Lowry Lakes.				
	LEM 1 to 80, FL	Y 1 to 40 –			
	Lat. 52° 20′	Lor	ıg. 121°16′		(93A/6W)

	(93A/5E)
	CARIBOO M.D. Six miles east of Horsefly, extending southeast from
	the southwest tip of Horsefly Lake.
	PAT 1 to 34, 37 to 50 -
	Lat. 52° 17′ Long. 121° 15′ (93A/6)
	CARIBOO M.D. Ten miles east-southeast of Horsefly, approximately
	1 mile due north of Horsefly River.
	COREY 1 to 82 -
	Lat. 52° 18′ Long. 121° 06′ (93A/6E)
	CARIBOO M.D. Thirteen miles east of Horsefly on the northwest
	slope of Horsefly Mountain.
CLAIMS:	ANT 1 to 58, HOOK 1 to 72, 87, 89, HOOKER 1 Fraction, LEM 1 to
	80, FLY 1 to 40, PAT 1 to 34, 37 to 50, COREY 1 to 82.
OWNER:	HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171
	Pemberton Avenue, North Vancouver V7P 2R4.
METAL:	Copper.
DESCRIPTION:	Disseminated pyrite, chalcopyrite, and bornite have been identified in
	alkaline plutons which have intruded Jurassic volcanic rock.
WORK DONE:	Surface geological mapping, 1 inch equals one-half mile (regional); IP and magnetometer survey, 93 line-miles covering Pat, Lem, and Fly

claims; geochemical soil survey, 1,624 samples covering Ant, Hook, Fly, Lem, Corey, and Pat claims.

- REFERENCES: Assessment Reports 883, 2729, 4679.
- WET, GAVIN (93A-59) (Fig. D, No. 139)
- LOCATION:Lat. 52° 30'Long. 121° 45'(93A/5, 12)CARIBOO M.D.Immediately north and extending westward from
Gavin Lake to the Likely road, between 3,100 and 3,900 feet elevation.CLAIMS:GET 1 to 14, GT 1 to 60.
- OWNER: ZUBEX RESOURCES LTD., Box 158, Horsefly.
- METALS: Copper, molybdenum.
- DESCRIPTION: A quartz monzonite porphyry dyke swarm has intruded interbedded volcanic and sedimentary rock which underlies the property. Mineralization consists of minor molybdenite, chalcopyrite, and pyrite which occur as fine disseminations along quartz and quartz-K-feldspar veinlets forming a stockwork associated with the dyke swarm.
- WORK DONE: Linecutting, approximately 19 miles of grid on GT 1-24; road construction, 3 miles on Get 7-14.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 208; Assessment Report 4569.

PP (Fig. D, No. 142)

LOCATION:	Lat. 52° 29′	Long. 121° 36′	(93A/5E, 12E)
	CARIBOO M.D.	Approximately 9 miles south	of Likely, 2 miles south
	of Polley Lake,		
CLAIMS:	PP 1 to 36.		

(93A/6W)

OWNER:CARL ZUBER, Box 158, Horsefly.WORK DONE:Linecutting, 28 miles of grid.REFERENCE:Assessment Report 4864.

HS (93A-78) (Fig. D, No. 19)

LOCATION:	Lat. 52° 16′	Long. 12	1° 22′	(93	A/6W)
	CARIBOO M.D.	Five and one-half	miles south o	f Horsefly Post	Office,
	at approximately 3	3,500 feet elevatio	on.		
CLAIMS:	HS 1 to 57.				
OWNER:	EXPLORAM MIN	VERALS LTD.,	1004, 510	West Hastings	Street,
	Vancouver V6B 11	∟8.			
METAL:	Copper.				
DESCRIPTION:	Chalcopyrite was r	noted in volcanic	rocks exposed	on the propert	у.

 WORK DONE: Claims surveyed; linecutting, 12.5 miles of grid; magnetometer survey, 11.3 line-miles; time-domain IP survey, 7 line-miles covering HS 1-11, 16, 18, 29-31, 33, 34, 36, 44-46.

REFERENCE: Assessment Report 4766.

MOFFAT, FALLS (93A-75) (Fig. D, No. 29)

LOCATION:	FALLS –		
	Lat. 52° 17′	Long. 121° 28'	(93A/6W)
	MOFFAT -		
	Lat. 52° 17'	Long. 121° 26'	(93A/6E)
	CARIBOO M.D.	The FALLS claims are situate	ed 4 miles south of
	Horsefly on Moff	at Creek, west of the junction of	Mussel Creek and the
	MOFFAT claims	are situated 3 miles south of	Horsefly on Moffat
	Creek, at the junc	tion of Mussel Creek.	
CLAIMS:	MOFFAT 1 to 14	, FALLS 1 to 14.	
OWNER:	EL PASO MININ	IG AND MILLING COMPANY,	500, 885 Dunsmuir
	Street, Vancouver		

METAL: Copper (Moffat claims).

DESCRIPTION: Minor chalcopyrite and native copper have been identified in outcrops of the underlying poorly exposed, flat-lying, Tertiary basalt flows on the Moffat claims.

WORK DONE: Surface diamond drilling, one hole totalling 130 feet on Falls 4 and one hole totalling 98 feet on Moffat 2.

LOCATION:Lat. 52° 20'Long. 121° 05'(93A/6E)CARIBOO M.D.Seventeen miles east of Horsefly, 2.9 miles southeast
of Horsefly Mountain.CLAIMS:BRENDA 1 to 36.

(93A/6W)

OWNERS:	SULLIVAN & RODGERS, 1022, 510 West Hastings Street, Vancouver.
METALS:	Arsenic, gold.
DESCRIPTION:	Disseminated pyrite and pyrrhotite as well as minor arsenopyrite veins
	have been identified in silicified andesitic rocks intruded by quartz
	porphyry dykes.
WORK DONE:	Magnetometer survey, 9 line-miles covering Brenda 13-20; geochemical
	soil survey, 400 samples, 13.9 line-miles covering Brenda 1 to 36;
	trenching, 1,500 feet on Brenda 6 and 17.

CZ (93A-69) (Fig. D, No. 85)

LOCATION:	Lat. 52° 22.5′	Long. 121° 16.5	' (93A/6W)
	CARIBOO M.D.	Six miles east-northeast	of Horsefly, south shore of
	Horsefly Lake, at	approximately 3,000 feet	elevation.
CLAIMS:	CZ 1 to 28.		
OWNER:	Zubex Resources	Ltd.	

OPERATORS: NEWMONT MINING CORPORATION OF CANADA LIMITED, 1230, 355 Burrard Street, Vancouver V6C 2G8 and NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METAL: Copper.

- DESCRIPTION: The property lies within the major Quesnel Trough tectonic unit where the claims are underlain by green andesite and tuff of Lower Jurassic age. A small plug of syenite occurs on the northeast corner of the property. Mineralization consists of chalcopyrite, pyrite, and magnetite as fracture fillings in minor amounts.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; IP survey, 5 line-miles; magnetometer survey, 17 line-miles; geochemical soil survey, 1,050 samples covering CZ 3-10 and 12-20; grid flagged; road construction, 1.5 miles on CZ 7, 8, 10, 13, 14, 16; surface diamond drilling, four holes totalling 1,822 feet on CZ 5, 10, 12, and 16.

(Fig, D, No. 18) (93A-77) AL Lat. 52° 28' Long. 121° 20' (93A/6W) CARIBOO M.D. Eight miles north of Horsefly at Kwun Lake, at approximately 3,000 feet elevation. CLAIMS: AL 1 to 114. OWNERS: DOME EXPLORATION (CANADA) LIMITED, 600, 365 Bay Street, Toronto, Ont. and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7. METAL: Copper. DESCRIPTION: A succession of Triassic submarine volcanic rock has been intruded by a diorite stock. Mineralization includes disseminations and fracture fillings of iron and copper sulphides.

(93A/6W)

- WORK DONE: Linecutting, 30 miles of grid; geochemical soil survey, 200 samples taken at 200 and 400-foot by 1,000-foot grid spacing covering central three-quarters of AI claims.
- REFERENCE: Assessment Report 4860.
- LYNDA, SL (93A-58) (Fig. D, No. 17)

LOCATION: Lat. 52° 28' Long. 121° 28' (93A/6W) CARIBOO M.D. On the south side of Mitchell Bay, on Quesnel Lake, 10 miles north of Horsefly, near Shiko Lake, at approximately 3,000 feet elevation.

CLAIMS: SL 1 to 100.

OWNERS: DOME EXPLORATION (CANADA) LIMITED, 600, 365 Bay Street, Toronto, Ont. and NEWCONEX CANADIAN EXPLORATION LTD., 808, 525 Seymour Street, Vancouver V6B 3H7.

METAL: Copper.

- DESCRIPTION: A succession of Triassic submarine volcanic rocks has been intruded by a small diorite stock which in turn has been intruded by hornblende porphyry. Pyrite and chalcopyrite are disseminated through part of the hornblende porphyry and coat fractures in volcanic breccia near the diorite.
- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 500 feet; magnetometer survey, 40 line-miles; time-domain IP survey, 8 linemiles; and geochemical soil survey, 750 samples taken at 400 by 1,000-foot and 200 by 500-foot grid spacing; 40 miles of linecutting; trenching, 3,000 feet.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 209; Assessment Reports 4557, 4601.

JOY (93A-72) (Fi	ig. D, No. 15)
------------------	----------------

LOCATION:	Lat. 52° 33′ Long. 121° 27′ (93A/11W)		
	CARIBOO M.D. Five miles southeast of Likely, at approximately		
	3,500 feet elevation.		
CLAIMS:	JOY 1 to 6, JOCK 3 to 8.		
OWNER:	D.A. Holdings Ltd.		
OPERATOR:	LEEMAC MINES LTD., 210, 890 West Pender Street, Vancouver.		
METALS:	Copper, gold.		
DESCRIPTION:	Pyrite with chalcopyrite and gold values occurs in Middle or Upper		
	Jurassic volcanic rocks.		
WORK DONE:	Surface diamond drilling, one hole totalling 250 feet on Joy 5.		
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 134 (RIP, JOCK).		

CEDAR (Fig.	D, No. 22)
LOCATION:	Lat. 52° 35' Long. 121° 30' (93A/12E, 11W)
	CARIBOO M.D. Three miles east-southeast of Likely, at the
	headwaters of Grogan Creek.
CLAIMS:	CEDAR 1 to 34.
OWNER:	JOHN M. McANDREW, 212, 14840 – 105th Avenue, Surrey.
WORK DONE:	Approximately 7 miles of linecutting.

REFERENCES: Assessment Reports 2606, 4656.

BJ, CARIBOO-BELL (93A-8) (Fig. D, No. 23)

LOCATION:	Lat. 52° 30′	Long, 121° 35′	(93A/12E)
	CARIBOO M.D.	Five miles southwest of L	ikely, on Mount Polley, at
	approximately 3,	900 feet elevation.	
CLAIMS:	BOOTJACK 1 a	nd 2 Fractions, BJ 1 to 60), 63 to 132, 141 to 168,
	GREEN 57 to 7	4, RED 1 to 56, RED 1 to	4 Fractions, BLUE 77 to
	100.		
OWNER:	CARIBOO-BELL	COPPER MINES LIMITED	D, 700, 1177 West Hastings
	Street, Vancouve	r.	
METAL:	Copper.		
DESCRIPTION:	Pyrite, chalcopy	rite, and magnetite mineral	ization is localized within
	breccia zones in t	the Mount Polley microdiori	te stock.
WORK DONE:	Percussion drillir	ng, five holes totalling 1,200	feet on BJ 5 and Bootjack
	1 Fraction.		
REFERENCE	RC Dent of Mil	Dec & Pat Res GEM 1972	n 332

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 332.

B (93A-66)	(Fig. D, No. 21)
LOCATION:	Lat. 52° 33' Long. 121° 43' (93A/12E)
	CARIBOO M.D. Nine miles west-southwest of Likely, on the
	northeast slope of Mount Jacobie.
CLAIMS:	B 1 to 80.
OWNER:	Marion R. Bumgarner.
OPERATOR:	SUNSHINE VALLEY MINERALS INC., Box 327, Manson, Washington
	98831.
METAL:	Copper.
DESCRIPTION:	The area is underlain by amygdaloidal flows, lesser volcanic breccias,
	and minor agglomerate, which are cut by dykes of altered quartz-
	feldspar porphyry. Native copper, malachite, and chalcocite occur
	sparingly in the larger amygdules, and native copper occurs in one place
	in fractures in a thin tuff interbed.
WORK DONE:	Surface geological mapping, 1 inch equals one-quarter mile covering
	parts of B 1-80.
REFERENCES:	Assessment Reports 885, 4683.

MARY BELL (9:	3A-18) (Fig. D,	No.	140)
---------------	----------	---------	-----	------

- LOCATION: Lat. 52° 40′ Long. 121° 50′ (93A/12W) CARIBOO M.D. Twelve miles west of Likely.
- CLAIMS: MARY 1 to 34, BELL 1 to 6.

OWNER: LEEMAC MINES LTD., 210, 890 West Pender Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The property is mostly covered by glacial deposits of recent alluvium, gravel, silt, and clay of Pleistocene to Recent age. Scarce outcrops mostly of andesitic volcanic rock are believed to be of green pyroxene-bearing andesite, agglomerate, breccia, and minor tuff. Monzonite is the next predominant rock type in outcrops. The monzonite is fairly coarse grained, light brown, and rich in K-feldspar. Structure in this area is characterized by northwesterly trends. Monzonitic rock outcrops carry azurite and malachite. Mineralization is patchy and discontinuous.
- WORK DONE: Surface diamond drilling, one hole totalling 500 feet on Mary 8.

CARIBOO-HUDSON (93A-71) (Fig. D, No. 98)

- LOCATION: Lat. 52° 50' Long. 121° 20' (93A/14W) CARIBOO M.D. At the headwaters of Cunningham Creek, at approximately 5,000 feet elevation,
- CLAIMS: Mineral Lease M-32 CUNNINGHAM 1 to 3, CUNNINGHAM EXTENSION 1 and 2, SIDEWINDER 1 to 3, SIDEWINDER Fraction, BLACK MARTIN 2, 1, 3, 4, BLACK MARTIN Fraction, HUDSON, GLEN ECHO, FOURTH OF JULY, SHASTA, SHASTA 2, CUTLER 1 and 2, RAD Fraction (Lots 5905 to 5918, 9816 to 9821, 10596 to 10598).
- OWNER: Guy B. Allen.
- OPERATORS: TVI MINING LTD. and ATHABASCA COLUMBIA MINING LTD., 501, 315 Eighth Avenue SW., Calgary, Alta.
- METALS: Gold, tungsten, silver, lead, zinc.
- DESCRIPTION: Metamorphosed sedimentary rocks of the Snowshoe Formation have been cut by the Copper Creek fault near minor basic intrusions. Mineralization includes gold in quartz veins, scheelite and gold in shear zones, and silver-lead-zinc veins.
- WORK DONE: EM 16 and magnetometer surveys, 20 line-miles each; geochemical soil survey, 296 samples; claims surveyed; topography mapped, 1 inch equals 300 feet; grid flagged and surveyed covering Mineral Lease M-32.
 REFERENCE: Minister of Mines, B.C., Ann, Rept., 1953, pp. 96, 97.

VIC (93A-70) (Fig. D, No. 97)

LOCATION: Lat. 52° 56'-57' Long. 121° 21'-22' (93A/14W) CARIBOO M.D. Cunningham Creek, Nugget Mountain, at approximately 4,000 feet elevation.

CLAIMS:	VIC 9 to 16, V 1 to 8.
---------	------------------------

OWNER: W. CHAPUT & ASSOCIATES, Lumby.

METALS: Lead, zinc, silver, copper.

DESCRIPTION: Sparse sphalerite and galena, with minor chalcopyrite associated with pyrite, occur in shear zones in limy phyllites and argillites of the Midas Formation.

WORK DONE: EM survey covering Vic 9, 11, and 13; surface diamond drilling, one hole totalling 50 feet on Vic 11; road construction, approximately 2 miles on Vic 9, 11, 13, 15 and V 1-5, 7.

ED (SPITFIRE) (93A-54) (Fig. D, No. 141)

LOCATION: Lat. 52° 59' Long. 121° 25' (93A/14W) CARIBOO M.D. Sixteen miles southeast of Wells, on Wolfe Creek. CLAIMS: ED 285 to 294, 299, 300, 393 to 400.

OWNER: GERALD KIRWAN, 1340 Cammeray, West Vancouver.

METAL: Gold.

DESCRIPTION: Drilling intersected metasedimentary rocks of the Cariboo Group.

- WORK DONE: Five vertical holes totalling 507 feet; packsack drill holes ranged in depth from 82 to 132 feet.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1946, p. 94; Assessment Report 4861.

GISCO, PARK, PITTMAN (93A-52, 53, 55-57, 60) (Fig. D, No. 26)

- LOCATION: Lat. 52° 56' Long. 121° 21' (93A/14W) CARIBOO M.D. Eight miles south of Barkerville, at the junction of Nugget Gulch and Antler Creek, between 2,600 and 3,500 feet elevation.
- CLAIMS: BON, PARK, BASE METAL, ROUNDTOP, RT, TAB, SILVER MT., totalling approximately 120.
- OWNER:COAST INTERIOR VENTURES LTD., 2801 18th Avenue, Vernon.METALS:Silver, gold, tungsten, lead, copper, zinc.
- DESCRIPTION: The claims are underlain by phyllite and intercalated limestone and quartzite of the Snowshoe Formation. On Bon 65 the Gisco quartz vein carries pyrite and galena, and on Bon 63 the Pittman occurrence comprises replacement by pyrite, galena, and sphalerite.
- WORK DONE: Geochemical soil survey, 463 samples taken at 100 by 400-foot grid spacing covering Bon 52, 53, and 58-65; time-domain IP, vertical-loop EM, VLF EM, and magnetometer survey, 4.2 line-miles on three separate grids covering Bon 3-6, 13, 19, Park 5, 6, and Roundtop 1, 3, 10, 27, 28, 43, 44; surface diamond drilling, 15 holes totalling 2,211 feet on RT 3, Roundtop 43, and Park 5 and 11; surface workings mapped; 3 miles of caterpillar road constructed; trenching, approximately 1,000 feet on RT 43, 44 and Roundtop 1, 3; stripping, 13,500 feet on Bon 1 and Park 5, 11.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 333 (PARK); Assessment Reports 3521, 4587, 4642.

LOCATION:	Lat. 52° 56' Long. 121° 02' (93A/14E)
	CARIBOO M.D. About 80 miles east of Quesnel, 2 miles northeast of
	Mount Kimball, at approximately 5,000 feet elevation.
CLAIMS:	MB 3 and 4.
OWNER:	Arthur T. Rivers.
OPERATOR:	EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir
	Street, Vancouver.
METALS:	Silver, gold, lead.
DESCRIPTION:	Argentiferous galena occurs in quartz-carbonate veins which cut the
	Cunningham limestone and Yankee Belle quartz members of the
	Cambrian Čariboo Group.
WORK DONE:	Surface geological mapping, 1 inch equals 200 feet; linecutting, 3.6
	miles of grid; geochemical soil survey, 195 samples taken at 100 by
	200-foot grid spacing.
REFERENCE:	Assessment Report 4752.

HL, ZL (Fig. D, No. 30)

MB

(93A-68)

(Fig. D, No. 27)

LOCATION:	Lat. 52 [°] 43′	Long. 121°	32'	(93A/15W)
	CARIBOO M.D.	Two and one-half r	niles northwest	of Maeford Lake,
	west of the north	arm of Quesnel Lake	e.	
CLAIMS:	HL 1 to 24, ZL 1	to 24, LAM 1 to 8.		
OWNER	CREAM SUIVER	MINES ITD 9+h	Eloor 850 Me	et Hastings Street

OWNER: CREAM SILVER MINES LTD., 9th Floor, 850 West Hastings Street, Vancouver.

METALS: Lead, zinc.

DESCRIPTION: The claims are underlain by Cunningham limestone, which is overlain by Yankee Belle phyllite along south edge of claims and is intruded by a small granitic stock north of the claims. Galena-sphalerite veins are scattered through the limestone.

- WORK DONE: Reconnaissance geological mapping; geochemical soil survey, 143 samples taken on 200 by 400-foot grid spacing covering Lam 1-8.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 333; Assessment Report 4458.

SIL (93A-62) (Fig. D, No. 31)

LOCATION: Lat. 52° 48' Long. 120° 51' (93A/15W) CARIBOO M.D. Fourteen miles west of Maeford Lake, near Quesnel Lake, at approximately 6,000 feet elevation.

CLAIMS: SIL 1 to 28, WART 1 and 2, LS 1 to 30, JO 1 to 31.

- OWNER: Canadian Superior Exploration Limited (reverted to C. Gunn of Williams Lake).
- OPERATOR: CANADIAN SUPERIOR EXPLORATION LIMITED, 465 Victoria Street, Kamloops.

METALS: Lead, zinc.

(93B/8W)

DESCRIPTION:	Galena and sphalerite were found in Lower Cambrian limestone and
	phyllite.
WORK DONE:	Surface diamond drilling, three holes totalling 1,157 feet on Sil 13,
	Wart 1, and Jo 9.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 334.

QUESNEL 93B

WED (Fig. D, No. 7)

LOCATION:	Lat. 52° 26.5′ Long, 122° 16′	(93B/8W)		
	CARIBOO M.D. Thirty miles north of Williams Lake,	2.5 miles		
	north-northeast of McLeese Lake Post Office.			
CLAIMS:	WED 1 to 21.			
OWNER:	HORSESHOE MINES LTD., 1555 Franklin, Vancouver.			
DESCRIPTION:	DN: The claims are underlain by granodiorite of the Granit			
	pluton.			
WORK DONE:	1972 – surface geological mapping, 1 inch equals 400 feet.			
REFERENCE:	Assessment Report 4285.			

BJ (93B-9) (Fig. D, No. 33)

LOCATION:	Lat. 52° 25' Long. 122° 13' (93B/8E)
	CARIBOO M.D. Four miles east-southeast of McLeese Lake, near the
	headwaters of two small lakes, at approximately 3,350 feet elevation.
CLAIMS:	BJ 19, 21, 33 to 48, 53 to 66.
OWNER:	MT. HYLAND MINES LTD., 25, 425 Howe Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	Sporadic pyrite and chalcopyrite are found in quartz stockwork localized with apophyses of the Granite Mountain quartz diorite
	pluton. The stock has intruded greenstone and sedimentary rocks of the
	Cache Creek Group.
WORK DONE:	Percussion drilling, three holes totalling 650 feet on BJ 40, 45, and 60;
	stripping, 1,384 cubic yards on BJ 35, 37, 40, 43, 54, and 60.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 175.

GR (93B-17) (Fig. D, No. 143)

LOCATION:	Lat. 52° 30' Long. 122° 09' (93B/9E, 8E	(93B/9E, 8E)	
	CARIBOO M.D. Five miles southwest of Skelton Lake, a	it	
	approximately 4,500 feet elevation,		
CLAIMS:	GR 1 to 20, TGV 9, 10, 19 to 26, 35 to 49, 50 to 52.		
OWNER:	NEWVAN RESOURCES LTD., 211, 850 West Hastings Street	t,	
	Vancouver.		
METALS:	Copper, molybdenum.		

- DESCRIPTION: Chalcopyrite and molybdenite occur in both Cache Creek and Guichon Creek batholith rocks.
- WORK DONE: IP survey, 25.6 line-miles covering TGV 9, 10, 19, 26, 35, 52; percussion drilling, 14 holes totalling 2,500 feet on GR 1-20 and 12 holes totalling approximately 3,000 feet on TGV 37, 38, 41, 43, 44, 49; road construction, 30 miles (to drill sites); trenching, 200 feet on GR 1-20.

GM, BM (93B-2) (Fig. D, No. 11)

LOCATION:	Lat. 52° 32′		Long. 122° 13'	(93B/9E)
	CARIBOO M.D.	Eight i	miles north 25 degr	ees east of McLeese Lake.
CLAIMS:	GM 21 to 28, 41	to 46, B	M 1 to 4, STRIKE	I, SANDIE 1 to 6
	Fractions.			
OWNERS:	Exeter Mines Lim	nited, C.	Gunn, and Helene (Bunn.
OPERATOR:	EXETER MINES	LIMITI	ED, 211, 850 West H	lastings Street, Vancouver.
METAL:	Copper.			
DESCRIPTION:	The area is under which locally car shear zones and c	rlain by ried pyr juartz ve	quartz diorite of the ite and chalcopyrite ins.	e Granite Mountain stock, e in northwesterly trending
WORK DONE:	Geochemical soil spacing; 21 miles	survey, of linec	920 samples taker utting covering all cl	n on 100 by 400-foot grid aims.
REFERENCES:	Assessment Repo	rts 597.	4506.	

AXEL (93B-20) (Fig. D, No. 34)

LOCATION:	Lat. 52° 32′	Long. 12:	2 [°] 20.5′	(93B/9W)
	CARIBOO M.D.	Four miles northe	east of Margueri	te and 2 miles north
	of Cuisson Lake, a	at approximately 2	,800 feet elevat	ion.
CLAIMS:	AXEL 3 to 6, 8,	10, 12, 23 to 26,	AXEL 2 and 16	S Fractions, MAX 1,
	2, 5 to 8, 8, 9, 1	3, 14, REX 1 to 7	['] Fractions, DEI	ER 1 to 4, JIB 35 to
	38, MOOSE 1 and	2, PET 1 to 4, HE	M 37 and 38.	
OWNER:	AXEL MINES L	TD., 700, 1177	West Hastings	Street, Vancouver
	V6E 2K5.			
METAL:	Copper.			

DESCRIPTION: The area is underlain by Cache Creek volcanic rocks which have been intruded by a Jurassic quartz diorite pluton, and partly obscured by overlying Tertiary lava. Pyrite and minor chalcopyrite occur as disseminations in the pluton, and minor cupriferous skarn has been observed at the quartz diorite-country rock contact.

- WORK DONE: Percussion drilling, five holes totalling 1,300 feet on Axel 10, Jib 38, Rex 2 Fraction, and Rex 4 Fraction.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 337.

GIBRALTAR	MINE	(93B-12, 13)	(Fig. D, No. 99)	By A. Sutherland Brown
LOCATION:	Lat.	52° 31′	Long. 122° 17'	(93B/9W)
	CAR	IBOO M.D. Tw	elve miles north of Mo	Leese Lake, on the western
	slope	es of Granite Mou	untain, between 3,000 a	and 4,000 feet elevation.
CLAIMS:	PAN	, ZEPHYR, GG,	etc., totalling approxin	nately 400.
OWNER:	GIBF	RALTAR MINES	S LTD., which is a sub	sidiary held 71 per cent by
	Cane	x Placer Limited	i, 700, 1030 West Geor	gia Street, Vancouver; mine
	addr	ess, Box 1 <mark>30,</mark> Mc	Leese Lake.	
METALS:	Copp	er, molybdenum	n (production shown or	n Table I).
DESCRIPTION	N:			

INTRODUCTION: The Gibraltar mine is a porphyry copper-molybdenum deposit with unusual characteristics. During the early intensive exploration period at the property, only a few geologists, of whom the writer was not one, thought of it as a porphyry deposit. Visiting European geologists are still quick to suggest it represents a stratiform deposit that has been metamorphosed so that it now has a gneissic fabric. Nevertheless, it is now widely thought of as a porphyry deposit with a difference, and the more one learns about it, the more compelling is such a definition.

The writer would classify Gibraltar as a plutonic porphyry deposit. It thus can be compared with similar deposits, such as the deeper deposits of the Highland Valley, that is, Lornex and Valley Copper, or with Brenda and Endako. All these have the following characteristics: they occur within medium-sized, zoned plutons composed mainly of granitic textured rocks with sparse truly porphyritic phases; they have regular vein sets including some large veins; and they lack breccia bodies. A major difference between Gibraltar and these other examples is that, in the former, deformation and metamorphism form part of the continuum between intrusion and mineralization.

HISTORY: The Gibraltar mine completed its first full year of production in 1973, culminating a long period of intermittent investigation and six years of intensive exploration and development. The earliest record of prospecting on Granite Mountain is in 1917 when Joseph Briand and partners worked on quartz veins carrying secondary copper mineralization on what was then called the Rainbow group and later known as the Pollyanna showings (Minister of Mines, B.C., Ann. Rept., 1917, pp. 133, 134). Prospecting on Granite Mountain and vicinity continued through the 1920's and by 1925, mineral showings were prospected on the Gibraltar West zone, then called Arctic and Laughing Water (Minister of Mines, B.C., Ann. Rept., 1925, pp. 155, 156). The persistence of prospecting in view of the sparse outcrop, extensive oxidation and leaching, low primary copper grade, and dearth of precious metals was remarkable, but it tapered off toward the end of the decade and was not seriously renewed until 1949. At that time, C. E. Johnson and R. R. Moffat located claims covering both the Pollyanna and Gibraltar West zones, but they worked primarily on the former which they called the Copper King and made a half-ton ore shipment to the Tacoma smelter (Minister of Mines, B.C., Ann. Rept., 1950, pp. 106, 107). Activity on the Pollyanna then lapsed. Later an adit was driven on the West Gibraltar zone (Sunset adit) in 1957 by E. Kinder, T. Matier, and R. L. Clothier (Minister of Mines, B.C., Ann. Rept., 1957, p. 17). Claims covering the adit were allowed to lapse, but were relocated in 1962 by J. Hilton who optioned them to



Figure 21. Tectonic sketch map of Central Cariboo.

what was then a minor company, Gibraltar Mines Ltd. In the same year, Keevil Mining Group Limited started the sequence of modern exploration with extensive geochemical and geophysical surveys over Granite Mountain, Recognition of a leached capping at the Pollyanna by Bill Kerns of Duval Corporation of Canada in 1965 led to that company optioning the property and conducting induced polarization geophysical surveys and drilling 13 NQ core holes prior to their starting a joint venture with Canex Placer Limited (Canex Aerial Exploration Ltd.) in 1967. In the same interval, Gibraltar initiated geochemical and induced polarization surveys and drilling in the West Gibraltar zone. Cominco Ltd, optioned the property in 1966, and that year and in 1967 with Mitsubishi Metal Mining Co. Ltd. explored this area guite thoroughly. At this stage a mineralized zone of modest size was established in the West Gibraltar zone and a larger low-grade body evident at the Pollyanna, but the results were insufficient for Cominco to continue its option and for Duval to continue its share in the joint venture. Later, in 1969, Gibraltar Mines Ltd. drilled a hole into the covered East Gibraltar zone and established the existence of a chalcocite enriched zone as well as a new mineralized zone. Canex then optioned the Gibraltar property and discovered the hidden Granite Lake zone the same year. Exploration and evaluation followed rapidly and Gibraltar was put into production early in 1972.

PRODUCTION AND ORE RESERVES: The company stated in its 1972 Annual Report that on 31st December, ore reserves with a stripping ratio of 2.15 to 1 and an average cutoff grade of 0.25 per cent were:

Zone	Tons	Copper	
		per cent	
Gibraltar East	137,000,000	0.372	
Granite Lake	120,000,000	0.373	
Pollyanna	81,000,000	0.360	
Gibraltar West	9,000,000	0.400	
Total	347,000,000	0.371	(plus 0.016 per cent MoS_2)

Not included in this total is 14,000,000 tons of ore that forms part of the Granite Lake body, but is held jointly by Cuisson Lake Mines Ltd. and Gunn Mines Ltd.

During 1972 and 1973, mine production was entirely from the Gibraltar East pit and was as follows: 1972 – 10,861,500 tons milled containing 132,100 tons of copper concentrates; 1973 – 15,082,233 tons milled containing 212,383 tons of copper concentrates and 412 tons of molybdenite concentrates.

GEOLOGY

REGIONAL SETTING: Perception of the precise nature of the setting of Gibraltar mine is obscured by abundant glacial drift, alluvium, and Miocene plateau basalts. Figure 21 shows that the Granite Mountain pluton, within which the Gibraltar mine occurs, is situated near the boundary between two major longitudinal elements of the Intermontane Tectonic Belt, that is, the Pinchi geanticline and the Quesnel trough. Although most of the contact of the pluton with its host rocks is covered, it is evident that the body is



Figure 22. Geological sketch, southern Granite Mountain pluton.

surrounded by rocks mapped as Cache Creek Group which form the northern extension of a belt stretching southward to the type locality. In the McLeese Lake area, the group consists of basic volcanic flows and clastic rocks, cherts, argillites, and minor limestones. Adjacent to the pluton these may be transformed to greenschists or to skarny limestone. In this area then, the Cache Creek Group forms a characteristic component of the Pinchi geanticline. In contrast, to the east the Quesnel trough is characterized by Triassic volcanic rocks and flaggy limestone but also contains younger Mesozoic volcanic and clastic rocks. A major fault bordering the Triassic components of the trough strikes northwestward about 10 miles east of the Granite Mountain pluton. Jurassic volcanic and sedimentary rocks occur to the west of the main fault-bounded trough in a belt that may also be bordered on the west by a fault, but these rocks also overlap Cache Creek Group and probably the pluton on the Pinchi geanticline further west. The basal conglomerates of the Lower Jurassic sequence on Dragon Mountain contain granitic cobbles petrographically similar to rocks comprising the Granite Mountain pluton. A Triassic date recently obtained from Granite Mountain rocks is consistent with such an interpretation. Hence the Granite Mountain pluton is thought to be related to the coeval volcanic rocks of the adjacent Quesnel trough.

The Late Mesozoic and earliest Tertiary appear to have been times of erosion of the area of Figure 21, but in the Eocene epoch acidic and basic volcanic rocks and some sedimentary rocks accumulated. These units now outcrop west of McLeese Lake and are tilted and faulted. Their eastern boundary appears to coincide with a major northerly striking fault zone followed by the Fraser River. The youngest rocks of the area are Miocene olivine basalt flows that cap the plateaus both sides of the Fraser River. These flood basalts are flat lying and appear to be unfaulted. They form buttes west of Cuisson and McLeese Lakes and diamond-drill core shows that they also fill the valley of Cuisson Lake to a depth of about 300 feet overlying Granite Mountain plutonic rocks.

GRANITE MOUNTAIN PLUTON: The Granite Mountain pluton is a tadpole-shaped pluton about 13 by 7 miles in plan and is characterized by a variably intense foliation striking transverse to its long north-south orientation. The pluton consists of a number of poorly defined phases (Fig. 22). Transitions between the phases are generally gradational over significant distances and this together with a superimposed deformation and metamorphism makes distinguishing and mapping the units difficult. A mafic phase is found along the southern boundary of the main mass of the pluton adjacent to the metavolcanic wallrocks. Similar mafic-rich rocks occur within the pluton in minor amounts where they appear to be large inclusions. A quartzose, leucocratic phase is found toward the centre of the main mass and this has poorly defined limits. It is associated with quartz feldspar porphyry and related aplite dykes, both of which are rarer elsewhere. The narrow southern extension of the pluton across Sheridan Creek is formed of relatively undeformed rocks that appear to be similar to the least deformed and altered rocks of the main phase.

PETROLOGY

Main Phase: The petrology, chemistry, and radiometric age of the Granite Mountain pluton described here has been based primarily on two specimens collected near the projected western rim of the Granite Lake pit (Fig. 22). These specimens, collected about

100 feet apart, are from a small area of the freshest and least deformed rock seen within the pluton, which is a zone of transition between the main phase and a relatively leucocratic variety. Beyond this small area, the character of the rocks grades rapidly to that similar to most of the pluton. Specimen 73-AB-24 is representative of the main phase and 73-AB-25 is relatively leucocratic. Table 1 shows chemical analyses for these two specimens as well as Nockolds' (1954) average tonalite (quartz diorite) and granodiorite. A comparison indicates that the specimens are between Nockolds' averages and probably closest to granodiorite. Table 2 shows estimates, guided by charts, made of the modes of these two specimens. According to the classification recommended by the International Union of Geological Sciences Commission on Systematics in Petrology (Streckeisen, 1973), these rocks would likewise be on the division between tonalite (quartz diorite) and granodiorite.

	1	2	3	4
			Average	Average
	73–AB–24	73–AB–25	Quartz Diorite	Granodiorite
SiO ₂	68.0	70.5	66.15	66.88
Al_2O_3	15 .1 6	14.75	15.56	15.66
MgO	1.51	1.39	1.94	1.57
CaO	3.99	3.03	4.65	3.56
Na ₂ O	3.93	4.02	3.90	3.84
K ₂ O	1.99	2,38	1.42	3.07
TiO ₂	0.45	0.37	0.62	0.57
MnO	0.076	0.075	0.08	0.07
FeO	1.76	1.54	3.42	2.59
Fe_2O_3	1.91	1.61	1.36	1.33
$H_2 O+$	1.24	1.00	0.69	0.65
H_2O-	0.16	0.04		
CO_2	0.07	0.055		
$P_2 O_5$	0.18	0.18	0.21	0.21
S	0.01	0.01		

TABLE 1 - CHEMICAL ANALYSES, GRANITE MOUNTAIN PLUTON

3 - Nockolds' average tonalite (quartz diorite).

4 - Nockolds' average granodiorite.

Main phase, Granite Mountain pluton, from 2,000 feet west of Granite Lake. Analysis by P. F. Ralph, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources.

^{2 –} Transitional leucocratic phase, Granite Mountain pluton, 100 feet northwest of 73-AB-24. Analysis by P. F. Ralph, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources.

	Mafic	Main Phase	Transition	Leucocratic	Quartz Feldspar	Aplite
	Phase	73–AB–24	73 AB 25	Phase	Porphyry	
Quartz	5-10	25	25	18±	20-22.5 -	10*
Plagioclase (±sericite)	65	50 (An ₃₅)	55 (An ₃₅)	44±	25-27.5	22*
Alkali feldspar	?	10	10			5*
Hornblende		10	7			
	25-30			> 5±	?	
Biotite (chlorite))	5	3)		
Opaque (pyrite,	,			,		
chalcopyrite, ilmenite)		<1	<1			
Matrix (per cent)		~	**	20-35	50	60
Carbonate				5.5.±	2.5	3

TABLE 2 - ESTIMATED MODAL COMPOSITIONS, GRANITE MOUNTAIN PLUTON

*Microphenocrysts.

Common accessory minerals are apatite, sphene, and zircon. Opaque minerals, pyrite, chalcopyrite, and ilmenite, are quite variable, but, except in vein stockworks, are commonly much less than 1 per cent.

The main phase rocks are formed of laths of andesine (An_{35}) and hornblende crystals, both up to 5 millimetres long and aligned in a primary foliation (S_1) . Books of biotite and large grains of quartz complete the framework between which small grains of alkali feldspar and quartz occur. The plagioclase is clouded by sericite and clinozoisite alteration and is unzoned except for clear thin rims of albite. The alkali feldspar exhibits patchy twinning characteristic of some perthite and appears to consist of albite and orthoclase. X-ray diffraction results prove the presence of the latter. Biotite has been slightly to entirely altered to chlorite. Accessory minerals include sphene, apatite, and zircon, and the former two form some crystals 1 millimetre or more in length.

Mafic Phases: The mafic phase is more variable in composition and texture than the main phase, and if it is assumed to be analogous to the Hybrid phase of the Guichon Creek batholith, may represent variable contamination by volcanic wallrocks of the main magma. Among the mafic phases, two rock types are prominent: diorite very similar to the main granodiorite but containing 25 to 35 per cent mafic minerals and 5 to 10 per cent quartz, and generally fine-grained rock of similar overall composition but with patchy variation in grain size.

Leucocratic Phases: Leucocratic phases include both rocks which are leucocratic in original composition and others that resemble them superficially because the mafic minerals have been destroyed. Truly leucocratic rocks appear to be common northwest of Granite Lake, in the area between the three main ore deposits (Fig. 22). This relationship led Drummond (1972) to propose a quartz-rich core zone. Unfortunately, this zone is sparse in outcrop and drill holes are widely spaced so that the leucocratic core cannot be outlined with assurance at present. The outline shown on Figure 22 is tentative. Within this core most of the rocks are leucocratic and guartzose, and have been cut by guartz stockwork that is commonly barren of primary sulphides. Some main phase is intercalated with the leucocratic phase and is cut by extensive barren quartz stockwork. The contacts between the leucocratic and main phase appear to be parallel to the foliation which is abnormally flat in the central part of the core zone. Some of the drill holes in the central core show not only much guartz feldspar porphyry but also gradations between this type and truly leucocratic granodiorite. Other contacts between these two types are sharp and seemingly intrusive. The guartz feldspar porphyry in turn grades into aplite that constitutes one of the few dyke types present in the area. Hence, there is an apparently complete gradation from leucocratic granodiorite of the central core to quartz feldspar porphyry and outward to thin aplite dykes. This transition in space is evident also petrologically. The leucocratic variety has a semi-porphyritic nature with a framework of chunky plagioclase up to 5 millimetres long and equant grains of guartz and rare masses of chlorite after biotite or hornblende crystals of about the same size. A sparse matrix consists of aplitic fine quartz, plagioclase, and alkali feldspar. Alteration minerals commonly include much sericite, particularly at plagioclase grain boundaries and fractures, poikiloblastic carbonate grains in matrix, and clinozoisite disseminated in plagioclase and chlorite. The quartz feldspar porphyry is similar in texture but matrix forms about half the volume so the phenocrysts are floating. Mafic minerals in the porphyry are virtually absent and quartz forms about 40 per cent of the rock. The aplite is similar to the matrix of the leucocratic phase and quartz feldspar porphyry and commonly contains some phenocrysts or micro-phenocrysts of quartz and feldspar.



Plate IV. Gibraltar East pit, August 1973, view west. Folded foliation extends roughly from lower ramp to the west. First and second ridges in the distance are capped by Miocene plateau basalt with the Fraser River between; hills beyond formed of Eocene volcanic rocks.

Post-ore Dyke: One post-ore dyke is found in the Gibraltar East pit. It is a microdiorite dyke about 2 feet wide that strikes north 20 degrees east and dips about 75 degrees west. Microscopically, the rock has an insertal holocrystalline texture and is composed of about 60 per cent thin andesine laths, 25 per cent chlorite after hornblende, 5 per cent quartz, and 10 per cent porphyroblastic epidote.

AGE: The age of the Granite Mountain pluton indicated by stratigraphic relationships is as follows: the pluton cuts Late Paleozoic Cache Creek rocks, and boulders similar to it occur in basal conglomerates of Lower Jurassic age. Specimens 73-AB-24 and 73-AB-25 collected west of Granite Lake were the freshest found in the pluton and provided clean unaltered hornblende separates in both cases and in 73-AB-24, biotite with very minor interleaved chlorite. These separates were sent to the Department of Geological Sciences at the University of British Columbia and were analysed under the direction of J. Harakal. The results were not entirely consistent in that check analyses did not get acceptable results. Nevertheless, initial analyses on the hornblende-biotite pair gave 200 million years – a Triassic age that would seem most likely.

STRUCTURE: The Granite Mountain pluton had an original igneous foliation (S_1) striking westward and dipping steeply southward which is transverse to the long dimension of the body in plan. This foliation is only obvious macroscopically in selected locales where later deformation is minimal. West of Granite Lake, in the vicinity from which specimens 73-AB-24 and 73-AB-25 were collected, the primary foliation (S_1) is revealed by alignment of primary undeformed plagioclase and hornblende. This foliation strikes north 70 degrees west (±10 degrees) and dips 60 degrees (±5 degrees) southward. S_1 here grades imperceptibly into a subparallel second foliation (S_2) that results from penetrative deformation. Elsewhere in diverse localities, microscopic evidence is fairly commonly suggestive of an origin parallelism of S_2 to S_1 . Hence the writer believes that, as S_2 is almost universally developed in the pluton in a similar orientation, it has been guided by an original igneous foliation.

In mapping the East Gibraltar pit (Fig. 23), the writer assigned arbitrary values from 1 to 5 to the intensity of foliation: F_1 , the lowest order, has a noticeable orientation of mafic minerals and possibly plagioclase laths and is normally primary igneous flow foliation; F_2 has a modest foliation; F_3 , pronounced foliation; F_4 , intense foliation; and F_5 is, in fact, a phyllonitic schist. These macroscopic intensity values are consistently related to various microscopic textural criteria.

F₁ as described above has an alignment of large inequant grains without cataclasis.

 F_2 has strained quartz with slight shattering, minor and widely spaced trains of new sericite, and mosaic recrystallized quartz. Biotite (chlorite), with cleavage close to the orientation of S_2 , is distorted and drawn out.

 F_3 commonly has a variable texture resulting from channeling of deformation and movement along S_2 planes between which cataclasis is substantially less. Movement planes are rarely greater than 5 millimetres apart. Between movement planes quartz is shattered and mosaic quartz common, mafic minerals converted to chlorite and substantially strung out. Feldspar is largely converted to sericite but is coherent. On movement planes feldspars are converted to trains of sericite and fine quartz; mafic minerals to trains rich in chlorite; and quartz to trains of fine mosaic quartz. Dolomite porphyroblasts are commonly present.

 F_4 has a more uniform flaser-like texture, with movement planes wrapping around augen of recrystallized quartz that are commonly three times as long as thick. Plagioclase is largely destroyed or, if present, occurs as minor small grains of albite. In contrast, dolomite porphyroblasts are significant. Mafic grains have been completely transformed to chlorite-rich schlieren. In addition, kink bands forming S₃ are a common feature.

 F_5 has a fairly uniform, fine schistose texture consisting of carbonate, chlorite-sericite, and quartz.

METAMORPHISM: Metamorphism of the Granite Mountain pluton is mostly related to deformation and to synchronous mineralization (see later). During the transformation of the plutonic rocks from F_1 to F_5 , significant mineralogical changes took place that were not completely isochemical. In the process, all hornblende, biotite, and feldspar were destroyed and the proportion of other minerals changed. Quartz increased from 25 to 35 or 45 per cent, chlorite remained about the same as the original total of mafic minerals, but sericite (muscovite) became considerably less than original feldspar. The loss of feldspar was compensated by new quartz, muscovite, and carbonate (normally dolomite), but there is an apparent net loss in sodium because little can be accommodated in chlorite or muscovite, and paragonite is not present, judged by X-ray diffraction.

Specimens of the Granite Mountain pluton that are little deformed show some of the alteration that clearly relates to deformation in the more foliated specimens. Commonly all biotite and most hornblende is altered to chlorite and plagioclase is variably but fairly intensely altered to a felted mass of sericite and clinozoisite except for clear rims that appear to be albite. This metamorphism is probably synchronous with the similar but more extreme one in the foliated specimens. Adjacent to large veins (V_2 and V_3), there is commonly a pronounced sericitization that is related to the mineralization and probably also to the intense movement adjacent to these planes (see later). Small veinlets (V_1) parallel to the foliation also show narrow selvages of intense movement with resultant sericite and chlorite which superficially appear to be chlorite selvages.

In addition to these changes connected with deformation and mineralization, there are ones clearly later whose age is otherwise unknown. The most obvious evidence of later overprinting is replacement of sericite and muscovite of movement planes and altered plagioclase by coarse epidote not seemingly involved in the deformational process in any way.

GIBRALTAR MINE: The Gibraltar mine consists of four orebodies: the Gibraltar East, Gibraltar West, Pollyanna, and Granite Lake, which are distributed on an elliptical plan with the major axis of about 2 miles long parallel to the plutonic foliation and minor axis about 1 mile across (Fig. 22). Each orebody will be developed by separate open pits in sequence. Gibraltar East provides all the ore from start-up until mid-1974, when production of the Granite Lake pit will begin and phase 1 of the Gibraltar East will terminate.

Zoning of the primary mineralization and of plutonic rocks was demonstrated by a series of articles by Canex geologists (Rotherham, Drummond, and Tennant, 1972; Drummond, 1972; and Drummond, Tennant, and Young, 1973). The induced polarization maps put



Plate VA. Warped foliation in zone of transition between folded and unfolded parts of Gibraltar East pit, viewed up-plunge to northwest on 3545 bench.



Plate VB. Stack of sharp folds of foliation, view northwest up-plunge showing S $_2$ and S $_{3^{\ell}}$ northwest part of Gibraltar East pit (3500 bench).

together by Rotherham, et al., showed maximum per cent frequency effect in a fairly complete zone peripheral to the orebodies that can be related to the distribution of the maximum amount of pyrite. Drummond (1972) and Drummond, et al. (1973) described the existence of a weakly mineralized and a barren core zone which coincides with a zone of leucocratic granodiorite and quartz feldspar porphyry. The central core is not well defined because of the lack of outcrop and drilling in the area and also because of the effect of intercalation of leucocratic and main phase at its periphery and possible effects of faulting (Fig. 22). In general, foliation at its centre, judged by the few drill holes available, is fairly flat which could be consistent with an interpretation of a central dome.

GIBRALTAR EAST DEPOSIT: The only orebody extensively exposed during the writer's visit in the summer of 1973 was the Gibraltar East deposit (Plate IV). The characteristics of this body and its setting are considered fairly representative but until the others are exposed, a definitive synthesis cannot be made. Figure 23 is a map of the Gibraltar East pit based on the writer's observations augmented by information on the fracture patterns from mapping by mine geologist, Peter Thompson.

The Gibraltar East pit is developed entirely in the main phase of the Granite Mountain pluton and has very minor dyke rocks, a few pre-ore aplites, and one post-ore microdiorite. In spite of this seeming simplicity, major differences exist in geological character from place to place with two features most prominent: a marked oxidized and leached cap related to the present surface; and a major difference in degree of foliation and folding of foliation in the northwestern part in contrast to the southeastern section. The latter variation in combination with the relation to the vein system enables one to form a preliminary synthesis regarding the interrelated development of the structure and vein systems.

Structure: The mutual relationship between the intensity of foliation and the development of folding is evident on Figure 23. Foliations 3, 4, and 5 are found in the northwestern part of the pit, coinciding with numerous folds. Plate VIA and Plate VB illustrate the nature of the folded foliation in this area. Followed eastward, folding decreases to gentle warps with axes oriented in the same orientation (see Plate VA). Further east, folding disappears and the dominant foliation is 2, with rare 1 and 3. Figure 24 is a stereoprojection of these data, from which it can be seen that S_2 averages north 48 degrees west and dips 44 degrees southwestward. The F_3 fold axes maximum is oriented south 31 degrees east, plunging 18 degrees southeastward. Considerable scatter occurs in poles to S_2 and particularly to those measured in the western folded part of the pit. However, a fairly well-developed girdle is evident, virtually normal to the plunge of the fold axes. Scatter of fold axes occurs also as a partial girdle, normal to the one containing poles to S_2 . Figure 25 is a stereoprojection of S_3 among other things and shows a partial girdle of this third foliation which commonly appears to have an axial-plane relationship to folds of S_2 , and the figure tends to substantiate this.

Two other features oriented parallel to the S₂ are the V₁ fracture stockwork (see later) and minor strike faults containing V₂ and V₃ veins. The V₁ fracture set in the pit is a closely spaced one, parallel to the S₂ foliation and folded with it. The strike faults



Plate VIA. Sharp synclinal keel in folded foliation in northwest part of Gibraltar East pit (3365 bench). Note variable intensity of foliation, dark V_1 vein folded with foliation, boudinaged white V_4 vein with chalcopyrite below coin.



Plate VIB. Foliated Granite Mountain granodiorite, western Gibraltar East pit, showing S₂ with intensity F_3 to F_4 , parallel dark V_1 veins, and incipient S₃ at about 25 degrees to S₂ and V₁.

separate packets of folds of S₂ and appear to be decollement surfaces parallel to the original orientation of S₂ on which movement was channeled and which were filled by V_2 and V_3 veins before movement was completed.

The prominent faults trending north to north 30 degrees east on Figure 23 are zones of very minor movement, mostly less than 20 feet or so. They are broad fracture belts of post-ore age whose significance is mostly related to pit-wall stability and movement of groundwater. They therefore bear a relationship to the lower surface of secondary enrichment.

Vein Systems and Mineralization: The veins are readily classified into sets as previously described by Drummond (1972). The writer has simplified the many assemblages described by Drummond and related the vein sets to definite structural environments. Symbols V_1 to V_4 are used in the following discussion for the various vein sets from oldest (V_1) to youngest (V_4).

 V_1 is the earliest vein that is almost invariably developed in a fracture stockwork parallel to S_2 . The veinlets are small, normally only 1 to 2 millimetres wide, but may be very continuous, parallel, and separated by only 3 to 5 centimetres (see Plate VIB and Plate VII). They are composed principally of quartz and pyrite with chalcopyrite, but within within the ore zone chalcopyrite may become dominant. Pyrite is well crystallized as cubes but may be elongate. Chalcopyrite is commonly peripheral to pyrite in amoeboid forms. Sericite and chlorite may be present in the vein and are characteristic of the selvages which commonly have the fabric of planes of intense movement. The chlorite gives the envelopes a dark colour. Rarely veins in the V_1 orientation contain magnetite and epidote. In areas of very intense deformation, the V_1 veinlets may only be apparent as trains of pyrite (and chalcopyrite) in quartz, muscovite, and chlorite schist.

 V_2 and V_3 are major veins developed parallel to the average orientation of S_2 , hence parallel to V_1 or the original orientation of V_1 . They differ from one another mainly in mineralogy but there is also some evidence that V_3 is the younger. Veins of both sets may be 1 foot (30 centimetres) or thicker and are traceable for 500 feet (150 metres) or more along strike. Both commonly have marked sericite envelopes and similar structural position – normally oriented in minor strike faults parallel to S_2 or the original orientation of S_2 .

These faults appear to be surfaces on which decollement took place during folding of S_2 . V_2 is characterized by massive quartz with significant pyrite and chalcopyrite that may occur in large nests, but with no chlorite blebs (*see* Plate VII). They may be drusy in a minor way, V_3 is very similar but is characterized in addition by ribbon structure and molybdenite. V_2 and V_3 seem discrete in their characteristics, but the same fault may contain both vein types. Rather inconclusive evidence of crosscutting indicates the molybdenite-bearing veins are younger.

 V_4 are veins and veinlets of variable orientation commonly at a high angle to V_1 , V_2 , and V_3 . They are most characteristically oriented in S_3 (parallel to fold axes of S_2) and as gash veins related to V_2 and V_3 . Figure 25 demonstrates an interrelationship of S_3 and V_4 which was suspected in the field. A girdle is formed by the poles to S_3 and V_4 that is virtually complete. This suggests that S_3 and V_4 are related and were both formed toward the end of the deformational and mineralizing process. V_4 veins are irregular and their individual continuity small in spite of widths up to 1 foot (30 centimetres) or more. They



Figure 24. Gibraltar East pit, stereoprojection of structural elements related to S2 foliation.



 $^{\rm 25.}$ Gibraltar East pit, stereoprojection of structural elements, ${\rm S}_3$ foliation and ${\rm V}_4$ veins.

commonly appear to grade into V_1 or V_2 or V_3 's, but can definitely be found cutting each of these vein sets. They are composed of white quartz with large blebs of chlorite, carbonate, chalcopyrite, and minor pyrite. They have no alteration envelopes. They appear to be secretional veins formed by mobilization of earlier veins and wallrocks late in the deformational and mineralizing process with movement into low pressure habitats.

Relationships between Structure and Mineralization: The relationship in space and time between the structural development and mineralization can be rationalized on the basis of the foregoing. Primary igneous foliation S_1 was intensified by a continuing couple with the upper 'plate' moving upward and northward. After initial formation of S_2 , the V_1 fracture stockwork formed parallel and movement was channeled along these planes until filled and 'frozen.' However, general movement continued on S_2 , intensifying it, eventually forming the strike faults with coinciding crumpling of S_2 , and later filling with V_2 and V_3 . During the process of folding S_2 , the S_3 foliation formed, and secretional mobilization of V_4 from available veins and walls moved into these low pressure sites.

Leaching and Secondary Enrichment: The Gibraltar East orebody has a leached cap extending 50 to 70 feet deep as a subdued reflection of the bedrock surface. An enriched zone extending 100 to 200 feet below the leached cap is related in part to zones of intense fracturing or faulting and presumably groundwater flow. Figure 23 shows the approximate location of these surfaces. Most of the enrichment consists of chalcocite which coats and replaces pyrite and chalcopyrite. Malachite and azurite are only found near the upper surface of the enriched zone. Cuprite is also commonest in the upper part of the zone and some masses have a native copper core. The latter occurs also in wiry masses within fault zones. During the Pleistocene, glacial ice moving from the southeast out of the Cariboo Mountains overrode the area and bedrock was actively eroded and shaped. Therefore the close relationship between the shape of the enriched and leached zones to the present surface indicates that the oxidation and leaching continued after the Pleistocene, although much of the process may date from the Tertiary.

SYNTHESIS: A preliminary synthesis has been made from the data available. Geologic mapping and petrologic study indicate the existence of a modest zoning of the Granite Mountain pluton from a mafic exterior to a felsic core, and a consistent foliation transverse to the orientation of the long dimension of the pluton which is not known in the wallrocks remote from the pluton. Study of the relationship between primary igneous foliation, the secondary deformational foliation, and vein formation indicates a continuum of movement of similar orientation. The relationship between the second foliation (S_2) , third foliation (S_3) , and the structural relationship of the four vein sets indicates the mineralization was an integral part of this process. The Granite Mountain pluton would thus appear to have been intruded as a tongue-shaped pluton rooted to the south and probably steepening downward. A central tongue of leucocratic nature forms a domal core with peripheral bodies characterized by quartz sulphide stockworks. Emplacement, deformation, and mineralization appear to have been a continuous process, acting under a couple with the upper southern plate moving upward and northward. This couple may have been related to magma pressure continuing to act like a piston from below on the upper arcuate portion of the congealing plutonic mass.



Plate VII. Foliated Granite Mountain granodiorite, westernmost Gibraltar East pit, showing intense S₂ foliation (F₄), crenulation of S₂ to form S₃, dark V₁ veins with pyrite (white) crenulated with S₂, drusy V₂ vein with minor decollement and chalcopyrite (nearly white).

WORK DONE:

The plant operated 363 days, 15,082,233 tons of ore being milled to recover 213,383 tons of copper concentrate. During the latter part of the year the molybdenum recovery circuit was phased into service. Concentrates were trucked to McAllister Siding for shipment by British Columbia Railway, some 50 covered gondola cars being assigned to this duty.

The average number of employees was 510 in 1973. Total connected horsepower was 43,600 using 186,431,800 kilowatt-hours of power. In mining operations a total of 1,017,000 feet of production blastholes was drilled.

During the year, the nominal 30,000-ton-per-day concentrator operated at a throughput in excess of 41,000 tons per day. As a result, phase 1 mining plan in the Gibraltar East pit is ahead of schedule, necessitating advances in scheduling of the draining of Granite Lake and the start on the preparation of the Granite Lake orebody for mining.

Reclamation of disturbed areas, procedural testing of species, and other environmental activity have been initiated.

Major equiment included: three P&H 2100-B shovels, one Marion 191-M shovel, 21 Lectra Haul M-85 trucks, two Bucyrus-Erie 45-R drills, one Marion M-4 drill, one D-9 Caterpillar, four D-8 Caterpillars, one Caterpillar 824 loader, one Caterpillar 16 grader, two Caterpillar 14 graders, one P&H 50-ton crane, and one Telecruiser 15-ton crane.

REFERENCES:

Campbell, R. B. (1961), Quesnel Lake, Geol. Surv., Canada, Map 3-1961; Drummond, A. D. (1972), Gibraltar, I.G.C., Guidebook, Excursion A09-C09, Copper and Molybdenum Deposits of the Western Cordillera, pp. 48-53; Drummond, A. D., Tennant, S. J., and Young, R. J. (1973), The Inter-Relationship of Regional Metamorphism, Hydrothermal Alteration and Mineralization at Gibraltar Mines Copper Deposit in B.C., C.I.M., Bull., Vol. 66, No. 730, pp. 48-55; Eastwood, G.E.P. (1969), Geology of the Granite Mountain Stock, B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 162-172; Kirkham, R. V. (1974), Geology of Copper and Molybdenum Deposits in Canada, Geol. Surv., Canada, Paper 74-1, Pt. A, pp. 377, 378; Nockolds, S. R. (1954), Average Chemical Compositions of Some Igneous Rocks, Geol. Soc. Am., Bull., Vol. 65, 1954, pp. 1007-1032; Rotherham, D. C., Drummond, A. D., and Tennant, S. J. (1972), Exploration of Gibraltar, Western Miner, Feb., 1972, pp. 25-28; Streckeisen, A., et al. (1973), Classification and Nomenclature of Plutonic Rocks, IUGS, Geological Newsletter, Vol. 1973, No. 2, pp. 110-127; Sutherland Brown, A. (1957), McLeese-Cuisson Lake Area, Minister of Mines, B.C., Ann. Rept., 1957, pp. 14-18; Sutherland Brown, A. (1966), Geology of Granite Mountain-Cuisson Lake Area, Minister of Mines, B.C., Ann. Rept., 1966, pp. 121-124; Tipper, H. W. (1959), Quesnel, Geol. Surv., Canada, Map 12-1959; Annual Reports of Gibraltar Mines, 1972-1973.

KATE (93B-21) (Fig. D, No. 35)

LOCATION:Lat. 52° 59'Long. 122° 22'(93B/16W; 93G/1W)CARIBOO M.D. Six miles east of Quesnel, on the north side of
Quesnel River, at approximately 1,600 feet elevation.OutputCLAIMS:KATE 1 to 14, 20 to 45, RUTH 9 to 12, 25 to 39, M&S 1, 2, 7, 8, QR
1 to 5 Fractions, KOPPER NOB 1 to 6, RICH 1 to 4, DAPHNE
Fraction.

(93C/3W)

- OWNER: Canyon Creek Holdings Ltd.
- OPERATOR: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver V6E 1M4.

METALS: Copper, molybdenum, gold, silver.

- DESCRIPTION: Chalcopyrite, bornite, and molybdenite occur in a quartz feldsparbiotite porphyry which has intruded andesitic country rock of Upper Triassic or Lower Jurassic age.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Kate, Rich, Ruth, and M&S claims; pole-dipole frequency domain IP survey, 12.6 line-miles; IP survey, 4.4 line-miles; magnetometer survey, 22.3 linemiles; geochemical survey, 24 soil samples and 60 silt samples; surface diamond drilling, three holes totalling 750 feet on Kopper Nob 3 and 5. REFERENCES: Assessment Reports 4208, 4545.

ANAHIM LAKE 93C

- KF (93C-1) (Fig. D, No. 100)
- LOCATION: Lat. 52° 01' Long. 125° 23' (93C/3W) CARIBOO M.D. Southwest end of McClinchy Lake, between 4,800 and 5,500 feet elevation.
- CLAIMS: C 1 to 23, MJ 1 to 10, DK 1 to 5, DK 6 Fraction, DK 7 to 13, DK 14 Fraction.

OWNER: J. H. Montgomery.

OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.

METALS: Copper, molybdenum.

- DESCRIPTION: In the area, Jurassic basic volcanic rocks have been intruded by diorite which has been intruded by quartz monzonite and quartz porphyry dykes. Breccia pipes showing varying degrees of alteration and mineralization have been formed. Mineralization consists of chalcopyrite, bornite, and pyrite disseminated and as fracture coatings in breccia pipes.
- WORK DONE: Surface diamond drilling, two BQ holes totalling 391 feet on C 17 and DK 11.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 162; 1970, p. 202; Assessment Report 4209.

WHITESAIL LAKE 93E

LEN	(HUCKLEE	BERRY) (93E-3	37, 38, 39)	(Fig. D, No. 3	6)
					By J. F. Hutter
LOCA	TION:	Lat. 53° 41′	Lor	ng. 127° 10′	(93E/11E)
		OMINECA M.D.	North of T	ahtsa Reach, 2	miles west-southwest of
		Huckleberry Mou	ntain, at app	roximately 3,40	0 feet elevation.

- (93E/11E) CLAIMS: LEN 1 to 58, 60 to 84, 86, 88, 90, 92, 94, 96, 98, 100, BERRY 2 to 4 Fractions.
- OWNER: Kennco Explorations, (Western) Limited.
- OPERATOR: THE GRANBY MINING COMPANY LIMITED, 2000, 1055 West Hastings Street, Vancouver.

METALS: Copper, minor molybdenum, zinc.

DESCRIPTION: Chalcopyrite and minor molybdenite occur in both hornfelsed volcanic rocks and a small granodiorite porphyry stock of Late Cretaceous age.

- WORK DONE: A drilling programme comprising 43,824 feet in 47 diamond-drill holes on Len 4, 6, 17, and 19 and the deepening of 8 holes was completed. The claims and surface workings were mapped and access roads were improved and gravelled. A feasibility study to determine the potential of the property is currently in progress.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 104-107; 1972, p. 341.
- SUS (Fig. D, No. 145)
- LOCATION: Lat. 53° 43.5′ Long. 127° 08.5′ (93E/11E) OMINECA M.D. Fifty-three miles southwest of Houston, approximately 1.75 miles east-northeast of Sweeney Lake, at about 3,500 feet elevation.

CLAIMS: SUS 1 to 44.

- OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.
- DESCRIPTION: One percussion hole intersected 80 feet of overburden and then volcanic rocks of the Hazelton Group from 80 to 180 feet. No sulphides were present. The other two holes failed to reach bedrock and both were stopped at 100 feet in overburden.
- WORK DONE: Percussion drilling, three holes totalling 380 feet on Sus 3 and 4.

ANNA (Fig. D, No. 147)

LOCATION:	Lat. 53° 44′	Long. 127 [°] 05′		(93E/11E)
	OMINECA M.D. Fit	fty miles southwest o	of Houston, 5	miles south-
	southwest of Twinkle	Lake, at approximatei	ly 3,500 feet el	evation.
CLAIMS:	ANNA 1 to 16.			
OWNER:	BETHLEHEM COPP	ER CORPORATION	LTD., 2100,	1055 West
	Hastings Street, Vanc	ouver V6E 2H8.		
DESCRIPTION:	Six percussion holes i	ntersected volcanic ar	nd sedimentary	rocks of the
	Hazelton Group. Ov	verburden averaged 7	2 feet. Minor	pyrite was
	present in all holes.			
WORK DONE:	Percussion drilling, si: 12.	k holes totalling 1,390) feet on Anna	1, 4, 11, and

(93E/11W)

EMERALD GL/	ACIER MINE	(93E-1)	(Fig. D, No. 101)	By J. F. Hutter
LOCATION:	Lat. 53 [°] 44.5′		Long. 127° 15.5′	(93E/11W)
	OMINECA M.D.	In the	Sibola Range north o	f Tahtsa Lake, on Mount
	Sweeney betwee	en 6.000	and 6.500 feet elevati	on.

CLAIMS: Mineral Lease M-15 including EMERALD and EMERALD NO. 1 (Lots 2762 and 2761) and 27 located claims.

OWNER: EMERALD GLACIER MINES LIMITED, Box 221, Terrace.

METALS: Silver, lead, zinc.

DESCRIPTION: The main vein and others which have been developed are mineralized shears or fault zones in bedded tuffs and argillites intruded by numerous aplitic and granitic dykes. Sulphide minerals in the main vein include galena, sphalerite, chalcopyrite, and pyrite, in order of decreasing abundance. The gangue is mainly quartz and altered rock but includes calcite and little rhodochrosite.

WORK DONE: Some exploration surface stripping, otherwise inactive.

- DW, CUP (93E-55) (Fig. D, No. 12)
- LOCATION: Lat. 53° 46' Long. 127° 42' (93E/12E, 13E) OMINECA M.D. West shore of Nanika Lake, east of Mount Mortella, at approximately 3,100 feet elevation.
- CLAIMS: DW 1 to 14, CUP 1 to 38, CORB 1 to 55, 57 to 69, 71 to 80, PUC 1 and 2, FEN 1 to 10.

OWNER: Aston Resources Limited.

- OPERATOR: GRANGES EXPLORATION AKTIEBOLAG, 1060, 1055 West Hastings Street, Vancouver.
- METALS: Copper (molybdenum).
- DESCRIPTION: Chalcopyrite, pyrite, and minor bornite occur in a fault zone between granitic rocks of the Coast Plutonic Complex and volcanic rocks of the Hazelton Group.
- WORK DONE: Surface diamond drilling, six holes totalling 2,719 feet on DW 3, 11, 12 and Corb 18, 20.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 342.

IDA, NADI (93E-71) (Fig. D, No. 102)

 LOCATION: Lat. 53° 50′ Long. 127° 03′ (93E/14E) OMINECA M.D. Sixty miles south of Smithers, 1 mile northeast of the west end of Nadina Lake, at approximately 3,600 feet elevation.
 CLAIMS: IDA 1, 2, 14, 16, 18, 20, 31, 33, 35 to 42, 55, 57 to 60, 73 to 76, 87, 89, 174 Fraction, NADI 1 to 20, 32, 33, 35, 37, 40 to 49, 51, 52, 54, 55, NADI 50 and 53 Fractions, NADI-M 1 to 3, 4, 6, HILL 1 to 54.
 OWNERS: JOREX LIMITED, 600, 85 Richmond Street, Toronto, Ont. and DOME EXPLORATION (CANADA) LIMITED, 702, 360 Bay Street, Toronto, Ont.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 92, 93; 1971, p. 145.

(93E/13E)

.

METAL:	Copper.
DESCRIPTION:	Volcanic rocks of Jurassic and Cretaceous age are intruded by porphyry
	stocks, which contain some pyrite and chalcopyrite.
WORK DONE:	Magnetometer survey, 5 line-miles and geochemical soil survey, 125
	samples covering Hill 1-54; surface diamond drilling, 15 holes totalling
	7,349 feet on Ida 37, 38, 39, 40, Nadi-M 2, Nadi 31, and Nadi 50
	Fraction.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 345.

RD (93E-83) (Fig. D, No. 38)

(000 00)	(1.13, 2), 110, 00	1	
LOCATION:	Lat. 53° 59'	Long. 127° 34′	(93E/13E; 93L/4E)
	OMINECA M.D.	Approximately 2 miles east of	of Morice Lake, on the
	north slope of Re	dslide Mountain, at about 5,000) feet elevation.
CLAIMS:	RD 1 to 16.		
OWNER:	EL PASO MININ	IG AND MILLING COMPAN	Y, 500, 885 Dunsmuir
	Street, Vancouver	r.	
METAL:	Copper.		
DESCRIPTION:	Hazelton Group	volcanic and sedimentary rocks	have been intruded by
	granitic plugs and	d porphyry dykes. Chalcopyrit	e and bornite occur in
	shattered sedimer	ntary rocks adjacent to the dyke	es.
WORK DONE:	Surface geologica	I mapping, 1 inch equals 200 fe	et covering RD 1, 2, 7,
	and 8; geochemic	al survey, six chip samples take	en and 168 soil samples
	taken at 100 by 2	00-foot grid spacing covering sa	ame claims.
REFERENCE:	Assessment Repo	rt 4868.	

TA (Fig. D, No. 39)

LOCATION:	Lat. 53° 48' Long. 127° 31' (93E/13E, 14W)
	OMINECA M.D. Three miles northeast of Mount Bergeland, on
	Bergeland Creek.
CLAIMS:	TA 1 to 50, 1 to 13 Fractions.
OWNERS:	D. Tuttle and D. S. Boyd.
OPERATOR:	GRANGES EXPLORATION AKTIEBOLAG, 1060, 1055 West
	Hastings Street, Vancouver.
DESCRIPTION:	A broad overburden-filled valley is underlain by rhyolitic breccia and
	andesite of the Hazelton Group.
WORK DONE:	Magnetometer survey, 25.4 line-miles; IP survey, 11.54 line-miles; and
	geochemical soil survey, 455 samples, 25.4 line-miles covering TA 1-24
	and TA 12 and 13 Fractions; surface diamond drilling, two holes
	totalling 1,156 feet on TA 15, 17, and 10.

REFERENCE: Assessment Report 4578.
(93E/13W)

PC, JOW (93E-11) (Fig. D, No. 151)

- LOCATION: Lat. 53° 57' Long. 127° 46' (93E/13W) OMINECA M.D. Approximately 50 miles southeast of Smithers, 4 miles west of Morice Lake and 8 miles north-northeast of the south tip of Morice Lake, at approximately 7,000 feet elevation. CLAIMS: JOW 1 to 20.
- OWNER: Fred H. Jowsey.
- OPERATOR: AGGRESSIVE MINING LTD., 1014, 111 Richmond Street West, Toronto, Ont.
- METALS: Lead, zinc, silver, gold.
- DESCRIPTION: Small stocks of quartz porphyry and feldspar porphyry intrude Hazelton Group volcanic rocks. Sphalerite, galena, chalcopyrite, and pyrite occur in a network of quartz stringers in quartz porphyry near the contact with volcanic rocks.
- WORK DONE: Magnetometer and EM survey; geochemical soil survey, 101 samples covering Jow 1-20; trenching, 150 feet.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 146.

BERG (93E-46) (Fig. D, No. 40)

- LOCATION: Lat. 53° 48′ Long. 127° 26′ (93E/14W) OMINECA M.D. Fifty-five miles southwest of Houston, 7 miles south of Kidprice Lake, in the Tahtsa Range, north of Tahtsa Lake, between 5,000 and 6,000 feet elevation.
- CLAIMS: BERG 11 to 24, 31, 34, 35, 37 to 44, 50, 51, 54, 55, 63, 64, 66 to 71, 73 to 86, 132 to 145, 251 to 262, 264 to 281, BERG 1 and 72 Fractions, TAKI 1 to 22.

OWNER: Kennco Explorations, (Western) Limited.

- OPERATOR: CANEX PLACER LIMITED, 800, 1030 West Georgia Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: Late Jurassic to Early Cretaceous fragmental volcanic rocks, tuffs, and agglomerates have been intruded by a dioritic offshoot of the Coast Plutonic Complex. A younger stock of quartz monzonite porphyry was intruded along the volcanic-diorite contact. Quartz-latite porphyry dykes, a late phase of the quartz monzonite porphyry, intrude all rocks. Chalcopyrite, molybdenite, pyrite, and gypsum occur in concentric zones around the quartz monzonite porphyry stock.
- WORK DONE: IP survey, 2 line-miles covering Berg 17, 20, 38, 39, 41, 42, 44 and Taki
 9; surface diamond drilling, 12 holes totalling 10,870 feet on Berg 15, 18, 19, 20, 21, 37, 38 and Taki 9; road construction, 2 miles on Berg 41-44 and Taki 9.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, p. 105; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 343.

(93E/14W)

- BERGETTE (93E-52) (Fig. D, No. 41)
- LOCATION: Lat. 53° 49' Long. 127° 17' (93E/14W) OMINECA M.D. Forty-five miles southwest of Houston, 7 miles south of Smoke Mountain and 3 miles north of Mount Sweeney, at approximately 6,000 feet elevation.
- CLAIMS: BERGETTE 1 to 14, FG 1 to 6, 9, 11, 13, 15, 24 to 31, 38 to 49, 52, 54, 67, 69 to 74, 79 to 82, 91 to 94, BS 1 to 10, BS 1 to 4 Fractions, BF 1 to 6, 19 to 22, 65, 69, GN 1 to 8, LK 1 to 60.
- OWNERS: G.O.M. Stewart, R. Blusson, Frontier Exploration Limited, Granges Exploration Aktiebolag, and R. Reid.
- OPERATOR: GRANGES EXPLORATION AKTIEBOLAG, 1060, 1055 West Hastings Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: The property is underlain by Hazelton Group volcanic rocks. Locally tuffs and breccia units have been intruded by two plutons. One, a dark grey biotite hornblende granodiorite, has been strongly altered and fractured over a large area. Small outcrops suggest silicification and pervasive pyritization. Molybdenum was identified with pyrite in reticulate quartz veins. Chalcopyrite occurs in a hornfels zone and also in latite porphyry outcrops.
- WORK DONE: IP survey, 7.09 line-miles covering BS 4-8, BS 4 Fraction, Bergette 2-5, 8-10, BF 19-22, and LK 1, 3; surface diamond drilling, 4,002 feet on BS 8, Bergette 4, 7, 10, and BF 2, 20.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 147-157; 1972, pp. 343-345.
- TX (Fig. D, No. 146)
- LOCATION: Lat. 53° 49' Long. 127° 04' (93E/14E) OMINECA M.D. Approximately 45 miles southwest of Houston, on the west side of Twinkle Lake, at about 3,400 feet elevation. CLAIMS: TX 1 to 10.
- OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.
- DESCRIPTION: Percussion holes intersected Hazelton Group volcanic rocks. Eighty to 90 feet of overburden was encountered.
- WORK DONE: Percussion drilling, three holes totalling 460 feet on TX 4, 6, and 10.

SLIDE, BOG, TWIN, MAX (Fig. D, No. 37)

LOCATION:	SLIDE, SYLVIA –				
	Lat. 53° 50′	Long. 127° 16′	(93E/14)		
	OMINECA M.D.	Centred 8 miles west of Twinkle Lake.			
	BOG, PAM –				
	Lat. 53° 51′	Long. 127° 02′	(93E/14E)		

	(002/112)
	OMINECA M.D. Centred 2 miles north of Twinkle Lake.
	TWIN, ACE, WEE –
	Lat. 53° 44′ Long. 127° 06′ (93E/11E, 14E)
	OMINECA M.D. Centred 1.5 miles northeast of Huckleberry
	Mountain.
	MAX —
	Lat. 53° 40′ Long. 127° 02′ (93E/11E)
	OMINECA M.D. Centred 1 mile southeast of Ox Lake.
CLAIMS:	SLIDE 1 to 95, SYLVIA 1 to 36, BOG 1 to 49, PAM 1 to 108, TWIN 1
	to 80, ACE 1 to 115, WEE 1 to 41, 43, 45, 47, 49, 51, 53, 55, 57 to
	103, 110 to 142, MAX 1 to 45.
OWNER:	HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171
	Pemberton Avenue, North Vancouver V7P 2R4.
METAL:	Copper.
DESCRIPTION:	Granitic plutons of Late Cretaceous age have intruded Jurassic
	sedimentary and volcanic rocks. Pyrite and chalcopyrite occur as
	fracture fillings and disseminations in both the intrusive and layered
	rocks.
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet and 1 inch equals
	one-quarter mile; IP and magnetometer survey, 565 line-miles;
	geochemical soil, silt, and rock chip survey, 1,912 samples covering all
	claims; surface diamond drilling, 17 holes totalling 4,488 feet on Bog

14, 17, 18, 19, Ace 84, 85, Twin 7, 8, 9, 10, and Wee 3, 12.

LILY (DUAL)	(93E-53)	(Fig. D, No.	24)		
LOCATION:	Lat. 53° 55′		Long. 127° 01'		(93E/14E)
	OMINECA M	I.D. Two mi	les south of Hill-T	Fout Lake, at appr	oximately
	3,500 feet ele	evation.			
CLAIMS:	AFP 1 to 26,	HT 1 to 34.			
OWNER:	K. W. Livings	tone.			
OPERATOR:	QUINTANA	MINERALS	CORPORATION	, 1215 , Two Bent	all Centre,
	Vancouver.				
METALS:	Copper, moly	rbdenum.			
DESCRIPTION:	Pyrite, chalo porphyry cor	opyrite, and	l molybdenite a n.	re associated wi	th typical
WORK DONE:	Surface geolo	gical mappin	g, 1 inch equals	400 feet covering	all claims;
	geochemical	survey, 100	samples covering	AFP 10 and HT	3 and 5;
	percussion di	illing, 11 hol	es totalling 1,490	feet on AFP 3, 6,	, 8, 10 and
	HT 12, 14,	16; road con:	struction, 7 miles	on HT 1-8, 12, 1	14, 16 and
	AFP 1-3, 6, 8	, 10 (from Ta	ahtsa road to prop	perty).	
REFERENCE:	B.C. Dept. of	Mines & Pet.	Res., GEM, 1972	2, p. 346.	

r.

TETS (93E-84) (Fig. D, No. 42)

LOCATION:Lat. 53° 50'Long. 126° 57'(93E/15W)OMINECA M.D. North of Tahtsa Reach, approximately 5 miles
east-northeast of Twinkle Lake, at approximately 4,700 feet elevation.CLAIMS:TETS 3 to 54.

OWNER: J. Shelford.

OPERATOR: GRANGES EXPLORATION AKTIEBOLAG, 1060, 1055 West Hastings Street, Vancouver.

METALS: Copper, zinc, lead, silver.

DESCRIPTION: The property is underlain by a variety of volcanic and sedimentary rocks of the Hazelton Group. Occurrences of bornite, sphalerite, and chalcopyrite with minor galena and pyrite have been noted.

WORK DONE: Magnetometer survey, 40.63 line-miles and geochemical soil survey, 1,294 samples taken at 200 by nominal 400-foot grid spacing, approximately 49 line-miles covering all claims; trenching, approximately 30 feet on Tets 15 and 16.

REFERENCE: Assessment Report 4580.

MIN (93E-85) (Fig. D, No. 144)

LOCATION: Lat. 53° 50′ Long. 126° 45′ (93E/15) OMINECA M.D. Fifty miles southwest of Burns Lake, 7 miles northwest of the entrance to Tahtsa Reach.

CLAIMS: MIN 1 to 20.

OWNER:SAIWA RESOURCES LTD., 404, 850 West Hastings Street, Vancouver.METALS:Copper, molybdenum.

DESCRIPTION: On Min 7 Hazelton volcanic rocks have been extensively fractured, veined by quartz, silicified, and mineralized with pyrite, chalcopyrite, molybdenite, and magnetite.

WORK DONE: Linecutting and magnetometer survey, 13 line-miles; geochemical soil survey, 690 samples taken at 100 by 200-foot grid spacing covering Min 5-10.

REFERENCE: Assessment Report 4728.

FORD (Fig. D, No. 43)

LOCATION:	Lat. 53° 53′	Long, 126° 38′	(93E/15E)	
	OMINECA M.D.	Twelve miles west of Wisteria,	Shelford Hills, at	
	approximately 3 7	00 feet elevation.		

CLAIMS: FORD 1 to 200.

OWNERS: James Todd and R. Blusson.

- OPERATOR: NORTHERN GIANT MINES LTD. (formerly Black Giant Mines Ltd.), 2002, 1177 West Hastings Street, Vancouver.
- DESCRIPTION: The claim group is underlain by volcanic rocks of the Hazelton Group, sections of which are altered and pyritized. A zinc geochemical anomaly 3,000 feet in diameter includes smaller silver and molybdenum anomalies.

(93F/5E)

- WORK DONE: IP survey, 10 line-miles covering Ford 1-16, 21, 22; linecutting, 10.3 miles of grid covering same claims.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 110; Assessment Report 2256.

NECHAKO RIVER 93F

MR (Fig. D, No. 103)

LOCATION: Lat. 53° 27' Long. 125° 32' (93F/5E) OMINECA M.D. On the north side of Chelaslie Arm, 7 miles east-southeast of the west end.

CLAIMS: MR 55 to 60, 79 to 99, MR 6-00 to 6-08.

OWNER: Martin Lubbers.

OPERATOR: CANEX PLACER LIMITED, Endako Mines Division, Endako.

- DESCRIPTION: Hazelton Group andesite, basalt, and chert pebble conglomerate have been intruded by rhyolitic and dacitic dyke rocks and stocks of the Ootsa Lake Group.
- WORK DONE: Geochemical soil survey, 196 samples taken at 400-foot intervals along reconnaissance lines and linecutting covering MR 55, 57, 59, 60, 79-99 and MR 6-00 to 6-07.

REFERENCE: Assessment Report 4610.

MJM, MINT, LODE (Fig. D, No. 149)

- LOCATION: Lat, 53° 58' Long. 124° 49' (93F/15W; 93K/2W) OMINECA M.D. About 4 miles south of Fraser Lake village, on Nithi Mountain, between 2,600 and 4,000 feet elevation.
- CLAIMS: MJM 1 to 11, MINT 1 to 7, LODE 1 to 6, 9, 10, PEN 1 to 3, TOTEM 1 and 2, PINE 1 and 2 Fractions, LODE 1 and 2 Fractions, MO 1 to 28, MO 1 to 3 Fractions, AXE 1 to 20, AXE 1 to 3 Fractions, JS 1 to 8.
- OWNER: NITHEX EXPLORATION AND DEVELOPMENT LTD., Box 73, Endako.

METAL: Molybdenum.

- DESCRIPTION: The Casey quartz monzonite occurs in the east half and the Nithi quartz monzonite occurs in the west half of the claim group. All intrusive rocks have been highly altered and fractured. Aplite dykes are common. Mineralization includes economic molybdenite, in fractures and disseminated. Other minerals include minor pyrite, specularite-hematite, limonite, and very rare chalcopyrite.
- WORK DONE: Geochemical survey, 1,593 samples covering Axe 1-20, Axe 1-3 Fractions, MO 1-6, 7, 9, 11, and MO 1-3 Fractions; surface diamond drilling, six holes on MO 6, MO 1 Fraction, and MJM 10; road construction, 2,000 feet on Lode 1, 2, and Pine 1 Fraction; trenching, 5,000 square feet on MJM 8.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 348.

PRINCE GEORGE 93G

KATE (93B-21) (Fig. D, No. 35)

LOCATION: Lat. 52° 59′ Long. 122° 22′ (93B/16W; 93G/1W) Report on this property in section 93B/16W.

G, GG, R, RB (93G-27) (Fig. D, No. 104)

LOCATION:Lat. 53° 11'Long. 122° 55'(93G/2W)CARIBOO M.D.Thirty miles northwest of Quesnel, on the south
flank of Blackwater Mountain, between 2,700 and 3,000 feet elevation.CLAIMS:R 1 to 8, RB 1 to 12, G 1 to 10, GG 1 to 10.

OWNER: BALI EXPLORATION LTD., 101, 325 Howe Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Cache Creek Group chert and argillite are exposed in the southeast, and diorite in the east-central part of the claim area; Lower Tertiary basalt underlies the northern claims. The diorite has been crushed or sheared and contains some pyrite, chalcopyrite, and pyrrhotite.
- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 1,000 feet; airborne magnetometer and VLF EM survey, 50 line-miles; ground magnetometer and EM survey, 40 line-miles; and geochemical soil survey, 472 samples taken at 500 by 500-foot grid spacing, 40 line-miles covering all claims.

REFERENCES: Assessment Reports 4573, 4816.

McBRIDE 93H

BUZ (Fig. D, No. 150)

LOCATION:	Lat. 53° 0 CARIBOO Nelson Mo	5′ D.M.D. Forty puntain, at ap	Long. 121° Aeight miles ea proximately 4.5	44' st of Quesn 500 feet ele	el on the ea vation.	(93H/4E) st slope of
CLAIMS:	BUZ 1 to CHISHOL WONDER	12, 31 to 44 M 7 Fract	, 61 to 74, ZU ion, BURN, ion, ARK 1 G	B 1 Fractio GARBO, LORIA	n, CHISHO WONDER	LM 1 to 4, Fraction,
OWNER:	GOLDEN	ARK EXPLC	RATIONS LT	D., Box 904	. Vernon.	
WORK DONE:	Trenching feet on Bu	, 2,000 feet o 1z 72.	on Buz 31, 33 ,	34, 72; stri	ipping, 400	feet by 20
MOSQUITO	(93H-10)	(Fig. D, No.	105)		By A. I	D, Tidsbury
LOCATION:	Lat. 53° 0	7'	Long. 121°	36′		(93H/4E)
	CARIBOC) M.D. Two	miles west	of Wells, (on Island	Mountain,
	between 4	,300 and 4,60	0 feet elevation	٦.		
CLAIMS:	Twenty-ni	ne Crown-gra	nted claims inc	luding MOS		ot 10355),
	W03001	O Fraction (LUL 10359), VA	ANCOUVEI	R (LOT 1035	10), FURT

(93J/14W)

OWNER:	Mosquito Creek Gold Mining Company Limited.				
OPERATOR:	HOME OIL COMPANY LIMITED, 202, 850 West Hastings Street,				
	Vancouver.				
METALS:	Gold, minor silver.				
DESCRIPTION:	A folded succession of metasedimentary rocks including Midas argillite				
	and Snowshoe (Rainbow and Baker) quartzite and limestone are				
	crossed by the Mosquito Creek fault. The rocks enclose quartz veins				
	containing up to 5 per cent pyrite and minor galena and scheelite; some				
	limestone beds are replaced by massive pyrite containing gold.				

WORK DONE:

In 1967, The Cariboo Gold Quartz Mining Company Limited closed the Aurum mine on the east side of Island Mountain after 34 years of production. During 1972, an initial exploration programme was conducted in search of the extension of the contact and fault zone. During 1973, based on results from the 1972 initial work, 23 diamond-drill holes totalling 13,860 feet on the Mosquito Fraction, Seattle, and Port Hope claims and 37 percussion-drill holes totalling 10,910 feet on the Mosquito, Mosquito Fraction, Seattle, and Port Hope claims were completed along the favourable trend.

An adit, designated 4400, was driven to provide access for additional exploration and testing. Badly faulted ground stopped the adit at 120 feet. It is now planned to sink a shaft in a more substantial area, and to continue underground exploration and development from various shaft levels.

Surveys consisted of surface geological mapping at 1 inch equals 100 feet covering Mosquito Fraction, underground geological mapping, 1 inch equals 400 feet covering Mosquito, preliminary topographic mapping, and mapping of roads and drill holes.

Six thousand feet of road construction, between the Oliver and Port Hope claims, and 1,000 feet of trenching on the Mosquito Fraction and Vancouver claims were carried out.

REFERENCE: B.C. Dept. of Mines, Bull. 38, p. 72.

McLEOD LAKE 93J

NICK (93J-14) (Fig. D, No. 148)
LOCATION:	Lat. 55° 00' Long. 123° 17' (93J/14W; 93O/3W)
	CARIBOO M.D. Four miles southwest of the north end of Royer
	Lake, south of Reed Lake, at approximately 3,200 feet elevation.
CLAIMS:	NICK 1 to 8, 21 to 26.
OWNER:	K. Lovang.
OPERATOR:	EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir
	Street, Vancouver.
METALS:	Copper, nickel.
DESCRIPTION:	In the area Slide Mountain Group massive andesite has been intruded
	by gabbro and diorite. Carbonaceous quartzite is exposed on the northeast edge of the claims. The gabbro carries minor pyrrhotite.

WORK DONE: Surface geological mapping, 1 inch equals 200 feet; linecutting and ground magnetometer survey, 19 line-miles; geochemical soil survey, 921 samples taken at 100 by 200-foot grid spacing covering Nick 1, 3, 5, 7, and 21-26.

REFERENCE: Assessment Report 4706.

FORT FRASER 93K

1913191, 1911191, LUDE (FIG. D, NO. 145	MJM.	MINT.	LODE	(Fig. D.	. No.	149
---	------	-------	------	----------	-------	-----

LOCATION: Lat. 53° 58' Long. 124° 49' (93F/15W; 93K/2W) Report on this property in section 93F/15W.

ENDAKO MINE (93K-6) (Fig. D, No. 125) By J. F. Hutter

- LOCATION: Lat. 54° 02' Long. 125° 06.5' (93K/3E) OMINECA M.D. One hundred and fifteen miles west of Prince George, north of the east end of Francois Lake, at approximately 3,200 feet elevation.
- CLAIMS: Three hundred and fifty-one mineral claims, of which 22 are held under lease, including BOOT, TAN, ELK, BAR, JAY, and MO.
- OWNER: CANEX PLACER LIMITED, Endako Mines Division, 1030 West Georgia Street, Vancouver; mine office, Endako; mine manager, J. D. Wright.
- METAL: Molybdenum (production shown on Table I).
- DESCRIPTION: A stockwork of quartz-molybdenite veins with minor pyrite and magnetite occurs in pervasively altered quartz monzonite. Several steeply dipping pre-mineral quartz feldspar porphyry and post-mineral basalt dykes are encountered. Several large faults crosscut the ore zone. Quartz veins with associated molybdenite, minor pyrite, and magnetite are primary mineralization. Calcite is often late vein material and kaolinite is the major secondary mineral in the alteration zone.

WORK DONE:

Fourteen diamond-drill holes, totalling 8,655 feet, were drilled on the Mo 1, Boot 1, 3, 9, Elk 3 Fraction, and Tan 4 claims and 7 percussion-drill holes, totalling 2,100 feet, were drilled on Boot 9. One mile of drill access road was constructed on the Boot 9 and Tan 4 claims.

New equipment purchased for the pit operation consisted of four 100-ton haulage trucks and one motor grader.

Major construction consisted of the rehabilitation of a 10-foot-diameter four-hearth dryer. This is expected to be completed in 1974 and will free the present dryer for conversion back to a roaster and a subsequent increase in oxide production.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 114, 115; 1972, p. 351.

(93K/3E)

- NU, ELK (93K-8) (Fig. D, No. 126)
- LOCATION: Lat. 54° 03' Long. 125° 08' (93K/3E) OMINECA M.D. Five miles west of Endako, at approximately 3,200 feet elevation.

CLAIMS: NU, ELK, DEER, CORA, DIS, DAT, totalling 73.

OWNER: Denak Mines Ltd.

OPERATOR: CANEX PLACER LIMITED, Endako Mines Division, 1030 West Georgia Street, Vancouver.

METAL: Molybdenum.

DESCRIPTION: A quartz-molybdenum stockwork occurs in weak to intensely kaolinitic altered Endako quartz monzonite.

WORK DONE: Surface diamond drilling, 22 holes totalling 12,713 feet on Elk 4-6, Elk 12 Fraction, and Nu 2 and 4; percusion drilling, seven holes totalling 2,100 feet on Elk 4 and Nu 3 and 4; road construction, 1 mile on Elk 4-6 and Nu 2 and 4.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 352.

- KEN (93K-2) (Fig. D, No. 124)
- LOCATION: Lat. 54° 09' Long. 125° 05' (93K/3E) OMINECA M.D. Five miles northwest of Endako, at approximately 2,900 feet elevation.

CLAIMS: KEN 1 to 26, 32, 34, 36, 38, 40, 50 to 58.

- OWNER: AMAX EXPLORATION, INC., 601, 535 Thurlow Street, Vancouver V6E 3L6.
- METAL: Molybdenum,
- DESCRIPTION: The claim group is underlain mainly by the Casey and Glenannan granites, both of which are phases of the composite Topley intrusions. Molybdenite occurs in a quartz vein stockwork within the eastern portion of the Casey granite, near its contact with the Glenannan granite.
- WORK DONE: Surface diamond drilling, five holes totalling 2,812 feet on Ken 1 and 3.

SILVER GLANCE, GOLDEN GLORY (93K-30, 31) (Fig. D, No. 127)

- LOCATION: Lat. 54° 17′ Long. 125° 55′ (93K/5W) OMINECA M.D. West of Decker Lake, on Gerow Creek, at approximately 2,500 feet elevation.
- CLAIMS: MO 1 to 10, GRE 43 and 44, DE 1 to 22, HRS 19 to 22, LARK 1 to 20, BEE 3 to 14.
- OWNER: Decker Lake Mines Limited.
- OPERATOR: HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171 Pemberton Avenue, North Vancouver V7P 2R4.

METALS: Copper, silver, lead, zinc.

DESCRIPTION: The area is underlain by altered and fractured Hazelton Group volcanic rocks. Mineralization includes chalcopyrite, malachite, galena, and sphalerite in quartz veins and is disseminated in the volcanic rocks.

331

- WORK DONE: Time-domain IP survey, 31 line-miles and geochemical soil survey, 366 samples, 31 line-miles covering most of the claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 166; Assessment Report 4849.

HAN, FIR (93K-78) (Fig. D, No. 1)

- LOCATION: Lat. 54° 15′ Long. 124° 57′ (93K/6E, 7W, 2W, 3E) OMINECA M.D. Ten to 14 miles north of Endako, between and around Helene and Hanson Lakes, at approximately 3,700 feet elevation.
- CLAIMS: HAN 1 to 144, FIR 1 to 48, 67 to 75, HEN 1 to 28, LENA 18 to 77, SHOV 1 to 32, JUS 1 to 8, 23 to 34, 51 to 59, 90 to 101, TRI 1 to 37.
- OWNER: CANEX PLACER LIMITED, Endako Mines Division, 1030 West Georgia Street, Vancouver.

METALS: Copper, zinc, molybdenum.

- DESCRIPTION: Foliated dioritic Topley intrusions, which have been intruded by an irregular stock of porphyritic rhyolite, are overlain by volcanic rocks of the Endako Group.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering Han 19-24, 90-99 and Fir 7-10; 1 inch equals 1,000 feet covering Han 19-24 and Fir 7-10; frequency-domain IP survey, 18.3 line-miles covering Han 1-28, 49-55, 59-63, 69-79, 80-84, 90-99, 104-111, 119-125, 131-134, 139-144, 149-154, Lena 63, 65, 75-78, Fir 2, 4, 17-20, and Jus 94, 95, 100; radem survey, 17 line-miles covering Han 17-28, 66-72, 91-100 and Fir 1-16; geochemical soil survey, approximately 400 samples taken at 200-foot intervals on 10 grid lines; percussion drilling, 35 holes, 9,000 feet on Han 4, 26, 53, 55, 57, 65, 82, 90, 92, 93, 95-97, 131 and Fir 17, 18; road construction, 7 miles covering same claims as percussion drilling; trenching, 14,600 feet on Han 6, 8, 10, 17-24, 90-100 and Fir 17-22,
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 351; Assessment Reports 4286, 4703, 4758.
- KID (93K-3) (Fig. D, No. 128)

LOCATION:	Lat. 54° 24'	Long. 124° 52′	(93K/7W)
	OMINECA M.D.	Four miles due south of Shass Mountain.	

- CLAIMS: KID 1 to 8, 10, 14, 16, 18, 27, 29, 31-34, 36, 41, 43, 45, 46, 48, 51.
- OWNER: AMAX EXPLORATION, INC., 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Molybdenum.

- DESCRIPTION: Molybdenite occurs in a quartz vein stockwork in a plug of quartz monzonite. Abundant pyrite is associated. Alteration is pervasive silicification, quartz veining, and minor kaolinization.
- WORK DONE: Time-domain IP survey, 6 line-miles covering Kid 1-8, 14, 16, 18, 29, 31, 32, 41, 43, 45, and 46.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 117; Assessment Reports 1866, 4543.

(93K/9W)

PINCHI LAKE	MINE (93K-49)	(Fig. D, No. 129)	By A. D. Tidsbury
LOCATION:	Lat. 54 [°] 38′	Long. 124° 26'	(93K/9W)
	OMINECA M.D.	Fourteen miles north-northy	west of Fort St. James,
	on the northeast s	ide of Pinchi Lake.	
CLAIMS:	Twenty-five Crow	n-granted, 43 located, and 71	optioned claims.
OWNER:	COMINCO LTD.,	Box 220, Fort St. James.	
METAL:	Mercury.		
DESCRIPTION:	Cinnabar occurs a	is fracture and solution cavity	/ fillings in breccia zones
	near faults in dolo	mitized limestone.	

WORK DONE:

Mining was mechanized cut and fill, with mining being tackless and fill being hydraulically emplaced deslimed mill tailings blended with varying portions of cement. Some pillar recovery was undertaken.

Total development advance was 2,044 feet; total footage drilled, 161,564 feet; deslimed tailings backfill poured, 47,944 tons; and underground core drilling, 5,715 feet.

Major equipment included: three Wagner ST-5A scooptrams, one Wagner ST-2B scooptram, three Gardner-Denver drill jumbos, three Euclid R-13 trucks, one Caterpillar 980 front-end loader, and other ancilliary units.

Production was from two horizons in the main zone orebody, with pillar recovery from the initial mining operation. The open pit was not worked in 1973.

The Pinchi mine-rescue team won the regional competition, and entered the provincial competition.

Reclamation has been initiated and is continuing. Test plots on tailings pond areas have indicated adaptable and successful species of plants, trees, and grasses.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1968, p. 145; *B.C. Dept. of Mines & Pet, Res.,* GEM, 1972, p. 364.

SMITHERS 93L

TEL (Fig. D, No. 44)

LOCATION:	Lat. 54° 03' Long. 126° 27' (93L/1W)
	OMINECA M.D. North shore of Tsichgass Lake, which drains into
	Francois Lake,
CLAIMS:	TEL 1 to 40.
OWNER:	CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West
	Hastings Street, Vancouver.
DESCRIPTION:	Hazelton Group volcanic and epiclastic volcanic rocks have been
	intruded by a small dioritic plug. Mineralization noted consists mainly
	of disseminated pyrite.
WORK DONE:	Surface geological mapping, 1 inch equals 800 feet; VLF EM and
	magnetometer survey, 30 line-miles; geochemical soil survey, 20
	line-miles covering all claims.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 169.





(93L/1W)

D. D. N. Church and I. E. Hutton

BUCK (Fig. D, No. 152) Long. 126° 23' Lat. 54° 09' (93L/1W) LOCATION: OMINECA M.D. Three miles southwest of Goosly Lake. CLAIMS: BUCK 1 to 16. OWNER: CANWEX EXPLORATIONS LTD., 518, 510 West Hastings Street, Vancouver. DESCRIPTION: Part of the claim group is underlain by a small gabbroic stock of the Tertiary Goosly Lake intrusions. WORK DONE: Geochemical soil survey, 560 samples. REFERENCE: B.C. Dept. of Mines & Pet. Res., Preliminary Map No. 11.

SAM GOOSLY (93L-1) (Fig. D, No. 45)

			By B. N. Churc	in and S. F. Hutter
LOCATION:	Lat. 54° 10'	Long. 126°16	,	(93L/1W)
	OMINECA M.D. T	wenty-one miles sout	theast of Hous	ton and 3 miles
	east of Goosly Lake	, at approximately 4,2	200 feet elevati	ion.
CLAIMS:	SG 1 to 52, 54, 56,	, 61 to 64, 66, SG 1 t	o 5 Fractions, ⁻	TAN 1 to 7, T 1
	to 41, 46 to 53, 66	to 199, 202 to 245,	NET 1 to 3 F	ractions, REV 2
	to 15, GAUL 1 to 2	0.		
OWNER:	Kennco Exploration	ns, (Western) Limited.		
OPERATOR:	EQUITY MINING	CAPITAL LIMITE	D, 908, 1111	West Hastings
	Street, Vancouver.			
METALS:	Silver, copper, gold.			
DESCRIPTION:				

The property was visited twice by the writer during the year on June 20 and October 5. Prior to the first visit 28 new diamond-drill holes, totalling approximately 11,000 feet, had been completed by Equity Mining Capital Limited. Kennco Explorations, (Western) Limited had previously drilled 62 holes. Prior to the second visit, a decline and crosscut had just been completed to mine a bulk sample from near the centre of a proposed open pit (Fig. 26). The decline tunnel was driven in ore southeastward at an overall slope of about 15 per cent from the portal located on the discovery showing. It was advanced southeastward for about 40 feet to an elbow and then 320 feet southwestward to a crosscut. From the junction, the crosscut was driven about equal distances to the east and west, roughly 110 feet.

The host rock exposed along much of the excavation is a fine-grained light grey, massive dacite tuff of Mesozoic age. This has been brecciated in varying degree presumably during the intrusion of the nearby syenomonzonite stock. Aphanitic and feldspar porphyry dykes that emanate from the stock strike westerly directly across the decline tunnel.

Mineralization displayed along the tunnel consists of much disseminated fine-grained sulphides and lenses rich in chalcopyrite, pyrrhotite, and coarsely crystalline pyrite (Plate VIIIA) in which colloform textures are not uncommon. In places medium-grained pyrite is accompanied by magnetite and chalcopyrite (Plate VIIIB).

The following is a detailed log of the decline to water level, the crosscut and lower section of the decline being flooded at the time of visit. Distances are measured southerly from the portal:



Plate VIIIA. Sam Goosly property, pyrite crystals with adhering colloform banded marcasite growths (2) and veinlets of pyrrhotite and chalcopyrite (1). Chalcopyrite also forms blebs in sphalerite, pyrrhotite, and mantles on small pyrite crystals (3).



Plate VIIIB. Sam Goosly property, magnetite (1) interspersed among pyrite grains; chalcopyrite occurs as blebs associated with pyrite (2) and very fine blebs and disseminations in magnetite.

At the portal a 4-foot-wide bladed feldspar porphyry dyke striking about 070 degrees and dipping steeply cuts light grey dacitic tuff host rock which throughout contains some very fine disseminated sulphide.

Between 13 and 33 feet a lens enriched in chalcopyrite, pyrrhotite, and coarse pyrite is well exposed along the east wall. A few small patches of coarse sphalerite accompany the main sulphides and scorzalite is conspicuous in the adjacent tuff. A shear plane measured in this area strikes 120 degrees and dips 25 degrees northeast.

At 40 feet a 5-foot-wide bladed feldspar porphyry dyke striking 078 degrees and dipping steeply intersects the tunnel almost at right angles. A small seam of specularite penetrates the dyke.

At 51 feet a vertical shear with scattered pyrite strikes 075 degrees.

At 62 feet a quartz feldspar porphyry dyke striking 125 degrees and dipping 75 degrees southwest cuts a sulphide-rich lens. Chalcopyrite and pyrrhotite fill irregular cracks and interspaces between the breccia fragments; elsewhere fragments of the host rock are enveloped in mixtures of pyrrhotite, chalcopyrite, and coarse pyrite.

At 80 feet scattered, disseminated coarse sulphides and a few small lenses of massive sulphides occur in the light grey dacitic tuff host rock.

Between 101 and 136 feet a strongly mineralized lens appears along the roof of the decline.

At 145 feet the tuffaceous host rocks are severely fractured locally forming mosaic patterns of slightly dislodged and rotated breccia fragments. There is an abundance of disseminated sulphides and concentrations of pyrite, chalcopyrite, and pyrrhotite filling the interstices between the fragments and in little seams traversing the host rocks. Chlorite coatings are found on many fracture faces.

At 157 feet a light grey feldspar porphyry dyke about 6 feet wide strikes 095 degrees and dips 60 degrees southeast.

At 168 feet there is another display of mosaic breccia.

At 200 feet a coarse bladed feldspar porphyry dyke, about 5 feet wide, is accompanied by a fine-grained pulaskite dyke, about 3 feet wide; both dykes strike about 100 degrees and dip 70 degrees southerly. These are intruded into lenses of sulphides which occur to 230 feet. The dykes contain minor pyrite disseminations.

At 280 feet, immediately above the flooded portion of the tunnel, another bladed feldspar porphyry dyke, about 4 feet wide, intersects the tunnel striking about 070 degrees and dipping 70 degrees south.

WORK DONE:

Drilling to date on the property totals 85,186 feet in 158 holes. During the year diamond drilling included: 80 surface holes totalling 34,657 feet on SG 26, 28, 43 to 48, 66 and T 88 and 2 underground holes totalling 244 feet on SG 43. Almost all the 1973 drilling would be classified as definition work to define the limits of known ore zones.

(93L/2E)

The underground bulk sampling programme consisted of 369 feet of minus 20 per cent decline and 212 feet of crosscutting. The muck was sampled on a round by round basis. The grade of the rock excavated confirmed the reserve estimate in that particular part of the area.

The following surveys were conducted during the year: underground geological mapping, 1 inch equals 20 feet covering SG 45; VLF EM surveys, 2 line-miles covering SG 43-48 and 10 line-miles covering SG 15-18, 25-28, 49, 50, 52, 62, 64, 66; topographic mapping, 1 inch equals 200 feet covering all claims.

Metallurgical testing was carried out on a continuing basis. Engineering studies to cover plant design, access roads, and environmental impact were in progress.

A new 20-man complex was established and represented an up-grading of facilities rather than an expansion.

Two miles of new access roads was built and 1 mile of existing road was up-graded to all-weather standards.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 142-148; 1970, pp. 126, 127; 1971, pp. 168, 169; Ney, C. S., et al., 1972, C.I.M., Bull. 65, No. 723, pp. 53-64; Wojdak, P. J., 1974, unpublished M.Sc. thesis, U.B.C., 116 pp.; Assessment Report 1683.

HDP (Fig. D, No. 46)

LOCATION:	Lat. 54° 05'	Long. 126° 41′	(93L/2E)
	OMINECA M.D.	On Riddeck Creek, 2.5 miles east	of Owen Lake,
CLAIMS:	HDP 1 to 24, 26,	27, HDP 25 Fraction.	
OWNER:	CONQUEST EXI	PLORATION LTD., Box 352, Smith	hers.
WORK DONE:	Geochemical soi	l survey, 82 samples taken on a 10	00 by 400-foot grid
	spacing.		

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 371; Assessment Report 4450.

SILVER QUEEN	N (93L-2) (Fig. D, No. 106)	By J. F. Hutter
LOCATION:	Lat. 54° 05′ Long. 126° 43.8′	(93L/2W)
	OMINECA M.D. On the east side of Owen Lake, 21 m Houston.	iles due south of
CLAIMS:	One hundred and forty-four claims and fractions	, including 17
	Crown-granted claims.	
OWNERS:	Seventeen Crown-granted claims owned by Canex Pla	cer Limited and
	127 located claims owned by Nadina Explorations Limi	ted.
OPERATOR:	BRADINA JOINT VENTURE, 1005, Two Bentall Cer	itre, Vancouver.
METALS:	Gold, silver, copper, lead, zinc, cadmium (production	shown on Table
	1).	
DESCRIPTION:	The geology, exploration, and development history of	the Silver Queen
	mine has been reviewed in detail in Geology, Explorat	ion, and Mining
	in British Columbia, 1969 and 1970.	

WORK DONE:

The mine operated from 1 January 1973 to 12 September 1973, at which time operations were suspended.

Underground development work comprised 624 feet of drifting, 1,887 feet of subdrifting, and 1,913 feet of raising. Ore broken underground amounted to 59,976 tons.

Several stoping methods were investigated with varying degrees of success. I found conditions generally did not allow open stull stoping. Open square sets were found to provide adequate ground support and were used where fill was not available. Cut and fill stoping using pit-run gravel was selected as the most promising method and at the cessation of operation plans were underway to convert to this method wherever possible.

No major construction was undertaken during the year. The mine dry was destroyed by fire in March 1973 and temporary facilities were in use thereafter. New kitchen facilities and two 20-man bunkhouses were added to the camp in an effort to attract more miners.

A surface diamond-drill programme was completed early in the year, directed primarily at filling in information on the No. 3 vein structure. A total of 8,083 feet was drilled in 32 holes.

An underground diamond-drill programme checked for extensions of known ore and was also directed at investigating parallel structures; 4,157 feet was drilled in 43 holes.

The work force averaged 120 to 140 men during the year.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 370.

VERN (Fig. D, No. 131)

LOCATION:	Lat. 54° 12′	Long. 126° 51′			(93L/2W)				
	OMINECA M.D.	One	and	one-half	mile	northeast	of	Owen	Hill,
	straddling Owen C	reek.							
	· · · · · · · · · · · · · · · · · ·								

CLAIMS: VERN 1 to 6.

- OWNER: MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street, Vancouver V6B 1H7.
- WORK DONE: Linecutting and magnetometer survey, 0.6 line-mile; geochemical survey, 39 soil samples taken at 100 by 200-foot grid spacing and 9 silt samples taken along Owen Creek.
- REFERENCE: Assessment Report 4807.

HAGAS (93L-221) (Fig. D, No. 47)

LOCATION:	Lat. 54° 09′	Long, 126°	59'	(93L/3E)
	OMINECA M.D.	Seven miles west of	Tsalit Mountain, 2	miles south of
	Morice River, at a	pproximately 3,000	feet elevation.	
CLAIMS:	HAGAS 1 to 37,	HR 1 to 10.		
OWNER:	John M. McAndre	w.		
OPERATOR:	PERRY, KNOX,	KAUFMAN, INC., E	3ox 14336, Spokane	, Washington.
METALS:	Zinc, copper.			
DESCRIPTION:	Several minor she	owings of zinc and o	copper-bearing mine	eralization are
	found associated	with fracturing in Ha	zelton Group volcar	nic rocks.

WORK DONE: EM survey, 2.4 line-miles covering Hagas 3-6, 14, 16, 18; surface diamond drilling, two holes totalling 605 feet on Hagas 6 and 16.
 REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 379; Assessment

Report 4194.

RD (93E-83) (Fig. D, no. 38)

LOCATION: Lat. 53° 59' Long. 127° 34' (93E/13E; 93L/4E) Report on this property in section 93E/13E.

TOM (93L-68) (Fig. D, No. 135)

LOCATION:	Lat. 54° 29'	Long. 127 [°] 28′	(93L/6W, 5E)
	OMINECA M.D.	South slope of Scallon Valley,	3 miles east of Eagle
	Peak.	•	
OL ALMAN.	TOM 4 4 40 TH	10 01	

CLAIMS: TOM 1 to 18, TK 19 to 24.

OWNER: MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street, Vancouver V6B 1H7.

METAL: Copper.

- DESCRIPTION: Hazelton Group reddish to maroon andesite is intruded by green andesite dykes. Copper mineralization occurs as irregular lenses and pockets in quartz veins and dry fractures in eight of the dykes and in two shear zones in the volcanic rocks. It consists of chalcopyrite, bornite, chalcocite, malachite, and azurite accompanied by pyrite and specularite.
- WORK DONE: Transit-stadia location of mineral occurrences; four chip and three grab samples taken covering Tom 1-4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 382; Assessment Report 4812.

ROCK (93L-161) (Fig. D, No. 48)

LOCATION:	Lat. 54° 23' Long. 127° 13'	(93L/6E)
	OMINECA M.D. At the headwaters of Loljuh Creek.	
CLAIMS:	ROCK 107 to 114, 134, 135, ROCK 1 Fraction.	
OWNER:	NORANDA EXPLORATION COMPANY, LIMITED, 1	1050 Davie
	Street, Vancouver V6E 1M4.	
METALS:	Copper, molybdenum.	
DESCRIPTION:	Chalcopyrite, bornite, and molybdenite occur as dissemi	nations and
	fracture fillings in both granodiorite and intruded Haze	Iton Group
	volcanic rocks.	
WORK DONE:	1972 — IP survey, 6 line-miles.	
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 383;	Assessment
	Report 4289.	

RUDY (93L-227) (Fig. D, No. 136)

LOCATION: Lat. 54° 25' Long. 127° 09' (93L/6E) OMINECA M.D. On Houston Tommy Creek, 20 miles due west of Houston.

CLAIMS: RUDY 1 to 8.

OWNER: MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street, Vancouver V6B 1H7.

METALS: Copper, silver, zinc.

DESCRIPTION: The claims are underlain by Hazelton Group andesite and rhyolite, which to the south are intruded by diorite. A shear zone on Rudy 1 is exposed over an area of 3 feet by 8 feet and carried abundant bornite. A quartz vein on Rudy 2 is 6 inches thick and carries sphalerite, chalcopyrite, and tetrahedrite.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; eight rock samples taken covering Rudy 1-4.
- REFERENCE: Assessment Report 4890.

PETE (93L-228) (Fig. D, No. 137)

LOCATION: Lat. 54° 25' Long. 127° 10' (93L/6E) OMINECA M.D. Between the headwaters of Houston Tommy Creek and Denys Creek.

CLAIMS: PETE 1 to 8.

OWNER: MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street, Vancouver V6B 1H7.

METALS: Copper, silver.

- DESCRIPTION: A feldspar porphyry dyke or sill has been intruded along the contact between red and green andesite of the Hazelton Group. The dyke has been injected by two quartz veins parallel to the dyke walls. The veins are 1 to 3 feet wide and carry chalcopyrite, bornite, malachite, azurite, and locally pyrite and minor galena. A 6-inch shear zone in the green andesite is mineralized with pyrite, chalcopyrite, bornite, and malachite.
- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 400 feet covering Pete 1-4.
- REFERENCE: Assessment Report 4891.

DOME (93L-49) (Fig. D, No. 132)

LOCATION:	Lat. 54° 26'	Long. 127° 11′	(93L/6E)
	OMINECA M.D.	Headwaters of Denys Creek, 22 r	niles west-northwest
	of Houston.		
CLAIMS:	DOME 1 to 17, E	OMINION 1 and 2, SEE 1 to 7, N	EE 1 to 7.
OWNER:	MAHARAJA MI	NERALS, LIMITED, 1102, 207 W	Vest Hastings Street,
	Vancouver V6B	1H7.	
METALS:	Copper, lead.		

(93L/8W)

- DESCRIPTION: Hazelton Group andesite has been altered to chlorite, tremolite, and epidote. Quartz, chalcopyrite, bornite, and specularite are disseminated through the altered rock and also occur as veins and lenses. The mineralized rock has been extensively replaced by white carbonate.
- WORK DONE: A mineralized outcrop, 0.2 acre in area, was outlined by planetablestadia survey at 1 inch equals 20 feet; 25 chip samples were taken covering Dominion 1 and Dome 6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, p. 83; Assessment Report 4813.
- SWAN (Fig. D, No. 107)
- LOCATION: Lat. 54° 26' Long. 126° 22' (93L/8W) OMINECA M.D. Eight miles southeast of Topley, at approximately 4,000 feet elevation.

CLAIMS: SWAN 1 to 80.

OWNERS: J. W. Murton and A. Clark.

- OPERATOR: CITIES SERVICE MINERALS CORPORATION, 405, 1200 West Pender Street, Vancouver.
- DESCRIPTION: The claims are underlain by Goosly Lake and Buck Creek volcanic rocks, including basalts, rhyolites, and andesites.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting, 29 miles of grid; geochemical soil survey, 280 samples taken at 400 by 1,400-foot grid spacing covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., Preliminary Map No. 11; Assessment Report 4762.
- JILL (Fig. D, No. 49)

LOCATION:	Lat. 54° 45'	Long, 126	14'	(93L/9E, 16E)
	OMINECA M.D.	Southwest of Tople	y Landing.	
CLAIMS:	JILL 1 to 60, JILI	1 to 23 Fractions.		
OWNER:	Evergreen Explora	itions Ltd.		
OPERATORS:	COBRE EXPLOR	ATION LIMITED	and TWIN	PEAK RESOURCES
	LTD., 5424 Halifa	x Street, Burnaby.		
WORK DONE:	1972 – airborne n	nagnetometer survey	/, 65 line-mil	es.
REFERENCES:	Assessment Repor	ts 2050, 4427.		

JACK-RABBIT	(SAW) (93L-19) (Fig. D, No. 51)	
LOCATION:	Lat. 54° 34' Long. 126° 24' (93L/9W)	
	OMINECA M.D. Three miles northeast of Perow, on Johnny David	
	Creek, at approximately 2,700 feet elevation.	
CLAIMS:	SAW 1 to 34.	
OWNER:	PHELPS DODGE CORPORATION OF CANADA, LIMITED, 404, 1112 West Pender Street, Vancouver V6E 2S1.	
METALS:	Copper, gold, silver.	

(93L/9W)

- DESCRIPTION: Chalcopyrite, pyrite, and minor magnetite occur in a northwesttrending quartz feldspar porphyry dyke and in an adjacent fault cutting epidotized Hazelton Group volcanic rocks. The area is one of very limited outcrop.
- WORK DONE: Surface geological mapping, 1 inch equals 50 feet and ground magnetometer survey, 4 line-miles covering Saw 1-34; linecutting on Saw 1-4.
- REFERENCE: Assessment Report 4760.

RED TOP (93L-16, 18) (Fig. D, No. 50)

- LOCATION: Lat. 54° 37' Long. 126° 17' (93L/9W) OMINECA M.D. Eight miles north of Topley, just east of the Topley-Granisle road, at approximately 3,600 feet elevation.
- CLAIMS: SUMMIT 1 to 14, 21 to 47, SUMMIT 1 to 8 Fractions, LANA 11 to 20, 23 to 26, 36, 77, 78, 159, 161, 165 to 173, CLEO 1 to 4, 9 to 14, 19 to 22, ZIG 1 to 4, ZAG 1 to 5, MIKE 1 to 16, PETE 1 and 2, CRIS 1 to 79, CRIS 1 to 6 Fractions.
- OWNER: Topley Joint Venture.
- OPERATOR: DUCANEX RESOURCES LIMITED. 312, 409 Granville Street, Vancouver.
- METALS: Molybdenum, copper.
- DESCRIPTION: Granitic rocks of the Topley intrusions are in contact with sedimentary and volcanic rocks of Upper Triassic or older age. The area is largely devoid of outcrop. Molybdenite and minor chalcopyrite occur in K-feldspar-rimmed veinlets and fractures in Topley granitic rocks. Minor chalcopyrite and pyrite were encountered in basic volcanic rocks during percussion drilling.
- WORK DONE: Percussion drilling, 10 holes totalling 2,520 feet on Cris 38, 41, 45, 46, Cleo 19, and Summit 44.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 394.

LAY (Fig. D, No. 109)

- LOCATION: Lat. 54° 39' Long. 126° 21' (93L/9W) OMINECA M.D. Approximately 20 miles northeast of Houston, 1.5 miles east of Findlay Lake.
- CLAIMS: LAY 1 to 56.
- OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.
- DESCRIPTION: Overburden obscures all bedrock on the property.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; ground magnetometer survey, 30 line-miles; IP survey, 14.4 line-miles; geochemical soil survey, 636 samples covering all claims.

(93L/9W)

- FIND (Fig. D, No. 110)
- LOCATION: Lat. 54° 40' Long. 126° 19' (93L/9W) OMINECA M.D. Approximately 25 miles northeast of Houston, 2 miles west of Baboon Lake.

CLAIMS: FIND 1 to 56.

OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.

- DESCRIPTION: Two outcrops were found including an andesitic volcanic rock and a fine-grained intrusive rock.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; ground magnetometer survey, 14 line-miles; IP survey, 14 line-miles; geochemical soil survey, 162 samples covering Find 6-14 and 19-48.

THEZAR (93L-190, 191) (Fig. D, No. 25)

- LOCATION: Lat. 54° 45' Long. 126° 19' (93L/9W, 16W) OMINECA M.D. Seventeen miles north of Topley, at approximately 3,000 feet elevation.
- CLAIMS: THEZAR 1 to 132.
- OWNER: AMAX POTASH LIMITED, 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Copper.

- DESCRIPTION: A small elliptical quartz-hornblende-biotite feldspar porphyry stock intrudes Hazelton Group volcanic rocks. Chalcopyrite occurs in fractures near the stock contacts in both the intrusive and volcanic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet and geochemical soil survey, 201 samples covering Thezar 25-35, 47-51, 53, 55, 69-72, 87, and 91; percussion drilling, 44 holes totalling 11,360 feet on Thezar 52, 54, 56, 71-77, 79-82; road construction, 1 mile (access to drill sites).
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 395, 396.
- FLY (Fig. D, No. 108)

LOCATION:	Lat. 54 [°] 46′	Long. 126°	21' ((93L/9W, 16W)
	OMINECA M.D. 1	Fen miles south	west of Topley	Landing, at
	approximately 3,000	feet elevation.		
CLAIMS:	FLY 1 to 196.			
OWNER:	CITIES SERVICE	MINERALS COR	RPORATION, 40	5, 1200 West
	Pender Street, Vanco	ouver.		
DESCRIPTION:	Hazelton Group sed	limentary and vo	lcanic rocks are i	ntruded by an

- elliptical stock of quartz-hornblende-biotite feldspar porphyry of Late Cretaceous age.
- WORK DONE: IP survey, 10 line-miles covering Fly 1-20.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 396; Preliminary Map No. 12.

(93L/10)

DAY (Fig. D, No. 153)

- LOCATION: Lat. 54° 31' Long. 126° 45' (93L/10)
 - OMINECA M.D. Approximately 9 miles north 25 degrees west of Houston, at Fishpan Lake, at about 2,800 feet elevation.
- CLAIMS: DAY 1 to 22, 33, 34, 43 to 75.
- OWNER: BETHLEHEM COPPER CORPORATION LTD., 2100, 1055 West Hastings Street, Vancouver V6E 2H8.
- DESCRIPTION: One percussion hole was abandoned in overburden at a depth of 250 feet.

WORK DONE: Percussion drilling, one hole totalling 250 feet on Day 59.

REFERENCE: B.C. Dept, of Mines & Pet. Res., GEM, 1972, p. 417.

SUMMIT (93L-223) (Fig. D, No. 52)

LOCATION: Lat. 54° 43′ Long. 126° 45′ (93L/10W) OMINECA M.D. At Burbridge Lake, 12 miles east of Telkwa, at approximately 4,000 feet elevation.

CLAIMS: SUMMIT 1 to 8, 13 to 16, HB 1 to 23, HB 1 to 5 Fractions.

OWNER: M. H. Chapman.

- OPERATOR: HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171 Pemberton Avenue, North Vancouver V7P 2R4.
- METAL: Copper.
- DESCRIPTION: Pyrite, chalcopyrite, and malachite are contained in quartz veinlets which cut a leucocratic schistose quartz porphyry. The rock has a distinct cataclastic texture in which streaks of sericite wrap around deformed quartz crystals. A grey-green microdiorite stock intrudes volcanic rocks near the principal showings.
- WORK DONE: Surface geological mapping, 1 inch equals 500 feet; magnetometer survey, 10.5 line-miles; geochemical soil survey, 225 samples covering most of the claims; surface diamond drilling, three holes totalling 1,200 feet on Summit 1, 2, and 7.
- CRATER (93L-39) (Fig. D, No. 138)

LOCATION:	Lat. 54° 31' Long. 127° 08' (93L/11E)
	OMINECA M.D. Loring Creek-Crater Lake area, approximately 20
	miles south of Telkwa.
CLAIMS:	CRATER 9 to 18, MARMOT 5 to 14, WEBSTER 1 to 4, HANKIN 17
	to 26.
OWNER:	MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street,
	Vancouver V6B 1H7.
METALS:	Copper, silver.
DESCRIPTION:	Hazelton Group andesites and rhyodacites are broadly folded about an
	anticlinal axis through Crater Lake. On the ridge between the lake and
	Webster Creek a flow of propylitized green andesite overlies red
	andesite and is mineralized in the basal 50 to 80 feet. Chalcocite,

(93L/11E)

malachite, bornite, chalcopyrite, azurite, pyrite, tetrahedrite, and hematite are disseminated through the rock. They are more abundant in a crevice in the side of a draw in the bluff overlooking Webster Creek.

- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; chip sampling across 100 feet of section covering Crater 9-12 and Marmot 8, 10; surface geological mapping, 1 inch equals 20 feet; 22 channel samples taken covering Hankin 23, 24.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., Preliminary Map No. 69-1; Assessment Reports 4811, 4831.

HUBERT (93L-226) (Fig. D, No. 133)

LOCATION: Lat. 54° 38′ Long. 127° 01′ (93L/11E) OMINECA M.D. Approximately 16 miles southeast of Smithers, Hubert Creek area.

CLAIMS: HUBERT 1 to 4, JIM 1 to 8, TEX 1 to 10, BEV 1 to 10.

OWNER: MAHARAJA MINERALS, LIMITED, 1102, 207 West Hastings Street, Vancouver V6B 1H7.

- METALS: Copper, silver.
- WORK DONE: Linecutting and magnetometer survey, 2.5 line-miles; geochemical survey, 130 soil samples taken at 100-foot intervals along four reconnaissance lines and 12 silt samples taken along Hubert Creek covering Hubert 1-4, Tex 6, and Bev 1, 3, 4, 9.
- REFERENCE: Assessment Report 4808.
- NH (93L-82) (Fig. D, No. 134)

LOCATION:	Lat. 54° 44′ Long. 127° 43′ (93L/12E)
	OMINECA M.D. Twenty-two miles west of Smithers and
	approximately 6 miles southwest of McDonnell Lake.
CLAIMS:	AB, EL, BD, JB, RB, totalling approximately 150.
OWNER:	M. J. Beley.
OPERATOR:	GRANDORA EXPLORATIONS LTD., 201, 846 West Hastings Street,
	Vancouver.
METAL:	Copper.
DESCRIPTION:	The claims are underlain by Hazelton Group andesite lavas and tuffs.
	Narrow fracture fillings and replacement zones of chalcocite, bornite,
	chalcopyrite, and malachite occur along a northwest-striking and a
	north-striking shear zone.
WORK DONE:	Surface geological mapping of the showing area, 1 inch equals 50 feet;
	linecutting, 4 miles of grid; geochemical soil survey, 60 samples taken at
	200-foot intervals.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1968, pp. 121-124; Assessment
	Report 4671.

GLACIER GULCH MOLYBDENUM (93L-110) (Fig. D, No. 53) By J. F. Hutter

- LOCATION: Lat. 54° 49' Long. 127° 18' (93L/14W) OMINECA M.D. Glacier Gulch, east side of Hudson Bay Mountain, 5 miles northwest of Smithers, between 2,000 and 7,000 feet elevation. CLAIMS: Mineral Leases M-8 and M-81 to M-85, and 252 located claims comprising C, D, E, F, H, JAY, J, K, L, M, R, S, T, EX, EXTENSION, and Y.
- OWNER: CLIMAX MOLYBDENUM CORPORATION OF BRITISH COLUMBIA, LIMITED, 601, 535 Thurlow Street, Vancouver; field address, Box 696, Smithers; D. Davidson, manager.

METALS: Molybdenum, tungsten.

DESCRIPTION: Strongly altered granodiorite is cut by numerous dykes of fine-grained aplite and quartz porphyry and lamprophyre. Molybdenite and scheelite are contained in a stockwork of quartz veinlets.

- WORK DONE: Surface geological mapping, 1 inch equals 500 feet covering M, H, and Lots 7264 and 7266; underground diamond drilling, five holes totalling 7,341 feet; diamond drill holes surveyed.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1966, pp. 86-90; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 419; Assessment Reports 4756, 4871.

REISETER (93L-134) (Fig. D, No. 9)

LOCATION: Lat. 54° 55' Long. 127° 10' (93L/14E) OMINECA M.D. On Reiseter Creek, 9 miles north of Smithers.

CLAIMS: REISETER 1 to 24.

OWNER: CHANNEL COPPER MINES LIMITED, 248 Second Avenue, Kamloops.

METALS: Antimony, copper, molybdenum.

- DESCRIPTION: Several parallel, north-northeast-striking quartz-carbonate-sulphide veins cut argillaceous sedimentary rocks. Stibnite is the principal sulphide mineral and 21 tons of ore from one vein was mined in 1970. Southeast of the antimony-bearing veins, several dykes of quartz feldspar porphyry containing minor chalcopyrite and molybdenite intrude argillaceous siltstones.
- WORK DONE: Geological, geochemical, and magnetometer surveys were carried out in the vicinity of known copper and molybdenum mineralization.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 162, 163; Assessment Report 4478.

CRONIN MINE	(93L-127)	(Fig. D, No. 111)	By J. F. Hutter
LOCATION:	Lat. 54° 55.3	Long. 126° 48.5′	(93L/15W)
	OMINECA M.C). On the east slope of Mount Cr	onin, near Cronin
	Creek, at approx	kimately 5,200 feet elevation.	

(93L/15W)

CLAIMS: SUNFLOWER FR. (Lot 7417), SUNFLOWER (Lot 7418), HOMESTAKE (Lot 1859A), BONANZA (Lot 1860A), EUREKA (Lot 1861A), LUCKY STRIKE (Lot 1862A), BABINE CHIEF (Lot 1863A), BULKLEY PIONEER (Lot 1864A), JIM FR., KW 1 to 3, SUNRISE 7, DEL 1 to 12, VIEW 1 to 8, MILL 1 and 2.

OWNER: HALLMARK RESOURCES LTD., 221 – 12th Street, New Westminster; Egil Livgard, mine manager.

- METALS: Lead, zinc, gold, silver cadmium, bismuth (production shown on Table I).
- DESCRIPTION: The mineral occurrence is related to a stock-like body of rhyolite at its contact with adjacent volcanic and sedimentary rocks. The mineralization consists of sphalerite and galena with relatively minor pyrite, either in quartz veins or in massive veins, breccia zones, or fracture fillings in the rhyolite with little quartz. The major veins strike southwest-northeast and dip 45 to 65 degrees northwest. The silver values are associated primarily with the lead.

WORK DONE:

This property was reopened in 1973 under the management of Hallmark Resources Ltd. During previous operations over a period of 20 years the mine has been developed to include approximately 3,800 feet of drift and crosscuts plus approximately 1,200 feet of raises. During this period mining has been carried on almost continuously on a small scale. The present operators report that prior to their acquisition approximately 25,000 tons, grading 12.52 ounces silver, 7.11 per cent lead, and 8.12 per cent zinc, had been extracted.

The mining method used currently is conventional shrinkage stoping using stopers or air legs and battery locomotive haulage.

Production started in late August and about 2,000 tons of ore was treated in the mill with 1,300 tons of broken ore remaining in the stopes and dumps at the cessation of this year's operations.

The present mill is rated at 35 tons per day capacity and uses a two product flotation process producing a lead concentrate and a zinc concentrate. Shipment is by truck to Smithers and rail cars for transport to the Cominco smelter at Trail.

Work during 1973 involved the construction of a tailings disposal area, a modular camp facility, and some improvements to the access road between the mine and the Smithers Landing road. The mill received extensive rehabilitation work and an additional 150-horsepower diesel power unit was added plus an extra bank of Denver flotation cells.

Surface exploration work exposed two new veins. One of these veins is reported to exceed 10 feet in width.

The Bonanza and Homestake claims were geologically mapped at a scale of 1 inch equals 40 feet and a geochemical soil survey was conducted on the KW 3 and Mill 2 claims. Underground work on the Bonanza claim totalled 150 feet.

Between 12 and 17 men were employed during the summer months.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 420, 421.

(93L/16W)

FULL. (Fig. D, No. 56)

LOCATION:	Lat. 54° 52'	Long. 126° 20'	(93L/16W)
	OMINECA M.D.	One mile north of Fulton	Lake, west of Babine Lake.
CLAIMS:	FULL 1 to 48.		

OWNER: CITIES SERVICE MINERALS CORPORATION, 405, 1200 West Pender Street, Vancouver.

- DESCRIPTION: The area of the claims is devoid of outcrop but is believed to be underlain by Lower Jurassic fragmental volcanic rocks.
- WORK DONE: Frequency-domain IP survey and linecutting covering Full 5-20, 22, 27-37, and 39-45.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 422; Assessment Report 4704.
- ROJO (Fig. D, No. 55)
- LOCATION: Lat. 54° 52′ Long. 126° 24′ (93L/16W) OMINECA M.D. Ten miles west of Babine Lake and 2 miles north of Fulton Lake.
- CLAIMS: ROJO 1 to 24.
- OWNER: W. R. Bacon.
- OPERATOR: LUC SYNDICATE, 1720, 1055 West Hastings Street, Vancouver.
- DESCRIPTION: The area of the claims is underlain by fragmental volcanic rocks and argillaceous and graphitic siltstones of the Hazelton Group. Outcrop is sparse.
- WORK DONE: Frequency-domain IP survey, 9.7 line-miles; magnetometer survey, 1.4 line-miles and 11.6 miles of linecutting covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., Preliminary Map No. 12; Assessment Report 4575.
- SAT (93L-224) (Fig. D, No. 113)
- LOCATION: Lat. 54° 53' Long. 126° 25' (93L/16W) OMINECA M.D. About 30 miles northeast of Smithers, north of Fulton Lake.

CLAIMS: SAT 1 to 83, 92 to 332, M 1 to 44, O 1 to 15, R 1 to 10, W 1 to 35.

OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.

METALS: Copper, molybdenum.

- DESCRIPTION: The property is underlain by a sequence of sedimentary and volcanic rocks which has been intruded by biotite and/or hornblende feldspar intrusions. Chalcopyrite and minor molybdenite occur in fractures in the intrusive rocks.
- WORK DONE: Magnetometer survey, 12 line-miles and IP survey, 12 line-miles covering M claims; geochemical soil survey, 460 samples covering selected areas on the Sat claims; surface diamond drilling, five holes totalling 1,899 feet on O 1, R 10, W 15, and W 17; road construction (between drill camp and diamond-drill holes).
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 422.

TACHI (93L-144) (Fig. D, No. 10)

LOCATION:	Lat. 54° 45'	Long. 126	° 11′	(93L/16E, 9E)
-	OMINECA M.D.	Four miles south-se	outhwest of Topley	Landing, along
	the Topley-Babin	e Lake road at appr	oximately 3,000 fee	et elevation.
CLAIMS:	TACHI 1 to 16,	18, 20, 47, 49, 51,	53, 55, 57 to 64,	TAK 10 to 44,
	TAK 1 to 16 Frac	tions.		
OWNER:	Ralph R. Keefe.			
OPERATOR:	PERRY, KNOX,	KAUFMAN, INC.,	Box 14336, Spoka	ne, Washington.
METALS:	Copper, molybde	num.		
DESCRIPTION:	Chalcopyrite and	molybdenite occur	in fractures within	and adjacent to
	quartz-hornblend	e-biotite feldspar	porphyry dykes	cutting Topley
	granitic rocks.			
WORK DONE:	Linecutting; time	-domain IP survey,	7 line-miles covering	ng Tachi 1, 2, 4,
	13-16, 18, 20, T	ak 16–18, 36–44, ar	nd Tak 7, 10-14 Fr	actions; surface
	diamond drilling,	three holes totallin	ig 1,000 feet on Tak	c 43 and 44 and
	Tak 14 Fraction;	road construction	, 0.8 mile on Tak	16, 17, 29, 43,
	and 44.			
REFERENCES:	B.C. Dept. of MI	ines & Pet. Res., C	SEM, 1969, pp. 11	5-117; 1970, p.

157; Assessment Report 4479.

PRO (93L-225) (Fig. D, No. 114)

LOCATION:	Lat. 54° 46′ Long. 126° 11′ (93L/16E)
CLAIMS:	OMINECA M.D. Three miles southwest of Topley Landing. PRO 1 to 22, 27 to 52, 57 to 64, 83 to 88, PRO 1 Fraction, FIT 1 to 22 FIT 1 and 2 Fractions ANNY 1 to 6
OWNER:	AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.
METALS:	Copper, molybdenum.
DESCRIPTION:	Andesitic pyroclastic rocks and argillaceous and siliceous sedimentary rocks are intruded by diorite and quartz monzonite of the Topley intrusions. Traces of chalcopyrite and molybdenite were found during the drill programme.
WORK DONE:	Surface geological mapping, 1 inch equals one-half mile; ground magnetometer survey, 11.4 line-miles and IP survey, 13.63 line-miles covering Pro 1-18, 20, 22, 27-32, 34, 36, 38, 40, 59, 61, 63, Pro 1 Fraction, and Fit 11, 13, 15, 17; geochemical soil survey, 62 samples covering Pro 1-6, 12, 14, 16, 18, 31, 32 and Pro 1 Fraction; surface diamond drilling, three holes totalling 1,642 feet on Pro 1 and 3.

(93L/16E)

By J. F. Hutter

GRANISLE MINE (93L-146) (Fig. D, No. 112)

- LOCATION: Lat. 54° 56.5' Long. 126° 09.5' (93L/16E) OMINECA M.D. On McDonald Island, 10 miles north of Topley Landing.
- CLAIMS: BEA 1 to 6 (Lots 7665, 7666, 7670 to 7672, 7679), ARLEN 1 to 4 (Lots 7673, 7664, 7663, 7668), BLACK BEAR 1 to 3 (Lots 7662, 7661, 7667), COON 1 (Lot 7686), DEER FR. (Lot 7674), COON FR. (Lot 7684), ELK (Lot 7675), FOX (Lot 7676), LAKE 1 and 2 (Lots 7682, 7683), LYNX FR. (Lot 7678), MOUSE FR. (Lot 7680), NORA 1 to 5 (Lots 7656 to 7660), NORA 6 FR. (Lot 7669), OTTER 1 and 2 (Lots 7685, 7681), WOLF FR. (Lot 7677) Crown-granted claims and 125 located claims.
- OWNER: GRANISLE COPPER LIMITED, 2000, 1055 West Hastings Street, Vancouver V6E 2H7; mine office, Granisle; E. M. Berthelsen, mine manager.

METAL: Copper (production shown on Table I).

DESCRIPTION: Copper mineralization is associated with a dyke-like body of biotite feldspar porphyry. The economic minerals are chalcopyrite and bornite with minor gold and silver. A pyrite halo is peripheral to the copper orebody.

WORK DONE:

Open-pit mining continued during the year and the majority of the 7,208,261 tons of waste removed was hauled to the No. 2 dam causeway.

Reseeded tailings areas are developing a good cover of vegetation.

Construction activities for the year consisted of an administration office extension, roof coverings over the concentrate weigh-scale and grinding ball bin, plus modifications to the crusher dust control system.

An average of 300 to 310 people is employed at the mine.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 178-183; 1972, p. 425.

BAB	(93M-12	27), R	(93L-220)	(Fig. D, No. 54)	
LOCAT	ION:	Lat. 55 [°] Report	° 00′ on this prope	Long. 125° 15′ erty in section 93M/1.	(93M/1;93L/16E)

BELL MINE	(NEWMAN)	(93M-1)	(Fig. D, No. 115)	
LOCATION:	Lat. 55° 00'		Long. 126° 14'	(93M/1E; 93L/16E)
	Report on t	his propert	y in section 93M/1E.	

HAZELTON 93M

BAB (93M-12	27), R (93L-220)) (Fig. D, No. 54)	
LOCATION:	Lat. 55° 00'	Long. 126° 15′	(93M/1; 93L/16E)
	OMINECA M.D.	BAB – surrounding the no	ortheast arm of Babine
	Lake, from Morr	ison Creek south; R – 1.5	miles east-northeast of
	Hawthorn Bay, Ba	bine Lake.	
CLAIMS:	93M/1 - BAB (62	2 claims), NED (19 claims), S	SHO 1 and 2, 13, 17 to
	20, N 1 to 92, ID	C 1 to 14, TONJA 1 to 135,	K Fraction; 93L/16E -
	R (approximately	235 claims), RR 1 to 90, 101	to 211, 359, 360.
OWNER:	QUINTANA MINI	ERALS CORPORATION, 12	15, Two Bentall Centre,
	Vancouver.		
METAL:	Copper.		
DESCRIPTION:	The area is under argillaceous siltsto	rlain by dense black argillite nes, and andesites, tuffs, and	s, light to grey banded breccias of the Hazelton
	Group. These have	been intruded by dykes and	stocks of diorite.
WORK DONE:	IP survey, 15 line	-miles covering some of the	Tonja and R claims and
	the RR claims; pe	rcussion drilling, five holes to	otalling 1,000 feet on R
	119, 192, 195, 203	7, and 210.	
REFERENCES:	B.C. Dept. of Mi	nes & Pet. Res., GEM, 197	2, p. 425; Assessment
	Report 4249, 4250), 4426.	
BELL MINE (N	IEWMAN) (93M-	1) (Fig. D, No. 115)	By J. F. Hutter
LOCATION:	Lat 55° 00'	Long 126° 14'	(93M/1E+93L/16E)

- LOCATION: OMINECA M.D. At the north end of Newman Peninsula, on Babine Lake.
- CLAIMS: Mineral Leases M-134 and M-135 plus 98 mineral claims and fractions, including NEWMAN, LINDA, LAD.
- OWNER: NORANDA MINES, LIMITED, Bell Copper Division, Box 2000. Granisle; W. A. Allan, mine manager.

METAL: Copper (production shown on Table I).

DESCRIPTION: Chalcopyrite and chalcocite with peripheral pyrite, pyrrhotite, and some sphalerite are associated with a stock-like body of biotite feldspar porphyry. This porphyry intrudes sedimentary and fragmental volcanic rocks.

WORK DONE:

The open pit worked a three-shift-per-day, five-day-per-week schedule. The mill operated on a continuous basis and throughput averaged 11,270 tons per day. Copper concentrate was trucked to Topley and transferred to railway cars for shipment to smelter.

Major open-pit equipment consisted of one Bucyrus-Erie 45-R electric drill, two P&H 1600 electric shovels, ten Terex 65-ton trucks, one Caterpillar 992 loader, two Caterpillar D-8 dozers, one Caterpillar 824-B wheel dozer, and one Caterpillar 14-E grader.

During 1973, construction and installation of additional facilities at the minesite included an AN/FO storage silo, an oil storage building, an extension to the concentrate storage shed, a covered, truck weigh-scale, power lines to the tailings-dam seepage pond and the bubbler system, installation of an electric pump at the seepage pond, installation of an electric compressor on the bubbler system, and installation of a rock grapple at the primary crusher.

352

At year-end the number of employees totalled 76 staff and 144 hourly rated. Ten additional houses and a 10-unit row house were under construction in the village of Granisle where accommodation is available for all employees.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1965, pp. 99-102; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1969, p. 114; 1970, p. 170; 1971, pp. 185, 186; 1972, p. 426.

OFF, RAID, DDT (93M-4) (Fig. D, No. 58)

LOCATION: Lat. 55° 04' Long. 126° 20' (93M/1W) OMINECA M.D. North and east of the Indian Reserve near Old Fort, at approximately 3,000 feet elevation.

CLAIMS: OFF 1 to 8, 15 to 18, RAID 1 to 14, DDT 5 to 14, 19 to 40.

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.

METAL: Copper.

- DESCRIPTION: Chalcopyrite and minor molybdenite occur in fractures in quartz monzonite and biotite feldspar porphyry which have intruded an older, fine-grained, magnetic quartz diorite stock.
- WORK DONE: Helicopter-borne magnetometer and EM survey at line spacing of 660 feet and ground clearance of 200 feet over approximately 8 square miles covering Off 1-8, 15-18, Raid 1-14, and DDT 5-14, 19-40.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, pp. 92-95; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 428; Preliminary Map No. 12; Assessment Report 4486.

FORT (93M-144) (Fig. D, No. 57)

- LOCATION: Lat. 55° 05' Long. 126° 25' (93M/1W) OMINECA M.D. Northern Babine Lake area, northwest of the peak of Old Fort Mountain, at approximately 3,500 feet elevation.
- CLAIMS: FORT 1 to 44.

OWNER: W. R. Bacon.

METAL: Copper.

- DESCRIPTION: Interbedded sedimentary and volcanic rocks have been folded into a synclinal structure about a westerly trending axis. These rocks have been intruded by small quartz diorite stocks which in turn are intruded by narrow dykes of quartz monzonite and biotite feldspar porphyry. Minor pyrite and chalcopyrite occur in quartz-carbonate veinlets in hornfelsed sedimentary rocks adjacent to the quartz diorite intrusions and in the biotite feldspar porphyry dykes.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; IP survey, 2.2 line-miles covering Fort 4, 6, 7, 8, 11, 12, 19, 21, 27, 40; geochemical soil survey, 580 samples, 22 line-miles covering all claims; topography mapped from airphotos.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, p. 92; *B.C. Dept. of Mines & Pet. Res.,* Preliminary Map No. 12; Assessment Reports 2608, 4591.

OPERATOR: LUC SYNDICATE, 1720, 1055 West Hastings Street, Vancouver.

MORRISON (93M-7) (Fig. D, No. 116)

LOCATION:	Lat. 55° 12′ Long. 126° 20′ (93M/1W)
	OMINECA M.D. Approximately 44 miles northeast of Smithers, at
	south end of Morrison Lake, at approximately 2,600 feet elevation.
CLAIMS:	ELLEN 1 to 16, ELLEN 3 Fraction, ALVA 1 and 2, DYKE 1 to 4,
	DYKE 5 to 7 Fractions, DULL AXE 1 and 2, SHE 13 and 14,
	FRANCES 25, 27, PATCH Fraction.
OWNER:	NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie
	Street, Vancouver; field address, Box 2169, Smithers.
METAL:	Copper.
DESCRIPTION:	Chalcopyrite with bornite is disseminated in biotite feldspar porphyry
	and adjacent siltstones.
WORK DONE:	Surface diamond drilling, 13 holes totalling 5,825 feet.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 170, 171.

SHO (Fig. D, No. 61)

LOCATION:	Lat. 55° 02′	Long. 126° 31′	(93M/2E)
	OMINECA M.D. Babine	Lake area, 1 mile south of	f Smithers Landing.
CLAIMS:	SHO 1 to 36.		-
OWNER:	CANADIAN SUPERIOR	EXPLORATION LIMITER	D, 2201, 1177 West
	Hastings Street, Vancouver		
DESCRIPTION:	Hazelton Group volcanic	rocks have been intrude	d by a hornblende
	diorite pluton.		
WORK DONE:	VLF EM and magnetomet	er survey, 4 line-miles co	vering Sho 4, 6, 8,
	13-21, 27-36.		

BIG JOE (93M-135) (Fig. D, No. 2)

LOCATION:	Lat. 55° 02′	Long. 126° 33′	(93M/2E)
	OMINECA M.D.	Two miles southwest of Smithers Landing.	
CLAIMS:	BIG JOE 1 to 8.	J&C 1 to 4 ANN 1 to 36	

OPERATORS: SELCO MINING CORPORATION LIMITED, 55 Yonge Street, Toronto, Ont. and TWIN PEAK RESOURCES LTD., 5424 Halifax Street, Burnaby.

METAL: Copper.

- DESCRIPTION: Pyritized porphyritic volcanic rocks contain disseminated chalcopyrite in northwest-trending shear zones. Some bornite and chalcopyrite were noted in carbonate-filled fractures in the volcanic rocks.
- WORK DONE: 1972 soil samples collected at 200 by 800-foot grid spacing.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 171; Assessment Report 4098.

(93M/2)

HOL (93M-145) (Fig. D, No. 59)

LOCATION:	Lat. 55° 03′	Long. 126° 45'	(93M/2)
	OMINECA M.D.	Two miles southwest of Holland	Lake, 25 miles east
	of Moricetown, a	t approximately 2,800 feet elevation	1,
CLAIMS:	HOL 1 to 38.		
OWNER:	W. R. Bacon.		
OPERATOR:	LUC SYNDICAT	E, 1720, 1055 West Hastings Street,	Vancouver.

METALS: Copper, molybdenum.

- DESCRIPTION: A northerly oriented elliptical stock of quartz monzonite grades to biotite feldspar porphyry near the south margin. Sedimentary rocks marginal to the intrusion have been metamorphosed to biotite hornfels. Minor chalcopyrite and molybdenite occur in the biotite feldspar porphyry and pyrite occurs in the hornfelsed sedimentary rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 660 feet covering all claims; geochemical soil survey, 307 samples taken on 200 by 800-foot grid spacing covering Hol 1-24; magnetometer survey, 8 line-miles covering Hol 1-24; frequency-domain IP survey, 6 line-miles covering Hol 1-24, 37, 38.
- REFERENCE: Assessment Report 4488.

TRAVIS (Fig. D, No. 60)

LOCATION:	Lat. 55° 07'	Long. 126° 48′	(93M/2W)
	OMINECA M.D.	Twelve miles northwest of Smi	thers Landing and 27
	miles northeast o	f Smithers, on Harold Price Creek	ζ.
CLAIMS:	TRAVIS 1 to 12,	TRAVIS 1 to 4 Fractions.	
OWNER:	EVERGREEN EX	XPLORATIONS LTD., Box 604,	Smithers.
WORK DONE:	1972 — linecuttir	ng, 3.55 miles of grid established.	
REFERENCE:	Assessment Repo	ort 4511.	

BLUNT (93M-25) (Fig. D, No. 62)

LOCATION:	Lat, 55° 11′ Long, 127° 13′ (93M/3E)		
	OMINECA M.D. Twenty miles east of Hazelton, 2 miles south of		
	Blunt Mountain.		
CLAIMS:	GYPSY 1 to 32, GYPSY 1 to 9 Fractions.		
OWNERS:	Peter F. Bland and Lorne E. Ross.		
OPERATOR:	GREAT OAKS MINING CORPORATION, 1101, 510 West Hastings		
	Street, Vancouver.		
METALS:	Copper, molybdenum.		
DESCRIPTION:	Traces of chalcopyrite and molybdenite were noted with quartz		
	stringers and stockworks in a Tertiary intrusion.		
WORK DONE:	Magnetometer survey, 6 line-miles.		
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 188; Assessment		
	Report 4429.		

SULTANA (SILVER TIP) (93M-61) (Fig. D, No. 64)

LOCATION:Lat. 55° 06'Long. 127° 32'(93M/4E)OMINECA M.D.Eight miles south of Hazelton, 2 miles southeast of
Tiltusha Peak, at approximately 4,500 feet elevation.CLAIMS:SILVER TIP 1 to 34, S 13 to 20.

OWNER: SULTANA SILVER MINES LIMITED, Box 792, Prince George.

METALS: Copper, molybdenum, silver.

DESCRIPTION: Pyrite, chalcopyrite, and molybdenite occur as disseminations and fracture fillings in granodiorite of the Rocher Deboule stock. Silver mineralization is also present.

WORK DONE: Surface diamond drilling, two holes totalling 160 feet on Silver Tip 6.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 173; 1971, p. 188.

BRUNSWICK (93M-66) (Fig. D, No. 63)

LOCATION: Lat. 55° 07' Long. 127° 36' (93M/4E) OMINECA M.D. In the Rocher Deboule Range south of Hazelton, on Red Rose Creek, at approximately 4,600 feet elevation.

CLAIMS: BILL 1 to 14.

OWNER: Estate of James T. Williamson.

OPERATOR: ARCADIA EXPLORATIONS LTD., Box 35368, Station E, 2021 West 42nd Avenue, Vancouver V6M 4G5.

METALS: Silver, lead, zinc, copper, gold.

DESCRIPTION: The property is underlain by hornfelsed argillites and greywackes. A plug of granodiorite has intruded the metasedimentary rocks in the northeast part of the property. A number of feldspar porphyry dykes cuts both the granodiorite and the metasedimentary rocks. The Brunswick vein is a vuggy quartz system containing pyrite, galena, sphalerite, and chalcopyrite.

- WORK DONE: Transit and chain control survey on surface and in two adits; SP survey, 920 line-feet; EM survey, 180 line-feet; geological mapping, 1 inch equals 50 feet; and sampling of vein covering Bill 1 and 2; road construction, 1.5 miles on Bill 2, 7, 9, 11, and 14; trenching, 160 feet on Bill 2.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 429; Bull. 43, pp. 50, 51; Assessment Report 4839.

WAG, WET	(Fig. D, No. 65)		
LOCATION:	Lat. 55° 24'	Long. 127° 45'	(93M/5W)
	OMINECA M.D.	Approximately 3 miles northwest	of Kispiox.
CLAIMS:	WAG 35 to 42, W	/ET 1 to 6.	
OWNER:	J. H. SARGENT,	Box 39, New Hazelton.	
WORK DONE:	Two miles of line	cutting during 1972.	
REFERENCE:	Assessment Repo	rt 4433.	

(93M/5E)

SILVER STAND	DARD MINE (93M-49)	(Fig. D, No. 117)	By J. F. Hutter
LOCATION:	Lat. 55° 19′	Long. 127° 37.5′	(93M/5E)
	OMINECA M.D. Five and	l one-half miles north	of Hazelton, on Mount
	Glen, at approximately 1,5	00 feet elevation.	
CLAIMS:	ALMO, LEADVILLE	, STANDARD, SI	LVER STANDARD,
	SKAGWAY, GLEN MOU	NTAIN (Lots 2259 t	o 2264), CANADIAN
	KING (Lot 2409), and E	BLACK PRINCE (Lot	2411) Crown-granted
	claims.		
OWNER:	Silver Standard Mines Limi	ited.	
OPERATOR:	GEORGE BRAUN, Hazelt	on.	
METALS:	Gold, silver, lead, zinc, cad	mium (production sho	wn on Table I).
DESCRIPTION:	Banded and massive gale	na, sphalerite, and ter	trahedrite with pyrite,

arsenopyrite, and quartz gangue occur in a vein system of 16 parallel veins in (mainly) tuffaceous sandstone of the Lower Cretaceous Hazelton Group.

WORK DONE:

The property was operated by George Braun on a lease arrangement with the owner. Mining during the year was confined to No. 11 cross-vein on the 1500 level.

The ore was hand sorted in the stope, hand trammed to storage near the 1300 portal, and shipped by rail to Trail.

Considerable rehabilitation has been accomplished during the year and a substantial increase in production is forecast for 1974.

Two men were employed during the later part of the year.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 98, 99.

SUNRISE (93M-43) (Fig. D, No. 154)

- LOCATION: Lat. 55° 21′ Long. 127° 29′ (93M/6W) OMINECA M.D. Ten miles northeast of Hazelton, on the north side of Nine Mile Mountain, at approximately 5,000 feet elevation.
- CLAIMS: SUNRISE, SUNSET, ETHEL, NOONDAY, ETHEL Fraction, and HIDDEN TREASURE Crown-granted claims and VAN 1 to 6 and ALPHA 7 to 30 located claims.
- OWNER: SUNRISE SILVER MINES LTD., 818 Cumberland Crescent, North Vancouver.

METALS: Silver, lead, zinc, antimony.

DESCRIPTION: Nine Mile Mountain is underlain by a sequence of sedimentary rocks of Upper Jurassic and Lower Cretaceous age which are intruded by a granodiorite stock measuring 4 miles long and one-half mile wide. Mineralization encountered in both properties examined consists of silver-bearing galena, jamesonite, sphalerite, and pyrite, occurring as stringers and as blebs in quartz veins and to a lesser extent in the altered granodiorite wallrock. The quartz veins occur in east-west parallel fault fissures and in northeast cross-fissures forming a zone about 700 feet wide and about 2,000 feet along the strike from Sunrise Silver to Lead King.

WORK DONE: Road construction, 300 feet; stripping, 90 by 80 by 24 feet.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 430.

		(,,
НОТ (93М-1)	24) (Fig. D, No. 66)	By N. C. Carter
LOCATION:	Lat. 55° 24' Long. 127° 02'	(93M/6È)
	OMINECA M.D. Approximately 50 miles	north of Smithers, on the
	north slope of Mount Thoen, at about 600 fe	et elevation,
CLAIMS:	HOT 1 to 26.	
OWNER:	COBRE EXPLORATION LIMITED, 534,	789 West Pender Street,
	Vancouver.	
METALS:	Copper, molybdenum.	
DESCRIPTION:		

(93M/6E)

Chalcopyrite and molybdenite mineralization is associated with a swarm of porphyry dykes which occur along the margins of a large granodiorite stock and intrude Upper Jurassic siltstones and greywackes.

The porphyry dyke swarm and principal showings are on a steep north-trending ridge northeast of the summit of Mount Thoen. The dykes are quartz-biotite feldspar porphyries of granodiorite composition in which 1 to 3-millimetre phenocrysts of anhedral quartz, euhedral plagioclase (An₂₅₋₃₀), and biotite plates and books are contained in a very fine-grained matrix of quartz and feldspar. Original hornblende is altered to a mixture of quartz and biotite.

Sedimentary rocks have been thermally metamorphosed to biotite hornfels. The large stock which underlies much of Mount Thoen is composed of equigranular, massive granodiorite consisting mainly of plagioclase (An₃₀), K-feldspar, quartz, hornblende, biotite, and magnetite.

Chalcopyrite and molybdenite occur in fractures, quartz veinlets, and as fine disseminations in the porphyry dykes and adjacent hornfelsed sedimentary rocks.

- WORK DONE: Linecutting, 1.8 miles of grid; magnetometer survey, 1.5 line-miles covering Hot 4, 6, 8, 10; surface diamond drilling, three holes totalling 194 feet on Hot 6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 431; Assessment Report 4699.

FRENCH (93M-12) (Fig. D, No. 68)

LOCATION:	Lat. 55° 25'	Long. 126 [°] 52′	(93M/7W)
	OMINECA M.D. For	ir miles north-northwest	from French Peak,
	Babine Lake area.		
CLAIMS:	RO 1 to 66.		
OWNER:	CANADIAN SUPERIO Hastings Street, Vancou	R EXPLORATION LIMIT	ED, 2201, 1177 West

- METALS: Copper, molybdenum.
- DESCRIPTION: Cretaceous sedimentary rocks have been intruded by an altered feldspar porphyry plug approximately 1 mile in diameter. Extensive pyrite with minor chalcopyrite has been recognized.
- WORK DONE: Trenching, six pits on RO 37-41,
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1966, p. 92;
(93M/7W)

- RED (FOSS) (93M-13) (Fig. D, No. 67)
- LOCATION:Lat. 55° 25'Long. 126° 54'(93M/7W)OMINECA M.D.BabineLake area, 4 miles northwest of French Peak.CLAIMS:SUE 1 to 8.
- OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Silver, copper, lead, zinc.

DESCRIPTION: Sedimentary rocks of Middle Cretaceous age have been cut by a fault zone carrying galena, pyrite, sphalerite, and chalcopyrite.

WORK DONE: Geochemical soil survey, 420 samples, 8 line-miles covering Sue 1-8.

REFERENCE: Assessment Report 3871.

CAVZ (TRAIL PEAK) (93M-11) (Fig. D, No. 71)

- LOCATION: Lat. 55° 25' Long. 126° 15' (93M/8W) OMINECA M.D. Ten miles west of Takla Lake, on and southeast of Trail Peak, at approximately 4,500 feet elevation.
- CLAIMS: CAVZ 1 to 43, 45, 47, 49, 51, 53, 55, CAVZ 1 to 4 Fractions.

OWNER: Ecstall Mining Limited.

OPERATOR: HUDSON'S BAY OIL AND GAS COMPANY LIMITED, 171 Pemberton Avenue, North Vancouver V7P 2R4.

METAL: Copper.

- DESCRIPTION: A Tertiary biotite feldspar porphyry dyke swarm has intruded an older diorite pluton and adjacent siltstones. Pyrite is widely distributed about the intrusions and chalcopyrite occurs in fractures in the biotite feldspar porphyry.
- WORK DONE: Geochemical rock chip survey, 65 samples.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 110-112.

LYNN (93M-142) (Fig. D, No. 69)

LOCATION: Lat. 55° 18′ Long. 126° 13′ (93M/8E) OMINECA M.D. Fifty-four miles northeast of Smithers, 4 miles north of the south end of Nakinilerak Lake, at approximately 4,000 feet elevation.

CLAIMS: LYNN 1 to 48, LYNN 1 to 18 Fractions.

- OWNERS: Ducanex Resources Limited and Twin Peak Resources Ltd. (amalgamation of Twin Peak Mines Ltd. and Whitesail Mines Ltd.)
- OPERATOR: DUCANEX RESOURCES LIMITED, 5424 Halifax Street, Burnaby V5B 2N7.

METAL: Copper.

DESCRIPTION: A hydrothermally altered biotite feldspar porphyry stock has intruded volcanic rocks. The stock is entirely overburden covered. Chalcopyrite occurs within the pluton at the contact near an intrusive breccia zone. A pyrite halo has been developed in the volcanic rocks around the stock. WORK DONE: Surface diamond drilling, five holes totalling approximately 1,000 feet on Lynn 3.
 REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 432.

RAINBOW (93M-118) (Fig. D, No. 72)

LOCATION:	Lat. 55° 37'	Long. 126° 28'	(93M/9W)							
	OMINECA M.D. Twelve miles west of Takla Lake, 2.5 miles southw of Centre Peak, at approximately 5,900 feet elevation.									
CLAIMS:	DRONE 2, 4 to 8.									
OWNER:	WESFROB MINES	LIMITED, 500, 1112	West Pender Street,							
	Vancouver.									
METAL:	Copper.									
DESCRIPTION:	Disseminated chalcocite, bornite, and chalcopyrite occur in andesitic									
	tuffs and flows of the	e Hazelton Group.								
WORK DONE:	Trenching, 45 cubic	yards on Drone 8.								
REFERENCE:	B.C. Dept. of Mines &	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 193.								

- BRIAN, ADD (93M-93) (Fig. D, No. 73)
- LOCATION: Lat. 55° 39' Long. 126° 50' (93M/10W) OMINECA M.D. Twenty-five miles west of Takla Lake, near the peak of Mount Horetzky, at approximately 5,000 feet elevation.
- CLAIMS: BRIAN 1 to 10, 19 to 24, ADD 1 to 18, 23 to 28, VAL 3 to 8, 11 to 16, CAT 1 to 24, DON 1 to 13.
- OWNERS: PACIFIC PETROLEUMS LIMITED, 408, 580 Granville Street, Vancouver and HECLA OPERATING COMPANY, 2009, 1177 West Hastings Street, Vancouver V6E 2K3.
- METALS: Copper, molybdenum.
- DESCRIPTION: A diorite plug is intrusive into Hazelton Group sedimentary rocks. Biotite feldspar porphyry dykes crosscut both rock types. Minor chalcopyrite and molybdenite occur in and adjacent to the intrusive plug.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting; frequency-domain IP survey, 8.7 line-miles; magnetometer survey, 9 line-miles covering Add 1, 2, 11, 12, 15-18, 23, 24, Brian 1-4, 7, 9, 19, 20, 23, 24, and Cat 13-16, 22; surface diamond drilling, eight holes totalling 4,165 feet on Brian 1, 5, 15, 21, 22 and Add 2, 11.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 433; Assessment Report 4621.

(93M/11W)

7A (93M-122) (Fig. D, No. 74)

- LOCATION: Lat. 55° 34' Long. 127° 20' (93M/11W) OMINECA M.D. Three to 4 miles upstream from the confluence with Babine River, on Thomlinson Creek, at approximately 4,800 feet elevation.
- CLAIMS: 7A 1 to 50, 55 to 90, 7D 1 to 12.
- OWNER: THE GRANBY MINING COMPANY LIMITED, 2000, 1055 West Hastings Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: A small quartz monzonite porphyry stock of Late Cretaceous age contains chalcopyrite and molybdenite in fractures. Copper and molybdenum mineralization also occurs in hornfelsed sedimentary rocks marginal to the stock.
- WORK DONE: Geochemical soil survey, 638 samples taken at 200 by 400-foot and 800-foot grid spacing covering 7A 31-50, 59, 60, 62, 64, 66-73, 75, 77, 79, 83, 85, 87, 89, 90 and 7D 1 to 12; magnetometer survey, 4 line-miles; linecutting; time-domain IP survey, 10 line-miles covering 7A 32, 34, 36, 38, 40, 43-50, 73, 75, 77, 79, 89, 90 and 7D 7 and 8.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 433; Assessment Reports 4698, 4715.

DRIFTWOOD (93M-117) (Fig. D, No. 75)

- LOCATION: Lat. 55° 50′ Long. 126° 36′ (93M/15E) OMINECA M.D. Fifteen miles north of Bulkley House, on Skutsil Knob. at approximately 5.800 feet elevation.
- CLAIMS: BORNITE, ESMERELDA, and BORNITE Fraction Crown-granted claims; SP 1 to 12, BELMONT, BETH, TRIX, BESD, CAMP, ALDA, STUART, TAKLA, TREMBLEUR, JACKSON, JACK, BEATRICE, BESSIE.
- OWNERS: Cominco Ltd. and Craigmont Mines Limited.
- OPERATOR: CRAIGMONT MINES LIMITED, 270, 180 Seymour Street, Kamloops. METALS: Copper, silver.
- DESCRIPTION: Bornite, chalcopyrite, and tetrahedrite occur in andesitic and basaltic flows of the Takla Group.
- WORK DONE: Topography mapped; surface diamond drilling, four holes totalling 1,927 feet on Bornite and Bessie.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1930, p. 148; Assessment Report 4967.

FIRE (KAZA) (93M-111) (Fig. D, No. 77)

- LOCATION: Lat. 56° 00' Long. 126° 20' (93M/16W; 94D/1W) OMINECA M.D. Approximately 100 miles northeast of Smithers, 4 miles south-southwest of Kaza Lake, at 3,700 feet elevation.
- CLAIMS: BRONCO 1 to 34, BURN 1 to 4, CAT 1 to 4, FIRE 1 to 4, 11, 12, HOT 1 to 12, ICE 1 to 16, LOGAN 1 to 11, MAG 5 to 12, 14, ROBERTA 1 to 6.

OWNER: Kaza Copper Ltd.

OPERATOR: DYNASTY EXPLORATIONS LIMITED, 330, 355 Burrard Street, Vancouver.

METALS: Copper, gold, silver.

- DESCRIPTION: The Kaza copper property is underlain by Mesozoic and Tertiary sedimentary and volcanic rocks. Andesite porphyries, tuffs, and breccias of the Takla Group are the host rocks of the mineralization. Epidote alteration is widespread in these rocks. The mineral showings consist of fissure veins and narrow skarn zones related to northwest faulting. Mineralization consists mainly of pyrite with minor chalcopyrite, bornite, sphalerite, and magnetite. The best assay obtained was 1.39 per cent copper, .071 ounce per ton gold, and .41 ounce per ton silver across 6 feet.
- WORK DONE: Surface geological mapping, 1 inch equals 1,320 feet and 1 inch equals 400 feet; magnetometer survey, 4 line-miles covering Fire 2, 3, and 4; geochemical soil survey, 650 samples taken on reconnaissance and grid lines, with grid spacing 200 by 400-foot, 23 line-miles covering most of the claims; linecutting.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, p. 88; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1969, p. 108; 1970, p. 177; Assessment Reports 1191, 4477.

LION (93M-146) (Fig. D, No. 76)

LOCATION:	Lat. 55° 54′ Long. 126° 05′ (93M/16E)					
	OMINECA M.D. Three miles northeast of Iktlaki Peak, near					
	Ominicetla Creek, between 4,000 and 5,000 feet elevation.					
CLAIMS:	LION 1 to 84.					
OWNER:	W. R. Bacon.					
OPERATOR:	LUC SYNDICATE, 1720, 1055 West Hastings Street, Vancouver.					
METAL:	Copper.					
DESCRIPTION:	The claims are underlain by Lower Triassic volcanic flows and					
	pyroclastic rocks. Gossan areas have been developed over an area of					
	volcanic rocks containing pyrite and chalcopyrite in fractures.					
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet covering all claims;					
	frequency-domain IP survey, approximately 4 line-miles covering Lion					
	9, 15, 36-38, 56, 57, 59, 61, 62, 69-73, 83, 84; geochemical soil survey,					
	1,355 samples taken at 200 by 400-foot and 800-foot grid spacing,					
	approximately 50 line-miles covering Lion 1-74, 83, 84.					
REFERENCE:	Assessment Report 4725.					

MANSON RIVER 93N

MOSQUITO (93N-163) (Fig. D, No. 3)

LOCATION:	Lat. 55° 07' Long. 124° 03' (93N/1E)							
	OMINECA M.D. Four and one-half miles south of Mount Milligan,							
	east of Nation Lakes, at approximately 3,500 feet elevation.							
CLAIMS:	MOSQUITO 1 to 10, ZAP 1 to 16.							
OWNER:	PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings							
	Street, Vancouver V6C 1A5.							
METAL:	Copper.							
DESCRIPTION:	The country rocks are generally porphyritic hornblende andesite and in							
	places a medium-grained andesite tuff which is intruded (?) by feldspar							
	porphyry. Some chalcopyrite was noted in fractures in feldspar							
	porphyry.							
WORK DONE:	Surface geological mapping, 1 inch equals 500 feet covering Mosquito							
	1-10; linecutting and frequency-domain IP survey, 7.8 line-miles							
	covering Mosquito 2, 4, 6, 8-10 and Zap 1-4; geochemical soil survey							
	115 samples covering Mosquito 1-10.							

REFERENCES: Assessment Reports 4274, 4742.

PU (Fig. D, No. 78)

LOCATION:	Lat. 55° 09' Long. 124° 29' (93N/2E)
	OMINECA M.D. Two miles west of the east end of Witch Lake,
	extending northwest from the shore.
CLAIMS:	PU 9 to 20.
OWNER:	PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings
	Street, Vancouver V6C 1A5.
DESCRIPTION:	Takla andesitic flows and tuffs are intruded by two small bodies of
	syenite and diorite.
WORK DONE:	Linecutting; frequency-domain IP survey, 5.2 line-miles covering PU
	9-11, 13-15.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 435; Assessment
	Reports 3853, 4589.

LSD (93N-162) (Fig. D, No. 79)

- LOCATION: Lat. 55° 14′ Long. 124° 35′ (93N/2E) OMINECA M.D. Five miles north of Chuchi Lake, on Klawdetelle Creek.
- CLAIMS: LSD 1 to 38, 40, 42, 44, 46, 48 to 80, LSD A Fraction.

OWNER: Hudson Bay Exploration and Development Company Limited.

- OPERATORS: HUDSON BAY MINING AND SMELTING CO. LIMITED, Flin Flon, Manitoba and ANGLO AMERICAN CORPORATION OF CANADA EXPLORATION LIMITED, Box 28, Toronto Dominion Centre, Toronto, Ontario.
- METALS: Copper, molybdenum.

- DESCRIPTION: Chalcopyrite, pyrite, and minor molybdenite occur in fractures and narrow shear zones in a syenite-diorite stock that intrudes Takla volcanic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet and geochemical soil survey, 60 samples, 2.2 line-miles covering LSD 73-80; surface diamond drilling, four holes totalling 1,205 feet on LSD 60, 65, and 68; three shallow trenches on LSD 2.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 436.
- CIR (SRM) (93N-104) (Fig. D, No. 80)

LOCATION: Lat. 55° 14′ Long. 124° 42′ (93N/2E) OMINECA M.D. Chuchi Lake, 3.5 miles north of the mouth of Klawdetelle Creek, between 3,500 and 4,000 feet elevation. CLAIMS: CIR 1 to 24.

OWNERS: S.E.R.E.M. Ltd. in trust with Bergminex Associates.

- OPERATOR: S.E.R.E.M. LTD. on behalf of BERGMINEX ASSOCIATES, 770, 2100 Drummond Street, Montreal, P.Q. H3G 1X1.
- METAL: Copper.
- DESCRIPTION: The claims are underlain by a volcanic-sedimentary sequence of andesites, andesitic tuffs, and some argillites and cherts (Takla Group), intruded by syenitic and related dioritic stock and dykes (Hogem batholith satellites).
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical survey, 345 soil samples and 17 silt samples taken at 200 by 400-foot grid spacing, 19.88 line-miles; and linecutting covering all claims.

- DP (93N-164) (Fig. D, No. 4)
- LOCATION: Lat. 55° 08.5′ Long. 124° 32.5′ (93N/2E, 1W) OMINECA M.D. Nation Lakes area, on the south shore of Chuchi Lake, 5 miles east of Jean Marie Creek.

CLAIMS: DP 1 to 15, MT 23, 25, 27 to 31, D 172, 174, 176, 178, 180, 182, 184.

- OWNER: ATTILA RESOURCES LIMITED, 107, 325 Howe Street, Vancouver. METAL: Copper.
- DESCRIPTION: The claims are underlain by Takla Group andesites and sedimentary rocks intruded by monzonite. One limestone outcrop was noted to carry pyrite and traces of chalcopyrite (DP 14). One outcrop of K-feldspar pegmatite with associated magnetite and sericite was noted.
- WORK DONE: Geochemical survey, 996 samples (analysed for copper); magnetometer survey, during 1972.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 435; Assessment Report 4244.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 196 (SRM).

(93N/2W)

JEAN (93N-83) (Fig. D, No. 81)

LOCATION: Lat. 55° 07' Long. 124° 50' (93N/2W) OMINECA M.D. Eight miles southwest of Chuchi Lake, near the headwaters of Jean Marie Creek, at approximately 4,000 feet elevation. CLAIMS: JEAN, JW, FEB, totalling approximately 318.

OWNER: NBC Syndicate.

- OPERATORS: COMINCO LTD., DUVAL CORPORATION OF CANADA, THE GRANBY MINING COMPANY LIMITED, and STANDARD OIL COMPANY OF BRITISH COLUMBIA LIMITED, c/o Cominco Ltd., 200 Granville Square, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: Disseminated and fracture-controlled copper and molybdenum sulphides occur in acid and intermediate outer phases of the Hogem batholith. The country rocks which comprise Takla Group volcanic rocks are also mineralized.
- WORK DONE: Surface geological mapping, 1 inch equals 800 feet; magnetometer survey, 31 line-miles; frequency-domain IP survey, 15.4 line-miles; and linecutting covering JW and Jean claims.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, pp. 436, 437; Assessment Report 4774.

1AN (Fig. D, No. 84)

LOCATION: Lat. 55° 20' Long. 124° 47' (93N/7W) OMINECA M.D. Seventy miles northeast of Fort St. James, 2 miles east of Ahdatay Lake.

CLAIMS: IAN 1 to 33.

- OWNER: PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings Street, Vancouver V6C 1A5.
- DESCRIPTION: The claims lie along the contact of Takla Group volcanic rocks with basic rocks of the Hogem batholith.
- WORK DONE: 1972 ground magnetometer and geochemical survey; 1973 frequency-domain IP survey, 6.5 line-miles covering lan 3-13, 18, 19; geochemical soil survey, 350 samples, 16 line-miles covering lan 1-33.
 REFERENCES: Assessment Reports 4430, 4653.

BOOM, FRANKIE (KWANIKA CREEK) (93N-73) (Fig. D, No. 82)

- LOCATION:Lat. 55° 30'Long. 125° 15'(93N/6W, 11W)OMINECA M.D.On Kwanika Creek, 4 to 8 miles north of its mouth
at the east end of Tsayta Lake, at approximately 3,500 feet elevation.CLAIMS:BOOM, FRANKIE, T GEE, BH, BX, TX, AZTEC, INCA, MAYA, MG,
POST, OVP, KQ, CU, JAM, KS, CHO, totalling approximately 100.
- OWNER: Bow River Resources Ltd.
- OPERATOR: PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings Street, Vancouver V6C 1A5.

METALS: Copper, molybdenum.

- DESCRIPTION: Copper and molybdenum mineralization associated with granitic rocks have intruded monzonite units of the Hogem batholith along an altered highly fractured zone related to the Pinchi fault.
- WORK DONE: Linecutting; surface geological mapping, 1 inch equals 400 feet; frequency-domain IP survey, 40 line-miles; and ground magnetometer survey, 40 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 440-447; Assessment Reports 4577, 4773, 4826.

HEATH (93N-71, 72) (Fig. D, No. 121)

- LOCATION: Lat. 55° 16' Long. 125° 10' (93N/6E) OMINECA M.D. West-southwest of Mount Nation, equidistant between Mount Nation and the northwest end of Tchentlo Lake.
- CLAIMS: HEATH 1 to 14, HEATH 15 and 16 Fractions, CAT 1 to 14, 16, 18, 20, 23 to 26, 31, 33 to 41, CAT 29, 30, and 32 Fractions.
- OWNER: Colin J. Campbell.
- OPERATOR: NATION LAKE MINES LIMITED, 201, 1595 Fifth Avenue, Prince George.
- METAL: Copper.
- DESCRIPTION: Chalcopyrite occurs as disseminations in and along epidote-calcitehematite fractures in magnetic dark grey diorite. Fine-grained orange to purple dykes cut the diorite in this locality.
- WORK DONE: Frequency-domain IP survey, 12.3 line-miles covering all the Heath claims and 11 Cat claims; linecutting, 2 miles on Cat 23-25.
- REFERENCES: B.C. Dept. of Mines & Pet, Res., GEM, 1971, p. 199; Assessment Report 4672.

TYGER (93N-173) (Fig. D, No. 95)

- LOCATION: Lat. 55° 18' Long. 125° 08' (93N/6E) OMINECA M.D. Northwest of Fort St. James, northeast of the west end of Tchentlo Lake.
- CLAIMS: TYGER 1 to 70, 121 to 150.
- OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.

METAL: Copper.

- DESCRIPTION: Chalcopyrite occurs as coatings on widely spaced fractures in country rocks which include hornblendite and diorite phases of the Hogem batholith. These have been intruded by granodiorite-quartz monzonite bodies.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet, 1 inch equals 4,000 feet, and 1 inch equals 100 feet covering the western and south central claims; ground magnetometer survey covering the western claims; geochemical soil survey, approximately 600 samples, about 15 line-miles covering the western and south central claims; linecutting; topography mapped.

SOONER (93N-169) (Fig. D, No. 122)

LOCATION:	Lat. 55° 19' Long. 124° 51' (93N/7W)
	OMINECA M.D. Seven miles north of Tchentlo Lake.
CLAIMS:	SOONER 1 to 10, 13 to 21, 25 to 29; SOONER 2 to 5, 7 to 10, 14 to
	16 Fractions.
OWNER:	NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie
	Street, Vancouver.
METAL:	Molybdenum.
DESCRIPTION:	Molybdenite occurs in fractures in augite porphyry of the Takla Group,
	near contacts with alaskite dykes.
WORK DONE:	Surface diamond drilling, four holes totalling 873 feet on Sooner 16
	and 27 and Sooner 14 Fraction.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 449.

STROH, REYNOLDS (93N-137) (Fig. D, No. 96)

- LOCATION: Lat. 55° 37' Long. 124° 24' (93N/9W) OMINECA M.D. On Boulder Creek, about 6 miles southeast of Manson Creek village, between 3,200 and 4,100 feet elevation.
- CLAIMS: STROH 1 to 9, REYNOLDS 1 to 4, LESLIE 1 to 8, SPANNER 1 to 8, WRIGHT 1 to 8, DOYLE 1 to 7, PATTENDEN 1 to 6, JO 1 to 10, SKEL, SKEL 1 to 3, DON, DON 1 to 3.
- OWNER: NORTHERN TUNGSTEN MINES LTD., 5, 1257 Fourth Avenue, Prince George.
- METALS: Copper, molybdenum, tungsten.
- DESCRIPTION: Country rocks in the area include altered chlorite schist, slate, quartzite, gneiss, and feldspar porphyry. Mineralization includes chalcopyrite, galena, sphalerite, molybdenite, and scheelite which occur in quartz veins, silicified breccia zones, and altered limestone. The slate appears to be barren.
- WORK DONE: Surface geological mapping, 1 inch equals one-half mile covering Leslie 1-8, Jo 1-10, Stroh 1-9, Reynolds 1-4; IP survey, approximately 2 line-miles covering Don 1, 3 and Skel 3, 4; EM survey covering Leslie 1-8, Stroh 1-9, Jo 1-10, Doyle 2, Pattenden 1-3, 5; geochemical soil survey, 62 samples covering Skel, Skel 1-3, Don, Don 1-3; surface diamond drilling, eight holes totalling 2,614 feet on Don 1 and Stroh 7 and 8; road construction, 2 miles on Pattenden 1, 3, 5, Don 1, 2, and Skel 2; trenching, 400 feet on Stroh 7.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1972, p. 450; Assessment Reports 3864, 4611.

SKEL (Fig. D, No. 92)

LOCATION: Lat. 55° 38′ Long. 124° 24′ (93N/9W) OMINECA M.D. Skeleton Creek which drains into Manson River. CLAIMS: SKEL 4 to 16, DON 4 to 16, ERNIE 1 to 6, LOST 1 to 6.

OWNER: BOULDER MINES LTD., 5, 1257 Fourth Avenue, Prince George.

WORK DONE: Geophysical survey covering all claims; geochemical soil survey, 70 samples, approximately 5 line-miles covering Skel 4-16 and Ernie 1-6; trenching, 1,000 feet on Skel 5 and 6.

FAIRVIEW (93N-23) (Fig. D, No. 5)

LOCATION: Lat. 55° 37'-42' Long. 124° 25'-37' (93N/9W, 10E) OMINECA M.D. Between Manson River and south Germansen River, adjacent to the south of the community of Manson Creek.

CLAIMS: IDA 2 to 40, 43 to 80, 83 to 120, 122 to 152, TIDA 1 to 14.

OWNERS: C. J. SULLIVAN and T. RODGERS, 1022, 510 West Hastings Street, Vancouver.

METALS: Copper, gold.

DESCRIPTION: The claims which cover an area from which the Manson and Germansen River placer golds were derived, are underlain by interbedded thinbedded carbonaceous argillites and slates with a variety of volcanic rocks.

- WORK DONE: 1972 geological, geochemical, and IP surveys; 1973 surface diamond drilling, five holes totalling 1,639 feet on Ida 119, 141, 145, 146 and TIDA 7.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1938, p. C12; *Geol. Surv., Canada,* Mem. 252, p. 180; Assessment Reports 4245, 4246.

VERGIL (93N-174) (Fig. D, No. 120)

LOCATION: Lat. 55° 44' Long. 124° 27' (93N/9W) OMINECA M.D. Four and one-half miles north-northeast of the community of Manson Creek, at approximately 4,000 feet elevation.

CLAIMS: VERGIL 1 to 6, FEX 1 to 9, 11-16, FIC 1 to 6, 8, MARK 1 to 6, PAN 1 to 8, 10 to 13, SAFE 1 to 5.

OWNER: Panther Mines Ltd.

OPERATOR: TEXACO CANADA LIMITED, Producing Department, 600 Sixth Avenue SW., Calgary, Alta.

METAL: Niobium.

- DESCRIPTION: The Vergil property is underlain by a series of high-grade metamorphosed schists and gneisses forming part of the Wolverine Complex (pre-Permian age). The property lies along a fault zone separating the Wolverine Complex from Permian sedimentary rocks of the Cache Creek Group. Mineralization consists of possible niobium associated with carbonatite.
- WORK DONE: Trenching, 1,850 feet on Vergil 3 and 4.

(93N/11E)

BURN (93N-107) (Fig. D, No. 86)

LOCATION: Lat. 55° 31' Long. 125° 14' (93N/11E) OMINECA M.D. Six miles south of Kwanika Creek at approximately 4,500 feet elevation.

CLAIMS: BURN 1 to 80.

OWNER: W. R. Bacon.

OPERATOR: LUC SYNDICATE, 1720, 1055 West Hastings Street, Vancouver.

METALS: Molybdenum, copper.

DESCRIPTION: Fracture systems in monzonite are mineralized with pyrite, molybdenite, and chałcopyrite. Molybdenite mineralization is also disseminated in an alaskite dyke.

WORK DONE: Geochemical soil and silt survey.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 452.

HAWK (93N-171) (Fig. D, No. 93)

LOCATION: Lat. 56° 02' Long. 125° 41' (93N/13E; 94C/4E) OMINECA M.D. Forty-five miles northwest of Germansen Landing, at the headwaters of the northern tributaries of Haha Creek, at approximately 5,500 feet elevation.

CLAIMS: HAWK 1 to 135, 137, 138, 140, 141, 143.

OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.

METAL: Copper.

 DESCRIPTION: Chalcopyrite, bornite, and pyrite occur as disseminated grains within several gneiss lenses enveloped by the Duckling Creek syenite complex.
 WORK DONE: Surface geological mapping, 1 inch equals 200 feet; ground magnetometer survey, 6.4 line-miles; IP survey, 6 line-miles; geochemical soil survey, approximately 150 samples, 7 line-miles covering. Hawk 113-116 and 127-130; surface diamond drilling four

covering Hawk 113-116 and 127-130; surface diamond drilling, four holes totalling 2,461 feet on Hawk 116, 127, and 129; topography mapped; minor trenching.

MISTY, FORE (KAY) (93N-1) (Fig. D, No. 87)

- LOCATION:Lat. 55° 57'Long. 125° 30'(93N/13E, 14W)OMINECAM.D.Approximately33mileswest-northwestofGermansenLanding, 1mile north of the headwaters of the west branch
of Duckling Creek, between 5,000 and 5,800 feet elevation.CLAIMS:MISTY 1 to 52, MISTY 1 and 2 Fractions, BELL 1 to 46.
- OWNER: EL PASO MINING AND MILLING COMPANY, 500, 885 Dunsmuir

Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION: The property is located within the Duckling Creek syenite complex. The mineralized zone occurs along and adjacent to a major northwesterly striking fault zone which is characterized by gneissic to schistose syenitic rocks. The foliated rocks are marked by metasomatic

(93N/14W)

orthoclase and biotite, and to a lesser degree by chlorite and sericite. Chalcopyrite and lesser bornite and pyrite occur as very fine disseminations in a chloritic gneiss zone. Magnetite occurs in appreciable amounts with the copper zone and to a lesser degree throughout all the rocks.

- WORK DONE: IP survey, 10 line-miles covering Misty 1-14; surface diamond drilling, nine holes totalling 5,053 feet on Misty 3, 4, 5, 6, and 12; rotary drilling, 1,600 feet on Misty 3, 4, 6, 10, and 12; road construction, 3 miles (between all drill holes and camp); trenching, 300 feet on Misty 3 and 4; geochemical soil survey, 479 samples, 9.5 line-miles covering Bell 3, 4, 5, and 6.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 454.

LORRAINE,	LORREX	(93N-2)	(Fig. D, No. 88)	By J. A. Garnett
LOCATION:	Lat. 55°	55'	Long. 125° 27'	(93N/14W)
	OMINEC	CA M.D. T	Thirty-five miles northeast	of Germansen Landing,
	2.5 mile	s north of	the headwaters of Duckling	g Creek, at approximately
	5,500 fe	et elevation	(Fig. 27).	
CLAIMS:	LORRA	INE 1 to 12	2, LORREX 1 and 2, GK 1	to 112, LORRAINE 1 to
	3 Fractio	ons.		
OWNER	K	- I	() A (

- OWNER: Kennco Explorations, (Western) Limited.
- OPERATOR: THE GRANBY MINING COMPANY LIMITED, 2000, 1055 West Hastings Street, Vancouver.
- METAL: Copper.



Figure 27. Lorraine, location map.



DESCRIPTION:

HISTORY: The malachite-stained cliffs of the Lorraine property are the most visible and best known indication of copper mineralization in the Duckling Creek area. Its presence was known for many years by local Indians, and was shown to prospectors during World War I. Claims were located by The Consolidated Mining and Smelting Company of Canada, Limited in 1943. In 1947, Kennco Explorations, (Western) Limited again located claims on the showings and have worked intermittently on the property since that time. In 1970, The Granby Mining Company Limited obtained an option on the Lorraine from Kennco, and have conducted detailed geological mapping, extensive trenching, and diamond and percussion drilling on the ore zone over the past four years. Numerous descriptions of this occurrence have been published (Armstrong, 1949; Black, 1949; Koo, 1968; Garnett, 1972B). It has been recently classified as a syenitic porphyry deposit by Sutherland Brown, *et al.* (1971).

Estimation of the drill-indicated reserves of this deposit is complicated by erratic mineralization and problems with distinguishing assay values due to secondary oxide mineralization from those due to primary sulphides. No official reserve figures have been made public to date.

GEOLOGIC SETTING: The Lorraine property lies mainly within the Duckling Creek Syenite Complex, a K-feldspar-rich phase of the Hogem batholith containing magmatic, migmatitic, and metasomatic rocks. The complex is an elongated body, approximately 3 miles by 20 miles, which trends northwest through the map-area. Numerous copper occurrences have been investigated within this complex, and the mineralization appears to be genetically related to the syenite intrusion (Garnett, 1972A).

Regional mapping of the southern Hogem batholith has indicated that the major intrusive units were emplaced as a differentiated mass during Late Triassic to Early Jurassic time. The syenitic phase intruded these units during the early Middle Jurassic, and a granitic phase crosscuts all previous units, possibly during the Early Cretaceous period (Garnett, 1974).

DETAILED GEOLOGY: The three intrusive phases documented on the regional scale are represented within the area of the Lorraine property shown on Figure 28. Monzonites and diorites (unit 2) of the main Hogem mass occur in the north half of the area. These basic rocks contain clinopyroxene as their dominant mafic constituent, with minor amounts of hornblende and biotite. Quartz, apatite, sphene, and magnetite are common accessories. In this vicinity, there are numerous orange patches evident within these otherwise fresh grey-black, medium-grained, hypidiomorphic textured rocks. This 'bleaching' increases near the border with the unit 4 syenite migmatite, and is attributed to potash metasomatism caused by the later syenite intrusion. The age relationship of unit 1 to these units is equivocal, but unit 2 clearly predates unit 4, and represents the main host rock present prior to syenite intrusion.

Unit 1 biotite pyroxenites occur as irregular pods and lenses within units 2 and 4. There is no similar occurrence of pyroxenite known elsewhere within the southern Hogem batholith, and its abundance in this particular zone is one of the major problems in unraveling the total intrusive evolution of this area. Field evidence indicates that pyroxenite lenses have shallow to moderately inclined dip directions north and south of the main ridges, occupying the main part of the circue floors. Along the central ridge area, however, and especially in the mineralized zone, pyroxenite lenses parallel



Figure 29. Poles to measured joints, Lorraine claims and vicinity.

(93N/14W)

well-defined steep migmatitic foliations. The pyroxenites within the unit 2 basic rocks contain euhedral crystals of clinopyroxene and lesser biotite enclosed by interstitial plagioclase. Within the unit 4 syenite migmatites, pyroxenite lenses have similar textures, but the interstitial material is K-feldspar. In both cases, these rocks appear to have intrusive, cumulative textures.

The unit 3 porphyries are mainly mafic-rich borders enveloping pyroxenites, exhibiting coarse porphyroblastic clusters of K-feldspar in a matrix of pyroxene and biotite with interstitial orthoclase. One tentative explanation is that unit 1 represents sill-like cumulate lenses which developed within the basic differentiating Hogem series in this area (unit 2) (see Harivel, 1972), and acted as porous sponges that were easily metasomatized by invading syenite magma, in part creating the unit 3 porphyries.

There is much variation within unit 4, ranging from pink, leucocratic, intrusive textured syenite, to dark grey foliated gneiss. Plate IX shows the migmatitic character of much of this unit, and the best mineralized sections are in the more mafic portions of similar rocks. The intrusive appearance of parts of this unit suggests that syenite magma intruded and metasomatized a body of layered monzonite-diorite and pyroxenite.

Orthoclase, microcline, and perthite are the major felsic constituents of unit 4, with minor twinned plagioclase usually present. In the mafic sections, biotite and clinopy-roxene are most common, with accessory amphibole, apatite, sphene, and magnetite. Garnets occur locally as accessory constituents, commonly in light grey migmatites.

All the previously described units are cut by the fresh holofelsic syenite of unit 5, having textures varying from pegmatitic to aplitic. These dykes and sills clearly document a second pulse of syenite intrusion and, although there is rare chalcopyrite associated with unit 5, by far the bulk of the mineralization is spatially related to the unit 4 migmatites.

Fresh pink holofelsic granites (unit 6) are common in the vicinity of the Lorraine. These dykes mainly have north to northeasterly trends and may be controlled by the similarly oriented fracture pattern indicated on Figure 29. These fine to medium-grained dykes cut all previous units, but in some localities, dykes with granite cores grade into coarse-grained syenitic borders. This may indicate a close temporal relationship between the intrusion of units 5 and 6 dykes.

The light grey plagioclase feldspar porphyry dykes of unit 7 appear to be the last pulse of intrusive activity in this area. Minor chalcopyrite mineralization is associated with similar dykes cutting unit 3 monzonites on the high ridges immediately north of the map-area.

Some of the foliated rocks noted regionally within the Duckling Creek syenite body are schistose and paragneissic in appearance, and suggest that some remnants of pre-existing metasedimentary or volcaniclastic material may be included within the migmatitic complex. Although no compelling evidence for intrusion of 'basement' rocks was noted within this map-area, it still remains a possibility based on evidence elsewhere within the complex (Garnett, 1972A).

Three steeply dipping fracture patterns can be distinguished on Figure 29. The strongest pattern is at about 105 degrees and documents the youngest fracture system, crosscutting both the northeast-trending dykes and fractures. These fractures (from 050 degrees to 075 degrees) represent the second strongest fracture set while a weaker maxima occurs at 000 degrees, dipping 60 to 70 degrees to the east.



Plate IX. Lorraine property, typical syenite migmatite (unit 4) from main mineralized zone. Light areas are pink holofelsic syenite dykelets; dark areas are fine-grained biotite-rich mafic zones containing disseminated chalcopyrite and bornite.

(93N/14W)

Faults have been determined by a combination of airphoto interpretation and brecciation noted during mapping. Numerous highly fractured zones are apparent, especially within the trenched area of the main mineralized zone. The majority of slickensides noted in such localities show shallow orientations.

MINERALIZATION AND ALTERATION: The best mineralized sections within the Lorraine orebody have several common criteria.

- (1) They occur within the foliated syenitic migmatites.
- (2) They occur mainly in the mafic-rich portions of the migmatites.
- (3) Mineralization within these zones is predominantly disseminated chalcopyrite and bornite, although veinlets and fracture fillings of these primary sulphides are occasionally present.
- (4) The significant mineralization is associated with intense secondary biotite and chlorite growth, pervasive potash feldspathization and sericitization of all feldspars, and the presence of accessory epidote and magnetite.

A symmetrical mineral zonation around this orebody has been previously described (Koo, 1968), but the present mapping was not able to confirm any uniform patterns. Rusty pyritized areas occur within the northeast periphery of the migmatite, but no clear cut pyrite halo has been mapped. Although some mineral zonation is present within local mineralized zones ranging from bornite-rich cores to pyrite-chalcopyrite peripheries, the predominance of magnetite over pyrite and the presence of bornite on this property indicates a sulphur-poor mineralizing environment. The mineralized sections appear as lenses erratically distributed through otherwise identically appearing, poorly mineralized syenitic migmatites.

Figure 30 shows the trenching across the main mineralized area and the various drilling programmes designed to evaluate this zone. Section A-B (Fig. 31) is a diagrammatic interpretation of the spatial association between significant zones of mineralization and the surrounding migmatitic rocks. The diagram is based on information obtained from examination of drill core of the indicated holes, together with study of existing drill logs and assay results supplied by The Granby Mining Company Limited. The interpretation that mineralized sections (approximate range 0.5 per cent to 1.0 per cent copper) are erratically distributed throughout the zone seems inescapable. The steeply dipping nature of these zones and their corresponding lack of horizontal correlation remains speculative.

The steepening of the pyroxenite lenses within a narrow northwest-trending belt in the vicinity of the central mineralized zone, as indicated on Figure 31, may be more apparent than real. There is no doubt that the migmatitic foliation planes have steep to vertical dips in this area. If these planes represent flow foliations along the core zone of the syenite intrusion, the resulting strong fabric could obscure or obliterate an original shallow pyroxenite layering which it intruded and feldspathized. The steep orientations of foliations measured in trenches at surface are considered by the writer to reflect the overall structural control of the mineralization whether originating by strong core zone intrusive flow, presence of remnants of steeply dipping basement rocks, or fault rotation.

Malachite-stained fractures are very common within these zones of primary sulphide concentration and contribute to the assay values. However, malachite staining is also common along fractures cutting barren syenites elsewhere on the property. Many of the fractures, which still contain primary sulphides along with malachite, contain fine leucosyenite veins. There must be a distinction made between malachite-filled fractures of



376 Figure 30. Lorraine, drill sites and trenching, main mineralized zone (locations only approximate).



Figure 31. Lorraine, diagrammatic cross-section, main mineralized zone,

377

altered, *in situ* primary sulphides and malachite-stained fractures due to leaching, transport, and later precipitation on fractures removed from the zones of significant primary sulphide mineralization. The majority of malachite-stained fractures appears to fall into the latter category.

The predominance of disseminated sulphides over fracture-filling primary mineralization and the strong spatial correlation of foliated syenite with copper sulphides have led to the interpretation that copper-bearing solutions were genetically associated with the syenites which intruded basic rocks of the Hogem batholith in lower Middle Jurassic time. A K-Ar age determination on unit 1 biotite pyroxe ite cut by syenite dykelets yielded a date of 175 ± 5 m.y. (see location, Fig. 30). This date is considered to indicate the minimum age of the syenitic intrusion and the maximum age of sulphide mineralization at the Lorraine. It substantiates the previous date (170 ± 8 m.y.) taken by Koo (1968) on similar material from this general area.

WORK DONE:

Surface diamond drilling, eight Winkie holes totalling 911 feet on Lorraine 4 (depths of holes ranged from 4 feet to 182 feet); trenching, 2,100 feet on Lorraine 2, 4, and 1 Fraction.

REFERENCES:

Armstrong, J. E. (1949), Fort St. James Map-Area, Cassiar and Coast Districts, B.C., Geol. Surv., Canada, Mem. 252; Black, J. M. (1949), Duckling Creek, Minister of Mines, B.C., Ann. Rept., 1949, pp. 98-102; Garnett, J. A. (1972A), Preliminary Geological Map of Duckling Creek Area, B.C. Dept. of Mines & Pet. Res., Preliminary Map No. 9; Garnett, J. A. (1972B), Lorraine, B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 215-217; Garnett, J. A. (1974), Geology and Copper-Molybdenum Mineralization in the Southern Hogem Batholith, North Central B.C., C.I.M, Bull., in press; Harivel, C. (1972), Aspects of the Geology and Petrology of an Area within the Hogem Batholith, U.B.C., unpublished B.Sc. Thesis, 44 pp.; Koo, Ja Hak (1968), Geology and Mineralization in the Lorraine Property Area, Omineca Mining Division, B.C., U.B.C., unpublished M.Sc. Thesis, 107 pp.; Sutherland Brown, A., Cathro, R. J., Panteleyev, A., and Ney, C. S. (1971), Metallogeny of the Canadian Cordillera, C.I.M., Bull., Vol. 64, No. 709, pp. 37-61; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 455; Assessment Report 4850.

JO ANN (Fig. D, No. 6)

LOCATION:	Lat. 55° 57′	Long. 125° 29′	(93N/14W)
	OMINECA M.D.	Thirty miles west-northwest of	of Germansen Landing,
	13 miles northwe	st of the junction of Duckling (Creek and the Omineca
	River, between 3,	000 and 4,000 feet elevation.	
CLAIMS:	JO ANN 1 to 10,	18, 20 to 25, 26.	
OWNER:	UNION MINIER	E EXPLORATIONS AND MIN	IING CORPORATION
	LIMITED, 200, 4	299 Canada Way, Burnaby.	
DESCRIPTION:	The claims are alm	nost entirely soil covered. One o	outcrop of hybrid basic
	diorite was obse	rved. These claims cover abo	ut 1 mile of contact
	between intrusive	syenites and more basic K-felds	par hybrid monzonite.

WORK DONE: Ground magnetometer survey, 13 line-miles covering all claims; grid and frequency-domain IP survey, 2 line-miles covering Jo Ann 5, 7-10, 18, 20-23; surface diamond drilling, two holes totalling 250 feet on Jo Ann 7.

REFERENCES: Assessment Reports 4273, 4676.

TAM (93N-93) (Fig. D, No. 119)

LOCATION: Lat. 56° 00' Long. 125° 30' (93N/14W, 13E; 94C/3, 4) OMINECA M.D. Thirty-five miles northwest of Germansen Landing, on Haha Creek, at approximately 6,000 feet elevation.

CLAIMS: TAM 1 to 20, HAM 1 to 52, REM 1 to 94, AMP 1 to 13.

OWNER: UNION MINIERE EXPLORATIONS AND MINING CORPORATION LIMITED, 200, 4299 Canada Way, Burnaby.

METAL: Copper.

DESCRIPTION: Chalcopyrite occurs mainly as disseminations within foliated syenites cutting hybrid diorites and monzonites of the Hogem batholith.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering Rem 1-94 and 1 inch equals 400 feet covering Tam 1-20 and Ham 1-52; ground magnetometer survey, 38 line-miles covering Tam 1-20, Amp 1-7, Rem 1-30, and Ham 1-52; geochemical soil survey, 1,900 samples, 70 line-miles covering Rem 1-94, Ham 1-52, Tam 1-20, and Amp 1-7; surface diamond drilling, two holes totalling 250 feet on Ham 47.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 454; Assessment Report 4737.

BOX (VALLEY) (93N-6) (Fig. D, No. 89)

LOCATION:	Lat. 55° 52′ Long. 125° 12′ (93N/14E)
	OMINECA M.D. Twenty-one miles west of Germansen Landing,
	straddling the Uslika Lake road.
CLAIMS:	BOX 1 to 10, 15 to 24, 29 to 38, 43 to 62, BOX 1 to 4, 7 to 10, 13 to
	16, 19 to 26 Fractions.
OWNER:	NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie
	Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	Mineralization consists of disseminated chalcopyrite in the country
	rock, volcanic rocks, and in granitic dykes.
WORK DONE:	1972 - linecutting and IP survey, approximately 7 line-miles; 1973 -
	surface diamond drilling, three holes totalling 582 feet.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 211; Assessment
	Reports 3879, 4432

VERNON, BUD (93N-10, 75, 76) (Fig. D, No. 90)

- LOCATION:Lat. 55° 58'Long. 124° 48'(93N/15)OMINECA M.D.North of the Omineca River, 5 miles north of Nina
Lake, between 3,600 and 3,900 feet elevation.CLAIMS:CRIN 1 to 56.OWNER:COMINCO LTD., 200 Granville Square, Vancouver.METALS:Lead, zinc.
- DESCRIPTION: Sphalerite and galena occur in Middle Devonian carbonates lying between members of the Wolverine complex and the Nina Lake volcanic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; geochemical soil survey, 1,095 samples taken at 100 by 400-foot grid spacing covering Crin 1-4, 14-16, 25-31, 36, 37, 39-51, 55, 56.
 REFERENCE: Assessment Report 4815.
- OSI (93N-170) (Fig. D, No. 91)
- LOCATION: Lat. 56° 00' Long. 124° 46' (93N/15W; 94C/2W) OMINECA M.D. Seven miles north of Nina Lake, between 4,500 and 5,000 feet elevation.
- CLAIMS: OSI 1 to 24.

OWNER: S.E.R.E.M. Ltd. in trust with Bergminex Associates.

OPERATOR: S.E.R.E.M. LTD. on behalf of BERGMINEX ASSOCIATES, 770, 2100 Drummond Street, Montreal, P.Q. H3G 1X1.

METALS: Lead, zinc (silver).

- DESCRIPTION: The claims are underlain by a massive, thick-bedded, grey to black limestone unit with fine grey, sometimes brecciated, coarse white-cream dolomitic zones which is overlain by grey slates (Middle Devonian ?). Mineralization includes disseminated fine galena, coarse light sphalerite, and minor pyrite in stockworks crosscutting the carbonate unit. Iron oxide and cerussite occur in bleached stockwork.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering Osi 1-8; geochemical survey, 714 soil samples taken at 400 by 200-foot grid spacing on Osi 1-24 and 200 by 50-foot grid spacing on Osi 2 and 17 and 42 rock samples taken at irregular intervals; linecutting on Osi 1-24.
 REFERENCE: Assessment Report 4955.

SHEILA (93N-172) (Fig. D, No. 94)

LOCATION:	Lat. 55° 54′	Long. 124° 42′	(93N/15E)
	OMINECA M.D.	Nine miles due north of German	sen Landing, on the
	south end of Ech	o Lake, between 4,000 and 5,000 t	eet elevation.
CLAIMS:	SHELLA 1 to 48.		
OWNER:	DOUGLAS STEL	LING, Bag 25, Fort St. James.	
METALS:	Lead, zinc.		

- DESCRIPTION: The claims are underlain by slate to the south and limestone to the north. The limestone nearest the contact is dolomitized and in places mineralized. The mineralization consists of sphalerite and galena with barite in dolomite breccia near the limestone-slate contact.
- WORK DONE: Geochemical survey, 325 soil samples taken at 100 by 200-foot grid spacing on Sheila 27-30; 31 soil samples taken at 200-foot intervals along claim lines; and 14 rock samples taken across the showing.
 REFERENCE: Assessment Report 4899.

PINE PASS 930

NICK (93J-14) (Fig. D, No. 148) LOCATION: Lat. 55° 00' Long. 123° 17' (93J/14W; 93O/3W) Report on this property in section 93J/14W.



1. YEW, page 386. 2. ASH, page 387. 3. BERTHA, page 466. 4. BOB, page 388. 5. PIKA, page 400. 6. SR, page 406. 7. VAN, DOLL, LAST, FINE, page 388, 8. GOLD, page 461. 9, PINE, page 456. 10. MARMOT, page 435. 12. BIRCH, page 445. 13. DEW, page 461. 14. NABE, page 385. 15. WIND, page 384. 16. DEV, page 385. ROBB LAKE, page 389. 17. 18. VAN, DOLL, LAST, FINE, page 388, 19. RON, page 388. 20. DWG COPPER, page 447. 21. ARP, page 401. 22. FRED, BOBO, MARG, page 400. 23, PAC, CAN, page 401. 24, BEAR, page 401. 25. HORN, page 402. 26. IN, CON, MOTASE A, page 405. 27. RED, page 404. 28. MP, page 405. 29. CRAMP, MAGNUM, page 404. 30. OUT, page 405. 31. SUN, page 403. 32. PAT, page 403. 33, RIM, page 402. QUIN, page 403. 34. BEST, MAR, page 445. 35. 36. NO. 1, NO. 2, A, page 444. 37. GO, page 416. ROY, page 444. 38. 39. ASITKA, page 410. 40. ASITKA (SIT GROUP), page 410. 41. LIZ, page 409. 42, PAD, page 408. 43. RINGO, page 409. 44. PLUTO, page 407. 45. PAT, page 407. 46. A, page 407. 47. DAY, page 408. 48. SUSTUT COPPER, page 417. 49. BOW, page 455. 50. NIKOS, page 455. 51. PUT, HUMP, page 457. 52. KLI, page 409.

- 53. BARN, BEAR, page 446.
- 54. Z, page 410.

- 55. GRIZZLY-ORK, page 445.
- 56. D, page 443.
- 57. B, page 444.
- 58. CARLOS, PIKE, page 446.
- 59. GRANITE BASIN, page 397.
- 60. SARAH, page 398.
- 61. RAIN, page 399.
- 62. SWAN, page 399.
- 63. BURN, page 398.
- 64. GR, page 397.
- 65. GAIL, page 396.
- 66. OY page 396.
- 67. DAVE, page 396.
- 68. GREG, page 390.
- 69. TRI, page 467.
- 70, TRAP, page 463.
- 71. QYR, IRA, page 467.
- 72, LYNDA, page 464.
- 73. TRIM, page 464,
- 74. DOPP, page 463.
- 75. DEV, page 464.
- 76. INBE, page 466.
- 77. EGG, FOO, page 468.
- 78. KEI, page 469,
- 79, RIC, page 471,
- 80. RUST, page 469.
- 81. BE PLATEAU, page 468.
- 82. BE VALLEY, page 468.
- 83. CHAPPELLE, page 459.
- 84. WAS, PIT, JUG, page 461.
- 85. LAWYERS (SAUNDERS), page 460.
- 86. SHAS, page 457.
- 87. RPM, page 462,
- 88. FRED, page 463.
- 89. DOG, page 477.
- 90, JOAN, page 477.
- 91. MAGNUM MINE, page 478.
- 92. BY, page 479.
- 93. LINDA, ACE, page 385.
- 94. BRIN, page 387.
- 96. TIE, page 406.
- 97. E, page 443.
- 57. E, page 443.
- 98. ARD, page 411.
- 99. DD, page 446.
- 100. BELL, page 457.
- 101. RIGA, page 456.
- 102. CLAW, page 462.
- 103. BOOT, page 466.
- 104. JR, page 465.
- 105. LAD, page 465.
- 106. CHILDHOOD DREAM, page 390.
- 107. BRIN, page 384.
- 108. BEVELEY, page 390.
- 109. WILLOW, page 432.
- 110. TOM, ROY, BETH, page 408.

HALFWAY RIVER 94B

BRIN (Fig. E, No. 107)

- LOCATION: Lat. 56° 19′ Long. 123° 30′ (94B/5E, 6W) LIARD M.D. Forty miles south-southeast of Robb Lake, extending from Gauvreau Peak, southeast almost to the West Nabesche River, thence northeast to the Nabesche River.
- CLAIMS: BRIN, VALE, ALPINE, KNOB, LOW, QUAD, PAIR, totalling approximately 160.

OWNER: BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602 West Hastings Street, Vancouver.

- DESCRIPTION: The broad Bernard anticline plunges steeply south through the middle of the claim area and is flanked on the west by a tight south-plunging syncline. Nonda dolomite and interbedded sandstone and quartzite form the core of the anticline, and Muncho-McConnell dolomite, Wokkpash sandstone, and Stone and Dunedin (?) dolomites wrap successively around the nose. The Dunedin (?) Formation is overlain by dark shaly limestone containing a thin layer of black shale. This sequence is repeated to the southeast by a northeast-striking high-angle fault. Dark shales and intercalated andesite tuff beds, probably of the Kechika Group, are thrust onto the syncline from the west.
- WORK DONE: Surface geological mapping, 1:50,000 covering all claims; geochemical silt survey, 258 samples taken at approximately 200-foot intervals from three drainage systems.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 462; Assessment Reports 4204, 4874.
- WIND (94B-10) (Fig. E, No. 15)
- LOCATION:Lat. 56° 16'Long. 123° 26'(94B/6W)LIARD M.D.North of the West Nabesche River, 7 miles due north of
Mount Burden, between 5,800 and 5,900 feet elevation.CLAIMS:BLOW 1 to 44.

OWNER: B.X. Developments Limited.

OPERATOR: COMINCO LTD., 2200, 200 Granville Square, Vancouver.

METALS: Zinc, (lead).

DESCRIPTION: Massive dolomites of the Silurian Nonda Formation are overlain by Lower (Muncho-McConnell Formation, arenaceous dolomite, 250 feet), Middle (Stone Formation, arenaceous dolomite, 1,145 feet; Pine Point Formation, fossiliferous and massive carbonates, 662 to 693 feet; Slave Point Formation, fossiliferous carbonates, 183 to 220 feet), and Upper Devonian (Beaverhill Lake Formation, limestone and shale; Muskwa Formation, shale) strata. Mineralization occurs in Pine Point (minor) and Slave Point (major) Formations, mainly sphalerite with minor galena.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; surface diamond drilling, six holes totalling 995 feet on Blow 5, 7, and 18.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 462.

DEV (94B-11) (Fig. E, No. 16)

LOCATION:	Lat. 56° 17′		Long. 123	3° 24′	(94B/6W)		
	LIARD M.D. Nabesche River watershed, 8.5 miles due north of Mount						
	Burden, at app						
CLAIMS:	DEV 264 to 3	03.					
OWNER:	CANADIAN S	SUPERIC	OR EXPLORA	TION LIMITED	D, 2201, 1177 West		
	Hastings Stree	t, Vanco	uver.				
METALS:	Lead, zinc.						
DESCRIPTION:	The claim are	a is unde	rlain by limes	tone and dolomi	te of the Devonian		
	Stone and [Dunedin	Formations.	Mineralization	occurs in minor		
	sphalerite and	galena.					
WORK DONE:	Surface geolo	gical ma	pping, 1:10,0	00 covering all	claims; linecutting,		
	21 miles of grid; geochemical soil and rock-chip survey, approximately						
	500 samples taken at 200 by 400-foot grid spacing covering Dev 264,						
	266, 268, 270	, 272, 27	4, 276, 278, 2	280, 282, and 28	4-303.		

REFERENCE: Assessment Report 4791.

NABE (Fig. E, No. 14)

.

LOCATION:	Lat. 56° 18′ Long. 123° 23′	(94B/6W)								
	LIARD M.D. Between West Nabesche River, and east of and north									
	the Nabesche River property, at approximately 6,100 feet elevation.									
CLAIMS:	NABE 7, 9 to 47, 49, 51 to 56, 61 to 72, 86, 87, 118 to 141.	NABE 7, 9 to 47, 49, 51 to 56, 61 to 72, 86, 87, 118 to 141.								
OWNER:	COMINCO LTD., 2200, 200 Granville Square, Vancouver.									
METALS:	Lead, zinc.									
DESCRIPTION:	Sphalerite occurs in breccias contained within carbonate rock	s of Upper								
	Devonian age.									
WORK DONE:	Geochemical soil survey, 118 samples covering Nabe 37-40; surface									
	diamond drilling, three holes totalling 566 feet on Nabe 35, 36, and 38.									
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 462.									
LINDA, ACE	(Fig. E, No. 93)									
LOCATION:	LINDA 1 to 16, 26, 27, 31, 32 and ACE 61 to 70, 93 to 100	_								
	Lat. 56° 42' Long. 123° 44'	94B/12E)								
	LIARD M.D. One mile northeast of Lady Laurier	Lake, at								
	approximately 6,000 feet elevation.	, ,								
ACE 31, 33, 35, 37, 39, 51 to 60, 85 to 90										

Lat. 56° 41'Long. 123° 42'(94B/12E)LIARD M.D.On Reef Mountain, 1 mile east of Lady Laurier Lake, at
approximately 6,000 feet elevation.

(94B/12E, 11W)

- CLAIMS: LINDA 1 to 16, 26, 27, 31, 32, ACE 31, 33, 35, 37, 39, 51 to 70, 85 to 90, 93 to 100.
- OWNER: BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602 West Hastings Street, Vancouver.

METAL: Zinc.

- DESCRIPTION: The claims northeast of Lady Laurier Lake are underlain largely by dark shales, with lensy intercalations of quartzite, dolomite, and limestone. Most of the rocks are assigned to the Nonda Formation. They have been thrown into a tight syncline and thrust eastward onto the Besa River Formation. The claims on Reef Mountain are mainly underlain by a greatly thickened momoclinal sequence of Stone and Dunedin dolomite breccia. To the northwest a normal fault separates this sequence from a dome of Nonda-banded dolomite.
- WORK DONE: Surface geological mapping, 1 inch equals 20,000 feet covering all claims; geochemical survey, 9 rock samples, 82 silt samples, and 19 soil samples covering claims on Reef Mountain.
- REFERENCE: Assessment Report 4772.

- YEW (Fig. E, No. 1)
- LOCATION: Lat. 56° 36.5'-39.5' Long. 123° 28'-32.5' (94B/12E, 11W) LIARD M.D. One hundred and ten miles west-northwest of Fort St. John, the claim group centre is 2 miles southwest of the junction of Horn Creek and the Graham River.
- CLAIMS: YEW 7 to 12, 35, 37 to 42, 65 to 70, 89 to 94 (Anchor Mines Ltd.), YEW 13 to 20, 43 to 48, 71 to 76, 78, 95 to 98 (Advent Developments Inc., formerly Alwin Mining Co. Ltd.), YEW 1 to 6, 29 to 34, 36, 57 to 64, 85 to 88 (Pacific Jade Industries Ltd., formerly Geneva Resources Ltd.), YEW 21 to 28, 49 to 56, 77, 79 to 84 (Bralorne Resources Limited).
- OWNERS: ANCHOR MINES LTD., 1250 One Bentall Centre, 505 Burrard Street, Vancouver; ADVENT DEVELOPMENTS INC., 1250 One Bentall Centre, 505 Burrard Street, Vancouver; PACIFIC JADE INDUSTRIES LTD., 660 One Calgary Place, Calgary, Alta.; BRALORNE RESOURCES LIMITED, 1005 One Bentall Centre, Vancouver.
- DESCRIPTION: The northern portion of the claims is underlain by Besa River Formation shales and the southern portion by Middle Devonian (Dunedin Formation ?) carbonate. The contact between the rock units is a major westerly dipping thrust fault which strikes north-northwest.
 WORK DONE: 1972 – geochemical survey, 1,150 samples collected at 200-foot
- intervals on 800-foot lines and analysed for lead, zinc, and cadmium. REFERENCES: Assessment Reports 4143, 4291, 4293, 4295.

BRIN (Fig. E, No. 94)

LOCATION:	Lat. 56°	40'	Long. 123° 35'						(94B/12E)			
	LIARD	M.D.	Covering	an	area	10	miles	long	by	3	miles	wide,
	extending northwest and centred 3 miles east of Lady Laurier Lake.											
CLAIMS:	BRIN 26	64 to 3	21, 326 to	337	, 339	to 4	51, WE	EST 1	to 5	i,		

OWNER: BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602 West Hastings Street, Vancouver.

METALS: Lead, zinc.

- DESCRIPTION: The claims are underlain by Nonda, Stone, and Dunedin dolomites and Besa River shales, which lie for the most part on the northeast flank of the Bernard anticline. This limb is broken by a steep thrust in the Nonda and by two cross-faults near the centre of the claims. To the northwest the anticline terminates in a small dome, and the northwest claims are underlain by shales. Between the two cross-faults the Dunedin dolomite is entirely brecciated, and southwest of a small lake contains some sphalerite and galena. To the southeast, on the northwest wall of a creek valley, Dunedin dolomite is strongly recrystallized and contains much secondary quartz near the upper contact; some galena and sphalerite are present.
- WORK DONE: Surface geological mapping, 1:50,000 covering all claims; geochemical survey, 1,050 soil samples and 239 rock samples covering Brin 345-348 and 400-403.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 462; Assessment Reports 4142, 4772, 4873.

BERTHA (Fig. E, No. 3)

LOCATION: Lat. 56° 59' - 57° 13.5' Long. 123° 44.5' - 52.5' (94G/4; 94B/13W) Report on this property in section 94G/4.

ASH (Fig. E, No. 2)

- LOCATION: Lat. 56° 42.8'-45.7' Long. 123° 35.5'-38.7' (94B/12E, 13E) LIARD M.D. Approximately 115 miles west-northwest of Fort St. John, the centre of the claim group is 7 miles east-northeast of Mount Lady Laurier.
- CLAIMS: ASH 9 to 18, 35, 37 to 44, 63 to 70, 72, 79 to 98 (Acheron Mines Ltd.), ASH 19 to 26, 45 to 52, 71, 73 to 78, 99, 100 (Advent Developments Inc., formerly Alwin Mining Co. Ltd.), ASH 1 to 8, 27 to 34, 36, 53 to 62 (Bralorne Resources Limited).
- OWNERS: ACHERON MINES LTD., 107, 325 Howe Street, Vancouver; ADVENT DEVELOPMENTS INC., 1250 One Bentall Centre, Vancouver; BRALORNE RESOURCES LIMITED, 1005 One Bentall Centre, Vancouver,
- DESCRIPTION: Shale and siltstone of the Upper Devonian Besa River Formation underlies the claim area.

WORK DONE: 1972 – geochemical survey, 1,333 samples taken at 200-foot centres along 800-foot lines and analysed for lead, zinc, and cadmium.

REFERENCES: Assessment Reports 4144, 4292, 4294.

BOB (Fig. E, No. 4)

LOCATION: Lat. 56° 45.6'-46.5' Long. 123° 37.6'-39.8' (94B/13E) LIARD M.D. Approximately 120 miles west-northwest of Fort St. John, 6.5 miles easterly of Mount Lady Laurier.

CLAIMS: BOB 12, 14, 16, 18, 20, 31 to 40, 51 to 60.

- OWNER: ANCHOR MINES LTD., 1250 One Bentall Centre, 505 Burrard Street, Vancouver.
- DESCRIPTION: The claim group is underlain by shale and siltstone belonging to the Upper Devonian Besa River Formation.
- WORK DONE: 1972 geochemical soil and silt survey, 383 samples collected at 200-foot intervals along 800-foot lines and analysed for zinc and cadmium.
- REFERENCE: Assessment Report 4296.

VAN, DOLL, LAST, FINE (Fig. E, Nos. 7 and 18)

- LOCATION: Lat. 56° 52.5'-58.0' Long. 123° 30'-38' (94B/13E) LIARD M.D. Approximately 9 miles east of Robb Lake.
- CLAIMS: VAN 1 to 36, DOLL (50 claims), LAST 10 to 19, 22 to 28, FINE (50 claims), A 1 to 40, A 2 Fraction, B 1 to 41, NANCY 1 to 6 Fractions, FIR 1 to 40, WORTH 1 to 32, WAT 1 to 24, ITS 1 to 24, UKE 1 to 26, XIT 1 to 50, ZUK 1 to 40, YES 1 to 20, WOE 1 to 34, COKE 1 to 19, MDA 1 and 2, STP 1 to 6.
- OWNER: T. Rolston,
- OPERATORS: T. & C. MANAGEMENT LTD., 520, 602 West Hastings Street, Vancouver; TEXAL DEVELOPMENT LTD., 5th Floor, 134 Abbott Street, Vancouver; GOLD RIVER MINES LIMITED, 802, 1433 Burnaby Street, Vancouver.
- DESCRIPTION: The property is underlain mainly by carbonate rocks and shales belonging to the Prophet Formation of Mississippian age. No mineralization was located.
- WORK DONE: Airborne magnetometer survey and VLF EM survey, 500-foot ground clearance, line spacing approximately 1,000 feet.
- REFERENCES: Assessment Reports 4391, 4392, 4519, 4520.

RON (94B-12) (Fig. E, No. 19)

LOCATION:Lat. 56° 59'Long. 123° 41'(94B/13E)LIARD M.D. Six miles northeast of Robb Lake, at 5,000 feet
elevation on a due south flowing tributary of Halfway River.CLAIMS:RON 1 to 40.

(94B/13)

- OWNER: BUCKHORN MINES LTD., 1000, 1055 West Hastings Street, Vancouver.
 METALS: Zinc, lead, (iron).
 DESCRIPTION: The principal showings involve medium to thick-bedded dolomite with argillaceous and sandy dolomite interbeds. The dolomite contains numerous brecciated horizons, some of them finely mineralized.
 WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering Ron 17-20; geochemical soil survey, 716 samples covering Ron 17-22 and 27-30; surface diamond drilling four holes totalling 815 feet on Ron 19 and
- surface diamond drilling, four holes totalling 815 feet on Ron 19 and 20.
- REFERENCE: Assessment Report 4196.
- ROBB LAKE (94B-5) (Fig. E, No. 17)
- LOCATION: Lat. 56° 55' Long. 123° 40' (94B/13) LIARD M.D. Five miles northeast of Robb Lake, at approximately 5,000 feet elevation.
- CLAIMS: AD, BELL, BM, CLEO, DEN, FBW, FG, JOSH, KIM, LD, LISA, MART, MB, MV, NMW, NORM, NU, REX, ROB, totalling approximately 661.
- OWNERS: Ecstall Mining Limited, Barrier Reef Resources Ltd., and Arrow Inter-America Corporation.
- OPERATORS: CORDILLERAN ENGINEERING LIMITED, ECSTALL MINING LIMITED, BARRIER REEF RESOURCES LTD., and ARROW INTER-AMERICA CORPORATION, c/o 1418, 355 Burrard Street, Vancouver.
- METALS: Lead, zinc.
- DESCRIPTION: The area is underlain by a thick sequence of Lower and Middle Paleozoic sedimentary rocks, the most important being dolomite of the Middle Devonian Stone Formation. Sphalerite, galena, and some pyrite occur in brecciated dolomite, mostly within the Stone Formation.
- WORK DONE: Time-domain IP survey, 11.5 line-miles covering Cleo 1-4, 105-108, 142, MV 73-87, 80, Rex 1 Fraction, Rob 15-17, 23, 41-44, 47, and Rob 57 Fraction; surface diamond drilling, 12 holes totalling 8,975 feet on Rob 16, 17, 41, 43, Cleo 1, 2, 107; and MV 23; grid cut, 9,200 feet.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 463-473; Assessment Report 4554.

FORT GRAHAME 94C

OSI	(93N-170	}	(Fig. D,	No. 91)		
LOCAT	ION:	Lat.	56 [°] 00'		Long. 124° 46'	(93N/15W; 94C/2W)
		Rep	ort on this property in section 93N/15W.			

LOCATION:	Lat. 56° 10′	Long. 124 [°] 54′	(94C/2W)				
	OMINECA M.D.	Eight miles northeast of Wasi Lal	ke, on the north side				
	of Osilinka River, a	at approximately 4,000 feet eleva	ition.				
CLAIMS:	Mineral Leases M-125 (CHILDHOOD DREAM, Lot 5748), M-128 (PAN						
	RICH, ROSIE, BE	TSY, Lots 5749 to 5751).					
OWNER:	Lorne Ross.						
OPERATOR:	CARPIQUET MIN	ES LTD., Box 157, Ashcroft.					
METALS:	Lead, zinc.						
DESCRIPTION:	Pyrite, galena, and	sphalerite occur as replacement of	deposits along shears				
	in limestone and do	plomite.					
WORK DONE:	Geochemical soil s	urvey, 145 samples, 5.5 line-mile	s covering all claims;				
	linecutting, 5.5 mil	es of grid.					
REFERENCES:	Minister of Mines,	B.C., Ann. Rept., 1930, p. 152;	1952, p. 103; <i>Geol.</i>				
	Surv., Canada, Men	n. 2 74, p. 200.					

(Fig. E, No. 106)

(94C-29)

GREG (Fig. E, No. 68)

CHILDHOOD DREAM

Lat. 56° 03' Long. 125° 01'	(94C/3E)					
OMINECA M.D. Two miles northeast of Wasi Lake.						
GREG 1 to 6, 11 to 14.						
PECHINEY DEVELOPMENT LIMITED, 701, 744 We	st Hastings					
Street, Vancouver V6C 1A5.						
The claims extend across the contact between a limestone division and						
a volcanic division of the Cache Creek Group.						
Surface geological mapping, 1 inch equals 300 feet; ground magneto-						
meter survey, 6.5 line-miles; geochemical soil survey, 307 samples taken						
at 100 by 400-foot grid spacing covering all claims.						
Assessment Report 4620.						
	Lat. 56° 03' Long. 125° 01' OMINECA M.D. Two miles northeast of Wasi Lake. GREG 1 to 6, 11 to 14. PECHINEY DEVELOPMENT LIMITED, 701, 744 We Street, Vancouver V6C 1A5. The claims extend across the contact between a limestone a volcanic division of the Cache Creek Group. Surface geological mapping, 1 inch equals 300 feet; grour meter survey, 6.5 line-miles; geochemical soil survey, 307 sa at 100 by 400-foot grid spacing covering all claims. Assessment Report 4620.					

BEVELEY	(94C-23)	(Fig. E, I	No. 108)			By J. A.	Garnett
LOCATION:	Lat. 56°	10'	Long.	125 [°] 03′		(9	4C/3E)
	OMINEC east of th	CA M.D. ne junctio	One-half mile n of Tenakihi (north of t Creek.	he Osilinka	River,	3 miles
CLAIMS:	GAEL 1,	, 2, 4 to 1	1, GAEL 3 Fra	ction.			
OWNER: DESCRIPTION	R. HALI						

INTRODUCTION: The Beveley property is situated near the top of a 4,000-foot high limestone ridge on the north side of the Osilinka River valley, about 3 miles east of its junction with Tenakihi Creek. The claims were investigated over a four-day period in August, 1973 on the invitation of R. Hall, the owner of several claims within the main mineralized area of this property. Most of the trenches were traversed, and systematic chip samples of the best exposed mineralization were taken. Many of the trenches are partially sloughed. In addition, natural outcrops are scarce, although overburden is



Plate XA. Beveley, veinlets of galena occur as bands and disseminations in dolomite-barite rock. The bands may follow relict bedding. Euhedral crystals of barite can be seen in the centre of the photograph. Note also the post-mineral fracture offsetting galena bands (from trench E4E-159).



Plate XB. Beveley, fine infillings of galena throughout matrix of fault contain rusty brown ferrodolomite and barite and light grey dolomite (from trench G1-275).

(94C/3E)

generally less than 3 feet thick in this vicinity. No attempt was made to map the area in any detail, but representative samples of mineralization and typical rock types were taken, and bedding and cleavage attitudes were recorded. D. V. Lefebure assisted the writer in the field, and subsequently conducted detailed petrographic studies on the collected samples. The results of his study are contained in an undergraduate thesis completed at Queen's University (Lefebure, 1974) and certain pertinent aspects of this research are incorporated in this report.

HISTORY: Galena was discovered on this property by Alexander Leggatt, prospecting for Cominco Ltd. in 1946. From 1947 to 1951, Cominco mapped the property and completed 8,000 feet of hand trenching and 12 diamond-drill holes. During this period, the property was visited briefly and reported on by Roots (*Geol. Surv., Canada,* 1954) and McCammon (*Minister of Mines, B.C.,* Ann. Rept., 1952).

Cominco's claims lapsed in 1962. No further work was done until 1966, when a syndicate was formed (E. D. Vinnedge and Associates), of which Mr. Leggatt was a principal. This group opened up additional zones of mineralization with a bulldozer, and in 1967 optioned the property to Donna Mines Ltd. Over a two-year period, they completed the following work:

- (1) Approximately 10 miles of access road from Tenakihi Creek to a central base camp at elevation 5,000 feet.
- (2) Geological and geophysical surveys.
- (3) 6,700 feet of bulldozer trenching.
- (4) 19,000 feet of backhoe trenching,
- (5) A 1,000-foot adit under E section.
- (6) One 200-foot percussion hole and three diamond-drill holes totalling 500 feet.

Since 1969 there has been no significant work done on the property and it is believed that the option has been dropped by Donna Mines Ltd., and all accumulated data turned back to R. Hall, one of the original partners of E. D. Vinnedge and Associates.

GEOLOGY: Mineralization on this property occurs within the 'limestone' sequence of the Ingenika Group. This group forms a sequence 18,000 feet thick that consists of four dominant rock types and their metamorphic derivatives. These are, respectively, greywackes altered to slates, phyllites, schists, and quartzites; sandstones and quartzites; conglomerates; and limestones. This sequence was deposited in Late Proterozoic and Early Cambrian time and subsequently underwent low-grade regional metamorphism (Roots, 1954).

Examination of the rock types in the trenched areas indicated the following mappable units in order of abundance: white to grey dolomite, grey to black limestone, brown ferrodolomite, and minor brown sericite schist and phyllite. Barite lenses and stringers cut the limy units. All these units are highly fractured and folded. Bedding-cleavage relationships together with measurement of minor fold orientations and related lineations


ω	
S	
4	

TRENCH NO. AND FOOTAGE (0 footage at east end)	WIDTH (feet)	GOLD (oz. per ton)	SILVER (oz. per ton)	LEAD (per cent)	ZINC (per cent)	Ba (as per cent barite)
E3-5-11	6	Tr.	Tr.	Tr.	Tr.	
E3-11-44	33	Tr.	Tr.	Tr.	Tr,	
E3-68-93	25	Tr.	Tr.	0.01	0.02	
E3-200-218	18	Tr.	Tr.	0.17	0.04	5.2
E3-218-249	31	Tr.	0.1	1.1	0.36	20.6
E3-249-269	20	Tr.	0.2	0.83	0.19	8.6
E3-269-296	27	Tr.	0.1	0.74	Tr.	22.8
E3–296-344	48	Tr.	0.1	1.3	0.11	15.0
E3—378-464N	86	Tr.	0.2	0.96	Tr.	30.1
E3-378-425S	47	Tr.	⊤r.	0.01	Tr.	
E4E-137-200	63	Tr.	Tr.	0.52	0.15	14.7
G1300-320	20	Tr.	0.5	2.8	0.40	9.8
07-314-344	30	Tr,	0.4	1.4	0.20	
07—344-363	19	Tr.	Tr.	0.25	0.30	17.2
07-363-386	23	Tr.	Tr.	0.28	0.01	
07-410-430	20	Tr.	0.2	0.29	0.19	24.0
H4100	selected grab	Tr.	28.0	9.2	0.10	

(94C/3E)

indicate that this sequence has been folded into tight northwesterly to northerly trending, flexural flow folds with shallow, undulating plunge directions. Figure 32 illustrates this general interpretation, and also indicates a spatial relationship between hinge zones of antiforms and lenticular zones of mineralization that may be significant.

These observations may correlate with the interpretation that the major structure of the area is a northwesterly trending anticline plunging gently northward (McCammon, 1952).

MINERALIZATION: The main sulphide mineral noted in the trenches is galena, which occurs as veinlets and disseminations in barite masses cutting grey dolomite. In some cases, the veinlets roughly parallel relict compositional banding (Plate XA). Galena also occurs as stockwork veinlets and fracture fillings in brecciated grey dolomites and brown ferrodolomites (Plate XB). White coatings of anglesite (PbSO₄) and cerrusite (PbCO₃) were noted in oxidized rubble at the overburden-bedrock interface in trenched areas.

Crosscutting calcite stringers are common features in all trenches. Barite occurs as massive crystalline veins and patches directly associated with the best sulphide mineralization.

Lefebure's petrographic work documents that sphalerite, although difficult to recognize in the field, occurs commonly as small rounded blebs in the galena. Acanthite $(Ag_2 S)$, the most common silver mineral, also occurs as inclusions in galena. By staining of representative specimens, he was able to indicate a direct correlation between the intensity of dolomitization in original limestone units and the presence of sulphides. His conclusion was that dolomitization preceded sulphide deposition in this area, since the galena-barite veins clearly crosscut dolomitized sections. This dolomitization resulted in increased porosity, as evidenced by vugs and open space textures, and therefore enhanced the environment for deposition.

Pyrite, locally a common accessory in all limy units, also occurs as small rounded grains within sulphide veins, or as large irregular masses associated with sphalerite.

Chip samples were taken as systematically as possible along the vertical bedrock face of trenches where visible mineralization was exposed. Other trenches within the linear mineralized zones indicated on Figure 32, although not sampled, contain similar sulphide-bearing sections. The samples were fractioned to correspond to variations in rock type and sulphide content.

Figure 32 indicates the areas sampled and the following table shows the assay results determined by atomic absorption techniques in the Department of Mines and Petroleum Resources analytical laboratory.

REFERENCES: Lefebure, D. V. (1974), The Beveley Property, A Lead-Silver Prospect in North-Central British Columbia, unpub. B.Sc. Thesis, *Queen's University*, 47 pp.; McCammon, J. W. (1952), Osilinka River - Nina Lake Area, *Minister of Mines, B.C.,* Ann. Rept., 1952, pp. 98-109; Roots, R. F. (1954), Geology and Mineral Deposits of Aiken Lake Map-Area, B.C., Beveley Group, *Geol. Surv., Canada,* Mem. 274, p. 228.

(94C/3W)

- DAVE (94C-76) (Fig. E, No. 67)
- LOCATION: Lat. 56° 07' Long. 125° 23' (94C/3W) OMINECA M.D. Eight miles north-northwest of Uslika Lake and 26 miles north of Germansen Landing, at approximately 5,000 feet elevation.

CLAIMS: DAVE 1 to 18.

- OWNER: PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings Street, Vancouver V6C 1A5.
- METAL: Copper.
- DESCRIPTION: The claims extend across the contact zone between Takla Group volcanic rocks and the Hogem batholith, which here consists of fine-grained quartz monzonite intricately intruding medium-grained quartz monzonite. Both phases have been cut by fractures striking north 30 degrees west and north 40 degrees east. The northwest set is marked by limonite gossan zones 1 to 8-foot wide, which contain chalcopyrite and pyrite pods, quartz-specularite veins, and quartz-epidote veins carrying disseminated chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 500 feet; geochemical survey, 14 line-miles, 340 soil samples taken at 100 and 200-foot intervals on lines 400 feet apart and 22 rock samples taken from gossan areas covering all claims.
- REFERENCE: Assessment Report 4619.

OY (94C-71) (Fig. E, No. 66)

- LOCATION: Lat. 56° 09' Long. 125° 30' (94C/3W) OMINECA M.D. Forty-eight miles northwest of Germansen Landing, straddling Tenakihi Creek, between a series of small lakes, at approximately 6,000 feet elevation.
- CLAIMS: OY 1 to 40, DUD 1 to 8.
- OWNER: AMOCO CANADA PETROLEUM COMPANY LTD., Mining Division, 2160, 1055 West Hastings Street, Vancouver V6E 2E9.
- METAL: Copper.
- DESCRIPTION: In the area monzodiorite and diorite, which have been invaded by numerous dykes and apophyses of fine-grained quartz monzonite (plus monzonite), are in contact with Takla Group rocks. Chalcopyrite occurs as fracture coatings, coarse grains in quartz veins, and minor disseminations over the whole property. Mineralization includes chalcopyrite and specular hematite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting, 10 miles of grid in timbered parts of valley.

GAIL (94C-72) (Fig. E, No. 65)

LOCATION:	Lat. 56° 10′	Long. 125° 32′	(94C/3W, 4E)
	OMINECA M.D.	Headwaters of Tenakihi Creek,	approximately 41
	miles northwest o	f Germansen Landing.	
CLAIMS:	GAIL 1 to 70 GA	II. 4 to 21 27 28 Fractions	

(94C/4E)

- OWNER: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver.
- METALS: Copper, molybdenum.
- DESCRIPTION: The claims are underlain entirely by the Hogem batholith consisting here mainly of monzodiorite, but containing segregations of appinite and hornblende in discordant relationships. Pyrite, chalcopyrite, molybdenite, and bornite occur as blebs and smears in quartz veins and disseminated in the wallrock.
- WORK DONE: Geochemical survey, 40 soil samples taken at 100 by 200-foot grid spacing and 30 composite rock samples taken from talus slopes above the circue floor covering Gail 3, 5, 19-22 and Gail 6 and 13 Fractions; topographic mapping, 1 square mile.
- REFERENCE: Assessment Report 4599.
- GR (Fig. E, No. 64)
- LOCATION: Lat. 56° 02′ Long. 125° 38′ (94C/4E) OMINECA M.D. Forty miles northwest of Germansen Landing, 4 miles north of Haha Creek, at approximately 5,000 feet elevation.
 CLAIMS: GR 1 to 8.
 OWNER: PECHINEY DEVELOPMENT LIMITED, 701, 744 West Hastings Street, Vancouver V6C 1A5.
 WORK DONE: Surface geological mapping, 1 inch equals 400 feet and geochemical soil survey, 215 samples taken at 200 by 400-foot grid spacing, 8 line-miles covering all claims.
- REFERENCE: Assessment Report 4618.

HAWK (93N-171) (Fig. D, No. 93)

LOCATION: Lat. 56° 02′ Long. 125° 41′ (93N/13E; 94C/4E) Report on this property in section 93N/13E.

GRANITE BASIN (94C-9) (Fig. E, No. 59)

LOCATION:	Lat. 56° 29′	Long. 12	5° 52′	(94C/5W)
	OMINECA M.D.	Six miles northy	vest of Aiken La	ke, between 4,000
	and 6,000 feet ele	vation.		
CLAIMS:	SUSIE 1 to 20, 24	I, 25, SUSIE 21 to	23 Fractions.	
OWNER:	D. Stelling.			
OPERATORS:	D. STELLING,	Bag 25, Fort S	it. James and l	JNION MINIERE
	EXPLORATIONS	AND MINING	CORPORATION	I LIMITED, 200,
	4299 Canada Way	, Burnaby.		
METALS:	Gold, silver.			
DESCRIPTION:	Takla Group vold	anic and sedimen	tary rocks have	been cut by small
	diorite bodies an	nd shear zones v	vhich are minera	lized with pyrite,
	sphalerite, and tet	rahedrite carrying	gold and silver va	ilues.

- WORK DONE: 1972 geochemical soil survey, approximately 300 samples taken on 200 by 200-foot grid spacing covering Susie 1-5, 7, 9, 11 and Susie 21-23 Fractions; 1973 continuous chip sampling of 65 feet of exposure on 156 feet of line across the pyritized zone.
- REFERENCES: Geol. Surv., Canada, Mem. 274, p. 217; B.C. Dept. of Mines, Bull. 1, p. 15; Assessment Reports 4487, 4900.

SARAH (94C-75) (Fig. E, No. 60)

LOCATION: Lat. 56° 29' Long. 125° 58' (94C/5W) OMINECA M.D. Eight miles northwest of Aiken Lake, between 5,000 and 7,000 feet.

CLAIMS: SARAH 1 to 50, CAROLINE 1 to 16, CAROLINE 17 Fraction.

OWNER: D. STELLING (Stellac Exploration Ltd.), Bag 25, Fort St. James.

METALS: Copper, gold, silver.

- DESCRIPTION: The area is underlain by Takla Group andesite and basalt flows and by part of the Croydon Creek stock. The stock varies from hornblende to hornblende diorite and from fine grained to pegmatitic. It contains abundant inclusions of the volcanic rocks, and is successively injected by aplite and quartz-feldspar porphyry dykes. Pyrite, chalcopyrite, and malachite, with very minor bornite, coat fractures in the mafic intrusive and are disseminated in clots of hornblende and pyroxene. Veins of massive chalcopyrite as much as 1 foot wide occur in northeast-striking shear zones.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet and geochemical rock chip survey, 180 samples covering Sarah 1-26, 31-42, 45-50 during 1972 and 1973.
- REFERENCES: Geol. Surv., Canada, Mem. 274, p. 165; Assessment Report 4565.

BURN (94C-56) (Fig. E, No. 63)

LOCATION: Lat. 56° 27' Long. 125° 28' . (94C/5E, 6W) OMINECA M.D. Ten miles east-northeast of Aiken Lake, between 4,500 and 5,000 feet elevation.

CLAIMS: BURN 1 to 20.

OWNER: S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 505, 850 West Hastings Street, Vancouver V6C 1E1.

METALS: Lead, zinc, (silver, barite).

DESCRIPTION: Lenses of massive white limestone with bedded grey fine dolomite are overlain by grey-black slates and underlain by green argillites and grit (Ingenika Group, Upper Proterozoic), Silicified horizon caps the carbonate unit. Mineralization consists of sparse disseminated fine galena and minor light sphalerite in coarse white-cream dolomite zones crosscutting white limestone, near the contact with grey-black slates. Some cerussite was noted. Bedded lenses of barite in grey dolomite occur near sheared black graphitic slates.

(94C/6W)

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; horizontal shootback EM survey, 13.8 line-miles; geochemical soil survey, 608 samples taken at 200 by 400-foot grid spacing; linecutting, 21 miles of grid covering all claims; trenching, 82 cubic yards on Burn 8.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 477; Assessment Reports 4605, 4608.

SWAN (94C-73) (Fig. E, No. 62)

LOCATION: Lat. 56° 25' Long. 125° 27' (94C/6W) OMINECA M.D. Ten miles east of Aiken Lake, between 4,000 and 4,300 feet elevation.

CLAIMS: SWAN 1 to 6.

OWNER: S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 505, 850 West Hastings Street, Vancouver V6C 1E1.

METALS: Lead, zinc, (silver).

- DESCRIPTION: Lenses of massive white limestone with bedded grey fine dolomite are overlain by grey-black slates and underlain by green argillites and grit (Ingenika Group, Upper Proterozoic). A silicified horizon caps the carbonate unit. Sparse disseminated fine galena and minor light sphalerite occur in coarse white-cream dolomitic zones crosscutting white limestone, near the contact with grey-black slates. Some cerussite is present.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; horizontal shootback EM survey, 5.9 line-miles; geochemical soil survey, 230 samples taken at 50 and 200-foot intervals on grid lines spaced 400 feet; linecutting, 5 miles of grid covering all claims; trenching, 97 cubic yards on Swan 1 and 5.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 478; Assessment Reports 4654, 4655.

RAIN (94C-74) (Fig. E, No. 61)

LOCATION: Lat. 56° 30' Long. 125° 35' (94C/12E, 5E) OMINECA M.D. Eight miles northeast of Aiken Lake, between 5,500 and 6,500 feet elevation.

CLAIMS: RAIN 1 to 20.

OWNER: S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 505, 850 West Hastings Street, Vancouver V6C 1E1.

METALS: Lead, zinc, (silver, barite).

DESCRIPTION: The claims are underlain by members of the Upper Proterozoic Ingenika Group comprising lenses of dark grey dolomitized limestones interbedded with brown argillites and green grits. These lenses are overlain by grey slates and underlain by chlorite schists and impure quartzites. Disseminated galena, honey sphalerite, and minor pyrite occur in a stockwork of ankerite, calcite, barite, and minor quartz within dolomitic zones crosscutting grey limestone.

- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; horizontal shootback EM survey, 10.6 line-miles; geochemical soil survey, 182 samples taken at 200 by 400-foot grid spacing covering Rain 1-10; geochemical soil survey, 46 samples taken at 100 by 400-foot grid spacing on Rain 7 and 9 and 184 samples taken at 200 by 800-foot grid spacing on Rain 11-20; linecutting covering Rain 1-20.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 478; Assessment Reports 4606, 4607.

PIKA (94C-70) (Fig. E, No. 5)

- LOCATION: Lat. 56° 58′ Long. 124° 02.5′ (94C/16E) LIARD M.D. One hundred and thirty miles west-northwest of Fort St. John, 15 miles due north of Trident Peak.
- CLAIMS: PIKA 1 to 10, RL 7 and 8, MAC 1 to 4.
- OWNER: BUCKHORN MINES LTD., 1000, 1055 West Hastings Street, Vancouver.
- METAL: Copper.
- DESCRIPTION: Generally, rocks on the property consist of chlorite and sericite schists, probably of the Precambrian Misinchinka Group. Known copper mineralization occurs within the survey area.
- WORK DONE: 1972 geochemical soil survey, 132 samples taken at 50 by 200-foot grid spacing on Pika 5 and 6 and analysed for copper.
- REFERENCE: Assessment Report 4197.

McCONNELL CREEK 94D

- FIRE (KAZA) (93M-111) (Fig. D, No. 77)
- LOCATION: Lat. 56° 00' Long. 126° 20' (93M/16W; 94D/1W) Report on this property in section 93M/16W.

FRED, BOBO, MARG (94D-32, 35) (Fig. E, No. 22)

LOCATION:	Lat. 56° 03'		Long. 126° 16'			(940)/1W)
	OMINECA M.D.	One m	ile north of Kaza L	ake whi	ch is 25	miles	north
	of Takla Lake, at	t approxi	mately 5,000 feet e	levatior	ı.		
CLAIMS:	FRED, BOBO, N	IARG, M	ONA, etc., totalling	g approx	cimately	/ 89.	
OWNER:	Northstar Coppe	r Mines L	.td.				
OPERATOR:	BETHLEHEM (COPPER	CORPORATION	LTD.,	2100,	1055	West
	Hastings Street, V	Vancouve	er.				
METALS:	Copper, silver.						

- DESCRIPTION: Chalcocite, digenite, and bornite with minor chalcopyrite and native copper occur in andesite porphyry and shales.
- WORK DONE: Surface geological mapping; geochemical survey; surface diamond drilling, eight holes totalling approximately 1,000 feet; road construction, approximately 2 miles.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 478.

(94D/1W)

ARP (94D-66) (Fig. E, No. 21)

LOCATION: Lat. 56° 13′ Long. 126° 16′ (94D/1W) OMINECA M.D. Approximately 4 miles east-southeast of Mount Carruthers, Sikanni Range, between 5,500 and 5,700 feet elevation.

CLAIMS: ARP 1 to 10.

OWNER: S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 508, 850 West Hastings Street, Vancouver V6C 1E1.

METAL: Copper.

- DESCRIPTION: Rocks exposed on the property consist of a green Early Mesozoic volcaniclastic sequence of andesite and basalt pyroclastic beds, siltstones, and cherts. This is overlain by a reddish assemblage of andesite and dacite breccias, argillites, and conglomerate lenses. Mineralization consists of disseminated chalcocite in thinly bedded andesitic tuffs and in finely grained dacite. Quartz-epidote veins contain disseminated chalcopyrite and bornite.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet and geochemical soil survey, 186 samples taken on a 200 by 800-foot grid spacing; linecutting covering ARP 1-10; trenching, 60 feet on ARP 4 and 6.

BEAR (94D-68) (Fig. E, No. 24)

LOCATION: Lat. 56° 07' Long. 126° 52' (94D/2W) OMINECA M.D. On the Tsaytut Spur between Bear Lake and the headwaters of the Driftwood River, at approximately 5,500 feet elevation.

CLAIMS: BEAR 3 to 18, 25 to 36, 41 to 72, 77 to 108, 110 to 135.

OWNER: CANADIAN NICKEL COMPANY LIMITED, Copper Cliff, Ontario.

METALS: Copper, molybdenum.

- DESCRIPTION: Takla Group volcanic rocks have been successively intruded by diorite and quartz monzonite porphyry of the Kastberg intrusions. The diorite is moderately to intensely fractured and injected by quartz stockworks and aplite dykes. Pyrite, chalcopyrite, and molybdenite occur in these stockworks adjacent to the porphyry, and to a lesser extent in stockworks and fractures in the porphyry. Pyrite and chalcopyrite are also sparsely disseminated through the porphyry.
- WORK DONE: Topographic mapping of 4.5 square miles; surface geological mapping, 1 inch equals 200 feet covering Bear 3-10, 25-28, 41-46, 56, 61-67; frequency-domain IP survey, 4.5 line-miles; magnetometer survey, 8.5 line-miles; geochemical survey, 397 bedrock samples taken at varying intervals; linecutting, 8.5 miles of grid covering same claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 479; Assessment Report 4648.

PAC, CAN (94D-67) (Fig. E, No. 23)

LOCATION: Lat. 56° 03' Long. 127° 00' (94D/2W, 3E) OMINECA M.D. Driftwood Valley, approximately 100 miles north of Smithers, 2 miles east of Motase Lake, between 4,000 and 5,000 feet elevation. CLAIMS: PAC 1 to 26, CAN 1 to 28.

OWNER: KEYWEST RESOURCES LTD., 818, 510 West Hastings Street, Vancouver.

METALS: Copper, gold, silver.

- DESCRIPTION: The area is underlain mainly by Takla Group andesite lavas, tuffs, and agglomerate. Banded hornfels dip west beneath the volcanic rocks on Pac 20 and Can 7 to 10. An elongate stock of porphyry granodiorite, of the Kastberg intrusions, has intruded the volcanic rocks and an apophysis of diorite cuts across the hornfels. In several places the volcanic rocks are mineralized with pyrite, pyrrhotite, and minor chalcopyrite. Two narrow quartz veins in the granodiorite carry chalcopyrite and bornite. The hornfels contains sulphides along the banding and carries modest amounts of copper mineralization.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Pac 1, 2, 13, 14, 16 to 18, 20 and Can 5-8; magnetometer survey, approximately 10 line-miles covering Can 5-8 and 21; geochemical soil survey, 450 samples taken at 100 by 500-foot grid spacing covering Can 5-8, 21 and Pac 18, 20; linecutting, 10 miles of grid; trenching, 50 by 10 by 3 feet on Pac 18 and 20.
- REFERENCE: Assessment Report 4686.

RIM (94D-72) (Fig. E, No. 33)

LOCATION:	Lat. 56° 04' Long. 127° 05' (94D/3E)
	OMINECA M.D. Two miles northwest of Motase Lake, at
	approximately 6,000 feet elevation.
CLAIMS:	RIM 1 to 30.
OWNER:	CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West
	Hastings Street, Vancouver.
METALS:	Copper, molybdenum.

- DESCRIPTION: Chalcopyrite and molybdenite mineralization is associated with feldspar porphyry dykes near diorite-sedimentary rock contacts.
- WORK DONE: Surface geological mapping, 1 inch equals one-half mile covering all claims.

HORN (94D-69) (Fig. E, No. 25)

LOCATION:	Lat. 56° 07′	Long. 127°04′	(94D/3E)		
	OMINECA M.D. Fo	our miles north-northwest	from Motase Lake, at		
	approximately 4,500	feet elevation.	•		
CLAIMS:	HORN 1 to 48.				
OWNER:	CANADIAN SUPER	OR EXPLORATION LIM	ITED, 2201, 1177 West		
	Hastings Street, Vanc	ouver.			
METALS:	Molybdenum, copper	•			
DESCRIPTION:	Siltstone units which	have been intruded by q	uartz diorite porphyry		
	dykes have been altered to hornfels, tightly folded, and shattered,				
	Pyrite and less pyrrhotite are widely distributed through the claim area.				
	and minor chalcopyri	te and molybdenite occur i	n the hornfels.		

(94D/3E)

 WORK DONE: Surface geological mapping, 1 inch equals 800 feet; geochemical survey, 284 soil samples taken at 200 by 800-foot grid spacing plus 25 silt and 20 rock chip samples covering all claims.

REFERENCE: Assessment Report 4731.

SUN (94D-70) (Fig. E, No. 31)

LOCATION: Lat. 56° 11' Long. 127° 11' (94D/3E) OMINECA M.D. Ten miles north-northwest from Motase Lake, at approximately 5,500 feet elevation.

CLAIMS: SUN 1 to 40.

OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION: Sedimentary rocks of the Skeena Formation have been intruded by feldspar porphyry plug and dykes. Molybdenite and chalcopyrite mineralization has been observed in hornfels zones.

WORK DONE: Surface geological mapping, 1 inch equals one-half mile covering all claims.

PAT (94D-71) (Fig. E, No. 32)

LOCATION:	Lat. 56° 12′	Long, 127° 05′	(94D/3E)
	OMINECA M.D.	Between Mount Patsha and Squi	ingula River, 10 miles
	north of Motase L	ake, between 3,500 and 4,000 fe	et elevation,

CLAIMS: PAT 1 to 72.

OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Copper, silver.

- DESCRIPTION: Copper mineralization, including chalcopyrite, bornite, and chalcocite, occurs as disseminations in rhyolite flows and as veinlets in Lower Jurassic pyroclastic rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 800 feet and geochemical soil and silt survey, approximately 20 line-miles covering all claims.

QUIN (94D-73) (Fig. E, No. 34)

LOCATION:	Lat. 56° 13'	Long. 127° 13'	(94D/3E)
	OMINECA M.D.	Thirteen miles north-northwes	t from Motase Lake,
	on the west side	of Squingula River, at appro	ximately 5,500 feet
	elevation.		
CLAIMS:	QUIN 1 to 36.		
OWNER:	CANADIAN SUPE	ERIOR EXPLORATION LIMIT	ED, 2201, 1177 West
	Hastings Street, Va	ancouver.	

METALS: Copper, molybdenum.

DESCRIPTION: Sedimentary rocks of the Cretaceous Skeena Formation have been intruded by a small circular granitic plug. Chalcopyrite and moly-bdenite have been observed in the hornfels zone.

WORK DONE: Surface geological mapping, 1 inch equals one-half mile covering all claims.

CRAMP, MAGNUM (94D-58) (Fig. E, No. 29)

LOCATION:	Lat. 56° 14' Long. 127° 04' (94D/3E))
	OMINECA M.D. Three miles north of Mount Patcha, at approximately	/
	5,500 feet elevation.	
CLAIMS:	CRAMP 1 to 4.	
OWNER:	WESFROB MINES LIMITED, 500, 1112 West Pender Street,	,
	Vancouver.	
METAL:	Copper.	
DESCRIPTION:	Disseminated chalcocite, bornite, and chalcopyrite occur as irregular	-
	lenses in well-bedded Hazelton Group agglomerates and tuffs. Diorite	2
	intrusions are reported to occur nearby.	
WORK DONE:	Surface diamond drilling, one hole totalling 60 feet on Cramp 4.	
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 186.	

RED (Fig. E, No. 27)

LOCATION:	Lat, 56° 14′	Long. 127° 10′	(94D/3E)
	OMINECA M.D.	Adjacent to the Squingula River	to the northeast, 14
	miles west of Bea	r Lake, at approximately 3,700 fe	et elevation.
CLAIMS:	RED 1 to 53, 58	to 342.	

OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Copper, silver.

DESCRIPTION: The claims are underlain mainly by flow lava and volcaniclastic rocks. These contain a lens of reefoid limestone mineralized with copper. East of this lens the rocks are intruded by a gabbro sill and small microdiorite stock.

- WORK DONE: Topographic mapping, 1 inch equals 400 feet covering 14.6 square miles; surface geological mapping, 1 inch equals 400 feet covering Red 1-53 and 58-243 and 1 inch equals 100 feet covering Red 1-8, 14, and 16; ground magnetometer survey, 75 line-miles covering Red 1-53, 59, 61-95, 116-123, 125, 127, 129, 131, 133, 135, 137, 143, 145-155, 157-198, 200-210, 212-229, 232-240; geochemical soil survey, 1,997 samples taken at nominal 200 by 800-foot grid spacing covering same claims as magnetometer survey; surface diamond drilling, nine holes totalling 2,972 feet on Red 3 and 5; diamond-drill holes, roads, and trenches surveyed, 1 inch to 100 feet; road construction, 5 miles on Red 3-8, 39-42, 70-73, 79-82; trenching, 1,800 feet on Red 5, 6, 7, and 86; stripping, 400 by 250 feet on Red 5 and 6; linecutting, approximately 75 miles of grid.
- REFERENCE: Assessment Report 4562.

(94D/3E)

OUT (Fig. E, No. 30)

LOCATION: Lat, 56° 15' Long, 127° 06' (94D/3E) OMINECA M.D. One hundred and two air miles due north of Smithers, between 5,000 and 5,500 feet elevation. CLAIMS: OUT 1 to 10.

JLAINS: UUTTI

OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Copper, silver, barite.

- DESCRIPTION: Intercalated basic to intermediate volcanic flows and tuffs have been cut by a major east-west steep to vertical fault. Mineralization which includes chalcocite, bornite, and chalcopyrite is associated with intersections of this fault with tuffaceous horizons.
- WORK DONE: Surface geological mapping, 1 inch equals 100 feet covering all claims.

IN, CON, MOTASE A (94D-61) (Fig. E, No. 26)

LOCATION: Lat, 56° 13' Long, 127° 18' (94D/3, 6) OMINECA M.D. Twenty miles northwest of Bear Lake, on Jake Creek, near the confluence of the Skeena and Squingula Rivers, at approximately 3,000 feet elevation.

CLAIMS: IN 1 to 80, CON 1 to 99.

- OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.
- METALS: Copper, lead, zinc, silver.
- DESCRIPTION: The property is underlain by sedimentary and volcanic rocks of the Hazelton Group which have been intruded by Tertiary intrusive rocks. Minor chalcopyrite and/or galena and sphalerite occur as micro-veinlets within both the country rocks and the Tertiary intrusive rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 74.5 line-miles; and geochemical soil survey, 1,968 samples taken at nominal 200 by 800-foot grid spacing covering all claims; surface diamond drilling, seven holes totalling 2,955 feet on 1n 4 and 6; topographic mapping, 1 inch equals 400 feet covering 13.8 square miles; transit survey of roads and diamond-drill hole locations, 1 inch equals 100 feet; road construction, from Squingula River to centre of property; trenching, 5,500 feet on 1n 61, 62, 64 and Con 28, 30.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1966, p. 81; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 479; Assessment Report 4563.

MP (Fig. E, No. 28)

LOCATION:	Lat. 56° 05′ Long. 127° 13′	(94D/3E)					
	OMINECA M.D. On the western slope of Motas	e Peak, at					
	approximately 3,500 feet elevation.						
CLAIMS:	MP 1 to 42.						
OWNER:	CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.						

METALS: Copper, molybdenum.

DESCRIPTION: Disseminated chalcopyrite occurs in fault bounded metavolcanic rocks within the Bowser Basin. Minor molybdenite is associated with pyritic acid dykes and sills cutting the sedimentary country rocks.

WORK DONE: Surface geological mapping, 1 inch equals one-half mile covering all claims.

SR (Fig. E, No. 6)

LOCATION:Lat. 56° 14'Long. 127° 22'(94D/3W)OMINECA M.D.Approximately 20 miles northwest of Bear Lake,
straddling the Squingula River, at approximately 2,250 feet elevation.CLAIMS:SR 1 to 40.

OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

- DESCRIPTION: The claims are underlain by sedimentary rocks which have been intruded by Tertiary dykes. Overburden is extensive.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering SR 1-8, 24, 25; topographic mapping, 1 inch equals 400 feet; transit survey of road, 1 inch equals 400 feet; road construction, 4 miles on SR 6, 10-22, 23-25, 27, and 29.
- TIE (94D-89) (Fig. E, No. 96)
- LOCATION: Lat. 56° 27' Long. 126° 41' (94D/7E) OMINECA M.D. Ten miles southwest of Sustut Peak, between 4,000 and 5,000 feet elevation.

CLAIMS: TIE 1 to 48, JAN 85 to 112.

OWNER: BESTOR EXPLORATIONS LTD., 1502, 11111 – 87th Avenue, Edmonton, Alta.

METAL: Copper.

DESCRIPTION: The area is underlain mainly by tuffs with intercalated andesite and basalt flows, thin layers of banded chert and tuffaceous argillite, and a lens of volcanic conglomerate. These rocks are locally propylitized and intruded by a dyke of hornblende-feldspar porphyry. They have been folded into an arcuate syncline and anticline, and disrupted by block faulting. Chalcopyrite, pyrite, and malachite are disseminated in tuffs near faults, and chalcopyrite, chrysocolla, bornite, and pyrite are disseminated in the porphyry dyke adjacent to a shear zone.

- WORK DONE: Surface geological mapping, 1 inch equals 1,320 feet; geochemical survey, 200 silt and 20 soil samples taken at varying intervals and 5 rock samples taken for copper assay covering most of Tie 2-48 and Jan 88-112.
- REFERENCES: Assessment Reports 4892 (4853, 4854, 4855).

(94D/7E)

PAT (94D-74) (Fig. E, No. 45)

LOCATION:	Lat. 56° 28' Long. 126° 42' (94D/7E)
	OMINECA M.D. Three miles east of the junction of Red Creek and
	the Sustut River, at approximately 5,900 feet elevation.
CLAIMS:	PAT 1 to 8.
OWNER:	WESFROB MINES LIMITED, 500, 1112 West Pender Street,
	Vancouver.
METALS:	Copper, zinc.
DESCRIPTION	Siltstone and tuffaceous wacke units have been intruded by a diorite

WORK DONE: Geochemical soil survey, 242 samples taken at 100-foot intervals along traverses 200 to 400 feet apart covering all claims.

REFERENCE: Assessment Report 4784.

PLUTO (Fig. E, No. 44)

LOCATION: Lat. 56° 29' Long. 126° 37' (94D/7E) OMINECA M.D. On the northeast slope of a ridge about 3 miles south of Willow Creek and 4 miles east of the Sustut River, at approximately 5.500 feet elevation.

CLAIMS: PLUTO 1 to 6.

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver.

METAL: Copper.

DESCRIPTION: Underlain mainly by Takla Group andesite tuff and coarse agglomerate. Transecting shear zones contain disseminated chalcocite, bornite, and chalcopyrite and rarely lenses of massive sulphides.

- WORK DONE: Geochemical survey, 97 samples of talus fines taken on random traverses.
- REFERENCE: Assessment Report 4564.
- A (94D-16, 38) (Fig. E, No. 46)

LOCATION: Lat. 56° 27' Long. 126° 35' (94D/7E, 10E) OMINECA M.D. Ten miles southwest of Sustut Lake.

CLAIMS: A 1 to 700, A 798, 799, and 800 Fractions.

OWNER: RIO TINTO CANADIAN EXPLORATION LIMITED, Box 49108, Vancouver V7X 1G4.

METAL: Copper.

DESCRIPTION: Pyroclastic volcanic rocks of the Takla Group underlie the area. Mineralization consists of malachite, bornite, native copper, and chalcocite with quartz and/or calcite in shear zones. One minor showing (94D-16) of sphalerite and galena in calcite and quartz veins was noted.

WORK DONE: Reconnaissance surface geological mapping, 1 inch equals one-half mile; airborne magnetometer and EM survey, 36 line-miles covering 38 A claims; geochemical survey, 2,498 soil and silt samples taken, the soil samples being taken at 200-foot intervals along the 500-foot contours; geological interpretation of 450 square miles from aerial photographs. REFERENCES: Assessment Reports 4564, 4853, 4854, 4855.

- DAY (94D-65) (Fig. E, No. 47)
- LOCATION: Lat. 56° 30' Long. 126° 47' (94D/7E, 10E) OMINECA M.D. At the headwaters of a west tributary of the Sustut River, 3 miles north of the junction of Sustut River and Red Cree, at approximately 4,500 feet elevation.

CLAIMS: DAY 1 to 22, 40, 42, 44, 46, 48, 50, FIR 1 to 12.

- OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver.
- METALS: Copper, gold.
- DESCRIPTION: An altered quartz diorite plug intrudes acidic volcanic rocks of the Upper Takla Group. Disseminated and vein-like mineralization occurs in both the intrusive (including a porphyry phase) and the volcanic rocks. Mineralization includes chalcopyrite, bornite, and quartz and minor pyrite, hematite, and molybdenite.
- WORK DONE: Surface diamond drilling, one hole totalling 784 feet on Day 3 and 4.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 479.

TOM, ROY, BETH (Fig. E, No. 110)

- LOCATION: Lat. 56° 15′ Long. 126° 22′ (94D/8W) OMINECA M.D. East of Mount Carruthers, in the Sikanni Range, at approximately 6,000 feet elevation.
- CLAIMS: TOM 1 to 10, ROY 1 to 8, BETH 1 to 16.
- OWNER: NORTHSTAR COPPER MINES LTD., 1214 Eastview Road, North Vancouver.
- METAL: Copper.
- WORK DONE: Slashing and blasting.

PAD (94D-75) (Fig. E, No. 42)

LOCATION:	Lat. 56° 16′ Long. 126° 18′ (94D/8W)
	OMINECA M.D. One and one-half miles east of Mount Carruthers,
	Sikanni Range, between 5,600 and 6,000 feet elevation.
CLAIMS:	PAD 1 to 12.
OWNER:	S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 505, 850 West
	Hastings Street, Vancouver V6C 1E1.
METAL:	Copper.
DESCRIPTION:	The area is underlain by an Early Mesozoic sequence of pyroclastic, volcanic-derived sedimentary rocks. Mineralization consists of disseminated chalcocite in andesitic tuffs and in dacite.
WORK DONE:	Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 139 samples taken on a 200 by 800-foot grid spacing; linecutting covering all claims.

- LIZ (94D-76) (Fig. E, No. 41)
- LOCATION: Lat. 56° 18′ Long. 126° 24′ (94D/8W) OMINECA M.D. Sikanni Range, 3.4 miles northwest of Mount Carruthers, at approximately 4,700 feet elevation.

CLAIMS: LIZ 1 to 8.

OWNER: S.E.R.E.M. LTD. (BERGMINEX ASSOCIATES), 505, 850 West Hastings Street, Vancouver V6C 1E1.

METAL: Copper.

- DESCRIPTION: The area is underlain by a lower green and an upper red volcaniclastic Mesozoic sequence. Fractures contain veinlets of calcite, chalcocite, bornite, rare chalcopyrite, and some disseminated chalcocite in purplish red tuffs.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical soil survey, 106 samples; linecutting covering all claims.

RINGO (Fig. E, No. 43)

- LOCATION:Lat. 56° 25'Long. 126° 06'(94D/8E)OMINECA M.D.Fifteen miles southeast of Sustut Peak, at the head of
Dortatelle Creek, between 5,000 and 7,000 feet elevation.OUTATELLECLAIMS:RINGO 1 to 22, RINGO 23 and 24 Fractions, NORLEN 7 to 12,
NORLEN 13 and 14 Fractions, TUMBLE 3 and 4.OUTATELLE
- OWNERS: D. STELLING and STELLAC EXPLORATION LTD., Bag 25, Fort St. James.
- METALS: Molybdenum, copper.

DESCRIPTION: Quartz veins with molybdenite and minor chalcopyrite have been observed in felsite and pegmatite dykes near the contact of Takla volcanic rocks and the Hogem batholith.

- WORK DONE: Geochemical soil survey, 290 samples taken at 200 by 200-foot grid spacing and analysed colorimetrically for molybdenum.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 480; Assessment Reports 3839, 4092, 4582.

KLI (94D-23) (Fig. E, No. 52)

LOCATION:	Lat. 56° 30' Long. 126° 08' (94D/9E, 8E)
	OMINECA M.D. Saddle between Kliyul and Lay Creeks, at
	approximately 5,700 feet elevation.
CLAIMS:	KLI 1 to 21, 25 to 28, 39 to 50.
OWNER:	Kennco Explorations, (Western) Limited.
OPERATOR:	SUMAC MINES LTD., 1022, 510 West Hastings Street, Vancouver,
METALS:	Copper, gold.
DESCRIPTION:	Magnetite-pyrite-chalcopyrite mineralization consists of disseminated
	altered andesites.
WORK DONE:	Surface diamond drilling, three holes totalling 216 feet.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 62.

(94D/9W)

ASITKA (94D-87) (Fig. E, No. 39)

- LOCATION: Lat. 56° 37' Long. 126° 26' (94D/9W) OMINECA M.D. Asitka Peak area, 10 miles west of Johanson Lake airfield.
- CLAIMS: ASITKA 1 to 54, ASITKA 1 to 7 Fractions, BOB 1 to 6.
- OWNER: NOMAD MINES LTD., 502, 470 Granville Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Porphyritic andesite flows, pyroclastic rocks, and minor intercalated sedimentary rocks belonging to the Takla Group have been intruded by a stock, one of the Omineca intrusions. The stock contains considerable pyrite and is covered by gossan; chalcopyrite is inconspicuously present scattered through parts of the gossan forming small veinlets and fracture coatings. Veins of quartz and chalcedony have been injected into the volcanic rocks; the wallrocks contain some chalcocite, chalcopyrite, bornite, malachite, and azurite.
- WORK DONE: Linecutting, 27 miles of grid; surface geological mapping, 1 inch equals 500 feet covering 3 square miles; geochemical soil survey, 479 samples taken at 200 by 500-foot grid spacing; magnetometer survey, 3 line-miles covering Asitka 1-39, Asitka 1-7 Fractions, and Bob 1-6.

REFERENCES: Assessment Reports 4603, 4753.

Z (94D-4, 37) (Fig. E, No. 54)

LOCATION:	Lat. 56° 40′		Loi	ng. 126° 26	1			(!	94D/9W)
	OMINECA M.D.	Five	miles	northeast	of	the	Sustut	Creek	junction
	with Johanson Ri	ver.							
- · · · · ·									

- CLAIMS: Z 1 to 60.
- OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.

METALS: Copper, silver.

- DESCRIPTION: Upper Triassic pyroclastic rocks and flows are overlain by Jurassic pyroclastic rocks and form a gently westward dipping sequence which has been intruded by two small plugs at the north and south parts of the property. Chalcocite, bornite, and chalcopyrite occur as veinlets, in shear zones, and locally disseminated in flow tops.
- WORK DONE: Surface geological mapping, 1 inch equals 800 feet; reconnaissance geochemical survey, 80 soil samples and 40 silt samples, 4 line-miles covering all claims.
- REFERENCE: Assessment Report 4593.

ASITKA (SIT GROUP) (94D-82) (Fig. E, No. 40)

LOCATION: Lat. 56° 32′ Long. 126° 29′ (94D/9W) OMINECA M.D. Between elevations of 5,000 and 6,250 feet on the south slope of a ridge 2.5 miles southwest of Sustut Lake and 4 miles north of Willow Creek.

CLAIMS: ASITKA 1 to 196.



ICIAL OF - MOC Figu	GEOLOGY THE SE VALLEY AREA Jre 33
Leg	end
and, grav	el, and muskeg
gravel	
t, sand, a	and gravel
DRAINE:	gravel
TS: sand,	silt, and gravel
RAINE: cl	ay and gravel
EPOSITS,	GROUND MORAINE: clay and grave
Sym	bols
	Swamp
$\lambda^{A,I,I,I,I,I}$	Lake
	Stream
	Road under constr
10870 ³⁵⁻	Road, proposed route
51.24P	Camp, buildings 🔳
Airstr	P P

1973 pg 410 A

(94D/9W, 16W)

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Chalcopyrite, bornite, and chalcocite are present in fractures and amygdules in aphanitic red and green basalt lava flows. These rocks are overlain by Upper Triassic brown shales and a volcaniclastic unit. Some scattered copper mineralization was also observed in the shales.
- WORK DONE: Geochemical soil survey, 287 samples taken at 50 by 100-foot and 100 by 200-foot grid spacing; 3 line-miles of grid and magnetometer and VLF EM survey covering Asitka 77, 125-128, 178, 180.

REFERENCE: Assessment Report 4786.

ARD (94D-90) (Fig. E, No. 98)

LOCATION:	Lat. 56° 45′	Long.	. 126° 28′	(94D/9	9W, 16W)
	OMINECA M.D. In	Menard C	Creek valley,	approximately	12 miles
	north of Sustut Lake.				
CLAIMS:	ARD 1 to 42, ARD 1	Fraction.			
OWNER			AF	1 0	

OWNER: DENISON MINES LIMITED, 1705, 777 Hornby Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Lower Takla andesite flows are serpentinized adjacent to a northstriking fault. This altered rock is intruded by gabbro at the north edge of the claim area and toward the south edge. Dykes of porphyritic granodiorite intrude fresh and altered andesite near and west of the fault; they are chloritized near the fault. Some of the dykes have sheared contacts mineralized with pyrite and minor chalcopyrite.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet; magnetometer survey, 13 line-miles; geochemical soil survey, 281 samples taken at 200 by 750-foot grid spacing covering all claims.
- REFERENCE: Assessment Report 4707.

GEOLOGY OF THE SUSTUT AREA

By B. N. Church

An intensive geological investigation of the Mesozoic volcanic formations has been initiated following recent important copper discoveries in the Sustut district of north central British Columbia. The study covers areas in the vicinity of Sustut Peak and the terrain bordering the headwaters of the Sustut River.

To assist this project the Map Production Division of the British Columbia Department of Lands, Forests, and Water Resources has issued a series of detailed topographic maps on the scale of 1 inch to 1,320 feet. These largely complete the NTS 7½-degree quadrangles 94D 7f and g, 8e, 9d, 10a to g, and 15c covering approximately 500 square miles between latitudes 56 degrees 25 minutes to 52 minutes and longitudes 126 degrees 22.5 minutes to 27 minutes. Also, during the summer of 1973 the Department of Mines and Petroleum Resources has extended the right-of-way for the Omineca Road 20 miles beyond Johanson Lake to Falconbridge Nickel Mines Limited's (Wesfrob Mines Limited) Moose Valley campsite.

The geological survey of the area began with a study of a cross-section of the Swannell Ranges from McConnell Creek to Red Creek, paralleling, in part, the Sustut River. The detailed geological work has focused on the important mineral prospects in the area, including Falconbridge's Sustut Copper, Day, and Willow properties.

PHYSIOGRAPHY: The fabric of the terrain trends northwesterly parallel to both the regional strike of the strata and the main faults. The strongest amplitudes of this mountainous corregation are found in the belt of high aretes, horns, and spurs of massive Triassic basalt forming Mount Savage and Sustut Peak, the elevation of 8,100 feet being the highest point in the area. These jagged mountains overlook smoother ridges immediately to the northeast underlain by Paleozoic formations and beyond to Moose Valley floored by Tertiary and Pleistocene deposits. Southwest of Mount Savage and Sustut Peak the mountains are again relatively subdued, many being composed of well-layered volcanic rocks. In some cases the uppermost layers have been removed by erosion creating butte and cuesta-like surfaces.

East of Moose Valley the McConnell Range attains elevations in excess of 7,000 feet. Many of the ridges here are cored with granitic plutons and consequently tend to be more rounded in profile than the ranges to the west.

GLACIAL HISTORY: The history of valley glaciation along Johanson and Moose Valleys and the upper Sustut River is important because of the present extension of the Omineca Road beyond Johanson Lake.

The last Pleistocene events are recorded by successive terminal moraines, eskers, outwash deposits, trim lines, and strand lines, Fig. 33. With the retreat of the Moose Valley glacier to a point just north of the present position of Sustut Lake, much of the south part of the valley was flooded to an elevation of about 4,300 feet and drainage was to the south via Asitka Lake and the Asitka River. A second proglacial lake, with a strand line at 4,050 feet, developed to the west along a section of Sustut and Willow Valley, the outlet joining the Asitka River near the south end of Willow Valley. With further ablation the Moose Valley glacier withdrew to a position about 1 mile southeast of the junction of Moosevale Creek and the Sustut River becoming detached from a second ice lobe occupying the valley of Johanson Creek. The final Pleistocene episode resulting from the melting of tributary glaciers produced extensive accumulations of outwash sand and gravel on the valley floors. Subsequently this material has been reworked forming river benches and flats.

Much of the new extension of the Omineca Road has been routed over glacial outwash composed principally of gravel. The outwash forms terraces well above present stream level thus being well drained. In contrast sections of the road through areas of ground moraine are bouldery and difficult to construct and maintain because of the abundance of clay and resulting poor drainage. In a few places the road takes advantage of esker ridges and smooth river benches. A section of a projected side road is routed along the Sustut Valley traversing part of a strand line eroded from the valley wall.

GENERAL GEOLOGY: Detailed examination of the strata along a line of section just west of the Sustut River and across Moose Valley reveals rocks of diverse age and lithology (Fig. 34).

The oldest rocks of the area are found on the spur east of Sustut Peak and the lower east slopes of Mount Savage. These are Late Paleozoic strata which in the lower part consist of locally folded alternating coralline limestone and argillite beds. The rocks pass upward



through several thousand feet of section into a more regular sequence of mainly geywacke and argillite plus a thick sequence of spherulitic rhyolite. Triassic basalt breccias and augite and plagioclase-rich volcanic sandstones rest on the Paleozoic assemblage with little or no angular discordance.

The Mesozoic pile is readily subdivided into three fundamental rock stratigraphic units. The lowest unit, about 7,000 feet thick, is identified as mainly a submarine deposit consisting primarily of augite porphyry basalt with local intercalations of aphanitic basalt and coarse feldspar porphyry basaltic andesite. Massive volcanic breccia deposits predominate in this part of the section although lava flows, bedded breccias, and pillow lavas are locally conspicuous, Plate X1A. The middle unit consists of about 3,500 feet of what is believed to be mostly subaerial deposits of mixed andesite and basalt volcaniclastic rocks, lahars, tuff breccia, volcanic sandstone, and conglomerate beds — which rest on relatively thin fossiliferous Triassic tuffaceous argillite, chert, and carbonate beds. The uppermost unit, about 4,000 feet thick, comprises locally well-layered maroon and grey welded and nonwelded ash flow tuffs, and volcanic breccias ranging from basalt to rhyolite in composition, Plate X1B.

In the Willow area, east of the Sustut River, the equivalent lower and middle part of the section is repeated with only a few differences. The place of the bedded augite porphyry breccias in the Mount Savage section is here taken by a somewhat thicker sequence of thin aphanitic basalt lava flows.

These strata are cut by a series of plutons referred to generally as the Omineca intrusions, a wide assortment of stocks, sills, and smaller bodies of mostly granitic composition and Jurassic age.

The Sustut conglomerates, sandstones, and carbonaceous shales outcrop locally amid the glacial debris in Moose Valley. According to Lord (1948) these are Late Cretaceous – Early Tertiary age, the youngest lithified sedimentary rocks of the region. It appears that these beds have been faulted in a graben or half-graben system and protected from further erosion, Moose Valley itself being the final physiographic expression of this downward movement.

PROBLEMS OF STRATIGRAPHIC NOMENCLATURE: Important problems of nomenclature still confront the stratigrapher in dealing with both the Mesozoic and Paleozoic assemblages of the region. For example, according to Lord (1948) the name Takla, proposed by Armstrong (1949), is applicable to the entire Triassic and Jurassic section. However, Tipper (1959) suggests that there should be a division between the older Takla and younger Hazelton groups perhaps near the boundary of the Lower and Middle Jurassic. Unfortunately in this area precise structural or paleontological evidence of the discontinuity is missing.

Lithologically there seems to be two possibilities for the Takla-Hazelton division in the light of the present study. The first choice is the point of change in bulk composition of volcanic rocks. On the basis of numerous arc fusion analyses, the Mesozoic suite is readily divisible into an older northeastern belt of basalt with some andesite (Takla) and a younger southwestern belt of mainly dacite and andesite and minor rhyolite and basalt (Hazelton) (Fig. 35). This dividing line lies somewhat northeast of Two Lakes Creek lineament on the line of section. The second possible point of division is near where the Mesozoic assemblage becomes largely subaerial in origin; that is, at the base of the volcaniclastic unit or perhaps the base of the polymictic conglomerate. Both units reflect marked changes in the tectonic conditions of the area. It appears that shortly after, or



Plate XIA. Takia Group pillow basalt, Mount Savage area.



Plate XIB. Hazelton ? Group welded tuff breccia, near Red Creek.



Figure 35. Composition range of some Mesozoic volcanic rocks in the Sustut area.

during the Late Triassic times, uplift in the southwest part of the area resulted in deep erosion of the Paleozoic and older Mesozoic terrain. This was accompanied by explosive volcanic activity which seemed to herald the important changes in the depositional cycle.

Concerning the Paleozoic rocks, Lord (1948) differentiated the Asitka and Cache Creek Groups. The Asitka, believed to be Early Permian (and older ?), is characterized by the presence of rhyolite lavas and breccias; the Cache Creek, thought to be Middle Permian (and older ?), typically displays an abundance of shales and carbonate beds. The validity of Lord's division is uncertain because neither the base of these successions is seen nor any of their contact relations described.

Recently Monger and Peterson, working in the Dewar Peak area north of Sustut, have redescribed some of the important Mesozoic and Paleozoic units and are currently attempting to resolve the outstanding stratigraphic and paleontological problems.

MINERALIZATION: Copper mineralization is widely distributed within the area in varied morphological and presumably diverse genetic types of deposits. Disseminated copper sulphide and native copper stratiform mineralization is found in local abundance in the volcaniclastic zone of the Mesozoic succession. Other occurrences include sulphide concentrations in the tuffaceous argillite, somewhat dispersed mineralization associated with the coarse feldspar porphyry volcanic rocks in the Lower Takla Group, and enrichments in small diorite stocks which intrude the Hazelton Group.

A more detailed account of the mineralization is given in the accompanying property descriptions.

REFERENCES: Tipper, H. W., 1959, *Geol. Surv., Canada*, Bull. 47, 51 pp.; Lord, C. S., 1948, *Geol. Surv., Canada*, Mem. 251, 72 pp.; Monger, J.W.H. and Peterson, I. A., 1974, *Geol. Surv., Canada*, Paper 74-1, Pt. A, p. 20.

GO (94D-79) (Fig. E, No. 37)

LOCATION:	Lat. 56° 34'	Long. 126° 4	2'	(94D/10E)
	OMINECA M.D. (One mile west of the	e Sustut River,	20 miles east of
	Thutade Lake, at ap	proximately 5,500 f	feet elevation.	
CLAIMS:	GO 13, 14, 16 to	18, 27, 28, 30, 31,	OK 3, 9 to 12	, PLUS 3 and 4,
	MAR 7, 11, 12, BE	ST 25.		
OWNER:	WESFROB MINE	S LIMITED, 500,	1112 West	Pender Street,
	Vancouver V6E 2S	3.		
METAL:	Copper.			
DESCRIPTION:	Mineralization con	sists of scattered cl	nalcopyrite fou	ind disseminated
	and in shears in o	hert pebble conglo	merate of the	Hazelton Group
	volcanic rocks.			
WORK DONE:	Airborne magnetor	meter and EM surv	ey, 21.5 line-n	niles covering all
	claims.			
REFERENCES:	Assessment Reports	s 4198, 4700.		

(94D/10E) By B.N. Church

SUSTUT COPPER (94D-63) (Fig. E, No. 48)

- LOCATION: Lat. 56° 36′ Long. 126[°] 41′ (94D/10E) OMINECA M.D. Sustut Peak, 1 mile west of the Sustut River between elevations of 5,000 to 6,500 feet.
- CLAIMS: SUSTUT 1 to 9, 11, 12, 15, 21 to 23, 26, 28, 30 to 49, 52 to 62, 79 to 82, 111 to 149, 151, 153 to 157, 164 to 183.
- OWNER: WESFROB MINES LIMITED (wholly owned subsidiary of FALCON-BRIDGE NICKEL MINES LIMITED), 500, 1112 West Pender Street, Vancouver V6E 2S3.

METAL: Copper,

DESCRIPTION:

INTRODUCTION: This report is a preliminary account of the major new copper discovery by Falconbridge Nickel Mines Limited in the Sustut district. The location is shown on Figure 34.

The information presented is based mainly on data obtained by the writer during a 10-day visit to the property in July 1973, during a mapping programme in the district.

HISTORY: The first reconnaissance geological survey was completed by Lord (1948). In his descriptions, numerous small mineral showings were identified in the volcanic members of the Mesozoic Takla Group.

Detailed exploration of the volcanic rocks began in 1966 on the New Wellington (Marmot) property in the McConnell Range and on the Northstar (Fred) property northeast of Kaza Lake. Prospecting consisted of trenching near old showings and some geochemical and geophysical work in adjacent areas.

Falconbridge's Sustut discovery came late in the 1971 field season. This culminated several years of intensive exploration by the company in the region. Although the discovery area had been previously explored by Union Oil Limited (1969) the search was for petroleum and no mineralization was noted at the time.

The initial showing was found by helicopter reconnaissance 3.5 miles northwest of Sustut Peak. A gently dipping slightly malachite-stained bed, locally in excess of 40 feet thick, was visually traced for about 3,000 feet along a cliff face. Subsequent investigation confirmed that the deposit was of major proportions and unique geologically.

The work completed to date on the Sustut property consists of preparation of detailed geological and topographical maps and an intense programme of diamond drilling.

PHYSIOGRAPHY: The Sustut claims cover much of the southern extremity of Mount Savage (Fig. 36). Slopes rise from a base level of 3,500 feet where the east boundary crosses the Sustut River to more than 6,800 feet elevation at the summit in the north central part of the property. The mountain here is tabular in general outline with a broad highly elevated and somewhat tilted upper surface (Plate XIIA). This surface is contained within a wall of sharp ridges and peaks on the west and south, and truncated by a sinuous line of precipitous cliffs on the east and north.

The Wesfrob camp is centrally positioned in this surface near two small ponds just south of a major re-entrant in the eastern cliffs. Access to the camps is difficult and virtually impossible from the north where the cliffs range from 500 to 800 feet high; to the south the cliffs are only 200 to 500 feet high and breached at many points by scalable chimneys.



Figure 36. Geology of Sustut Copper.



Plate XIIA. Sustut Copper, panoramic view of the north cliff area.



Plate XIIB. Sustut Copper, accretionary lapilli.

(94D/10E)

GENERAL GEOLOGY: The rocks exposed on much of the property belong to the middle part of the Mesozoic succession, a thickness of about 3,500 feet of volcaniclastic beds (Fig. 36). On the northern claims and near the north boundary, the Lower Takla is well exposed and consists of a thin *Halobia*-bearing siltstone-argillite formation (Triassic) and bedded basalt breccias overlying a great thickness of pillow lavas. A polymictic conglomerate in the southwest corner of the property appears to be faulted against the volcaniclastics — the conglomerate is possibly time equivalent of the sedimentary rocks to the north.

The volcaniclastic rocks comprise an assortment of resistant cliff-forming, grey and grey-green units. These consist of volcanic sandstone, conglomerate, tuff breccia, and lahar deposits; the latter predominating. Characteristically the lahars are rudely bedded and without much sign of internal layering or sorting. Blocks range to several feet in diameter and vary in shape from subangular to rounded. There is no detectable framework of coarse fragments, individual blocks being suspended in mud-size particles. The internal structure is best displayed on clean weathered surfaces free of liverwort growth near permanent ice and show patches. The composition of individual fragments is divided roughly equally between brownish andesite clasts characteristically charged with small rectangular plagioclase laths, and darker porphyritic basalt with stubby augite phenocrysts. Aphanitic andesite and basalt clasts are fairly common and usually non-amygdaloidal. Porphyritic basaltic andesite fragments with large plagioclase phenocrysts, as much as 1 inch in length, are conspicuous but rarely present in abundance. A single block of coarse pyroxenite was observed; other non-volcanic 'accidental' rock fragments are scarce.

Tuff breccia is intercalated throughout the lahars. These rocks are usually dark coloured and mottled in greenish and reddish shades. They are compact and massive consisting of unsorted angular lapilli and blocks, ranging to several centimetres in diameter, embedded in similar finer material. Accumulations of accretionary lapilli are present but scarce (Plate XIIB); bombs and other figure projectiles are unknown.

Arc fusion analysis of a representative suite of pyroclastic rocks gives a refractive index range 1.540 to 1.604; approximately 80 per cent of samples are basalt and 20 per cent andesite (Fig. 37). Chemical analysis of a mineralized sample with native copper proves to be intermediate in the composition range (see accompanying table).

Oxides recalculated	to 100	Oxides as determined -	-
SiO	54.71	H ₂ O+	1.71
TiO	1.26	H ₂ O—	0.12
AlaÕa	16.66	CO ₂	0.37
Fea Oa	0.28	$P_2 O_5$	0.32
FeO	8.26	SrO	0.04
MnO	0.18	BaO	0.009
MaQ	5.15	Cu	1.83
CaO	7.08	S	0.12
Na ₂ O	5.73		
к₅Õ	0.69		
·2 -	100.00	R.I.	1.579

ANALYSIS OF PYROCLASTIC BASALTIC ANDESITE

Sample from the top of the north wall of the east re-entrant, Sustut Copper prospect (analysis by P. Ralph, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources).



Plate XIIIA. Sustut Copper, interbedded volcanic sandstone and conglomerate.



Plate XIIIB. Sustut Copper, volcanic sandstone with large fluvial cross-bed.



Figure 37. Sustut Copper, composition range of the Mesozoic volcaniclastic rocks.

Conglomerate and sandstone beds are concentrated in a zone midway through the volcaniclastic unit, roughly coincident with the plateau-like upper surface of the mountain. Compositionally these rocks are much like the lahars from which they were probably derived. The sandstones are often cross-bedded and form discontinuous lenses between conglomerate layers, apparently as a result of stream channelling (Plates XIIIA and B). Although not common, thin seams of dark reddish brown mudstone are locally conspicuous, interspersed in the coarse clastic assemblage. At several locations, bedding surfaces are exposed displaying large areas of mud cracks, indicating original subaerial conditions (Plate XIV).

STRUCTURE: Numerous measurements show that the strata are warped, forming a monocline-like structure. Near the summit bedding attitudes have an average strike of 100 degrees dipping 15 degrees southwest; farther south strikes swing more to the northwest and dips steepen with average attitudes approaching a strike azimuth of 140 degrees dipping 55 degrees southwest. An equal area plot of poles to bedding indicates a gentle fold axis with an azimuth of 167 degrees plunging 14 degrees southeast (Fig. 38).



Figure 38. Sustut Copper, equal area plot of poles to beds.

Sets of steeply dipping cross-fractures, apparently controlling much of the topographic expression in the area, are developed almost perpendicular to the bedding and associated sheeting joints. A synthesis of cross-joint measurements is presented on Figure 39. The strongest fractures have an average strike of 020 degrees dipping 85 degrees southeast and 100 degrees dipping vertically; the latter set appears to control the direction of the north cliff face and cliffs bounding the east re-entrant; the former set is subparallel to the east cliffs and many other northerly trending lineaments on the property. Weaker near-vertical fractures striking about 167 degrees show little topographic expression except possibly the contact between the polymitic conglomerate and the volcaniclastic unit which is apparently a fault zone.



Plate XIV. Sustut Copper, mud cracks in volcaniclastic unit."



Figure 39. Sustut Copper, orientation of steep cross joints.

(94D/10E)

The only other major fault on the property is believed to pass near the base of the north cliff striking between 115 to 120 degrees. Many hundreds of feet of vertical displacement in this area is manifest by the repetition of the lower half of the volcaniclastic unit on the northern claims.

MINERALIZATION: Mineralization is found at many widely separated points on or just below the surface of the central plateau area, the best cross-section of the ore being viewed near the top of the east cliffs and in the east re-entrant. These cliff showings are generally marked by minor green malachite and slight rust staining and red 'copper moss' growth on a number of adjacent beds.

Close examination reveals chalcocite and lesser amounts of bornite, chalcopyrite, and native copper impregnated in lahars, tuff breccia, and conglomerate, mostly as small blebs and grains in the matrix between and peripheral to the clasts (Plates XV and XVI). Commonly the adjacent rocks are slightly silicified and locally strongly epidotized.

Mineral zoning is apparent from the description of A. Sutherland Brown (personal communication) of diamond-drill hole No. 1 located about 500 feet south of the east re-entrant. Here the mineralized horizon, about 50 feet thick, is first intersected at a depth of 75 feet. The zoning consists of an envelope of weak pyrite dissemination followed inward by a chalcopyrite-bornite shell and a bornite, chalcocite, native copper core; the total mineralized section grading 2.47 per cent copper.

According to company report, a preliminary programme of diamond drilling indicates the size of the deposit as a few tens of millions of tons grading in excess of 1 per cent copper. A single sample of basaltic lahar containing both chalcocite and native copper collected by the writer assayed 1.83 per cent copper.

The lateral extent of the mineralized horizon, about one-half square mile, is proved by a computer-fitted polynomial surface^{*} which ties the main showings to many outlying minor exposures (Fig. 40). This fitted surface is warped downward to the south as predicted by numerous bedding measurements. In the north, the surface coincides almost with the top of the mineralized zone; in the south it cuts somewhat below.

The strike of the computed surface is more easterly oriented, especially in the south parts, than the bedding; also, dips range from 7 degrees in the north to 18 degrees in the south, averaging about 10 degrees less than bedding measurements. This apparent contradiction may be accounted for by a regular pattern of downward movement of slightly faulted panels along the easterly trending fractures, the north panels moving down relative to those adjoining on the south. Alternatively, it is possible that the mineralization is concentrated near the top of a northerly thinning facies; a clastic wedge with an upper boundary having a primary inclination of about 10 degrees to bedding.

According to the preliminary diamond-drill results, the thickness of the ore ranges in excess of 130 feet in a few holes. Using the drill data, computer-fitted isopach contours^{*} have been determined and superimposed on the idealized fitted surface of mineralization (Fig. 40). This shows that the greatest ore thickness, more than 35 feet thick in grades greater than 0.75 per cent copper, is contained within the first contour, the thinner parts being mostly excluded. Although the isopach fit is a rough one, the projection does indicate that much high-grade ore has been eroded from the east cliffs and east re-entrant area.

*Computer manipulations by A. Bowman, Geological Division, British Columbia Department of Mines and Petroleum Resources.



LEGEND

MINOR	PYRITE DISSEMIN	NATION	-
PROJECT	ED BEST FIT SU	RFACE OF MINERALIZATION (FIFTH ORDER	
POLY	NOMIAL PLANE	E)	
TOPOGR	APHIC CONTOL	JR , INTERVAL 250 FEET	300
STRUCT	JRE CONTOUR C	ON FITTED SURFACE OF MINERALIZATION .	
PROJECT	ED ISOPACH FO	R ORE GRADES GREATER THAN 0.75 PER	- 590
CENT	COPPER (FOUR	IER FUNCTION }	~
		SYMBOLS	
DIAMON	ID-DRILL HOLE	o LAKE	C
CLAIM C	AIRN	A STREAM	
	UUDING		

mineralization' and 'ore isopachs.'

427




The origin of the mineralization is of considerable importance in the search for similar deposits in the vicinity and elsewhere. Both syngenetic and epigenetic origins are considered. The stratiform nature of the deposit initially suggests a syngenetic origin. Little mineralization is found much below or above a planar surface in the middle of the volcaniclastic pile. That copper sulphides and native copper can accumulate and precipitate in basalt under magmatic conditions is known (Cornwall, 1951; Baragar, 1969). However, the process of erosion, transportation, and deposition of the mineralized fragments at Sustut must have been complex because of the diverse constitution of the host rocks.

The presence of copper sulphides and native copper in fractures (Plate XVII) is no strong argument against syngenesis because groundwater might be expected to disperse some of the primary ore.

The main evidence against syngenesis is the arrangement of the minerals as noted by A. Sutherland Brown. It is unlikely that this zonal symmetry could be caused by any primary sedimentary control even in combination with some possible supergene effect.

Considering the alternate epigenetic hypothesis, it can be argued that hydrothermal solutions entered the permeable conglomerate and sandstone beds ascending along the fissure systems, the solutions being eventually trapped in layers of impervious tuff breccia and lahar beds. This is analogous to the theory proposed by Wilson (1955) to explain the copper deposits of the Boleo District of Mexico. The extensive epidotization along steep cracks, sheeting, and in association with the ore at Sustut certainly suggests a period of marked hydrothermal activity.

Entry of the solutions into the volcaniclastic pile must have occurred after some fracturing but before regional metamorphism sealed the interstitial rock pores. This event probably pre-dated the period of granitic intrusions in the region and may have taken place soon after deposition of the volcaniclastic rocks, the ultimate source being related to volcanism. No granitic intrusions and only a few basalt dykes are found on the property.

The geological events leading to mineralization at Sustut appear to be generally similar to the recent record on the island of Sao Miguel in the Azores, although no copper deposit is known to be associated with the latter. Drilling by the Glomar-Challenger expedition reveals a subaerial sequence of lahars and pyroclastic rocks extending 700 metres below sea level. This is underlain by transitional marine sedimentary rocks, about 100 metres thick, followed by pillow lavas to the base 981 metres below sea level (Muecke, *et al.*, 1974). It appears that here present volcanic eruption and deposition matches the rate of subsidence on the Mid-Atlantic rift. It is interesting to note that the upper volcaniclastic beds are partially epidotized and emit steam and solutions in excess of 200 degrees centigrade from permeable zones.

The Sao Miguel-Sustut comparison applies only to the volcanic-sedimentary succession. In broader aspect the analogy is not so strong. For example, it is unlikely the mid-oceanic setting of the Azores could equate with Sustut paleogeography. The historical proximity of sialic crust at Sustut is demonstrated by the abundance of siliceous volcanic rocks in the older Paleozoic (Asitka Group) and younger Mid-Mesozoic (Hazelton ?) assemblages.



Plate XVII. Sustut Copper, vein of native copper in tuff breccia.

(94D/10E)

REFERENCES: Muecke, G. K., Ade-Hall, J. M., Aumento, F., Hyndman, R. D., and Reynolds, P. H., 1974, Deep Drilling of Oceanic Islands, *G.A.C./M.A.C.*, Program, Abstracts, 3rd Circular, p. 64; Baragar, W.R.A., 1969, The Geochemistry of Coppermine River Basalts, *Geol. Surv., Canada*, Paper 69-44, p. 43; Cornwall, H. R., 1951, Differentiation in Lavas of the Keweenawan Series and the Origin of the Copper Deposits of Michigan, *Geol. Soc. Am.,* Bull., Vol. 62, pp. 159-202; Lord, C. S., 1948, Geology of the McConnell Creek Map-Area, Cassiar District, British Columbia, *Geol. Surv., Canada*, Mem. 251, p. 72; Wilson, I. F., 1955, Geology and Mineral Deposits of the Boleo Copper District, Baja California, Mexico, *U.S.G.S.*, Prof. Paper 273, p. 134.

WILLOW (Fig. E, No. 109)						By 8. N	. Church
LOCATION:	Lat, 56° 33'		Long. 1	26 [°] 36	,		(94	D/10E)
	OMINECA N	I.D. Nor	th of Willo	w Cree	k and	2.5 mi	les due s	outh of
	Sustut Peak, I	between 3	3,500 and 6,	700 fe	et eleva	ation.		
CLAIMS:	WILLOW 3 a	nd 4, WIL	L 4 to 6, 37	7 to 54.				
OWNER:	WESFROB	MINES	LIMITED,	500,	1112	West	Pender	Street,
	Vancouver V	6E 2S3.						
METAL:	Copper.							
DESCRIPTION	N:							

The property adjoins the southeast claims of the Sustut group, but is south of the Sustut River, centred on an easterly trending ridge.

Characteristically the area is rugged with slopes rising from about 3,500 feet on the Sustut River at the west boundary to an elevation of 6,700 feet 1 mile east on the west of the ridge. The ridge is a cuesta with an abrupt escarpment on the north and a gentle southerly slope roughly parallel to the beds which strike 120 degrees and dip 30 degrees southwest.

The geology is similar to that of the Sustut property, although the mineralized beds are different lithologically and at a lower horizon. At the Willow property the Takla augite porphyry breccias are overlain by a sequence of thinly bedded aphanitic basalt lavas, and in turn a thickness of a few hundred feet of fossiliferous shales, chert, and carbonate beds, and, uppermost, a thick volcaniclastic unit (Fig. 34, section W-Z). The strata are offset locally by faults subparallel to a strong set of cross-joints striking 025 degrees and dipping 85 degrees southeast (Plate XVIIIA).

The mineralization is in the sedimentary band in a thin discontinuous tuffaceous argillite bed just below the base of the volcaniclastic unit. Both chalcopyrite and chalcocite have been identified forming discrete grains, often less than 1 millimetre in diameter disseminated in varying concentrations but constituting as much as 30 per cent by weight of some rock samples (Plate XVIIIB). The occurrence is generally similar to the Northstar (Fred) copper prospect near Kaza Lake, 38 miles to the south (Sutherland Brown, 1967). However, the Northstar showing is associated with coarse feldspar porphyry basaltic andesite volcanic rocks, believed to be stratigraphically low in the Takla succession.

WORK DONE: Surface diamond drilling, two holes totalling 3,100 feet on Willow 3 and 4.

REFERENCE: Minister of Mines, B.C., Ann. Rept., 1967, pp. 86-88.



Plate XVIIIA. View of the Takla succession in the Willow Creek area, looking west.



Plate XVIIIB. Willow prospect, chalcopyrite grains disseminated in tuffaceous argillite.



Figure 41. Geology of the Marmot prospect, Menard Creek area.

(94D/10E, 15E)

MARMOT	(94D-5)	(Fig. E, No.	. 10)		By B. N	I, Church
LOCATION:	Lat. 56° OMINE Creek, a	45' CA M.D. M tapproxima	Long. 1 AcConnell Ra tely 6,500 fee	26 [°] 34' nge, at the t elevation.	(94D/10) headwaters of)E, 15E) Menard
CLAIMS:	MARMO	OT 1 to 141.				
OWNERS:	Wesfrob	Mines Limit	ted and New V	Vellington Res	sources Limited.	
OPERATOR:	WESFR Vancouv	OB MINES ver V6E 2S3	LIMITED,	500, 1112	West Pender	Street,
METAL:	Copper.					

DESCRIPTION:

INTRODUCTION: The Marmot claims are in the McConnell Range on a low southerly trending ridge that forms a divide between Moose Valley and the headwaters of Menard Creek, a tributary of the Ingenika River (Fig. 34). This report is based on an eight-day visit to the area by the writer in July 1973 and assessment reports on file with the Government.

HISTORY: Mineralization was apparently first discovered by C. S. Lord while mapping for the Geological Survey of Canada during the period 1941 to 1945. Assay results on samples from a shear zone near the source of Menard Creek yielded significant gold, silver, and copper values. It was not until 1966, however, that prospector W. D. Savage located claims on this showing and the adjacent areas of mineral potential. New Wellington Resources Limited, the principal owner, acquired the key claims, known as the Marmot group, in the same year. Subsequently the property was optioned to Texada Mines Ltd. and currently an option is held by Wesfrob Mines Limited.

The initial work on the property included about 10 miles of trenching and access road construction, five diamond-drill holes totalling 783 feet, and geological and geochemical surveys. More recently, there has been an EM-magnetometer airborne survey and an additional five diamond-drill holes. A buildozer road links the property to a well-equipped camp and airstrip on the banks of Moosevale Creek, situated about 3 miles to the west.

PHYSIOGRAPHY: The map-area lies astride a thin belt of interconnected ridges at the head of Menard Valley at a point where deep transverse erosion has virtually severed the southern axis of the McConnell Range.

Except for circued northerly and easterly slopes, the area is characteristically gentle in profile having been smoothed by the last advance of Pleistocene ice. The point of maximum elevation, a peak in the northern extremity of the map-area, is 6,734 feet above mean sea level and about 3,000 feet above the floor of Moose Valley to the west.

Bedrock is well exposed only on the steep headwalls of cirques; ridge crests and upper slopes being largely mantled in regolith. The slopes below timberline, about 5,000 feet, are covered with ground moraine and thick glacial outwash.

GENERAL GEOLOGY: The geology of the area is shown on Figure 41. A central panel of Takla volcanic rocks is bounded by younger Sustut sedimentary rocks on the west and the Omineca batholith on the east.

BEDDED ROCKS

Takla Group: The Takla rocks are mainly basic volcanic breccias and lavas equivalent to Lord's 'lower division.'

The best section is exposed on peak A, north of Menard Valley. Here coarse plagioclase-rich lavas capping the peak rest on minor tuffaceous beds and a thick assemblage of augite-rich lavas and breccias, the total succession dipping gently to the northeast.

The upper feldspathic unit is more fully preserved to the southwest on Marmot Ridge. Petrographically, these rocks are unusual in that they are characterized by exceptionally large euhedral plagioclase plates, some as much as 4 centimetres long. These are embedded in a fine-grained grey, greenish or reddish brown matrix often consisting of aligned plagioclase microlites (1 to one-quarter millimetre long), magnetite granules, and, less commonly, subhedral augite crystals. The total feldspar content is between 60 and 70 per cent. The composition of the large plagioclase phenocrysts is in the range An_{45} to An_{50} ; plagioclase microlites are generally more sodic, ranging to oliogclase. Few are completely fresh. Mixtures of albite, clay, and carbonate minerals replacing primary feldspar are accompanied by patches of chlorite and epidote in many rocks.

The augite-rich volcanic rocks underlie much of the area to the south on peaks D, F, G, and H. Except possibly for the east spur of peak C, the upper unit has been largely stripped away by erosion leaving only a few coarse plagioclase porphyry feeder dykes. Characteristically, these rocks are dark coloured, massive, and resistant to erosion. Augite phenocrysts, some measuring as much as 8 millimetres in diameter, are conspicous and form 10 to 20 per cent of the rock. Commonly the rocks also contain an abundance of phenocrysts which prove to be mixtures of serpentine and talc pseudomorphic after olivine – these grains are generally fewer, smaller, and more rounded than the co-existing pyroxene. Plagioclase phenocrysts (labradorite) are generally scarce. Most of the feldspar, about one-third the total volume of the rock, occurs as small randomly oriented laths intermixed with pyroxene grains and magnetite in the groundmass.

According to arc fusion analyses, the augite-rich lavas and breccias are basalts with a refractive index range of 1.596 to 1.625. The plagioclase-rich varieties are best described as basaltic andesites with an R.I. range of 1.561 to 1.601. Together the entire volcanic assemblage is bimodal in character (Fig. 42). It is interesting to note that the aphanitic samples collected have approximately the same average refractive index as the plagioclase porphyries with which they are interbedded – only a few aphanites are more salic.



Figure 42. Composition range of Takia volcanic rocks, Menard Creek area.

Examination of the chemical data on specimens collected by the writer show that these diverse rocks may be related genetically. Calculations based on analyses of some typical samples indicates that removal of mainly pyroxene (by crystal fractionation) from augite porphyry No. 2 could produce a magma similar in composition to the plagioclase porphyry No. 1. It is interesting to note that the crystal cumulate resulting from this process would be similar to the peridotite No. 3 collected from the deeply eroded ultramafic belt 4 miles east of the map-area.

Sustut Group: The Sustut beds, considered to be Upper Cretaceous - Lower Tertiary age are exposed in small areas along roads and stream courses in the northwest part of the map-area. These rocks are mainly poorly indurated, light grey sandstones and conglomerates with intercalated dark carbonaceous seams. Mapping by Lord shows similar units exposed locally through the glacial deposits on the floor of Moose Valley. Bedding attitudes are consistently inclined to the northeast indicating downward rotation of the strata against a major gravity fault which evidently strikes parallel along much of the east side of Moose Valley. The total stratigraphic thickness is unknown but must be at least several hundreds of feet.

	1	2	3
Oxides Recalculated to 100 -			
SiO ₂	53.20	48.05	49.24
TiO2	0.93	0.75	0.37
Al ₂ Õ ₃	16.97	10.20	2.71
$Fe_2 O_3$	4.89	5.98	4.72
FeO	4.82	5.89	5.01
MnO	0.18	0.19	0.16
MgO	6.09	14.45	18.11
CaO	7.44	12.60	19.46
Na ₂ O	3.08	1.34	0.20
K ₂ 0	2.40	0.55	0.02
	100.00	100.00	100.00
Oxides as Determined —			
H₂O+	1,54	2.09	1.48
H ₂ O_	0.19	0.79	0.03
CÕ2	0.27	0.00	0.02
P_2O_5	0.37	0.42	< 0.18
S	0.01	< 0.01	< 0.01
SrO	0.08	0.04	0.007
BaO	0.03	0.01	0.0006
R.I.	1.585	1.620	
Molecular Norms —			
Quartz	1.9	*	
Orthoclase	14.2	3.2	0.1
Albite	27.8	12.0	1.8
Anorthite	25.4	20.1	6.4
Wollastonite	4.6	16.9	35.8
Enstatite + Ferrosilite	19.7	31.5	41.3
Forsterite + Fayalite		9.2	9.2
llimenite	1.3	1.0	0.5
Magnetite	5.1	6.1	4.9

1 - Plagioclase-rich basaltic andesite, 1,500 feet northeast of the upper campsite.

2 - Augite-rich basalt, from south spur of peak B.

3 - Peridotite from ultramafic belt north of Menard Creek, 4 miles northeast of the map-area.

Analysis by P. R. Ralph, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources.

(94D/10E, 15E)

IGNEOUS INTRUSIONS: In addition to the large granitic intrusion in the northeast part of the map-area, a few smaller stocks and numerous dykes cut the Takla beds. All of these bodies are referred to as Omineca intrusions and are thought to be mainly Jurassic age.

The main plutonic body is a grey, fine to medium-grained granodiorite-diorite pluton exposed on the east spurs of peaks A and C. Petrographic analyses of fresh samples indicate a composition of mostly tabular plagioclase and subhedral quartz with interstitial orthoclase, some euhedral prisms of hornblende, a few chloritized biotite books, and scattered accessories such as magnetite, sphene, and apatite.

Other related bodies are found in diverse parts of the map-area. A small boss of diorite somewhat less siliceous and more equigranular than the main pluton is exposed beside the trail 2,000 feet south of peak B.

Also two small granodiorite stocks in the south part of the property cut both Takla and what is believed to be older Paleozoic rocks. The main intrusive phase is slightly porphyritic with scattered rectangular plagioclase phenocrysts, about 5 millimetres long, suspended in a hypidiomorphic granular groundmass which is composed of plagioclase and abundant orthoclase and quartz. Accessory biotite, hornblende, and magnetite are scattered throughout the rock.

Dykes are numerous and diverse in texture and composition. Perhaps the most common and largest are quartz feldspar porphyries. Many of these are granitic and were apparently derived from highly differentiated phases of the nearby Omineca stocks.

Modal analyses of representative samples of the main intrusions are given in the accompanying table.

	A	В	С
	per cent	per cent	per cent
Quartz	7	20	23
Orthoclase	4	5	22
Plagioclase	68	55	44
Biotite	3	7	3
Hornblende	13	10	6
Sphene	1	Tr.	
Magnetite	3	3	2
Apatite	1	Tr.	Τr.

MODAL COMPOSITIONS OF OMINECA INTRUSIONS

A - A small diorite body 2,000 feet south of peak B; plagioclase zoned An20 to An45.

B - Contact tonalite phase of the main Omineca intrusion 2,000 feet east of peak A.

C - Granodiorite stock 2,500 feet south of E.

STRUCTURE: Faulting is the dominant structural feature. The Sustut beds in the northwest part of the map-area have been displaced downward relative to the Takla feldspar porphyries which in turn, although stratigraphically higher, are structurally lower than the augite porphyries further northeast. Important normal faulting has evidently taken place on the strong southeasterly trending faults which traverse the area.

The statistical orientation of joints and cleavages agrees generally with the direction of the lineaments and main faults (Fig. 43). There are three important fracture modes, a strong attitude striking 072 degrees dipping 88 degrees northwest and two weaker directions striking 015 degrees dipping 85 degrees northwest and striking 155 degrees dipping 83 degrees southwest. The latter mode is parallel to the main direction of faulting; the strong easterly striking fractures are correlated with shears, minor cross-faults, and veins; the northeasterly trending fractures are not known to coincide with any important features except perhaps a lineament crossing the saddle between peaks B and C.

MINERALIZATION: Mineralization on the claims is of three types: copper sulphides occurring in (1) fissures and (2) disseminations in the volcanic rocks, and (3) disseminations near the contact of igneous intrusions.

The most significant mineralization appears to be that in the fissures. The most important of these was described by Lord (1948, p. 61). This is a northwest-trending silicified shear, 5 feet wide, just east of the crest of Marmot Ridge. The shear contains notable amounts of chalcopyrite, malachite, and limonite; a grab sample taken by Lord assayed: gold, 0.13 ounce per ton; silver, 3.59 ounces per ton; and copper, 5.18 per cent.

Similarly mineralized fissures have been uncovered in the area according to company reports. Assays on these average: copper, 1.5 to 3 per cent; gold, 0.02 to 0.05 ounce per ton; and silver, 0.3 to 3.0 ounces per ton. Although it is claimed that this type of mineralization is traceable for lengths of as much as 300 feet, there is doubt expressed concerning the continuity of metal grades.

The most widespread type of mineralization is the dispersal of copper sulphides in small cracks and replacements in the feldspathic basaltic andesite unit of the Takla (Plate XIX). The southwest slope of Marmot Ridge has many such occurrences. Chalcocite and bornite, the most common sulphides, are found with quartz and calcite as fillings together with epidote which is also a replacement mineral. Small high-grade showings are not uncommon in this association, however, the continuity of such mineralization over any important widths is questionable.

The third type of occurrence seems to be of little importance since pyrite is the only sulphide present in abundance. The best examples in this category are the west contact of the large intrusion east of peak A and the north contact of the small stock in the south part of the map-area. In both cases, pyrite is dispersed through the hornfelsic rocks for 10 to 20 feet outward from the margin of the intrusion. Some molybdenite has been reported in the small southern stock but this appears to be very minor.

GEOCHEMISTRY: The results of an extensive geochemical survey shows that soils overlying the feldspathic Takla volcanic rocks are generally enriched in copper (Fig. 41). According to company data background levels are in the range 50 to 150 ppm; anomalous zones range to 1,200 ppm copper. Except for a number of high copper values in the vicinity of a small easterly trending vein near peak F, anomalies in areas underlain by augite porphyry basalt are usually only slightly above background.



Figure 43. Fracture orientation, Menard Creek area.



-

Plate XIX. Marmot prospect, blebs of chalcocite and a bornite-quartz vein in feldspathic basaltic andesite.

(94D/10E)

Other anomalies were detected near contacts of igneous intrusions and in the vicinity of fissures. The strongest of these are aligned roughly parallel to the main fissure direction striking northwesterly and some easterly striking cross-fractures.

- WORK DONE: EM and airborne magnetometer survey, 188 line-miles covering all claims; surface diamond drilling, five holes totalling 900 feet on Marmot 35, 69, 70, and 140.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1966, p. 82; 1967, p. 89; 1968, p. 119; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1969, p. 104; *Geol. Surv., Canada,* 1948, Mem. 251; Assessment Reports 991, 2349, 4254.

D (Fig. E, No. 56)

LOCATION:	Lat. 56° 37'	Long. 126° 35'	(94D/10E)
	OMINECA M.D.	Three miles due north of Sus	tut Peak.
CLAIMS:	D 1 to 80, EVE 1	to 18, EVE 19 Fraction.	
OWNERS:	Kalco Valley Min	es Ltd. and Brascan Resources	Limited.
OPERATOR:	BRASCAN RES	OURCES LIMITED, 502, 11	55 West Pender Street,
	Vancouver V6E 2	<u>2</u> P4.	
METALS:	Copper, molybde	inum.	
DESCRIPTION:	The country roo	cks includes Takla Group vo	Icanic rocks and Asitka
	Group banded	cherts, limestone, and felsio	volcanic rocks, Some
	mineralized float	was located in till, but none in	n place.
WORK DONE:	Surface geologic	al mapping, 1 inch equals	400 feet; topographic
	mapping, 8 squ	are miles; linecutting and m	agnetometer survey, 32
	line-miles; geoche	emical survey, 1,854 soil samp	oles taken mostly at 100
	by 800-foot grid	spacing and 40 silt samples ta	aken at irregular intervals
	covering all claim	IS.	
REFERENCE:	Assessment Repo	ort 4883.	

E (Fig. E, No. 97)

LOCATION:	Lat. 56° 39′	Long. 126° 34'	(94D/10E)
	OMINECA M.D.	Straddling the Sustut Ri	ver, 1.5 miles southwest of
	the Moosevale Cre	ek junction.	
CLAIMS:	E 1 to 64.		
OWNERS:	J. McLeod and J.	Forster.	
OPERATOR:	BENSON MINES	LTD., c/o 306, 845 West	Pender Street, Vancouver.
DESCRIPTION:	Paleozoic marble	-cobble conglomerate an	d volcanic sandstone are
	exposed along a	2,700-foot section of the	Sustut River and for 2,000
	ieet up a smail thi	bulary.	
WORK DONE:	Surface geologica	I mapping, 1 inch equals	1,000 feet; linecutting, 18
	miles of grid; geod	chemical survey, 464 soil a	nd silt samples taken at 200
	by 750-foot grid s	pacing covering E 1-28 am	d 41-50.
REFERENCE	Assessment Report	rt 4824	

(94D/10)

ROY (94D-78) (Fig. E, No. 38)

LOCATION: Lat. 56° 32' Long. 126° 44' (94D/10) OMINECA M.D. Sustut area, 8 miles southwest of Sustut Peak, between 3,500 and 5,500 feet elevation.

CLAIMS: ROY 1 to 76, 81 to 96, 101 to 118, 121 to 138, 141 to 252.

- OWNER: McINTYRE PORCUPINE MINES LIMITED, 1003, 409 Granville Street, Vancouver.
- METALS: Copper, gold, zinc (?).
- DESCRIPTION: The claims are underlain by porphyry and stratabound copper mineralization which occurs in Takla Group pyroclastic units.
- WORK DONE: Surface geological mapping, 1 inch equals 2,640 feet and 1 inch equals 1,320 feet covering 17 square miles and 1 inch equals 100 feet covering a mineralized showing; geochemical survey, approximately 1,200 soil and silt samples taken at varying intervals covering most of the claims; trenching, 105 feet on Roy 153 and 154.
- REFERENCE: Assessment Report 4595.

NO. 1, NO. 2, A (Fig. E, No. 36)

- LOCATION:Lat. 56° 35'Long. 126° 45'(94D/10)OMINECA M.D.Six miles west of Sustut Peak on a major southwest
flowing tributary of Two Lake Creek.(94D/10)CLAIMS:NO. 1 1 to 20, NO. 2 1 to 20, A 1 to 64, FRACTIONS 1 to 5.
- OWNERS: Consolidated Standard Mines Limited and Yukon Gold Placers, Limited.
- OPERATOR: YUKON GOLD PLACERS, LIMITED, 835, 555 Burrard Street, Vancouver.

METALS: Copper, silver.

- DESCRIPTION: Fine-grained chalcocite with some bornite and chalcopyrite occurs in the upper part of the Lower Takla Group volcanic rocks close to its contact with Upper Takla units.
- WORK DONE: Claims and topography mapped; surface geological mapping, 1 inch equals 1,000 feet; linecutting, 18 miles of grid; geochemical survey, 212 silt samples taken at 200-foot intervals and 14 soil and 10 rock samples taken covering all claims; surface diamond drilling, two holes totalling 1,000 feet on NO. 2 - 5 and 20.
- REFERENCE: Assessment Report 4625.

B (94D-81) (Fig. E, No. 57)

LOCATION:	Lat. 56° 38′ Long. 126° 45′ (94D)/10)
	OMINECA M.D. At the headwaters of Moosevale Creek, 6.5	miles
	west-northwest of Sustut Peak, at approximately 4,000 feet eleva	tion.
CLAIMS:	B 1 to 36.	
OWNER:	Bow River Resources Ltd.	
OPERATOR:	BRASCAN RESOURCES LIMITED, 502, 1155 West Pender St	reet,
	Vancouver V6E 2P4.	

METALS: Copper, silver.

DESCRIPTION: Takla Group volcanic rocks consisting mainly of an ash flow unit and a volcaniclastic unit contain chalcopyrite, bornite, and chalcocite which occur along fractures, as disseminations, and as veins in shear zones.

WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting and magnetometer survey, 19 line-miles; geochemical survey, 970 soil samples taken at 100 by 800-foot grid spacing and 49 silt samples taken at irregular intervals; topographic mapping, 3 square miles covering all claims.

REFERENCE: Assessment Report 4882.

BIRCH (94D-77) (Fig. E, No. 12)

LOCATION:Lat. 56° 31'Long. 126° 49'(94D/10W)OMINECA M.D.Four and one-half miles north of the junction of Red
Creek and the Sustut River, at approximately 5,000 feet elevation.CLAIMS:BIRD 2, 4, 6, 35 to 48, 67 to 76, 95 to 107.

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.

METALS: Copper, lead, zinc.

DESCRIPTION: The area is underlain by andesite and andesitic tuff. Pyrite, minor chalcopyrite, sphalerite, and galena have been observed.

WORK DONE: VLF EM and magnetometer survey, 1.8 line-miles and SP survey, 1.7 line-miles covering Bird 36-40; geochemical soil survey, 170 samples taken at 100 by 100 by 200-foot grid spacing covering Bird 102-107; trenching, 120 feet on Bird 36.

REFERENCES: Assessment Reports 4785, 4787.

BEST, MAR (Fig. E, No. 35)

LOCATION: Lat. 56° 33′ Long. 126° 48′ (94D/10W) OMINECA M.D. Eight miles southwest of Sustut Peak, at approximately 4,000 feet elevation.

CLAIMS: BEST 1 to 20, 35 to 52, MAR 13 to 34.

OWNER: BOW RIVER RESOURCES LTD., 333, 885 Dunsmuir Street, Vancouver.

DESCRIPTION: The area is underlain by a sequence of tuff and agglomerate units. Copper stain has been observed in narrow shear zones in these units.

WORK DONE: Geochemical silt survey, 24 samples.

GRIZZLY-ORK (94D-83) (Fig. E, No. 55)

LOCATION: Lat. 56° 34' Long. 126° 52' (94D/10W) OMINECA M.D. Three miles south of Two Lake Creek, near the northernmost headwaters of Red Creek, at approximately 5,500 feet elevation.

CLAIMS: MAC 3 to 10, 62 to 64, 121 to 124, 181 to 192. GRIZZLY 1 to 4, BIRD 62, 64, 66, 89, 91, 93, 94, 125, 126.

445

(94D/10W)

Ż

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.

METAL: Copper.

- DESCRIPTION: Country rocks include Hazelton Group tuff and agglomerate units cut by porphyry dykes. Mineralization consists of disseminated bornite and chalcopyrite.
- WORK DONE: Surface diamond drilling, six holes totalling 156.5 feet on Grizzly 1, 2 and Mac 183, 185; trenching, 405 feet on Mac 185.
- CARLOS, PIKE (94D-88) (Fig. E, No. 58)
- LOCATION:Lat. 56° 36'Long. 126° 48'(94D/10W)OMINECA M.D.Approximately 12 miles west of Sustut Lake.CLAIMS:CARLOS 51 to 80, FIRE 1 to 16, PIKE 29 to 50.

OWNERS: HIGHHAWK MINES LIMITED and SPROAT SILVER MINES LTD., 333, 885 Dunsmuir Street, Vancouver.

METAL: Copper.

DESCRIPTION: Takla tuffs and agglomerates contain a thin flow of amygdaloidal andesite. They are cut by numerous thin andesite dykes and are disrupted by block faulting. Chalcocite and native copper occur in the flow amygdules, and chalcocite and minor bornite occur in calciteepidote veins along the faults.

WORK DONE: Surface geological mapping, 1 inch equals 880 feet; geochemical survey, 20 silt and 13 rock samples taken covering Carlos 51-80, Fire 1-12, and Pike 29-50.

- REFERENCE: Assessment Report 4780.
- DD (94D-24) (Fig. E, No. 99)

LOCATION:	Lat. 56° 42′	Long. 126° 58′	(94D/10W)
	OMINECA M.D.	Two Lake Creek, Sustut Peak area	•
CLAIMS:	DD 1 to 20.		
OWNER:	G. Stapley.		
OPERATOR:	INLAND COPPE	R LTD., 215, 470 Granville Street,	Vancouver.
METALS:	Copper, silver.		
DESCRIPTION:	According to ma	pping by Lord (1948, Mem. 251), t	he area is underlain
	by Upper Takla v	olcanic rocks.	
WORK DONE:	Linecutting, 3.6	miles of grid covering DD 5-9.	
REFERENCES :	Geol. Surv., Cana	da, Mem. 251, p. 61; Assessment R	eport 4856.

BARN, BEAR (94D-84) (Fig. E, No. 53)

LOCATION:	Lat. 56° 41'	Long.	126° 49′		(94D/10)
	OMINECA M.D.	Sustut Peak	area, 22	miles	west-northwest of
	Johanson Lake, 2.	5 miles east-sou	itheast of D	ewar Pe	eak.
CLAIMS:	BARN 1 to 42, B	EAR 1 to 16,	ICE 1 to 3,	NIVEN	1 to 48, PIKE 1 to
	22, SNO 1 to 24.				

OWNERS: M. Bratlien and T. H. Cross.

OPERATOR: DORITA SILVER MINES LTD., 808, 602 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Takla Group flows, agglomerates, tuffs, limestone, argillite, gneiss, and conglomerate underlie most of the claims, and are in fault contact with the Asitka Group to the northeast. The Takla rocks have been disrupted by block faulting and intruded by dykes of quartz-feldspar porphyry. Malachite, chalcopyrite, minor chalcocite, and traces of bornite occur in quartz and calcite veinlets along faults or shear zones and adjacent to porphyry dykes.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet; geochemical soil and silt survey, 526 samples taken on a small grid in the southeast, along contours and along streams.
- REFERENCE: Assessment Report 4710.

DWG COPPER	(94D-91)	(Fig. E, No. 20)	By B. N. Church
LOCATION:	Lat. 56° 53′	Long. 126° 29'	(94D/15E, 16W)
	OMINECA M.	D. On McConnell Creek, 1.5	miles south of McConnell
	Lake, at appro	ximately 4,000 feet elevation.	
CLAIMS:	DWG COPPER	R 1 to 46 (replacing BEN claim	s).
OWNER:	BEN GINTER	, Prince George.	
METAL:	Copper,		
DESCRIPTION:			

INTRODUCTION: This report is based on a detailed survey of the property by the writer in June 1973 and private engineer's evaluation prepared for Mr. Ginter.

Traditionally this remote area has been known for the occurrence of gold. Placers were discovered here in 1899 and have been worked sporadically on a small scale since that time. A minor occurrence of gold was found and staked in 1947 (the Gerle Gold claims) 2 miles east of the south end of McConnell Lake.

Copper mineralization was not discovered until 1966. At this time prospectors Messrs. Delma Dionne and France Wietzel, employed by Mr. Ben Ginter of Prince George, found chalcopyrite veins in the bedrocks on the banks of McConnell Creek 1.5 miles southeast of McConnell Lake.

PHYSIOGRAPHY AND GLACIAL HISTORY: The McConnell Creek copper prospect is located in the Omineca Mountain physiographic subdivision of north central British Columbia near the Finlay-Ingenika drainage divide (Fig. 44). The area is characterized by modest topographic relief and gentle mountain slopes. The elevation of McConnell Creek, where it flows across the property, is 4,050 feet above mean sea level; the survey cairn on the summit of Snowslide Mountain, 1.6 miles to the northeast, stands at an elevation of 6,078 feet.

McConnell Valley is a conspicuous lineament about 10 miles long extending northwest from the Ingenika River to the area just south of Fredrikson Lake. Typically the valley is straight and trench-like with a flat floor 1,000 to 2,000 feet wide and steep rock walls rising 200 to 300 feet on both sides. Near the mid-point of the valley, Snowslide Creek enters from a deep gorge eroded in the east wall. At the time of visit in June 1973, the



Figure 44. Geology of the DWG Copper claims, McConnell Creek.

water from this stream split at the apex of an alluvial fan – half flowing into McConnell Lake 1,000 feet to the north and eventually toward the Finlay River, the other half forming the headwaters of McConnell Creek feeding into the Ingenika River 5.5 miles to the southeast.

McConnell Valley was intensely glaciated during the Pleistocene epoch and the upper slopes are incised by numerous meltwater channels. These water courses developed along the margins of a receding valley glacier. The upper section of Caribou Creek presently follows such a route.

Final retreat of glacial ice left McConnell Valley strewn with moraine deposits, eskers, and kame terraces such as presently displayed along Attichika Valley, a continuation of McConnell Valley to the northwest. In McConnell Valley this material was eroded and reworked by McConnell Creek which once discharged much larger volumes of water to the Ingenika than at present. The well-developed benches which presently flank this creek are remnants of gravel beds deposited by the stream earlier in its history. These are characterized by boulder tops with local sandy infillings and streaks rich in black magnetic sands and some placer gold.

GEOLOGICAL SETTING: The McConnell Creek area is underlain by an assemblage of plutonic intrusions and severely metamorphosed rocks of probable sedimentary or volcanic origin. According to Lord (1948) the intrusions are outliers of the Jurassic Omineca batholith and the adjacent country rocks are part of the Takla Group.

The ridge forming the crest of Snowslide Mountain, about 2 miles east of the valley, consists of a northwesterly striking band of amphibolitic gneiss, which appears to be a roof pendant or septa of country rock in a large granodiorite body. The gneiss is commonly medium grained with conspicuous hornblende segregations interlayered with feldspathic bands. The gneissocity is vertical or steeply inclined to the northeast and has an average strike of about 155 degrees.

A somewhat more diversified assemblage of country rock is exposed along the lower course of Caribou Creek and on the east wall of McConnell Valley. In this area amphibolitic gneiss, chloritic schist, and some units recognizable as metavolcanic rocks are intermixed.

To the west, good exposures are restricted more or less to the steep valley walls. The most common rock is impure granodiorite. In places this is epidotized, pyritiferous, and badly sheared.

The freshest rock in the area is pink biotite granite which intrudes the granodiorite. This body, itself cut by a number of basalt dykes, is exposed in the upper part of the canyon of Glacial Creek one-half mile upstream from McConnell Creek.

In the immediate vicinity of the McConnell Creek copper prospect, two main intrusions are distinguished, a sheared granodiorite and a quartz gabbro.

In hand specimen the granodiorite is generally schistose, having a waxy or greasy appearance with individual minerals smeared and often difficult to identify. However, detailed microscopic examination of a fresh sample shows the following mineralogy:

	Per Cent
	Quartz
	Orthoclase 7
	Plagioclase (An ₂₀ to 40) 62
(Biotite
{	Chlorite 4
l	Epidote
5	Magnetite 1
ł	Sphene
	Calcite Trace

The rock is crowded with zoned, subhedral plagioclase crystals, 2 to 4 millimetres in diameter, and slightly smaller quartz grains which generally mass together, forming somewhat elongated quartz eyes. Orthoclase is scattered sparingly throughout the rock as large poikilitic individuals amoeboid in outlined. The accessories, chloritized biotite, magnetite, and sphene, are interstitial.

The quartz gabbro is found only at a few points near the mineral showings, the main body lying to the south exposed almost continuously for at least 2 miles on the west wall of the valley. Normally the rock is fresh except for the presence of minor pyrite and some epidotization adjacent pegmatite and aplite dykelets. Hand specimens are normally mesocratic with numerous dark amphibole crystals and crystal clusters suspended in a light-coloured, plagioclase-rich matrix. The following mode has been determined by a thin section point count:

P	er	. (ent
Quartz	•		11
Orthoclase			7
Plagioclase (An ₄₀ to 45)	•		55
Hornblende			24
Chlorite			
Magnetite			4
Sphene			
Apatite			
Calcite	•	Т	race

The plagioclase is commonly subhedral and lath-shaped, 2 to 3 millimetres long, arranged more or less in a random fashion with quartz and orthoclase fitted between these larger crystals. Hornblende often exhibits sharp straight contacts with adjoining feldspar crystals but is otherwise ragged in outline and charged with poikilitic inclusions of quartz, magnetite, and apatite.

The intrusive relationship between the granodiorite and quartz gabbro are obscured by poor exposure and alteration due to shearing. In places, however, pegmatite pervades the gabbro and appears to emanate from the granodiorite.

The chemistry of the granodiorite and quartz gabbro calculated from the mineralogy compares favourably with the actual chemical analyses of these rocks as well as Daly's (1933) average compositions, as seen in the accompanying table.

	1	2	3	4	5	6
SiO ₂	69.87	69.3	65.69	57.96	53.0	55.42
TiO	0.28	0.5	0.57	0.75	1.3	1.31
Al ₂ Ô ₃	16.72	17.0	16.11	17.14	17.2	17.04
Fe ₂ O ₃	0.87	0.9	1.76	4.27	7.9	2.54
FeÔ	1,17	0.7	2.68	4,23	8.1	7.28
MnO	0.06		0.07	0.19		0.21
MaO	0.82	1.1	1.93	2.96	2.3	4.22
CaO	3.37	3.8	4.47	7,15	5.7	6.80
Na ₂ O	5.62	5.1	3.74	3.92	3.6	3.21
K ₂ 0	1.22	1.5	2.78	1.43	0.9	1.61
P_2O_5			0.20			0.36
	100.00	100.00	100.00	100.00	100.00	100.00

TABLE OF CHEMICAL ANALYSES

 Granodiorite sample, 200 feet southeast of B showing, McConnell Creek copper prospect; analysis by W. M. Johnson, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources.

2 - Granodiorite, same as No. 1; composition calculated from mineralogy.

3 - Daly's 1933 average granodiorite, Table 1, No. 45.

 Quartz gabbro sample, about 300 feet northeast of C showing near McConnell Creek; analysis by W. M. Johnson, Analytical Laboratory, British Columbia Department of Mines and Petroleum Resources.

5 - Quartz gabbro, same as No. 4; composition calculated from mineralogy.

6 - Daly's 1933 average quartz gabbro, Table 1, No. 63.

FRACTURES: The results of a statistical study of fractures in the intrusive rocks in the vicinity of the prospect are illustrated on Figure 45. The main direction of fracturing strikes 160 degrees and dips 60 degrees northeast; this is subparallel to known shearing and coincident with the overall strike of McConnell Valley. Several sets of cross-fractures are weakly developed. These have the following mean attitudes: 070 degrees – 65 degrees northwest; 040 degrees – 65 degrees northwest; and 020 degrees – 90 degrees. It is clear that the cross-fractures carry most of the mineralization.

MINERALIZATION: The McConnell Creek copper prospect comprises five sulphide showings exposed within a radius of several hundred feet near the banks of McConnell Creek (Fig. 44).

The showing designated A is a 150-foot-long cut in sheared granodiorite trending southeast about 100 feet east of McConnell Creek. At the time of visit the base of the cut was obscured by rubble, however, the face above was clean and displayed a number of thin northeasterly striking chalcopyrite-pyrite seams. According to a private report, six 10-foot-wide samples taken along the face averaged 0.02 per cent copper, three samples of similar width averaged less than 0.01 per cent copper, and one sample gave 0.94 per cent copper. Two other samples, each taken across 5 feet, assayed 0.17 and 2.40 per cent copper.



Figure 45. Fracture orientation, McConnell Creek area.

(94D/15E, 16W)

The most important showing, designated B on the accompanying map, is centred approximately 150 feet southwest of McConnell Creek opposite A. This is a quartz-pyrite - chalcopyrite vein exposed for a length of about 50 feet, having variable strike and thickness (Plate XX). The southwest extremity of the vein striking 068 degrees is about 4 feet wide and heavily mineralized; to the northeast the attitude changes to 062 degrees – 65 degrees northwest, the total mineralized zone widening considerably. A chip sample across 15 feet taken by the writer across the splayed northeast extremity of the vein assayed: copper, 1.44 per cent; silver, 0.2 ounce per ton; molybdenum, 150 ppm; and gold, lead, and zinc, trace. A more detailed sampling of the same vein by others reportedly gave the following assay results: six samples across 5 feet averaging copper, 0.70 per cent; one sample across 3 feet – copper, 6.60 per cent and silver, 4.55 ounces per ton; one sample across 10 feet – copper, 7.60 per cent; silver, 2.92 ounces per ton; and gold, 0.082 ounce per ton; and one sample across 11 feet – copper, 5.60 per cent; silver, 1.69 ounces per ton; and gold, 0.021 ounce per ton.

Showing C is 500 feet west of B and 100 feet above the creek in a small draw that separates a rocky spur from the main wall of the valley. The exposure consists of several feet of crushed malachite-stained granodiorite and fault gouge protruding from a gravel and talus embankment. According to report, a detailed sample 5 feet wide taken across the zone assayed: copper, 0.64 per cent. A grab sample obtained by the writer assayed: copper, 1.15 per cent and gold and silver, trace.

The rocky spur immediately north of C is slightly mineralized with scattered pyrite and chalcopyrite in quartz stringers. These stringers are visible in small gossan zones at the top of the spur and again near the base of outcrop on the west bank of McConnell Creek.

The mineral showings designated D and E, centred about 1,300 feet south of C, display no evidence of previous prospecting. These consist of pyrite, chalcopyrite-bearing quartz veins exposed on the granite slopes of a gulch tributary to the main valley. Showing D, situated near the top of the north slope of the gulch, comprises three northeast-striking veins – a central vein of mostly rusted quartz, about 10 inches wide flanked 30 feet to the northwest by a 12-inch-wide malachite and rust-stained quartz vein and 5 feet to the southeast by a chalcopyrite-rich vein 5 inches wide. The average attitude of these veins was determined to be 055 degrees – 80 degrees northwest. A well-mineralized composite grab sample taken by the writer assayed: copper, 10.43 per cent; gold, 0.01 ounce per ton; silver, 1.3 ounces per ton; and lead, zinc, and molybdenum, less than 0.005 per cent.

Showing E, an apparent continuation of the vein system, is located a few hundred feet southwest of D. Three chalcopyrite-rich veins are again identified; these are subparallel striking 050 degrees – 85 degrees northwest and spaced about 6 feet apart. The widths are variable ranging up to 4 inches, 12 inches, and 10 inches, respectively, measured on the northwest, central, and southeast veins.

It is interesting to note that a red liverwort-like organism found in abundance on showing E is widely used by prospectors in this region as a guide to copper mineralization. This has been tentatively identified as *Trentopholia iolithus* (L.) which is also known to occur in the Stikine area.

Although the plant certainly seems to demonstrate a remarkable affinity for copper minerals, it does survive with perhaps somewhat less success on some of the local apparently unmineralized basaltic rocks.



Plate XX. DWG Copper, McConnell Creek, chalopyrite-quartz vein, 'B' showing.

(94D/16W)

In summary, it is evident that the main pulse of mineralization followed a period of intense shearing along McConnell Valley with cupiferous solutions entering a scatter of northeasterly striking cross-fractures. In the vicinity of showings A and C, the mineralization tends to be dispersed in small veinlets and disseminations whereas at B, D, and E the sulphides and quartz fillings are concentrated in well-defined veins.

The rough alignment of A, B, D, and E, subparallel to the prevailing cross-fractures, suggest that these showings are on or near the main zone of mineral enrichment. It is, therefore, suggested that any future prospecting should focus on the area between these showings.

- WORK DONE: Work completed to date includes approximately 6,000 feet of bulldozer trenching and two diamond-drill holes totalling a depth of about 300 feet.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1947, pp. 109, 110; 1961, pp. 128, 129; *Geol. Surv., Canada,* 1948, Mem. 251.

BOW (Fig. E, No. 49)

LOCATION: Lat. 56° 46′ Long. 126° 22′ (94D/16W) OMINECA M.D. Twelve miles northerly of Sustut Lake, 4 miles west of Fleet Peak.

CLAIMS: BOW 1 to 8.

- OWNER: UNION MINIERE EXPLORATIONS AND MINING CORPORATION LIMITED, 200, 4299 Canada Way, Burnaby V5G 1H4.
- DESCRIPTION: Andesite and rhyolite country rocks have been cut by a small gossan-stained quartz feldspar porphyry body which contains 1 to 5 per cent disseminated pyrite.
- WORK DONE: Linecutting and magnetometer survey, 7 line-miles and geochemical soil survey, 184 samples taken at 200 by 400 and 800-foot grid spacing covering all claims.

REFERENCE: Assessment Report 4739,

NIKOS (94D-85) (Fig. E, No. 50)

LOCATION:	Lat. 56° 47'	Long. 126° 26′	(94D/16W)
	OMINECA M.D. Stra	ddles the Ingenika River abou	ut 1 mile above the
	mouth of McConnell C	reek.	
CLAIMS:	NIKOS 1 to 36.		
OWNER:	UTAH MINES LTD.	, 412, 510 West Hastings	Street, Vancouver
	V6B 1L9.		
METAL:	Copper.		
DESCRIPTION:	The area is underlain	by Mesozoic volcanic rocks in	ntruded by Jurassic
	intrusive rocks.		
WORK DONE:	Reconnaissance surfac	e geological mapping, 1 inch e	quals one-half mile;
	reconnaissance mayner	conneter survey, 4 intermites;	and reconnaissance
	geochemical survey, 1	UU soil samples and 10 silt sa	imples, 5 line-miles
	covering all claims.		

TOODOGGONE RIVER 94E

PINE (Fig. E,	No. 9)
LOCATION:	Lat. 57° 13′ Long. 126° 43′ (94E/2E)
	OMINECA M.D. Thirteen miles northeast of Thutade Lake, at the
	headwaters of the Finlay River.
CLAIMS:	PINE 13 to 18, 31 to 46, 65, 67 to 80, 129, 131, PINE 135 to 142
	Fractions.
OWNER:	KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730 One Bentall
	Centre, Vancouver.
DESCRIPTION:	The survey area is underlain by intermediate Upper Triassic volcanic
	rocks which are intruded by syenites of the Omineca intrusions.
WORK DONE:	Airborne magnetic survey, 97 line-miles using one-eighth-mile line
	spacing and 350-foot terrain clearance; 23 line-miles are within the
	claim boundaries.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 63, 64; Assessment
	Reports 1886, 2380, 3031, 3120, 3266, 4396.

RIGA (94E-3, 4) (Fig. E, No. 101)

LOCATION:	Lat. 57° 12′ Long. 126° 55′ (94E/2W)
CLAIMS: OWNER: OPERATOR:	RN 1 to 36. D. Reinke. MINAS DE CERRO DORADO LTD., 107, 325 Howe Street,
METALS	Vancouver.
DESCRIPTION:	Takla volcanic rocks and intercalated limestone are irregularly intruded by syenite and monzonite of the Omineca intrusions. Pyrite is widespread in both volcanic and intrusive rocks. On RN 20 a small lobe of monzonite contains disseminated and fracture-filling chalcopyrite and blebs of molybdenite; the mineralization extends 20 feet into the volcanic rocks along fractures. On RN 24, 200 feet west of Drybrough Peak, volcanic rocks contain extensive malachite along fractures, accompanied by minor chalcopyrite and bornite. Minor malachite and chalcopyrite occur elsewhere in syenite dykes and in related fractures in volcanic rocks.

- WORK DONE: Linecutting, 12.5 miles of grid; surface geological mapping, 1 inch equals 400 feet; magnetometer survey, 4.5 line-miles; geochemical soil survey, 205 samples taken at 100 by 200-foot grid spacing covering RN 7-12, 14, 16, 24, 26-29.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 63; Assessment Reports 1802, 2307, 4870.

(94E/2W)

BELL (94E-45) (Fig. E, No. 100)

LOCATION: Lat. 57° 14′ Long. 127° 00′ (94E/2W) OMINECA M.D. Toodoggone River area, approximately 2.5 miles east of Black Lake.

CLAIMS: BELL 1 to 14, 17 to 34, 37 to 48.

OWNER: BELL MOLYBDENUM MINES LIMITED, 408, 470 Granville Street, Vancouver V6C 1V8.

METALS: Gold, silver, copper, lead.

DESCRIPTION: Two-thirds of the claim area is underlain by Toodoggone volcanic rocks of Lower Jurassic age which overlie basic Takla volcanic rocks. Granitic rocks of the Omineca intrusions cut Takla rocks. Geochemistry and reconnaissance geological mapping located two rusty weathering mineralized zones averaging 25 by 200 feet in size. Low silver, copper, lead, and zinc assays were obtained from rock chip samples.

 WORK DONE: Surface geological mapping, 1 inch equals 600 feet; geochemical survey, 51 silt and soil samples and 35 rock chip samples covering Bell claims.
 REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 63, 64.

SHAS (Fig. E, No. 86)

LOCATION: Lat. 57° 14' Long. 127° 05' (94E/2W, 3E, 6E, 7W) OMINECA M.D. South of Toodoggone River, 2 miles northeast of Black Lake.

CLAIMS: SHAS 1 to 176.

OWNER: SHASTA MINES & OIL LTD., 3751 Bayride Avenue, West Vancouver. METAL: Copper.

- DESCRIPTION: Takla Group volcanic rocks and minor intercalated limestone underlie the eastern claims and are in fault contact with granodiorite and altered granodiorite of the Omineca plutons underlying the rest of the claims. Northwest-trending dykes of aplite, quartz monzonite, and porphyry cut the granodiorite, which shows potash metasomatism, biotite alteration, and propylitization, with minor mineralization, adjacent to dykes and fault contact. The mineralization consists of malachite coatings and minor bornite on fracture surfaces.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering 3 square miles; magnetometer survey, 31.5 line-miles; geochemical soil survey, 1,900 samples taken at 200 by 800-foot grid spacing covering all claims.
 REFERENCE: Assessment Report 4570.

PUT, HUMP (Fig. E, No. 51) (94E-41) Long. 127° 25' Lat. 57° 28' (94E/6W) LOCATION: LIARD M.D. Four miles northwest of Metsantan Lake. PUT 1 to 38, HUMP 1 to 100. CLAIMS: **OWNERS:** C, J, Sullivan and T. Rodgers. SUMAC MINES LTD., 1200, 510 West Hastings Street, Vancouver. **OPERATOR:** METAL: Copper.



Figure 46. Geology of the Chappelle adit.

(94E/6E)

- DESCRIPTION: Locally, an andesitic agglomerate core zone is enclosed by porphyritic andesite. Both rocks have been propylitized. A zone of intense silicification and alunite alteration east and northeast of the core coincides roughly with arcuate airphoto linears. Traces of pyrite have been identified.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; geochemical survey, 15 rock samples taken from trenches on Hump 1-4, 6, 8, 25, and 86 and to the north of Put 6 and 8, 133 soil samples taken at 400-foot intervals on extension of the 1972 grid and on a contour traverse; time-domain IP and magnetometer survey, 5.5 line-miles.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 483; Assessment Reports 4680, 4681.

CHAPPELLE	(94E-26)	(Fig. E, No. 83)		By N. C. Carter
LOCATION:	Lat. 57° 17	, Lor	ng. 127° 06'	(94E/6E)
	OMINECA	M.D. Eighteen	miles north of	Thutade Lake, at
	approximat	ely 5,500 feet eleva	ation.	
CLAIMS:	CHAPPELL	.E 1 to 90, 94 to 1	21, 138, 139, 146,	147, 156 to 168, 171,
	172, 174 t	o 178, 184, 186,	188, 190, 192, 19	4 to 199, 201, 203 to
	209, 217 to	221, 245 to 250, 2	256 to 263.	
OWNER:	Kennco Ex	olorations, (Wester	n) Limited.	
OPERATOR:	CONWEST	EXPLORATION	COMPANY LIM	ITED, 85 Richmond
	Street West	, Toronto, Ont.		
METALS:	Gold, silver	•		
DESCRIPTION:				

Gold and silver mineralization at the Chappelle property is contained in a northeaststriking quartz vein in Takla Group augite porphyries of basalt composition. Extensive trenching by Kennco Explorations, (Western) Limited from 1970 to 1972 traced the vein several hundred feet. Two short X-ray holes were also put down on the vein. The geologic setting of the deposit is described in Geology, Exploration, and Mining in British Columbia, 1971, pages 65 to 70.

The property was optioned to Conwest Exploration Company Limited in early 1973 and a decision was made to proceed with a crosscut to intersect the quartz vein at depth. The adit was collared some 230 feet below the surface trenches (Fig. 46) and intersected the vein 530 feet from the portal.

The first 50 feet of the crosscut encountered intensely fractured augite porphyry containing abundant pyrite in fractures. Pink zeolite (laumontite?) alteration was also noted. Numerous faults of west and northwest trend also cut the volcanic rocks. A 20-foot-wide monzonite porphyry dyke with fault contacts intrudes the volcanic rocks 160 feet from the portal. This is a medium-grained porphyritic rock with euhedral 2 to 4-millimetre phenocrysts of sericitized plagioclase and chloritized hornblende in a feldspathic matrix. At a point 340 feet from the portal, grey-green volcanic rocks containing coarsely crystalline pyrite on numerous fractures are cut by a 4-foot-wide basalt dyke. Beyond this point, the volcanic rocks grade to a light grey silicified variety containing abundant disseminated pyrite.

The quartz vein is 10 feet wide and dips steeply to the north where it is intersected in the crosscut (Fig. 46). The vein here is drusy and contains abundant pyrite. Wallrocks are altered to a mixture of sericite and quartz and contain abundant pyrite as disseminations and in fractures. The hangingwall of the vein is marked by a 1-foot-wide zone of chlorite alteration in the volcanic rocks. Along the drift, the vein pinches and swells in width from 4 to 8 feet and is offset by northwest-striking, north-dipping faults. Forty feet from the face of the drift the vein terminates against a fault beyond which the volcanic rocks are relatively unaltered. At the face of the drift, a narrow quartz vein occurs in altered volcanic rocks.

Three chip samples were taken across the vein as exposed in the back of the drift. Sample locations are shown on Figure 46 and the results are tabulated below.

Sample No.	Width	Gold	Silver	Copper
	feet	oz, per ton	oz. per ton	per cent
S-1	10	0.01	trace	.050
S-2	8	0.01	trace	.013
S–3	10	0.01	0.2	.016

Underground drilling also yielded disappointing results.

There seems little doubt that the quartz vein intersected in the adit is the same as that containing significant gold-silver values in the surface trenches. A re-examination of these trenches in 1973 indicated that the ore shoots tended to be oblique to the strike of the vein. A possibility exists that in longitudinal section, the ore shoots may rake moderately to the southwest. One of the underground holes drilled upward in a northwest direction intersected vein material containing some gold-silver values.

- WORK DONE: Surface and underground geological mapping, 1 inch equals 50 feet covering Chappelle 3 and 4; underground diamond drilling, 11 holes totalling 1,703 feet and percussion drilling, 20 holes totalling 500 feet on Chappelle 3 and 4; surface workings surveyed; road construction, 6 miles (between Black Lake airstrip and Chappelle camp); trenching, 1,300 feet on Chappelle 3; underground work, 700 feet on Chappelle 3 and 4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 65-70; 1972, p. 484.

LAWYERS (SAUNDERS) (94E-17) (Fig. E, No. 85)

LOCATION: Lat. 57° 18' Long. 127° 12' (94E/6E) OMINECA M.D. Twenty miles northwest of Thutade Lake, at approximately 5,800 feet elevation.

CLAIMS: LAWYERS, totalling 200.

OWNER: KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730, 505 Burrard Street, Vancouver.

METALS: Gold, silver.

DESCRIPTION: The Lawyers property is underlain by Toodoggone volcanic rocks and Sustut Group sedimentary rocks (see Geology, Exploration, and Mining in British Columbia, 1971, pp. 63, 64). Near the northern part of the claim group, Toodoggone dacite porphyries and pyroclastic rocks are brecciated and silicified. Two random grab samples from this zone assayed 34.6 and 0.9 ounces per ton silver. The silicified zones are reported to contain very fine-grained native silver and electrum. No pyrite was noted in the area of the showings.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; geochemical survey, approximately 130 soil samples and 50 rock samples covering Lawyers 180-200; trenching, 2,400 feet on Lawyers 168-172, 181, 183-185.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 482; Assessment Report 4615.
- GOLD (Fig. E, No. 8)
- LOCATION: Lat. 57° 17'-20' Long. 127° 01.4'-08' (94E/6E) OMINECA M.D. Stretching from 1 mile west to 2 miles south of the small lake at the headwaters of Saunders Creek, a northerly flowing tributary of the Toodoggone River.
- CLAIMS: GOLD 2, 4, 6, 8 to 108, 200.

OWNERS: M. Maybury and P. W. Dunsford,

- OPERATORS: NORTHAIR MINES LTD., WHITE RIVER MINES LTD., and BOW RIVER RESOURCES LTD., 333, 885 Dunsmuir Street, Vancouver.
- DESCRIPTION: The claims are underlain by Toodoggone volcanic rocks, principally dacite and latite porphyry.
- WORK DONE: Airborne magnetometer and VLF EM survey, 300 line-miles (64 line-miles covering claim group), using 660-foot lines and 450-foot terrain clearance.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 63, 64; Assessment Reports 4397, 4398.
- DEW (Fig. E, No. 13)

LOCATION:	Lat. 57° 24'	Long. 127° 06.5′	(94E/6E)
	OMINECA M.D.	Five miles west of Toodoggone La	ake.
CLAIMS:	DEW 1 to 74.		
OPERATOR:	AMAX POTASH	LIMITED, 601, 535 Thurlow Street	et, Vancouver.
DESCRIPTION:	Pyritic monzonit	te is exposed in the valley of M	cClair Creek and is
	overlain to the no	orthwest by heterogeneous volcanic	rocks.
WORK DONE:	Reconnaissance s	urface geological mapping,; geoche	emical soil, silt, and
	rock chip survey,	, 388 samples taken at 400-foot ir	tervals on lines 700
	to 1,000 feet apa	rt.	
REFERENCE:	Assessment Repo	rt 4497.	

WAS, PIT, JUG (94E-31, 32) (Fig. E, No. 84)

LOCATION:	Lat. 57° 27′	Long. 127° 18′	(94E/6E)
	OMINECA M.D.	Eleven miles southwest of Chu	kachida Lake, on the
	east side of Moos	ehorn Creek, at approximately 5,	000 feet elevation.
CLAIMS:	WAS 1 to 32, PI7	F 69 to 76, JUG 1 to 12, SUM 3 t	o 20, RIP 1 to 22, 24
	to 34, 36 to 38.		
OWNER:	SUMAC MINES L	_TD., 1022, 510 West Hastings St	reet, Vancouver.
METALS:	Lead, zinc, silver.	-	

(94E/9E)

- DESCRIPTION: The area is underlain by andesitic flows and breccias locally termed 'Toodoggone volcanics.' Mineralization consists of pyrite, sphalerite, and galena in quartz-carbonate veins and the adjacent volcanic wallrocks.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Pit 69, 71-75, Jug 1-10, Sum 5, 7, 9, 12-20, Was 1-4, 17-19, 21, 23, Rip 1-11, 13, 15, 17-19, 21, 22, 31, 33; ground magnetometer and time-domain IP survey, 22 line-miles covering Pit 69, 71-75, Was 1-4, 17-21, 23, Sum 5, 7, 9, 11-20, Jug 1-10, Rip 1-11, 13, 15, 17-19, 21, 22, 31, 33; geochemical soil and rock survey, 172 samples taken at 200 by 800-foot grid spacing covering Pit 69, 71-75, Jug 1-10, Sum 5, 7, 9, 12-20, Was 1-4, 17-19, 21, 23, Rip 1-11, 13, 15, 17-19, 21, 22, 31, 33; linecutting, 24 miles of grid.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 483, 484; Assessment Reports 4592, 4631.

RPM (94E-11) (Fig. E, No. 87)

- LOCATION: Lat. 57° 32' Long. 126° 14' (94E/9E) OMINECA M.D. Basnett Mountain, 9 miles southeast of junction of Obo and Finlay Rivers.
- CLAIMS: RPM 1 to 22, REV 1 to 4.
- OWNER: HIGHPLAIN EXPLORATION LTD., Box 96, Fort St. John.
- METAL: Copper.
- DESCRIPTION: A major shear zone strikes northwest through country rock slates. A subsidiary shear zone to the northeast, also in slates, is mineralized with quartz, ankerite, pyrite, chalcopyrite, and minor bornite, malachite, and azurite.
- WORK DONE: Geochemical soil survey, 40 samples taken at 100 and 200-foot intervals along four lines covering RPM 1, 3, 4, and 6.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 188; Assessment Reports 2470, 2471, 4571.

CLAW (94E-46) (Fig. E, No. 102)

LOCATION:	Lat. 57° 37' Long. 127° 21'	(94E/11W)
	LIARD M.D. Approximately 10 miles west of Chukachie	la Lake, at
	about 5,500 feet elevation.	
CLAIMS:	CLAW 1 to 64.	
OWNER:	UNION MINIERE EXPLORATIONS AND MINING CORP	ORATION
	LIMITED, 200, 4299 Canada Way, Burnaby V5G 1H4.	
METAL:	Copper.	
DESCRIPTION:	The claims are underlain by fine-grained porphyritic bas	alts of the
	Takla Group. Bornite, chalcopyrite, and malachite occur in	fractures in
	the volcanic rocks.	
WORK DONE:	Linecutting, 5.2 miles of grid; geochemical soil survey, 1	78 samples
	taken at 200-foot intervals along seven variably spaced lines.	
REFERENCE:	Assessment Report 4745.	

FRED (94E-43) (Fig. E, No. 88)

The second second

LOCATION:	Lat. 57° 38' Long. 127° 29' (94E/11W)
	LIARD M.D. Ten miles west of Mount McNamara near the confluence
	of the Stikine and Chukachida Rivers, at approximately 5,000 feet
	elevation.
CLAIMS:	FRED 1 to 8,
OWNER:	SUMAC MINES LTD., 1022, 510 West Hastings Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	The area is underlain by thick hornblende andesite and trachytic
	andesite units of Mesozoic age. Mineralization consists of pyrite,
	chalcopyrite, and galena in quartz-calcite veins.
WORK DONE:	Surface geological mapping, 1 inch equals 800 feet; geochemical soil
	survey, 100 samples taken at 200 by 400-foot grid spacing; and
	linecutting, 5 miles of grid covering Fred 1-8.
REFERENCE:	Assessment Report 4643.

TRUTCH 94G

DOPP (Fig. E, No. 74)

LOCATION:	Lat. 57° 08' Long. 123° 44'	(94G/4E)
	LIARD M.D. Four miles south of Mount Bertha, 135 mile	s northwest
	of Fort St. John.	
CLAIMS:	DOPP 1 to 64.	
OWNER:	WORLDEX VENTURES LTD., 101, 535 Thurlow Street,	Vancouver.
WORK DONE:	1972 and 1973 - geochemical soil survey, 789 samples tak	en on a 200
	by 800-foot grid spacing covering all claims.	
REFERENCE:	Assessment Report 4480.	

TRAP (Fig. E, No. 70)

LOCATION:	Lat. 57° 10′	Long. 123° 41′	(94G/4E)
	LIARD M.D.	Sikanni Chief River-Mount Bertha area.	
CLAIMS:	TRAP 7 to 36,	TRAPP 37-48.	
OWNER:	Vestor Explora	ation Ltd.	
OPERATOR:	AQUITAINE C	COMPANY OF CANADA LTD., 504 Fif	th Avenue SW.,
	Calgary, Alta.		
DESCRIPTION:	The property	is underlain by medium grey cryptocryst	talline dolomite
	and dark grey I	imestone of Middle Devonian age.	
WORK DONE:	Surface geolog	ical mapping, 1 inch equals 500 feet; geoc	hemical survey,
	56 soil samples	and 26 stream sediment samples covering	i all claims.
REFERENCE:	Assessment Re	port 4517.	

.
(94G/4)

- DEV (94G-4) (Fig. E, No. 75)
- LOCATION: Lat, 57° 10′ Long, 123° 45′ (94G/4) LIARD M.D. On Mount Bertha, north of Sikanni Chief River, at approximately 6,000 feet elevation.
- CLAIMS: DEV 78 to 81, 96 to 101, 116 to 119, 127, JUNE 1 to 93, RB 2, 9 to 16, 41 to 80.
- OWNER: CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West Hastings Street, Vancouver.
- METALS: Lead, zinc.
- DESCRIPTION: The claims are underlain by limestones and dolomites of the Devonian Stone and Dunedin Formations. Mineralization consists of minor galena and sphalerite.
- WORK DONE: Surface diamond drilling, four holes totalling 3,804 feet on June 10, 25, 55, and 57.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 487; Assessment Report 4090.
- TRIM (Fig. E, No. 73)
- LOCATION: Lat. 57° 15′ Long. 123° 42′ (94G/4E, 5E) LIARD M.D. Trimble Creek, 1.5 miles southwest of Trimble Lake, 128 miles northwest of Fort St. John.

CLAIMS: TRIM 42, 44, 46, 48, 50, 52, 54, 56, 58, 60 to 80.

- OWNERS: CREAM SILVER MINES LTD., JUNIPER MINES LTD., and GRANDORA EXPLORATIONS LTD., 107, 325 Howe Street, Vancouver.
- DESCRIPTION: Limited outcrop in the area includes argillite and calcareous argillite, inferred to belong to the Besa River Formation; limestone is exposed at the south end of the property.
- WORK DONE: 1972 flagged chain and compass grid; geological mapping along creek and grid lines; geochemical soil survey, 326 samples taken at 200 by 800-foot grid spacing.
- REFERENCE: Assessment Report 4482.

LYNDA (94G-8) (Fig. E, No. 72)

LOCATION:	Lat. 57° 15' Long. 123° 45' (94G/4, 5)
	LIARD M.D. East of Cranswick Lake, at approximately 6,500 feet
	elevation.
CLAIMS:	LYNDA 1 to 60.
OWNER:	CANADIAN SUPERIOR EXPLORATION LIMITED, 2201, 1177 West
	Hastings Street, Vancouver.
METALS:	Lead, zinc.
DESCRIPTION:	Minor galena and sphalerite occur in limestone and dolomite of the
	Devonian Stone and Dunedin Formations.
WORK DONE:	Geochemical rock survey, 144 samples taken at 200 by 800-foot grid
	spacing covering Lynda 1-4, 6, 8, 15-24.
REFERENCE:	Assessment Report 4790.

LAD (94G-14) (Fig. E, No. 105)

- LOCATION: Lat. 57° 05' Long. 123° 53' (94G/4W) LIARD and OMINECA M.D. Mount McCusker, 50 miles west of Pink Mountain (Mile 143, Alaska Highway), at approximately 6,000 feet elevation.
- CLAIMS: LAD 1 to 8, 10, 27 to 38, 53 to 62, 64, 80, 82 to 92, 103 to 118, 129 to 150. LASS 6 to 11.
- OWNER: BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602 West Hastings Street, Vancouver.
- METALS: Zinc, lead.
- DESCRIPTION: The valley east of Mount McCusker exposes a southwest-dipping sequence of dolomite with three intercalations of quartzite and sandy dolomite and one of dolomite breccia. These intercalations pinch out to the northwest, and the upper part of the sequence grades to shaly dolomite and dolomitic shale. This sequence is structurally overlain by a thrust slice of shale and argillaceous limestone, and an upper plate of calcareous shales and siltstones. The axis of a shallow syncline emerges from the thrusts north of Mount McCusker. In the dolomitic breccia unit, named Tillicum, two zones of mineralization are exposed, separated by 1,000 feet of talus cover. Sphalerite, pyrite, and minor galena occur in the secondary white dolomitic matrix.
- WORK DONE: Regional geological mapping, 1 inch equals 1,000 feet and detailed geological mapping, 1 inch equals 50 feet; geochemical survey, 42 chip samples taken from talus and outcrop, 101 rock samples taken at one-quarter mile intervals on three lines, and 120 silt samples taken at approximately 500-foot intervals covering all claims; topographic mapping, 1 inch equals 50 feet covering a portion of the claims.
- REFERENCE: Assessment Report 4865.

JR (Fig. E, No. 104)

LOCATION:	Lat. 57° 06' Long. 123° 51' (94G/4W) LIARD M.D. Approximately 18 miles south of Redfern Lake. 4 miles
	east of Mount McCusker, at about 5,500 feet elevation.
CLAIMS:	JR 1 to 54.
OWNER:	BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602
	West Hastings Street, Vancouver.
METALS:	Lead, zinc.
DESCRIPTION:	Stone Formation dolomite in the core of a dome is enclosed by
	Dunedin Formation dolomite and Besa River shale. The dome is
	overridden from the west by successive thrust plates of Stone dolomite and Nonda dolomite.
WORK DONE:	Surface geological mapping, 1 inch equals 2,000 feet; geochemical soil
	survey, 76 samples taken at 200-foot centres covering JR 1-9, 19-48.
REFERENCES:	Assessment Reports 4203, 4886.

- BERTHA (Fig. E, No. 3)
- LOCATION: Lat, 56° 59' 57° 13.5' Long. 123° 44.5' 52.5' (94G/4, 94B/13W) LIARD M.D. South of Mount Bertha, 40 miles west of Pink Mountain and 15 miles north of Robb Lake, at approximately 5,800 feet elevation.

CLAIMS: BRIN claims, TOLL 6 to 34, 36, 38, 40, 42, 44, 46, LAU 1 to 20.

- OWNER: BRITISH NEWFOUNDLAND EXPLORATION LIMITED, 704, 602 West Hastings Street, Vancouver.
- METAL: Zinc.
- DESCRIPTION: Middle Devonian carbonate rocks are underlain by Silurian rocks and overlain by Upper Devonian shales. The local geology is complicated by imbricate thrusting and folding.
- WORK DONE: Geochemical survey, 133 soil samples taken at 100-foot centres and approximately 60 replicate soil samples taken from grid stations sampled in 1972 covering Toll 18-25.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 462; Assessment Reports 4203, 4884.

INBE (Fig. E, No. 76)

LOCATION:	Lat. 57° 11′	Long. 123° 49′	(94G/4W)
	LIARD M.D.	Sikanni Chief River, west of Bartle Creek.	
CLAIMS:	INBE 1 to 36.		

OWNERS: J. A. Greig and A. Rich.

- OPERATOR: CREAM SILVER MINES LTD., 9th Floor, 850 West Hastings Street, Vancouver.
- DESCRIPTION: The north part of the claim area is underlain by limestone containing quartz lenses, which dip gently to moderately east. Along the south boundary, southwest-dipping Besa River shales are exposed along Bartle Creek.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; linecutting, approximately 16 miles of grid; geochemical soil survey, 420 samples taken at 200 by 800-foot grid spacing covering Inbe 1-36.
- REFERENCE: Assessment Report 4622.

BOOT (94G-13) (Fig. E, No. 103)

LOCATION:	Lat. 57° 15′	Long. 123° 51′	(94G/4W, 5W)
	LIARD M.D.	Six miles south of Redfern Lake, on	Colledge Creek.
CLAIMS:	BOOT 1 to 20	, HEEL 1 to 20.	
OWNERS:	J.C. Needoba	and R. Turner.	
OPERATORS:	BELMORAL	MINES LTD. and GRANDORA EXP	LORATIONS LTD.,
	107, 325 How	e Street, Vancouver.	
METAL:	Lead.		

- DESCRIPTION: The property is underlain mainly by thick-bedded limestone, which is overlain to the northeast by thin-bedded limestone and interbedded limestone and shale. Traces of sphalerite occur in the thick-bedded limestone and traces of galena in quartz veins cutting the limestone.
- WORK DONE: Surface geological mapping, 1 inch equals 800 feet; linecutting, 21 miles of grid; geochemical soil survey, 512 samples taken at 200 by 800-foot grid spacing covering all claims.

REFERENCE: Assessment Report 4847.

QYR, IRA (Fig. E, No. 71)

LOCATION'	Lat. 57° 16′	Long. 123°	48'	(94G/4W, 5W)
	LIARD M.D. A	pproximatley 1,000	feet west of	F Cranswick Lake,
	Redfern Lake are	a.		
CLAIMS.	OVP 1 to 24 JP	A 1 to 22 MEC 1 to	24 KEV 1 +0 4	10

- CLAIMS: QYR 1 to 24, IRA 1 to 32, MEG 1 to 24, KEY 1 to 12.
- OWNER: Vestor Exploration Ltd.
- OPERATOR: AQUITAINE COMPANY OF CANADA LTD., 540 Fifth Avenue SW., Calgary, Alta.
- DESCRIPTION: The property is underlain by Besa River shale and limestone of the Dunedin Formation along the east side. Dunedin Formation is thrust onto the Besa River Formation along the west side of the property.
- WORK DONE: Reconnaissance surface geological mapping, 1:10,000; geochemical survey, 415 soil samples taken on a nominal 100-metre grid covering QYR 13-24 and IRA 17-32 and 150 stream sediment samples covering all claims.
- REFERENCE: Assessment Report 4518.
- TRI (94G-7) (Fig. E, No. 69)

LOCATION:	Lat. 57 [°] 16'	Long. 123° 51′	(94G/4W, 5W)
	LIARD M.D.	Six miles south of Redfern Lake.	
CLAIMS:	TRI 1 to 110.		

OWNER: AQUITAINE COMPANY OF CANADA LTD., 540 Fifth Avenue SW., Calgary, Alta.

METALS: Copper, lead, zinc, barite.

DESCRIPTION: A folded sequence of Muncho-McConnell and Stone Formation dolomites and Dunedin Formation linestone and dolomites has been disrupted by one thrust fault and thrust over Besa River shale on a more easterly fault. Two barite-filled breccia zones cut Dunedin limestone in the hangingwall of the easterly thrust on the ridge north of Nordling Creek. One vein contains some chalcopyrite and malachite, and the other contains large blebs of sphalerite and galena. In cliffs south of Nordling Creek a 1 to 2-foot subconformable vein of barite in Dunedin limestone contains galena and sphalerite. North of Colledge Creek a basal zone of the Dunedin contains abundant geodes filled with barite and some galena and sphalerite.

(94G/5W)

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet and geochemical survey, 130 stream sediment samples taken at 200-foot intervals along five main creeks.
- REFERENCE: Assessment Report 4692.
- **BE PLATEAU** (94G-12) (Fig. E, No. 81)

Lat. 57° 20' Long, 123° 50' (94G/5W) LOCATION: LIARD M.D. Four miles northeast of Redfern Lake, at approximately 6,200 feet elevation.

CLAIMS: BE 221 to 230, 311 to 326.

NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie OWNER: Street, Vancouver.

METAL: Lead.

- DESCRIPTION: The claim group is underlain by fossiliferous, uniform dark grey limestone of the Dunedin Formation. Mineralization consists of galena with calcite and/or barite in small pods and veins.
- Surface geological mapping, 1 inch equals 1,000 feet covering all claims WORK DONE: and 1 inch equals 200 feet covering Be 319-324; geochemical soil survey, 360 samples, 13 line-miles covering Be 319-324; topographic mapping and linecutting covering Be 319-324.

REFERENCE: Assessment Report 4395.

- BE VALLEY (Fig. E, No. 82)
- Lat. 57° 21' LOCATION: Long. 123° 46' (94G/5W) LIARD M.D. Along the Besa River from the eastern tip of Redfern Lake.

CLAIMS: BE 1 to 72, 81 to 96, 101, 102, 105 to 120, BE 1 and 2 Fractions.

- OWNER: NORANDA EXPLORATION COMPANY, LIMITED, 1050 Davie Street, Vancouver.
- DESCRIPTION: Dolomite and limestone of the Silurian Nonda Formation have been overthrust onto Lower Devonian carbonate rocks of the Wokkpash and Stone Formations. Limestone of Middle Devonian Dunedin Formation crops out along the drainage of Fairy Lake.
- WORK DONE: 1972 - geochemical survey covering all claims.
- REFERENCE: Assessment Report 4394.

EGG, FOO	(94G-2) (Fig.	E, No. 77)	
LOCATION:	Lat. 57° 23'	Long. 123 [°] 50′	(94G/5W)
	LIARD M.D.	Immediately north of the east er	nd of Redfern Lake.
CLAIMS:	EGG 1 to 22,	FOO 1 to 25, CHILLY 1 to 36,	VISTA 1 to 4, DAMN 1
	to 20.		
OWNER:	Vestor Explor	ations Ltd.	
OPERATOR:	RIO TINTO	CANADIAN EXPLORATION	LIMITED, Box 49018,
	Vancouver V7	'X 1G4.	

(94G/5W)

METALS: Lead, barite.

DESCRIPTION: Middle Devonian limestones of the Dunedin Formation underlie the property with overlying Besa River Formation shales outcropping to the north and east. Dolomite of the Stone Formation underlies the limestone and outcrops to the southwest of the property. Very minor galena was noted in barite veins cutting the limestone.

WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 400 feet covering Egg, Foo, Damn, and Chilly claims; photogeological survey, approximately 45 square miles on and around the claims; magnetometer survey, 19 line-miles; gradient-array IP survey, 16.6 line-miles; and pole-dipole IP survey, approximately 6 line-miles covering Egg 1-8, Foo 6, 10, 12, 14, 16-25, Damn 1-10, and Chilly 36; geochemical soil survey, 315 samples taken on a nominal 500 by 700-foot grid spacing covering Egg 1-8, 14-20, 22, Foo 1-25, Damn 1-18, and Chilly 32-36.

REFERENCES: Assessment Reports 4529, 4530, 4531, 4532.

KEI (94G-9) (Fig. E, No. 78)

LOCATION: Lat. 57° 25' Long. 123° 50' (94G/5W) LIARD M.D. Headwaters of Petrie Creek, Redfern Lake area.

CLAIMS: KEI 1 to 154.

OWNER: AQUITAINE COMPANY OF CANADA LTD., 540 Fifth Avenue SW., Calgary, Alta.

METALS: Lead, zinc.

DESCRIPTION: A folded sequence of Muncho-McConnell and Stone dolomites and sandy dolomites and Dunedin limestone and dolomite is thrust eastward over Besa River shale.

WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet; geochemical stream sediment survey, 96 samples taken at 200-foot intervals along six creeks covering all claims.

REFERENCE: Assessment Report 4722.

RUST (94G-11) (Fig. E, No. 80)

LOCATION: Lat. 57° 30' Long. 123° 53' (94G/5W, 12W) LIARD M.D. Between Keily and Richards Creeks, north of Redfern Lake. CLAIMS: RUST 1 to 112, 117, 118. OWNER: Tyee Lake Resources Ltd. **OPERATOR:** AQUITAINE COMPANY OF CANADA LTD., 540 Fifth Avenue SW., Calgary, Alta. METALS: Lead, zinc. DESCRIPTION: The property is underlain by a thick succession of dolomite, with quartzite and dolomitic sandstone of Lower and Middle Devonian age. Brown dolomitic limestone belonging to the Silurian Nonda Formation occurs to the west and Mississippian Besa River shale to the east. Some

thin veins of galena and sphalerite occur within the top silicified

(cherty ?) beds of the Middle Devonian Dunedin Formation.



Figure 47. Geological map of Richards Creek area.

WORK DONE: Surface geological mapping, 1:10,000; geochemical survey, 174 stream sediment samples covering all claims and 350 soil samples taken on a 150 by 150-foot grid spacing covering Rust 73, 75, 77, 79, and 95-110.
REFERENCE: Assessment Report 4484.

RIC (94G-1	0) (Fig. E, No.	79)	By R. I. Thompson
LOCATION:	Lat. 57° 35′	Long. 123° 55′	(94G/12W)
	LIARD M.D.	Thirty-six miles west of Trutch,	near Richards Creek, at
	approximately	4,800 feet elevation.	
CLAIMS:	RIC, totalling	approximately 106; HEW, totallir	ng approximately 51.
OWNER:	COMINCO LT	D., 2300, 200 Granville Square, V	/ancouver.
METALS:	Zinc, lead.		
DESCRIPTION	ł:		

INTRODUCTION: The Rick property is located in the Main Ranges of the Northern Rocky Mountains. The claims straddle part of a north-northwest-trending belt of Lower and Middle Paleozoic miogeoclinal carbonate rocks, quartzites, siltstones, and shales which are exposed in a series of folded thrust panels that have undergone northeasterly directed tectonic transport. Several zinc and lead showings occur in the upper part of the Stone Formation, a thick dolomite of Middle Devonian age.

STRATIGRAPHY: A thick succession of carbonate and epiclastic rocks of Cambro-Ordovician, Silurian, and Devonian ages crop out on the claim area. An attempt was made to keep major stratigraphic subdivisions consistent with those of Taylor and Stott (1973) in the Tuchodi Lakes map-area north of Richards Creek, however, no distinction has been made between the Cambrian (Atan Group) and the Ordovician (Kechika Group), the basal Devonian Muncho-McConnell Formation was not recognized, and the Wokkpash Formation was included with the Lower Devonian Stone Formation.

The Cambro-Ordovician succession is divided into four lithological distinct units (Plate XXIA and Fig. 47). The lowest unit (ϵO_{rls}) is composed of tan-weathering ribbed limestone. Within this unit is a thin distinctive light grey micritic limestone marker (ϵO_{mls}) . A recessive brown-weathering, bioturbated silty dolomite (ϵO_{bd}) separates the ribbed limestones from the upper unit of cliff-forming grey dolomite with standstone interbeds (ϵO_{d}) .

The ribbed limestone unit consists of interbedded and interlaminated grey limestone (and dolomitic limestone) and tan-weathering dolomitic siltstone and sandstone. Many beds contain small-scale cross-beds, ripple laminations, and load features. Beds, a few feet thick, of massive light grey-weathering fine-grained dolomite laced with hairline subvertical fractures filled with white sparry dolomite are common in the lower part of the unit. The micritic limestone marker unit is approximately 150 feet thick and contains numerous styolites parallel to bedding. The bioturbated silty dolomite is approximately 300 feet thick and is conspicuous because of its recessive weathering nature. It is thin bedded to laminated, and cross-bedding is present throughout. The upper dolomite unit is lithologically variable. Massive fine crystalline grey dolomite is interbedded with cross-stratified dolomitic sandstone and siltstone, thin orthoquartzites, and a distinctive pisolite bed. Scour and fill features, mud cracks, burrows, and ripple laminations are common in most sandy beds.



Plate XXIA.

Thrust sheet of Cambro-Ordovician rocks on the north-facing slope of Richards Creek showing three of the units mapped: ribbed limestone unit (CO_{rls}), micritic limestone unit (CO_{mls}), and bioturbated dolomite unit (CO_{bd}). This thrust sheet sits on the Stone Formation (Ds) which occupies the valley bottom. Note the overturned recumbent anticline of CO_{rls} and CO_{ms} .



Plate XXIB. South-facing slope of Richards Creek showing three thrust panels. The lowest panel of Dunedin (Dd) and Besa River Formations (Dbr) is overthrust by the Stone (Ds) and Dunedin Formations which in turn are overthrust by Cambro-Ordovician (€O) rocks and the Silurian (Sn and Sn_q) Nonda Formation.

(94G/12W)

The Silurian Nonda Formation (Sn) consists of medium grey dolomite and dolomitic sandstone with a white 30-foot-thick orthoquartzite marker bed (Sn_q) at its base and a second, 15-foot orthoquartzite in the lower half of the unit. Fossiliferous beds, from which *Halysites* sp., *Syringopora* sp., *Favosites* sp., *Synaptophyllum* sp., and horn corals were identified, occur throughout the section. Upper part of the succession is medium to dark grey and thin bedded with argillite interbeds; this may belong to the Devonian Muncho-McConnell Formation which was not recognized in the field.

A conspicuous change in colouration from medium to light grey was used to distinguish between the Silurian and the Devonian succession. This corresponds with a change in lithology from the darker thin-bedded dolomites to light blocky dolomitic sandstone, and sandy dolomite with thin orthoquartzite beds. These lithologies grade discontinuously upward into massive fine and medium crystalline dolomite with sandy intervals. This thick succession of dolomites was mapped as the Stone Formation (Ds), including the basal dolomitic sandstones and orthoquartzites which probably belong to the Wokkpash Formation (Taylor and MacKenzie, 1970). Upper part of the Stone Formation consists of blocky fine crystalline dolomite with thin interbeds of micritic limestone near its upper contact. Some beds are finely laminated with apparent stromatolitic structures. Vugs filled with coarse sparry dolomite and quartz are common in some beds.

Overlying the Stone Formation are light to medium grey micritic limestone of the Middle Devonian Dunedin Formation (Dd). The formation comprises at least several hundred feet (a complete section is not preserved locally) of laminated micritic limestone, oolitic limestone, and occasional interbeds of bioturbated micritic limestone.

The Besa River Formation (Dbr) is a recessive, black, moderately fissile shale which overlies the Dunedin Formation.

STRUCTURE: Structure of the Richards Creek area is shown on Figure 48, a structure cross section of the map-area. Folding and thrust faulting dominate the structural style and have had the effect of repeating the stratigraphy (Plate XXIB). The Devonian carbonate units have responded as broadly folded competent thrust panels whereas the less competent and lithologically more variable Cambro-Ordovician and Silurian rocks and the Besa River shale have been intricately folded at the mesoscopic and regional scales into tight northeasterly overturned folds, often with ruptured axial planes. The Cambro-Ordovician forms a large recumbent, nearly vertical isoclinal nappe in the western portion of the map-area (Plate XXIA) with its lower limb truncated by the thrust fault shown on Figure 48. Adjacent to the anticline is an upright broad syncline with the Stone and Dunedin Formations in its core.

MINERALIZATION: The lead-zinc occurrences are confined to the upper part of the Stone Formation and the lower part of the Dunedin Formation. Fourteen occurrences are known to date which are divided between separate thrust panels of the Stone and Dunedin Formations. Two showings have received considerable examination – the 'Bunker Creek showing' is in the lower thrust panel approximately 100 feet stratigraphically below the Stone-Dunedin contact and the 'upper showing' is situated in the overlying thrust panel in and adjacent to Richards Creek. Sixteen diamond-drill holes totalling 3,381 feet were drilled in the summers of 1972 and 1973, five into the 'Bunker Creek showing' and eleven into the 'upper showing.'



Figure 48. Structural cross-section of the Richards Creek area.



Plate XXIIA. Irregular zone of oxidation in the upper part of the Stone Formation; sulphide mineralization occurs in horizontal and vertical fractures.



Plate XXIIB. Pyrite, marcasite, sphalerite, and galena in fractures (see arrows) and pods with coarse sparry dolomite and quartz.



Plate XXIII. Bedding plane exposure of coarse dolomite breccia zone in Stone Formation; these are typical of the Robb Lake area but are not mineralized at Richards Creek.

(94K/1E)

Pyrite, marcasite, sphalerite, and galena are the sulphide minerals present. They occur as irregular massive pods, along fractures, and associated with white sparite and quartz-filled cavities. The massive mineralization (Plate XXIIA) normally constitutes a fine-grained mixture of pyrite and marcasite containing irregular patches, blebs, and fractures of later coarser grained sphalerite. Remnants of dolomite with diffuse boundaries and containing fine pyrite and marcasite suggest replacement by the latter. The fracture fillings (Plate XXIIB) tend to be perpendicular to or parallel to bedding, but may coalesce into irregular networks of veins containing fragments of dolomite. Coarse-grained sphalerite is most common with some patches of fine pyrite and marcasite which appear to have replaced original dolomite. The cavity fillings are spatially related to the fractures and are filled with very coarse sparry dolomite and quartz, sphalerite, pyrite, and marcasite. Galena occurs in most showings but only as a minor constituent.

Coarse dolomite breccias (Plate XXIII) typical of the Robb Lake area are present in the Stone Formation but they do not appear to be important with regard to lead-zinc mineralization. At present there is no obvious explanation for the distribution of showings. Fractures appear to have provided the necessary permeability for migration of metal-bearing fluids.

Surface exposures and limited diamond-drill results indicate the exposed showings do not have great lateral extent. For this reason, mineral potential of the property is not obvious at this time. The large number of showings exposed at surface is a good indication that considerable mineralization must exist down-dip. If the thrust panel containing the 'upper showing' has a shallow westward dip, as indicated in Plate XXIB, further testing of the Dunedin-Stone stratigraphic interval would be possible along the valley bottom of Richards Creek with relatively short diamond-drill holes.

- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet covering all claims; IP survey, 6 line-miles covering Ric 19, 31, 33-38, 46, 48, 50; geochemical soil survey, 350 samples covering Ric 1-8 and 30-50; surface diamond drilling, nine holes totalling 2,063 feet on Ric 33, 36, 50.
- REFERENCES: Taylor, G. C. and W. S. MacKenzie, 1970, Devonian Stratigraphy of Northeastern British Columbia, Geol. Surv., Canada, Bull. 186; Taylor, G. C. and Stott, D. F., 1973, Tuchodi Lakes Map-Area, Geol. Surv., Canada, Mem. 373; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 489.

TUCHODI LAKES 94K

DOG (94K-65) (Fig. E, No. 89)

LOCATION:	Lat. 58° 08'	Long, 124° 12'	(94K/1E)
	LIARD M.D.	On Dead Dog Creek, 7 miles south of Tuchodi	River.
CLAIMS:	DOG, totalling	g 179 claims and 25 fractions.	
OWNER:	COMINCO LT	D., 2300, 200 Granville Square, Vancouver.	
METALS:	Lead, zinc.		

- DESCRIPTION: Zinc-lead mineralization occurs in gently dipping Devonian carbonate and clastic rocks.
- WORK DONE: Surface geological mapping, linecutting, 20 miles of pace and compass grid; geochemical soil suvey, 560 samples taken at 200 by 400-foot grid spacing covering Dog 24, 51-56, 58, 64-73, 80-87, 108, 110, 112, 142; surface diamond drilling, two holes totalling 198 feet on Dog 12 and 13.
- REFERENCES: B.C. Dept. of Mines & Pet Res., GEM, 1972, p. 490; Assessment Reports 4202, 4393.

JOAN (94K-26) (Fig. E, No. 90)

LOCATION: Lat. 58° 28' Long. 125° 16' (94K/6W) LIARD M.D. On Delano Creek, 98 miles southwest of Fort Nelson. CLAIMS: JOAN 1 to 17, 19, 20, 27, 28, 36, JOAN 1 to 5 Fractions, JN 1 to 8.

OWNER: YAMOTO MINING & SMELTING LTD., 515, 602 West Hastings Street, Vancouver.

METAL: Copper.

- DESCRIPTION: The claims are underlain mainly by limy argillite, sandstone, and dolomite of the Aida Formation. On the Joan 2 and 13, interbedded boulder conglomerate, phyllite, and chlorite schist are assigned to the Atan Group.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering Joan 2, 4, 13-15, 19 and JN 5, 6; magnetometer and VLF EM survey, 10.4 line-miles covering Joan 2-15, Joan 2-5 Fractions, and JN 1-4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 45; Assessment Reports 2641, 4639.

MAGNUM MINI	E (94K-3)	(Fig. E, No. 91)		By D.I.R. Henderson
LOCATION:	Lat. 58° 30,6′	Long. 12	5° 24.2′	(94K/11W)
	LIARD M.D.	At the headwaters of	Delano Creek,	
CLAIMS:	Fifty-eight, ind	cluding ME, DAN, MA	C, and HI.	
OPERATOR:	CONSOLIDAT	TED CHURCHILL CO	PPER CORPO	RATION LTD., 702,
	900 West Hast	ings Street, Vancouve	r.	
METAL:	Copper (produ	ction shown on Table	-1).	
DESCRIPTION:	Quartz-ankerit	e veins mineralized	largely with	chalcopyrite strike
	northeasterly a	and dip steeply.		

WORK DONE:

Following a two-year shut-down, rehabilitation of the mine, mill, and two camps commenced in September. Ore production from the mine started in November and was increased to 500 tons per day by mid-December.

Construction of the new No. 2 tailings area was completed during December and the mill readied for start-up on January 1, 1974.

Mining is by shrinkage stopes using hand-held drills. Both track and trackless haulage are employed. Mine water is completely recycled, make-up being supplied from diamond-drill holes.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 81.

(94K/11W)

BY (Fig. E, No. 92)

LOCATION: Lat. 58° 31' Long. 125° 20' (94K/11W)

LIARD M.D. On the southwest slope of Yedhe Mountain. CLAIMS: BY 1 to 40.

OWNER: TANJO MINES LTD., 520, 602 West Hastings Street, Vancouver V6B 1P2.

- DESCRIPTION: The property is underlain by Aida Formation comprising grey and black limestone, limy argillite, and limy shale of Helikian age. These formations are cut by steeply dipping gabbroic dykes. Exploration work was done to locate any copper mineralization associated with the dykes. So far no mineralization is known to exist.
- WORK DONE: Geochemical soil survey, 580 samples covering By 11-13, 15, 21-26, 36, and 38 were taken at 100 by 400-foot grid spacing and were analysed for copper.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 43; Assessment Reports 2642, 4641.



KEY TO PROPERTIES ON INDEX MAP, FIGURE F.

1.1

- 1. KOKANEE, J, page 487.
- 2. REGA, MAG, SEVEN SISTERS,
- CALEDONIA, page 487.
- 3. ETTA, page 487.
- MAPLE LEAF, WIRELESS, OCEANIC, page 482.
- 5. TASU MINE, page 482.
 - 6. BANKER, page 484.
- 7. PACKSACK, page 484.
- 8. BOWBYES, page 485.
- 9. JOON (JOAN), page 485.
- 10. LADY LUCK, LUCKY FORTUNE, page 485,

- 11. NORTHWEST, SNOW, DF, page 486.
- 12. MOGUL, page 487.
- 13. BRITISH COLUMBIA MOLYBDENUM MINE, page 489.
- 14. KITSOL, page 489.
- 15. RED POINT, ROAN ANTELOPE, page 489.
- 16. LITTLE JOE, GYPSY, page 490.
- 17. RED REEF, page 490.
- 18. RHS, page 491.
- 19. JJ-C, page 488.

WEST CENTRAL BRITISH COLUMBIA (NTS Division 103 Figure F)

MORESBY ISLAND 103B, C

MAPLE LEAF, WIRELESS, OCEANIC (103B-42, 45) (Fig. F, No. 4)

LOCATION:	Lat. 52° 16′ Long. 131° 08′	(103B/6E)			
	SKEENA M.D. Southern and western shores of	Collison Bay,			
	southeast end of Moresby Island.				
CLAIMS:	ITSA 1 to 18, CU 1 to 22.				
OWNER:	BARREL RESOURCES LTD., 307, 475 Howe Street, V	/ancouver.			
METALS:	Iron, gold, silver, copper.				
DESCRIPTION:	Basalt flows of the Karmutsen Formation are in contact	t with limestone			
	of the Jurassic Kunga Formation which, in turn, is	in contact with			
	Cretaceous or Tertiary granitic type rocks. Chalcopyri	te and magnetite			
	occur as a metasomatic replacement of interlava limestone and				
	possible replacement of a shear zone.				
WORK DONE:	Linecutting and magnetometer survey, 4.6 line-miles;	VLF EM survey,			
	2.9 line-miles; geochemical soil survey, 97 samples taken at 100 by				
	200-foot grid spacing covering Cu 17-19 and Itsa 7-10.				
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1918, p. 44; 192	6, p. 68 (MEAL			
	TICKET); Assessment Report 4668.				

TASU MINE	(103B-C-5, 7, 56)	(Fig. F, No. 5))	By B. M. Dudas
LOCATION:	Lat. 52° 45'	Long. 1	32° 03′	(103C/16E)
	SKEENA M.D.	On the south si	de of Tasu Sour	nd, Moresby Island,
	extending from se	a-level to 3,000 f	eet elevation.	
CLAIMS:	Twenty-one Crov	vn-granted and	83 located claim	ns. Key claims are:
	BLUEBIRD, ELIZ	ZABETH, TASSC	O, WARWICK, a	nd WEST JACK.
OWNER:	WESFROB MIN	ES LIMITED,	504, 1112 We	est Pender Street,
	Vancouver; mine of	office, Tasu; mine	e manager, Ken B	lower.
METALS:	Iron, copper (proc	duction shown or	Table I).	
DESCRIPTION:				

The essential structure is a folded and tilted panel of stratified rocks surrounded and underlain in part by the northern termination of the San Christoval Batholith. The stratified succession includes the upper part of the Karmutsen Formation and the three members of the Kunga Formation. Only the two limestone members are closely involved in the ore zones. The stratified panel was repeatedly intruded by igneous rocks from its initial formation to late in the geological history of the area. First, Karmutsen basalts were cut by minor related sills. Next, a complex laccolith of diorite porphyry of considerable importance was emplaced principally between the Karmutsen and the Kunga Formations. Then the San Christoval Batholith was emplaced, followed by skarnification and mineralization. Finally two volumetrically important post-ore dyke swarms, the earlier andesitic and the later basaltic, were intruded. The magnetite ore and associated

(103C/16E)

skarn very largely are found in a stratiform zone some 200 feet thick above the top of the Karmutsen Formation, replacing massive limestone and diorite porphyry (*B.C. Dept. of Mines & Pet. Res.*, Bull. 54, p. 184).

WORK DONE:

The magnetite and chalcopyrite orebodies are mined in three open pits on a two-shift, six-day schedule. Equipment used in the open pits is: one BE-150B electric shovel, one BE-88B diesel shovel, two 988 Caterpillar loaders, two D-8 Caterpillar tractors, two BE-40R electric drills, two Airtrac drills, and five Caterpillar 769-B 35-ton ore haulage trucks.

The 3 zone pit, at the highest mining elevation, has its bottom working level at 880 feet above sea level. Working faces are 35 feet high with the final pit wall made up of two bench heights (70 feet) and a berm, developing an overall pit wall slope of 50 degrees. Pre-shear blasting, on the top 35 feet of each wall, is done with 18-inch drill spacing to maintain stable final pit walls. Mining in 3 zone was intermittent in 1973.

In 2 zone pit, mining continued at an overall wall slope of 65 degrees. In this pit, three bench heights and a berm make up the final pit wall with the top bench being pre-sheared in the manner of 3 zone. Minor wedge failures were noted on the second bench at 920 elevation, however no instability of the high walls is apparent. Mining has progressed to the 815-foot elevation.

In 1 zone pit, mining has progressed to the 185-foot elevation. This is the lowest elevation in the mine at present.

Ore from the pits is conveyed to the crusher via a system of ore passes which also serve as ore pockets. From 3 zone, the ore pass terminates at the 650 level haulage adit where it is transferred by rail car to the primary crusher ore pass system. Ore from 2 zone is routed through the haulage adit system or through an ore pass directly to the crusher. Ore from 1 zone is trucked directly to an ore pass feeding the crusher.

The total production for the year from the three pits was 1,616,058 tons of ore with a waste:ore ratio of 0.32:1 (cubic yards per ton). The average daily production was 8,000 tons of ore.

An underground development drift was initiated from the 650 haulage level at a point 1,860 feet from the portal. The main drift (14 by 18 feet) advanced 215 feet and will serve as an exploration base when completed to an ultimate 1,400 feet.

A crosscut from the drift (also 14 by 18 feet) was advanced 131 feet toward an underground stope location designated '3 zone underground.' Mining is scheduled for 1974. Equipment in use underground consists of one 988 Caterpillar loader with catalytic scrubber, one 3-boom Gardner-Denver drill jumbo. Air is supplied by a 1,400-cubic-foot-per-minute Gardner-Denver stationary compressor. A 100,000-cubic-foot-per-minute fan was installed to supply ventilation.

Other underground development included installation of an emergency ladderway from the haulage level to 3 zone pit, through the ventilation raise and the drainage raise.

The primary and secondary crushing plants operated on a two-shift, six-day weekly schedule. The concentrator operated on a three-shift, seven-day schedule producing 922,625 tons of iron and copper concentrates. Additional capacity was added to the iron flotation circuit, effectively doubling the retention time and improving quality control of the product.

At December 31, 1973, 163 persons were employed on surface and 9 underground. The company maintains Tasu, a townsite on Gowing Island, connected by causeway to the mine and plant area. Modern single-family houses, townhouses, and apartments are available for married personnel. Two modern single-men's residences and a motel are available for single personnel. A medical doctor and a full-time nurse reside in the townsite. A well-equipped hospital, a school to grade 10, and a recreational complex with indoor swimming pool are maintained by the company.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1967, pp. 54-56; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1970, p. 101; 1971, pp. 110, 111; 1972, pp. 494-497. *B.C. Dept. of Mines & Pet. Res.,* Bull. 54, pp. 183-189.

DOUGLAS CHANNEL 103H and part of 103G

BANKER (103H-G-38) (Fig. F, No. 6)

LOCATION: Lat, 53° 21' Long, 130° 09' (103G/8E) SKEENA M.D. On the west coast of Banks Island, extending northeasterly from the head of Foul Bay, at approximately 10 feet elevation.

CLAIMS: BANKER 200 to 205.

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver.

METAL: Gold.

DESCRIPTION: Auriferous pyrite and arsenopyrite occur as fracture fillings and replacements in granitic and sedimentary rocks.

WORK DONE: Magnetometer survey, 2.3 line-miles; EM survey, 2.3 line-miles; geochemical soil survey, approximately 200 samples, 2.3 line-miles covering all claims.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1963, p. 21; Assessment Report 4493.

PACKSACK (103H-G-13) (Fig. F, No. 7)

LOCATION: Lat. 53° 47' Long. 129° 27' (103H/14W) SKEENA M.D. About one-quarter mile north of Lower Lake, at the south end of the ridge, lying at the bend of the Ecstall River, at approximately 1,500 feet elevation.

CLAIMS: PACKSACK 1 to 8, GUNNYSACK 1 to 8.

OWNER: Texasgulf, Inc.

OPERATOR: ECSTALL MINING LIMITED, 701, 1281 West Georgia Street, Vancouver.

METALS: Minor copper, zinc, (silver, gold).

DESCRIPTION: Chlorite-sericite and quartz-sericite schists, phyllites, and metasiltite are intruded by masses of chloritic diorite of the Coast Range intrusions and by younger lamprophyre dykes. Pyrite is disseminated through the quartz-sericite schist in variable amounts and locally forms a massive body as much as 20 feet wide. The pyrite carries low values in copper and zinc.

- WORK DONE: Surface geological mapping, 1 inch equals 500 feet covering all claims; geochemical soil survey, 119 samples taken on 100 by 750-foot grid spacing covering 2 line-miles on Gunnysack 1-8 and Packsack 1-4.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1960, p. 12; Assessment Reports 214, 216, 4509.

PRINCE RUPERT – TERRACE 103I and part of 103J

JOON (JOA	N) (103	I-J-172)	(Fia.	F. No.	9)
-----------	---------	----------	-------	--------	----

LOCATION:	Lat. 54° 05' Long. 128° 43' (1031/2E)
	SKEENA M.D. Two and one-quarter miles northwest of the Kitimat
	bridge, on the eastern slope of Mount Clague, at approximately 300
	feet elevation.
CLAIM:	JOON 2.
OWNER:	Bowbyes Mines Ltd.
OPERATOR:	N. ROBAK, 1767 Ingledew Street, Prince George.
METALS:	Tungsten, iron, copper, nickel.
WORK DONE:	Trenching, 160 feet on Joon 2.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 498, 499.

BOWBYES (1031-J-104) (Fig. F, No. 8)

LOCATION:	Lat. 54° 06'	Long	. 128° 45'		(103I/2E)
	SKEENA M.D.	Three and on	e-half miles r	northwest of	the Kitimat
	bridge, on the e	astern slope of I	Mount Clague	near the head	of Bowbyes
	Creek, at approx	imately 2,500 f	eet elevation.		
OL A ING.					

- CLAIMS: BOWBYES 1 to 16.
- OWNER: Bowbyes Mines Ltd.
- OPERATOR: N. ROBAK, 1767 Ingledew Street, Prince George.
- METALS: Copper, iron, (silver).
- WORK DONE: Trenching, 450 feet on Bowbyes 3.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 498, 499.

LADY LUCK,	LUCKY FORTUNE	(1031-J-13, 113, 123, 124)	(Fig. F, No. 10)
			By B, M. Dudas
LOCATION:	Lat. 54° 24' SKEENA M.D. A northeast slopes of	Long. 128° 40' pproximately 7 miles south Mount Johnson, between Whi	(103I/7E) of Terrace, on the te Creek and Lakelse
	River, at 800 feet el	evation.	

CLAIMS: LADY LUCK 1 to 40, KENAD 1 to 30, MAYNERS FORTUNE 1 to 8, LUCKY FORTUNE 1 to 8, 17 to 20, GABEL 1 to 36.

OWNER: CREE LAKE MINING LTD., 3003 London House, 505 Fourth Avenue SW., Calgary, Alta.

METALS: Copper, zinc, molybdenum, iron, lead.

- DESCRIPTION: The main mineralized area is underlain by Paleozoic sedimentary rocks and greenstone that have been intruded by granodiorite, diorite, and granitic rocks related to the Coast Plutonic Complex. The sedimentary rocks have been altered to skarn. The sulphides are disseminated throughout the altered rocks but are not confined to any particular rock type, nor are they confined to shear zones or veins. The mineralization varies from sparsely disseminated to pods of massive sulphide. The sulphides include pyrite, chalcopyrite, sphalerite, molybdenite, and galena; magnetite forms massive pods and lenses within the skarn.
- WORK DONE: Surface diamond drilling, nine holes totalling 1,484 feet on Lady Luck 1, 2, 3, and 4.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 97, 98; 1971, p. 113; 1972, p. 499.

NORTHWEST,	SNOW, DF (1031-J-89, 167, 168) (Fig. F, No. 11) By B. M. Dudas
LOCATION:	Lat. 54° 29' Long. 128° 02' (1031/8E)
	OMINECA M.D. Approximately 22 miles east of Terrace, on the
	southern slope of Treasure Mountain, extending east from Salmon Run
	Creek to 4,000 feet elevation.
CLAIMS:	SNOW 10 to 18, 29 to 36, WB 1 to 22, DF 1 to 8, 12 to 14, 16 to 20.
OWNERS:	E. Hudson, W. Lesyk, and R. J. MacNeill.
OPERATOR:	SPECTROAIR EXPLORATIONS LIMITED, 518, 510 West Hastings
	Street, Vancouver.
METAL:	Copper.
DESCRIPTION:	Bornite, chalcocite, and chalcopyrite occur in Hazelton volcanic rocks
	which have been intruded by granitic rocks of the Coast Plutonic
	Complex.
WORK DONE:	Surface workings surveyed; surface geological mapping and geochemical
	soil survey, approximately 45 samples covering Snow 11 and 58
	samples covering Snow 31; surface diamond drilling, four holes totalling
	990 feet on Snow 11.
REFERENCES:	Minister of Mines, B.C., Ann. Rept., 1914, pp. 118, 119; 1964, p. 48;
	1965, pp. 71, 72; B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 500
	(NORTHWEST; WB).

KOKANEE, J (1031-J-114) (Fig. F, No. 1)

LOCATION:Lat. 54° 40'Long. 128° 27'(103I/9W)OMINECA M.D.Twelve miles north-northeast of Terrace, between
Shannon and Lowrie Creeks, from 1,500 to 3,000 feet elevation.CLAIMS:J 48 to 57, 63 to 67, 69 to 76, 83 to 87, O 5 to 12, K 1, L 1 and 2.

CLAIMS: J 48 to 57, 63 to 67, 69 to 76, 83 to 87, O 5 to 12, K 1, L 1 and 2. OWNER: Louis Remillong.

OPERATOR: NEW GOLD STAR MINES LTD., Terrace,

METAL: Molybdenum,

DESCRIPTION: The claims are underlain principally by granitic rocks of the Coast Plutonic Complex. Molybdenite occurs erratically over a large area in quartz veins and as disseminations in aplitic intrusive phases.

WORK DONE: The property was drilled by Kokanee Moly Mines Ltd. in 1967 with subcommercial molybdenite grades indicated. In 1971 a geochemical survey was conducted over 6 line-miles covering J 48, 50, 64-67.

REFERENCE: Assessment Report 4298.

REGA, MAG, SEVEN SISTERS, CALEDONIA (1031-J-54, 55, 149, 150)

(Fig. F, No. 2)

LOCATION: Lat. 54° 57' Long. 128° 15' (1031/16) OMINECA M.D. Ten miles northeast of Dorreen, on the southern slopes of Seven Sisters Peaks, extending east from the head of Flint Creek.

CLAIMS:REGA 1 to 22, 30 to 38, JACKAL 1 to 6, NIILO 1 to 12, MAG 1 to
39. (The JACKAL 1 to 6 are optioned from Seven Sisters Mining Ltd.)OWNER:MAGNETRON MINING LTD., 2020, 777 Hornby Street, Vancouver.METALS:Silver, lead, zinc.

DESCRIPTION: Quartz veins containing galena and sphalerite occur in Bowser sedimentary rocks near a granitic stock underlying Seven Sisters Peaks. WORK DONE: 1972 – gravity survey at 50-foot intervals along lines 200 feet apart.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 502; Assessment Reports 2016, 3541, 4276.

ETTA (1031-	J-155, 170, 171)	(Fig. F, No. 3)		By B. M. Dudas
LOCATION:	Lat. 54 [°] 02′	Long. 130°	25'	(103J/1W)
	SKEENA M.D.	Twenty miles south	west of Prince R	lupert, at Hunt
`	(Jap) Inlet, on t	he northernmost tip of	Porcher Island.	
CLAIMS:	ETTA 1 to 24, 2	27 to 62, ZAP 1 to 3.		
OWNERS:	Yukonadian I	Mineral Explorations	Limited and	Hudson Bay
	Exploration and	I Development Corpora	tion Limited.	
OPERATORS:	ANGLO AMER	ICAN CORPORATION	I OF CANADA E	XPLORATION
	LIMITED and H	HUDSON BAY EXPLO	RATION AND D	EVELOPMENT
	CORPORATIO	N LIMITED, 1695, 555	Burrard Street, N	/ancouver.
METALS:	Copper, zinc.			

- DESCRIPTION: Most of the property is underlain by northwesterly trending, metamorphosed volcanic and sedimentary rocks of Late Paleozoic to Early Mesozoic age, in contact with a granite stock. Numerous small diorite stocks and dykes also intrude the volcanic and sedimentary rocks. Pyrite, magnetite, chalcopyrite, and sphalerite occur in varying amounts in narrow fracture zones and bedding planes.
- WORK DONE: Linecutting; surface geological mapping, 1 inch equals 400 feet; ground magnetometer survey, 66.5 line-miles; and VLF EM survey, 36.1 line-miles covering all claims; test pits and 13 diamond-drill holes totalling 927 feet on Etta 18.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1917, p. 44 (JITNEY); Assessment Report 4401.

NASS RIVER 103P and part of 103O

JJ-C (103P-O-258) (Fig. F, No. 19)

- LOCATION: Lat. 55° 44' Long. 130° 05' (1030/9E) SKEENA M.D. Fourteen and one-half miles south-southwest of Stewart, extending west from Georgie River one-quarter mile north of its junction with the East Georgie River, between 1,000 and 2,000 feet elevation.
- CLAIMS: JC 1 to 24, C 1 and 4, JJ 1 and 2.
- OWNER: INLAND COPPER LTD., 470 Granville Street, Vancouver.

METAL: Copper.

- DESCRIPTION: Andesite is intruded by diorite and altered to greenstone near the contacts. On C 1 and JJ 2 claims, a shear zone follows the contact and contains massive replacement bodies of pyrite, magnetite, chalcopyrite, and minor pyrrhotite.
- WORK DONE: Linecutting, approximately 50 miles of grid covering most of JC 1-24; surface geological mapping, 1 inch equals 400 feet covering C 1 and 4, JJ 1 and 2, and JC 24.
- REFERENCE: Assessment Report 4820.

MOGUL (103P-O-256) (Fig. F, No. 12)

LOCATION:	Lat. 55° 02' Long. 128° 1	7'	(103P/1W)	
	OMINECA M.D. Two and one-quarte	r miles northeast of	Cedarvale,	
	on the east side of the Skeena River, at	1,000 feet elevation.		
CLAIMS:	MOGUL 1 and 2.			
OWNER:	C.L.M. GIGGEY, 601, 5411 Vine Street	, Vancouver.		
METAL:	Molybdenum.			
DESCRIPTION:	Minor molybdenite occurs in fractures in granitic rocks of the Coast			
	Plutonic Complex.			
WORK DONE:	Linecutting, approximately 1 mile of gri	id covering both claim	1S,	
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GE	M, 1971, p. 119; /	Assessment	
	Report 4248.			

BRITISH COLUMBIA MOLYBDENUM MINE (103P-O-120) (Fig. F, No. 13) By B. M. Dudas

LOCATION: Lat. 55° 25' Long. 129° 26' (103P/6W) SKEENA M.D. Four miles south-southeast of the head of Alice Arm Inlet, on Patsy Creek, the east fork of Lime Creek, at approximately 2.000 feet elevation.

CLAIMS: Mineral Leases M-157 to M-191, including the key claims PATRICIA 1 to 5, and the located claims JAN, JOY, ACCESS, etc., totalling 98.

OWNER:

ER: CLIMAX MOLYBDENUM CORPORATION OF BRITISH COLUMBIA, LIMITED, c/o Davis and Company, 1030 West Georgia Street, Vancouver; mine address, Kitsault.

METAL: Molybdenum.

WORK DONE: Climax Molybdenum Corporation of British Columbia, Limited purchased the total assets of British Columbia Molybdenum Limited from its parent company, Kennecott Copper Corporation of New York effective April 1973. No exploration nor development work was done on the property. Most of the efforts were directed toward minimizing further deterioration of Kitsault townsite, mine plant, and equipment.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1964, pp. 30-36; B.C. Dept. of Mines & Pet. Res., GEM, 1971, pp. 121, 122; 1972, pp. 504-506.

KITSOL (103P-O-257) (Fig. F, No. 14)

By B. M. Dudas

LOCATION:Lat. 55° 41'Long. 129° 31'(103P/12E)SKEENA M.D.Immediately north of the confluence of Evindsen
Creek and the Kitsault River, at approximately 1,175 feet elevation.CLAIMS:KITSOL 1 and 2 (Lots 3814 and 3815).

CLAIWS: KITSUL I and 2 (Lots 3614 and 3815).

OWNER: DOLLY VARDEN MINES LTD., 1400, 409 Granville Street, Vancouver 2.

METAL: Silver.

DESCRIPTION: The Kitsol vein, close to and paralleling the Kitsault River, reportedly averaged 10 ounces silver per ton for a 300-foot segment of the vein on the surface. The mineralization includes pyrargyrite, native silver, and marcasite in a quartz - calcite - barite gangue. The host rock is Hazelton Group epiclastic volcanic rocks.

WORK DONE: Trenching, 45 feet on Kitsol vein.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 81-86; 1972, pp. 507, 508.

RED POINT, ROAN ANTELOPE (103P-O-196, 197) (Fig. F, No. 15)

By B. M. Dudas

LOCATION:Lat. 55° 41'Long. 129° 31'(103P/12E)SKEENA M.D.On the west side of the Kitsault River valley, north of
Black Bear Creek, at approximately 1,800 feet elevation.Black Bear Creek, at approximately 1,800 feet elevation.CLAIMS:RED POINT, RED POINT EXTENSION (Lots 3809 and 3810), and

ROAN ANTELOPE and ROAN ANTELOPE 1 located claims.

OWNER: DOLLY VARDEN MINES LTD., 1400, 409 Granville Street, Vancouver.

METALS: Copper, silver, lead.

DESCRIPTION: On the Red Point Extension the irregular mineralization is called the V vein and consists of a fracture-controlled silicified zone. Silver values were also encountered in the 'Copper Belt' intrusive rocks mineralized with galena, sphalerite, and tetrahedrite. Marcasite was also found in a quartz - barite - calcite gangue.

WORK DONE: Trenching, 30 feet on the V vein.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 81-86; 1972, pp. 507, 508.

RED REEF	(103P-O-94) ((Fig. F, No. 17)
----------	---------------	------------------

LOCATION:Lat. 55° 56'Long. 129° 57'(103P/13W)SKEENA M.D.One mile east of Stewart, adjoining the south side of
Indian Reserve 19, at approximately 1,500 feet elevation.CLAIMS:RED REEF 6 to 11, RED REEF 5 Fraction.

OWNER: PRINCEMONT EXPLORATIONS LTD., 210, 890 West Pender Street, Vancouver V6C 1J9.

METALS: Copper, gold.

DESCRIPTION: The Hyder stocks straddle the claims in a northeasterly direction. Most prominent geological feature is the contact between quartz monzonite intrusions due north and Hazelton sedimentary-volcanic contact to the south. A regional fault strikes easterly up Silverado Creek. The rock near showings is garnetite, diopside, biotite skarn. Mineralization consists of pyrite and chalcopyrite.

WORK DONE: Clearing old road for access to property; cleaning and rehabilitation of three caved in adits on Red Reef 5 Fraction and 7.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1912, pp. 106, 107; 1928, p. 97; *Geol. Surv., Canada*, Mem. 175, p. 141.

LITTLE JOE,	GYPSY (103	P-O-68)	(Fig. F, No. 16)	By B. M. Dudas
LOCATION:	Lat. 55° 58′		Long. 129° 54'	(103P/13W)
	SKEENA M.C). Four	miles northeast of	Stewart, on and extending
	south from G	acier Cre	ek at 2,400 feet ele	evation, 2 miles east of Bear
	River.			
CLAIMS:	Key claims G	iypsy (i	Lot 416), LITTLE	JOE (Lot 873), LUCKY
	SEVEN (Lot	874) C	rown-granted clain	ns plus 19 located claims
	including RON	I, VERNE	E, DORA, ED, etc.	
OWNER:	STARBIRD M	INES LT	D., 311, 475 Howe	Street, Vancouver.
METALS:	Gold, silver, le	ad, zinc.		

DESCRIPTION:

Vein mineralization on the property lies within thin-bedded dark Bowser graphitic siltstones and greywackes which overlie Hazelton volcanic epiclastics. The sedimentary rocks have been intensely folded and deformed and intruded by a number of plutons and dyke swarms. The veins have been injected into extensive fractures localized near the Bowser-Hazelton contact and apparently controlled by underlying intrusions. The fracture system, which included the known vein mineralization, was referred to as the Portland Canal Fissure Zone in old publications (*B.C. Dept. of Mines & Pet. Res.*, Bull. 58, p. 148).

- WORK DONE: Geological mapping; seven X-ray diamond-drill holes totalling 646 feet and 17 BOX diamond-drill holes totalling 1,616 feet on key claims; approximately 100 feet of hand trenching on the northern ore zone.
- REFERENCES: Minister of Mines, B.C., Ann. Rept., 1910, pp. 71-75; 1913, pp. 92, 93; 1968, p. 53; B.C. Dept. of Mines & Pet. Res., Bull. 58, pp. 147, 148; GEM, 1971, p. 126; 1972, p. 509; Geol. Surv., Canada, Mem. 32, pp. 31-36.

RHS (103P-O-7) (Fig. F, No. 18)

LOCATION:	Lat. 55° 59'	Long, 129° 44'	(103P/13E)
	SKEENA M.D.	Ten miles east-northeast of St	ewart, at the head of
	Bitter Creek, at a	approximately 4,000 feet elevation	on.
CLAIMS:	PHC 0 +o 12 15	10.20	

CLAIMS: RHS 9 to 13, 15, 19, 20.

OWNER: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.

METALS: Molybdenum, gold.

- DESCRIPTION: Molybdenite occurs in a granitic tongue which intrudes calc-silicate rocks.
- WORK DONE: Surface geological mapping, 1 inch equals 50 feet covering RHS 9-13, 15; surface diamond drilling, four holes totalling 201 feet on RHS 9.



.

KEY TO PROPERTIES ON INDEX MAP, FIGURE G.

- HOBO, AT, X, page 515. 1.
- 2. BOOT, page 514.
- 4. NEW RICH, page 519.
- VOLLAUG (HURRICANE, RED HILL), 5.
- page 517.
- JOEM, page 518. 6.
- 7: SUN, page 515.
- 8. LUCK, page 517.
- 9. SANDY, page 516.
- 10. AMY, LEO, page 516.
- 11. ROOSEVELT, page 494.
- ADERA, page 515. 12.
- 13. TESS, page 513.
- HU, page 513. 15.
- PET, page 512. 16.
- 17. SMRB, page 510.
- TURN, page 512. 18.
- EAGLE, page 511. 19.
- 20, NUP, page 511.
- LYNNE, page 509. 21.
- RED, SUS, page 509. 22.
- 23. SIB, page 499.
- KAY, TOK, page 499.
- 24. PINS, page 500.

- 25. TAMI, KIM, page 500.
- 26. SPECTRUM, page 506.
- GC, HAB, BUY (STIKINE 27. COPPER), page 501.
- 28. RUN, page 504.
- 29. MARY, ME, GREG, page 506.
- IN, OUT, C, page 507. 30.
- 31. LIARD COPPER (SNO, BIRD),
- page 505.
- 32. INEL, page 501.
- MARTHA ELLEN (BIG MISSOURI), 33, page 497.
- RED CLIFF, page 494. 34.
- GRANDUC MINE, page 497. 35,
- 36. SALMON (GLACIER), page 497.
- 37. LIM, page 508.
- 38. POTLACH-BANKER, page 514.
- WILDCAT, page 518. 39.
- 40. LUNAR, page 519.
- 41. PAM, page 519.
- 42. CALLBREATH, page 507.
- 43. JO, page 508.
- 44. JEFF, page 510.

NORTHWEST BRITISH COLUMBIA

(NTS Division 104 and part of 114 Figure G)

BOWSER LAKE 104A

ROOSEVELT(104A-69)(Fig. G, No. 11)By B. M. DudasLOCATION:Lat. 56° 02'Long. 129° 48'(104A/4W)SKEENA M.D.Near the junction of Bitter Creek and Roosevelt Creek,
about 10 miles northeast of Stewart.

CLAIMS: Thirty Crown-granted claims including the MORGAN, LEAD COIL, ALBERTA, CREEK, RADIO, ORE HILL, PONTIAC, ROOSEVELT, NORTHERN BELL, MAYOU, Mineral Lease M-147, and TERRY 1 to 55.

OWNERS: Crest Silver Company Limited and Ardo Mines Ltd.

OPERATOR: ARDO MINES LTD., 210, 890 West Pender Street, Vancouver.

METALS: Copper, gold, silver, lead, zinc (production shown in Table I).

- DESCRIPTION: In the Silver adit the mineralization is associated with lenticular quartz-breccia veins of variable width and extent. The wallrock is mainly thinly banded graphitic siltstone which locally comprises part of the thick Middle Jurassic Salmon River Formation.
- WORK DONE: The Silver adit was reopened in May and worked by two men for two months to remove the ore stockpiled during 1972. The ore was trucked to the Adam mill, some 4 miles distance. On account of the narrow, irregular veins, the dilution was great and the ore became uneconomical. The mine closed in July and all surface buildings were removed.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 512.

RED CLIFF (104A-37) (Fig. G, No. 34)

By E. W. Grove and B. M. Dudas

- LOCATION: Lat. 56° 10′ Long. 129° 59′ (104A/4W) SKEENA M.D. One mile from the Stewart-Cassiar Highway near the junction of American Creek and Bear River, between 600 and 1,000 feet elevation.
- CLAIMS: MOUNT LYELL and LITTLE PAT FR. (Lots 77, 78), DOT FR. and LAST CHANCE (Lots 87, 88), BIG CASINO, JACK OF CLUBS, LOOKOUT FR., LITTLE CASINO, and OURAY FR. (Lots 4529 to 4533).
- OWNER: International Mogul Mines Limited (formerly Yale Lead & Zinc Mines Limited).
- OPERATORS: ADAM MILLING LTD. and CITEX MINES LTD., 210, 890 West Pender Street, Vancouver; mine address, Box 370, Stewart; C. T. Pasieka, manager.
- METALS: Copper, gold, silver (production shown in Table I).





DESCRIPTION:

GEOLOGICAL SETTING: Country rocks in the mine area include part of a thick sequence of well-bedded red and green volcanic sandstones and conglomerates intercalated with irregular, porphyritic andesite flows. These upper Lower Jurassic units lie on the west limb of the American Creek anticline, and are overlain by volcaniclastic rocks of the lower Middle Jurassic Bitter Creek Formation. The stratified sequence has been transected by the extensive, northwesterly trending, Tertiary, Portland Canal dyke swarm which lies immediately south of the mine area. The country rocks have been extensively fractured and deformed locally. The lower part of Lydden Creek has been eroded along a northerly trending, west-dipping cataclasite zone which represents an extension of the main Bear River cataclasite zone. The Red Cliff workings and all the known mineralization lie structurally above the Lydden Creek zone.

MINE GEOLOGY: In the mine area the country rocks include highly altered and sheared green andesitic volcanic conglomerates, red feldspathic sandstones, minor argillaceous siltstone, and variably porphyritic thin andesite flows. Primary sedimentary structures indicate that the local sequence trends northerly and dips westward at about 70 degrees. Locally these stratified units have been extensively cataclastically deformed producing intersecting sets of shears represented at the mine by narrow altered semi-schist, proto-mylonite, and mylonite. These zones and the less deformed rocks have been offset by younger, northerly trending faults.

The ore which occurs as lenses within the shear zones consists largely of coarse-grained milky quartz as veins containing pods, lenses, and streaks of pyrite and chalcopyrite which are the dominant sulphide minerals. Other mineralization, also largely confined to the shear zones, comprises disseminated pyrite and chalcopyrite with minor quartz. Pyrite is also common within the younger fault breccia zones and along the younger fault planes. Rock alteration in the various mineralized and other shears consists mainly of sericite and carbonate with superimposed carbonate-quartz as veinlets and segregations.

The geologic plans and sections (Figs. 49, 50, and 51) illustrate the relationship between the old workings, the known mineralizations, and the rock structures. The Lydden Creek fault has truncated the ore zone below 700 level thereby limiting any extension of the known mineralization to depth. As shown by the geologic sections of the old mine, development above 700 level has been on the hangingwall of the fault, but east of the apparent projection of the 700 level ore-grade mineralization. The potential upper limits of the known ore zone is the present rock surface.

WORK DONE:

The mine reopened in April and the 700 level was rehabilitated. The exposed ore in the drift backs was open stoped and endangered the safe removal of additional ore on that level. Production ceased in September. Diamond drilling was carried out during November and the mine closed for the winter in December. The ore produced and the old dump from the 1930's were trucked to the Adam mill on Bitter Creek, some 8 miles distance.

REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1959, p. 8; *Geol. Surv., Canada,* Mem. 32, pp. 47-50.



Figure 51. Red Cliff, sections B-B' and C-C'.

ISKUT RIVER 104B

SALMON (GLACIER) (104B-112) (Fig. G, No. 36)

LOCATION: Lat. 56° 05' Long. 130° 02' (104B/1E) SKEENA M.D. Twenty miles by road north from Stewart; property straddles the Granduc road.

CLAIMS: Mineral Leases M-394 (KNOB HILL, BOSTON FRACTION, BEAN FRACTION, BOSTON FRACTION NO. 2, BOUNDARY NO. 4, GLACIER, GLACIER NO. 1, GLACIER NO. 2); M-305 (PACKERS FRACTION); M-306 (DAUNTLESS).

OWNER: COBRE EXPLORATION LIMITED, 254 East Fourth Street, North Vancouver.

METALS: Copper, lead, zinc, silver, gold.

- DESCRIPTION: Deformed Hazelton Group siltstones and epiclastic volcanic rocks have been intruded by the Middle Jurassic Texas Creek pluton and Tertiary dykes. Mineralization consists of numerous flat-dipping quartzcarbonate veins and veinlets containing chalcopyrite, sphalerite, galena, and tetrahedrite which are present in siltstone and tuff above the contact with the Texas Creek pluton.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet and 1 inch equals 100 feet covering Knob Hill, Boston Fraction No. 2, and Bean Fraction; geochemical rock chip survey, 70 samples, 1.2 line-miles covering same claims.
- REFERENCE: Geol. Surv., Canada, Mem. 175, p. 158.

MARTHA ELLEN (BIG MISSOURI) (104B-46, 92) (Fig. G, No. 33)

- LOCATION: Lat. 56° 07' Long. 130° 01' (104B/1E) SKEENA M.D. Five miles north of the Silbak Premier mine, at approximately 3,500 feet elevation.
- CLAIMS: PROVINCE, HERCULES, MARTHA ELLEN, LECKIE FR. Crowngranted claims.
- OPERATOR: CONSOLIDATED SILVER BUTTE MINES LTD., 705, 850 West Hastings Street, Vancouver.
- METALS: Gold, silver, lead, zinc, copper.
- DESCRIPTION: Sulphide-bearing quartz veins, lenses, and stockwork are localized by minor fold structures within altered Lower Jurassic tuffaceous medium-grained volcanic epiclastic rocks.
- WORK DONE: Topography mapped; surface geological mapping covering the Province claim.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 513; B.C. Dept. of Mines & Pet. Res., Bull. 58, pp. 124-127.

GRANDUC MINE(104B-21)(Fig. G, No. 35)By B. M. DudasLOCATION:Lat. 56° 13'Long. 130° 21'(104B/1W)SKEENA M.D.The ming is at the head of the Ledue Biver 25 miles

SKEENA M.D. The mine is at the head of the Leduc River, 25 miles north-northwest of Stewart, between 1,800 and 4,000 feet elevation. The concentrator and campsite are at Tide Lake. The townsite is at Stewart.
(104B/1W)

CLAIMS:	One hundred and sixty-four Crown-granted and 186 located claims.		
OWNER:	Granduc Mines, Limited.		
OPERATOR:	GRANDUC OPERATING COMPANY, 520, 890 West Pender Street, Vancouver; mine address, Box 69, Stewart; R. S. Mattson, resident manager.		
METALS:	Copper, silver (production shown on Table I).		

DESCRIPTION:

In summary, the mineral occurrence is within a cataclasite zone in a metamorphosed succession of volcanic and sedimentary rocks of Lower Jurassic age which form part of the Unuk River Formation. These rocks which now comprise cataclasites, mylonites, and phylonites are overlain on the east by easterly dipping volcanic conglomerates, thick pillow volcanic units, and minor intercalated sedimentary rocks. It is about 3 miles east of the easterly contact of the Coast Plutonic Complex.

Chalcopyrite, along with pyrite, pyrrhotite, and sphalerite, occurs as streaks, blebs, and irregular massive lenses within the phyllonite-mylonite zone. The ore zone extends at least 2,500 feet vertically and 4,000 feet laterally.

WORK DONE:

The basic method of mining is sublevel cave, however, during the year block cave and mechanized cut-and-fill mining methods were being evaluated. Transverse sublevel cave production was phased out on 3140 sublevel in No. 1 block in favour of multilongitudinal sublevel cave which is also the method used in No. 2 block.

Longhole drilling units are used for both development and production mucking. Two and three-boom development jumbos are used for drilling the development headings, and two-boom fan jumbos are used for drilling the production up-holes.

The total underground development for the year was 60,010 feet. Drifts, crosscuts, and service ramps for trackless development was 56,091 feet. Slot and miscellanceous raising was 771 feet. Bored raising was 3,148 feet and miscellaneous excavations in waste amounted to 71,337 cubic feet. Underground diamond drilling for ore definition totalled 35,498 feet.

At year end, No. 1 block was producing from the 3110, 3065, and 3020 levels with development continuing on 2975, 2930, and 2795 levels. In No. 2 block, 3530, 3485, and 3435 levels were producing levels and 3255, 3210, and 3110 levels were being developed. There was no exploration work carried out, however, the underground diamond drilling programme continued to define the ore zones in the development areas of the mine.

The method of concentration is to crush to 50 per cent minus ½-inch, feed to rod mills for primary grinding, then to pebble and ball mills for secondary grinding. The pebble and ball mill discharge at 60 per cent minus 200 mesh, then passes through flotation, thickening, filtering, and drying processes. The concentrator throughput was improved from an average of 5,725 tons per day in 1972 to 7,666 tons per day in 1973.

The intake fan installation at the Tide end of the haulage tunnel was completed and made operational.

During the year, Pollution Control Permits were applied for to cover emissions to atmosphere and refuse dumps.

(104B/9W)

A five-man snow control team is employed during the winter months to supervise snow removal and avalanche protection on the 32-mile road between the concentrator site and Stewart and at the mine portals at Leduc.

Total manpower at December 31, 1973 was 811 including contractors. Of this total 501 were employed underground and 310 were employed on surface.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 68-70; 1971, pp. 34, 35; 1972, pp. 514, 515.

SIB (104B-8?) (Fig. G, No. 23)

LOCATION:	Lat. 56° 37′ Long. 130° 29′ (104B/9W)			
	SKEENA M.D. Three miles easterly from the south end of Tom			
	Mackay Lake, at approximately 3,600 feet elevation.			
CLAIMS:	SIB 1 to 16.			
OWNER:	CONSOLIDATED SILVER BUTTE MINES LTD., 705, 850 West			
	Hastings Street, Vancouver.			
METALS:	Gold, silver, lead, zinc, copper.			
WORK DONE:	Road construction, 12,000 feet (bulldozer trail); stripping, 100 feet by			
	1,150 feet on SIB 16.			
REFERENCE:	Minister of Mines, B.C., Ann. Rept., 1946, p. 85.			

ΚΑΥ, ΤΟΚ	(104B-8?) (Fig.	. G, No. 23)	By B. M. Dudas
LOCATION:	Lat. 56° 37'	Long. 130° 28′	(104B/9W)
	SKEENA M.D.	About 1.5 miles east of	Tom Mackay Lake, on the
	easterly slope of	Prout Plateau, between 3,5	00 and 3,700 feet elevation.
CLAIMS:	KAY 11 to 18,	TOK 1 to 22.	
OWNER:	Stikine Silver Lt	td.	

OPERATOR: KALCO VALLEY MINES LTD., 604, 744 West Hastings Street, Vancouver.

METALS: Silver, gold, lead, zinc.

DESCRIPTION: Various stratified units forming part of a thick Lower Jurassic sequence underlie the claims. Mineralization is localized within deformed pebble and boulder conglomerates in which sphalerite forms the matrix. The sulphide zones have been cut by stockwork-like quartz-sulphide zones in which gold and silver-bearing tetrahedrite is present.

WORK DONE: The surface geology of the claims was mapped at a scale of 1 inch equals 40 feet. Six diamond-drill holes totalling 983 feet were drilled in the mineralized zones to test for continuity of gold-bearing structure.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, pp. 64, 65; 1971, p. 36; 1972, pp. 516, 517.

PINS (104B-111, 115) (Fig. G, No. 24)

LOCATION: Lat. 56° 33' Long. 130° 50' (104B/10W) LIARD M.D. South-southeast of the junction of Snippaker Creek and the Iskut River, at approximately 4,200 feet elevation.

CLAIMS: PINS 1 to 40.

OWNER: COBRE EXPLORATION LIMITED, 254 East Fourth Street, North Vancouver.

METALS: Copper, lead, zinc.

- DESCRIPTION: Andesite lava, tuff, and agglomerate and minor rhyolite lava have been intruded by dykes and small irregular masses of diorite porphyry and andesite porphyry. The andesite has been extensively propylitized and all rocks but the andesite porphyry have been more or less pyritized. Chalcopyrite, malachite, and limonite are finely disseminated in altered andesite over an area of 15 by 50 feet on Pins 13, and a few quartz veins in andesite and rhyolite contain small amounts of chalcopyrite, galena, and sphalerite.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering Pins 1-4; geochemical soil survey, 43 samples, 1.3 line-miles covering Pins 3 and 4; magnetometer survey, 3.2 line-miles covering Pins 1-12; horizontal-loop EM survey, 4.6 line-miles covering Pins 1-12.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 517; Assessment Reports 4748, 4749.

ТАМІ, КІМ (104B-23?)	(Fig. G, No.	25)	By B. M. Dudas
LOCATION:	TAMI Lat. 56° 35.3°	-37′	Long. 130° 50'-52.5'	(104B/10W)
	Lat. 56° 31.5	Six miles	Long. 130° 42.5′ (Tami) and 14 miles (Kim)	(104B/10W)
	of Snippaker	Creek and Is	kut River, 88 miles south of	Telegraph Creek.
CLAIMS:	TAMI 1 to 36	, KIM 1 to 3	6.	•
OWNER:	GREAT PLA	INS DEVEL	OPMENT COMPANY OF	CANADA, LTD.,
	736 Eighth A	venue SW., C	algary, Alta.	
METALS:	Copper, lead.			
DESCRIPTION:	Upper Triassi	c and Lower	Jurassic tuffs and pyroclasti	c rocks have been
	intruded by c galena have be	uartz diorito een observed	e and felsite plutons. Pyrite,	chalcopyrite, and
WORK DONE:	Surface geolo geochemical s	gical mappir oil survey, t	ng, 1 inch equals 400 feet c 98 samples, 4 line-miles co	overing all claims; vering Kim 13-22
REFERENCE:	B.C. Dept. of	Mines & Pet.	<i>Res.,</i> GEM, 1972, p. 517.	



(104B/10W)

INEL (104B-113) (Fig. G, No. 32)

LOCATION:	Lat. 56° 41′	Long. 130° 57′ (104B/10W	I)
	LIARD M.D.	Sixty miles northwest of Stewart and 5.5 miles southeas	st
	of the conflu	ence of Bronson Creek and Iskut River, between 4,00	0
	and 6,000 fee	t elevation.	
CLAIMS:	INEL 7 to 72	HIHO 1 to 16.	•

OWNER: Skyline Explorations Ltd.

OPERATOR: ECSTALL MINING LIMITED, 701, 1281 West Georgia Street, Vancouver.

METALS: Copper, zinc, gold, molybdenum, lead, silver.

- DESCRIPTION: The claims are underlain mainly by volcanic and sedimentary rocks of Upper Triassic and Lower Jurassic age. These have been intruded by a pluton of quartz monzonite to the east, by a dyke of quartz porphyry and a diorite dyke, by a small mass of orthoclase porphyry, and by numerous dykes of rhyolite explosion breccia. A shattered zone near the centre of the claim area has been injected by numerous quartz veins carrying abundant pyrite and sphalerite and minor chalcopyrite. North of this zone lapilli tuff contains a stratiform zone of banded pyrite and sphalerite which is 2 to 18 feet wide.
- WORK DONE: Surface geological mapping, 1 inch equals 200 feet and 1 inch equals 1,000 feet covering all claims; magnetometer survey, 8 line-miles and vertical-loop EM survey, 5 line-miles covering Inel 43, 45, 47, 60, 62, and 64; trenching, 551 feet on Inel 46, 47, 48, 58, and 59.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 518; Assessment Report 4732.

TELEGRAPH CREEK 104G

GC, HAB, BUY	(STIKINE COPPER) (104G-16) (Fig. G, No. 27) By A. Panteleyev
LOCATION:	Lat. 57° 07' Long. 131° 27' (104G/3W)
	LIARD M.D. At the headwaters of Galore Creek, a tributary of the
	Scud River, at approximately 2,400 feet elevation.
CLAIMS:	GC, HAB, BUY, XGC, OB, ARCHIE, and SK, totalling 255 located
	claims and 39 fractions.
OWNER:	Stikine Copper Ltd.
OPERATOR:	HUDSON BAY MINING AND SMELTING CO., LIMITED, Box 28,
	Toronto-Dominion Centre, Toronto, Ont.
METALS:	Copper, minor gold, silver.
DESCRIPTION:	

Ten zones with economically significant copper mineralization have been discovered in metavolcanic and intrusive rocks of the Galore Creek syenite complex. Investigation of the largest zone, the Central zone, resumed in 1972 and a detailed description with references to earlier work is given in *Geology, Exploration, and Mining in British Columbia, 1972*, pages 520 to 526.

(104G/3W)

During 1973, 53 diamond-drill holes were completed in the Central zone, mainly north of Dendritic Creek, and 7 holes were drilled in the North Junction zone. Drilling in the Central zone was designed to fill in and also to expand reserves by testing for extensions beyond inferred boundaries of mineralization. Holes were drilled in the North Junction zone to supplement existing data so that surface mapping, underground observations, and drill information from the structurally complex mineralized area could be correlated and interpreted.

Based on drilling to 1974, the company announced drill indicated reserves of 59 million tons with 1.2 per cent copper in the South Central zone and an estimated 79 million tons with 1.0 per cent copper in the North Central zone. Cutoff grade was set at 0.6 per cent copper with credit for some gold and silver.

A geological cross-section across the approximate middle of the Central zone is shown on Figure 52. The section, which is about 2,500 feet north-northeast along strike from the cross-section in the South Central zone illustrated and discussed in *Geology, Exploration, and Mining in British Columbia, 1972,* is approximately 150 feet north of Dendritic Creek, and passes through the northern part of the proposed initial pit in the area where mineralization is developed over its maximum known width. The western boundary of the cross-section is about 1,500 feet east of the main syenite body that forms the Galore Creek syenite complex.

Compared to the South Central zone, rocks in the Central zone immediately north of Dendritic Creek show several significant differences in lithology, mineralization, and structure, the most obvious of which is in the character of mineralized metavolcanic rocks. The latter have traditionally been called 'hornfels' and the terminology will be kept for sake of continuity although it is a misnomer as there most assuredly has been considerable metasomatism and skarn might be a more appropriate term. The dominant rock type in the South Central zone is dark-coloured, biotite hornfels derived from massive andesite flow and volcaniclastic rocks. Only one relatively thin unit of garnet-bearing orthoclase-rich hornfels was mapped, and it contains a number of interbedded members of distinctive biotite-rich lapilli tuff or breccia. North of Dendritic Creek, garnet-bearing orthoclase-rich rocks are most abundant, and only a few thin beds of biotite hornfels are present.

Texturally, metavolcanic rocks in the Central zone vary from fine-grained, orthoclase-rich hornfels derived from massive, fine-grained to weakly porphyritic trachyte flows or sills, to coarse porphyroblastic, mottled hornfels. Coarse-grained, mottled hornfels contain relict porphyroblasts of pseudoleucite and phenocrysts of feldspar up to 2 centimetres in size in a grey to pink, very fine, granular feldspathic matrix. Mottling is due to replacement of phenocrysts and porphyroblasts by biotite, garnet, anhydrite, and sulphide minerals to produce clots or patches of dark-coloured minerals in a light grey to pink, massive, fine-grained matrix.

Stratification is defined by mineralogical differences and variations in proportions of orthoclase, garnet, and biotite that probably reflect original compositional differences in the volcanic succession. Orthoclase is the most abundant mineral whereas garnet constitutes as much as 25 per cent of certain beds. Locally, diopside is associated with garnet-rich zones and these rocks may therefore be called skarn. Diopside-bearing garnetiferous skarn units, however, do not show any appreciable increase in magnetite, carbonate, nor sulphide content and the rocks appear to be derived from volcanic rocks

(104G/7W)

rather than calcareous clastic rocks. In fact, sulphide content commonly displays an inverse relationship to garnet (and diopside) and is more directly related to biotite content. When garnet and biotite-rich drill intercepts and orthoclase hornfels zones are projected between drill holes, the rocks appear to form a well-bedded succession of apparently gently westward-dipping trachyte or phonolite flows, flow breccia, and possibly sills with intercalated greywacke or andesitic tuff members.

The main intrusive masses are three 75 to 150-foot-thick subhorizontal sheets of coarse syenite porphyry that are similar in size and shape to those to the south. In contrast to the South Central zone, epidotized syenite megaporphyry is the dominant intrusive type and forms two of the largest intrusive bodies; dark syenite porphyry forms the other major syenite body and no garnetiferous syenite megaporphyry was recognized. Fine-grained porphyritic syenite occurs in thin, steeply dipping dykes that intrude dark syenite porphyry but are clearly cut by epidotized syenite megaporphyry. All syenite bodies, with the possible exception of one thin dark syenite unit, are slightly transgressive to bedded rocks and may, therefore, be classed as subhorizontal dykes rather than sills.

Tectonic and intrusive breccias that have been particularly important in the South Central zone for localizing copper mineralization and possibly controlling distribution of bornite, are not significant in controlling sulphide distribution in mid-Central zone (Fig. 52). Breccias in this part of the zone are related to faults and postdate sulphide mineralization. In these fault zones mineralized rocks have been strongly fractured, crushed, and sheared to produce much gouge. The largest faults are found along the eastern boundary of mineralization and form a highly fractured footwall for the main mineralized zone. The faults dip westerly at about 30 to 50 degrees and display normal movement with apparent throws of about 500 feet. A subhorizontal, closely spaced fracture cleavage that is well developed near surface in the South Central zone is also seen in rocks north of Dendritic Creek.

Sulphide mineralization north of Dendritic Creek consists largely of chalcopyrite with subordinate pyrite and only traces of bornite. Chalcopyrite is found almost exclusively in metavolcanic rocks and occurs as coarsely disseminated, discrete granules and patches in mafic-rich beds or with mafic clots in orthoclase-rich beds. Bornite occurs as rare, small grains in the core of the zone of copper mineralization. Pyrite content increases along the eastern boundary and in the faulted footwall of the copper zone. Pyritic rocks probably flank and underlie copper mineralization as a pyritic halo. The strong zoning pattern evident in the South Central zone is not obvious in the section examined (Fig. 52) but the same manner of sulphide zoning is indicated. Bornite is present in the centre of the mineralized zone together with abundant chalcopyrite and only trace amounts of pyrite. Chalcopyrite is the most abundant and widespread sulphide mineral in the zone of copper mineralization and is greatly in excess of pyrite. Along the flanks of the chalcopyritebearing zone, pyrite increases progressively outward from the core and chalcopyrite content decreases quite abruptly. Magnetite is distributed as sparse, fine disseminated grains that may increase in abundance in the pyritic zone but does not show any preferential development along any particular strata.

In contrast to the fine-grained, evenly disseminated, chalcopyrite-bornite mineralization found in biotite hornfels and brecciated dark syenite porphyry in the South Central zone, mineralization north of Dendritic Creek consists dominantly of chalcopyrite associated with erratic patches of biotite and biotite-garnet in texturally distinctive, coarsely granular, potassic metavolcanic rocks.

WORK DONE:

Sixty NQ diamond-drill holes totalling 48,963 feet were drilled in the main mineralized zone. The permanent camp buildings are suitable for 32 persons; thus, it was necessary to utilize tents to handle the additional personnel. In addition, four permanent core sheds were constructed. A 1,500-foot-long airstrip suitable for Otter aircraft was maintained near the camp. Another airstrip, 5,000 feet long, suitable for larger aircraft was kept in good repair at the junction of the Stikine and Scud Rivers. All the supplies had to be airlifted from either airstrips thus, a 206 Jet Ranger helicopter was on the property for the entire exploration season.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1965, pp. 19-24; B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 520-526.

RUN (104G-4	0} (Fig. G, No. 28)		By A. Panteleyev
LOCATION:	Lat. 57° 18′	∟ong. 130° 55′	(104G/7W)
	LIARD M.D. Five miles s	outheast of Schaft Creek li	anding strip, east
	side Mess Creek, between 2,	,400 and 4,750 feet elevatio	on.
CLAIMS:	MIX 1 to 72 (formerly RUN	N, HOT PUNCH, and TIA N	IARIA).
OWNER:	Wharf Resources Ltd.		
OPERATOR:	PHELPS DODGE CORPO	RATION OF CANADA,	LIMITED, 404,
	1112 West Pender Street, V	ancouver V6E 2S1.	
METALS:	Copper, molybdenum.		
DESCRIPTION:		•	

Rusty weathering rocks with pyrite, minor chalcopyrite, and traces of molybdenite are found in a large alteration zone adjacent to Mess Creek. A low-lying area bounded by the most intensely altered rock was tested by diamond drilling below the zone of oxidation and surficial limonitic carbonate alteration.

The bedded rocks are steeply dipping, dark grey to green, massive fine-grained to weakly porphyritic, pyroxene-bearing flows, flow breccias, and a few 1 to 20-foot-thick, intercalated units of thinly bedded siltstone, all of apparent Upper Triassic age. Intrusive rocks are feldspar porphyry dykes, commonly 5 to 20 feet thick, that comprise up to 25 per cent and more of the succession. Two stages of similar-looking feldspar porphyry were recognized on the basis of crosscutting relationships. The older porphyry is grey, strongly sericitized, pyritic rock that is greatly subordinate relative to the main intrusive phase. The main feldspar porphyry is a mafic-poor, sparsely porphyritic rock containing about 25 per cent seriate, fine to medium-grained, pink plagioclase phenocrysts in a light brown aphanitic matrix. Analysis of the rock showed 58 per cent SiO₂, 10.2 per cent alkalis, and high concentrations of the minor elements Ba, Sr, and Rb so that the rock may be classified as a syenite or trachyte. Similar feldspar porphyry and pyritic felsite intrusions in the eastern Telegraph Creek map-area have been shown to be Late Cretaceous to Early Tertiary in age (Souther, 1972).

Sulphide minerals are present, mainly in feldspar porphyries, as disseminated pyrite ranging in amount from trace to 3 per cent, and in volcanic rocks as fracture controlled chalcopyrite associated with fine-grained to patchy magnetite. Molybdenite is seen sporadically on slip and fracture selvages and in thin quartz veinlets in fractured feldspar

(104G/6E, 7W)

porphyries and volcanic rocks. The best copper and molybdenum mineralization is developed in steeply dipping fracture and breccia zones, possibly related to faults of the Mess Creek fault system, in an area of feldspar porphyry intrusions. At least two stages of fracturing were recognized; early fractures are mineralized and accompanied by sericite-chlorite alteration and quartz-bearing, carbonate fracture-filling containing some barite and gypsum, whereas younger fractures have carbonate gangue and only traces of pyrite.

- WORK DONE: Reconnaissance surface geological mapping, 1 inch equals 400 feet covering 13-18, 21, 23, 25, and 27; frequency-domain IP survey, 12.6 line-miles covering Mix 13-18, 21-26, 33-38, 42-44, 46, 51, 52, 54, 56, 59, 61, and 65; reconnaissance geochemical soil survey, 73 samples, 2.4 line-miles covering Mix 4, 6, 13-17, 23, and 25; linecutting covering Mix 2, 4, 6, 13-18, 23, 25, 27, 54, 56, 58, and 65.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 529, 530; Souther, J.G., 1972, Telegraph Creek Map-area, British Columbia, Geol. Surv., Canada, Paper 71-44, 38 pp.; Assessment Reports 4100, 4755.

LIARD COPPER (BIRD, SNO) (104G-15) (Fig. G, No. 31) By B. M. Dudas

- LOCATION: Lat. 57° 25' Long. 131° 00' (104G/6E, 7W) LIARD M.D. Six miles southwest of Mess Lake, between 2,800 and 4,000 feet elevation.
- CLAIMS: BIRD, SNO, BB, BUD, EMU, GAV, ID, MESS, NOV, PIT, RUM, SUE, VON, WIN, JMP, A, MV, JACK, LL, DAVE, totalling approximately 538.

OWNERS: Liard Copper Mines Ltd. and Hecla Operating Company.

OPERATOR: HECLA OPERATING COMPANY, 2009, 1177 West Hastings Street, Vancouver V6E 2K3.

METALS: Copper, molybdenum.

DESCRIPTION: A large deposit with copper-molybdenum mineralization has been developed in Upper Triassic pyroclastic rocks, quartz feldspar porphyry dykes, and breccias. Chalcopyrite, bornite, and molybdenite are the principal minerals of economic interest. Pyrite is widespread.

- WORK DONE: The work consisted of 28.2 miles of linecutting, 200 lineal feet of bulldozer trenching, road repairs, and erection of two 25 by 100-foot Quonset-type core storage buildings. In addition, approximately 9 line-miles of IP and resistivity surveys and 28.2 line-miles of magnetometer survey were carried out, mostly in the Skeeter Lake and Mess Creek areas of the property. Hecla Operating Company's option agreement with Paramount Mining Ltd. lapsed on February 28.
- REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1970, pp. 49-57; 1971, pp. 39, 40; 1972, pp. 527, 528; Assessment Reports 4507, 4832, 4842.

(104G/8W)

MARY, ME, GF	EG (104G-18, 42, 70)	(Fig. G, No. 29)	By B. M. Dudas
LOCATION:	Lat. 57° 15.5′	Long. 130° 25′	(104G/8W)
	LIARD M.D. Approxim	ately 6 miles westerly	from the junction of
	Ball Creek with Iskut Rive	er, between 3,000 and 5	,500 feet elevation.
CLAIMS:	ME 1 to 18, ROG 1 to 2	0, 22 to 27, 29, 31, 3	3 to 40, MENT 1 to 7,
	MOM 4 to 11, BR 1 to 3	, BARE 1 to 15, VKR	1 to 6, TARA 1 to 27.
OWNER:	GREAT PLAINS DEVEL	OPMENT COMPANY	OF CANADA, LTD.,
	736 Eighth Avenue SW., C	Calgary, Alta.	
METALS:	Copper, molybdenum.		
DESCRIPTION:	Pyritic rocks associated	with feldspar porphyry	/ intrusions forming a
	zone about 1,200 feet in	i diameter in faulted l	Jpper Triassic volcanic
	and sedimentary rocks c	ontain minor chalcopy	rite and molybdenite.
	Two intensely altered zor	nes along the north and	south margins of the
	feldspar porphyry intrusi	ons are coincident wit	h induced polarization
	and geochemical soil anon	naties and were tested b	y diamond drilling.

WORK DONE:

The property was first examined in 1963 when Southwest Potash Corporation held the 'Mary group' of claims, totalling 43. Newmont Mining Corporation of Canada Limited in 1970 held the same ground under the Greg 1 to 38 claims. Both of these companies centred their exploration efforts on the 'cliff zone' which is on the north side of Ball Creek. Southwest Potash Corporation carried out geological mapping and geochemical sampling, and with a packsack drill completed six holes for a total of 199 feet. Newmont continued with geological mapping and geochemical and ground magnetometer surveys. The present company acquired the property in 1971, and since that time carried out mapping and geochemical sampling. During this past season surface geological mapping and time-domain IP survey were conducted which was followed by diamond drilling. Three NQ diamond-drill holes were drilled on the main showing.

REFERENCES: *B.C. Dept. of Mines & Pet. Res.,* GEM, 1970, p. 61; 1972, p. 530; Assessment Reports 3186, 3978, 3979, 4651.

SPECTRUM	(104G-36)	(Fig. G, No. 26)	By B. M. Dudas
LOCATION:	Lat. 57° 41	1' Long. 130 [°] 28'	(104G/9W)
	LIARD M	.D. About 20 miles west of Iskut villag	ge, on the east flank of
	Mount Ed: elevation.	ziza overlooking Nuttlude Lake, at app	proximately 4,500 feet
CLAIMS:	SPECTRU	M 1 to 18, 21 to 50, OWL 60 to 65, 67	to 96.
OWNER:	Spartan Ex	plorations Ltd.	
OPERATOR:	IMPERIAL V6E 3J7.	. OIL LIMITED, 314, 1281 West Geor	rgia Street, Vancouver
METALS:	Copper, irc	on, minor molybdenum.	

(104G/10W)

- DESCRIPTION: Disseminated pyrite and chalcopyrite in intrusive rocks and pyrite, pyrrhotite, and chalcopyrite in hornfels are associated with a large, irregular, northerly trending dyke and subsidiary dykes of porphyritic granodiorite in volcanic, volcaniclastic, and sedimentary rocks of probable Upper Triassic age. Magnetite, chalcopyrite, some galena, and sphalerite were formed in calcareous siltstone and crystalline limestone to the south of the known intrusive masses,
- Four NQ diamond-drill holes were drilled on Spectrum 9, 11, and 13 WORK DONE: claims, with a total footage of 1,478 feet.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 57; 1971, p. 41; 1972, pp. 531-534.
- IN. OUT. C (Fig. G, No. 30)
- Lat. 57° 35' Long. 130° 55' LOCATION: (104G/10W) LIARD M.D. About 25 miles south of Telegraph Creek, between Mess and Schaft Creeks, at approximately 3,000 feet elevation.

CLAIMS: IN, OUT, and C, totalling approximately 115.

OWNER: HECLA OPERATING COMPANY, 2009, 1177 West Hastings Street, Vancouver V6E 2K3.

METAL: Copper.

DESCRIPTION: An Upper Triassic assemblage has been intruded by a stock of basaltic augite porphyry and by quartz monzonite tongues and satellitic stocks of the Upper Cretaceous Yehiniko Lake batholith. The assemblage consists mainly of massive andesite, with subordinate intercalated tuffaceous andesite, chert, and limestone. The andesite is dioritized near the guartz monzonite, Minor chalcopyrite and specularite occur in quartz and quartz-calcite veins in quartz monzonite and andesite, and seams of chalcopyrite occur along minor shear zones in the basalt.

WORK DONE: Linecutting, 17.5 miles of new grid and 7 miles of recut grid; surface geological mapping, 1 inch equals 400 feet covering all claims; geochemical soil survey, 508 samples mostly taken on a 200 by 1,000-foot grid spacing covering the Out claims.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 534; Assessment Report 4638.

CALLBREATH

(Fig. G, No. 42)

1. L. I.

(104G-7)

LOCATION:

Lat. 57° 44' Long. 131° 15' (104G/11)LIARD M.D. Nightout Mountain, 12.5 miles south and 3.5 miles west of Telegraph Creek.

CLAIMS: B 1 to 10, BM 11 to 56.

OWNERS: W. Hamilton and Bart Mines Ltd.

OPERATOR: BART MINES LTD., 7th Floor, 900 West Hastings Street, Vancouver. METAL: Copper.

DESCRIPTION: The claims are underlain predominantly by hornblende granodiorite and quartz diorite. Greywacke occurs as an isolated outcrop near Nightout Creek, and a 100-foot-wide dyke of pyritic felsite has intruded granodiorite on Nightout Mountain. Chalcopyrite and bornite occur as disseminated grains and in quartz veinlets in fractured granodiorite.

WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering B 1-10 and BM 15, 16, 26, 37, 38, 49, 53.

REFERENCES: Minister of Mines, B.C., Ann. Rept., 1900, 783; Assessment Report 4717.

LIM (Fig. G, No. 37)

LOCATION: Lat, 57° 49' Long, 131° 43' (104G/13) LIARD M.D. Twenty-five miles west of Telegraph Creek, surrounding Latimer Lake.

CLAIMS: LIM 23 to 34, 45 to 58, 67 to 88.

OWNER: QUINTANA MINERALS CORPORATION, 1215 Two Bentall Centre, Vancouver.

DESCRIPTION: An area virtually without outcrop is surrounded by Triassic volcanic rocks intruded by syenite stocks and related mafic phases.

WORK DONE: Surface diamond drilling, three holes totalling 1,000 feet on Lim 23, 25. and 27: road construction, 3 miles.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 535.

JO (104G-76) (Fig. G. No. 43)

LOCATION:Lat. 57° 48.5'Long. 130° 12'(104G/16E)LIARD M.D.About 10 miles northwest of Kinaskan Lake, 2 miles
south of Tsazia Mountain, at approximately 6,000 feet elevation.CLAIMS:JO 5. 7 to 10. 27, 28, 30, 32, 50, 225 to 231, 233, 234, 336, 337, 339,

341.

OWNER: SUMITOMO METAL MINING CANADA LTD., 1022, 510 West Hastings Street, Vancouver.

METAL: Copper.

DESCRIPTION: A northwesterly trending pyritic zone a few hundred feet wide contains minor chalcopyrite and traces of bornite. It separates porphyritic andesitic volcanic flows, flow breccias, and much younger feldspar porphyry sills on the east from crystal tuff, breccia, and tuffaceous epiclastic volcanic beds on the west. The bedded rocks on the west may overlie porphyritic volcanic rocks or be in fault contact with them. A representative sample collected from altered, pyritic, porphyritic volcanic rocks exposed in the centre of the pyritic zone returned values of .02 per cent copper with trace of gold and silver.

(104H/12W)

WORK DONE: Surface diamond drilling, five holes totalling approximately 1,800 feet. REFERENCES: *B.C. Dept. of Mines & Pet. Res.*, GEM, 1971, p. 42; Assessment Report 3291.

SPATSIZI RIVER 104H

RED, SUS (104H-11) (Fig. G, No. 22) By A. Panteleyev and B. M. Dudas

LOCATION: Lat. 57° 44' Long. 129° 46' (104H/12W) LIARD M.D. Seven road miles south of the Stewart-Cassiar Highway, on a plateau south of Ealue Lake, at approximately 5,000 feet elevation.

CLAIMS: RED 4 to 34, SUS 79, 81, 83.

OWNER: Silver Standard Mines Ltd.

OPERATOR: ECSTALL MINING LIMITED, 701, 1281 West Georgia Street, Vancouver.

METAL: Copper.

- DESCRIPTION: A small, poorly drained upland area with little outcrop is underlain by pyritic feldspar porphyries intrusive into well-bedded sedimentary rocks. Highly altered, pyritic rocks are widespread and give rise to large, rusty weathering zones, much of which are transported gossans. The Red and SUS claims are continuous with the Chris group and have a similar geologic setting. For a more detailed description of the geological environment see description of the Chris in Geology, *Exploration, and Mining in British Columbia, 1972*, pages 535-537.
- WORK DONE: A total of 3,012 feet in 14 percussion drill holes was completed on the Red 9, 10, and 25 claims. In addition, 4 line-miles of IP survey was done on the Red 9, 10, 25, and 26 claims.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 42.

LYNNE (Fig. G, No. 21)

LOCATION:	Lat. 57° 54'		Long. 128°	'10′	(104H/16E)
	LIARD M.D.	Approximat	tely 15 mile	es north of l	Hyland Post.
CLAIMS:	LYNNE 1 to	16.			
OWNER:	UNION MINI	ERE EXPLO	ORATIONS	S AND MIN	IING CORPORATION
	LIMITED, 20	0, 4299 Cana	ida Way, Bu	urnaby V5G	1H4.
DESCRIPTION:	The area is	underlain by	/ gneissic	diorite in	contact with foliated
	amphibolites a	and metabasa	lt.		
WORK DONE:	Surface geolog	gical mapping	g, 1 inch e	quals 200 f	eet covering all claims;
	magnetometer	r survey, 5.1	5 line-miles	and geoch	emical soil survey, 148
	samples taken	at 200 by 4	00-foot grie	d spacing co	overing the west half of
	Lynne 1-16.	`			
REFERENCE:	Assessment R	eport 4746.			

SMRB (1041-60) (Fig. G, No. 17)

LOCATION: Lat. 58° 12′ Long. 128° 24′ (1041/1W) LIARD M.D. Thirteen miles south-southeast of Rainbow Lakes, near the headwaters of an eastern tributary to Kutcho Creek, at approximately 4,200 feet elevation.

CLAIMS: SMRB 1 to 16.

OWNERS: Sumac Mines Ltd. and Sumitomo Metal Mining Canada Ltd.

OPERATOR: SUMAC MINES LTD., 1022, 510 West Hastings Street, Vancouver.

METALS: Copper, zinc.

DESCRIPTION: The area is underlain by northerly dipping chlorite schists and quartz-sericite schists of Late Paleozoic age. A cruciform block of claims, now enclosed by claims of the Jeff group, was located on the site of a prospecting discovery of pyritic quartz-sericite schist containing some chalcopyrite and sphalerite. A sample from a small outcrop in the creek bed in the centre of the claim group assayed: copper, 0.22 per cent; zinc, 0.05 per cent; gold, trace; silver, trace, across the 14-foot exposure. A number of induced polarization anomalies concordant with the east-westerly trending rocks was outlined.

WORK DONE: Topographic mapping, 1 inch equals 400 feet, with 50-foot centres; surface geological mapping, 1 inch equals 5,000 feet covering all claims; IP survey, 9 line-miles; ground magnetometer survey, 5.1 line-miles; and geochemical soil survey, 5.6 line-miles covering SMRB 1-10, 13, 14; linecutting, 9.5 miles of grid.

REFERENCE: Assessment Report 4863.

JEFF	(1041-61)	(Fig. G, N	o. 44)	By A. Panteleyev
LOCATI	ON: La	t. 58° 12.5′	Long. 128° 24'	(104I/1W)
	LL	ARD M.D.	About 13 miles south-southea	ist of Rainbow Lakes, near
	the	headwaters	s of an eastern tributary to k	Kutcho Creek, at approxi-
	ma	tely 4,200 fe	et elevation.	
CLAIMS	: JE	FF 1 to 7, 9,	13 to 22, 24 to 134.	
OWNER	: IM	PERIAL OI	L LIMITED, 314, 1281 West	Georgia Street, Vancouver
	V6	E 3J7.		
METALS	S: Co	pper, zinc.		
DESCRI	PTION:			

Schistose rocks of Late Paleozoic age strike east-westerly and dip steeply northward. Sulphide minerals comprising mainly pyrite and traces of chalcopyrite and sphalerite are found in quartz-sericite schist and may be localized along a lithologic boundary of volcanic rocks, including acidic units, on the south with sedimentary rocks, including carbonate lenses, on the north.

Claims were located to cover a drainage geochemical anomaly and a pyritic zone on strike with pyritic rocks of the SMRB claims. The possibility of massive sulphide mineralization was indicated by the presence of a crudely banded, high-grade float boulder weighing about 300 pounds located by P. Ziebart. A representative sample of the float boulder

(1041/5E)

assayed: copper, 13.7 per cent; zinc, 4.7 per cent; lead, 0.25 per cent; gold, 0.035 ounce per ton; and silver, 3.4 ounces per ton.

WORK DONE: Surface geological mapping, 1 inch equals 100 feet; airborne EM and magnetometer surveys.

NUP (1041-59) (Fig. G, No. 20)

LOCATION: Lat. 58° 18' Long. 129° 35' (104I/5E) LIARD M.D. Twenty miles southeast of the town of Dease Lake, at the headwaters of Snowdrift Creek, between 4,600 and 5,500 feet elevation.

CLAIMS: NUP 1 to 169.

OWNER: KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730 One Bentall Centre, Vancouver.

METALS: Molybdenum, copper.

DESCRIPTION: Triassic andesite on the southern third of the property has been intruded by granodiorite and quartz monzonite on the north as well as numerous small stocks and dykes of leucocratic feldspar porphyry. A large zone with disseminated pyrite also contains minor chalcopyrite and narrow quartz veinlets with pyrite and molybdenite.

WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering all claims; helicopter-borne magnetometer survey, 233 line-miles covering Nup 1-158; ground magnetometer survey, 6.7 line-miles covering Nup 33-40, 42, 61-68, 123-126; frequency-domain IP survey, 19.6 line-miles covering Nup 27-46, 55-74, 95, 96, 101-104, 109-126, 133-142; geochemical survey, 209 silt samples taken at approximately 400-foot intervals along the main streams and 15 rock samples taken from outcrop areas in the southwest part of the claim area; geochemical soil survey, 456 samples taken at 200 by 800-foot grid spacing covering Nup 37-42, 44, 46, 55-74, 96, 101-104, 111-126, 133-142, and 160-163 Fractions; surface diamond drilling, three holes totalling 1,000 feet on Nup 69 and 71; linecutting, 20 miles of grid.

REFERENCES: Assessment Reports 4644, 4645, 4659, 4660; 4661, and 4662.

EAGLE (1041-8) (Fig. G, No. 19)

LOCATION:	Lat. 58° 30′ .	Long. 1	(104I/6E, 11E)	
	LIARD M.D.	Thirty-two miles	east of Deas	e Lake and 4 miles
	southeast of Eag	glehead Lake, at ap	proximately 5,0	000 feet elevation.
CLAIMS:	EAGLE 1 to 79, 81, 83, 85, 87, 89 to 178.			
OWNER:	Spartan Explora	ations Ltd.		
OPERATOR:	IMPERIAL OIL	LIMITED, 314, 1	281 West Geor	gia Street, Vancouver
	V6E 3J7.			
METALS:	Copper_molybo	lenum.		

(1041/7W)

- DESCRIPTION: A sheared contact between quartz diorite of the Cassiar batholith and coarse clastic rocks of Lower Jurassic age is mineralized with disseminated pyrite, chalcopyrite, hematite, minor bornite, and molybdenite in linear, sheared zones within the altered quartz diorite. The mineralization has been traced over a considerable strike length by diamond drilling.
- WORK DONE: Surface geological mapping, 1 inch equals 400 feet; IP survey, 33 line-miles; magnetometer survey, 30 line-miles; and geochemical soil survey, 500 samples, 20 line-miles covering all claims; surface diamond drilling, 19 holes totalling 11,114 feet on Eagle 2, 4, 18, 36, 38, 96-98, 112, 121.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 540-543; Assessment Report 4256.

TURN (1041-14) (Fig. G, No. 18)

- LOCATION: Lat. 58° 28' Long. 128° 50' (1041/7W) LIARD M.D. Near junction of Hard Creek with Turnagain River, between 3,500 and 5,000 feet elevation.
- CLAIMS: TURN 1 to 13, 15, 17, 19, 21, 23, 27, 28, 33, 34, 49, 50, 53-55, 57-59, 61, 62, 65-68, PYRRHOTITE, COBALT.
- OWNERS: Hard Creek Mines Limited (Pyrrhotite and Turn claims) and Falconbridge Nickel Mines Limited (Cobalt claim).
- OPERATOR: WESFROB MINES LIMITED, 500, 1112 West Pender Street, Vancouver V6E 2S3.
- METALS: Nickel, copper.
- DESCRIPTION: Pentlandite, chalcopyrite, and pyrrhotite with traces of molybdenite and scheelite occur in a weakly serpentinized peridotite-dunite complex.
- WORK DONE: Surface geological mapping, 1 inch equals 1,000 feet and 1 inch equals 400 feet covering the north group of claims.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 544.

DEASE LAKE 104J

PET	(104J-25	28) (Fig	ı. G, No. 1 (5)				By A. Pa	nteleyev
LOCAT	ION:	Lat. 58° 23 ATLIN M.I and Camp I	, D. Sixty-f sland Lake	Long. 1 ive miles we s, at approxi	31° 47 st of [mately	, Dease L 3,700	ake, be feet ele	(10 etween Ke evation.	4J/5W) etchum
CLAIM	S:	PET 15 to 4	12, 77, 78,	PET 79, 92	to 94 F	ractio	ns.		
OWNER	R:	Texasgulf, I	nc.						
OPERA	TOR:	ECSTALL Vancouver.	MINING	LIMITED,	701,	1281	West	Georgia	Street,
METAL	.:	Copper.							

(104J/8E)

- DESCRIPTION: Occurrences of fracture-controlled chalcopyrite-hematite mineralization were tested by diamond drilling. Two angle holes were drilled, one to pass under the best showing and the other to penetrate under a prominent, elongate topographic depression flanking the mineralized zone. No sulphide minerals nor hematitic concentrations were noted in drill core. The rock is relatively homogeneous, fine-grained, weakly foliated quartz-bearing monzonite or granodiorite that has steeply dipping alternating zones of pervasive, pink hematitic staining and argillic alteration. Wide intercepts of strongly milled arkosic sand to cobble-sized fragments indicate that north-trending valleys and depressions in the claim area may be underlain by fault zones.
- WORK DONE: Surface diamond drilling, two holes totalling 1,260 feet on Pet 19 and 37 and Pet 79 Fraction.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 549-551.
- HU (104J-13) (Fig. G, No. 15)
- LOCATION: Lat. 58° 21' Long. 130° 13' (104J/8E) LIARD M.D. Nine miles southwest of the settlement of Dease Lake, on the south side of the Tanzilla River.
- CLAIMS: HU 1 to 40, 43 to 52.

OWNER: Tournigan Mining Explorations Ltd.

OPERATOR: AMAX EXPLORATION, INC., 601, 535 Thurlow Street, Vancouver V6E 3L6.

METAL: Copper.

DESCRIPTION: Triassic tuff, lava, and tuffaceous sedimentary rocks have been intruded by a large, east-westerly trending syenite dyke, diorite, and feldspar porphyry intrusions. Pyrite, chalcopyrite, and malachite are localized in fracture zones and along contacts of intrusive bodies.

- WORK DONE: Surface geological mapping, 1 inch equals 400 feet covering 2 square miles; geochemical survey, 283 samples of which 206 were soil samples taken at 200 by 400-foot grid spacing; magnetometer survey, 28 line-miles; linecutting, 5.7 miles of grid extension; topographic mapping, approximately 5 square miles covering HU 1-16, 17, 19, 21, 23, 25, 27, 29, 31, 33-36, 38, 40, 43, 45, and 47-50.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 551; Assessment Report 4399.

TULSEQUAH 104K

TESS (Fig. G	i, No. 13)		
LOCATION:	Lat. 58° 03' ATLIN M.D.	Long. 132° 50' East side Whiting Lake, at approximatel	(104K/2W) y 1,000 feet
CLAIMS:	elevation. TESS 1 to 12,	21 to 32.	

OWNER: NRD MINING LTD., 305, 535 Thurlow Street, Vancouver.

METALS: Copper, molybdenum.

DESCRIPTION: Pyritic, argillic, and silicified volcanic and intrusive rocks of the Sloko Group form a large, rusty weathering zone that contains minor chalcopyrite and malachite on Vance Creek.

WORK DONE: General reconnaissance of claim area, in part helicopter supported; geochemical survey, 190 soil samples taken at 100-foot intervals on random lines on the westerly claims and 35 rock samples taken from irregularly spaced sites on the easterly claims.

REFERENCE: Assessment Report 4628.

POTLATCH-BANKER (104K-7) (Fig. G, No. 38)

LOCATION:	Lat. 58° 40′	Long. 133° 32'	(104K/12E)
	ATLIN M.D. On the	e Taku River, 2 miles above	the junction with the
	Tulsequah River, at a	oproximately 200 feet elevati	ion.
CLAIMS:	Seventy-five Crown-g	ranted claims including the .	JANET, JOKER, and
	BANKER.		
OWNER:	New Taku Mines Lim	ited.	
OPERATOR:	E. N. MacKINNON, 1	75 Shutick Way, Juneau, Ala	ska 99801.
METALS:	Silver, gold, copper, le	ead, zinc.	
DESCRIPTION:	Polymetallic lenses, v	eins, and impregnations have	formed replacement
	bodies in silicified, be	dded, massive pre-Upper Tria	ssic limestones.
WORK DONE:	Surface geological m	apping, 1 inch equals 20 f	eet on Joker; minor
	trenching and samplin	ıg.	
REFERENCE:	B.C. Dept. of Mines &	Pet. Res., GEM, 1972, p. 55	4.

ATLIN 104N

BOOT (104N-	78) (Fig. G, No. 2)
LOCATION:	Lat. 59° 32'. Long. 132° 48' (104N/10W)
	ATLIN M.D. Thirty miles east of Atlin, 2 miles east of Line Lake,
	between 3,000 and 5,000 feet elevation.
CLAIMS:	LINE 43, 45, 90, 92, STORM 1 and 2, WIND 3 to 6, JENNIFER 1 to
	8.
OWNER:	CANADIAN JOHNS-MANVILLE COMPANY LIMITED, Box 1500,
	Asbestos, P.Q.
METALS:	Copper, molybdenum, lead, zinc, silver, tungsten.
DESCRIPTION:	On the property Jurassic quartz diorite has intruded cherts and argillites
	of the Cache Creek Group. Traces of chalcopyrite, azurite, malachite,
	argentiferous galena, and sphalerite are closely associated with two
	narrow cherty limestone lenses.

(104N/11W)

- WORK DONE: Surface geological mapping, 1 inch equals 200 feet; magnetometer survey, 10 line-miles; geochemical soil survey, 435 samples taken at 200 by 600-foot grid spacing, 11.5 line-miles covering all claims.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 556 (NI, FIRE); Assessment Reports 4910, 4911, 4912.

ADERA (104N-52) (Fig. G, No. 12)

By B. M. Dudas

LOCATION: Lat. 59° 42′ Long. 133° 24′ (104N/11W) ATLIN M.D. Approximately 20 miles northeast of Atlin, on the upper end of Ruby Creek, between 4,700 and 5,100 feet elevation.

CLAIMS: ADERA, KEY, MATT, CM, HOBO, CLAIRE, ZAP, RU, THOR, SNAFU, HL, BOY, PACIFIC, totalling approximately 189.

OWNER: Adanac Mining and Exploration Ltd.

OPERATOR: CLIMAX MOLYBDENUM CORPORATION OF BRITISH COLUMBIA, LIMITED, Mines Park, Golden, Colorado 80401; mine address, Box 59, Atlin.

METALS: Molybdenum, tungsten.

WORK DONE: Regional geological mapping of the Adera 1 to 12 claims and surrounding area was carried out. Two diamond-drill holes, totalling 500 feet, were drilled in the main mineralized zone.

- REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 29-35; 1970, p. 28; 1971, p. 53; 1972, p. 557.
- HOBO, AT, X (104N-54, 63) (Fig. G, No. 1)
- LOCATION:Lat. 59° 41'Long. 133° 26'(104N/11W)ATLIN M.D.Seventeen miles northeast of Atlin, 3 miles upstream
from Surprise Lake on Boulder Creek.3miles upstreamCLAIMS:HOBO 91, 93 to 95, 105, 106, 108, 218, AT 7, 8, 10 to 18, X 1 to 8,
13 to 18.miles upstreammiles upstreamOWNER:CANADIAN JOHNS-MANVILLE COMPANY LIMITED, Box 1500,
Asbestos, P.O.Asbestos, P.O.miles upstream

METALS: Copper, molybdenum, silver, lead, tungsten.

WORK DONE: December 1972 – magnetometer survey, 23 line-miles.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 558; Assessment Reports 2852, 3571, 4253.

SUN (104N-62) (Fig. G, No. 7)

LOCATION:	Lat 59 [°] 47′	Long. 13	33° 35′	([104N	/13E)
	ATLIN M.D.	On the south slope c	of Mount McI	ntosh.		
CLAIMS:	SUN 1 to 6.					
OWNER:	CANADIAN	JOHNS-MANVILLE	COMPANY	LIMITED,	Box	1500,
	Asbestos, P.C	.				
METAL:	Molybdenum					

(1040/15E)

DESCRIPTION: Molybdenite has been noted in quartz veinlets and disseminated through a northeasterly trending altered mylonite zone in quartz monzonite.

WORK DONE: Linecutting and magnetometer survey, 11,200 line-feet.

REFERENCES: B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 26; Assessment Report 4574.

JENNINGS RIVER 1040

SANDY (104	O-12) (Fig.	G, No. 9)	
LOCATION:	Lat. 59° 58′	Long. 130° 3	3' (104O/15E)
	LIARD M.D.	Six miles from the Alask	a Highway at Mile 706 on Freer
	Creek.		
CLAIMS:	SANDY 25 to	44.	
OWNER:	YUCOL MIN	ES LTD., 8167 Main Street	, Vancouver.
METALS:	Lead, zinc, sil	ver.	
DESCRIPTION:	Galena-bearin	g veins, lenses, and quartz	veins with silver, lead, and zinc
	values are for	and in granodiorite and q	uartz monzonite of the Cassiar
	batholith.	·	
WORK DONE:	Geochemical	soil survey, 86 samples	taken at 100 by 400-foot grid
	spacing, app	oximately 2 line-miles	and linecutting and VLF EM
	survey, appro	ximately 2 line-miles cove	ring Sandy 25-28; trenching, 10
	by 3 by 2 feet	on Sandy 25-28.	
REFERENCES:	Assessment R	eports 3844, 4663.	
		•	

AMY, LEO (1040-4) (Fig. G, No. 10)

LOCATION:	Lat. 59° 55'	Long. 130° 29'	(104O/16W)
	LIARD M.D. Tw	o and one-half miles northwest	of the north end of
	Tootsee Lake, betv	veen 4,200 and 4,500 feet elevat	ion.
CLAIMS:	LEO 1 and 2, FLO	1 to 4, FLO Fraction, L Fractio	n, F Fraction.
	FOOD MUNIC		

OWNER: FOSCO MINING LTD., Site 3, Comp. 17, R.R. 3, South Edmonton, Alta.

METALS: Silver, lead, zinc, copper.

DESCRIPTION: Galena, sphalerite, and tetrahedrite occur in limestone close to a granite contact.

WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering Flo and Leo claims; underground geological mapping, 1 inch equals 20 feet covering Leo claims; geochemical survey, 89 samples (spot check and rechecks on past work); road construction, 22 miles (access to Leo 1 from Mile 701, Alaska Highway); underground work, 1,630 feet on Leo 1 and 2.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 560.

(1040/16W)

LUCK (1040-	2) (Fig. G, No. 8)
LOCATION:	Lat. 59° 59' Long. 130° 27' (1040/16W)
	LIARD M.D. Seven miles from Alaska Highway at Mile 706 on Freer
	Creek, at approximately 5,000 feet elevation.
CLAIMS:	LUCK 2 to 4, 7 to 22, 25 to 28, CONE 1 to 6.
OWNER:	CONE MT. MINES LTD., 8167 Main Street, Vancouver.
METALS:	Silver, lead, zinc.
DESCRIPTION:	Quartz veins with silver, lead, zinc, and copper mineralization have been developed near a lamprophyre dyke in quartz monzonite of the Cassiar batholith.
WORK DONE:	VLF EM survey, 2 line-miles covering Luck 21, 22, 26-28; geochemical soil survey, 302 samples, 2 line-miles covering Luck 17, 19, 21, 26-28; trenching and stripping on Luck claims.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 560.

McDAME 104P

VOLLAUG (HURRICANE, RED HILL) (104P-19) (Fig. G, No. 5)

1					By A. Pa	anteleyev
LOCATION:	Lat. 59° 12′	Lo	ng. 129° 38'		(10)4P/4E)
	LIARD M.D.	Two miles so	uth of McDar	ne Lake, Ca	ssiar dist	rict, on
	Table Mounta	in, between 5,0	00 and 6,000 i	feet elevation	n.	
CLAIMS:	RED HILL 1	to 6, JENNIE I	EXTENSION	I to 4, HUR	RICANE	1 to 4,
	ADIT 1 and 2	2, EAST Fractic	on, WEST Fra	ction Crown	-granted	claims.
OWNER:	Table Mounta	in Mines Ltd.			•	
OPERATOR:	ASAMERA (DIL CORPORA	TION LTD.,	1500, 335	Eighth	Avenue
e dite di	SW., Calgary,	Alta.	• .			
METALS:	Gold, silver.	11. 11 -				
DESCRIPTION:			15			

DESCRIPTION:

A ribboned, graphitic quartz vein localized along the contact of sedimentary rocks in the hangingwall and volcanic rocks in the footwall is developed in rocks of the Sylvester Group. The vein has been traced over a distance of at least 5,000 feet and is up to 9.5 feet wide, averaging about 3 feet. It is conformable with enclosing strata along an east-westerly trend and has an average dip of 30 to 35 degrees to the north,

A 248-foot decline tested downward persistence of one of the surface ore shoots to a depth of 80 feet. The vein was not continuous but quartz was persistent along the same structure and good gold values were reported for the entire length of the decline including a 50-foot section having gold in excess of 2 ounces per ton.

A lower adit 300 feet vertically below the surface showing tested for mineralization at depth by a 500-foot crosscut and about 1,200 feet of drift along the vein. Most tunnelling was to the west of the crosscut as the vein pinched out to the east, but no ore shoots were found.

(104P/4E)

- WORK DONE: Underground geological mapping of adit and drifts, 1 inch equals 20 feet; road construction, 3,000 feet on Jennie Extension, Adit 1, and Hurricane 1; stripping, one-half acre (portal site) on Hurricane 1; underground work, 248-foot decline on Hurricane 1 and 1,726 feet of adit and drifts on Hurricane 1 and 2.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1937, pp. B24-B34; *B.C. Dept. of Mines & Pet. Res.,* GEM, 1970, p. 36.
- WILDCAT (104P-57) (Fig. G, No. 39)
- LOCATION: Lat. 59° 13' Long. 129° 37' (104P/4E) LIARD M.D. Approximately 10 miles southeast of Cassiar, on Table Mountain.

CLAIMS: WILDCAT 1 to 16, TED Fraction.

OWNERS: W. D. Hartman and Frank G. Maynes.

OPERATOR: YELLOWSTONE MINES LTD., 203, 255 West Third Street, North Vancouver.

METALS: Copper, gold.

- DESCRIPTION: An eastward extension of the Vollaug vein, containing minor disseminated pyrite, chalcopyrite, tetrahedrite, and free gold, follows the contact of pyroclastic rocks and argillite-slate, both of the Sylvester Group.
- WORK DONE: Surface geological mapping, 1 inch equals 500 feet; seven samples taken from the vein and one from the dyke covering Wildcat 1, 2, 5, 7, 9, 11 and Ted Fraction.
- REFERENCE: Assessment Report 4869.
- JOEM (104P-38) (Fig. G, No. 6)
- LOCATION: Lat. 59° 20' Long. 129° 29' (104P/6W) LIARD M.D. Sixteen miles east of Cassiar and 5 miles north on access road, Mount Haskin area, between 3,800 and 5,000 feet elevation.
- CLAIMS: JOEM, DAKO, TIBOR, PAC, DAVE, ANDY, SS, MOM, RAIN, MACK, BOB, TRI, totalling approximately 98.
- OWNER: DELLA MINES LTD., Box 11107, 1055 West Georgia Street, Vancouver.

METALS: Silver, zinc, copper, bismuth.

DESCRIPTION: Mineralized skarn (or tactite) has been developed in Lower Cambrian limestone along bedding contacts with siliceous argillite. A lower adit collared in 1972 was extended to test down-dip continuity of mineralization found in the upper adit. The skarn zone maintained a 40-degree dip between the two levels and was entered by a crosscut approximately 1,450 feet from the portal. Mineralization consisting mainly of pyrrhotite is developed over a width exceeding 100 feet but grades are low and the high-grade zones intersected in holes drilled from the upper adit were not found.

(104P/6W)

WORK DONE: Underground geological mapping covering Joem 1 and 2; surface diamond drilling, two holes totalling 589 feet on Rain 2; underground workings on Joem 1 and 2 mapped, 1 inch equals 100 feet; tunnelling, 1,460 feet on Joem 1 and 2.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 561, 562.

NEW RICH (Fig. G, No. 4)

LOCATION:	Lat. 59° 20′	Long. 129° 29′	(104P/6W)
	LIARD M.D.	Between Crown-granted claims Lots	301 and 330 on the
	south slope of	Mount Haskin.	
CLAIMS:	NEW RICH 1	and 2.	
OWNER:	G.C.F. DALZ	EL, Watson Lake, Yukon Tertitory.	
METAL:	Trace copper.		
DESCRIPTION:	Barren limesto	one overlies rusty quartzite containing	trace sulphides.
WORK DONE:	Linecutting, a	pproximately 3,5 line-miles; surface ge	ological mapping, 1
	inch equals 20)0 feet; geochemical soil survey, 180 sa	amples taken at 100
	by 300-foot g	rid spacing for dithizone field test co	overing New Rich 1
	and 2.		
REFERENCE:	Assessment Ro	eport 4481.	

TATSHENSHINI RIVER 114P

LUNAR (114	P-27) (Fig. G, No. 40)		
LOCATION:	Lat. 59 [°] 42′	Long. 136° 38′	(114P/10E)
	ATLIN M.D. One mile	west of Mile 68.5 on the Haines	road, between
	3,400 and 4,500 feet ele	vation.	
CLAIMS:	LUNAR 1 to 5, 7, 10, 13	2, 14, MAG 1, 2, 5, 6.	
OWNER:	ERWIN KREFT, 13 Tut	shi Road, Whitehorse, Yukon Te	rritory.
METALS:	Iron, lead, zinc, silver, go	old, copper.	
DESCRIPTION:	The claims overlie a gr succession in which the zation includes magnet bodies and one galena-sp	anite contact with a limestone upper part is mainly phyllitic s ite and pyrrhotite as vein an halerite showing.	and quartzite chist. Minerali- d replacement
WORK DONE:	Two trenches, 100,000	cubic feet and 280,500 cubic fe	et on Lunar 1.
REFERENCES:	B.C. Dept. of Mines & Pe	<i>et. Res.,</i> GEM, 1969, p. 28; 1972	, p. 563.
PAM (114P-50	6) (Fig. G <i>,</i> No. 41)		
LOCATION:	Lat. 59° 42′	Long. 136° 37′	(114P/10E)

Eur. 00 42 Eorig. 100 37	(1146/106)
ATLIN M.D. Adjacent to Haines road at Mile 68	, at approximately
3,500 feet elevation.	· · · · ·
PAM 5 to 16, 21 to 32.	
G. F. Warnock and J. M. Wigley.	
	ATLIN M.D. Adjacent to Haines road at Mile 68 3,500 feet elevation. PAM 5 to 16, 21 to 32. G. F. Warnock and J. M. Wigley.

(114P/10E)

 OPERATOR: NRD MINING LTD., 305, 535 Thurlow Street, Vancouver.
METALS: Copper, zinc.
DESCRIPTION: The claim area extends across the contact between Permo-Carboniferous metasedimentary rocks and a granitic batholith of Jurassic or younger age.
WORK DONE: Reconnaissance geological observations; geochemical survey, 544 soil samples taken at 200 by 750-foot grid spacing and 16 silt samples taken along Chuck and Stonehouse Creeks covering all claims.

REFERENCE: Assessment Report 4627.



3

PLACER

CONTENTS

	Page
General Review of Placer Mining	523
Reports on Placer Operations	524
Moyie River	524
Maus Creek	524
Lillooet River	524
Black Creek	525
Cedar Creek	525
Quesnel River	525
Mary Creek	525
Cottonwood River	526
Antler Creek	526
Williams Creek	527
Summit Creek	527
Willow River	528
Lightning Creek	528
Skeena River	528
Sulphurets Creek	529
Atlin Area	529

GENERAL REVIEW OF PLACER MINING

The free market price of fine gold continued to rise during 1973. From \$65.00 per ounce at the beginning of the year, the price rose to the year's high of \$127.00 per ounce on June 5 and declined slowly to about \$100.00 during the balance of the year. Interest in placer was heightened: the number of new leases issued in 1973 was 547 up from 284 issued in 1972, and the total number of leases in good standing was 1,841 in contrast to 1,452 in 1972. The recorded production of placer gold increased from 691 ounces valued at \$26,905.00 in 1972 to 3,831 ounces valued at \$311,524.00 in 1973.

REPORTS ON PLACER OPERATIONS

MOYIE RIVER

MOYIE RIVER PLACER	(Fig. H, No. 1)	(82G/5W)
Lat. 49° 25.5'	Long. 115° 56.5′	Fort Steele M.D.

A large number of placer leases including P.M.L. Nos. 862, 937, 1078, 1079, 1088, 1101, 1102, and 1166 on Moyie River at and near the mouth of Palmer Bar Creek, held by J. Pratt and associates of Lumberton were being explored by Canadian Occidental Petroleum Ltd. (801, 161 Egleton Avenue East, Toronto, Ont.).

Some trenching and churn drilling were done to confirm results of exploration work done previously by Cominco Ltd.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 566.

MAUS CREEK

MAUS MINERALS LTD.	(Fig. H, No. 2)	(82G/12E)
Lat. 49° 38′	Long. 115° 33'	Fort Steele M.D.
The company (409 Dieppe B	lvd., Lethbridge, Alta.) hold	Is P.M.L. Nos. 732, 733, 945, and

1126 on Maus Creek, 4 miles northeast of Fort Steele.

The bedrock drift on P.M.L. No. 733 was driven a further 21.5 feet on and in bedrock.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 566.

LILLOOET RIVER

HEMRICH MINES LTD.	(Fig. H, No. 3)	(92J/2E)
Lat. 50° 03'	Long. 122° 32'	New Westminster M,D.

The company (7507 Heather Street, Vancouver) holds the following placer leases, P.M.L. Nos. 780 to 787, 789, 831 to 836, 862 to 865, and 900 to 903, extending along the Lillooet River from 3 miles north of Billygoat Creek to 2 miles south of the creek.

A total of 21 pits and 535 lineal feet of trench was excavated and sampled. The samples were tested for gold and platinum group metals.

NEW ERA MINES LTD.	(Fig. H, No. 3)	(92J/2E)
Lat. 50° 01′	Long. 122° 31′	New Westminster M.D.

The company (821 Ballantrae Court, Port Moody) holds five placer leases, P.M.L. Nos. 775 to 799, extending along the Lillooet River 2.5 miles south of Billygoat Creek.

Sufficient work for assessment purposes was done.

BLACK CREEK

BLACK CREEK PLACER	(Fig. H. No. 4)	(93A/6E)
Lat. 52° 18′	Long, 121° 06'	Cariboo M.D.

1422

P.M.L. Nos. 3098 and 3099 on Black Creek east of Horsefly and owned by Agnes and Harold Armes (381 North Second Avenue, Williams Lake) were under exploration by The Granby Mining Company Limited.

A seismic refraction survey was run over 5,600 feet of surveyed line.

REFERENCE: Assessment Report 4687.

CEDAR CREEK

GOLDEN HORN PLACER	(Fig. H, No. 5)	(93A/12E)
Lat. 52° 34′	Long, 121° 30′	Cariboo M.D.

Golden Horn Placer Ltd. (21 North Hills Centre, Kamloops) holds P.M.L. Nos. 1789, 2324, 2973, and 2974 on the south side of Cedar Creek, 5 miles southeast of Likely.

Some surface geological mapping, 150 lineal feet of trenching, and some stripping were done on the leases.

QUESNEL RIVER

MOONEY LEASE	(Fig. H, No. 8)	(93B/16W
Lat. 53° 00′	Long. 122° 22'	Cariboo M.D

P.M.L. No. 6391 on the north side of Quesnel River canyon is owned by F. P. Mooney (Box 4454, Quesnel). A few acres on a bench on the north side of Quesnel River which has been intermittently worked for placer gold were cleared of vegetation and logged. Loosely cemented gravel was buildozed into piles to weather and loosen the gravel before washing in order to recover the gold content.

MARY CREEK

TOOP PLACER	(Fig. H, No. 6)	(93G/1E)
Lat. 53 [°] 04′	Long. 122 [°] 05′	Cariboo M.D.
T. Toop (R.R. 1 Norton Creek.	, Quesnel) holds P.M.L. No. 7141 on Mary Creek	at the junction of

Prospecting on Mary Creek has located small areas of rich gold-bearing gravel in and adjacent to the creek bed. An area of 1.5 acres was logged and prepared for testing and working. A small shallow, rich pay zone was located and 200 cubic yards of gravel was mined by bulldozer and tracked front-end loader — backhoe. A simple washing plant was constructed, and tailings were discharged into settling ponds which prevented pollution of the stream.

COTTONWOOD CANYON	(Fig. H, No. 7)	(93G/1W)
	-	

Lat. 53° 05′ Long. 122° 16′

Cariboo M.D.

P.M.L. Nos. 6721, 6774, 6833, 7064, and 7121 on the Cottonwood River at and downstream from the mouth of Umiti Creek are held by W. D. Jones (Box 1655, Quesnel) and associates. The main work was done on P.M.L. No. 7064 by W. D. Jones.

A D-8 buildozer was used to clear about 6 acres preparatory to mining. About 2,000 cubic yards of gravel was dug and washed in testing operations.

ANTLER CREEK

CALIFORNIA	GULCH PLACER	(Fig. H, No. 9)	(93H/3W)
Lat, 53° 00′	Lon	g. 121° 25′	Cariboo M.D.

P.M.L. Nos. 6868, 6869, and 6870 on California Gulch, a tributary of Antler Creek, are held by T. M. Hannah (Wells).

This operation used water diverted from Wolf, Stevens, and California Creeks for hydraulicking gravel from an area cleared by bulldozer preparatory to mining. The channel was defined by test pitting and percussion drilling and about 29,000 cubic yards of gravel was sluiced in the period from May to August.

The operation was suspended because of lack of settling pond and water clarification facilities.

GROUSE CREEK PLACER	(Fig. H, No. 10)	(93H/3W)
Lat. 53° 02′	Long, 121° 27.5′	Cariboo M.D.

P.M.L. No. 6433 on Grouse Creek is held by L. Koopmans (3380 Cherry Street, Vancouver). Approximately 1 acre was cleared preparatory to mining and 2,000 cubic yards of gravel was sluiced by monitor supplied by water pumped from Grouse Creek.

CANADIAN	CREEK PLACER	(Fig. H, No. 10)	(93H/3W)
		() () () () () () () () () ()	

Lat. 53° 04' Long. 121° 27.5' Cariboo M.D.

P.M.L. No. 7000 on the lower part of Canadian Creek, a tributary of Pleasant Valley Creek, is held by V. R. Vincent (Box 166, Wells).

Gravels forming the alluvial fan near the mouth of Canadian Creek were being tested by panning and sluicing. A front-end loader was used to dig test pits and to prepare grade for a water flume from Canadian Creek and for the sluice boxes.

4.52

WILLIAMS CREEK

CONKLIN GULCH PLACER	(Fig. H, No. 10)	(93H/3W)
Lat. 53 [°] 03′	Long. 121° 29'	Cariboo M.D.

P.M.L. No. 7336 is held by Nicolas Bird (702, 1933 Robson Street, Vancouver). An access road was built preparatory to churn drilling in 1974.

SUMMIT CREEK

PINUS CREEK PLACER	(Fig. H, No. 11)	(93H/4E)
Lat. 53° 08′	Long. 121° 31.5′	Cariboo M.D.

P.M.L. Nos. 6886, 7071, and 7230 on Pinus Creek south of the junction of Shepherd Creek are held by B. C. Ludditt (Wells).

P.M.L. No. 6886 has been worked extensively and remnants of unworked auriferous gravel lie buried under old tailings piles. Extensions of previously mined sections of channels are being tested and prepared for mining.

About 1.5 acres were logged and prepared for mining. A washing plant was built and about 130 cubic yards of gravel was processed.

Equipment used: D-6 bulldozer, 300 Case backhoe – front-end loader, and 7-horsepower by 2.5-inch water pump.

REFERENCE: Minister of Mines, B.C., Ann. Rept., 1949, p. 234.

EIGHT MILE	LAKE PLACER	(Fig. H, No. 11)	(93H/4E)
Lat. 53° 09'	i	_ong. 121° 32′	Cariboo M.D.

W. H. Myers (1028, 510 West Hastings Street, Vancouver) holds six placer leases in the vicinity of Eight Mile Lake, 4 miles northeast of Wells. The old Thistle hydraulic pit is covered by P.M.L. Nos. 7263 and 7264, and P.M.L. Nos. 6780, 6783, 6938, and 6939 cover adjoining ground surrounding Eight Mile Lake.

Exploration in the vicinity of the Thistle hydraulic pit is directed toward locating and testing the extensions of some of the pay channels previously worked. The old road to the head of the pit was cleared out and repaired. An area 200 by 300 feet at the head of the pit was cleared and two test pits excavated from which 100 cubic yards of gravel was tested.

Equipment comprised: D-6 bulldozer, TD-25 bulldozer, Michigan 175-A front-end loader, and screening and washing plant.

Exploration work on P.M.L. Nos. 6780 and 6783 is based on the premise that previous operators had not mined lake bed gravels from Eight Mile Lake. Test work consisted of the removal of the thick bed of organic muck overlying the lake bed gravel, excavating the gravel for washing it to recover placer gold and auriferous pyrite.

A 12-inch suction dredge powered by a 500-horsepower Cummins V-12 engine delivered about 7,365 cubic yards of muck through a floating pipeline to a stacking area in a small swamp. The dredge then excavated and washed about 600 cubic yards of lake bed gravel dug from several localities in the muck-free test area.

Placer

A 1.25-yard dragline was used to bail coarse boulders from the conical test pits dug by the suction dredge. The dredge subsequently was restationed over the cleaned pits which were then deepened.

Operations extended over a 3-month period. Equipment used was the self-powered 12-inch floating suction dredge and washing plant, floating pipeline, 1.25-yard dragline shovel, D-6 bulldozer, and front-end loader.

WILLOW RIVER

BEAVER PASS (LAN	GFORD) PLACER (Fig. H,	, No. 12) (93H/4W)
Lat. 53° 08.5′	Long. 121 [°] 56′	Cariboo M.D.
David King (Box 904,	Vernon) holds P.M.L. Nos. 7	162 to 7166, 7184, and 7185 on
Tregillus Creek at the j	unction of Aura Fina Creek. E	xploration work was being done by
Golden Ark Exploratio	n Ltd. (Box 904, Vernon).	

LIGHTNING CREEK

WINGDAM CREEK PLACER	(Fig. H, No. 13)	(93H/4W)
Lat. 53° 02.2′	Long, 121° 59.3′	Cariboo M.D.

Bud Henning (Box 4095, Quesnel) holds P.M.L. Nos. 6122, 6685, 6686, 6704, 6707, and 6708 under an option from Consolidated Vigor Mines Ltd. and with his associates also holds P.M.L. Nos. 7120, 7121, and 7146 to 7148.

The main area of interest is on P.M.L. No. 6708 on the south side of Lightning Creek immediately downstream from the junction of Wingdam Creek. There bench gravels and wash from Wingdam Creek are being tested. About an acre was prepared for mining, a number of test pits were dug to bedrock, and about 3,500 cubic yards of gravel was mined, transported to a washing plant, and processed. Water is pumped from a well adjacent to Lightning Creek and return water from the washing plant is clarified in a series of settling ponds before re-entering the creek.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 569.

SKEENA RIVER

LORNE CREEK PLACER	(Fig. H, No. 14)	(1031/16W)
Lat. 54° 53'	Long, 128° 23'	Omineca M.D.

P.M.L. No. 1922 at the junction of Lorne Creek and Skeena River is held by J. A. Wallington of Port Edward, About 250 cubic yards of sand and gravel was put through a 3-inch Bonanza-type suction dredge.

SABO PLACER	(Fig. H, No. 14)	(103I/16W)
Lat. 54° 53.8′	Long. 128° 22.9'	Omineca M.D.

P.M.L. No. 2051 on the east side of the Skeena River, slightly downstream from the junction of Lorne Creek, is held by Louie Sabo. He built living quarters and an access road in from Highway 16 and began hand mining on the river bank.

FLINT CREEK PLACER	(Fig. H, No. 15)	(103I/16W)
Lat. 54° 57'	Long. 118° 22'	Omineca M.D.

P.M.L. No. 2043 on Flint Creek about three-quarters of a mile upstream from the junction with Skeena River is held by C. D. McCully. McCully brushed out 1,000 feet of trail and put about 125 cubic yards of sand and gravel through a 3-inch Bonanza-type suction dredge.

SULPHURETS CREEK

SULPHURETS	CREEK PLACER	(Fig. H, No. 16)	(104B/8W, 9W)
Lat. 56° 30'	Long.	130° 21′	Skeena M.D.

P.M.L. Nos. 103 to 105, 110, and 111 on Sulphurets Creek at the junction of Mitchell Creek are held by C. L. Kilbury (Ketchikan, Alaska) and associates. During a 2-month period, a large sluice box and an addition to the cabin were built.

ATLIN AREA

The renewal of interest in placer in the Atlin Mining Division resulted in a total of 113 placer mining leases and 105 certificates of work being issued in 1973 in comparison with 65 leases and 46 certificates in 1972.

Assessment work was recorded on placer leases on Birch Creek, Boulder Creek, Bull Creek, Fourth of July Creek, Lina Creek, Otter Creek, Spruce Creek, Squaw Creek, Taku Arm of Tagish Lake, and Wright Creek.

In addition, details of work done on other leases are recorded as follows:

McKEE CREEK	(Fig. H, No. 17)	(104N/5E)
-------------	------------------	-----------

Lat. 59° 28'

Long, 133° 33'

- (1) P.M.L. Nos. 1790, 1791, and 1796 on upper McKee Creek are held by John Harvey. Three men were employed for three months setting up a monitor and sluice boxes and building settling ponds. About 2,500 cubic yards of gravel was sluiced.
- (2) P.M.L. Nos. 1655, 1689, and 1690 on lower McKee Creek are held by Antonio Vesnaver. Vesnaver worked alone for two months drift mining under the north bank of the creek; about 1,000 cubic yards of clayey gravel was sluiced.

Atlin M.D.

O'DONNEL RIVER	(Fig. H, No. 18)	(104N/6W)
Lat. 59° 22′	Long. 133° 17'	Atlin M.D.

P.M.L. Nos. 1691 to 1696 and 1725 on the west side of O'Donnel River are held by R. Crum, Cyril James, and associates of Atlin. Two men worked for two months building an access road, sluice boxes, and a 12-inch water line. Two settling ponds were built below the sluice boxes.

WRIGHT CREEK	(Fig. H, No. 19)	(104N/11W)
Lat. 59° 37′	Long. 133° 21′	Atlin M.D.

P.M.L. Nos. 1684 to 1686, 1698, 1700, 1701, and 1742 extending up Wright Creek from the mouth are held by R. Day (Fort Lauderdale, Florida). A geological examination and report on the claims were made by W. M. Sharp for Surprise Resources Ltd.

REFERENCE: Assessment Report 4551.

OTTER CREEK	(Fig. H, No. 20)	(104N/11W)
Lat. 59° 36.5′	Long, 133 [°] 23,5′	Atlin M.D.

P.M.L. Nos. 1687, 1688, 1699, and 1702 to 1706 on Otter Creek are held by R. Day (Fort Lauderdale, Florida). A geological examination and report were made for Surprise Resources Ltd. by W. M. Sharp.

REFERENCE: Assessment Report 4551.

RUBY CREEK	(Fig. H, No. 21)	(104N/11W)
Lat. 59° 40.5′	Long. 133° 20′	Atlin M.D.

P.M.L. No. 1321 on Ruby Creek held by S. R. Craft of Atlin was worked under lease by J. E. Wallis who installed a monitor and cleaned out the old hydraulic pit. The gold-bearing gravel is partly overlain by Pleistocene olivine basalt.

SPRUCE CREEK	(Fig. H, No. 22)	(104N/11W)
Lat. 59° 33'	Long. 133 [°] 29′	Atlin M.D.

 P.M.L. Nos. 1746 to 1754, 1757 to 1760, and 1787 on Spruce Creek upstream from Dominion Creek are held by Gethyn Mining Co. Ltd. (890 West Pender Street, Vancouver). A magnetometer survey comprising 24 line-miles of grid and survey was performed.

REFERENCE: Assessment Report 4843.

(Fig. H, No. 23)		(104N/12E)
Lat. 59° 33.5'	Long. 133° 32′	Atlin M.D.

(2) P.M.L. 1567 is held by A. Mattson of Atlin. The Colpe drift mine was on this lease and 500 cubic yards of the old tailings was sluiced. The former water intake was restored and a settling pond was built below the old tailings flume.

REFERENCE: Assessment Report 4551.

	(Fig. H, No. 24)		(104N/12E)
Lat. 59° 34.5'	Long, 133° 34'		Atlin M.D.
		 <u> </u>	

(3) P.M.L. Nos. 1609 and 1677 on the lower part of Spruce Creek are held by T.S. Osborne of Atlin. With his partner, Osborne worked about six months on the two leases. On the lower part of P.M.L. 1677, a settling pond was built and 15,000 cubic yards of old tailings was sluiced. On P.M.L. 1609, 5,000 cubic yards of old tailings was excavated. Water for sluicing was provided by a 6-inch diesel pump. Equipment in use was a TD-20 buildozer and a 450 Case backhoe.

PINE CREEK (Fig. H, No. 25)

(104N/12E) Atlin M.D.

Lat. 59° 35.8′ Long. 133° 32.5′

- (1) P.M.L. Nos. 705, 1476, 1620, and 1777 on Pine Creek near Discovery are held by Karl Sieger of Atlin. Part of the Surprise Lake road was relocated and two men working for four months with a D-8 buildozer and a 922 Caterpillar loader excavated and sluiced 30,000 cubic yards of gravel. The tailings were discharged into settling ponds.
- (2) P.M.L. Nos. 1354, 1355, 1356, 1475, and 1710, adjoining Sieger's leases in the east, are held by E. D. Thachuk. A 2.5-yard Northwest dragline and a D-8 Caterpillar were used to strip 60,000 cubic yards of old hydraulic tailings. About 10,000 cubic yards of pay streak was excavated and washed in an all-steel sluice box. The tailings were discharged into settling ponds. Most of the work was done on ground that previously had been hydraulicked.





KEY TO STRUCTURAL MATERIAL AND INDUSTRIAL MINERAL PROPERTIES ON INDEX MAP, FIGURE J.

311

. •

ASBESTOS

- 1. D, R, page 536.
- 2. ACE, page 536.
- 3. CASSIAR MINE, page 536.

BARITE

- 4. TOBY CREEK BARITE, page 537.
- 5. BRISCO BARITE, page 538.
- 6. BAROID OF CANADA, page 538.
- 7. HOMESTAKE, page 539.
- 8. PARSON BARITE, page 539.
- SHEILA, page 539.
- 10. DENIS, page 539.
- 11. BEAR, MOOSE, BEAVER, page 540.
- 12. ATAN, page 540.

BUILDING STONE

- 13. SEBAC QUARRY, page 541.
- 14. PORCUPINE, page 541.
- 15. CRAWFORD CREEK DOLOMITE QUARRY, page 541.
- 16. PITT RIVER QUARRY, page 541.
- 17. GILLEY QUARRY, page 542.
- 18. MC, page 542.
- 19. VALLEY GRANITE PRODUCTS, page 542.

CEMENT

- 20. BRITISH COLUMBIA CEMENT LIMITED, page 542.
- 21. CANADA CEMENT LAFARGE LTD., page 543.
- 22. CANADA CEMENT LAFARGE LTD., page 543.

CLAY AND SHALE

- 23. THUNDER HILL, page 543.
- 24. HILLBANK SHALE QUARRY, page 543.
- 25. BRITISH COLUMBIA LIGHTWEIGHT AGGREGATES LTD., page 544.
- 26. DUNSMUIR SHALE PIT, page 544.
- 27. RICHMIX QUARRY, page 544.
- CANADIAN REFRACTORIES, page 544.
- 28. HANEY BRICK AND TILE LIMITED, page 545.

DIATOMITE

29. CROWNITE INDUSTRIAL MINERALS LTD., page 545.

FLUORITE

- 30. IVY, CAPCO, MAY, page 545.
- 31. DEER, PARK, page 546.
- 32. EAGLET, page 546.

GYPSUM

33. WESTERN GYPSUM LIMITED, page 546.

JADE (NEPHRITE)

56. FAR NORTH JADE, page 547.
KEY TO STRUCTURAL MATERIAL AND INDUSTRIAL MINERAL PROPERTIES ON INDEX MAP, FIGURE J (Continued).

LIMESTONE

- 34. COBBLE HILL QUARRY, page 547.
- 35. IMPERIAL LIMESTONE QUARRY, page 548. RAVEN, page 548.
- 36. IDEAL CEMENT QUARRY, page 548.
- 37. BEALE QUARRY, page 549.
- 38. DOMTAR QUARRY, page 549.
- 39. FRASER VALLEY LIME, page 549.
- 40. HARPER RANCH QUARRY, page 549.
- 41. COLUMBIA LIME PRODUCTS, page 550.
- 42. LAREDO LIMESTONE QUARRY, page 550.
- 43. TERRACE CALCIUM PRODUCTS QUARRY, page 550.

MAGNESITE

44. ROK, page 551.

MARL

45. CHEAM MARL PRODUCTS, page 551.

PYROPHYLLITE

- 46. PYRO, page 551.
- 47. MORRIS, MONTEITH, page 552.

SAND AND GRAVEL

See Table, pages 553 - 563.

SILICA

- 48. SIL, page 564.
- 49. SUSIE, page 564.
- 50. SHEEP CREEK CAMP, page 564.
- 51. RICE (QUARTZ MOUNTAIN), page 564.
- 52. MOUNT ROSE SILICA, page 564.
- 53. HUNT, page 565.
- 54. BUSE LAKE QUARRY, page 565.

TALC

55. H, page 565.

4

Page

STRUCTURAL MATERIALS AND INDUSTRIAL MINERALS

CONTENTS

e	ral Review of Structural Materials and Industrial Minerals	ļ
ю	rts on Commodities	ļ
	Asbestos	
	Barite	
	Building Stone	ļ
	Cement	
	Clay and Shale	
	Diatomite	
	Fluorite	
	Gypsum	
	Jade (Nephrite)	
	Limestone	
	Magnesite	
	Marl	ļ
	Pyrophyllite	
	Sand and Gravel	
	Silica	ļ
	Talc	ſ

GENERAL REVIEW OF STRUCTURAL MATERIALS AND INDUSTRIAL MINERALS

By J. W. McCammon

Activity in the structural materials and industrial minerals sector of the mining industry was about normal in British Columbia in 1973.

New work reported was restricted to exploration of barite deposits along the Alaska Highway and an asbestos showing in the Menatatuline Range, some diamond drilling on limestone deposits on Texada Island and near Kelly Lake, some trenching on pyrophyllite near Princeton, and geological examination of silica near Greenwood and talc near Keefers.

REPORTS ON COMMODITIES

ASBESTOS

D, R	(92H/N	E-128)	(Fig. J, No. 1)		
LOCATI	ON:	Lat. 49°	32'	Long. 120 [°] 54′	(92H/10W)
		Report o	n this property u	nder metals in section 92H/10W.	

ACE (Fig. J, No. 2)

LOCATION:	Lat. 58° 53.5′	Long.	132° 06″		(104K/16E)
	ATLIN M.D.	Seventy-seven mil	es southeast	of Atlin, on	Tseta Creek,
	between 4,500	and 5,500 feet ele	vation.		
CLAIMS:	ACE 1 to 14.				
OWNER:	CANADIAN J Asbestos, P.Q.	OHNS-MANVILL	E COMPAN	IY LIMITED,	Box 1500,
DESCRIPTION:	Narrow veinlets sheared Permia	s of moderately han n serpentinized ult	arsh to silky ramafic roci	v chrysotile fik ks.	ores occur in
WORK DONE:	Magnetometer s	survey, 8 line-mile	s covering A	ce 1-14.	
REFERENCES:	Minister of Min 1030.	<i>es, B.C.,</i> Ann. Re	pt., 1966, p	o. 260; Assessr	nent Report
CASSIAR MINE	(Fig. J, No. :	3)		By D.I.	R. Henderson
LOCATION:	Lat. 59° 19.6'	Long.	129° 49.4'		(104P/5W)
	LIARD M.D.	Three miles not	th of Case	siar, o'n Mou	nt McDame
	between 5,870	and 7,000 feet ele	vation.		

CLAIMS: Forty-two Crown-granted and five leased.

OWNER: CASSIAR ASBESTOS CORPORATION LIMITED, 1001, 85 Richmond Street West, Toronto, Ont.; mine office, Cassiar.

DESCRIPTION:

The Cassiar orebody, consisting of chrysotile asbestos veinlets in a mass of serpentine, is mined from a 2,000-foot long and 1,200-foot wide open pit. The hangingwall is retreated in 150 to 250-foot wide slices to expose the ore in the bottom of the pit. Asbestos ore is hauled by truck to the nearby primary concentrator (elevation 5,800 feet) and then transferred to the mill by truck (7 miles) or by aerial tramway (3 miles). The mill is located adjacent to the company township of Cassiar which is in Troutline Creek valley at an elevation of 3,500 feet.

A 25 per cent concentration is achieved at the primary concentrator by crushing and screening out the coarser fractions. Selective crushing and screening is carried out at the mill where the various grades of fibre are lifted from the screens by air.

WORK DONE:

Ore production during 1973 was slightly in excess of 1.1 million tons. Approximately 3.7 million tons of waste rock was removed.

Among the plant and town additions during 1973 were included: four 50-ton trucks, lighting for mine waste dumps, a new mine service garage, No. 13 diesel generator, and a delivery table for the hospital. The new retail food store was also completed.

The company employed approximately 510 persons, including those in the accommodation, catering, and retail services provided by the company.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 573.

BARITE

TOBY CREEK	BARITE	(Fig. J, No. 4)	•		By R. W. Lewis
LOCATION:	Lat. 50° 2° GOLDEN	l' M.D. Near th	Long. 116° 24 ne southwest co umbo Crook 20	.4' orner of Lot	(82K/8W) 16154 on Toby
CLAIMS: OWNER:	JUMBO. MOUNTA Lethbridge MacPherso	IN MINERALS , Alta.; min	LIMITED, Boy e address, Bo perintendent.	< 700, 529 Si x 603, 1nv	ixth Street South, vermere; William

WORK DONE:

In the summer of 1970, Mountain Minerals Limited completed the construction of a plant to recover barite from the tailings pond of the old Mineral King mine. Since then the plant has operated each summer and fall, being closed during the winter months and early spring. The recovered barite concentrate is hauled by truck to the railway at Athalmer for shipment to the company processing plant at Lethbridge, Alta.

During 1973, approximately 7,000 tons of barite sand was shipped to Lethbridge and approximately 9,000 tons was milled and stockpiled at the siding in Athalmer.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 578.

BRISCO BARIT	E (Fig. J, No. 5)		By R. W. Lewis
LOCATION:	Lat. 50° 49.8'	Long. 116° 19.5'	(82K/16W)
	GOLDEN M.D. Betwee miles west of Brisco.	en Templeton River a	nd Dunbar Creek, 2.5
CLAIMS:	WAMINECA (Lot 1504 15046), CARMINE (Lot	4), CANYON (Lot 1 15047), and NORTHIS	5045), SALMON (Lot SLE (Lot 15048).
OWNER:	MOUNTAIN MINERAL Lethbridge, Alta.; min MacPherson, property su	S LIMITED, Box 700, ne address, Box 603 perintendent.	529 Sixth Street South, 3, Invermere; William

WORK DONE:

During the year the company engaged a mining contractor to develop the orebody below the existing lowest level.

A 450-foot long 7-foot by 9-foot decline was driven at 8 degrees through unstable ground that required timbering for the full length. From the decline 275 feet of 7-foot by 9-foot flat drift was driven along strike. Later, an additional 120 feet of 5-foot by 7-foot flat drift had to be driven due to the unexpected extension of the orebody. Then 195 feet of 5-foot by 7-foot raises and 675 feet of 5-foot by 7-foot subdrifting were completed in preparation for stope development.

During the year 9,000 tons of barite was shipped to Lethbridge for further processing and an additional 2,500 tons was stockpiled at Brisco.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 578.

BAROID OF	CANADA (Fig. J, No. 6)	By R. W. Lewis
LOCATION:	Lat, 50° 56′ Long, 116° 29′	(82K/16W)
	GOLDEN M.D. At 3,100 feet elevation	, on the west side of Jubilee
	Mountain, 5.5 miles northwest of Spillima	cheen.
CLAIMS:	Former Silver Giant mine property.	
OWNER:	BAROID OF CANADA, LTD., Box 2 superintendent	50, Onoway, Alta; S. Wise,

WORK DONE:

The company owns and operates a plant to recover barite concentrates from the tailings of the former Giant Mascot mine. The operation of the plant is seasonal and the plant is shut from early winter to late spring.

A total of 79,082 tons of mine tailings was treated to produce 21,966 tons of crude barite concentrate. Concentrate was trucked from the plant site to the railway loading point at Spillimacheen, and then shipped to the company's processing plant in Onoway, Alta.

During mid-summer 1973 the company contracted to mine, mill, and stockpile a small orebody contained within the confines of the former Giant Mascot mine open-pit area. A total of approximately 120,000 tons of barite ore was recovered from the open pit, along with the removal of approximately 110,000 cubic yards of waste rock, for an overall waste to ore ratio of about 0.92 to 1.0. The prime contractor for this work was Vanfour Contracting Ltd. of Vancouver. The work of crushing the ore to minus 2-inch size was in progress at the end of the year.

Coincidentally with this open-pit mining the company expanded its ore-processing facilities with the construction of a new mineral jig. A 42-inch, three-cell, end-flow Bendelari jig was installed in the new building. Crushers, conveyor belts, drags, and other ancillary equipment were added to complete the new processing phase of the operation. This new equipment will come into operation early in 1974.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 579.

HOMESTAKE	(Fig.	J,	No.	7)	ł
-----------	-------	----	-----	----	---

LOCATION:

Lat. 51° 06.7′ Long. 119° 49.5′ (82M/4W) Report on this property under metals in section 82M/4W.

PARSON BARITE (Fig. J, No. 8)

By R. W. Lewis

LOCATION:	Lat. 51° 01.5′	Long. 116° 39)*	(82N/2E)
	GOLDEN M.D.	At 3,700 feet elevation,	3.5 miles due sout	h of Parson.
CLAIMS:	HILLTOP (Lot	14351), SNOWDROP	(Lot 14352), and	d HONEST
	JOHN (Lot 1573	34).		

OWNER: MOUNTAIN MINERALS LIMITED, Box 700, 529 Sixth Street South, Lethbridge, Alta.; mine address, Box 603, Invermere; William MacPherson, property superintendent.

WORK DONE: In the early spring 1,528 tons of barite was shipped to Lethbridge from a stockpile at the mine. During the summer an additional 2,376 tons was mined by contract and stockpiled at the minesite.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 579.

SHEILA (Fig.	J,	No.	9)
--------------	----	-----	----

LOCATION: Lat. 55° 54' Long. 124° 42' (93N/15E) Report on this property under metals in section 93N/15E.

DENIS (Fig. J, No. 10)

LOCATION:	Lat, 59° 42′	Lo	ng, 127° 12'	(94M/11E)
	LIARD M.D.	One kilometre	north of the Alask	a Highway at Mile 546,
	between 2,00	0 and 3,500 feet	t elevation.	
CLAIMS:	DENIS 1 to 2	2.		
OPERATOR:	TOURNIGAN	MINING EXP	PLORATIONS LT	D., 704, 535 Thurlow
	Street, Vanco	uver V6E 3L2.		
DESCRIPTION:	Thin-bedded massive barit chalcopyrite.	Cambrian siltst e; some veins	ones are cut by s contain scattered	everal parallel veins of blebs of galena and

WORK DONE: Surface geological mapping, 1 inch equals 200 feet covering Denis 1-22; gravity survey covering Denis 13-16, 21, 22; geochemical soil survey, 450 samples, 6 line-miles covering Denis 1-22; surface diamond drilling, five holes totalling 500 feet on Denis 13-16 and 21; road construction, 2 miles on Denis 13-16 and 21; trenching, 200 feet on Denis 21 and 22.
 REFERENCE: Assessment Report 4482.

BEAR, MOOSE, BEAVER (Fig. J, No. 11)

LOCATION:	Lat. 59° 46′	Long. 127°	13′	(94N/14)
	LIARD M.D.	Approximately 5.5 to 2	7.5 kilometres north	of Milepost
	547 on the Ala	iska Highway, at 2,400 fe	et elevation.	
CLAIMS:	BEAR, MOOS	E, BEAVER, DEER, WO	OLF, totalling approx	ximately 94.
OWNER:	DRESSER IN	DUSTRIES, INC., 525,	404 Sixth Avenue S	W., Calgary,
	Alta.			
WORK DONE:	Gravity survey	, 1 line-mile covering M	oose 13 and 14; surfa	ace diamond
	drilling, 23 ho	les totalling 3,135 feet	on Moose 13 and 14	l; trenching,
	500 feet on Mo	pose 13.		
REFERENCE:	B.C. Dept. of I	Aines & Pet. Res., GEM,	1972, pp. 579, 580.	

ATAN (Fig. J, No. 12)

LOCATION:	Lat. 59° 12′ Long. 129° 12′ (104P/3E)
	LIARD M.D. At approximately 2,300 feet elevation 1.5 miles east of
	McDame Post surrounding Atan Lake on the north side of Dease River.
CLAIMS:	ATAN 1 to 6, FOX 1, ADAIR 1 to 8, SKI 1 to 18, WOLF 1, 3, 5, 7, A,
	B, and C Fractions, AUGUST 1 to 6.
OWNER:	TOURNIGAN MINING EXPLORATIONS LTD., 704, 535 Thurlow
	Street, Vancouver V6E 3L2.
DESCRIPTION:	A limestone-dolomite member of the Atan Group strikes northwest
	under the claims, and in part is oolitic, reefoid, and brecciated.
	Trenching has exposed lenses and patches of barite, knots of galena,
	and traces of tetrahedrite, chalcocite, and chalcopyrite, in limestone.
WORK DONE:	Gravity survey, 22 line-miles covering all claims; surface diamond
	drilling, approximately eight holes totalling 2,000 feet; claims and
	topography mapped.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 561; Assessment
	Report 4581.

BUILDING STONE

SEBAC QUARR	Y (Fig. J, No. 13)		By P. E. Olson
LOCATION:	Lat. 49° 01.9′	Long. 118° 22.8'	(82E/1W)
	The operation is immedia	tely north of Highway 3,	about 3 miles east of
	Grand Forks.		
OWNER:	SEBAC ENTERPRISES	_TD., Box 56, Cascade.	
WORK DONE:	Various small quarries periodically for several brownish quartzite was dolomite was crushed and	and a crushing plant years by different op hipped to Vancouver as shipped to various mark	have been operated erators. Considerable building stone. Some tets.
REFERENCE:	B.C. Dept. of Mines & Pe	<i>t. Re</i> s., GEM, 1972, p. 58	30.

PORCUPINE (Fig. J, No. 14)

LOCATION:	Lat. 49° 15.5' Long. 117° 03.7' (82F/6E)
	Approximately 11 miles east-northeast of Salmo, astride Porcupine
	Creek, 6.75 miles east of its junction with the Salmo River.
OWNERS:	JAMES and IRIS BAKKEN, Box 486, Salmo.
DESCRIPTION:	Thin-bedded quartzite is quarried for building stone.
WORK DONE:	Trenching and stripping on Porcupine 1 and 2.
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1970, p. 491; 1972, p. 580
•	(PORCUPINE CREEK).

CRAWFORD	CREEK DOLOMITE	QUARRY	(Fig. J, No.	. 15)	By P. E. Olson
LOCATION:	Lat. 49° 41.5′	Long.	116° 48′	•	(82F/10W)
	Just south of Craw	ford Creek, ab	out 1.5 mile	s from Crawf	ord Bay.
OPERATOR:	INTERNATIONAL	. MARBLE	& STONE	COMPANY	LTD., 4030
	Seventh Street SW.	, Calgary, Alta	а.	,	
WORK DONE	: A deposit of dolon	nite lies along	the east sid	le of the road	leading from
	Crawford Bay to u	pper Crawfor	d Creek, Th	e stone is me	dium grained
	and nearly pure w	hite, thus ma	iking it valu	able for the p	production of
	roofing chips and	stucco dash.	About 38,	940 tons of	dolomite was
	mined underground	≴. The quarry	phase of mi	ining was stop	ped in favour
	of underground min	ning whereby	cleaner rock	is obtained.	

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 586.

PITT	RIVER	QUARRY	(Fig. J, No.	16)	By J. W. Robinson
LOCA	TION:	Lat. 49° 1	7.4′	Long. 122° 39.3'	(92G/7E)
		On the ea	ast bank of Pir	tt River on the northern	side of Sheridan Hill, 4
		miles nor	th of Pitt Mead	dows.	
OWNE	ER:	PITT RIV	ER QUARRI	ES LTD., 16211 - 84th /	Avenue, Surrey.

WORK DONE: Eight men, employed by Pitt River Quarries Ltd., mined and crushed diorite for crushed rock, rip-rap, and armour rock. At year end, the operation was sold to Dillingham Corporation of Canada Ltd.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 581.

GILLEY QUAR	RY (Fig. J, No. 17)	By J. W. Robinson
LOCATION:	Lat. 49° 19.2′ Long. 122° 40.5′	(92G/7E)
	On the west bank of Pitt River, immediately	y south of the mouth of
	Munro Creek.	
OWNER:	CONSTRUCTION AGGREGATES LTD., 850	Southwest Marine Drive,
	Vancouver; quarry address, Box 98, Port Coqu	itlam.
WORK DONE:	Twenty-nine men produced quartz diorite for a	crushed rock, rip-rap, and
	armour rock.	
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p	. 581.

MC (Fig. J, No. 18)

LOCATION:	Lat. 49° 35.5′	Long. 123° 52.5′	(92G/12W)
	Report on this property u	nder metals in section 92G/12W.	

VALLEY GRA	NITE PRODUCTS	(Fig. J, No. 19)	By J. W. Robinson
LOCATION:	Lat. 49° 15.5'	Long. 121° 40.5′	(92H/5E)
	West side of Highw	ay 1, 10 miles west of Hope.	
OWNER:	VALLEY GRANI	TE PRODUCTS LIMITED, 10	0070 Timberline Place,
	Chilliwack; K. Jess	iman, president.	
WORK DONE: The plant formerly produced granite products, including pour			
	stucco dash, and s	and blast materials. There was	s no production during
	the year. The cru	ishing and screening plant w	as dismantled and the
	machinery was re	moved, access roads to the	open pit were fenced,
	topsoil was spread	on the benches, and some tree	s were planted.
REFERENCE:	B.C. Dept, of Mine	s & Pet. Res., GEM, 1972, pp.	581, 582.

CEMENT

BRITISH COLU	JMBIA CEMENT L	IMITED (Fig. J, No. 20)	
LOCATION:	Lat. 48° 35.1'	Long. 123° 31.2'	(92B/12E)
	At Bamberton.		
OWNER:	BRITISH COLUM	BIA CEMENT LIMITED, no	rth foot of Columbia
	Street, Vancouver,		
WORK DONE:	Cement produced,	559,350 tons.	

CANADA CEMENT LAFARGE LTD. (Fig. J, No. 21)

- LOCATION: Lat. 49° 09.6' Long. 123° 00' (92G/3E) On the Fraser River, south shore of Lulu Island, at the foot of No. 9 road.
- OWNER: CANADA CEMENT LAFARGE LTD., head office, 1051 Main Street, Vancouver.
- WORK DONE: Cement produced, 233,179 tons.

CANADA CEMENT LAFARGE LTD. (Fig. J, No. 22)

- LOCATION: Lat. 50° 39.7' Long. 120° 03.3' (921/9E) On the north bank of the South Thompson River, 11 miles east of Kamloops.
- OWNER: CANADA CEMENT LAFARGE LTD., head office, 1051 Main Street, Vancouver.
- WORK DONE: Cement produced, 163,721 tons.

CLAY AND SHALE

THUNDER HIL	L (Fig. J, No. 23)	•	By R. W. Lewis
LOCATION:	Lat. 50° 09′	Long. 115° 49.9'	(82J/4W)
OWNER:	At the bottom of Thunde MOUNTAIN MINERALS Lethbridge, Alta.; min	r Hill, 2 miles west LIMITED, Box 7 e address, Box	of Canal Flats. 00, 529 Sixth Street South, 603. Invermere: William
	MacPherson, property sur	perintendent.	
WORK DONE:	During the year, 1,517 further processing. An u tons or rock was mined as	tons of shale was upper safety bench nd stockpiled.	shipped to Lethbridge for was excavated and 5,000
REFERENCE:	B.C. Dept. of Mines & Pet	<i>. Res.,</i> GEM, 1972	, p. 583.
HILLBANK SHA	ALE QUARRY (Fig. J,	No. 24)	By W. C. Robinson
LOCATION:	Lat. 48° 43.1′	Long. 123° 39.4'	(92B/12E)
	On the east bank of Ke Station.	oksilah River, 1 n	nile southeast of Cowichan
OWNER:	BRITISH COLUMBIA C Bay.	EMENT COMPAN	Y LIMITED, R.R. 1, Mill
WORK DONE:	Shale produced for use in	Bamberton cemen	t plant, 32,364 tons.
REFERENCE:	B.C. Dept. of Mines & Pet	<i>. Res.,</i> GEM, 1972	, p. 583.

BRITISH COLUMBIA LIGHTWEIGHT AGGREGATES LTD. (Fig. J, No. 25)

By W. C. Robinson

LOCATION:	Lat. 48° 48.1′	Long. 123° 11	r	(92B/14E)
	The quarries and p	lant are on the penin	sula between Wint	er Cove and
	Lyall Harbour, at tl	he north end of Saturr	na Island.	
OWNER:	BRITISH COLUM	IBIA LIGHTWEIGHT	AGGREGATES	LTD., 855
	West Broadway, Va	ancouver.		
WORK DONE:	Twenty men mine	d 48,950 tons of sha	ile and produced a	and shipped
	approximately 28,	750 tons of expande	d shale aggregate.	Some shale
	was mined from a r	new quarry near the pl	ant area.	
REFERENCE:	B.C. Dept. of Mines	s & Pet. Res., GEM, 19	972, p. 583.	

DUNSMUIR SHALE PIT (Fig. J, No. 26) By W. C. Robinson

- LOCATION:Lat. 49° 11.8'Long. 124° 05.5'(92F/1E)At 900 feet elevation, in the northeast part of Block 226, Dunsmuir
Land District, adjoining Weigles (Black Jack, Dumont) road on the
north, 2 miles south and west of the powerline crossing at Brannen
Lake.Brannen
Lake.OWNER:Canada Cement Lafarge Ltd., 1051 Main Street, Vancouver.
- OPERATOR: BUTLER-LAFARGE LTD., Box 435, Nanaimo.

WORK DONE: Shale produced for use in cement manufacture, 60,336 tons. A crew averaging two men was employed.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 584.

RICHMIX QUA	RRY (Fig. J, No. 27)		By J. W. Robinson
LOCATION:	Lat. 49° 03.5′ L Adjoins Kilgard on the north	.ong. 122° 11.7′ heast.	(92G/1E)
OWNER:	MUTUAL MATERIALS Vancouver.	LIMITED, 2890 East	Kent Avenue,
WORK DONE:	Fireclay was quarried and firebrick was manufactured.	trucked to the plant in N	/ancouver, where
REFERENCE:	B.C. Dept. of Mines & Pet. F	Res., GEM, 1972, p. 584.	

CANADIAN	REFRACTORIES	(Fig. J, No. 2	27)		By -	J. W. Robinson	
LOCATION:	Lat. 49° 03.2′	Lon	g. 122° 1	7.3′		(92G/1W)	
	49° 03.5′		122°1	1.7'		(92G/1E)	
	. Plant at Abbots	ford; mine and	quarries	at Kilga	rd.		
OWNER:	DRESSER IN	OUSTRIES CA	ANADA	LTD.	(Canadian	Refractories	
	Division), Box 1	60, Abbotsford	d.				

WORK DONE: There were 400 feet of drifts and 240 feet of crosscuts driven during 1973 in the fireclay mine at Kilgard. Fireclay produced, 15,000 tons; clay produced from the Kilgard No. 9 and the Straiton pits, 69,500 tons. The resident manager is B. T. Stephens. There were six employees working underground, eight employees working in the open pit, and one supervisor, for a total of 15 at the year end.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 584.

HANEY BRICK AND TILE LIMITED(Fig. J, No. 28)By J. W. RobinsonLOCATION:Lat, 49° 12.6'Long, 122° 35.9'(92G/2E)

On the north bank of Fraser River, at the east edge of Haney. OWNER: HANEY BRICK AND TILE LIMITED, Box 38, Maple Ridge.

WORK DONE: Clay quarried adjacent to plant amounted to 5,694 tons during the year. This was manufactured into hollow clay drain tile, structural tile, facebrick, common brick, flue lining, and flower pots. Approximately 90 per cent of the production is hollow clay drain tile. The resident manager is A. G. Findlay. At year end there were 18 employees on the payroll.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, pp. 584, 585.

DIATOMITE

CROWNITE IN	OUSTRIAL MINERALS	LTD. (f	Fig. J, No. 29)	By A. D. Tidsbury
LOCATION:	Lat. 52° 57.6′	Long. 12	2° 32.2'	(93B/15E)
	Four leases: W½ Lot 90	06, N½ of №	NE¼ and S½ of SE	¼ of District Lot
	906; Lots 1 and 2 of D	istrict Lot 2	222 District Caribo	o Plan 6720; Lot
	414; part N Lot 222 to r	orth of 'Ol	d Cariboo Highway	.'
OWNER:	CROWNITE INDUSTRI	AL MINER	ALS LTD., Box 41	59, Quesnel.
WORK DONE:	The average number of	femployee	s in 1973 was 13.	All mining and
	milling was suspended	during 19	73 so that major	alterations and
	revisions could be initiat	ted in the v	wet ore handling ci	rcuits. At various
	periods separate circuits	were activa	ated for test purpos	es. It is proposed
	to resume production	in 1974 wi	ith a wider range	of more closely
DEEEBENGE	controlled products for	selected mai	rkets.	
REFERENCE:	B.C. Dept. of Mines & Pe	et. Res., GE	M, 1972, p. 585.	
	1	, .'	•	
FLUORITE		: .		
IVY, CAPCO, I	/IAY (Fig. J, No. 30)	·		

LOCATION: Lat. 49° 30' Long. 119° 08' (82E/11E, 6E) Report on this property under metals in section 82E/11E, 6E.

Gypsum

DEER, PARK	(Fig. J, No. 31)		
LOCATION:	Lat. 49° 20'	Long. 118° 02′	(82E/8E)
	Report on this property u	nder metals in section 82E/8E.	

EAGLET (Fig. J, No. 32)

LOCATION:	Lat. 52° 34′	Long. 120° 58.5'	(93A/10W)
	CARIBOO M.D.	One-half mile north of the mou	th of Wasko Creek, at
	approximately 3,	500 feet elevation.	
CLAIMS:	EAGLET 1 to 4,	7 to 32, EAGLE 5, 6, 33, 34, 41,	42, 45 to 48.
OWNER:	EAGLET MINES	LIMITED, 140 Wellington Street	, Ottawa, Ont.
DESCRIPTION:	Fluorite occurs in	alteration zones in gneiss with p	egmatite.
WORK DONE:	Surface diamond	drilling, two holes totalling 8	18 feet on Eaglet 2;
	trenching, 1,300	feet on Eaglet 1-4 and 8; strip	oping, approximately
	12,000 square fee	et on Eaglet 2.	
REFERENCE:	Minister of Mines	, <i>B.C.</i> , Ann. Rept., 1965, p. 263.	

GYPSUM

WESTERN GY	PSUM LIMITED	(Fig. J, No. 33)	Ву	R. W. Lewis
LOCATION:	Lat. 50° 30'	Long. 115°	54'	(82J/5W)
	GOLDEN M.D.	The guarry is betwee	en 4,000 and 5,000 fee	t elevation,
	on the north sid	e of Windermere Creek	<, 8 miles east of Winde	ermere.
CLAIMS:	The company he	olds 41 Crown-granted	claims.	· /
OWNER:	WESTERN GYF	SUM LIMITED, 265	0 Lakeshore Highway	, Clarkson,
	Ont.			

WORK DONE:

Gypsum is mined and crushed in a primary crusher located in the quarry about 250 feet from the face. It is then conveyed overland by a series of belt conveyors to a truck loading point on the valley floor. Two 100-ton trucks haul the gypsum approximately 11 miles on paved roadway to a stockpile at the plant at Wilmer. Here secondary crushing and screening prepares the rock for loading and shipping to Calgary and Vancouver for further processing.

Some stripping above No. 2 quarry was carried out, access roads were constructed, and diamond-drill sites were established. A small amount of diamond drilling was performed ahead of No. 2 quarry in a northerly direction to the 4,400-foot elevation. Some gypsum was exposed by stripping ahead of No. 2 quarry and on the northwest side of the quarry.

A total of 400,000 tons of gypsum was mined, put through the primary crusher, and hauled to the stockpile at Wilmer; 365,249 tons of gypsum was treated at the secondary crushing and screening plant and then shipped to Calgary and Vancouver.

The company employed an average of 30 persons throughout the year.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 596.

...

JADE (NEPHRITE)

Jade (nephrite) is known to occur *in situ* in serpentinite rocks and as boulders in alluvial deposits at a variety of localities in the Province.

The first jade mined was picked up by the Indians from bars along the Fraser and Bridge Rivers in the vicinity of Lillooet. Later jade was found on bars along the Fraser River as far downstream as Yale, on the Coquihalla River, and on the Bridge River as far as the junction of the Yalakom. Subsequently it was found on Hell, Marshall, and Noel Creeks, also on Kwanika, O'Ne-el, and Ogden Creeks and Mount Ogden in the Omineca; and in the north on Wheaton, Seywerd, and Thibert Creeks, on bars on the Liard River, at the Cassiar asbestos mine, and in serpentinite at the head of Blue River.

In 1973, production of jade was reported by the following individuals and companies:

Birkenhead Jade Mines Ltd., Hell Creek Cassiar Lapidary, Cassiar Far North Jade Ltd., Mount Ogden R. Purvis, Lillooet B. Seywerd, Seywerd Creek, Dease Lake M. Stewart, Ogden Creek New World Jade Ltd., Mount Odgen

FAR NORTH JADE (Fig. J, No. 56)

LOCATION:	Lat. 55° 52′	Long.	125 [°] 41.5′	(93N/13W)
	OMINECA M.D.	About 3 miles	west of Moun	t Ogden.
ČLAIMS:	LF 1 to 8, LCF 1	to 10, RALF 1	to 8, VANCO	UVER 1 to 7 plus Placer
	Mining Leases N	los. 1909 to 19	11 and 1956	to 1948 on Squawkbird
	Creek.			
OWNER:	FAR NORTH JA	DE LTD., Box	1748, Prince G	ieorge.
DESCRIPTION:	Graphitic schists	s, limestone, an	d altered bas	alt of the Cache Creek
	Group are intruc	led by serpentin	ite which in t	urn is intruded by a large
	sill and numerou	is small dykes of	granodiorite.	The serpentinite and the
	Cache Creek roo	ks are strongly	sheared. Lens	es of nephrite, nephrite
	and talc, or nepl	nrite and tremoli	te occur in the	e serpentinite at and near
	contacts with th	ne Cache Creek	rocks or gra	nodiorite. The nephrite
	ranges in colour t	from green to bla	ack.	
WORK DONE:	During August	and September	1972, the c	laims were geologically
	mapped at a sca	le of 1 inch equ	als 660 feet a	nd detailed petrographic

REFERENCE: Assessment Report 4523.

and mineralogic studies were made.

LIMESTONE

COBBLE HILL	QUARRY (Fig.	J. No. 34)	By W. C. Robinson
LOCATION:	Lat. 48° 40.6′	Long. 123° 37.4'	(92B/12E)
	At the southwest Hill Station.	corner of Cobble Hill, 2 mile	s southwest of Cobble
			547

Limestone

OWNER: BRITISH COLUMBIA CEMENT COMPANY LIMITED, R.R. 1, Mill Bay.

WORK DONE: Limestone produced for use in Bamberton cement plant, 797,887 tons. A crew of 19 men was employed at the quarry.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 599.

IMPERIAL LIM	ESTONE QUARRY	(Fig. J, No. 35)	By W. C. Robinson		
LOCATION:	Lat. 49° 44.4'	Long. 124° 31.7'	(92F/10E)		
	On the summit of	the hill on Lot 500,	three-quarters of a mile		
	southeast of Spratt E	Bay on the north coast	of Texada Island, 2 miles		
	southeast of Vananda				
OWNER:	IMPERIAL LIMEST	ONE COMPANY LIMI	TED, 5427 Ohio Avenue		
	South, Seattle, Washington 98134.				
WORK DONE:	Quarry operated on I	ot 500, stucco and whi	iting produced in plant at		
	Vananda dock, whiting and coarse limestone produced at Spratt Bay. A				
	crew averaging 21 me	n was employed.			
REFERENCE:	B.C. Dept. of Mines &	Pet. Res., GEM, 1972,	p. 599.		

RAVEN (Fig. J, No. 35)

LOCATION:	Lat. 49 [°] 44'	Long. 124° 30'	(92F/10E)
	South and southwest of	Spratt Bay, Texada	Island, at approximately
	300 feet elevation.		
CLAIMS:	TEX 1 and 2, MOLLY, M	OLLY 1 to 7, WILL	2 Fraction, WILL 3 to 6,
	JOE, KELLY JO Fraction	, WILLY I and II.	

- OWNER: TEXADA LIME LTD., 309, 198 West Hastings Street, Vancouver V6B 1H2.
- WORK DONE: Surface diamond drilling, 10 holes totalling 1,000 feet on Will 3 and Kelly Jo Fraction.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1971, p. 250.

IDEAL CEMEN	T QUARRY (Fig. J, No. 36)	By W. C. Robinson
LOCATION:	Lat. 49 [°] 42.9′ Long. 124 [°] 33.8′	(92F/10E)
	On Lot 25, Texada Island, about 2.5 miles south of	Vananda.
OWNER:	IDEAL CEMENT COMPANY (Rock Products Di	vision), 610, 1200
	West Pender Street, Vancouver.	
WORK DONE:	Limestone quarried, 1,208,000 tons; limestone s tons. During the year construction of a new c conveying, stockpiling, and barge-loading installation crew averaging 39 men was employed.	hipped, 1,238,600 crushing, screening, n was completed. A
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 600.	

na an an an an an an an **Lim**

Limestone

BEALE QUARF	Y (Fig. J, No. 37)		By W	, C. Robinson
LOCATION:	Lat. 49° 45′	Long. 124° 31	1.9′	(92F/15E)
	On the north side of 1	⊺exada Island, 1 mi	le southeast of Van	anda.
OWNER:	CANADA CEMENT	LAFARGE LTD.	(Pacific Region),	1051 Main
	Street, Vancouver.			
WORK DONE:	Limestone quarried,	1,200,000 tons;	limestone shipped,	, 1,000,070
	tons. A crew averaging	g 24 men was empl	oyed.	
REFERENCE:	B.C. Dept. of Mines &	Pet. Res., GEM, 1	972, p. 600.	

DOMTAR QUARRY (Fig. J, No. 38)

By W. C. Robinson

LOCATION:	Lat. 49° 47.2′	Long. 124	4° 37.1′			(92F/15E)
	At the north end of	Texada Island	on Lots	13, 17,	22, 23,	34 to 39,
	271, 305, 350, and S	⁄₂ Lot 3.				

- OWNER: DOMTAR CHEMICALS LIMITED (Lime Division), head office, Domtar House, Montreal; quarry office, Blubber Bay.
- WORK DONE: Four holes totalling 425 feet drilled on Lot 3. Limestone quarried, 1,127,800 tons; limestone shipped, 592,658 tons. A crew averaging 39 men was employed.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 600.

FRASER VALL	EY LIME	(Fig. J, No. 39)	By J. W. Robinson
LOCATION:	Lat. 49° 12'	Long. 121° 43.2	(92H/4E)
,	On the east	side of Highway 1 three-quarte	ers of a mile east of Popkum.
OWNER:	FRASER V	ALLEY LIME SUPPLIES, 97	6 Adair Avenue, Coquitlam;
,	T. Mairs, ma	nager.	
WORK DONE:	There was n plant was dis	o production during the year. mantled.	. The crushing and screening
REFERENCE:	B.C. Dept. of	f Mines & Pet. Res., GEM, 197	2, p. 600.

HARPER RANCH QUARRY (Fig. J, No. 40)

By E. Sadar

LOCATION:	Lat. 50° 40.3' Long. 120° 03.9'	(921/9E)
	North of the cement plant, 11 miles east of Kamloops.	
CLAIMS:	CAM 1 to 10.	
OWNER:	Canada Cement Lafarge Ltd.	
OPERATOR:	PLATEAU CONSTRUCTION LIMITED, Box 620, Kamloop	s.
WORK DONE:	Surface sampling; production, 224,067 tons.	
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 601.	

COLUMBIA LIME PRODUCTS (Fig. J, No. 41)

- LOCATION:Lat. 51° 05.1'Long. 121° 48.6'(92P/4W)At 5,200 to 5,400 feet elevation 0.25 to 0.5 mile north of Porcupine
Creek, at the forks 1 mile northeast of the Kelley Lake-Jesmond road.OWNER:COLUMBIA LIME PRODUCTS LIMITED, 535 Airport Road South,
Richmond.
- DESCRIPTION: The company owns a limestone quarrying lease on part of a large exposed mass of limestone mapped as the III Member of the Upper Permian Marble Canyon Formation of the Cache Creek Group. This same limestone extends for several miles to the northwest and to the southeast. Ramshead Quarries Ltd. opened up a quarry on it at a bluff 3.2 miles to the northwest in 1970. In a zone 1,600 feet thick, the upper 800 feet is pure and the rest is dolomitic and siliceous.
- WORK DONE: Six diamond-drill holes, each 400 feet long, were drilled to get limestone core samples for testing; six percussion holes totalling 410 feet drilled; claims surveyed.
- REFERENCES: B.C. Dept. of Mines & Pet. Res., Bull. 44, 1961, p. 13; GEM, 1970, p. 501.

LAREDO LIMES	STONE QUARRY (Fig. J, No. 42)	By D. M. Dudas
LOCATION:	Lat. 52° 41.2′ Long. 129° 03′	(103A/11E)
	On Lot 299 near the centre of the northwest shor	e of Aristazabal
	Island, directly southwest of Ramsbotham Island.	
OWNER:	Kamad Silver Co. Ltd.	
OPERATOR:	THYSSEN MINING CONSTRUCTION OF CANADA	LIMITED, 301
	Brent Building, Regina, Sask.	
WORK DONE:	Twenty-five BQ diamond-drill holes 125 feet deep	were drilled to
	determine continuity of limestone beds. There was	no production
	during the year.	
REFERENCES:	B.C. Dept. of Mines & Pet. Res., GEM, 1969, pp. 389	9-392; 1972, pp.
	602, 603.	

TERRACE CALCIUM PRODUCTS QUARRY (Fig. J, No. 43) By D. M. Dudas

- LOCATION: Lat. 54° 30.7′ Long. 128° 28.3′ (1031/9W) On Copper Mountain, 4.5 miles east of Terrace, at approximately 3,000 feet elevation.
- OWNER: TERRACE CALCIUM PRODUCTS LTD., 66, 4625 Graham Avenue, Terrace.
- WORK DONE: Limestone quarried, 400 tons; limestone shipped, 147 tons. A chip screen was completed and a start was made to assemble a washing unit. One man was employed for four months.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 603.

MAGNESITE

ROK (82J/NW	1-1) (Fi	g. J, No. 44	.)				
LOCATIC	DN:	Lat. 50° 4	7'	Long.	115 [°] 39′	:	(82	2J/13E)
		GOLDEN	M.D. Ab	out 20 miles	northeast of	Radium	Junction	i, at the
		confluenc	e of Assini	boine Creek	and Mitchell	River ar	nd along t	he west
flank of Mount Brussilof, between 4,300 and 4,500 feet elevation.						n.		
CLAIMS:		ART 1 to	94, ART 5	Fraction, BA	ARABAJACK	AL 1 to	6, BILL	l to 84,
		BMG 1 to	o 6 Fractio	ns, DON 1 t	o 5, 8, 10 to	37, JAN	1 to 4, J	OE 1 to
		30, 32 to	94, MAG	1 to 27, 29,	31 to 36, NA	ANCY 1	and 3, P/	AT 1 to
		16, ROK	15 to 22, V	ANO 1 to 70), VANO 63 a	and 71 F	ractions.	
OWNERS	i:	Baymag N	lines Co, Li	imited and C	anex Placer L	imited.		
OPERAT	OR:	CANEX	PLACER	LIMITED,	700, 1030	West	Georgía	Street,
		Vancouve	r.					
DESCRIP	TION:	Magnesite	occurs as	a bedded de	posit in carbo	onate roo	cks of the	Middle
		Cambrian	Cathedral	Formation.				
WORK DO	ONE:	Road cor	nstruction,	approximate	ly 14 miles	(clean u	p of slas	h along
		Cross Riv	er access ro	ad).	x			
REFERE	NCE:	B.C. Dept	, of Mines a	& Pet. Res., (GEM, 1972, p	. 603.		

MARL

CHEAM MARL	PRODUCTS	(Fig. J, No. 45)	By J. W. Robinson
LOCATION:	Lat. 49° 11.5'	Long. 121° 45'	(92H/4W)
	Cheam Lake ne	ar Popkum.	
OWNER:	CHEAM MARI	PRODUCTS LIMITED, 1	3 Fletcher Street South, Box
	113, Chilliwack	; P. C. Woodward, general r	manager.
WORK DONE:	Mari produced,	18,450 tons; marl shipped,	24,123 tons; men employed,
	four.		
REFERENCE:	B.C. Dept. of N	lines & Pet. Res., GEM, 197	2, p. 604.

PYROPHYLLITE

PYRO (92H/SE-131) (Fig. J, No. 46)

LOCATION:	Lat. 49° 29.6' Long. 120° 37.5' (92H/7E)
	SIMILKAMEEN M.D. Approximately 3 miles southeast of Coalmont
	2,000 feet east of the Coalmont-Princeton Highway, at approximately
	3,500 feet elevation.
CLAIMS:	ASA 1 to 5.
OWNER:	DRESSER INDUSTRIES CANADA, LTD., Canadian Refractories Division, 1685 Boundary Road, Vancouver.

- WORK DONE: Trenching, 1,250 feet on ASA 1; stripping, 100 feet by 100 feet on ASA 1.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1959, pp. 184, 185; *B.C. Dept. of Mines & Pet. Res.*, GEM, 1971, p. 469 (ASA).

MORRIS, MONTEITH (92L-72, 117) (Fig. J, No. 47)

LOCATION: Lat. 50° 07' Long. 127° 18' (92L/3W) ALBERNI M.D. Eight miles northeast of Kyuquot, on the west side of Kashutl Inlet.

CLAIMS: KASHU 1 to 4, 11 to 48, 50, 55 to 80, 83 to 94.

- OWNER: KENNCO EXPLORATIONS, (WESTERN) LIMITED, 730, 505 Burrard Street, Vancouver.
- DESCRIPTION: Bonanza flows, tuffs, and mudstones dip moderately south to southwest, and locally have been pyritized and progressively altered to quartz sericite, guartz pyrophyllite, and guartz natroalunite rocks.
- WORK DONE: Reconnaissance geological mapping; geochemical survey, 23 rock-chip samples taken at varying intervals along shorelines covering Kashu 12-16, 18, 36, 39, 45, 47, 56, 65, 70, 72, and 89.
- REFERENCES: *Minister of Mines, B.C.,* Ann. Rept., 1920, p. 198; *Geol. Surv., Canada,* Summ. Rept., 1913, p. 109; Assessment Report 4539.

SAND AND GRAVEL

Data on sand and gravel production are presented on the following pages. The abbreviations used in the table for the types of sand and gravel produced are as follows: AA = asphalt aggregate; SA = sized aggregate; WS = washed and sized aggregate; S = sand; RP = run-of-pit material; CA = crushed aggregate; AP = asphalt paving mix; RM = ready-mix concrete.

Sand and Gravel Pits

	Location	Operator	Equipment	Men	Production
Nelson	Anderson Creek	Premier Sand & Gravel Company Limited	Front-end loader, crushing, screening	5	RP, WS, and RM.
Crestor	n–Goat River	Louis Salvador & Son Ltd.	Front-end loader, crushing, screening	3	RP, WS, and RM.
Castleg	ar—Columbia River	McGauley Ready-Mix Concrete Company	Front-end loader, screening/	3	RP, WS, and RM.
Traii-0	Casino Road	McGauley Ready-Mix Concrete Company	Front-end loader, screening	4	RP, WS, and RM.
Traill	Marianna Crescent	H. Williamson Blacktop & Landscaping Ltd., Haney	Front-end loader, crushing, screening	5	AP.
Cranbr	ook-Theatre Road	Louis Salvador & Son Ltd.	Front-end loader, crushing, screening	4	RP, WS, and RM.
Cranbr	ook—Theatre Road	Kootenay Concrete Ltd. and A. G. Boyes Ltd.	Front-end loader, crushing, screening	5	RP, WS, and RM.
Kimbe	rley—Meadowbrook	Fontaine's Transfer Ltd.	Front-end loader, crushing, screening	2	RP, WS, and RM.
Lang B	av—				}
(Ť)	1 mile north of Lang Bay	Jim Hawkins, 3873 Gordon Ave., Powell River	Front-end loader, crushing, screening, washing	3	RP, CA, and WS=20,871 yd.
Powell	River				
(1)	Off Allen Road, 3 miles northeast of Westview	P. Nassichuk, 7123 Alberni St., Powell' River	Front-end loader, screening	1	RP and S=3,469 yd.
(2)	Yukon Avenue, Cranberry Lake	John Sarnowski, R.R. 1, Powell River	Front-end loader, crushing, screening, washing	2*	RP, CA, and WS.
(3)	Paradise Valley Road, Hammil Lake	D. Carto, Wilde Rd., Powell River	, including	1*	RP.
Vancoi	wer Island-				
(1)	Campbell River-north of Buttle Lake Road at Elk Falls Road	Gord Noren Trucking Ltd., Box 345, Campbell River	Front-end loader	4*	RP=9,428 yd.
(2)	Campbell River-south of Buttle Lake Road at Elk Falls Road	Antonelli Trucking Ltd., Box 189, Campbell River	Front-end loader	3	RP.
(3)	Campbell River-south of Buttle Lake Road at Elk Falls Road	Upland Excavating Ltd., 1271 Cedar, Campbell River	Front-end loader, crushing, washing, screening	2	RP, CA, and WS.
(4)	Painter's Spit, Campbell River	Island Ready-Mix Ltd.	High-line scraper, front-end loader, crushing, washing, screening, ready mix	3	CA, WS, and RM=41,340 yd.
(5)	Courtenay–Cumberland Road near Cumberland	W. J. Woods Trucking Ltd., Box 3157, Courtenav	Front-end loader, screening	3	RP and SA=15,960 yd.
(6)	Courtenay-Cumberland Road near	Chinook Gravel, R.R. 1, Courtenay	Front-end loader		RP.
	Cumberland				E
(7)	Courtenay–Cumberland Road near Courtenay	Island Ready-Mix Ltd.	Front-end loader, crushing, washing, screening, readymix	4	RP, CA, WS, and RM= 47,027 yd.

*Part time,

.

Sand and Gravel Pits-Continued

.

	Location	Operator	Equipment	Men	Production
Vanco	ver Island-Continued				
(8)	Courtenay-Cumberland Road near	George Bates, Bates Beach, Comox	Front-end loader, screening	1	RP and SA.
(9)	Courtenay–Cumberland Road near Courtenay	R. E. Longland Trucking Ltd., Box 137, Comox	Front-end loader, screening	2	RP and SA.
(10)	Cockrane Road, Qualicum Bay	Clark's Ready Mix Sand and Gravel, R.R. 1. Qualicum Bay	Front-end loader, washing, screening	2	RP and WS.
(11)	Hector Road, Alberni	Dolan's Limited Sand and Gravel	Front-end loader	1*	RP.
(12)	Fails Road, Alberni	Dolan's Limited Sand and Gravel	Front-end loader, crushing, washing, screening	3	RP, CA, and WS.
(13).	McKenzie Road, Alberni	Dolan's Limited Sand and Gravel	Front-end loader	2	RP.
(14)	Alberni	Department of Highways	Front-end loader, crushing, screening	-	RP, CA, SA, and S=46,720 yd.
(15).	Church Road, Errington	G. Holland, R.R. 1, Parksville	Front-end loader	1*	RP.
(16)	Errington	Department of Highways	Front-end loader, crushing, screening	- 1	RP, CA, SA, and S=64,572 yd.
(17)	Parksville, 2 miles west	Island Pre-Cast Concrete Ltd., Box 428, Parksville	Front-end loader	1*	RP.
(18)	Parksville, 2 miles west	Jim Jenkins Ltd., Box 396, Parksville	Front-end loader	1*	RP.
(19)	Dumont Road, Nanaimo	Reg Dorman's Trucking & Fuel Ltd.	Front-end loader	1	RP.
(20)	Dumont Road, Nanaimo	Department of Highways	Front-end loader, crushing, screening	-	RP, CA, SA, and S=140,510 yd
(21)	Dumont Road, Nanaimo	Sinclair Ganderton Contractors Ltd., 3575 Shenton Rd., Nanaimo	Front-end loader, crushing, screening	3	RP, CA, and SA≂52,898 vd.
(22)	McGirr Road, Nanaimo	Department of Highways	Front-end loader, screening	_	RP and S≃19,000 yd.
(23)	Island Highway north of Nanaimo	Island Excavating Ltd.	Front-end loader	1*	RP=2,000 yd.
(24)	Extension	E. Greenaway Sand and Gravel, R.R. 1, Nanaimo	Front-end loader	1*	RP.
(25)	Cassidy	Department of Highways	Front-end loader, crushing, screening	_	RP, CA, SA, and S=103,377 yd
(26)	Cassidy, ½ mile west of Island Highway, north of Nanaimo River	Hub City Paving Ltd., Box 427, Nanaimo	Front-end loader, crushing, washing, screening	6	RP, CA, and WS.
(27)	Spruston Road, Cassidy	J. Milner Trucking, 1684 Chickadee Cres., Nanaimo	Front-end loader, screening	3	RP and SA.
(28)	Spruston Road, Cassidy	Van-Isle Sand and Gravel	Front-end loader, crushing, screening	2*	RP, CA, and SA,
(29)	Spruston Road, Cassidy	Hub City Paving 1.td.	Front-end loader	1*	RP
(30)	Rosevear Road, Duncan	North Cowichan Gravel Supplies B B 4	Front-end loader	1*	BP.
		Duncan			
(31)	Duncan-Cowichan Lake Road	Mayer Bros. Contracting Ltd., Crofton	Front-end loader, crushing, screening	3	RP, CA, and SA.
(32)	Old Duncan–Cowichan Lake Road	Butler-LaFarge Ltd., Canada Ave.,	Front-end loader, crushing, washing,	10	RP, CA, WS, and RM.
] Duncan	screening, readymix		

					•
Vanco	ver Island–Continued				
(33)	Duncan	Department of Highways	Front-end loader, crushing, screening	-	RP, CA, SA, and S=55,781 yd.
(34)	Duncan–Koksilah	Armour & Saunders Limited, 2739 James St., D'uncan	Front-end loader, crushing, screening, washing, readymix	10	RP, CA, WS, and RM= 127,181 yd.
(35)	Cowichan Bay	Gravel Hill Supplies Ltd., 194 Kenneth St., Duncan	Front-end loader, washing, screening, readymix	8	RP, WS, and RM.
(36)	Cobble Hill	Satellite Sand and Gravel Company Ltd., Cowichan Bay	Front-end loader	3	RP.
(37)	Hatch Point	Thompson Ready Mix	Front-end loader, crushing, washing, screening	2	RP, CA, and WS.
(38)	Goldstream–Sooke Lake Road at Humpback Road	O.K. Trucking Co. Ltd., 2840 Nanaimo St., Victoria	Front-end loader	2*	RP=17,749 yd.
(39)	Goldstream—Turner Meadows	E. Nixon Ltd., 400 Burnside Rd., E., Victoria	Front-end loader, screening	2	RP and SA=71,081 yd.
(40)	Keating Cross Road, Saanich	G. McHattie	Front-end loader	1	RP=30,756 yd.
(41)	Keating Cross Road, Saanich	Butler Brothers Supplies Ltd., Box 4066, Station A, Victoria	Shovel, front-end loader, crushing, washing, screening, readymix	9	RP, CA, WS, and RM.
(42)	Cordova Bay Road, Saanich	Trio Ready-Mix (1971) Ltd., 773 Cordova Bay Rd., Victoria	Front-end loader, crushing, washing, screening, readymix	3.	RP, CA, WS, and RM= 66,868 vd.
(43)	Langford Lake	G. McRae	Front-end loader, screening	2*	RP and SA.
(44)	Langford	Columbia Ready-Mix Ltd., 2949 Phipps Rd., Victoria	Front-end loader, crushing, washing, screening, readymix	3	RP, CA, WS, and RM.
(45)	Metchosin	Columbia Ready-Mix Ltd., 2949 Phipps Rd., Victoria	Front-end loader, screening	3	RP and SA.
(46)	Metchosin	Construction Aggregates Ltd., 3497 Metchosin Rd., Victoria	Front-end loader, crushing, washing, screening	13	RP, CA, WS, and AA.
(47)	SookeSooke Road east of Milnes Landing	Butler Brothers Supplies Ltd., Sooke Division, Box 549, Sooke	Front-end loader, crushing, washing, screening, readymix	5*	RP, CA, WS, and RM.
Gulf Is	lands–				
(1)	Rainbow Road, Saltspring Island	Gulf Coast Materials Ltd., Ganges	Front-end loader	1*	RP.
Coquit	lam Municipality—				
(1)	West end of Westwood Road	Corporation of the District of Coquitlam	Front-end loader, portable crushing, screening	1	RP and SA.
(2)	Pipeline Road, 3½ miles north of Lougheed Highway	Jack Cewe Ltd., Box 1100, Coquitlam	Front-end loader, crushing, screening, paving plant	12	RP, SA, and AP.

x

ហ្វា អPart time.

.

Sand and Gravel Pits-Continued

	Location	Operator	Equipment	Men	Production
Coquit	lam Municipality-Continued				
(3)	Pipeline Road, 3 miles north of Lougheed Highway	Jack Cewe Ltd., Box 1100, Coquitlam		0	RP.
(4)	Pipeline Road, 3 miles north of	Columbia Bitulithic Ltd., Box 4225, Station D. Vancouver 9		0	RP.
(5)	Pipeline Road, 3 miles north of	Allen Contracting Ltd., R.R. 1,	Front-end loader, trucks, crushing, screeping	5	RP and SA.
(6)	Pipeline Road, 1½ miles north of	Allard Contractors Ltd., Box 47,	Front-end loader, crushing, screening	5	RP and SA.
(7)	Pipeline Road, 1 mile north of Lougheed Highway	Canada Cement Lafarge Ltd., 1051 Main St., Vancouver	Dragline, front-end loaders, trucks, crushing, washing, screening, readymix	9	SA, WS, and RM=600,000 yd.
(8)	Pipeline Road, 4 miles north of	Allard Contractors Ltd., Box 47, Port	Shovel, trucks	2*	RP.
- (9)	Fraser River at Mary Hill, 2 miles south of Port Coquitlam	Construction Aggregates Ltd., 850 South West Marine Drive, Vancouver 14	Shovels, front-end loader, trucks, processing plant, barge loading facilities	60	WS, CA, and SA.
Annaci	is Island—				
Fraser	River at Annacis Island	Willson Construction Company Limited, 408448th Ave., Ladner	Front-end loader	2	5.
Maple	Ridge Municipality—				
(1)	33rd Road, 1 mile south of Silver Valley	S. Berto, R.R. 2, Maple Ridge	Front-end loader, trucks	1-	кр,
(2)	Grant Hill, 1 mile east of Albion and also adjoining Kirkpatrick pit	Corporation of the District of Maple Ridge	Front-end loader, crushing	-	RP and SA.
(3)	Grant Hill, % mile north of municipal	Williamson Blacktop and Landscaping Ltd. Haney	, Front-end loader, crushing, screening	-	RP and SA.
(4)	Grant Hill, ½ mile north of municipal	Allard Contractors Ltd., Box 47, Port	Front-end loader, crushing, washing,	2	ws.
(5)	μι Lougheed Highway south of Grant Hill	Walske Ready-Mix Ltd., 23616 River Rd., Haney	Shovel, front-end loader, crushing, washing, screening, readymix, miver trucks	20	WS and RM,
(6)	Albion	Columbia Bitulithic Ltd., Box 4225, Station D, Vancouver 9	Shovel, front-end loader, crushing, washing, screening, readymix, mixer trucks	20	WS and RM.

556

•

. . . .

Maple	Ridge Municipality—Continued				
(7)	Alouette River, east end of 27th Street	Kirkpatrick Sand & Gravel Co. Ltd., 22357 McIntosh St., Haney	Front-end loader	2*	RP.
(8)	 mile north of Websters Corners, mile east 	Kirkpatrick Sand & Gravel Co. Ltd., 22357 McIntosh St., Haney	Shovel, washing, screening	2*	RP and WS.
(9)	Maple Ridge, east of 284th Street	C. Cozens, Maple Ridge	1	1-	RP.
(10)		Various operators, but owned by L. J. Donatelli, 29579 Lougheed Highway, R.R. 2, Mission	Front-end loaders, trucks	4*	RP.
Missio	n Municipality—				
(1)	2.3 miles south of Steelhead, Dewdney Trunk Road	Cannon Contracting Ltd., Box 178, Mission	Front-end loader, crushing, screening	2*	RP and SA.
(2)	2.2 miles south of Steelhead, Dewdney Trunk Road	M, Catherwood, R.R. 1, Mission		1*	RP.
(3)	1 mile east of Stave Falls powerhouse	Corporation of the District of Mission	1		S.
(4)	3 miles east of Stave Falls powerhouse	Corporation of the District of Mission			RP.
(5)	2 miles east of Ruskin powerhouse	Corporation of the District of Mission	Front-end loader	2	RP and SA.
(6)	Mission	Department of Highways, Chilliwack	Front-end loader, screening	- 1	RP and SA.
Kent N	Aunicipality-		1	1	
(1)	West of Cemetery Road, south of Mount Agassiz	Corporation of the District of Kent	Shovel	2	RP.
(2)	McCallum Road, 1½ miles west of Harrison Hot Springs Road	Danielson Contracting Ltd., McCallum Rd., R.R, 1, Agassiz	Front-end loader	2*	RP.
(3)	McCallum Road	Department of Highways, Chilliwack	Front-end loader, screening	1	RP and SA.
(4)	Fraser River bar, directly south of Agassiz	Morrow's Trucking and Reddi-Mix Ltd.	Front-end loader, trucks, screening	3	RP, SA, and RM=7,000 yd.
(5)	1 mile north of Agassiz	Department of Highways	Front-end loader, trucks	2	RP.
(6)	½ mile south of RosedaleAgassiz Bridge	Department of Highways	Front-end loader, trucks	2	RP.
(7)	1/2 mile west of Hunter Creek	Department of Highways	Front-end loader, trucks	2	RP.
Indian	Reserve No. 1-				
Cheam	View	Various operators	Front-end loader, trucks	2*	RP.
Chillia	/ack Municipality	-	-		,
(1)	Arnold Road, bank of Fraser River	P. Heppner & Son Trucking Ltd., 7113 <u>.Su</u> mas Prairie Rd., Sardis	Front-end loader	2*	RP.

~

*Part time.

.

,

Sand and Gravel Pits-Continued

,

	Location	Operator	Equipment	Men	Production
Chilliw (2)	ack Municipality-Continued Fraser River bars, etc.	Chilliwack Gravel Sales Ltd.	Bucket-line dredge, front-end loader, screening plant	3	RP and WS.
Sumas At foot	Municipality— ; and east of Taggart Peak	P. Heppner & Son Trucking Ltd., but owned by H. Quadling, R.R. 1, Yarrow	Front-end loader, screening	5*	RP and SA.
Matsou	i Municipality-				
(1)	1 mile east of Abbotsford	Blackham's Construction Limited, Box 39. Abbotsford	Front-end loaders, screening, washing, crushing	9	RP, SA, and WS=141,765 yd.
(2)	Trethewey Road, ¾ mile north of Clearbrook	Department of Highways, Chilliwack	Front-end loader, screening	4	RP and SA.
(3)	Clearbrook Road, ½ mile north of border	Abbotsford Gravel Sales Ltd., Box 8, Abbotsford	Scraper, front-end loader, screening, washing, readymix plant of Totem Trucking Ltd	3	WS, RP, and RM.
(4)	12th Avenue, ¼ mile west of Clearbrook Boad	Valley Rite-mix Ltd., Box 430, Clearbrook	Scraper, front-end loader, screening, washing, crushing, readymix plant	4	RP, SA, WS, and RM.
(5)	Corner of LeFeuvre Road and Eighth Avenue, Caplette pit	Ernie's Trucking Ltd., Box 365, Alderarove	Front-end loader	1	RP.
(6)	LeFeuvre Road	Corporation of the District of Matsqui	Front-end loader, crushing, screening		RP and SA,
Langley	/ Municipality-				
(1)	Kinch Road at 36th Avenue and Jackman Road	Corporation of the Township of Langley	Front-end loader, crushing, screening	4	RP and SA.
(2)	North of the northeast corner of Jackman Road and Eighth Avenue	Aldergrove Cement Tile Products, 2437–272nd St., R.R. 1, Aldergrove	Front-end loader, screening	1*	RP, WS, and Topsoil.
(3)	Dogwood Avenue, off Brown Road	Kitsul Bros, Gravel Sales Ltd., 24306 Fraser Highway, R.R. 3, Langley	Front-end loader	2*	RP and S.
(4)	8802 Hudson Bay Road, Fort Langley	Clark Gravel & Ready Mix Ltd., Box 855, Langley	Front-end loader, crushing, screening, washing	3	RP, WS, and RM.
.(5)	2962 Lambert Road, Highland pit	Construction Aggregates Ltd., 850 South West Marine Drive, Vancouver 14	Dragline, front-end loader, crushing, screening, washing	8	RP, WS, and SA.
(6)	32nd Avenue at Kinch Road	Oscar Rees Gravel Sales Ltd., Box 847,	Dragline, front-end loader, screening	5	RP and SA.
(7)	Boundary Road at Surrey boundary	Border Sand & Gravel Ltd., Boundary Ave., R.R. 2, White Rock	Front-end loader, crushing, screening	3	RP, SA, and WS=61,237 yd.

.

,

			1		
Surrey	Municipality-				
(1)	Campbell River Road at Langley boundary	White Rock Sand & Gravel Ltd., 2546–176th St., R.R. 2, Cloverdale	Shovel, front-end loader, screening, washing	3	RP, SA, and WS.
(2)	24th Avenue at Langley boundary	Corporation of the District of Surrey	Front-end loader	_	RP and SA,
(3)	160th Street, south of 24th Avenue	Corporation of the District of Surrey	Front-end loader	-	RP.
(4)	53rd Avenue at Deita boundary	Corporation of the District of Surrey	Front-end loader	_	RP.
(5)	28th Avenue at 194th Street	Corporation of the District of Surrey	Front-end loader	_	RP.
(6)	96th Avenue at Langley boundary	Corporation of the District of Surrey	Front-end loader	-	RP and SA.
Delta N	Aunicipality		{		
(1)	1/2 mile west of Scott Road at 68th Street	Standard-General Construction Limited, 6631–120th St., North Surrey	Front-end loaders, crushing, screening, washing	2	RP, WS, and SA.
(2)	10720–84th Avenue	M. & W. Sand & Gravel Ltd.,	Front-end loader	-	RP.
(3)	Fraser River at Annieville	Sabre Bulldozing Ltd., 719 No. 3 Rd., Richmond	Front-end loader	2	S.
Howe 3	Sound-				
(1)	Britannia Beach	Construction Aggregates Ltd., 850 South West Marine Drive, Vancouver 14	Buildozers, front-end loaders, trucks, crushing, washing, screening	30	WS, RP, and SA.
(2)	Furry Creek	Construction Aggregates Ltd., 850 South West Marine Drive, Vancouver 14	Bulldozers, front-end loaders, trucks, crushing, screening, washing	19	SA and WS.
(3)	Mamguam River	Coast Aggregates Ltd., Squarnish	Front-end loader, trucks, crushing,	3	RP and SA.
(4)	North of Cemetery Road, Gibsons	Universal Aggregate Ltd., Box 323, Gibsons	Front-end loader, crushing, screening	2	RP and SA.
(5)	Cemetery Road, Gibsons	P. & W. Development Ltd., Box 248, Gibsons	Front-end loader, crushing, screening, readymix	1*	RP and RM.
(6)	Veterans Road, Gibsons	Gibsons Building Supplies Ltd., Gibsons	Front-end loader, crushing, screening, washing	3	RP and WS.
(7)	South of Sechelt Highway, west of Veterans Road, Gibsons	Gibsons Building Supplies Ltd., Gibsons	Front-end loader	1*	RP.
(8)	Porpoise Bay Road, Sechelt	L. & H. Swanson Ltd., Box 172, Sechelt	Front-end loader, trucks, screening, readymix	14	RP, SA, and RM≃17,990 yd.
Jervie I	nlet_	1		ļ	1
Treat (Creek	Delta Rock Ltd., Box 1100, Coquitlam	Front-end loaders, crushing, screening	10	RP and SA.

*Part time.

Sand and Gravel Pits-Continued

Location	Operator	Equipment	Men	Production
Fort St. John Highways District-		· ·		
Fort St. John Area				
Hudson Hope Right-of-way	Department of Highways	Truck, loader	2	RP=23 yd.
(2) Charlie Lake	Department of Highways	Truck, loader	2	RP≂5 yd.
(3) Clark pit	Department of Highways	Truck, loader, screening plant	4	S=1,000 yd.
(4) Mile 62	Department of Highways	Truck, loader	2	RP=60 yd.
(5) Montney pit	Department of Highways	Truck, loader	2	RP=125 vd.
(6) Mile 92	Department of Highways	Truck, loader, screening plant	4	S=25 yd.
(7) Mason pit	Department of Highways	Trucks, loader, Department crusher	7	CA=5,145 vd,
(8) Leahy pit	Department of Highways	3 trucks, loader	4	RP=2,240 vd.
(9) Cameron pit	Department of Highways	Truck, loader	2	RP=25 vd.
(10) Trotter pit	Department of Highways	Truck, loader	2	RP≖50 vd.
(11) Beatton River	Department of Highways	3 trucks, loader, Caterpillar	5	RP=8.018 vd.
(12) Osborne	Department of Highways	2 trucks, loader	3	RP=380 vd.
(13) Lundquist	Department of Highways	Trucks, loader, crusher	6	CA=8,129 vd.
(14) Imperial pit	Imperial Oil Limited	Trucks, loader	4	RP≃6.000 vd.
(15) Imperial pit	Texaco Canada Limited	Trucks, loader	4	RP=338 vd.
(16) Imperial pit	Texaco Canada Limited	Trucks, loader	4	RP=5.156 vd.
(17) Buick Creek	Texaco Canada Limited	Trucks, loader	4	RP=1.000 vd.
(18) Nig Creek	Texaco Canada Limited	Trucks, loader	4	RP=2,200 vd.
Fort Nelson Area			1	
(1) Mile 295.pit	Department of Highways	Truck, loader, Caterpillar, screening	3	S≂1,500 yd.
(2) Mile 295	Nylander Trucking	Trucks. loader	4	BP=5.990 vd.
(3) Mile 295	Gladys Haude	Trucks, loader	4	RP=1,196 vd.
(4) Mile 235 (D.P.W. pit)	Permanent Concrete	Trucks, loader	4	RP=4,250 yd.
Atlin North Area				
(1) Kent pit	Department of Highways	2 trucks, loader	3	RP=588 yd.
(2) Tomkins pit	Department of Highways	Truck, loader	2	RP=60 yd.
(3) Dease pit	Department of Highways	Trucks, loader, Department crusher	7	CA=22,638 yd.
(4) Mudhill pit	Department of Highways	Trucks, loader, Department crusher	7	CA=1,710 yd.
(5) Snow Creek pit	Department of Highways	Trucks, loader, Caterpillar	4	RP=270 yd.
(6) Deep Creek pit	Department of Highways	Trucks, loader, Department crusher	7	CA=31,350 yd.
(7) 32 Mile pit	Department of Highways	Trucks, loader, Department crusher	7	CA=28,850 yd.
(8) Camp pit	Department of Highways	Trucks, loader	4	RP=1,140 vd.

-

		·			
		· · ···			1
Fort S	t. John Highways District—Continued				
Ath	in North Area				
(9)	20 Mile	Department of Highways	Trucks, loader	4	RP=7,000 yd.
(10)	Elbow Creek	Department of Highways	Trucks, loader	4	RP=330 yd.
(11)	Beatty Creek	Department of Highways	Trucks, loader	4	RP=150 yd.
(12)	Ward Hill	Department of Highways	Trucks, loader	4	RP=470 yd.
(13)	Hestop	Department of Highways	Trucks, loader	4	RP=300 yd.
(14)	Surpentine	Department of Highways	Trucks, loader	4	RP=100 yd.
(15)	Tuya pit	Department of Highways	6 trucks, loader	8	RP=11,942 vd.
(16)	Skowell pit	Department of Highways	6 trucks, loader	8	RP=43,304 yd.
(17)	Watson pit	Department of Highways	6 trucks, loader	8	RP=922 yd.
(18)	Deltaic pit	Department of Highways	6 trucks, loader, Department crusher	10	CA=22,000 yd.
(19)	Knat pit	Department of Highways	6 trucks, loader, Department crusher	10	CA=15,000 yd.
(20)	Moose pit	Department of Highways	6 trucks, loader, Department crusher	10	CA=3,860 yd.
(21)	Dry Creek pit	Department of Highways	6 trucks, loader	8	RP=2,500 yd.
				ł	S=2,000 yd.
Torrard	Highwave District				
(1)	Mile 1. Old Lakelse Lake Road	Department of Highways	2 trucks loader crusher	6	CA=5 208 vd
(2)	Mile 2.6 Highway 16 East pit 3	Department of Highways	A trucks loader	5	AP=3 000 vd
12)	time 2.0, ringhway to East, pit o	Department of Frighways		ľ	BP=2 000 vd
					CA=2.000 yd
(3)	lunction of Oueensway and Remo	Department of Highways	5 trucks loader	6	BP=5.000 vd
(0)	Road Highway 16 pit 5	Population of Frighting	0 a geno, 10000	ľ	0,000 ,01
(4)	lisk	Department of Highways	2 trucks loader	3	BP=500 vd.
(5)	Mile 42 Highway 16 West pit 19	Department of Highways	8 trucks loader, buildozer	14	Bock=25.000 vd.
(6)	Mile 4 South Terrace Highway 25	Department of Highways	4 trucks loader	5	BP=3.000 vd.
107	pit 20	Dopa those of Highnory		ľ	
(7)	Mile 3.2 Kalum Lake Boad	Department of Highways	4 trucks, loader	5	RP=2.000 vd.
(8)	Rosswood Kalum Lake Boad pit 26	Department of Highways	3 trucks, loader	4	RP=2.000 vd.
(9)	Kitimat pit 33	Department of Highways	5 trucks, loader	6	CA=3.000 vd.
(10)	South End Kalum Lake nit 34	Department of Highways	4 trucks, loader	5	RP=3.000 vd.
(11)	Exstew Biver Highway 16, pit 40	Department of Highways	8 trucks, loader	12	RP=12,000 vd.
(12)	Polymar Bar, Skeena Biver, pit 43	Department of Highways	8 trucks, loader	12	RP=36,000 vd.
(13)	Old Remo Highway 16 pit 44	Department of Hipbways	3 trucks, loader	4	RP=3.000 vd.
(14)	Polymar Creek Highway 16 pit 48	Department of Highways	11 trucks, 2 loaders, bulldozer	17	RP=154.000 vd.
(15)	Salvus Camp, Highway 16, pit 48	Department of Highways	6 trucks, loader, bulldozer	9	RP=28,000 vd.
(16)	Mile 24 Highway 16 West	Department of Highways	Loader buildozer	9	BP=131 000 vd.

*Part time.

i.

_

Sand and Gravel Pits-Continued

	Location	Operator	Equipment	Men	Production
Prince	Rupert Highways District-				
(1)	Alice Arm-Kitsault Road pit	Department of Highways	Front-end loader, truck	1	RP=960 vd.
(2)	Queen Charlotte Islands, Ross pit	Department of Highways	Front-end loader, 3 trucks	4	S=965 yd.
				1	RP≈3,627 yd.
(3)	Queen Charlotte Islands, Yellow pit	Department of Highways	Front-end loader, 2 trucks	3	RP=1,776 yd.
(4)	Queen Charlotte Islands, Masset	Department of Highways	Front-end loader, 2 trucks	3	RP≈1,305 yd.
	D.L. 807A, 807, 808			Į	Į
(5)	Queen Charlotte Islands, Construction	Department of Highways	Front-end loader, truck	2	RP≈613 yd.
_	pit, D.L. 803 and 799				
(6)	Queen Charlotte Islands, Tiell	Department of Highways	Front-end loader, 3 trucks	4	S=6,960 yd.
	Private Property	-			
(7)	Queen Charlotte Islands, St. Mary's	Department of Highways	Front-end loader, 2 trucks	3	RP=997 yd.
101	pit, D.L. 591, 592, 593				
(8)	Highway 16, Green River pit	Department of Highways	Front-end loader, 2 trucks	3	S=1,600 yd.
(9)	Highway 16, Prince Rupert pit	Department of Highways	Front-end loader, truck	2	Rock=110 yd.
(10)	Highway 16, Prudhome Lake pit	Department of Highways	Front-end loader, 2 trucks	3	Rock=3,406 yd.
(11)	Highway 16, D.L. 446	Department of Highways	Front-end loader, 2 trucks	3	Rock=766 yd.
(12)	Highway 16, Mile 58 pit	Department of Highways	Front-end loader, 2 trucks	3	Rock=7,270 yd.
(13)	Highway 37, Surprise Creek pit	Department of Highways	Front-end loader, 2 trucks	3	RP≈54,000 yd.
(14)	Highway 37, Bear River 2 pit	Department of Highways	Front-end loader, 3 trucks	4	RP=7,000 yd.
(15)	Highway 37, Nass Road–Meziadin Lake pit	Department of Highways	Front-end loader, 9 trucks	10	RP≈42,240 yd.
(16)	Highway 37, Deltaic pit	Department of Highways	Front-end loader, 12 trucks	13	RP≄31,000 yd.
(17)	Highway 37, Bell Irving 2 pit	Department of Highways	Front-end loader, 10 trucks	11	RP=60,000 yd.
Con	nmercial Pits				
(18)	Sandhill-Kitimat	Ocean Construction Supplies, Northern	5-yard Sauerman scraper and hoist,	6*	CA and RP.
		Limited, Kitimat	H9OE loader, TD7 tractor		
(19)	Sandhill—Kitimat	L. G. Scott and Sons Construction Ltd.,	Caterpillar 950 front-end loader,	4*	CA and SA=71,000 tons.
		Kitimat	D-8 Caterpillar, Hough-120		
			front-end loader, 12-yard truck,		
			jaw and roll crusher		
(20)	Foreshore Lease, Matlakatla Bar	Armour Salvage (1949) Ltd. and	Tug, derrick, and scow	2*	RP=84,152 yd.
		Rivtow Straights Limited			1
	Foreshore Lease, Upper Tuck Inlet	Armour Salvage (1949) Ltd. and	Tug, derrick, and scow	2*	RP=7,946 yd.
	Bar	Rivtow Straights Limited	_		
		-		1	1

,

-.....

Prince	Rupert Highways District-Continued				
Con	nmercial Pits			[1
	Foreshore Lease, North Metlakatla Bar	Armour Salvage (1949) Ltd. and Rivtow Straights Limited	Tug, derrick, and scow	2*	RP=3,006 yd.
	Foreshore Lease, Monicol Creek	Armour Salvage (1949) Ltd. and Rivtow Straights Limited	Tug, derrick, and scow	2*	S=51,871 yd.
	Foreshore Lease, Secret Cove	Armour Salvage (1949) Ltd, and Bivtow Straights Limited	Tug, derrick, and scow	2*	WA≈12,829 yd.
÷	Foreshore Lease, Useless Bay	Armour Salvage (1949) Ltd. and Rivtow Straights Limited	Tug, derrick, and scow	2*	WA≈12,866 yd.
	Foreshore Lease, Skeena River	Armour Salvage (1949) Ltd. and Rivtow Straights Limited	Tug, derrick, and scow	2*	S=479 yd.
	Foreshore Lease, Refuge Bay	Armour Salvage (1949) Ltd, and Rivtow Straights Limited	Tug, derrick, and scow	2*	S=500 yd.
	Foreshore Lease, Pearl Harbour	Armour Salvage (1949) Ltd, and Rivtow Straights Limited	Tug, derrick, and scow	2*	S=693 yd.
(21)	L. H. & K. pit-Terrace	L. G. Scott & Sons Construction Ltd., Kitimat	Caterpillar 950 front-end loader, Hough-120 front-end loader,, 12-yard truck, E-1 Jay Cone crusher, washing plant	5	CA, SA, and WA=185,000 tons.
(22)	Smithers pit	L. G. Scott & Sons Construction Ltd.,	Hough-120 front-end loader, 12-	3*	CA and SA=64,000 tons.
	_	Kitimat	yard truck, E-1 Jay Cone crusher		
(23)	Froese pit—Terrace	Vic Froese Trucking Ltd., Terrace	922 Caterpillar loader and trucks	2*	R P.
(24)	Farko pit—Terrace	Buds Trucking, Terrace	922 Caterpillar loader and trucks	3*	RP.

.

.

*Part time.

ł

SIL (Fig. J, N	lo. 48)	
LOCATION:	Lat. 49° 02' Long. 118° 38' GREENWOOD M.D. Three and three-quarters miles s Greenwood, astride McCarren Creek at 3,750 feet elevation	(82E/2E) outhwest of
CLAIMS:	SIL 1 to 8.	
OWNER:	J. C. Allen.	
OPERATOR:	SILCAN RESOURCES LID., Box 816, 208 Protession	nai Bulloing,
DESCRIPTION:	A small impure body of quartz occurs in phyllite near a dio	rite dvke.
WORK DONE:	Geological mapping at 1 inch equals 600 feet on all claims.	···· ···
REFERENCE:	Assessment Report 4795.	
SUSIE (82E/	SW-90) (Fig. J, No. 49)	
LOCATION:	Lat. 49° 13' Long. 119° 36'	(82E/4E)
	Report on this property under metals in section 82E/4E.	
SHEEP CREEK	CAMP (Fig. J, No. 50)	By P. E. Olson
LOCATION:	Lat. 49° 09' Long. 117° 04'	(82F/3E)
	NELSON M.D. Nine miles east-southeast of Salmo, on	Curtis Creek
CLAIMS:	BABE 1 to 10 located mineral claims on Curtis Creek and	various other
	claims around the Sheep Creek Camp.	
OWNERS:	D. R. SIMMONS, Box 375, Vernon, and J.A.C. ROSS & AS Vancouver.	SSOCIATES,
WORK DONE:	Quartzite talus was crushed and hauled to the Trail smoother from the Curtis Creek area, for use as smelter flux.	elter, mainly
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 48.	
RICE (QUARTZ	Z MOUNTAIN) (Fig. J, No. 51)	
LOCATION:	Lat. 49° 34′ Long. 116° 04′	(82F/9E)
	Report on this property under metals in section 82F/9E.	
MOUNT ROSE	SILICA (Fig. J, No. 52)	y David Smith
LOCATION:	Lat. 50° 26.5′ Long. 119° 17′	(82L/6W)
	VERNON M.D. Four miles west of Armstrong at 2,630 f on Mount Rose.	eet elevation
CLAIMS:	METRO 1 to 3, IVAN 4 to 11, ROVER 1 to 4.	
OWNER:	MOUNT ROSE MINING CO. LTD., Vernon (M. Wilki Wilkinson).	nson and L.

DESCRIPTION: A quartz vein occurs in a quartz diorite intrusion in phyllite. WORK DONE:

Quartz is quarried from a 15 to 20-foot high face, loaded, and trucked to a crushing and screening plant at the foot of the access road.

Development and exploration work: stripping overburden across southwest end of the quartz outcrop; preparation of second 20-foot bench; five vertical test holes drilled to a depth of approximately 50 feet at 50-foot spacing parallel to the strike of the vein.

Additional dust extraction equipment was installed. Extensions were made to the bulk loading facilities and rail spur.

Approximately 3,368 tons was shipped for metallurgical use and as chips for stucco dash, exposed aggregate, and similar uses. An average of four was employed.

REFERENCE: B,C. Dept. of Mines & Pet. Res., GEM, 1969, p. 406.

HUNT (82N-43) (Fig. J, No. 53)

LOCATION:	Lat. 51° 12.6'	Long. 116° 51.8′	(82N/2W)	
	GOLDEN M.D.	Between 3,100 and 4,100 feet elevat	ion, at the mutual	
	junction of Section	ions 9, 10, 15, and 16 of Township 2	6, Range 21, west	
	of the 5th meridian, one-quarter to 1 mile south of Horse Creek, and 1			
	mile east of High	way 95, 7.3 miles southeast of Golde	n.	
CLAIMS:	Lot 1540, consis	ting of the HUNT 4A, 5A, and 6A m	ineral claims.	
OWNER:	C. WARREN HU	NT, 1119 Sydenham Road, Calgary,	Alta.	
DESCRIPTION:	The claims cover an area underlain by pure quartzite of the Ordovician			
	Mount Wilson (Wonah) Formation, associated with	dolomite of the	
	Beaverfoot Form	lation.		
WORK DONE:	Percussion drillin	g, three holes totalling 30 feet on Hu	nt 5A.	
REFERENCE:	B.C. Dept. of Mil	nes & Pet. Res., GEM, 1970, p. 511.		
BUSE LAKE Q	UARRY (Fig.	J, No. 54)	By E, Sadar	
LOCATION:	Lat. 50° 37.3'	Long. 120° 01.5′	(921/9E)	

LOCATION:	Lat. 50° 37.3' Long. 120° 01.5' (921/9E)
	KAMLOOPS M.D. At the southeast corner of Buse Lake, 14 miles
	east-southeast of Kamloops.
CLAIMS:	BUSE 1 and 2.
OWNER:	Canada Cement Lafarge Ltd:
OPERATOR:	PLATEAU CONSTRUCTION LIMITED, Box 620, Kamloops.
WORK DONE:	Diamond drilling, 4,100 feet; production, 28,928 tons.
REFERENCE:	B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 617.

TALC

H (Fig. J, No. 55)

LOCATION: Lat. 50° 03' Long. 121° 38' (921/4E) Report on this property under metals in section 921/4E.

5

COAL

CONTENTS

.....

ij

	Page
General Review of Coal Mining and Exploration	568
Reports on Coal Mines	574
East Kootenay Inspection District	574
Sage Creek Coal Limited	574
Byron Creek Collieries Limited	575
Kaiser Resources Ltd	577
Elkview Preparation Plant	579
Michel Colliery	579
Balmer North Mine	580
South Balmer Hydraulic Mine	580
Michel By-product Plant	581
Michel Preparation Plant	581
Crows Nest Industries Limited	581
Fording Coal Limited	582
Northern Inspection District	583
McIntyre Porcupine Minés Limited (Monkman Pass Property)	583
Denison Mines Limited (Quintette Project)	585
Coalition Mining Limited	586
Utah Mines Ltd. (Carbon Creek Project)	586
Utah Mines Ltd. (Adams Project)	587
Pan Ocean Oil Ltd.	587
Cinnabar Peak Mines Ltd.	588
Utah Mines Ltd. (East Mount Gething Project)	588
Utah Mines Ltd. (Dunlevy Project)	589
Bulkley Valley Collieries Ltd.	589

LIST OF ILLUSTRATIONS

DRAWINGS

_.

rigs.		rage
53.	Fernie Basin: geology and coal licences	573
54.	Foothills Belt, Northeastern British Columbia:	
	geology and coal licences	584

PHOTOGRAPHS

Plates

XXIVA.	Harmer Ridge: Open-pit operations showing 25-yard shovel loading raw	
	coal into 100-ton truck	576
XXIVB.	Sparwood: Elkview preparation plant - clean coal is loaded into unit	
	trains from the storage silos at left centre of photograph	576

GENERAL REVIEW OF COAL MINING AND EXPLORATION

By G. L. Bell

INTRODUCTION

The principal coal resources of the Province occur in comparatively narrow linear belts within the intermontane basins of the East Kooenay area and the inner foothills region of northeastern British Columbia. Total prospective area is in the order of 1,900 square miles. These deposits, chiefly of Lower Cretaceous age, contain major *in situ* 'reserves' of medium and low volatile bituminous coal, generally suitable for production of metallurgical coke.

Rapid growth in world demand for coking coal during the late 1960's resulted in unprecedented development of new mine capacity in British Columbia, coupled with modernization of rail and port facilities to support large-scale operations. Significant growth of export shipments commenced in 1970. In 1973, two major mines, Kaiser Resources Ltd. and Fording Coal Limited, produced a combined total of about 10.8 million tons raw coal, chiefly from large open-pit operations. Residual clean coal product, totalling some 7.7 million tons, yielded a mine value of \$88 million; 96 per cent of total output was exported to Japan.

Total coal exploration activity and expenditure increased during 1973, and a number of advanced exploration and development feasibility programmes resulted in establishment of important new mineable reserves. Approximately 900,000 acres of coal licence lands was held at year end.

In addition to major reserves of potential metallurgical coal, several comparatively small or localized deposits of lignite and sub-bituminous 'thermal' coal occur in widely scattered areas of British Columbia. While there are no current developments in this respect, future investigation of several of these deposits for base-load power development purposes is anticipated as competitive energy costs continue to increase.

Coal

Coal deposits of the Kootenay Formation in the Crowsnest Pass area and in the Gething and Gates Formations of northeastern British Columbia occur in structurally complex foothills and mountainous terrain. Distribution and extent of the main stratigraphic units are controlled by extensive regional faults and *en echelon* folds, resulting in comparatively narrow elongated belts in which coal-bearing strata are exposed and segregated by erosion in moderate to high-relief terrain. Varying depositional patterns, resulting from coal accumulation in prograding deltaic and alluvial plain environments affect seam continuity, extent, and thickness in both a regional and local context. There is a broad spectrum of combined structural and stratigraphic effects, ranging from mildly flexed strata of relatively uniform characteristics to the steeply inclined, highly deformed, crushed, and friable deposits which are typical of the 'mountain' coals. Coking properties of the coal may be relatively constant, or vary somewhat in response to composition. Commonly, FSI values are low where the seam is exposed in outcrop, and coking properties may be destroyed in the more structurally deformed deposits through deep oxidation by circulating ground waters.

The Kootenay coal measures which underlie the Fernie and Elk River basins contain 10 or more mineable seams, with aggregate thickness in excess of 150 feet. Of these, the Balmer and correlative seams which occur at the base of the sequence may be up to 50 feet thick, and this factor, together with favourable strip-ratios in the currently developed mine areas, accounts for most of the reserves committed to date. The Kootenay coals generally exhibit good coking characteristics and are low in sulphur.

Regional potential of the Gething and Gates Formations is less well defined. However, a combined total of at least seven mineable seams of medium and low-volatile bituminous coking coal has been identified along much of the foothills belt southeastward from Peace River to the Alberta border. Prospective mine areas which have been most thoroughly investigated to date are situated within broadly synclinal, structurally less-deformed blocks, which appear amenable to underground mining. Other local areas, situated along thickened fold limbs, appear to offer attractive open-pit potential.

The intensively mechanized, high-capacity surface-mining operations developed in the East Kootenays emphasize the importance of accurate pre-production assessment of structural, stratigraphic, and quality control aspects of reserve evaluation. These factors, together with intensive mine planning and systems and plant design, are essential in meeting throughput and coal specification requirements of a successful metallurgical coal operation. Continued success of hydraulic mining systems by Kaiser Resources Ltd. holds promise for future underground development of thick steeply inclined seams.

Local deposits of lignite, sub-bituminous, and high-volatile bituminous coals, of Upper Cretaceous and Tertiary age, occur in widely scattered areas of British Columbia. Size and economic potential of these, including possible reserves in the former coal-mining areas of Vancouver Island, are comparatively small, although of potential value for base-load power development as energy costs ¹ continue to increase. Deposits planned for investigation include Hat Creek, Princeton-Tulameen, Suguash, and Comox – Tsable River.

RESERVES

As of December 31, 1973, total coal resources of British Columbia on a geological *in situ* basis were estimated at 65.3 billion tons in all categories (measured, indicated, and inferred).* Of this, medium and low-volatile bituminous, potential metallurgical coking coal accounted for some 62.0 billion tons, representing about 95 per cent of the known provincial resource and about 69 per cent of the Canadian total of this class. Assessment of 'thermal' lower rank coals (lignite, sub-bituminous, and high-volatile bituminous) is limited by lack of reliable data; on a very provisional basis, the *in situ* resource is estimated to total 3.3 billion tons of inferred and possible 'thermal' coal and this will likely be expanded substantially as new exploration proceeds in response to increasing demand.

Proven and mineable reserves of metallurgical coking coal, based on existing extraction technology and economics, are estimated provisionally at 1.45 billion short tons. This figure represents only 19 per cent of the measured resource, and can be expected to increase substantially in response to development of mine inventories, or as technological and economic factors change. On the most conservative basis, this 'shelf-inventory' position, after adjustment for mining extraction and beneficiation factors, represents some 805 million short tons of metallurgical coal product. On the basis of currently contracted annual production of 8.4 million tons, the reserves represent sufficient supply for 96 years of operation, or, to state the potential in different terms, would support a mining rate of 43 million tons per year (yielding 32 million tons of product coal annually) for the next 25 years to 2000 AD.

Reserve studies, including revision of resource estimates and refinement of mining, economic, and utilization factors in assessment of reserve categories, were continued during 1973.

DEVELOPMENT AND EXPLORATION

During the middle and late 1960's increased world demand for metallurgical coal and need for suppply diversification by the Japanese steel industry, provided incentive for Western Canadian coal operators to undertake development of new and existing mines, and to finance or support modernization and construction of rail and port facilities required for large-scale coal-export operations.

The first significant production increase occurred during 1970 when Kaiser Resources Ltd. commenced shipment at a projected annual rate of 5 million long tons under a 15-year contract with Mitsubishi Corporation. Various technical problems in maintaining productivity and coal specifications, together with various rail and sea shipping disruptions, curtailed production during the first 30 months of full operation; however, these difficulties had been mostly overcome by late 1972, and improvement of the company's financial position, resulting from equity re-financing, increased export prices, and improved operational profitability, was achieved during the latter part of 1973.

* Revised and up-dated from Latour, B. A. and Chrismas, L. P., Preliminary Estimate of Measured Coal Resources including Reassessment of Indicated and Inferred Resources in Western Canada, *Geol. Surv.*, *Canada*, Paper 70-58.
| | Ra | w Coal Produc | tion | | | Coal | Jsed | | Coa | Sales | | Total Co | al - Sold and | Used |
|---|------------|---------------|------------|-----------------------|----------|----------------------|----------------|--------|------------|---------|----------------|------------|----------------|------------------|
| | Surface | Underground | Total | Clean Co
Productio | al
on | Plant Use
& Misc. | Coke
Making | Canada | Japan | Others | Total
Sales | Amount | Total
Value | Average
Value |
| الا المراجع الم | Tons | Tons | Tons | Толь | % | Tons | Tons | Tons | Tons | Tons | Tons | Tons | \$ | \$ per To |
| SOUTHEAST BRITISH COLUMBIA | | | ł | | | | | | | | | | | |
| Coleman Collieries Ltd. | 65,735 | | 65,735 | 51,016 | 77.6 | | | | 51,016 | | 51,016 | 51,016 | 602,849 | 11.82 |
| Fording Coal Limited | 3,793,571 | | 3,793,571 | 2,390,206 | 63.0 | | | | 2,295,998 | 224 | 2,296,222 | 2,296,222 | 22,962,217 | 10.00 |
| Kaiser Resources Ltd. | 5,767,389 | 1,235,270 | 7,002,659 | 5,330,848 | 76.1 | 4,200 | 247,542 | 74,690 | 4,959,313 | | 5,034,003 | 5,285,745 | 64,407,823 | 12,19 |
| NORTHERN BRITISH COLUMBIA | | | | | [| | | | | | | · | | |
| Coalition Mining Limited | 32,674 | | 32,674* | | | | | | | | | | | |
| Bulkley Valley Colliery Ltd. | | 300 | 300 | 268 | 89.3 | | | 268 | • | | 268 | 268 | 3,216 | 12.00 |
| TOTALS, 1973 | 9,659,369 | 1,235,570 | 10,894,939 | 7,772,338 | | 4,200 | 247,542 | 74,958 | 7,306,327 | 224 | 7,381,509 | 7,633,251 | 87,976,105 | 11.53 |
| Per Cent of 1973 Totals | 88.7% | 11,3% | 100.0% | 71.3% | | 0.1% | 3.2% | 1.0% | 95.7% | | 96.7% | 100.0% | | |
| TOTALS, 1972 | 8,050,678 | 1,022,272 | 9,072,950 | 6,577,466 | | 17,963 | 203,820 | 71,257 | 5,695,028 | 50,865 | 5,817,150 | 6,038,933 | 66,157,560 | 10.96 |
| Change, 1973/1972 | +1,608,691 | +213,298 | +1,821,989 | +1,194,872 | | 13,763 | +43,722 | +3,701 | +1,611,299 | -50,641 | +1,564,359 | +1,594,318 | +21,818,545 | +0.57 |
| Per Cent Change, 1973/1972 | +20.0% | +20.9% | +20.1% | +18.2% | | -76.6% | +0.2% | +5.2% | +28.3% | 99.6% | +26.9% | +26.4% | +33.0% | +5.2% |

TABLE 1 -- COAL PRODUCTION AND DISTRIBUTION BY COLLIERIES, 1973 (adapted and modified from Table 8B, Annual Report of the Minister of Mines and Petroleum Resources)

*Total production stockpiled.

The second major development, by Fording Coal Limited, commenced production early in 1972. This is a combined dragline and truck-shovel operation based on two large open pits, with an ultimate design capacity of 3 million long tons product coal annually. Improvement in operation of all newly commissioned large equipment was achieved during 1973, and the company increased raw coal production by some 43 per cent to 3.79 million short tons. Clean coal production of 2.39 million tons was more than double that for 1972; shortfall on Fording's export contract commitments was due largely to the railway strike and to port handling problems experienced during the latter part of 1973.

Exploration work in the East Kootenay and northeastern Foothills areas increased during 1973, with emphasis directed toward reserve development programmes, and advanced exploration and mine feasibility studies. Notable among these were operations by Kaiser Resources Ltd., Fording Coal Limited, Sage Creek Coal Limited, and Byron Creek Collieries Limited in the Fernie Basin, and by Utah Mines Ltd., Coalition Mining Limited, and Denison Mines Limited in the Carbon Creek to Quintette Mountain area of northeastern British Columbia.

At December 31, 1973, a total of 1,562 coal licences, covering approximately 900,000 acres, were held by some 32 companies or partnerships.

PRODUCTION

Production statistics, modified to indicate average and percentage comparisons are shown in Table 1. Several of the more significant factors are as follows:

- 1. Eighty-eight per cent of raw coal production was derived from surface mining operations, with the balance of 12 per cent from underground mines.
- Clean coal output, which totalled 7.77 million short tons, averaged 71 per cent of total raw coal mined. This average recovery compares closely with that for 1972 (70 per cent), but differs in detail.
- 3. Increased minehead value for 1973 coal sales (\$87.97 millions) resulted principally from increased product output, combined with average value increase of about 5 per cent.
- 4. About 96 per cent of total coal product output was exported to Japan. Domestic coke production, which accounted for some 3 per cent of output, represented the second largest market.
- 5. Of five coal-mining operations active during 1973, two companies (Kaiser Resources Ltd. and Fording Coal Limited) accounted for 99 per cent of output.

Coal



Figure 53. Fernie Basin: geology and coal licences.

EAST KOOTENAY INSPECTION DISTRICT

By R. W. Lewis and G. L. Bell

Total coal production from the East Kootenay District during 1973 was 7,772,070 short tons of clean coal, an increase of 1,207,080 tons over the previous year. Kaiser Resources Ltd. and Fording Coal Limited produced 5,330,848 tons and 2,390,206 tons respectively. The remaining 51,016 tons was produced by Coleman Collieries Limited from the British Columbia side of their Tent Mountain open-pit operation. Almost all coal produced in the district was transported by C P, Rail to Roberts Bank for subsequent loading and shipment to Japanese markets.

Exploration work conducted in the district during 1973 amounted to approximately \$1.8 million, somewhat greater than undertaken in the previous year. Kaiser Resources Ltd. continued detailed reserves evaluation within and adjacent to the Harmer Ridge mine complex, and expanded their exploration programme in assessment of Crows Nest Industries Limited's lands in other parts of the Fernie Basin. Exploration and development work at Fording Coal Limited was directed toward extension of reserves north and south of the Clode and Greenhills open-pit mines. Rio Tinto Canadian Exploration Limited continued exploration of the Sage Creek coal deposits, and Byron Creek Collieries Limited intensified their drilling and mapping programme in anticipation of putting the Coal Mountain deposit into production in 1974. At year end, the latter company announced plans to produce open-pit 'thermal' coal for a 250,000-ton trial shipment to Ontario Hydro.

Kaiser Resources Ltd. continued to increase production in the Harmer Ridge open-pit complex, and for the second successive year, Michel Colliery produced in excess of one million tons from underground operations. Of Kaiser's total raw coal production of 7.00 million short tons, surface mining accounted for some 5.76 million tons (82.4 per cent) compared to some 1.24 million tons (17.6 per cent) mined underground. Almost all coal produced was treated at the Elkview preparation plant, with only sufficient coal being directed to the Michel plant to keep the by-product plant in operation. Fording Coal Limited increased 1972 production by some 43 per cent to 3.79 million short tons of raw coal, which after treatment yielded 2.39 million tons of cleaned product coal. Mining operations continued throughout the year in the Greenhills dragline pit and the Clode truck-shovel pit, and gradual improvement in operation of all newly commissioned large equipment was achieved. Stabilization of the mine work force also improved during 1973.

SAGE CREEK COAL LIMITED. (Fig. 53, No. 1)

 LOCATION: Lat. 49° 06' Long. 114° 34' (82G/2E) In the lower Flathead Valley; property is situated on Cabin Creek, approximately 2 miles upstream from its junction with the Flathead River.
LICENCES: CL Nos. 374 to 411, 986 to 989, 1880 to 1886 held by Sage Creek Coal Limited; CL Nos. 603 to 605 held by Crows Nest Industries Limited.

OPERATOR: RIO TINTO CANADIAN EXPLORATION LIMITED, 120 Adelaide Street West, Toronto, Ont.; R. A. Benkis, Geologist, Special Projects.

. 1

DESCRIPTION:

Kootenay Formation rocks underlie a comparatively narrow arcuate east-dipping outcrop belt along the easterly side of the Howell Creek structure, and are terminated on the northeast by the Harvey fault. Locally, as many as five seams of mineable thickness occur throughout the Kootenay sequence. Within the subject prospect, their structural attitude indicates a comparatively uniform dip-slope profile amenable to strip-mine operation. To the south of Cabin Creek, structural continuity is broken by several closely spaced normal faults of relatively small displacement, which, however, may not seriously affect extraction by open-pit methods.

Aggregate thickness of the three commercial seams is approximately 100 feet. The coal is medium volatile bituminous, with average proximate analysis of 68 per cent fixed carbon, 23 per cent volatiles, 9 per cent ash, and 0.5 per cent sulphur, with FSI 6, and calorific value of 14,000 Btu per pound.

WORK DONE:

Approximately 5 miles of roads was constructed to gain access to adit and drilling sites on CL Nos. 374, 375, 392, 393, 396, and 989. Six adits, with a total length of 2,119 feet, were driven and bulk-sampled. Twelve rotary holes, with aggregate total depth of 6,700 feet, were drilled and logged. Detailed surface geological mapping and adit mapping were completed.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 626.

BYRON CREEK COLLIERIES LIMITED (Fig. 53, No. 2)

LOCATION:	Lat. 49° 30′	L	ong. 114°40′		(1	B2G/10E)
	On Coal Mour	ntain, extendi	ng approximat	ely 3 mites	south c	of Corbin.
LICENCES:	Lots 6997 and	6999 (private	coal lands).			
OWNER:	BYRON CREE	EK COLLIER	IES LIMITED	, Box 270,	Blairmo	ore, Alta.;
	E. Fabro, V	ice-President	and General	Manager;	V. H.	Johnson,
	Consulting Geo	ologist.				

DESCRIPTION:

Kootenay Formation coal seams occur in complex multiple synclines controlled by folded reverse faults and imbricate slices. There are at least two seams of mineable thickness which are commonly intensely deformed and abnormally thickened. Underground mining, which was undertaken during the period 1908 to 1935 was generally unsuccessful because of structural problems, and susceptibility of the coal to spontaneous combustion. Within the prospective open-pit area being developed, the main seam is reported to thicken to as much as 300 feet, and it appears probable that considerable tonnage of 'thermal' coal may be developed within parts of the deposit.

WORK DONE:

Forty-seven diamond core holes, totalling 19,280 feet, and four reverse-circulation rotary holes, with aggregate depth of 1,265 feet, were drilled respectively by Canadian Longyear and McAuley Drilling Limited. Geological mapping at scale 1 inch equals 400 feet was completed and the property was flown for detailed photo-topographic mapping.

Coat



Plate XXIVA. Harmer Ridge: Open-pit operations showing 25-yard shovel loading raw coal into 100-ton truck. (*Courtesy Kaiser Resources Ltd.*)



Plate XXIVB. Sparwood: Elkview preparation plant — cleaned coal is loaded into unit trains from the storage silos at left centre of photograph. (Courtesy Kaiser Resources Ltd.)

Road rehabilitation work included installation of new culverts and 'water-bars' to handle snow melt and spring run-off.

DEVELOPMENT: The company is currently engaged upon mine planning and open-pit design, with the intention of going into production in the latter half of 1974 on the basis of an initial 250,000-ton contract with Ontario Hydro. Development proposals include hauling the pit-run coal to a screening plant situated at the northeast corner of Lot 6999 (site of the original Corbin Collieries preparation plant), where it will be sized and dry-cleaned. The product will then be trucked approximately 13 miles to a new rail spur at McGillivray Loop, and stockpiled for subsequent shipment by C P Rail.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 627.

KAISER RESOURCES LTD. (Fig. 53, No. 4)

LOCATION:	Lat. 49° 45′	Long. 114° 45'	(82G/10, 15)
	Michel and Harme	r Ridge areas, adjacent to Highw	ay 3.
LICENCES:	Lots 4588 and 45	89 (private coal lands); CL Nos	. 160 to 263, 500 to
	506, and 564 to 5	71.	
OWNER:	KAISER RESOU	RCES LTD., Box 2000, Sparw	ood; R.W. MacPhail,
	Vice-President and	d General Manager; W. J. Riva, N	/ice-President, Mining
	Operations; L.W.	Riffel, Superintendent, Pit Ope	erations; D. E. Bodie,
	Superintendent, N	Aaintenance; A. W. Grimley, Su	perintendent, Under-
	ground Mining; L.	J. Lindsay, Superintendent, Coa	I Processing.

DESCRIPTION:

Kaiser Resources Ltd.'s lands contain the major coal reserves of the Fernie Basin. The Kootenay Formation, which attains a thickness of about 2,200 feet, underlies the entire basin and outcrops along a prominent peripheral escarpment below Blairmore conglomerates, terminating northward in a broadly synclinal pitch culmination in the Michel Creek area. Here, the Kootenay contains up to 10 mineable seams, ranging in thickness from 5 feet to 55 feet, with aggregate coal thickness in excess of 150 feet.

Currently, only the north end of the basin is under active development. This includes the Harmer Ridge open-pit complex, the South Balmer hydraulic mine, and the North Balmer underground mine. All extraction is from the No. 10 (Balmer) seam, which averages about 50 feet in thickness.

Development in the Harmer Ridge area is in a broad, mildly deformed upper thrust plate on the east limb of the syncline. Dip of the Balmer seam within the pit flattens westward and southward from about 20 degrees. Minor fault repetition occurs within the pit, and substantial displacement along the West Harmer normal fault limits the westerly extent of current pit operations.

The 'main block' reserves of the Adit 29 and Camp 8 area have a similar configuration, whereas those of the Camp 40 area to the east are in the underlying plate of Kootenay Formation, and the sequence is generally more deformed, with multiple repetition by low-angle thrust faults.

The South Balmer hydraulic mine is situated at the north end of Sparwood Ridge, in the west limb of the syncline. Within the hydraulic development area, which extends up-dip from the previous underground workings, dip of the Balmer seam is 35 degrees to 45 degrees northeast, with maximum cover of about 800 feet.

Coal

WORK DONE:

During 1973, the company continued to mine the open pits on Harmer Ridge and the two underground mines at Michel. Most of the Harmer Ridge production was derived from the Harmer No. 1, Adit 29A, and Adit 40A open pits, whereas the bulk of the underground coal was produced from the South Balmer hydraulic mine. The raw coal was processed at the Elkview preparation plant, and loaded there into unit trains for dispatch to the Roberts Bank port terminal. The by-product plant at Michel continued to produce coke, 'breeze,' and coal tar throughout 1973. Work continued in exploration, development, and land reclamation during the year.

OPEN-PIT MINING: L.M. Dwarkin, Chief Mine Engineer; J.B. Murphy, Chief Geologist.

Production from individual open pits situated within the Harmer Ridge mine complex was as follows:

	Rock	Metallurgical	Steam
Pit	Stripped	Coal Produced	Coal Produced
	broken cubic yards	tons	tons
Harmer 1	2,737,791	2,676,000	146,104
Harmer Lobe	9,240	122,375	****
Harmer 2	11,192,222	110,897	44,954
Adit 29A	22,325,628	1,612,441	30,593
Adit 29W	144,879		
Camp 8		27,817	
Adit 40A	2,426,692	1,071,167	86,292
Adit 40B	516,876		
Totals	39,353,328	5,620,697	307,943

In the Harmer No. 1 pit, dragline stripping was completed by year-end, and the Page 56-cubic-yard dragline was dismantled for transfer from the property. Part of Harmer 1, and all remaining pits, were worked by truck-shovel method. Average strip ratio for total coal produced was 6.64:1 and for metallurgical coal only was 7.0:1.

Total rock production drilling was 1,363,264 feet. Total explosives of 15,904 tons, including 10,840 tons of AN/FO and 5,064 tons slurry, were used for breakage.

One 15-yard shovel, three 200-ton trucks, five 100-ton trucks, and two 834 wheel dozers were added during the year. Principal equipment in use at year-end was: one 54-yard dragline, four 25-yard shovels, three 15-yard shovels, two 10-yard shovels, five 60-R drills, one 45-R drill, twenty 200-ton trucks, twenty-eight 100-ton trucks, four front-end loaders, and twenty-two track and wheel dozers.

DEVELOPMENT AND EXPLORATION GEOLOGY: Pit mapping, quality control, and reserve forecasting procedures in the Harmer Ridge development area included results of 51 drill holes, totalling 12,805 feet, and completion of three adits, with total drivage of 597 feet. One 1,200-foot hole was drilled in location of a new access tunnel at the South Balmer hydraulic mine. Exploration assessment, including detailed geological mapping, was expanded during 1973, with work in the Greenhills, Coal Creek Pass, Lodgepole Creek, Burnt Ridge, Taylor Mountain south, Marten Ridge, Tent Mountain, and Sparwood Ridge areas. Fifteen adits driven for bulk sampling of seams in the Greenhills, Burnt Ridge, and Lodgepole Creek prospect areas totalled 2,243 feet. Twelve and one-third miles of new roads was constructed, and 101 miles of existing roads improved.

RECLAMATION AND ENVIRONMENTAL CONTROL: Slash disposal and clean-up were carried out in the Harmer Ridge and Wheeler Ridge areas, and included 8 miles of road clearing in the Leach Creek to Marten Ridge area and 1 mile of road work in the Burnt Ridge prospect.

Reclamation procedures were undertaken in the following areas: Erickson pit, 30 acres, resloping, seeding, planting; Baldy pit, 15 acres, seeding, planting; Michel surface refuse pile, 2 acres, seeding, planting; McGillivray pit, 26 acres, seeding, planting; Michel refuse pile, 6 acres, planted; Elkview A and B Lagoons, 25 acres, planting; hydroseeding, 53 acres; C seam, 14 acres, site preparation; Lower C seam, 6 acres, site preparation; D seam, 3 acres, site preparation; Harmer Knob, 20 acres, site preparation; total, 200 acres.

The site assessment research programme to correlate survival of grass and tree species to site factors was continued. Seeds of eight shrub species were collected and stored for future use.

ELKVIEW PREPARATION PLANT: L. J. Lindsay, Superintendent.

Raw coal from the Harmer open-pits and the two underground mines was broken to 4 by 0 size range, and stored in four silos of 8,000 tons total capacity. The coal was then moved by conveyor into the preparation plant where it was divided into four size ranges for treatment. The 4 by 3/8-inch coal was treated in heavy media vessels, the 3/8 by 28 mesh in heavy media cyclones, the 28 by 100 mesh in hydrocyclones, and the minus 100 mesh was treated by flotation.

The clean minus 3/8-inch coal was dried in a fluid bed thermal dryer, and added to the clean coarse product for storage in four silos of 60,000 tons total capacity. Unit trains were loaded from the base of the clean coal silos.

Coarse refuse from the plant was hauled by scrapers to the spoil area where it was layered and compacted. The minus 28 mesh tailings were fed into lagoons for dewatering.

The preparation plant operated in a very satisfactory manner throughout the year. Daily throughput of approximately 25,000 tons yielded about 20,000 tons of clean coal product, meeting current market specifications of 9.5 per cent ash, 8 per cent moisture, and minimum FSI 6.

MICHEL COLLIERY: A.W.T. Grimley, Mine Manger; J. Anderson, Assistant Mine Manager; W. Davey, Superintendent, Balmer Hydraulic Mine; H. Eberts, Superintendent, Balmer North Mine; A. Webster, Safety Co-ordinator; G. Lancaster, Superintendent, Surface Operations.

The colliery is situated at Michel, on the Crowsnest Branch of the Canadian Pacific Railway, 24 miles east of Fernie. The colliery comprises two mines, developed in the No. 10 (Balmer) seam.

Coal

Both underground mines were regularly inspected during the year, and throughout 1973 all report books kept at the mines, in accordance with the provisions of the *Coal Mines Regulation Act*, were examined and found in order.

To dilute coal dust, 2,172 tons of crushed limestone dust was used for application to the roof, ribs, and floor of the roadways in both mines. A further substantial tonnage of limestone dust was also used in the building of stoppings against worked-out areas of the mines. Monthly mine dust samples were collected from both mines and analysed in the laboratory. All the samples were above the minimum requirement of incombustible content.

Monthly examinations were made by the Miners' Inspection Committee at both underground and surface operations. Regular monthly meetings were held at the company offices by the inspection and safety committee, in accordance with the provisions of Section 21 of the *Coal Mines Regulation Act*.

BALMER NORTH MINE: This mine is situated on the north side of the valley. The seam is approximately 50 feet thick, dips 20 degrees in a southwesterly direction, and contains good quality low volatile coking coal.

The method of working the seam in this mine is by mechanized room development and partial pillar extraction. A panel system is used, with the main multiple entries being driven against the hangingwall of the seam and in the direction of strike of the seam. The method of work has been adequately described in former Annual Reports of the Minister of Mines and Petroleum Resources, and there was no change in the method or the equipment used during 1973. For the most part of the year the mine was equipped for production from three completely separately ventilated panels. However, because of acute manpower shortage, machine utilization and mine production fell considerably below the normal expected level.

Ventilation is by a Joy electrically driven 400-horsepower exhausting fan, providing the mine with approximately 275,000 cubic feet per minute of ventilation. A 600-horsepower diesel standby drive is available to operate the mine fan in the event of an interruption to the power supply. During cold winter months, two Joy 100-horsepower forcing fans are used, in conjunction with mine air heaters, to safeguard against freezing problems in the two main intake rock tunnels serving the mine.

Total production from the mine during 1973 was 356,232 tons.

SOUTH BALMER HYDRAULIC MINE: The mine is situated on the south side of Michel Creek. The Balmer seam here is approximately 50 feet thick, dips approximately 45 degrees northeast, and yields a low volatile good quality coking product.

The system of working the seam is described as hydraulic panel, with the main entries and sublevels being driven to the rise at about a 7-degree inclination. The system of hydraulic mining has been adequately described in previous Annual Reports of the Minister of Mines and Petroleum Resources, and there was little change in either the system or the equipment used during 1973. The only change that occurred during the year was in the mode of transportation of development coal from the working face outbye to the mine dewatering station. The shuttlecars formerly delivered the development coal onto a trunk belt conveying system, whereas during 1973 this coal was transported out of the mine by hydraulic flumes.

Coal

580

During the year a major development roadway in rock was driven from outside to connect with and facilitate development of the No. 5 panel. This work was done by Harrison Rock and Tunnel Company Limited, Vancouver.

The mine is divided into two completely separate ventilation sections, each being ventilated by 100-horsepower Joy axivane forcing fans, supplying the mine with approximately 220,000 cubic feet per minute of ventilation. Total production from the mine during 1973 was 913,614 tons.

MICHEL BY-PRODUCT PLANT: G. Lancaster, Superintendent; T. Melville, Foreman. During 1973, 159,830 tons of coke and 759,239 gallons of coal tar were produced.

MICHEL PREPARATION PLANT: G. Lancaster, Superintendent,

Coal is hauled to the plant by truck from the mine and dumped into storage silos, thence it is moved by belt conveyors to the plant where it is sized and screened. The minus ¼-inch size range is diverted to storage bins and then used in the by-product plant for the production of coke and coal tar. The above ¼-inch size range is loaded for commercial use, or transported for treatment to the Elkview coal preparation plant.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 629

CROWS NEST INDUSTRIES LIMITED (Fig. 53, No. 3)

LOCATION:	Lat. 49°56′	Long. 114° 46′	(82G/15)
	On ridge west of Li	ne Creek, a tributary of Fording F	River.
LICENCES:	CL Nos. 294 and 29	95.	
OWNER:	CROWS NEST INE	USTRIES LIMITED, Box 250, I	Fernie; J. J. Crabb
	Vice-President, Exp	loration	

DESCRIPTION:

Up to 11 lower Kootenay Formation coal seams of mineable thickness underlie Line Creek ridge, which forms the west limb of the Fording River syncline in this area. General configuration is a comparatively simple, progressively flattening dip-slope deposit; however, seam deformation and thickening occur toward the easterly side in the vicinity of the synclinal axis, and the section is apparently fault-terminated along the west side of Line Creek.

WORK DONE:

Eleven drill holes, totalling 1,932 feet, were completed during October and November 1973. Reclamation work included road maintenance and seeding of test pits Nos. 9 and 10.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 633.

FORDING COAL LIMITED (Fig. 53, No. 5)

- LOCATION: Lat. 50° 12′ Long. 114° 52′ (82J/2W) The property is situated in the upper Fording Valley, approximately 30 miles north of Sparwood.
- LICENCES: Seventy-five coal licences owned by Fording Coal Limited and Canpac Minerals Limited.

OWNERS: Fording Coal Limited, Canpac Minerals Limited, and Cominco Ltd.

OPERATOR: FORDING COAL LIMITED, Box 108, Sparwood (managed by Cominco Ltd., Trail); R. M. Porter, President; O. I. Johnson, Manager, J. B. Donald, Superintendent, Mining; M. Malnarich, Assistant to the President and Superintendent, Processing; G. W. Lee, Superintendent, Shops and Services; J. R. Greenhalgh, Acting Mine Production Superintendent; G. R. Parry, Mine Engineer; A. C. Taplin, Senior Mine Geologist; T. S. Mathieson, Supervisor, Administrative Services.

DESCRIPTION:

Kootenay Formation coal seams occur in two broad north-trending synclines, situated one on either side of the Fording River, which is the locus of the regional west-dipping Erickson fault. Ten seams of significant thickness are present in the currently developed mine areas located on the east limb of the Greenhills syncline (Greenhills pit) and west limb of the Eagle Mountain syncline (Clode pit). The latter structure is complicated by a flat-lying thrust fault in the lower slope of Turnbull Mountain, resulting in repetition of the lowest seam ('Repeat 4' pit). Plant site elevation in the valley bottom is 5,500 feet, with coal outcrop in the Eagle Mountain section ranging up to 7,300 feet.

WORK DONE:

Production from the Greenhills dragline pit and the Clode truck-shovel pit continued throughout the year. The 'Repeat 4' pit, situated below and at the northern extremity of the Clode pit area, was completed and worked out by February 1973. Development drilling and reserve assessment work continued throughout the year.

EXPLORATION AND DEVELOPMENT: An extensive drilling, mapping, and sampling programme to verify reserve requirements and provide data for long-term mine planning, was commenced in May and carried on until late in the year. Detailed work, which was concentrated on the west shoulder of Turnbull Mountain, the west face of Eagle Mountain, and the north and south extensions of the Greenhills pit area, included 8,092 feet of core and 26,566 feet of rotary drilling, and approximately 82,000 lineal feet of trenching and seam mapping. Small reconnaissance drilling programmes were conducted on Henretta Mountain and on Brownie Creek, situated respectively 4 miles north-northeast and 2,25 miles east of the treatment plant site.

Results of the Turnbull Mountain programme indicate northward extension of a flat-dipping thrust fault similar to that noted in the 'Repeat 4' pit; despite this structural complexity, several potential pit areas are indicated. On Eagle Mountain, drilling confirmed down-dip continuity of seams 4 to 13, providing data for southward extension of the Clode pit area. Thickening and structural repetition of B and D seams were noted on the west side of the Erickson fault, indicating somewhat greater reserve potential in the South Greenhills extension area.

MINE PRODUCTION: Employees increased from 111 staff and 501 general on December 31, 1972 to 135 staff and 549 general on December 31, 1973, a total at year-end of 684 employees.

A special Mine Projects Group was established to study long-term mine planning requirements. Golder Brawner and Associates inspected and reported quarterly on the Clode spoil dump stability, and generally endorsed operating and monitoring techniques used.

CLODE CREEK PIT (including 'Repeat 4'): Mining continued down to the 6500 bench during the year. Quantities excavated were as follows: waste, 10,898,140 cubic yards; metallurgical coal, 1,623,615 long tons; oxidized coal, *nil*. Average strip ratio was 6.7:1 (cubic yards to long tons). The 'Repeat 4' pit was completed in February.

GREENHILLS PIT: Continued dragline production yielded the following: waste (including rehandle), 4,134,696 cubic yards; metallurgical coal, 1,635,830 long tons; oxidized coal, *nil.* Average strip ratio was 2.52:1.

SUMMARY OF MINE QUANTITIES: *Material quantities:* waste, 15,032,836 cubic yards; metallurgical coal, 3,259,445 cubic yards; oxide coal, *nil*; total, 18,292,281 cubic yards. *Blasting agents consumed:* bulk AN/FO, 10,64,9694 pounds; bulk slurry, 4,229,710 pounds.

PROCESSING: Statistics for the year are as follows: raw coal treated, 3,501,062 long tons; cleaned coal produced, 2,206,151 long tons; cleaned coal shipped by rail, 2,118,827 long tons; average analysis of product (air dried): ash, 8.8 per cent; volatile, 22.4 per cent; fixed carbon, 67.9 per cent; sulphur, 0.33 per cent; FSI, 6.

TOWNSITE: During the year a further 50 homes were started on a newly serviced 70-lot subdivision. A 30-unit apartment, 40-lot mobile home subdivision, and a commercial development, containing a shopping mall and 20-room hotel were started during 1973 and were well advanced at year-end.

Single accommodation is available for 416 men, Married accommodation included 176 detached homes, 158 privately owned mobile homes, and 14 company-owned mobile homes.

NORTHERN INSPECTION DISTRICT

By G. L. Bell and D.I.R. Henderson, except as noted

MCINTYRE PORCUPINE MINES LIMITED

(MONKMAN PASS PROPERTY) (Fig. 54)

- LOCATION: Lat. 54° 45' Long. 120° 30' (931/8, 9, 10, 15) Along the eastern foothills of the Rocky Mountains between the Narraway River and Kinuseo Creek.
- LICENCES: CL Nos. 1158 to 1162, 1165 to 1195, 1197, 1198, 1200 to 1259, 1261, 1262, 1267, 1272, 1286.

Coal



Figure 54. Foothills Belt, Northeastern British Columbia: geology coal licences.

- DESCRIPTION: The licence blocks cover narrow linear belts of Lower Cretaceous rocks of the inner foothills, extending some 47 miles northwest-southeast, from Kinuseo Creek to Narraway River. Coal-bearing strata of the Gething and Gates Formations are variably exposed across northwesterly trending *en echelon* folds cut by southwesterly dipping thrust faults.
- WORK DONE: Extensive trenching and helicopter-supported reconnaissance geological mapping were carried out during the year. Approximately 15 miles of access roads was completed.

DENISON MINES LIMITED (QUINTETTE PROJECT) (Fig. 54)

LOCATION:	Lat. 54° 55′	Long. 121° 03′	(931/14, 15)
	Along the foothill	s front between Bullmoose Cree	k and Kinuseo Creek,
	about 60 miles sou	th-southeast of Chetwynd.	
LICENCES:	CL. Nos. 1303 to	1427, 1887 to 1907, 2174 to	2191, 2464 to 2489,
	2607 to 2669.		
OWNER:	Quintette Coal L	td. (joint venture agreement w	ith World Resources
	Company).		
OPERATOR:	DENISON MINES	LIMITED (Coat Division), 150	0, 444 Fifth Avenue
	SW., Calgary, Alta	.; D. M. Parkes, Chief Engineer;	A. A. Johnson, Chief
	Geologist: G. P. Go	ormley, Project Manager.	

DESCRIPTION:

The Quintette joint-venture project covers an extensive licence group straddling the coal-bearing Lower Cretaceous belt of the inner foothills, extending some 15 miles both northwest and southeast of Murray River. Potentially economic seams which occur in the Upper Gething Formation and middle part of the Gates Member (Commotion Formation) underlie five main prospect areas of varying structural complexity: Babcock, Wolverine North, Five Cabin Syncline, Wolverine South, and Quintette. All coal is medium volatile bituminous, with excellent coking and cleaning characteristics. Reserves outlined to date indicate major underground and limited open-pit mining potential.

WORK DONE:

Detailed geological mapping of the Waterfall Creek syncline, situated on the southwest flank of Babcock Mountain, was commenced in August. Nine diamond-drill holes were spotted on targets defined in the mapping programme, and a total of 9,656 feet HQ core hole was logged with combined gamma-neutron and density-caliper instrumentation. Limited trenching was used to expose seam sections in overburden areas. Approximately 10 miles of limited-use road was constructed from Grizzly Valley access road to the Murray camp, and some 15 miles of drill and trench access roads were constructed on the licences.

Studies relating to feasibility of hydraulic mining in the Waterfall Creek syncline area have been initiated.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 639.

COALITION MINING LIMITED (Fig. 54)

LOCATION:	Lat. 55° 14′	Long. 121° 38′	(93P/4E)
	Sukunka River ar	ea, 36 miles south of Chetv	wynd, on the west slope of
	Bullmoose Mount	ain.	
LICENCES:	CL Nos. 1062 to	1066, 1069 to 1102, 1153, 1	154.
OWNER:	National Trust Co	ompany Limited.	
OPERATOR:	COALITION MI	NING LIMITED, 1103, 11	77 West Hastings Street,
	Vancouver; N, E	. Roberts, Operations M	anager; J. Burns, Mine
	Manager; G. R. Jo	ordan, Project Geologist.	

DESCRIPTION:

The Coalition deposit occurs in high relief foothills terrain east of the Sukunka Valley. Two seams of medium volatile, low ash metallurgical coal occur in the Upper Gething sequence. The lower and upper seams, termed respectively 'Chamberlain' and 'Skeeter' each average about 8 feet in thickness and are separated from each other by some 20 to 40 feet of thin-bedded siltstone and laminite. Good seam continuity occurs throughout the area investigated.

Regionally, the prospective mine area lies in a mildly deformed block situated west of the Bullmoose fault complex, a zone of steeply dipping reverse faults and tightly compressed northwesterly trending folds. The prospective block has been cut into three broad plates by two main low-angle thrust faults of moderate displacement. Within each plate the strata are flat lying, or only mildly flexured; however, considerable slippage and small-scale thrust faulting are comparatively frequent, particularly near the top of the Chamberlain seam, and within the interseam sedimentary rocks.

Lack of seam partings, exceptionally low ash content, and good FSI values enhance the value of this coal for metallurgical purposes.

WORK DONE:

The trial mining programme which commenced in 1972 was continued; total drivage was 9,200 feet, and when mining ceased in October 1973, each entry had been advanced approximately 2,500 feet into the Chamberlain seam. Coal produced and stockpiled amounted to 32,674 tons. At year end the mine was being maintained on a 'caretaker' basis to prevent flooding of the workings.

Two test adits, totalling 300 feet of drivage, were completed in the Skeeter seam, and one diamond-core hole (220 feet) was drilled. Detailed underground mapping of the Chamberlain seam was completed by McElroy & Associates.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 640.

UTAH MINES LTD. (CARBON CREEK PROJECT) (Fig. 54)

LOCATION:	Lat, 55° 58'	Long. 122° 43′	(93O/15E)
	Along the Carbon	Creek drainage basin extending	southeastward from
	Williston Lake to B	eattie Peaks.	
LICENCES:	CL Nos. 1736 to 1	790, plus 10 Crown-granted lots.	,
OWNER:	UTAH MINES LI	D. (and BURNS FOUNDATIC	ON LTD.), 412, 510
	West Hastings Stree	t, Vancouver; D. S. Fullerton, D	istrict Geologist.

DESCRIPTION:

The Carbon Creek coal basin is a broad, comparatively simple, northwesterly trending syncline about 8 miles in width and 20 miles in length, contained within the more severely deformed *en echelon* fold belts of the inner foothills. The Lower Cretaceous Gething Formation, which attains a maximum thickness of some 1,300 feet, contains numerous thin coal zones, which vary laterally in thickness and quality. As many as 12 potentially economic zones, containing seams exceeding 4 feet in thickness, occur principally in the upper 900 feet of the Gething sequence. Structurally, the northern part of the basin is a shallow-dipping, southeasterly plunging syncline. This relatively simple configuration is progressively complicated to the southeast by subsidiary folds, and high-angle reverse faults.

WORK DONE:

Third-year operations were concentrated in the northern and central parts of the block, covering some 40 square miles on CL Nos. 1736-1767 and CL Nos. 319-328. Drilling programme to test continuity and quality of seam Nos. 14, 15, and 31 was contracted by Canadian Longyear. Total footage of 11 HQ diamond-core holes was 6,642 feet; in addition, five holes of 6-inch diameter core were drilled for bulk sampling.

Four and three-quarter miles of new access road was completed. Reclamation procedures included slash clearance and seeding of road shoulders and drill sites.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 643.

UTAH MINES LTD. (ADAMS PROJECT) (Fig. 54)

LOCATION:Lat. 56° 03'Long. 122° 30'(930/15E)At the headwaters of Gaylord Creek, approximately 12 miles west of
the W.A.C. Bennett Dam and 2 miles west of Mount Gething.LICENCES:CL Nos. 1720 to 1735.OWNER:UTAH MINES LTD., 412, 510 West Hastings Street, Vancouver; D. S.

Fullerton, District Geologist.

- DESCRIPTION: The licence area covers part of the northwesterly trending Adams syncline, which is underlain by Lower Cretaceous Gething Formation, bounded on the west side of the block by the Carbon fault.
- WORK DONE: Reconnaissance mapping at scale 1:50,000 was used to locate drill sites situated approximately 2 miles apart on CL Nos. 1725 and 1727. Two diamond HQ core holes, totalling 1,656 feet, were drilled by Canadian Longyear using helicopter support. Numerous thin coal seams were found to occur in the 1,000 feet of Gething Formation penetrated, but only one of these attained a thickness of 5 feet.

PAN OCEAN OIL LTD. (Fig. 54)

LOCATION:Lat. 55° 20'Long. 122° 00'(930/9E)Headwaters of Willow Creek and Johnson Creek, approximately 20
miles west-southwest of Chetwynd.Inite Section 2752.LICENCES:CL Nos. 2686 to 2752.

587

Coal

- OWNER: PAN OCEAN OIL LTD., 1050 Three Calgary Place, 355 Fourth Avenue SW., Calgary, Alta.
- DESCRIPTION: Prospect occurs within a moderately to tightly folded and faulted belt of Gething Formation situated on the northeast limb of the Falls Mountain syncline. Medium volatile, metallurgical-grade coal occurs within the Gething in this general area.
- WORK DONE: Five NQ core holes, totalling 3,321 feet, were drilled on CL Nos. 2738, 2740, and 2741.

CINNABAR PEAK MINES LTD. (Fig. 54)

- LOCATION: Lat. 55° 56' Long. 122° 08' (930/16E) On Coalbed and Johnson Creeks, about 15 miles southwest of Hudson Hope.
- LICENCES: CL Nos. 1019 to 1052 and 1155 to 1157.
- OWNER: CINNABAR PEAK MINES LTD., 7203 81st Avenue, Edmonton, Alta.
- DESCRIPTION: Coal seams occur within the Lower Cretaceous Gething Formation which attains a stratigraphic thickness of about 1,600 feet on both limbs and the southern end of a south-plunging anticline. Twenty seams ranging from 1.5 feet to more than 8 feet are reported. Coal in the upper part of the formation, particularly in the Trojan and Superior seams, appear to be of coking quality.
- WORK DONE: Three NQ diamond core holes, totalling 1,140 feet, were drilled on CL Nos. 1030 and 1035, and limited trenching was done in the same area. The work was supervised by Halferdahl & Associates Ltd. of Edmonton.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 642.

UTAH MINES LTD. (EAST MOUNT GETHING PROJECT) (Fig. 54)

LOCATION: Lat. 56° 03′ Long. 122° 20′ (94B/1W) Situated on the east flank of Mount Gething, between Gaylord Creek and Lake Williston.

LICENCES: CL Nos. 1651 to 1678.

- OWNER: UTAH MINES LTD., 412, 510 West Hastings Street, Vancouver; D. S. Fullerton, District Geologist.
- DESCRIPTION: The prospect is located on the western limb of the northwesterly trending Dunbury syncline; dips in this area are in the range of 10 degrees to 25 degrees northeast. A number of relatively thin medium-volatile bituminous coal seams occur in the Gething Formation, which attains a thickness in excess of 1,500 feet.
- WORK DONE: One HQ diamond-drill hole was drilled to depth of 750 feet on CL No. 1670. A number of thin coal seams was encountered, but only one of these, provisionally correlated with the Grant seam of the Peace River canyon sequence, exceeded 5 feet in thickness.
- REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 643.

UTAH MINES LTD, (DUNLEVY PROJECT) (Fig. 54)

LOCATION:	Lat, 56° 10′	Long. 122° 23'	(94B/1W)
	Ten miles northwest	t of the W.A.C. Bennett [Dam, on the north side of
	Williston Lake.		

LICENCES: CL Nos. 1648 to 1650 and 1679 to 1719.

OWNER: UTAH MINES LTD., 412, 510 West Hastings Street, Vancouver; D. S. Fullerton, District Geologist.

DESCRIPTION: The licence block covers the Dunlevy syncline area north of Williston Lake. The belt is underlain by Lower Cretaceous Gething Formation, which contains thin coaly strata generally correlative with the Peace River canyon area.

WORK DONE: One HQ core hole, to total depth 808 feet, was drilled on CL No. 1688. Although a number of coaly intervals and thin seams were penetrated, none of these exceeded 3 feet in thickness.

BULKLEY VAL	LEY COLLIERIES LT	D. (Fig. 54)		By J. F. Hutter
LOCATION:	Lat. 54° 35'	Long. 127°	10'	(93L/11E)
	On Goathorn Creek, 7 r	niles southwest	of Telkwa.	
LICENCES:	CL Nos. 164, 443 to 44	8, 522 to 527,	561 to 563, and 643	3 to 646, plus
	six Crown-granted lots.			
OWNER:	Bulkley Valley Collierie	s Ltd.		
OPERATOR:	BULKLEY VALLEY	COAL SALES	LTD., Box 39, T	elkwa; Lloyd
	Gething, Manager.			
WORK DONE:	The mine operated production of 300 ton tunnel on the south upstream from the old good seam of coal, appr face of the tunnel. Calc Btu per pound, with employed part time.	intermittently s of coal. Curr side of Goat bunkers, and a oximately 12 f prific value of 10 to 12 per	during the year rent operations invo Creek, approximat bout 30 feet above eet in thickness, is e the coal is reported cent ash content.	, with total olve driving a ely 500 feet creek level. A xposed in the to be 14,000 Two men are

.

REFERENCE: B.C. Dept. of Mines & Pet. Res., GEM, 1972, p. 644.

Coal

INDEX

Page

			E7
	A, 82E/13E		52
	A, 82F/6E	- • •	65
	A, 82L/7E	101, 1	02
	A, 92H/4E	1	24
	A, 921/9W	1	96
	A. 921/9W	1	99
	A 920/2W	2	266
	A 948/13F		888
	A 04D/7E 10E	2	107
	A, 94D/7C, 10C		14.4
	A, 940/10		199 10E
	A, 104G/6E, /W		000
	A, 104P/3E, barite		40
	A ZONE, 92H/5E, 6W	131, 1	32
	AA, 82M/1W	104-1	113
	AA, 921/9W	· · · · · ·	199
	Aalenian Resources Ltd.,		
	FAN NU 92H/10E		143
	Aaron Mining I to		
	LUV STONEY 02H/SW		120
	ASE ODM/44E		20
	A&E, 92N/11E	203, 4	204 34 E
	A&H, 921/14E	214, 2	219
	AB, 82L/6W, 11W	100,	101
	AB,921/6W	167,	168
	AB,93L/12E	:	346
	Abbotsford Gravel Sales Ltd.,		
	sand and gravel	!	558
	ABC, 82G/1W		83
	Ablett, A. A.		214
	ACCESS 92E/8W		228
	ACCESS 103P/6W		489
	ACE 925/25 65	 58	59
	ACE 925/32, 02	00,	65
	ACE 02F/04		27
	ACE 02E/11E 1/E	00	225
	ACE 040/10E	295	200
÷.,	ACE, 940/126	305,	500
	ACE, 104K/16E, asbestos	• • • •	530
	Acheron Mines Ltd.		
	ASH, 94B/12E, 13E	387,	388
	B, C, E, 92L/7W		259
	DEN, 921/11E	206,	207
	MARD1, 921/14E		215
	MO, 92L/12W	261,	262
	Acroll Oil & Gas Ltd.,		
1	BEAU, 921/14W	211,	212
	DON, RON, 92P/4E	270,	271
	BENE 921/14W		212
	ACTIVE 82M/12W		117
	AD 82M/4F	113	114
	AD 000/10E	110,	147
		•	147 201
	AU, 921/10C	• • • •	201
	AU, 948/13	••••	389
	ADA B, 92P/4E	• • • •	270
	ADAIR, 104P/3E, barite	• • • •	540

A

Adair, V 237
Adam Milling Ltd.,
RED CLIFF, 104A/4W 494-496
production
Adams, E
Adams, E. (Mrs.)
Adams J (Mrs.)
ADAMS PROJECT 930/15E coal 587
Adamson J S
ADANAC 93A/2W
Adapac Mining and Exploration Ltd.
ADERA 104N/11W 515
ADD 921/10E 201
ADD 02M/10M/ 36(
ADEDA 404N/11N/ 515
Adem Minima Limited and
Adera wining Limited, see
Western Adera Limited
ADI1, 104P/4E 517, 518
Adonis Mines Ltd.,
AXE, 92H/10E 142
BOSS, DAISY; 92H/15E 156, 157
Advent Developments Inc.,
ASH, 94B/12E, 13E 387, 388
YEW, 94B/12E, 11W
AETNA, 82E/2E 39, 40
AF, 92H/7E 132, 133
AFP, 93E/14E 329
AFT, 921/9E 192, 193
Afton Mines Ltd.,
AFTON, 921/10E 201
AG. 82E/6E 47, 48
Agate Bay Mining Ltd
TOM. 82M/4E 113, 114
A.G. Boyes Ltd., sand and gravel 553
Aggressive Mining Ltd.,
PC, JOW, 93E/13W
AGRICOLA, 82E/4E 43, 44
Agur, D. E
AJ. 82F/14W
AJAX.82E/1E
AJAX, 921/9W
A.IAX 920/1E
AJS 92P/1W:92I/16W
AI 92H/10E 14
AL 921/2W 16
AL 93A /6W/ 291 291
AL, 50/4/01
ALREDNI 025/25 23
Alberni even cand and group EF
Alberni area, sand and graver
Alberni map sneet, 92F 23
ALBERTA, 104A/4W
Alberta Gypsum Ltd.,
CHAPUT, 82L/7W, production 2

Page

.

Alberta Petroleum & Resources Ltd.,	
HOMESTAKE, MOLLY GIBSON,	
921/16W	218
PAM, 921/15E	217
ALBOB, 82F/14W	76
ALCO, 92G/10W 238,	239
ALDA, 93M/15E	361
Aldergrove Cement Tile Products,	
sand and gravel	558
Alert Bay map sheet, 92L	255
ALEXANDER, 921/16W	218
Albambra Mines Etd.	
JAM GOLDEN 921/10E	202
Allan W A	352
Allard Contractors Ltd. gravel	556
Allon Guy B 251	200
Allen I C	204
Atten, J. C	004
Allen Contracting Ltd., gravel	000
ALLIES, 921/15E	216
	357
	357
	384
ALTA, 82F/9E; 82G/12W 6	7-69
ALVA,93M/1W	354
ALWIN, 921/6E	172
Alwin Mining Co. Ltd., see	
Advent Developments Inc.	
AM, 921/6E 169,	170
AMANDA, 92H/16W	160
Amax Exploration, Inc.,	
DEER, PARK, 82E/8E	49
DEW, 94E/6E	461
HU, 104J/8E	513
KEN, 93K/3E	331
KID, 93K/7W	332
PEACH, PIT, 92P/14W	278
THEZAR, 93L/9W, 16W	344
WA, 93A/3W	288
WB, 92P/14W	278
WC, 92P/14W	279
WD. 92P/14W	277
Amax Potash Limited, see	
Amax Exploration. Inc.	
Amendolagine E	194
AMERICAN 82K/11W 94	95
AMERICAN EAGLE 82F/14W 74	. 75
American Smelting and Refining	,
Company	
PEV 02/7E 191	194
AMIE 92H/16W/	160
Amiga Silver Miner Ltd	100
۵۲۲/14۷۷ Carrier	11
Amoco Ganada Petroleum Company	
	000
AJ5,92P/1W;92I/16W	269

Amoco Canada Petroleum Company	
Ltd. (continued)	
FIND, 93L/9W	344
HAWK, 93N/13E; 94C/4E	369
LAY, 93L/9W	343
NOD. SL. CS. 92P/16W	283
OY 94C/3W	396
PBO 931 /16E	350
SAT 031 /16W	340
TYCER 02N/6F	266
AMP DON 14/10 12E-04C/2 4	270
AME, 93N/14W, 13E; 940/3, 4 ,	3/9
AMY, 82E/4E	43
AMY, 1040/16W	516
Anaconda Canada Limited,	
BRITANNIA MINE, 92G/11E	239
production	24
Anahim Lake map sheet, 93C	319
ANCHOR, 82E/2E	41
Anchor Mines Ltd.,	
BOB, 94B/13E	388
YEW,948/12E,11W	386
Anderson, J.	579
ANDY, 92G/11E 239,	240
ANDY, 104P/6W 518,	519
Anglo American Corporation of	
Canada Exploration Limited,	
ETTA 103J/1W 487.	488
LSD 93N/2E	364
Anglo-Bomarc Mines Ltd.	
AB 921/6W	168
MEL 921/6E 168	169
ANITA 92H/10F 142	143
ANITA (BUTTERWORTH) 924/10E	140
ANITA (BOTTERMONTH), S21/10E	147
ANNI ODE/1E	194
ANN, 022/15	, 30
MARSHALL	40
ANN, 92H/10E	145
ANN, 921/7W 175-	177
ANN, 93M/2E	354
ANNA, 82F/14W	74
ANNA,93E/11E	320
Annacis Island, sand and gravel	556
ANNE, 82L/6E	101
ANNE, 93A/2W 287,	288
ANNETTE, 82K/9W, 10E	92
ANNEX, 82F/3W	59
production	22
ANNIS, 82L/14E	104
ANNY 93L/16E	350
ANT. 92J/15E	252
ANT 93A/5E 288	289
ANTICI IMAX 92P/9W	276
Antier Creek placer	526
ANTON 826/26	220
Antopolli Truching 1 to annual	57
mitoneni i ruuking c.o., graver	ມປອ

Page

i

.

APEX, 92H/5E, 6W	131,	132
APEX, 921/6E		172
APEX, 92N/14E		264
APIA, 82E/12W		52
APRIL, 92F/10E		234
Aquitaine Company of Canada Ltd.,		
KEI, 94G/5W		469
QYR, IRA, 94G/4W, 5W		467
RUST, 94G/5W, 12W	469,	471
TRAP, 94G/4E		463
TRI, 94G/4W, 5W	467,	468
Aragon Explorations Ltd.,		
BEER, 92P/15W	•••	281
Arcadia Resources Ltd.,		
BRUNSWICK, 93M/4E		356
ARCHIE, 104G/3W	501	-504
ARD, 921/8W		190
ARD, 94D/9W, 16W		411
Ardo Mines Ltd.,		
ROOSEVELT, 104A/4W		494
ARGENTIA, 92P/2W	• • •	270
Argentia Mines Ltd.,		
FUR, FLO (DOORN), 82E/6E	. 47	7, 48
production	• • •	22
ARGENTUM, 82M/4W	• • •	114
Arjan Pacific Ltd.,		
HEWITT, 82F/14W	. 76	5, 77
ARK, 93H/4E		328
ARLEN, 93L/16E	• • •	351
ARLINGTON, 82E/2E	. 37	7, 38
ARLINGTON, 82E/11E	• • •	51
ARM, 82M/1W	104	-113
Armes, Agnes		525
Armes, Harold	• • •	525
Armour & Saunders Limited,		
sand and gravel	• • •	555
Armour Salvage (1949) Ltd.,		
sand and gravel	562,	563
Armside Mining Ltd.,		
KINKAM, 928/12E	223,	224
ARN, 82E/2E	•••	37
ARP, 94D/1W	• • •	401
Arrow Inter-America Corporation,		
ROBB LAKE, 948/13	•••	389
Arscott, D	• • •	/9
ART, 82J/13E, magnesite		001
ART, 92L/11W	200,	201
Assa, 92H/7E, pyrophyllite	221	552
Asamera On Corporation Ltd.,		
104P/45	417	, 110
104F/45,,	417,	410
asuesius, P D 024/1014/		620
N, U, 920/ 1000	• • •	530
AUE, 104N/10E		230
	600	607
CASSIAN WINE, TU4F/SW	536,	537

ASH, 92J/3E	243
ASH, 94B/12E, 13E	388
Ashcroft map sheet, 921	163
Ashcroft Besources Ltd.	
MM 921/10F	202
Achdown I B	216
	410
ASTIKA, 940/9W	410
ASTIKA (STI GROUP), 94D/9W 410,	413
ASP, 92H/8W	134
Aspen Grove Mines Ltd.,	
LIZ B, 82F/2E	53
MIX, 92H/15E 157,	158
ASTONISHER, 920/1E	265
Aston Resources Limited	
DW CUP 93E/12E 13E	321
AT 92H/10F 141	142
AT 104N/110	54C
	515
ATAN, 104P/3E, barite	540
Athabasca Columbia Mining Ltd.,	_ ,
CARIBOO-HUDSON, 93A/14W	294
Atlin area, placer	529
sand and gravel	560
Atlin map sheet, 104N	514
ATLUCK. 92L/2W 255.	256
ATT 82F/2F 39	40
$\Delta tton Minore t td$, 40
AJAA, WHEAL TAWAN, MONTE	
CARLO, 921/9W	197
Attila Resources Limited,	
DP, 93N/2E, 1W	364
AU, 82E/6W	47
AU, 82L/6W	100
AU, 920/4E	267
AUDRA, 921/9W	199
AUFEAS 92H/6W	132
AUGUST 104P/3E barite	540
AURUM 92H/11W 152	153
Aurus Mining Ltd	
	122
	100
Austro-Can Explorations Ltd.,	
FAP, SIG, DAN, 82E/12W	52
ROSEMONT, 82E/11E 50	, 51
AV, 921/13E 210,	211
AVA, 82M/1W 104-	113
Avalanche Industries Ltd.,	
LP, LB, 92H/10E	140
AWARD, 921/6E	170
AX.92H/4W 124	125
AXE 92H/10E	142
AVE 02E/15W-02K/2W	277
AXE, 331 / 1044, 331/244	000
תאבר, שסם/שעע	298
AXEL CODE	
AXEL, 938/9W	298
AZTEC, 93N/6W, 11W	366
Azure Resources Ltd.,	
EDEN, EZRA, 921/7W, 10W	180
AZURITE, 92H/8W	134
· · · · · · · · · · · · · · · · · · ·	
ļ	593

Page

В

B,92F/6E	233
B, 921/9W	196
B, 921/14W 212,	213
B, 92L/7W	259
B.920/2W	266
B. 93A/12E	293
B 94B/13F	388
B 94D/10 444	116
9 104C/11 507	500
P 1040/11 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	500
DAD 0014/4	040
BAB, 93W/1	352
BABE, 82F/3E, silica	564
BABINE CHIEF, 93L/15W 347,	348
Bacon, W. R.	
	369
BAD, 921/10W 203,	204
Bakken, Iris	541
Bakken, James	541
Bali Exploration Ltd.	
G. GG. R. RB. 93G/2W	328
Ballinderry Explorations Ltd.	
UNE 02H/15E	158
MUGMUMP 020/2W	266
	200
	000
B&B, 921/5¢	167
BANKER, 82E/4E 43	3, 44
BANKER, 103G/8E	484
BANKER, 104K/12E	514
BAR, 82E/4E	44
BAR, 921/6E	172
BAR, 92P/8E	272
BAR, 93K/3E	330
BARABAJACKAL, 82J/13E, magnesite	551
Barclay, S. W.	185
BARE 104G/8W	506
barita	000
ATAN 104P/3E	540
	520
DEAD MOORE DEAVED	000
BEAR, MOUSE, BEAVER,	
94M/14	540
BRISCO BARITE, 82K/16W	538
DENIS, 94M/11E	539
HOMESTAKE, 82M/4W	539
PARSON BARITE, 82N/2E	539
SHEILA, 93N/15E	539
TOBY CREEK, 82K/8W	537
BARITE. 92F/12E	236
BARN 94D/10 446	447
BABNATO 82E/7W 49,	: 40
Baroid of Canada I td	, 40
barita OOK (16)N	520
	038
Barrel Hesources Ltd.,	000
HILLIOP, 921/9W	200
MAPLE LEAF, WIRELESS,	
OCEANIC, 103B/6E	482

Barrier Reef Resources Ltd.,	
ESP, 92H/15E	155
PYCU, LV, FORT, 92P/9W	275
ROBB LAKE, 94B/13	389
Bart Mines Ltd.	
CALLBREATH, 104G/11 507.	508
BASE METAL 934/14W	295
	235
Bates Garres	50
	004
BATTLE, 92L/4E 256,	257
BAY, 921/10W 203,	204
BAY, 92L/11W 260,	261
Baymag Mines Co. Limited,	
ROK, 82J/13E, magnesite	551
BB,82E/4E	42
BB, 82K/11W 94	, 95
8B, 104G/6E, 7W	505
BCD. 921/10W	204
BD 921/9W	200
BD 92P/6E	271
BD 931 /12E	346
BE 92F/5	232
BE 94G/5W	468
BE 04C/5W	160
DE DI ATEAN OAC/SW	100
DE FLATERO, 940/000	400
BE VALLET, 940/5W	400
BEA, 93L/16E	351
Beale Quarry, 92F/16E, limestone	549
BEAN, 104B/1E	497
BEANS, 920/4E 267,	268
BEAH, 920/4E 267,	268
BEAR, 94D/2W	401
BEAR, 94D/10 446,	447
BEAR, 94M/14, barite	540
BEAR CREEK, 92B/5W	223
BEAR PAW, 92F/12E	235
BEATRICE, 93M/15E	361
BEAU, 921/14W 211,	212
BEAVER, 92L/10W	260
BEAVER, 94M/14, barite	540
BEAVER PASS (LANGFORD)	
93H/4W, placer	528
BEAVER PAW 92F/12E	235
BECUS 92F/16W 236	237
BEE 82K/10E	02
DEE 00M/AE 112	114
DEE, 020//40	114
BEE, 92G/10W 236,	209
BEE, 93K/DW 331,	332
BEER, 92P/15W	281
BEEHSHALAM, 92E/8W	229
Belcarra Explorations Ltd.,	
SHAMHOCK, NELLIE,	
92H/10E, 16W	148
BELCHOR, 92N/14E	264
Beley, M. J.	346
BELFAST, 92P/8E	273
BELL, 82E/6E	48

Page

1

BELL, 92K/4E	253
BELL, 93A/12W	294
BELL, 93N/13E, 14W 369,	370
BELL,94B/13	389
BELL,94E/2W	457
Bell, W.	124
BELL MINE (NEWMAN),	
93M/1E;93L/16E 352,	353
production	25
Bell Molybdenum Mines Limited,	
BELL,94E/2W	457
BELL NO. 2, 82F/14W 74	, 75
BELMONT, 93M/15E	361
Belmoral Mines Ltd.,	
BOOT, 94G/4W, 5W 466,	467
BEN, 82E/4E	43
BEN, 82F/9E; 82G/12W 6	7-69
BEN, 92G/10W 238,	239
BEN, 92H/5E 130,	131
BEN,92H/7E	133
BEN, 921/6E	168
BEN, 921/16W 217,	218
BEN, 93A/2W	287
BEN, 94D/15E, 16W 447	455
BEN, 1021/9E	283
Benkis, R. A.	575
Benpel Industries Ltd.,	
BEN, PIK, 92H/7E	133
Benson Mines Ltd.	
E. 94D/10E	443
E, 94D/10E BEBG. 93E/14W	443 323
E, 94D/10E BERG, 93E/14W BERGETTE 93E/14W	443 323 324
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates.	443 323 324
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ABP 94D/1W	443 323 324 401
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BUBN 94C/5E 6W	443 323 324 401 399
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W	443 323 324 401 399 364
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W	443 323 324 401 399 364 409
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W	443 323 324 401 399 364 409 380
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LIZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W	443 323 324 401 399 364 409 380 408
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E 399.	443 323 324 401 399 364 409 380 408 400
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/12E, 5E SWAN, 94C/6W	443 323 324 401 399 364 409 380 408 400 399
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S.	443 323 324 401 399 364 409 380 408 400 399 3, 74
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S. 22 BERNIE, 921/10E	443 323 324 401 399 364 409 380 408 400 399 3, 74 201
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E	443 323 324 401 399 364 409 380 408 400 399 3, 74 201 320
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 922/3E 245	443 323 324 401 399 364 409 380 408 400 399 3, 74 201 320 -248
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W OSI, 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W	443 323 324 401 399 364 409 380 408 400 399 3, 74 201 320 -248 466
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 398, CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E 399, SWAN, 94C/6W Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E 245 BERTHA, 94G/4; 94B/13W Berthelsen, E, M.	443 323 324 401 399 364 409 380 408 400 399 3, 74 201 320 -248 466 351
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 398, CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E 399, SWAN, 94C/6W Berisoff, S BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M Berto, S.	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M Berto, S BERU, 921/10W	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E BERSIE, 94D/8W Berisoff, S BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M Berto, S BERU, 921/10W BESD, 93M/15E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205 361
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SERNIE, 921/10E BERSY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E, M Berto, S BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205 361 361
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SBRNIE, 94D/8W Berisoff, S BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E, M Berto, S BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E BESSIE B 92F/12E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205 361 361 235
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/15E PAD, 94D/8W PAD, 94D/8W PAD, 94D/8W PAD, 94D/8W Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M Berto, S. BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E BESSIE B, 92F/12E BESSIE B, 92F/12E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205 361 361 235 89
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W 0SI, 93N/15W; 94C/2W PAD, 94D/8W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/2W Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M Berto, S. BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E BESSIE, 93F/12E BESSIE, 92F/12E BESSIE, 92F/12E BESSIE, 92F/12E BESSIE, 92F/12E BESSIE, 92F/12E BESSIE, 92F/12E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 466 351 556 205 361 361 235 89 23
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W OSI, 93N/15W; 94C/2W PAD, 94D/8W CSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/6W Berisoff, S. 23 BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M. Berto, S. BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E BESSIE, 93M/15E BESSIE, 92F/12E BESSIE, 92P/12E BEST, 82K/3E production BESSIE	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 248 466 351 556 205 361 235 361 235 89 23 273
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E Berisoff, S. BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M. Berto, S. BERU, 921/10W BESD, 93M/15E BESSIE, 93M/15E BESSIE, 93P/12E BESSIE, 93P/12E BESSIE, 93P/12E BESSIE, 92P/12E BEST, 92P/8E BESSIE BESSIE	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 248 466 351 556 205 361 235 89 23 243 243
E, 94D/10E BERG, 93E/14W BERGETTE, 93E/14W Bergminex Associates, ARP, 94D/1W BURN, 94C/5E, 6W CIR (SRM), 93N/2E LiZ, 94D/8W OSI, 93N/15W; 94C/2W PAD, 94D/8W RAIN, 94C/12E, 5E SWAN, 94C/12E, 5E BERNIE, 921/10E BERRY, 93E/11E BERT, 92J/3E BERTHA, 94G/4; 94B/13W Berthelsen, E. M. Berto, S. BERU, 921/10W BESD, 93M/15E BESSIE 8, 92F/12E BESSIE 8, 92F/12E BEST, 82K/3E production BEST, 92P/8E BEST, 94D/10E	443 323 324 401 399 364 409 380 408 400 399 3,74 201 320 -248 406 351 556 205 361 235 89 23 273 416

ł

Bestor Explorations Ltd.,	
TIE, 94D/7E	406
BET, 921/7W	178
BET, 92P/15W	281
BETH, 82G/1W	83
BETH, 82M/12W, 5W 116,	117
BETH, 92H/7E 132,	133
BETH, 921/14W	212
BETH. 93M/15E	361
BETH 94D/8W	408
Bethlehem Copper Corporation Ltd.	
ANNA 93E/11E	320
BETHLEHEM MINE 921/7W	179
production	24
	3/5
	400
IND 001/78/	400
IND, 921/700	177
JUE, BET, 921/7W	178
M, T, 921/14W	213
MAGGIE MINE, 921/14W	212
MO,92I/14W	213
R,921/13E	211
S, B, 921/14W 212,	213
SUS, 93E/11E	320
TX 93E/14E	324
Y MUD 921/14E	214
BETSY 94C/2W	390
PETTV 02E/12E	225
05111, 92, 1125	200
DETTT, 92F/12C	230
BEV, 82K/9W, 10E	92
BEV, 92G/12W	242
BEV, 921/10W	205
BEV, 93L/11E	346
BEVELEY, 94C/3E 390	-395
BF, 93E/14W	324
BH, 93N/6W, 11W 365	366
BHV,921/9E	194
BIC, 92H/10W	150
BIG ANDY, 92K/15W	254
BIG BONANZA, 82G/11W 8	4,85
BIG CASINO, 104A/4W 494	-496
BIG CHIEF, 82K/10E	94
BIG JOE, 93M/2E	354
BIG JULIE, 92H/11E	152
BIG MISSOURI, 104B/1E	497
BILL 82E/4E	45
BILL 82J/13E magnesite	551
BILL 92H/16W	160
BIT I 92P/91/ 275	276
DILL 02M/AE	256
Direc, Somple	250
DIM 001/155	157
DIN, 9277/10E	, 157
	445
BIRD, 94D/10W 445	, 446
BIRD (BIRCH), 94D/10W	445
BIRD, 104G/6E, 7W	505
Bird, Nicolas	527

Page

Ра	α	e
. .		~

Birkenhead Jade Mines Ltd	547
BIRTHDAY, 82E/2E	. 38, 39
BJ, 82F/10W	72
BJ, 82L/6W	100
BJ. 920/5E	268
BJ. 920/8W. 7E	268
BJ 93A/12E	293
BL 93B/8F	297
B IB 020/2E	267
BI 02E/AW	207
DL, 321/400	00.01
BLACK BEAR, 02K/46	. 90, 91
BLACK BEAR, 93L/16E	351
	98
BLACK BESS NO. 3, 82F/14W	. /4, /5
Black Creek, 93A/6E, placer	525
BLACK DIAMOND, 82M/12W	117
Black Giant Mines Ltd., see	
Northern Giant Mines Ltd.	
BLACK HAWK, 82L/6W	100
BLACK MARTIN, 93A/14W	294
BLACK PRINCE, 93W/5E	357
BLACKBIRD, 923/15W	201
Blackham's Construction Limited,	550
	558
BLACKIE, 93A/2W	287, 288
Bland, Peter F.	355
BLB, 921/10W	204, 205
BLOW, 94B/6W	384, 385
Blower, Ken	482
BLU, 921/11E	207, 208
BLUE, 82K/9W, 10E	92
BLUE, 921/11E	207, 208
BLUE, 93A/12E	293
BLUE BELL, 92N/14E	264
BLUE BIRD, 82F/4W	60
production	22
BLUE: DIAMOND, 92P/8E	273
BLUE GROUSE, 92F/12E	235
BLUE GROUSE, 103P/13W,	
production	25
Blue Gulch Explorations Ltd.,	
PINE, 92H/10E	146
BLUE JACK, 92J/3E	243
BLUE JAY, 92F/12E	235
BLUE JAY, 92H/15E	159
BLUE JAY, 92P/9W	276
BLUEBELL, 82F/15W, production .	23
BLUEBIRD, 103C/16E	482-484
BLUEBIRD, 82F/14E	81
BLUEBIRD, 92H/5E, 6W	131, 132
BLUESTONE, 92H/10W	160, 161
BLUFF, 92J/15W	251, 252
BLUNT, 93M/3E	355
Blusson, R	324, 326
BM, 93B/9E	298
BM, 94B/13	389
BM, 104G/11	507, 508

BMG, 82J/13E, magnesite	551
BO, 92J/7W 249.	250
BOB. 82F/14W	76
BOB 82K/15E	97
BOB 82M/12W 5W 116	117
BOB 92H/8W	135
	150
BOD, 9217 155	170
BOB, 921/7W	175
BOB, 92L/7	258
BOB, 94B/13E	388
BOB, 94D/9W	410
BOB, 104P/6W 518,	519
BOB A to M, 82F/14W	76
BOBBY B, 92P/8E	273
BOBO, 94D/1W	400
BOG, 92P/10E	277
BOG. 93E/14E	325
BOL 92H/10E	142
Bombini A	38
BON 82M/4E 113	114
BON 92H/8W	135
BON 93A/14W	295
BONANZA 82G/11M 8/	1 25
BONANZA, 020/11W	100
DOMANZA, 920/000 120	-120
BONANZA, 93L/15W	348
BONANZA KING, 92K/11W 94	1,95
BONANZA NO. 3, 82F/14W /4	1, 75
Bonaparte River map sheet, 92P	269
Bonvista Mining Corporation Ltd.,	
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E	42
Bonvista Mining Corporation Ltd., NIKKi, 82E/4E Bond, J. D	42 71
Bonvista Mining Corporation Ltd., NIKKi, 82E/4E Bond, J. D. Bonin, W.	42 71 204
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E	42 71 204 152
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd.,	42 71 204 152
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 921/15E	42 71 204 152 216
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 921/15E BOOM, 93N/6W, 11W	42 71 204 152 216 366
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 921/15E BOOM, 93N/6W, 11W BOOT. 93K/3E	42 71 204 152 216 366 330
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 921/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W	42 71 204 152 216 366 330 467
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W ANNIE	42 71 204 152 216 366 330 467 515
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., AtLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 104N/10W SOOT, 104N/10W	42 71 204 152 216 366 330 467 515 293
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 104N/10W 504 BOOT JACK, 93A/12E	42 71 204 152 216 366 330 467 515 293 228
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W BOR, 92G/10E BOR, 92G/10E	42 71 204 152 216 366 330 467 515 293 238
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W SOR, 92G/10E BOR 92G/10E BOR 92G/10E	42 71 204 152 216 366 330 467 515 293 238 558
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOT, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W ST4, BOOTJACK, 93A/12E BOR, 92G/10E Border Sand & Gravel Ltd. BORNITE, 93M/15E	42 71 204 152 216 366 330 467 515 293 238 558 361
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W SOR, 92G/10E BORNITE, 93M/15E BORNITE, 93M/15E	42 71 204 152 216 366 330 467 515 293 238 558 361 157
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W 365, BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W 514, BOR, 92G/10E Border Sand & Gravel Ltd. BORNITE, 93M/15E BOSS, 92H/15E 156, BOSS, 93A/2W	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288
Bonvista Mining Corporation Ltd., NIKKi, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W 514, BOOTJACK, 93A/12E BORNITE, 93M/15E BORNITE, 93M/15E BOSS, 92H/15E BOSS MOUNTAIN MINE,	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288
Bonvista Mining Corporation Ltd., NIKKi, 82E/4E Sond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 104N/10W 514, BOOTJACK, 93A/12E BORNITE, 93M/15E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 93A/2W 287, BOSS MOUNTAIN MINE, 93A/2W	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93N/6W, 11W BOOT, 94G/4W, 5W BOOTJACK, 93A/12E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E BOSS MOUNTAIN MINE, 93A/2W 93A/2W 287, BOSTON, 104B/1E	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288 497
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W SOR, 92G/10E Border Sand & Gravel Ltd. BOSS, 92H/15E BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288 497 49
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W BOR YaG/10E Border Sand & Gravel Ltd. BORNITE, 93M/15E BOSS, 92H/15E BOSS, 93A/2W BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288 497 49 283
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., AtLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W SOT, 94G/4W, 5W BOOT, 04N/10W BOTJACK, 93A/12E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 93A/2W BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William Botel, W. G. BOULDER, 82M/13E	42 71 204 152 216 366 330 467 515 293 361 157 288 238 558 361 157 288 497 49 283 118
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 04N/10W BORVJACK, 93A/12E BORNITE, 93M/15E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William Botel, W. G. BOULDER, 82M/13E BOULDER, 92F/12E	42 71 204 152 216 366 3300 467 515 293 361 157 288 361 157 288 288 497 49 283 118 236
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOM, 93N/6W, 11W BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W BOOT, 94G/4W, 5W BOOT, 04N/10W BOOT, 04N/10W BOR, 92G/10E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William Botel, W. G. BOULDER, 82M/13E BOULDER, 82M/13E BOULDER, 92F/12E	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288 497 49 283 118 236
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOT, 93K/3E BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 04N/10W 514, BORDTJACK, 93A/12E BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E BOSS, 93A/2W BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William Botel, W. G. BOULDER, 82M/13E BOULDER, 92F/12E Boulder Mines Ltd., SKEL, 93N/9W	42 71 204 152 216 366 330 467 515 293 238 558 361 157 288 288 497 49 283 118 236 368
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Bond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOT, 93K/3E BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 94G/4W, 5W 466, BOOT, 04N/10W 514, BOR, 92G/10E Border Sand & Gravel Ltd. BORNITE, 93M/15E BOSS, 92H/15E BOSS, 93A/2W BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, William Botel, W. G. BOULDER, 82M/13E BOULDER, 92F/12E Boulder Mines Ltd., SKEL, 93N/9W BOULDER NEST 92F/10E 233	42 71 204 152 216 366 330 467 515 293 238 361 157 288 361 157 288 497 49 283 118 236 368 234
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Sond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOT, 93K/3E BOOT, 94G/4W, 5W BOOT, 04N/10W ST4, BOOT, 04N/10W SOTA BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E SOSS MOUNTAIN MINE, 93A/2W BOSS MOUNTAIN MINE, 93A/2W BOSTON, 104B/1E Botel, W.G. BOULDER, 82M/13E BOULDER, 92F/12E Boulder Mines Ltd., SKEL, 93N/9W BOULDER NEST, 92F/10E	42 71 204 152 216 366 330 467 515 293 238 361 157 288 361 157 288 497 49 283 118 236 368 234 497
Bonvista Mining Corporation Ltd., NIKKI, 82E/4E Sond, J. D. Bonin, W. BONNIE LYNN, 92H/11E Bon-Val Mines Ltd., ALLIES, 92I/15E BOOT, 93K/3E BOOT, 94G/4W, 5W 466, BOOT, 104N/10W 514, BOOTJACK, 93A/12E BOR, 92G/10E Border Sand & Gravel Ltd. BORNITE, 93M/15E BOSS, 92H/15E BOSS, 92H/15E BOSS, 93A/2W 287, BOSS MOUNTAIN MINE, 93A/2W 287, BOSTON, 104B/1E Botel, William Botel, W.G. BOULDER, 82M/13E BOULDER, 82M/13E BOULDER NEST, 92F/10E BOULDER NEST, 92F/10E	42 71 204 152 216 330 467 515 293 258 361 157 288 497 49 283 118 236 368 234 497

	1 - E	
BOW, 94D/16W		455
Bow River Resources Ltd.,		
B, 94D/10	444,	445
BEST, MAR, 94D/10W		445
BOOM, FRANKIE (KWANIKA		
CBEEK) 93N/6W 11W	365.	366
GOLD 94E/6E		461
LOBL 923/3E		245
YY KV 02H/15		160
TEEN 02//201	• • • •	242
	••••	240
Bowbyes Mines Ltu,		405
BUWBYES, 1031/2E	• • • •	400
JOON (JUAN), 1031/2=	• • • •	485
Bowser Lake map sheet, 104A	••••	494
BOX, 93N/14E	••••	379
BOY, 104N/11W		515
BOYES, 92L/8E	259,	260
Boylan, M. V	• • • •	237
Boyle, M	. 193,	195
BOZO, 921/14E	214,	215
BP, 82E/1E		36
BR, 104G/8W		506
BRAD, 82M/5W		115
Bradina Joint Venture.		
SILVER QUEEN 93L/2W	338.	339
production		25
Bratorne Besources Limited.		
ASH 948/12F 13F	387	388
BBALOBNE MINE 92.1/15W	,	251
YEW QAR/12E 11W		286
PRANDON S75/25		10
Branta Evolurations 1 td		ΨŶ
		241
Provide Boopurpor Limited		241
B 04D/10	AAA	AA 6
0,940/10 D 94D/10F	,	443
Bratlien Magnus	173	447
Braun George	25	357
BREN 020/6E	290	201
PRENDA 92E/6W	6	3 64
PRENDA 02P/8F	0	272
BRENDA, 927/06	••••	270
BRENDA, 93A/06	• • • • •	250
DIENDA MINE OSIL/165		160
BRENDA WINE, 920/10E	• • • • •	103
production		24
Brendon Resources Ltd.,		
HW, 92H/10E	• • • • •	144
BRETT, 92P/14E	• • • • •	279
BRIAN, 93M/10W	• • • • •	360
Briggs, Victor N.		124
BRIN, 94B/5E, 6W	• • • • •	384
BRIN, 94B/12E	• • • • •	387
BRIN, 94G/4; 94B/13W		466
BRISCO BARITE, 82K/16W		538
BRITANNIA MINE, 92G/11E		239
production		24
BRITISH, 82E/4E		43
• · · · · · · · · · · · · · · · · · · ·		

British Columbia Cement Company Limited,	
cement, 92B/12E	542
clay and shale 92B/12E	543
limestone, 92B/12E	548
British Columbia Lightweight Aggregates	
LTO.,	642
clay and shale, 92B/14E	943
British Columbia Molybdenum Limited,	
BRITISH COLUMBIA	
MOLYBDENUM MINE, 103P/6W	489
British Newfoundland Exploration	
Limited,	
BERTHA, 94G/4; 94B/13W	466
BRIN, 948/5E, 6W	384
BRIN. 94B/12E	387
IB 94G/4W	465
LAD 94G/AW	465
	386
CINICE MEVICAN (DUE)	500
SINKER, MEXICAN (RUF),	250
92L/5E 257,	200
British Pacific Explorations Limited,	
TIRE, 921/9E	193
BRITON, 92N/14E	264
BRONCO, 93M/16W; 94D/1W 361,	362
Bronson Mines Ltd.,	
FAN (BRONSON), 92H/10E	143
BROOKLYN, 92F/5	232
BROWN JUG, 92E/8W, 9W	229
BRU. 82E/11E	51
BRU. 92J/3E	243
BRUCE 92L/8E	260
BBUCE 92P/6E	271
Brunning K F	51
BRUNSWICK 02M/AE	256
BRHTUS 926/8W	229
BRYCE 828/3E	4.57
BS 03E/14W	324
DUCCANEED 025/55	227
BUCCANELA, 921702	202
	22/ E AG
BUCK, 82E/4W	0,40 1E1
BUCK, 92H/10W 150	, 151
BUCK, 92H/16W, 15E	161
BUCK, 93L/1W	335
Buckhorn Mines Ltd.,	
PIKA, 94C/16E	400
RON, 94B/12E 388	, 389
BUD, 82E/4E	45
BUD, 92H/10E	142
BUD, 921/7W	175
BUD, 92L/12W 261	, 262
BUD, 93N/15	380
BUD, 104G/6E, 7W	505
BUDA, 921/9W	196
BUDGET 821 /12E	102
Burk Trucking sand and gravel	562
BLIGE F 921/9F	10/
000EC,0200C	104

Page

ı

punding stone,	
CRAWFORD CREEK DOLOMITE	
QUARRY, 82F/10W	541
GILLEY QUARRY, 92G/7E	542
MC, 92G/12W	542
PITT RIVER, 92G/7E	541
PORCUPINE, 82F/6E	541
SEBAC QUARRY, 82E/1W	541
VALLEY GRANITE PRODUCTS,	
92H/5E	542
BUL, 82E/4E	45
BULKLEY PIONEER, 93L/15W 347,	348
Bulkiey Valley Coal Sales Ltd	589
Bulkley Valley Collieries Ltd.	589
BULL, 92F/16W 236,	237
BULL, 92H/10E	146
BULL, 921/15E	216
BULL RIVER MINE, 82G/11W 84	1,85
production	23
Bumgarner, Marion R	293
BUNKER HILL, 82E/1W	100
BUNNY, 92H/15E (5/,	158
BUR, 92F/5	232
Burdos Mines Ltd.,	0
BUTT, 82K/11W	1,90
Burjoski, P.	210
Burkam Wines Ltd.,	
SILMONAC (MINNIEHAMA),	70
82F/14W	78
SILMONAC (MINNTEHAHA), 82F/14W production	78 23
SILMONAC (MINNTEHAHA), 82F/14W production	78 23 132 229
SILMONAC (MINNTEHAHA), 82F/14W production	78 23 132 328
SILMONAC (MINNTEHAHA), 82F/14W production	78 23 132 328 362
SILMONAC (MINNTEHAHA), 82F/14W production	78 23 132 328 362 369 299
SILMONAC (MINNTEHAHA), 82F/14W production BURN, 92H/5E, 6W 131, BURN, 93H/4E BURN, 93M/16W; 94D/1W 361, BURN, 93N/11E BURN, 94C/5E, 6W 398,	78 23 132 328 362 369 399
SILMONAC (MINNTEHAHA), 82F/14W production BURN, 92H/5E, 6W 131, BURN, 93H/4E BURN, 93M/16W; 94D/1W 361, BURN, 93N/11E BURN, 94C/5E, 6W 398, Burnett, Ernest F.	78 23 132 328 362 369 399 229
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W Burnett, Ernest F. Burns Foundation Ltd., cold 020/15E	78 23 132 328 362 369 399 229
SILMONAC (MINNTEHAHA), 82F/14W production BURN, 92H/5E, 6W 131, BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W	78 23 132 328 362 369 399 229 587 36
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W Surnett, Ernest F. Burns Foundation Ltd., coal, 93O/15E SURNT BASIN, 82E/1E	78 23 132 328 362 369 399 229 587 36 22
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W Surnett, Ernest F. Burns Foundation Ltd., coal, 93O/15E production production production	78 23 132 328 369 399 229 587 36 22 228
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93M/16W; 94D/1W BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN 50undation Ltd., coal, 93O/15E production BURNT BASIN, 82E/1E production BUS, 92C/15W 227, BUISE 021/0F silica	78 23 132 362 369 399 229 587 36 22 228 565
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W SURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN BASIN, 82E/1E BURNT BASIN, 82E/1E production BUS, 92C/15W SUSE, 921/9E, silica BUSE LAKE OLIABEN, 921/9E, silica	78 23 132 362 369 399 229 587 36 22 228 565
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W SURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN 94C/5E, 6W SURN 94C/5E, 6W BURN 94C/5E, 6W BURN 94C/5E, 6W BURN 94C/5E, 6W SURS BURNT BASIN, 82E/1E production BUS, 92C/15W BUSE, 921/9E, silica BUSE LAKE QUARRY, 921/9E, silica Bute Inlet map sheet	78 23 132 328 369 399 229 587 36 22 228 565 565 252
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W SURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN 94C/5E, 6W SURN 94C/5E, 6W BURN 94C/5E, 6W SURN 94C/5E, 6W SURN 94C/5E, 6W BURN 94C/5E, 6W SURN 930/15E SURN 930/15E SUS SUS 92C/15W SUS SUSE SUSE LAKE QUARRY, 92I/9E, silica Bute Inlet map sheet, 92K Butter Brothers Supplies Ltd	78 23 328 362 369 399 229 587 36 22 228 565 565 252 555
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93H/1E BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN 930/15E S86, BURN 930/15E S86, BURN 930/15E S86, BURN 8ASIN, 82E/1E production BUS, 92C/15W 227, BUSE LAKE QUARRY, 92I/9E, silica Butler Brothers Supplies Ltd. Butler Brothers Supplies Ltd.	78 23 328 362 369 229 587 36 22 228 565 565 252 555
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W	78 23 328 362 369 399 229 587 36 22 228 565 565 252 555 544
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W	78 23 328 362 369 399 229 587 36 22 228 565 565 252 555 544 554
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W	78 23 132 328 362 369 399 229 587 36 22 228 565 565 555 555 544 554
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W	78 23 328 362 369 399 229 587 36 22 228 565 565 555 555 544 554 4 554 4 3,95
SILMONAC (MINNTERARA), 82F/14W	78 23 328 362 369 399 229 587 36 22 228 565 565 555 555 544 554 4 554 4 554 4 564
SILMONAC (MINNTERARA), 82F/14W production BURN, 92H/5E, 6W	78 23 328 362 369 399 229 587 36 22 228 565 565 555 565 555 544 554 4 554 4 554 328
SILMONAC (MINNTERARA), production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93M/16W; 94D/1W BURN, 93M/16W; 94D/1W BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURNT Foundation Ltd., coal, 93O/15E BURNT BASIN, 82E/1E production BUS, 92C/15W BUS, 92C/15W BUSE LAKE QUARRY, 92I/9E, silica Butler Brothers Supplies Ltd. Butler Brothers Supplies Ltd. Butler-Lafarge Ltd., DUNSMUIR SHALE, 92F/1E BUTT, 82K/11W 94 Butterworth, J. 143, 144, BUY, 104G/3W BUZ, 93H/4E 501 BUZ, 93H/4E 501 BUZ, 93H/4E 501	78 23 328 362 369 399 229 587 36 22 228 565 565 555 565 555 544 554 4 554 148 -504 328 232
SILMONAC (MINNTERARA), production BURN, 92H/5E, 6W BURN, 93H/4E BURN, 93H/4E BURN, 93M/16W; 94D/1W BURN, 93M/16W; 94D/1W BURN, 93N/11E BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN, 94C/5E, 6W BURN 930/15E Star BURN 92C/15W BUS, 92C/15W BUS, 92C/15W BUS 227, BUSE LAKE QUARRY, 92I/9E, silica Butter Brothers Supplies Ltd. BUTT, 82K/11W 94 BUTT, 82K/11W 94 BUTT, 82K/11W 94 BUT, 104G/3W 501 BUZ, 93H/4E BW, 92F/5 BX, 92H/	78 23 362 369 399 229 587 36 22 228 565 565 555 565 555 555 544 4,95 148 -504 328 232 133

BX, 93N/6W, 11W 365, 366

B.X. Developments Limited,

BY, 94K/11W 479 by-product plant, Michel Colliery 581 Byron Creek Collieries Limited, coał, 82G/10E 575

С

C, 92H/5W 125-128
C, 92L/7W 259
C, 92O/2W
C, 93C/3W 319
C, 93L/14W 347
C, 1030/9E 488
C, 104G/10W 507
C, 104P/3E, barite 540
Cadet Resources Ltd.,
BUCK, 92H/10W 150, 151
FAWN, 92H/10W 151
Cadillac Explorations Ltd.,
ORWILL, 92N/14E 265
Calder, K
CALEDONIA, 82E/1E 35, 36
CALEDONIA, 82E/2E see also
MARSHALL 40
CALEDONIA, 1031/16 487
Calico Silver Mines Ltd.,
EJ (CALICO SILVER),
92H/9W, 10E 140
California Gulch, 93H/3W, placer 526
CALL, 921/6E 172
CALLBREATH, 104G/11 507, 508
Caltor Syndicate,
CHIP, PEM, 92J/11E 250
FAS5, 92J/3E 248
CAM, 82E/4E 42
CAM, 92*/14, 11 236
CAN, 92H/6W
CAMED N 005/105 000 000 000
CAMERON, 92F/TUE
Campbell Collin
Campbell, Collin J
campbell niver area,
Comrook Minos Ltd
CAN 04D/2W/ 2E 404 402
CANA 02USE 170 171
Canada Cament & afarma L td
rement 02G/3F 5/3
921/9F 543
clay and shale 544
limestone 92F/15E 549
921/9E 549
sand and gravel
silica, 921/9E
CANADIAN BOY, 82F/3E, 6E 58, 59

6

Page

Canadian Centura Developments Ltd.,	
JAN, 921/6E	173
Canadian Creek, 93H/3W, placer	526
CANADIAN GIRL, 82F/3E, 6E 58,	59
Canadian Johns-Manville Company	
Limited,	
ACE, 104K/16E, asbestos	536
ANNETTE SLIDE 82K/9W, 10E	92
B&B. SPIN, 921/5E	167
BOOT 104N/10W 514.	515
BUDGET (MM) 821/12E	102
HORO AT X 104N/11W	515
	210
SALLOS, 921/SW	516
SON, 104N/13E 515,	000
CANADIAN KING, 93M/5E	357
Canadian Nickel Company Limited,	
BEAR, 94D/2W	401
Canadian Occidental Petroleum Ltd.,	
KING EDWARD (SUSAP),	
82E/4W 45	, 46
placer, 82G/5W	524
CANADIAN REFRACTORIES.	
clay and shale	545
Canadian Reserve Oil and	
Gas Ltd	
HOMESTAKE 82M/4W	114
Canadian Superior Exploration 1 imited	
DEV 94B/6W	385
DEV, 946/4	464
ERENCH 03M/7W	358
	402
IN CON MOTASE A	-03
	405
	400
LTNDA, 940/4, 5	404
WF, 94D/3E 405,	400
001,94D/3E	405
PA1, 940/3E	403
QUIN, 94D/3E 403,	404
RED, 94D/3E	404
RED (FOSS), 93M/7W	359
RIM, 94D/3E	402
SHO, 93M/2E	354
SIL, 93A/15W	296
SR, 94D/3W	406
SUN, 94D/3E	403
TEL, 93L/1W	333
WR.92H/5W	129
Z, 94D/9W	410
ZEB. 92L/2W	255
Candex Development Corporation.	
BLB 921/10W 204.	205
Canex Placer Limited	
ASTONISHER, CHISHOLM	
920/1E	265
BEBG 93E/14W	323
ENDAKO MINE 02K/2E	320
ENDANO MINE, SON/OL	
	20

Ν,

.

Canex Placer Limited (continued).	
GIBBALTAB MINE, 93B/9W 299-	318
production	25
HAN FIR OSK/6F 7W 2W 3F	332
INVINCIPLE EAST DODGER	002
POE/OE EAST DODGER,	4-67
82F/3E	
production	~~~~
JAM, GOLDEN, 921/10E	202
MR, 93F/5E	327
NU, ELK, 93K/3E	331
ROK, 82J/13E, magnesite	551
SILVER QUEEN, 93L/2W 338,	339
Cannon Contracting Ltd.,	
sand and gravel	557
Canorex Development Ltd.	
HAL 92H/10E	141
Cannac Minerals Limited	
REAR CREEK OOR (5M)	223
BEAR ORCER, 920/04	602
	002
Canway Explorations Ltd.,	~~~
STAN, FIR, 92P/14E	279
Canwex Explorations Ltd.,	
BUCK, 93L/1W	335
ELN, SHR, 92H/9W	139
CANYON, 82K/16W, barite	538
CANYON C, 82E/1E	35
Canyon Creek Holdings Ltd.,	
KATE, 93B/16W; 93G/1W 318,	319
CAP. 92H/11E	152
CAP. 921/7W 173.	174
CAPCO 82E/11E 6E	545
Cape Elattery man sheet 92C	225
Cape Scott map sheet 1021	283
CAPER 021/7W 173	174
CAPTAIN CORDON 92E/11E	51
CAP COLICIN, 622/112	100
CARDON ODEEK PROJECT 020/15E	123
CARBON CREEK PROJECT, 930/15E,	c07
Coal 500,	307
Cariboo Gold Quartz Winning	
Company Limited, The,	
MOSQUITO, 93H/4E 328,	329
CARIBOO-BELL, 93A/12E	293
Cariboo-Bell Copper Mines Limited,	
BJ, CARIBOO-BELL, 93A/12E	293
CARIBOO-HUDSON, 93A/14W	294
CARLOS, 94D/10W	446
Carlson, E. B 22	2,64
CARM, 921/10	203
CARMINE, 82K/16W, barite	538
Carney, Fred	130
CABO 92H/11W 152	153
Carolin Mines Ltd	
AUBLIM IDAHO PIPESTEM	
00U/44W/ 4E2	152
	100
EULIFSE (BUB, FIL), 82K/10E	9/
	104
CARULINE, 940/5W	298
	599

Carpiquet Mines Ltd.,	~~ ~
CHILDHOOD DREAM, 94C/2W	390
Carto, D.	553
Cartwright, F. W. (Jr.)	71
CAS, 92H/8W	134
Cascade Molybdenum Mines Ltd.,	
GIANT, NOVELTY, ST. ELMO,	
82F/4W	62
Casco Industries Ltd.	
DAI HOUSIE 82E/14W	75
CASH 926/11E	240
Cassian Achestos Corporation Limited	2-70
CASSIAR MINE 104P/5W	627
Comies Lepidenz inde	537
	047 EE4
	504
Castlegar area, sand and graver	553
CAT,92H/1W	123
CA1,921/15E	216
CAT, 921/15E	217
CAT, 92J/3E 245	-248
CAT, 93M/10W	360
CAT, 93M/16W; 94D/1W 361,	362
CAT, 93N/6E	366
Cat Lake Mines Limited,	
BEN, 921/16W 217,	218
Catherwood, M	557
CATY,92C/9W	226
CAVZ (TRAIL PEAK), 93M/8W	359
CC, 93A/2W 287,	288
CD,92J/3E	248
CEDAR, 82M/12W; 92P/9E	117
CEDAR, 93A/12E, 11W	293
Cedar City Mines Ltd.	
LUCKY, CEDAR, RS.	
82M/12W:92P/9E	117
Cedar Creek, placer	525
CELEBRATION 82F/10E	70
Celtic Minerals Ltd	
BEV PAL 921/10W	205
DV 921/15E	216
B 921/5F	258
cement	200
British Columbia Cement Company	
Limited 028/12F	542
Canada Camant Lafarra Ltd	042
opc/2E	642
920/3E	542
Centura Industries & Resources Ltd	040
Contura Industries & Resources Eta,	
	21.9
CHAINELAK 92C/1M	210
Challenger Exploration 1 to	, 04
	205
CHAMPERS 92F/14F	200
	100
CHAN 82K/10F	199
	-4/1

Channel Copper Mines Limited,	
REISETER, 93L/14E	347
Chapman, M. H	345
CHAPPELLE, 94E/6E 458	3-460
Chaput, W.	295
CHAPUT 821 /7W production	23
	5 76
CHARLES, 02E/1E	0,30 74
CHARLES, 82F/ 14W	74
CHARLOT, 82K/15W	96
Chatham Resources Ltd.,	
ANITA (MONTANA MINES),	
92H/10E	142
CHE, 921/16W	218
Cheam Marl Products Limited	551
Cheam View area, sand and gravel	557
CHEHALIS 92H/5W 12F	-128
CHEVALIER 920/1F	265
Chauran Standard Limited	200
Chevron Standard Limited,	400
KU, 92H/5W	130
CHICAGO, 82F/10E	70
CHIEF, 82F/3E, 6E 5	8, 69
CHIEF, 92I/11E	208
CHIHUAHUA, 82F/3E, 6E 5	8, 59
CHILDHOOD DREAM, 94C/2W	390
Chilliwack Gravel Sales Ltd	558
Chilliwack Municipality	
cond and around	667
	1007
CHILLT, 94G/5W 468,	409
Chinook Gravel	553
CHIP, 92J/11E	250
CHISHOLM, 920/1E	265
CHISHOLM, 93H/4E	328
Chisholm, A.	255
Chisholm, E. O	181
CHO 93N/6W 11W	366
Chrone G	163
	200
	200
CHRIS, 92P/15E	282
CHRISTINA, 82E/1E	36
Chromex Nickel Mines Ltd.,	
ANN, CALEDONIA,	
82E/1E 34	5, 36
MASTADON, 82E/1E	35
CHUCK. 921/13W	210
CL 92.1/3E 243	244
CINDY 92H/10E	1/12
Cincolar Pools Minor 1 td	140
coal, 930/16E	588
CIR (SRM), 93N/2E	364
Citex Mines Ltd.,	
RED CLIFF, 104A/4W 494	-496
Cities Service Minerals Corporation,	
A&E, 92N/11E 263.	264
FLY, 93L/9W, 16W	344
FULL.93L/16W	349
PIN 92N/14F	264
PUD 021 /1200-1021/0E	204
· U(, JZL/12VV, 1U21/JE	202

Page

Cities Service Minerals	
Corporation (continued),	
SO, 92P/10E	227
SWAN, 93L/8W	342
CIVIL, 921/9W	199
CJH, 92H/10W	150
CL, 921/7W, 10W	180
CLAIRDON, 921/9E 193,	194
Clairdon Mining Company, see	
CLAIRDON, 921/9E	
CLAIRE, 104N/11W	515
Clark, A	342
Clark, Steve	113
Clark Gravel & Ready Mix Ltd.	558
CLARKE 92L/10W	260
Clark's Beady Mix Sand and Gravel	554
CLAW 94E/11W	462
clay and shale	
BRITISH COLUMBIA LIGHT-	
WEIGHT AGGREGATES.	
92B/14F	544
CANADIAN REFRACTORIES	••••
92G/1W 1E	544
DUNSMUIR SHALE 92E/1E	544
	044
naner brick and tiet,	645
920/20	643
BICHMIN OLAPPY 000/15	545
	044 640
THUNDER HILL, 823/4W	000
CLEANUP, 920/4E 267,	200
CLEAR CREEK, 92F/4E, 5E 230,	231
CLEO, 93L/9W	343
CLEU, 94B/13	389
CLEOPATRA, 82K/15W	96
CLIFF, 82F/4W	62
CLIFFORD, 92P/4E 270,	271
Climax Molybdenum Corporation of	
British Columbia, Limited,	646
ADERA, 104N/11W	515
BRITISH COLUMBIA MOLYB-	
DENUM MINE, 103P/6W	489
GLACIER GULCH, 93L/14W	347
Clode Creek, 82J/2W, coal	583
CLOVER LEAF, 92H/5E 130,	131
CLUB, 82F/14W 74	1, 75
CM, 104N/11W	515
coal, see Chapter 5	567
Coalition Mining Limited,	
coal, 93P/4E	586
Coast Aggregates Ltd.,	- <u>:</u> -
sand and gravel	559
Coast Copper Company Limited,	
OLD SPORT MINE, 92L/6E,	
production	24
Coast Interior Ventures Ltd.,	
GISCO, PARK, PITTMAN,	
93A/14W	295

COBALT, 1041/7W512Cobble Hill area, sand and gravel555
COBBLE HILL QUARRY, 92B/12E, limestone
Cobre Exploration Limited.
HOT 93M/6E
III 1 931 /9E 16E 342
BING 104P (10)
SALMON (GLACIER),
104B/1E 497
COD, 82F/6W 63, 64
CODY, 82F/3E 54-57
Co-Ex Mining Corporation Limited, ELK, SLEEPER, 92H/9W 137, 138
Cogle Copper Limited,
UNITED COPPER, 82F/10E 71
COIR 92L/11W
COKE 94B/13E 388
COLD 92H/11E 152
COLDWATER 02H/11E 152
COLDWATER, 920/112 192
COLT, 921/9W
Colt Resources Ltd.,
JEWEL-ENTERPRISE, ETHIOPIA,
82E/2E 41
COLUMBIA, 82F/4W 61
COLUMBIA, 82K/10E 94
Columbia Bitulithic Ltd.,
sand and gravel 556
COLUMBIA CHIEF, 82K/10E 94
Columbia Lime Products Limited,
Columbia Beady.Mix Ltd
tood and group EEE
Sand and graver
Comet industries Ltd.,
BCD, 921/10W 204
IRON MASK, DM, 921/9W 199
Cominco Ltd.,
AJAX, WHEAL TAMAR, MONTE
CARLO, 921/9W 197
BJB, 920/3E 267
COLUMBIA, KOOTENAY,
82F/4W 61
CRAW, 82F/10W 72
DC, 92H/9W 137
DOG, 94K/1E 477, 478
DRIFTWOOD, 93M/15E 361
FORDING COAL, 82J/2W 582
HARRISON, LUCKY JIM,
92H/5W
HB MINE, 82F/3E
production
ICE. 82F/8E
JACK POT 82F/3E 6F 58 59
JEAN 93N/2W 365
NARE 94R/6W 200
PINCHI LAKE MINE 02K/0M/ 222
production OF
production 25 המש
001

Page

1.0.1

-

Cominco Ltd. (continued),
RIC, 94G/12W 470-477
SULLIVAN MINE,
82F/9E;82G/12W 67-69
production 23
TAN, 92H/4W 124, 125
VERNON, BUD, 93N/15
WIND 94B/6W 384 385
Command Besources Ltd
MD 01/01 001/0
MB, SUGI, 921/9
COMMERCE, 82G/1W 83, 84
COMSTOCK, 82F/14E 80, 81
CON, 921/10E 200
CON, 94D/3, 6 405
CON VERDANT, 921/9W 199
Condor Mines Ltd., see
Corvus Mines Ltd
CONE 1040/16W 517
Cone Mt Mines I td
DAV 000 (10M)
DAY, 92G/12W
LUCK, 1040/16W 517
Cone Properties Ltd.,
PASS, 82E/4E 42
Conklin Gulch, 93H/3W, placer 527
Conoco Silver Mines Ltd.,
BOYES, 92L/8E 259, 260
Conquest Exploration Ltd.
HDP 931 /2E 338
Conroy I H 92
Conshell Pasoures 1 td
AND1,926/11= 239,240
Consolidated Churchill Copper
Corporation Ltd.,
MAGNUM MINE, 94K/11W 478
production
Consolidated Cinola Mines Ltd.,
MIDNIGHT, 82F/4W
production 22
Consolidated Columbia River
Mines Ltd.,
RUTH VERMONT, 82K/15W 96
production 23
Consolidated Fortune Channel
Mines Ltd
ANN, 92H/10E
Consolidated Grant Metallics Ltd.,
MOSQUITO KING, EX,
82M/4E, production
Consolidated Rexspar Minerals
& Chemicals Limited,
REXSPAR, SMUGGLER,
82M/12W
CONSOLIDATED ST. ELMO 82F/4W 62
Consolidated Silver Butte Mines Ltd
MADTUA ELIEN (PIG
MISSOURI), 104B/1E 497

Consolidated Sliver Butte Milles	
Ltd. (continued),	
SIB, 104B/9W	499
Consolidated Standard Mines Ltd.,	
KAY, 92J/3E	244
NO.1 NO.2 A 94D/10	444
Consolidated Vigor Mines Ltd	
Windom Creek 03H/AW	
Wingdam Greek, 9311444,	- 00
	528
building stone, 92G/7E	542
sand and gravel 555	, 558
CONTACT, 82F/6E	65
Continental Cinch Mines Ltd.,	
JOY, BLU, 921/11E 207	, 208
Conwest Exploration Company Limited,	
CHAPPELLE 94E/6E 458	-460
COOK ODE SE	225
COOL 021/7W	170
	170
	351
COPPER, 82L/6E	101
COPPER, 92G/13W 242,	243
COPPER CANYON, 92B/13W	224
COPPER CREEK, 92F/4E, 5E 230,	231
COPPER DUKE, 92L/2E	255
COPPER GLANCE, 92H/8W	134
COPPER HEAD. 921/9W	198
Copper Hinde Mines Ltd	
NORLE 92E/5E 232	222
Conner Have Minist Ltd	200
Copper Horn Mining Ltd.,	
BOB, IHUN MASK,	
82F/14W	76
COPPER MINT, 92B/13W	224
COPPER QUEEN, 82F/4W	60
COPPER QUEEN, 921/9W	199
COPPER QUEEN, 92J/7W 249,	250
Copper Range Exploration Company,	
Inc.,	
MOT. 921/9E	194
COPPER BOAD 92K/3W	253
COPPER STAR 92H/15E 921/2E	150
CODER STAR 021/06, 521/26	107
COFFER STAR, 921/999	197
Coquitiam, sand and gravel	555
CORA, 93K/3E	331
Coranex Syndicate,	
PEACH, PIT, 92P/14W	278
CORB, 93E/12E, 13E	321
Cordilleran Engineering Limited,	
ROBB LAKE, 948/13	389
COBEY 93A/6E	289
CORNWALL 921/11W	210
Convol Basourses Ltd	210
	150
GOLDWATER, WAG, 928/11E	152
Corvus Mines Ltd.,	
WINSLOW, OKANAGAN,	
82K/11W	95
Coseka Resources Limited,	
ROY, 82E/13E	52

Page

Cottonwood Canyon, 93G/1W,

olacer	526
Cottonwood Biver placer	526
	225
COUNTLESS 021/15M	250
Courtonau area condiand gravel	663
COVE OD /111W 280	261
COVE, 92L/11W	201
COW, 921/10W 203,	204
Cowichan Bay area,	
sand and gravel	555
COXEY MINE, 82F/4W 62	.,63
COY, 82E/2E	9,40
Cozens, C.	557
Crabb, J. J	581
Craft, S. R	530
Craig, S	228
Craig Mining Ltd.,	
BUCCANEER, 92F/5E	232
Craigmont Mines Limited,	
ANITA (MONTANA MINES),	
92H/10E	142
ASH, NOLA, 92H/1W	123
BLUE JAY, 92H/15E	159
CAPER, CAP, 921/7W 173,	174
CRAIGMONT MINE, 921/2W 165,	166
production 24	
DRIFTWOOD, 93M/15E	361
IM, 921/9W	196
SL, 93A/3W; 92P/14W	288
Craik. S. G.	80
CRAMP. 94D/3E	404
Cranbrook area, sand and gravel	553
CRATER 93L/11E 345	346
CRAW 82F/10W	72
CRAWFORD CREEK DOLOMITE	
OUARBY 82E/10W	541
Cream Silver Mines Ltd.	0.11
DV. 921/15E	216
HI 71 93A/15W	296
INBE 94G/4W	466
MABDI 921/14E	215
TRIM 94G/4F 5F	464
X D E 92E/12E	224
Cree Lake Mining Ltd	20 T
EORTUNE 1031/7E 485	486
BPM 921/10E 202	202
CREEK 02K/10E	203
CREEK 104 A / AW	24 404
Creat Silver Company Limited	434
	404
Cueston aven and and struct	494
CRESSON area, sand and gravel	203
Orania Oracle Becomerce Last	300
Unit of Contractions	
ΠΙLL, 822/3ε 4t	0,47
GRIS, 93L/9W	343
CRISP, 92H/11E	152

Cro-Mur Mining and Exploration
Co. Ltd.,
KING EDWARD (SUSAP),
82E/4W 45, 46
CRONIN MINE, 93L/15W 347, 348
production
Cross, T. H 447
CROWE HUNTER, 82F/4W 62
CROWN SILVER, 82E/2E 38, 39
Crownite Industrial Minerals Ltd.,
93B/15E, diatomite
Crows Nest Industries Limited,
82G/2E, Sage Creek
82G/15 581
Croydon Mines Ltd., see
Aalenian Resources Ltd.
Crum, R 530
Cry Lake map sheet, 1041 510
CS, 82M/12W 117
CS, 92H/5W 129
CS,921/7W 175-177
CS, 92P/16W 283
CU, 82E/11E 51
CU, 921/7W 175-177
CU, 93N/6W, 11W 365, 366
CU, 103B/6E 482
CUB, 92F/5E 232, 233
CUB, 921/9W 198
CUNNINGHAM, 93A/14W 294
CUNNINGHAM EXTENSION, 93A/14W 294
CUP, 93E/12E, 13E 321
Currie, J 100
CUSTER, 82E/2E 40
Cutlass Exploration Ltd.,
CD, 92J/3E 248
CUTLER, 93A/14W 294
C. Warren Hunt Exploration Ltd.,
HUNT,82G/12W 86
IQ, 92P/15E 282, 283
CYPRESS, 92F/5W 231
CYPRUS, 92F/5W 231
CZ,93A/6W 291

D

D, 92F/12E	234
D, 92H/10W 148,	149
D, 92H/10W, asbestos	536
D, 921/9W 197,	198
D, 921/10W 203,	204
D,93L/14W	347
D, 93N/2E, 1W	364
D,94D/10E	443
DAG, 92H/10W	149
D.A. Holdings Ltd.,	
JOY, 93A/11W	292

Page

Page	
------	--

÷

1.

Darsi Mines Ltd., see Candex Development Corporation	
DAISY.92G/11E	239
DAISY 92H/15E 156	157
DAKO 104P/6W	519
DAKOTA 821 /6E	101
DALHOUSIE 82E/14W	75
Daletrom V	153
Dalton Besources Ltd	
VICTOR 92H/11W	153
WINDPASS SWEET HOME	100
02P/9E	272
	510
	160
DAWIN, 940/5W 400,	409
DAN, 82E/12W	074
DAN, 92P/6E	2/1
DAN, 94K/11W	478
Danielson Contracting Ltd., gravel	557
Dankoe Mines Ltd.,	
HORN SILVER, 82E/4E	43
DAP, 93A/2W 287,	288
DAPHNE, 93B/16W; 93G/1W 318,	319
DA-RI, 82F/10E, 15E	71
Darkhawk Development Corporation Ltd.,	
JUDY, LINE, 92P/8E	274
Darkhawk Mines Ltd., see Darkhawk	
Development Corporation Ltd,	
Darma Explorations Ltd.	
WADE, 82L/5W: 921/8E	100
Darva Resources and	
Development Ltd.	
MOLY (LH) 821/15W	104
DAT 93K/3F	331
Daughtry K I	52
DAUNTIESS 10/P/15	107
DAUNT 2233, 1040/12	100
DAVE, 921/9W	204
DAVE, 92111044 200,	204
	390
DAVE, 104G/6E, /W	505
DAVE, 104P/6W 518,	519
Davey, W	5/9
DAWN, 921/7W 175	-177
DAY, 82M/4E 113,	114
DAY, 92G/12W	242
DAY, 93L/10	345
DAY, 94D/7E, 10E	408
Day, R	530
DB, 921/9W	200
DC, 92H/9W	137
DCK, 82L/6E	101
DD, 92H/10E	147
DD. 94D/10W	446
DDT, 93M/1W	353
DE.93K/5W	332
Dealy, Robert	24
Deane Bichard	72
Dease Lake map sheet 104.	512
COURSE AND THE SHOUL, IVTO ATTACKA	

DEC, 92H/7E	• • •	133
Decca Resources Limited,		
LAKEN, 921/6E	•••	169
DECEMBER,92F/10E	• • •	234
Decker Lake Mines Limited,		
SILVER GLANCE, GOLDEN		
GLORY, 93K/5W	331,	332
DEE, 92F/16W	236,	237
DEE, 921/7W	175	-177
DEER, 82E/8E		49
DEER. 82E/8E, fluorite		546
DEEB 82F/9E 82G/12W	6	7-69
DEEB 92H/7E	132	133
DEER 93B/9W	.01,	298
DEED 02K/2E	•••	221
DEER, 00K/32	• • •	251
DEED OAM/AA havita	•••	501
DEER, 9414/14, Dante	•••	540
Deer Lake Wines Ltd.,		
PYCU, LV, FORT,		
92P/9W	• • •	275
DEL, 92F/5E	• • •	232
DEL,93L/15W	347,	348
DELL,82M/4W	•••	114
DELLA,921/9W		199
Della Mines Ltd.,		
JOEM, 104P/6W	518,	519
DELLIE, 82F/10W	. 72	2, 73
production		23
Delta Municipality sand and gravel		559
Delta Bock i to sand and gravel		559
DENI 021/0W/	•••	100
DEN, 921/310	206	207
DEN 040/12	200,	207
DEN, 940/13	•••	209
Denak Mines Ltd.,		
NU, ELK, 93K/3E	•••	331
Dendoff, H. E	• • •	229
DENERO GRANDE, 82E/2E	•••	41
DENIS, 94M/11E, barite	539,	540
DENISE, 92H/8W	• • •	135
Denison Mines Limited,		
ARD, 94D/9W, 16W		411
COLDWATER, MAG, 92H/11E .	• • •	152
QUINTETTE PROJECT, 931/14, 1	5	585
DENNIS, 92L/8E	259,	260
Denny, E		70
Denny, J.		70
DENORO CHICO, 82E/2E		41
DENTONIA. 82E/1E		41
Denu Mines & Development Ltd.		
REPUBLIC 82F/14W	74	175
DENYSE 821 /6E	• • •	101
DERBY 921/8W		192
DET 02P/2W	•••	270
DEV 04P/6W	•••	200
DEV, 040/04	• • •	164
DEW 04E/CE	•••	404
	• • •	401
DEW DROP, 92E/8W	• • •	229

DEX, 92H/15E	155
Dexter, W. A.	181
DF 1031/8E	486
DIAMOND 92P/8E	273
Diana Explorations td	
02H/16W	160
- DIANE 021/16W	218
DIANE, 921/16W	210
DIANE, 93A/2E	207
diatomite,	
CROWNITE INDUSTRIAL MIN-	
ERALS LTD., 938/15	545
Dillingham Corporation of Canada Ltd.,	
PITT RIVER QUARRY,	
92G/7E, building stone 541,	542
DINERO, 82F/14W	75
DING, 921/9W 197,	198
DIP, 82E/6E 4	7, 48
DIS, 93K/3E	331
DISPATCHER, 921/9W	196
D.I.T. Holdings Ltd	
G1BB1.921/9W	198
DK 93C/3W	319
D K Mining Inc	
OK (ALWIN) MINE 921/6E	172
DKD 82E/11E	51
DI 02C/0W/ 226	227
DL, 920/9W 220,	100
DW, 921/9W	100
DN, 921/11E	207
DO, 921/7W 1/6	07
DOC, 82K/1E	87
DOE, 82E/4E	44
DOE, 92H/16W, 15E	161
DOG, 921/15E	216
DOG, 92J/3E 245	-248
DOG, 94K/1E 477	, 478
Dolan's Limited,	
sand and gravel	554
DOLL, 94B/13E	388
DOLLY, 82K/9W, 10E	92
DOLLY VARDEN, 92P/8E	273
Dolly Varden Mines Ltd.,	
KITSOL, 103P/12E	489
RED POINT, ROAN ANTELOPE,	
103P/12E 489	, 490
DOME. 93L/6E	342
Dome Exploration (Canada) Limited.	•
AL 93A/6W 291	292
CON 921/10E	200
HAL 02H/10E 11111111111111111111111111111111111	141
IDA NADI 025/495 291	200
104, NAU1, 305/135 321	160
	200
LYNUA, 5L, 93A/6W	292
NAP, 921/8W 191	, 192
RM, 92P/15W 280	, 281
DOMINEER, 92F/14, 11	236
DOMINION, 921/10E	201
·	

:

DOMINION, 93L/6E 341, 342
Domtar Chemicals Limited,
DOMTAR QUARRY, 92F/15E 549
DON, 82E/4W 45, 46
DON, 82J/13E, magnesite
DON, 921/9W 196
DON, 92L/12 262
DON, 92P/4E 270, 271
DON, 93M/10W
DON, 93N/9W
DON, 93N/9W
DONA, 82L/1W
Donaldson, T. J
Donatelli, L. J 557
DONEGAL, 92P/8E 273
DONEN, 82E/10W 49, 50
Donna Mines Ltd.,
BURNT BASIN, 82E/1E
production 22
Donovan, Lorne 113
Doobah Mining Ltd.,
EBB, 92C/10 227
DOORN, 82E/6E 47, 48
production 22
DOPP, 94G/4E 463
DOR, 92H/15E; 92I/2E 159
DORA, 103P/13W 490, 491
Dorita Silver Mines Ltd.,
BARN, BEAR, 94D/10 446, 447
DORLON, 92L/12W
DORUTHY, 92H/5W 125-128
DOT 4044 (44)
DOUDLE CTANDARD 925/25 CE 59 50
DOUBLE STANDARD, 82F/3E, 6E . 56, 59
102H and part of 102G
Down Mining Co. Ltd. The
PABLO 921 /5E
SHEBA, 921/7W
TINY 921 /3W 256
DOYLE 93N/9W
DP 93N/2E 1W 364
DRAW. 92H/16W
DREADNAUGHT, 82F/3W
Dresser Industries Canada Ltd.,
CANADIAN REFRACTORIES,
92G/1W; 92G/1E,
clay and shale 544, 545
PYRO, 92H/7E, pyrophyllite 551, 552
Dresser Industires, Inc.,
BEAR, MOOSE, BEAVER, 94M/14,
barite 540
PEM, HY, 82L/13W 103
DRIFTWOOD, 93M/15E 361
DRONE, 93M/9W 360
DS,92H/5W 129
DUAL,93E/14E 325

DUBLIN QUEEN, 82K/3E 87, 88
production 23
DUC, 92H/8E 136, 137
Ducanex Resources Limited,
JM, 92H/8E 136, 137
KL, 82L/1W 98
LYNN, 93M/8E 359, 360
RED TOP, 93L/9W 343
DUCHESS, 92H/16W 161, 162
DUD, 92L/14E 263
DUD, 94C/3W 396
DUDE, 921/7W 174
DULL AXE, 93M/1W 354
DUM, 92P/8W 271, 272
Dunbar Resources Ltd.,
BOR, 92G/10E 238
X, Y, 92H/10E 145
Duncan area, sand and gravel 554
DUNLEVY PROJECT, 94B/1W,
coal 589
Dunsford, P. W 461
DUNSMUIR SHALE PIT, 92F/1E 544
Dusty Mac Mines Ltd.,
POD, 921/10W 204
Duval Corporation of Canada,
JEAN, 93N/2W 365
DV, 921/15E 216
DW, 921/10W, 11E 205, 206
DW, 93E/12E, 13E
Dwarkin, L. M 578
DWG COPPER, 94D/15E, 16W 447-455
DY, 92H/10E 146
DYKE, 92P/8E 273
DYKE, 93M/1W
Dyke Mines Limited,
MOLLY HUGHES, 82K/3W 90
Dynasty Explorations Limited,
FIRE (KAZA), 93M/16W;
94D/1W 361, 362

Е

E,92H/8W	134
E, 92L/7W	259
E, 93L/14W	347
E, 94D/10E	443
EAGLE, 93A/10W, fluorite	546
EAGLE, 1041/6E, 11E 511,	512
Eaglet Mines Limited,	
EAGLET, 93A/10W, fluorite	546
EARNSCLIFF, 921/9W	199
EAST, 104P/4E 517,	518
East Central British Columbia	287
EAST DODGER, 82F/3E 54	4-57
production	22
East Kootenay Inspection District	574

EAST MOUNT GETHING PROJECT,		
94B/1W, coal		588
EAST PAW, 92F/12E		235
EASTGATE 92F/10E	233,	234
E8.921/9W		199
EBB.92C/10		227
Fherts H	•••	579
FBL 82M/5W		115
EBL BEM SOMISM		115
Eolos Themes	•••	22
	•••	20
	• • •	70
	• • •	91
Ecstall Mining Limited,		
ACE, 82K/1E	. 86	5,87
CAVZ (TRAIL PEAK),		
93M/8W		359
HILO, 82F/16W	• • •	82
INEL, 104B/10W		501
PACKSACK, 103H/14W	484,	485
PET, 104J/5W	512,	513
POLARIS, 82G/12W;	-	
82F/9E	. 85	5, 86
RED, SUS, 104H/12W		509
ROBB LAKE 948/13		389
FD 92C/9W	•••	226
ED 921/71N/	•••	174
ED 021/14E	211	216
ED 021/14E	214,	210
	214,	210
ED (SPTEFIRE), 93A/14W		290
ED, 103P/13W	490,	491
EDDIE J, 81F/4W	. 62	, 63
EDDY, 92G/12W	• • •	242
EDEN, 921/7W, 10W	• • •	180
Edina Resources Ltd.,		
B,920/2W		266
EDITH, 921/2W	165,	166
EG, 92H/10E		146
EGG, 921/6E		168
EGG, 94G/5W	468,	469
EGGS, 920/4E	267,	268
Eight Mile Lake, 93H/4E,		
placer		527
EJ (CALICO SILVER), 92H/9W, 10E		140
EJ (VARGAS), 92H/9W, 10E		139
FL 921/9W		196
E 931/12E	•••	346
	160	161
Et Paso Mining and Milling Company	100,	101
AR POLICIM 111M	100	101
	100,	000
0000000 000/1000		223
DONA 001 (44)	242,	243
DONA, 82L/1W	. 97	, 98
MAG, 921/1W	163,	164
MARS, 921/11W	• • •	209
MB,93A/14E	• • •	296
MISTY, FORE (KAY),		
93N/13E, 14W	369,	370

606

And the second second

ρ	ag	e
	- 3	-

El Paso Mining and Milling Company	
(continued)	
MOFFAT, FALLS, 93A/6W	290
NICK, 93J/14W;	000
930/3W	330
RD, 93E/13E; 93L/4E	322
ROSE, 82L/1W	97
WHAT, 92H/11E	152
WHERE, 92H/15W	155
WHÝ, 92H/10W	150
ELIZABETH, 103C/16E	-484
ELDORADO, 82F/3E, 6E	3, 59
Eldridge, G. S	203
ELEANOR, 82F/10E, 15E	71
FLISE 92P/8E	273
ELK 82F/11F	51
ELK 02E/10E	225
	230
	230
ELK, 92H/9W 137,	138
ELK, 93K/3E	330
ELK, 93K/3E	331
ELK, 93L/16E	351
ELKE, 921/11E 206,	207
Elkview preparation plant	579
ELLA,82M/12W	117
ELLEN, 82F/10E, 15E	71
ELLEN, 92P/10E	277
ELLEN. 93M/1W	354
ELM 82F/3E 6E	3.59
ELM 92.1/3E	243
ELMOORE 92B/13W	274
ELN 02H/0W	120
	138
ELWOOD, 92F/12E	200
EW, 92H/7E 132,	133
Empleton, Albert	80
EMERALD, 93E/11W	321
Emerald Glacier Mines Limited,	
EMERALD GLACIER, 93E/11W	321
EMORY, 921/9W	199
EMU, 104G/6E, 7W	505
ENA, 92F/14, 11	236
ENDAKO MINE, 93K/3E	330
production	25
ENDERBY, 82K/11W	95
Endersby, S. A	2, 58
E. Nixon Ltd., sand and gravel	555
ENTERPRISE 82E/2E	41
ENTERPRISE 82E/14W	75
production	23
Enterprise Silver Mines I td	20
ENTERPRISE 025/1/10/	75
production	70
production	23
Envoy nesources Ltd.,	
ULLA, 921/8W	191
EO, 82F/14W	75
Equatorial Resources Ltd.,	
FAN, ANITA, 92H/10E 142,	143
<u>у</u>	

? .

Equity Mining Capital Limited,
SAM GOOSLY, 93L/1W 334-338
ERIC, 82F/9E; 82G/12W 67-69
ERIN, 82F/14W /4, /5
ERIN, 921/9W 199
ERIN, 92P/8E 273
ERNIE, 93N/9W
Ernie's Trucking Ltd.,
sand and gravel
EROS, 92J/15W 251, 252
Errington area, sand and gravel 554
ES, 921/2W
ESMERELDA, 93M/15E
ESP. 92E/15W 230
ESP. 92H/15E 155
Espina Copper Development Ltd.
FSP 92E/15W 230
ESTEVAN 92E/8W/9W 229
Estev Agencies Ltd
TOTEM POLE OOU /1000 151
ETHEL ODM/OW/
ETHEL, 93W/6W
ETHER, 82F/9E; 82G/12W 67-69
ETHIOPIA, 82E/2E 41
ETTA, 103J/1W 487, 488
EUPHRATES, 82F/6E 65
production
EUREKA,82F/4W62
EUREKA, 93L/15W 347, 348
EVA, 82F/6E 65
EVA BELL, 82E/1E
EVANS, 82F/9W 70
EVE, 921/16E 219
EVE, 94D/10E 443
EVELYN. 82K/10E
EVENING. 82F/4W
EVENING STAR, 82L/2E
EVENING STAR, 921/9W 198
EVENING STAR, 921/9W, see
GIBBI 198
EVENING STAR NO. 9, 82F/14W 74, 75
Evergreen Explorations Ltd.
JILL 93L/9E 16E
TBAVIS.93M/2W
Ewers, K. G
EX 82M/4E 23
EX 931 /14W 347
EX, 000, 1444
EXCEL SIOR 021 /714/ 250
EXCHANCE 004/0E
Evol Evolorotions i del
ГПЛ, 921/7W 774, 175 ИАТНИ ГЕЛІ МОНИТАНИ
NASHLEEN MOUNTAIN,
92H/16E 162, 163
JUA, 921/2W 166
Exeter Mines Limited,
GM, BM, 93B/9E 298
LORI, 92G/10W 238, 239
607

Page

.
EXIE, 92H/10E	141
Exploram Minerals Ltd.,	
HS,93A/6W	290
EXPO,92L/12	262
EXTENSION, 93L/14W	347
EYE, 921/6E	168
EZRA, 92I/7W, 10W	180
EZZ, 921/6E	172

F

F, 92F/12E	234
F, 921/10W 203,	204
F,93L/14W	347
F, 104O/16W	516
Fabro, E	575
FAIRVIEW, 92H/5E, 6W 131,	132
FAIRVIEW, 921/14E 214,	215
FAIRVIEW, 93N/9W, 10E	368
Fairview Mining Company Ltd.,	
SUSIE, 82E/4E 43	, 44
Falconbridge Nickel Mines Ltd.,	
IT, TO, (RUDDOCK CREEK),	
82M/15W	118
SUSTUT COPPER, 94D/10E 417-	432
TURN, 1041/7W	512
FALL, 92J/8E	250
FALL, 92J/11W	251
FALLER, 82F/9W	70
FALLS, 93A/6W	290
FAN, 92H/10E 142,	143
FAN, 92H/10E	142
FAN (AALENIAN), 92H/10E	143
FAN (BRONSON), 92H/10E	143
FANNY JOE, 82E/2E	37
FAP, 82E/12W	52
Far North Jade Ltd.	547
FARGO, 921/7W	175
FASS, 92J/3E	248
FAWN, 92H/10W	151
FB1,921/6E	172
FBW, 94B/13	389
FC, 93A/2W 287,	288
FEB, 82G/11W 84	, 85
FEB, 92H/15E	156
FEB, 93N/2W	365
FEDERAL, 82E/4E 43	, 44
FEN, 93E/12E, 13E	321
Fernie map sheet, 82G	83
FEX,93N/9W	368
FG, 93E/14W	324
FG, 94B/13	389
FHK, 921/7W 174,	175
FI, 82K/11W	, 95
FIC, 93N/9W	368
FIFTY, 92P/8E	273

FILL, 82E/6E 47 FIN, 921/7W 47 FIN, 921/7W 51 FIND, 93L/9W 67 FINE, 94B/13E 67 FINNY, 82F/9E; 82G/12W 67 FIR, 92P/14E 67 FIR, 92P/14E 67 FIR, 94B/13E 67 FIR, 94B/13E 67 FIR, 94D/7E, 10E 67 FIR, 94D/7E, 10E 61, First National Uranium Mines Limited, MAGNET, 92L/7W FIT, 93L/16E 67 Fitzgibbon, P. 54 FK, 92H/9W 74 Flagstone Mines Limited, 30, 921/9W JD, 921/9W 195, Flint Creek, 1031/16W, 915, Flint Rock Mines Limited, 380, 921/7E JD, 921/9W 195, Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 71 fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W 19, IVY, CAPCO, MAY, 82E/11E, 6E 50, 9 FLY, 92N/9W 74 FLY, 92N/9W 74 FLY, 93A/6W <th></th>	
FIN, 921/7W FIND, 93L/9W FIND, 93L/9W FINE, 94B/13E FINNY, 82F/9E; 82G/12W FIR, 92P/14E FIR, 92P/14E FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W 361, 5 FIRE, 93M/16W FL, 92P/9W FL, 92P/9W FL, 92P/9W FL, 92P/9W FLO, 82E/6E FLY, 92N/9W FLY, 92N/13E, 14W 369, FORD, 921/7E 186- FORD, 921/7E 186- FORD, 921/7E 50REMOST, 92F/4E, 5E 230, 7 FOREMOST, 92F/4E, 5	, 48
FIND, 93L/9W FINE, 94B/13E FINNY, 82F/9E; 82G/12W FIR, 92P/14E FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94B/13E FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W S61, First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 92O/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Flacer Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W FLO, 82E/6E production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FOL, 92P/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93L/15E Fording Coal Limited FORE, 93N/13E, 14W 369, FOREMOST, 92F/4E, 5E 230, FOREMOS	173
FINE, 94B/13E FINNY, 82F/9E; 82G/12W 67 FIR, 92P/14E FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94D/7E, 10E FIR, 94D/7E, 10E First National Uranium Mines Limited, MAGNET, 92L/7W Fist National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W Fl, 92P/9W Flagstone Mines Limited, JD, 921/9W 195, Flint Creek, 103I/16W, placer 195, Flint Rock Mines Limited, BEN, 921/16W 217, FLO, 82E/6E 47, production FLO, 1040/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 100/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 100/16W Fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W 10/17Y, CAPCO, MAY, 82E/11E, 6E 50, 15 FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W 10/17E 166 FLY, 92N/9W FLY, 92I/5E 50 50, 15 50, 15 FORT, 92H/9W 10/17E	344
FINNY, 82F/9E; 82G/12W 67 FIR, 92P/14E FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94B/13E FIR, 94D/7E, 10E FIR FIR, 94D/7E, 10E FIR, 94D/7E, 10E First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. Fitzgibbon, P. FK, 92H/9W FI, 92P/9W Flagstone Mines Limited, JD, 921/9W JD, 921/9W 195, Flint Creek, 1031/16W, placer FLO, 82E/6E 47, production FLO, 1040/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/11E, 6E 50, 9 FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92I/5E FOAtlack Stransfer Ltd., sand and gravel FOR, 93E/15E 326, 5 FORD, 93E/15E 326, 5 FOREMOST COP	388
FIR, 92P/14E FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94B/13E FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W FIRE, 93M/16W; 94D/1W Stational Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W Flagstone Mines Limited, JD, 921/9W Flint Creek, 103I/16W, placer Flint Rock Mines Limited, BEN, 921/16W Placer Floorex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E 50, FLY, 92N/9W FOL, 92I/7E Sand and gravel FORD, 93E/15E <t< td=""><td>7-69</td></t<>	7-69
FIR, 93K/6E, 7W, 2W, 3E FIR, 94B/13E FIR, 94B/13E FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W Flagstone Mines Limited, JD, 921/9W Flagstone Mines Limited, BEN, 921/16W Placer Flint Rock Mines Limited, BEN, 921/16W Plot, 82E/6E 47, production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E 50, FLY, 92N/9W FLY, 93L/9W, 16W FN, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E FORD, 93E/15E Stording Coal Limited FOREMOST, 92F/4E, 5E 230, FOREMOST, 92F/4E, 5E FORT, 92N/13E, 14W 369, FOREMOST, 92F/4E, 5E FORT, 92N/9W FORT, 92N/9W	279
FIR, 94B/13E FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W Sirst National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Plagstone Mines Limited, JD, 921/9W Placer Flint Creek, 103I/16W, placer Flint Rock Mines Limited, BEN, 921/16W 217, FLO, 82E/6E production Florex Mining Co, Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 93A/6W FORD, 93E/15E Send and gravel	332
FIR, 94D/7E, 10E FIRE, 93M/16W; 94D/1W First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 92O/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Plagstone Mines Limited, JD, 921/9W Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W 217, FLO, 82E/6E production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FORD, 93E/15E Send and gravel FORD, 93E/15E <tr< td=""><td>388</td></tr<>	388
FIRE, 93M/16W; 94D/1W 361, First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 92O/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W FI Flagstone Mines Limited, JD, 921/9W JD, 921/9W 195, Flint Creek, 1031/16W, placer Placer 47, production FLO, 82E/6E FLO, 82E/6E 47, production FLO, 1040/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 1 fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W 1 IVY, CAPCO, MAY, 82E/11E, 6E SQL/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 921/5E Fontaine's Transfer Ltd., sand and gravel FOR, 93E/15E 326, 5 FORD, 93E/15E 326, 5 Fording Coal Limited 468, 4 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5	408
First National Uranium Mines Limited, MAGNET, 92L/7W FISH LAKE, 92O/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W JD, 921/9W Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W Pint Rock Mines Limited, BEN, 921/16W FLO, 82E/6E 47, production Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/18W FLY, 92N/9W FOR, 82K/10E FORD, 921/7E 186- FORD, 93E/15E 326, 5 Fording Coal Limited FOREMOST, 02	362
MAGNET, 92L/7W FISH LAKE, 92O/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Flint Creek, 103I/16W, placer Flint Rock Mines Limited, BEN, 92I/16W FLO, 82E/6E production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 93A/6W FM, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W 468, 4 FORD, 92I/7E Fording Coal Limited FORD, 93E/15E Fording Coal Limited FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 92F/4E, 5E 230, 5 FORT, 92P/9W FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 92P/9W FORT, 93M/1W FORT, 93M/1W FORT, 93M/1W FORT, 93M/1W FORT, 93M/1W	
FISH LAKE, 920/5E FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W JD, 921/9W Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W 217, FLO, 82E/6E FLO, 1040/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E S2E/11E, 6E FLY, 92N/9W FORD, 92I/7E Sand and gravel FORD, 93E/15E S26, 5 Fording Coal Limited FOREMOST, 02F/4E, 5E S0REMO	25 9
FIT, 93L/16E Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W JD, 921/9W Flint Creek, 103I/16W, placer Flint Rock Mines Limited, BEN, 92I/16W SEN, 92I/16W FLO, 82E/6E 47, production Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E S26, 5 Fording Coal Limited FORE, 93N/13E, 14W S69, 5 FOREMOST, 02F/4E, 5E S0, 5 FOREMOST, 02F/4E, 5E S1, 5 FOREMOST, 02F/4E, 5E S20, 5 FOREMOST, 02F/4E, 5E S20, 5 FOREMOST, 02F/4E, 5E S20, 5 FOREMOST, 02F/9W </td <td>268</td>	268
Fitzgibbon, P. FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Plateer Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W Plot, 82E/6E 47, production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/18, 6E SYLY, 92N/9W FLY, 92N/9W FORD, 92I/7E FORD, 93E/15E Send and gravel FORD, 93E/15E Send and gravel FOREMOST, 02F/4E, 5E FOREMOS	350
FK, 92H/9W FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Placer Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W Placer FLO, 82E/6E 47, production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/9W FLY, 92N/9W FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E Secoding Coal Limited FOREMOST, 92F/4E, 5E Secoding Coal Limited FOREMOST, 92F/4E, 5E FORT, 92N/9W	79
FL, 92P/9W Flagstone Mines Limited, JD, 921/9W Plint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W Plocer FLO, 82E/6E 47, production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQL/18, 92P/9W FLY, 92N/9W FOR, 82K/10E FORD, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E S26, 5 Fording Coal Limited FOREMOST, 92F/4E, 5E S0, 5 FOREMOST, 02F/4E, 5E	138
Flagstone Mines Limited, JD, 921/9W 195, Flint Creek, 1031/16W, placer 195, Flint Rock Mines Limited, BEN, 921/16W 217, FLO, 82E/6E 47, production FLO, 82E/6E 47, production 921/9W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 92E/8W fluorite, DEER, PARK, 82E/8E 192 FLY, 92N/9W 111, 6E FLY, 92N/9W 112, 6E FLY, 92N/9W 112, 6E FLY, 92N/9W 112, 6E FLY, 92N/9W 114, 6E FLY, 92N/9W 114, 6E FLY, 92N/9W 114, 6E FLY, 92N/9W 116, 7E FOR, 82K/10E 116, 7E FORD, 921/7E 186, 7E FORD, 93E/15E 326, 2E FORD, 93E/15E 326, 2E FOREMOST, 02F/4E, 5E 230, 2E FOREMOST, 02F/4E, 5E 230, 2E FOREMOST, 02F/4E, 5E 230, 2E FOREMO	276
JD, 921/9W 195, Flint Creek, 1031/16W, placer Placer 195, Flint Rock Mines Limited, BEN, 921/16W BEN, 921/16W 217, FLO, 82E/6E 47, production 195, FLO, 104O/16W 197, Florex Mining Co. Ltd., 192, SYDNEY, SYD, ACCESS, 92E/8W fluorite, 1040, DEER, PARK, 82E/8E 115, EAGLET, 93A/10W 117, IVY, CAPCO, MAY, 82E/11E, 6E S2E/11E, 6E 50, FLY, 92N/9W 115, FLY, 92N/9W 116W FLY, 93A/6W 288, FLY, 93L/9W, 16W 104, FN, 82K/10E 104, FOLLY, 921/5E 104, Fontaine's Transfer Ltd., 186, sand and gravel 468, FORD, 93E/15E 326, Fording Coal Limited 196, FOREMOST, 02F/4E, 5E 230, FOREMOST, 02F/4E, 5E 230, FOREMOST, 02F/4E, 5E 230, FOREMOST, 02F/4E, 5E	
Flint Creek, 1031/16W, placer Flint Rock Mines Limited, BEN, 921/16W FLO, 82E/6E 47, production FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E 50, 92P/9W FLY, 92N/9W FLY, 92N/9W FLY, 93A/6W 288, FLY, 93L/9W, 16W FOA, 92I/5E Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E Fording Coal Limited FORE, 93N/13E, 14W 369, 5 FOREMOST, 092F/4E, 5E 230, 5 FOREMOST, 092F/4E, 5E Sand ST COPPER, 92F/4E, 5E Sording Coal Limited Sording Coal Limited Sording Coal Limited Sording Coal Limited FOREMOST, 092F/4E, 5E Sording Coal Limited Sording Coal Limited FOREMOST, 092F/4E, 5E <t< td=""><td>196</td></t<>	196
placer Flint Rock Mines Limited, BEN, 921/16W 217, 5 FLO, 82E/6E 47, production 47, SYDNEY, SYD, ACCESS, 92E/8W fluorite, 52E/11E, 6E DEER, PARK, 82E/8E 48, EAGLET, 93A/10W 41, IVY, CAPCO, MAY, 82E/11E, 6E S2E/11E, 6E 50, 9 FLY, 92N/9W 54, 9 FLY, 92N/9W 54, 9 FLY, 92N/9W 50, 9 FLY, 93A/6W 288, 5 FLY, 93L/9W, 16W 50, 9 FOLY, 92I/5E 56 Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E 326, 5 Fording Coal Limited 59, 5 FOREMOST, 92F/4E,	
Flint Rock Mines Limited, BEN, 921/16W 217, 1 FLO, 82E/6E 47, production FLO, 104O/16W 47, production Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W 47, fluorite, DEER, PARK, 82E/8E DEER, PARK, 82E/8E 14 EAGLET, 93A/10W 14 IVY, CAPCO, MAY, 82E/11E, 6E 50, 9 FLY, 92N/9W 51 FOLY, 92I/5E 51 Fontaine's Transfer Ltd., sand and gravel 468, 4 FORD, 93E/15E 326, 5 Fording Coal Limited 50, 5 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST,	529
BEN, 921/16W 217, 1 FLO, 82E/6E 47, production FLO, 104O/16W 47, production Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, 92E/8W DEER, PARK, 82E/8E 14 EAGLET, 93A/10W 17, 5 IVY, CAPCO, MAY, 82E/11E, 6E 50, 9 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 93A/6W 288, 5 FLY, 93L/9W, 16W 5 FOLLY, 921/5E 15 Fontaine's Transfer Ltd., sand and gravel 468, 4 FORD, 93E/15E 326, 5 Fording Coal Limited 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 021/7E, 14W 369, 5 FOREMOST, 021/7E, 230, 5 5 FOREMOST, 021/7E, 326, 5 5 FOREMOST, 921/9W 16 FOREMOST, 021/7E, 5 230, 5 FOREMOST, 021/9W 5 FORT, 92M/1W	
FLO, 82E/6E 47. production Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, 1 DEER, PARK, 82E/8E 1 EAGLET, 93A/10W 1 IVY, CAPCO, MAY, 82E/11E, 6E SYDNBW 5 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 93A/6W 288, 5 FLY, 93A/6W 488, 6 FO&LY, 92I/9E 1 FOALY, 92I/5E 1 Fontaine's Transfer Ltd., sand and gravel FORD, 93E/15E 326, 5 FORD, 93E/15E 326, 5 FORD, 93E/15E 326, 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E	218
production FLO, 104O/16W FLO, 104O/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E SQE/8W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 93A/6W FLY, 93A/6W 288, 5 FLY, 93L/9W, 16W FM FO& 32L/9E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E 186- FORD, 93E/15E 326, 5 Fording Coal Limited E FOREMOST, 02F/4E, 5E 230, 5 FOREMOST, 02F/9W 5 <	, 48
FLO, 1040/16W Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 93A/6W PSK/10E FOLLY, 92I/9E Fontaine's Transfer Ltd., sand and gravel FOR, 93E/15E ForRD, 93E/15E Fording Coal Limited FORE, 93N/13E, 14W FOREMOST, 02F/4E, 5E FOREMOST, 02F/4E, 5E FORLORN, 92I/9W FORT, 92P/9W	22
Florex Mining Co. Ltd., SYDNEY, SYD, ACCESS, 92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92N/9W FLY, 92P/9W FLY, 93A/6W FM, 82K/10E FOALLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FOR, 93E/15E Fording Coal Limited FORE, 93N/13E, 14W FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 93M/1W FORT, 93M/1W Fort Fraser map speet 93K	516
SYDNEY, SYD, ACCESS, 92E/8W 92E/8W fluorite, 1 DEER, PARK, 82E/8E 1 EAGLET, 93A/10W 1 IVY, CAPCO, MAY, 82E/11E, 6E S2E/11E, 6E 50, 1 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 92N/9W 5 FLY, 93A/6W 288, 2 FLY, 93L/9W, 16W 5 FOLLY, 92I/5E 5 Fontaine's Transfer Ltd., 5 sand and gravel 6 FOR, 93E/15E 326, 5 FORD, 93E/15E 326, 5 Fording Coal Limited 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST COPPER, 92F/4E, 5E 230, 5 FOREMOST COPPER, 92F/4E, 5E 230, 5 FOREMOST COPPER, 92F/4E, 5E 230, 5 FOREMOST, 02P/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 Fort Fraser map sheet 3	
92E/8W fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E 50, 9 FLY, 92N/9W FLY, 92N/9W FLY, 92P/9W FLY, 93A/6W FM, 82K/10E FO, 94L/9W, 16W FM, 82K/10E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FOR, 92I/7E Fording Coal Limited FORE, 93N/13E, 14W FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FOREMOST, 92F/4E, 5E FORT, 92N/9W FORT, 92N/9W FORT, 92N/9W FORT, 93M/1W Fort Fraser map speet 93K	
fluorite, DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92N/9W FLY, 92N/9W FLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PSE FLY, 93A/6W PSE FLY, 93L/9W, 16W FON, 92L/9E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W 468, 4 FORD, 92I/7E 186- FORD, 93E/15E Sand and gravel FOREMOST, 92F/4E, 5E Sand and gravel FOREMOST, 92F/4E, 5E Sand Sander, 92F/4E, 5E Sander, 93N/13E, 14W Sander, 92F/4E, 5E Sander, 92F/4E, 5E Sander, 92F/4E, 5E Sander, 92F/9W FORT, 92P/9W FORT, 93M/1W Sander, 93K/1W	228
DEER, PARK, 82E/8E EAGLET, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92N/9W FLY, 92P/9W FLY, 93A/6W PSEY, 93L/9W, 16W FORD, 93E/15E FORD, 93E/15E Serier, 93N/13E, 14W Serier, 93N/13E, 14W Serier, 93N/13E, 14W FOREMOST COPPER, 92F/4E, 5E POREMOST COPPER, 92F/4E, 5E POREMOST COPPER, 92F/4E, 5E POREMOST, 92I/9W Forster, J. FORT, 92P/9W FORT, 93M/1W Serier, 93M/1W	
EAGLE I, 93A/10W IVY, CAPCO, MAY, 82E/11E, 6E 50, 9 FLY, 92N/9W FLY, 92P/9W FLY, 92P/9W FLY, 93A/6W FLY, 93L/9W, 16W FM, 82K/10E FOLY, 92I/5E FONTaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E 186- FORD, 93E/15E 326, 5 Fording Coal Limited 50, 5 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FORLORN, 92I/9W 1 FOREMOST, 02F/4E, 5E 230, 5 FORLORN, 92I/9W 1 FORSter, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 FORT, 93M/1W 5	546
IV Y, CAPCO, MAY, 82E/11E, 6E FLY, 92N/9W FLY, 92P/9W FLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93A/6W PLY, 93L/9W, 16W FM, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W 468, 4 FORD, 92I/7E Sold FORD, 93E/15E Sold FORE 93N/13E, 14W Sold FOREMOST, 92F/4E, 5E SOLORN, 92I/9W FORST OPPER, 92F/4E, 5E SOLORN, 92I/9W FORT, 92P/9W FORT, 92P/9W FORT, 93M/1W Fort Fraser map sheet	546
822/17E, 6E 50, FLY, 92N/9W FLY, 92P/9W FLY, 93A/6W 288, FLY, 93L/9W, 16W FM, 82K/10E FO, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W 468, 4 FORD, 92I/7E 186- FORD, 93E/15E 326, 5 Fording Coal Limited 50, 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 93M/1W 5 Fort Fraser map sheet 93K	
FLY, 92IV/9W FLY, 92P/9W FLY, 93A/6W FLY, 93A/6W FLY, 93L/9W, 16W FM, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E Sording Coal Limited FORE, 93N/13E, 14W FOREMOST, 02F/4E, 5E FOREMOST, 02F/4E, 5E FOREMOST COPPER, 92F/4E, 5E FOREMOST, 02I/9W FORSter, J. FORT, 92P/9W FORT, 93M/1W FORT, 93M/1W	545
FLY, 92/9W FLY, 93A/6W 288, FLY, 93L/9W, 16W FM, 82K/10E FO, 94G/5W FOR FOO, 94G/5W 468, FORD, 92I/7E 186- FORD, 93E/15E 326, Fording Coal Limited 50, FOREMOST, 92F/4E, 5E 230, FOREMOST, 02F/4E, 5E 230, FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92M/1W 2 FORT, 93M/1W 2 Fort Fraser map sheet 93K	263
FLY, 93A/6W 288, FLY, 93L/9W, 16W FM, 82K/10E FO, 94G/5E FORLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W 468, 4 FORD, 92I/7E 186- FORD, 93E/15E 326, 5 Fording Coal Limited 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FORT, 92P/9W 1 FORT, 93M/1W 5 Fort Fraser map sheet 93K	276
FLT, 93L/9W, 16W FM, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E FORD, 93E/15E Sording Coal Limited FORE, 93N/13E, 14W FOREMOST, 92F/4E, 5E FOREMOST, 02F/4E, 5E Sontorn, 92I/9W FORSter, J. FORT, 92P/9W FORT, 93M/1W Fort, 93M/1W	289
FM, 82K/10E FOLLY, 92I/5E Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E FORD, 93E/15E Fording Coal Limited FORE, 93N/13E, 14W FOREMOST, 92F/4E, 5E FOREMOST, 02F/4E, 5E Sonster, J. FORT, 92P/9W FORT, 93M/1W Fort Fraser map sheet	344
Fontaine's Transfer Ltd., sand and gravel FOO, 94G/5W FORD, 92I/7E FORD, 93E/15E Server Stransfer Ltd., Sand and gravel FORD, 92I/7E FORD, 93E/15E Server Stransfer Ltd., Server Stransfer Ltd., FORD, 92I/7E FORD, 93E/15E Server Stransfer Ltd., Server Stransfer Ltd., FORD, 93E/15E Server Stransfer Ltd.,	94
sand and gravel 6 FOO, 94G/5W 468,4 FORD, 92I/7E 186- FORD, 93E/15E 326,5 Fording Coal Limited 5 FORE, 93N/13E, 14W 369,5 FOREMOST, 92F/4E, 5E 230,5 FOREMOST, 02F/4E, 5E 230,5 FOREMOST COPPER, 92F/4E, 5E 230,5 FOREMOST COPPER, 92F/4E, 5E 230,5 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 3 Fort Fraser map speet 93K	107
sand and graver 468,4 FORD, 92I/7E 186- FORD, 93E/15E 326,5 Fording Coal Limited 5 FORE, 93N/13E, 14W 369,5 FOREMOST, 92F/4E, 5E 230,5 FOREMOST, 02F/4E, 5E 230,5 FOREMOST COPPER, 92F/4E, 5E 230,5 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 Fort Fraser map speet 93K	562
FORD, 92I/7E 186- FORD, 93E/15E 326, 3 Fording Coal Limited 8 FORE, 93N/13E, 14W 369, 3 FOREMOST, 92F/4E, 5E 230, 3 FOREMOST, 02F/4E, 5E 230, 3 FOREMOST COPPER, 92F/4E, 5E 230, 3 FORLORN, 92I/9W 1 Forster, J. 5 FORT, 92P/9W 5 FORT, 93M/1W 3 Fort Fraser map sheet 93K	160
FORD, 93E/15E 326, 5 Fording Coal Limited 9 FORE, 93N/13E, 14W 369, 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST, 02F/4E, 5E 230, 5 FOREMOST COPPER, 92F/4E, 5E 230, 5 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 Fort Fraser map sheet 93K	100
Fording Coal Limited 52, FORE, 93N/13E, 14W 369, FOREMOST, 92F/4E, 5E 230, FOREMOST COPPER, 92F/4E, 5E 230, FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 Fort Fraser map sheet 93K	227
FORE, 93N/13E, 14W 369, 5 FOREMOST, 92F/4E, 5E 230, 5 FOREMOST COPPER, 92F/4E, 5E 230, 5 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 FORT, 93M/1W 5	582
FOREMOST, 92F/4E, 5E 230, 2 FOREMOST COPPER, 92F/4E, 5E 230, 2 FORLORN, 92I/9W 1 Forster, J. 4 FORT, 92P/9W 5 FORT, 93M/1W 5 Fort Fraser map sheet 93K	370
FOREMOST COPPER, 92F/4E, 5E 230, 2 FORLORN, 921/9W 1 Forster, J. 4 FORT, 92P/9W 2 FORT, 93M/1W 3 Fort Fraser map sheet 93K	231
FORLORN, 921/9W	231
Forster, J	197
FORT, 92P/9W FORT, 93M/1W Fort Fraser map sheet 93K	43
FORT, 93M/1W	275
Fort Fraser map sheet 93K	353
	330
Fort Grahame map sheet, 94C	889
Fort Nelson area sand and gravel	

Page

Fort St. John area,
sand and gravel 560
Fort St. John Highways District,
sand and gravel 560
Fosco Mining Ltd.,
AMY, LEO, 1040/16W 516
FOSS, 93M/7W 359
Fostall Mines Ltd.,
DUBLIN QUEEN, 82K/3E 87, 88
production
Foster, D. R. 180
Four Seasons Manufacturing Ltd.
SUNSET ES 92K/3W 252
FOUBTH OF JULY 82F/2F 39 40
FOURTH OF JULY 934/14W 294
EOX 82E/2E 38.39
FOX 921/9W 196
FOX 931 /16F 361
FOX 104P/3E barite 540
EBANCES 02M/1W/ 354
Frances Creek Mines td
LEAD OTIEEN 82K/10E
EPANCIS 021/16W 219
EDANKIE 02N/GW 11W 265 266
Ernson Vetlau Lina Pupplice
Praser Valley Line Suppres,
92H/4E, limestone
92H/4E, limestone 549 FRED, 82M/4W 114
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 259
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd.
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 463 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 403 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 277
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 403 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, BERGETTE, 93E/14W
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, BERGETTE, 93E/14W S24 FS, 92K/3W 252
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see 358 Wharf Resources Ltd. FRI, 92P/10E Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92P/16W 160, 161
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see 358 Wharf Resources Ltd. FRI, 92P/10E FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see 358 Wharf Resources Ltd. FRI, 92P/10E FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 463 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see 358 Wharf Resources Ltd. 777 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47 production 22
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47 production 22 Furry Creek area, sand and gravel 559
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47 production 22 Furry Creek area, sand and gravel 559 Fury Explorations Ltd., 559
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FRI, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47 production 22 Furry Creek area, sand and gravel 559 Fury Explorations Ltd., GH, K, L, 92H/8W 136
92H/4E, limestone 549 FRED, 82M/4W 114 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94D/1W 400 FRED, 94E/11W 463 FREDDY, 82F/14W 77 production 23 FRENCH, 93M/7W 358 French Exploration Limited, see Wharf Resources Ltd. FR1, 92P/10E 277 Fried, L. M. 23, 75 Frontier Exploration Limited, 8ERGETTE, 93E/14W BERGETTE, 93E/14W 324 FS, 92K/3W 252 FU, 92H/16W 160, 161 FUK1, 82E/10W 49, 50 FULL, 93L/16W 349 Fullerton, D. S. 586, 588, 589 FUR, 82E/6E 47 production 22 Furry Creek area, sand and gravet 559 Fury Explorations Ltd., GH, K, L, 92H/8W 136 SUNSET (SILENT FRIEND), 136

;

G

G, 93G/2W	328
GAB, 92C/8E	225
GABBRO, 92C/8E	225

GABEL, 1031/7E 485,	486
GAEL, 94C/3E 390	-395
GAIL, 92H/15E 156,	157
GAIL 94C/3W.4E	397
GALENA. 82E/1E	36
GALLANT BOY. 82K/11W	1.95
GAM 92H/7E	133
GAP 921/7W	175
GARRO 024//F	220
Gordnor W I	71
CADNET ODE/DE	7 60
GATE 021/45E	1, 50
GATE, 921/15E	216
GAUL, 93L/1W	-338
GAV, 104G/6E, /W	505
GAVIN, 93A/5, 12	289
GAZA, 921/7W	175
GB, 920/1E	265
GC, 92H/1W	123
GC, 92J/8E	250
GC, 104G/3W 501	-504
GCM, 921/7W	174
GEM, 82E/2E	41
GEM, 82F/10E, 15E	71
GEM, 92F/14, 11	236
GEM, 921/7W	175
GEN. 82F/9E; 82G/12W	7-69
Genesee Mining Corporation Ltd.	
LLL. 920/15E. 16W	269
Geneva Resources td_see	
Pacific Jade Industries 1 td	
Pacific Jade Industries Ltd. GEO 921/11F	208
Pacific Jade Industries Ltd. GEO, 921/11E	208
Pacific Jade Industries Ltd. GEO, 921/11E	208 260
Pacific Jade Industries Ltd. GEO, 921/11E	208 260
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E Geo-Dyne Resources Ltd., DENISE, 92H/8W	208 260 135
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E	208 260 135 245
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E	208 260 135 245 288
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E	208 260 135 245 288 62
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E	208 260 135 245 288 62 2, 64
Pacific Jade Industries Ltd. GEO, 921/11E	208 260 135 245 288 62 2,64 289
Pacific Jade Industries Ltd. GEO, 92I/11E GEO, 92L/8E DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W GERTRUDE, 82F/4W Gerun, A. M. GET, 93A/5, 12 Gething, Lloyd	208 260 135 245 288 62 2, 64 289 589
Pacific Jade Industries Ltd. GEO, 92I/11E GEO, 92L/8E DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W GERTRUDE, 82F/4W Gerun, A. M. GET, 93A/5, 12 Gething, Lloyd Gethyn Mining Co, Ltd.,	208 260 135 245 288 62 2,64 289 589
Pacific Jade Industries Ltd. GEO, 92I/11E GEO, 92L/8E DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W GERTRUDE, 82F/4W Gerun, A. M. 22 Gething, Lloyd Gethyn Mining Co. Ltd., placer, 104N/11W	208 260 135 245 288 62 2,64 289 589 530
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gething, Lloyd Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited,	208 260 135 245 288 62 2,64 289 589 530
Pacific Jade Industries Ltd. GEO, 921/11E	208 260 135 245 288 62 2,64 289 589 530
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 22 Gething, Lloyd 26 Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 92I/9W	208 260 135 245 288 62 2, 64 289 589 530
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 22 Gething, Lloyd 26 Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 92I/9W	208 260 135 245 288 62 2,64 289 589 530
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 22 Gething, Lloyd 287 Getty Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W	208 260 135 245 288 62 2,64 289 589 530 199 206
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 921/8E GEO, 921/8E GEO-Dyne Resources Ltd., DENISE, 92H/8W LOR1, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 287, 93A/5, 12 Gething, Lloyd Getty Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, IRON MASK, DM, 921/9W KRAIN COPPER, 921/10W, 11E 205, RAINBOW, 921/9W 197,	208 260 135 245 288 62 2,64 289 530 530 199 206 198
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERALDING, 93A/2W 287, GERTRUDE, 82F/4W 286 Gething, Lloyd 21 Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 21/9W KRAIN COPPER, 921/10W, 11E 205, RAINBOW, 921/9W 197, 30, GG, 921/10E 200, 30,	208 260 135 245 288 62 2,64 289 530 530 199 206 198 201
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 921/8E GEO, 921/8E Correst State GEO-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W GERALDING, 93A/2W GERALDING, 93A/2W GERTRUDE, 82F/4W Gerun, A. M. Gething, Lloyd Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, IRON MASK, DM, 921/9W KRAIN COPPER, 921/10W, 11E 205, RAINBOW, 921/9W 197, GG, 921/10E 200, GG, 93B/9W	208 260 135 245 288 62 288 62 288 530 530 199 206 198 201 -318
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERALDING, 93A/2W 287, GERTRUDE, 82F/4W 286 Gerun, A. M. 21 Gething, Lloyd 21 Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 21/9W KRAIN COPPER, 921/10W, 11E 205, RAINBOW, 921/9W 197, 36, 931/10E 200, GG, 93B/9W 299 36, 936/2W 299	208 260 135 245 288 62 288 62 2,64 289 530 199 206 198 201 -318 328
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERALDING, 93A/2W 287, GERTRUDE, 82F/4W 287, Gething, Lloyd 259, Gething, Lloyd 287, Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 921/9W KRAIN COPPER, 921/10W, 11E 921/10W, 11E 205, RAINBOW, 921/9W 197, GG, 93B/9W 299 GG, 93B/9W 299 GG, 93B/9W 299 GH, 92H/8W 299	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERALDING, 93A/2W 287, GERTRUDE, 82F/4W 287, Gething, Lloyd 259, Gething, Lloyd 287, Gethyn Mining Co, Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 921/9W KRAIN COPPER, 921/10W, 11E 921/10W, 11E 205, RAINBOW, 921/9W 197, GG, 938/9W 299 GG, 938/9W 299 GG, 938/9W 299 GH, 92H/8W 92H/8W GH, 92H/8W 6H, 92H/7E	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136 136
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 2; GET, 93A/5, 12 26thing, Lloyd Gething, Lloyd 259, Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 921/9W KRAIN COPPER, 921/10W, 11E 921/10W, 11E 205, RAINBOW, 921/9W 197, GG, 93B/9W 299 GG, 93B/9W 299 GH, 92H/8W 921/7E GH, 92H/8W 185, GIANT, 82F/4W 185,	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136 186 62
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERTRUDE, 82F/4W Gerun, A. M. 21 Gething, Lloyd 267, Gething, Lloyd 21 Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 921/9W KRAIN COPPER, 921/10W, 11E 921/10W, 11E 205, RAINBOW, 921/9W 197, GG, 93B/9W 299 GG, 93B/9W 299 GG, 93B/9W 299 GH, 921/7E 185, GIANT, 82F/4W 185, Giant Explorations Limited.	208 260 135 245 288 62 2,64 289 530 530 199 206 198 201 -318 328 136 186 62
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, GERALDING, 93A/2W 287, GERTRUDE, 82F/4W 287, Gerun, A. M. 22 Gething, Lloyd 26 Gething, Lloyd 27 Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W 921/9W KRAIN COPPER, 921/10W, 11E 921/10E 200, GG, 93B/9W 299 GG, 93B/9W 299 GG, 93G/2W 6H, 92H/8W GH, 92H/7E 185, GIANT, 82F/4W 6iant Explorations Limited, HPH, DORLON, 92L/12W 99	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136 186 62 261
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, Gerun, A. M. 22 Gethyn Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136 186 62 261 154
Pacific Jade Industries Ltd. GEO, 921/11E GEO, 92L/8E 259, Geo-Dyne Resources Ltd., DENISE, 92H/8W LORI, 92J/3E GERALDING, 93A/2W 287, Gerun, A. M. 22 Getty Mining Co. Ltd., placer, 104N/11W Getty Mining Pacific, Limited, 1RON MASK, DM, 921/9W	208 260 135 245 288 62 2,64 289 530 199 206 198 201 -318 328 136 186 62 261 154

Page

Giant Mascot Mines Limited, PRIDE OF EMORY MINE,	
92H/5E, 6W 1	31, 132
production	24
GIBBł, 921/9W	198
GIBBS, 921/13W	210
Gibraltar Mines Ltd.,	
GIBRALTAR MINE, 93B/9W	299-318
production	. 25
Gibsons area, sand and gravel	. 559
Gibsons Building Supplies Ltd.,	
sand and gravel	. 559
Giggey, C.L.M.	. 488
Gilbert, J. A.	. 70
GILL, 921/14W; 92P/3W 2	13, 214
GILLEY QUARRY, 92G/7E	-
building stone	. 542
Ginter. Ben	. 447
GISCO. 93A/14W	. 295
GIZELLE, 92P/10E	. 277
GK. 921/6E	. 168
GK. 93N/14W	370-378
GLACIER 104B/1E	497
GLACIER GULCH MOLYBDENUM	
931 /14W	347
GLADHAND 82K/11W	95
Glass James B	240
GLEN ECHO 93A/14W	294
GLEN MOUNTAIN 93M/5E	257
GLOBIA 93H/4F	278
GM 921/6F	2/0
GM 938/9E	240
GN 82M/7W	. 230
GN 93F/14W	224
GNAT 921/7W	175
GO 921/2W 7W	166
GO 94D/10F	. 100
Goble D F	. 470
Goble E M	. 03
Goble E O	. 00
Goble I E	. 00 83
Goble B I	
Godfrey 1 S	. 00
GOELIB 82E/6E	17 10
GOLD 821/2E	02 00
GOLD 821/2E	90, 99 101
GOLD 04E/6E	. 101
GOLD BUG 82E/2E	20 20
COLD CUP 021/24	30, 39
GOLD COF, 921/6W	. 190
COLD DOLLAN, 822/7W	40,49
COLD KINC 22E ///	39,40
COLD NING, 02F/4W	. 02
Cold Diver Mines & Estemation 1.1	90, 91
WOU, JUSIE, 92H/10W	. 149
VAN, DULL, LAST, FINE,	000
946/130	. 388

Gold Hiver Mines & Enterprises
Ltd. (continued),
WINDPASS, SWEET HOME,
92P/8E 273
Gold River Mines Limited, see
Gold River Mines &
Enterprises Ltd.
GOLD STAR, 92H/11W 152, 153
GOLDEN, 82N/5W 118
GOLDEN, 921/10E 202
GOLDEN AGE, 82F/6E 65
production 22
Golden Ark Explorations Ltd.,
BEAVER PASS (LANGFORD),
93H/4W, placer 528
BUZ, 93H/4E 328
Golden Ears Mines Ltd.,
MANN CREEK, 92P/9E
Golden Gate Explorations Ltd.,
JAM, GOLDEN, 921/10E 202
GOLDEN GLORY, 93K/5W 331, 332
Golden Hinde Mines Ltd.,
PROSPER, 92F/5 232
Golden Horn Placer Ltd 525
GOLDEN KING, 92J/15W 251
GOLDEN NUGGET, 82E/7W 48, 49
GOLDEN QUEEN, 82F/4W
GOLDEN STAR, 921/9W 198
GOLDEN STAR 921/9W see
GIBBI
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 COODENOUGH, 82F/6E 64 production 22
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOD HOPE, 82F/9W 100
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Coord Name 14d
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., 552
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD ALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., 553 Sand and gravel 555
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., 553 Sand and gravel 553 GORDON, 92P/9W 276 Gormlay, G. P 595
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE) 82F/2F
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENOP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E LENORE), 82E/2E 37 GOTCHA (TONEY, VEN), 82E/2E
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENOP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GOTDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E LENORE), 82E/2E 37 GOTCHA (TONEY, VEN), 82E/2E S2E/2E 37
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD ALL, 92F/10E 233, 234 GOODALL, 92F/10E 233, 234 GOODALL, 92F/10E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GOTDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E 37 GOTCHA (TONEY, VEN), 82E/2E 37 GOT, 92P/8E 273 37 GOT, 92P/8E 273 37
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GODD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD ALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G, P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E LENORE), 82E/2E 37 GOTCHA (TONEY, VEN), 82E/2E 82E/2E 37 GOTT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GODD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOODALL, 92F/10E 233, 234 GOODENOUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E LENORE), 82E/2E 37 GOTCHA (TONEY, VEN), 82E/2E 82F/2E 37 GOTT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397 Granby Mining Company Limited, The,
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD FRIDAY, 82F/4W 62, 63 GOOD ALL, 92F/10E 233, 234 GOOD ENOUGH, 82F/6E 64 production 22 GOOD HOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E LENORE), 82E/2E 37 GOTT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397 Granby Mining Company Limited, The, BLACK CREEK, 93A/6E,
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD ENDUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E GOTCHA (TONEY, VEN), 82E/2E S2E/2E 37 GOTT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397 Granby Mining Company Limited, The, BLACK CREEK, 93A/6E, placer 525
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD ENDUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E GOTCHA (TONEY, VEN), 82E/2E 82E/2E 37 GOTT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397 Granby Mining Company Limited, The, BLACK CREEK, 93A/6E, placer 525 JEAN, 93N/2W 365
GIBBI 198 GOLDENDALE, 82F/6W 63, 64 GOLDROP, 92H/7E, production 24 Goldstream area, sand and gravel 555 GOOD HOPE, 92F/5W 231 GOOD FRIDAY, 82F/4W 62, 63 GOOD ENDUGH, 82F/6E 64 production 22 GOODHOPE, 82F/9W 70 GOOF, 82M/12W, 5W 116, 117 Gord Noren Trucking Ltd., sand and gravel sand and gravel 553 GORDON, 92P/9W 276 Gormley, G. P. 585 GOTCHA (TAM O'SHANTER, IVA LENORE), 82E/2E SOT, 92P/8E 273 GR, 93B/9E, 8E 297, 298 GR, 94C/4E 397 Granby Mining Company Limited, The, BLACK CREEK, 93A/6E, placer 525 JEAN, 93N/2W 365 LEN (HUCKLEBERRY), 365

1 1 4 4

---- --

Granby Mining Company Limited, The	
	970
93N/14W	10
PHOENIX MINE, 020/20 39,	22
	22
	301
V,M.L. Holdings Ltd.	
Grandora Explorations Ltd.,	
BOOT, 94G/4W, 5W 466, 4	467
DEN, 921/11E 206, 2	207
NH, 93L/12E	346
TRIM, 94G/4E, 5E	464
Granduc Mines, Limited,	
GRANDUC MINE, 104B/1W 497-	499
production	25
Granduc Operating Company, see	
Granduc Mines, Limited	
Granges Exploration Aktiebolag,	
BERGETTE, 93E/14W	324
DW, CUP, 93E/12E, 13E	321
TETS, 93E/15W	326
TA, 93E/13E, 14W	322
Granisle Copper Limited,	
GRANISLE MINE, 93L/16E	351
production	25
GRANITE 82K/9W 10E	92
GRANITE BASIN, 94C/5W 397.	398
Grant John	250
Grant, John B	119
Grant W 1	80
GRASS BOOTS 021/0W	197
group and and are Table 552	563
Gravel Hill Supplies 1 to	505
Graver Am Supplies Ltd.,	888
GRAV BOCK 021/15E	252
Gray Book Mining Company Limited	202
	252
GRAT ROCK, 923/152	202
Great Northern Patrolaums &	JJ 2
Mines I tel	
	316
Great Oak Mining Corporation	110
Great Oaks Mining Corporation,	255
	355
Great Plains Development Company of	
Canada, Ltd.,	
BUCK, 20LA, 92H/16W, 15E	161
WART, WE, GREG,	500
	000
	000
GREAT WESTERN, 82K/4E 90	1,91
GREEN, 93A/12E	293
Green Bluff Copper Mines Ltd.,	04 F
KB, 921/15E	215
Greenaway, E.	554
Greenhills pit, 82J/2W, coal	583

GREG, 94C/3E 390)
GREG, 104G/8W 506	3
Greig, J. A 466	3
GREY, 82F/4W 62, 63	3
GREY COPPER, 82F/14E 81	
GREY EAGLE, 82E/2E 39, 40)
GREY GABLES, 82E/4E 43, 44	ŧ
GREYHOUND, 82E/2E 38, 39)
Grimley, A.W.T 579	9
GRIN, 920/4E 267, 268	3
GRIZ, 82M/1W 104-113	3
GRIZZLY, 92L/10W 260	נ
GRIZZLY, 94D/10W 445, 446	3
GRIZZLY-ORK, 94D/10W 445, 446	ô
Groundstar Resources Limited,	
ATLUCK, 921/2W 255, 256	3
MAGNET, 92L/7W 259	9
Grouse Creek, 93H/3W, placer 520	6
Grove Explorations Ltd.,	
WD, 92H/15E 15	7
GT, 93A/5, 12 289	9
Gulf Coast Materials Ltd.,	
sand and gravel 55	5
Gulf Islands, sand and gravel 55	5
Gunn, C 296, 298	8
Gunn, Helene 298	8
GUNNYSACK, 103H/14W 484, 48	5
GUT, 921/10 203	3
GW, 921/13E, 14W 21	1
gypsum, 82J/5W 540	6
GYPSY, 93M/3E 35	5
GYPSY, 103P/13W 490, 49	1

н

H, 82E/1E
H. 921/4E
H, 921/4E, talc
H, 93L/14W 347
HAB, 92L/7 258
HAB, 104G/3W 501-504
HACKLA, 82E/7W 48, 49
HAGAS, 93L/3E 339, 340
HAIL, 82M/12W, 5W 116, 117
HAL, 92H/10E 140, 141
HAL (EVE), 921/16E 219
HAL (IRON RANGE), 921/16E 218
Halferdahl & Associates Ltd., coal 588
Halfway River map sheet, 94B 384
HALIFAX, 82E/1E
Hall, R 390
Hallmark Resources Ltd.,
CRONIN MINE, 93L/15W 347, 348
production 25
611

HAM, 920/4E	267, 26	38
HAM, 93N/14W, 13E;		
94C/3, 4	3	79
HAMILTON CREEK, 92P/2W	2	70
Hamilton, W	50)8
HAMLET, 82F/9E; 82G/12W	. 67-6	59
HAN, 93K/6E, 7W, 2W, 3E	3	32
H&B, 92L/8E	20	50
HANEY, 82E/1E	. 35, 3	36
Haney Brick and Tile Limited,		
clay and shale, 92G/2E	54	45
HANKIN, 93L/11E	345, 34	16
Hannah, T. M.	52	26
Hansen, V	. 23, 1	77
HAP, 82M/1W	104-11	13
Hard Creek Mines Limited,		
TURN, 1041/7W	51	12
Harding V.	{	30
HABDOR 82F/4W		52
HARDSCRABBLE 82E/2E	. 38.5	39
HARKOFF. 82F/4W		52
HARLOCK. 82K/11W	. 94.9	95
HABP 82M/12W 5W	116.1	17
HABP 921/9E	193 19	34
HARPER BANCH OUABBY 921/9E	,	-
limestone	, 54	19
HARRISON 02H/5W	125-11	28
Harrison Letie R	120-1	5A
Hart River Miner Ltd	2.	~
	2	4.4
Hortman W D	2-	10
	J	0
However, John	104 14	237 21
HARSO 021/115	124, 1	ว เ าด
HAT (MYDA MINE) 025/125	20	20
HAT (MITRA MUNE), 927/122	2	30
HAT (PRICE), 92F/12E	2	50
HATCH, 921/7W	1.	/5
Match Point area, sand and gravel	ירי	າກ
Hatchard, H.		
	10	21
Haude, Gladys	10	50
Haude, Gladys	10	50 36
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W	· · · · 10 · · · · 56 · · · · 11	50 36 34
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E	· · · · 10 · · · · 56 · · · · 10 · · · 36	50 50 56 54 59
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim	· · · · 10 · · · · 50 · · · · 10 · · · · 30 · · · 51	50 50 56 54 59 53
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G.	10 56 10 30 55 20	50 50 56 54 59 53 59
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 921/9W	· · · · 10 · · · · 56 · · · · 10 · · · 30 · · · 59 · · · 20	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E	· · · · 10 · · · · 56 · · · · 10 · · · 30 · · · 51 · · · 20 · · · 15 · · · 20 · · · 15	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M	10 50 10 30 51 20 15 20 15 35, 3 35, 3	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E	10 50 10 30 51 20 15 35, 3 35, 3 35	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production	16 16 16 36 51 20 15 35, 3 34 34 57, 9	50 50 50 50 50 50 50 50 50 50 50 50 50 5
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W	16 16 16 36 51 20 15 35 38 34 34 34	
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W HDD, 92H/11E	16 56 16 38 51 20 19 . 35, 1 38 . 57, 1 32 32 34	01 03 03 03 03 03 03 03 03 03 03
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W HDD, 92H/11E HDP, 93L/2E	16 56 16 38 51 20 19 35 35 35 32 32 34 34 34 34 34	
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W HDD, 92H/11E HDP, 93L/2E HEATH, 93N/6E	16 16 16 36 55 20 15 35 35 35 34 34 34 34 34	
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W HDD, 92H/11E HDP, 93L/2E HEATH, 93N/6E HEATHER, 92N/14E	16 16 16 36 55 20 35 35 35 34	
Haude, Gladys HAVANA, 82E/1E HAWK, 92I/2W HAWK, 93N/13E; 94C/4E Hawkins, Jim Hawley, R. G. HAWTHORNE, 92I/9W HAZ-AL, 82E/1E Hazelton map sheet, 93M HB, 82F/3E production HB, 93L/10W HDD, 92H/11E HDP, 93L/2E HEATH, 93N/6E HEATHER, 92N/14E HEC, 92I/2W, see	16 56 16 36 57 35 35 35 35 34 34 34 34 34 34 34 34 34 34 34 34 35 34	01 50 50 50 50 50 50 50 50 50 50 50 50 50

Hecla Operating Company,	
BIG ANDY, 92K/15W	254
BRIAN, ADD, 93M/10W	360
IN, OUT, C, 104G/10W	507
LIARD COPPER (BIRD,	
SNO), 104G/6E, 7W	505
HEEL, 94G/4W, 5W 466,	467
HEF. 82K/4E 90), 91
HELLO, 82L/13W	103
HEM. 93B/9W	298
Hem Mines Ltd.,	
SUSIE, 82E/4E 43	3, 44
production	22
Hemrich Mines Ltd.,	
92J/2E, placer	524
HEN, 93K/6E, 7W, 2W, 3E	332
HENERY, 82F/14W	74
Henning, Bud	528
Henry, J. P.	200
Henry, Pat	152
HEP, 92L/12	262
Hepler, Meade	261
HERCULES 104B/1E	497
HES. 92E/8W. 9W	229
Hesca Besources Corporation Limited	
LYN. KAY 921/7E	181
HESOUIAT 92E/8W 9W	229
HESTERVAN 92F/8W 9W	229
HEW 92(1/1/W 2/1	477
HEW, 94G/12W 470 HEW/TT 82E/14W 76	477
HEW,94G/12W 470 HEWiTT,82F/14W 76 HH 921/7F	477 5, 77 186
HEW, 94G/12W	-477 5, 77 186 288
HEW, 94G/12W	477 5, 77 186 288 237
HEW, 94G/12W	477 5, 77 186 288 237 137
HEW, 94G/12W	477 5,77 186 288 237 137 144
HEW, 94G/12W	477 5,77 186 288 237 137 144 267
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478
HEW, 94G/12W	477 5,77 186 288 237 137 144 267 478 267
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 93A/2W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/10E 136, HI, 920/4E 141, 920/4E HI, 94K/11W 141, 920/4E HI, 920/4E 141, 920/4E	477 5, 77 186 288 237 137 144 267 478 267
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 93A/2W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/10E 136, HI, 920/4E 141, HI DO, 920/4E 141, Hibernian International Development Concreation 1 td	477 5,77 186 288 237 137 144 267 478 267
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 93A/2W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/10E 136, HI, 92H/20, HI,	477 5, 77 186 288 237 137 144 267 478 267
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357
HEW, 94G/12W	477 5,77 186 288 237 137 144 267 478 267 195 357 5,63
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357 2, 63
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357 2, 63 446
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 478 267 195 357 2, 63 446 244
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357 2, 63 446 244 48 202
HEW, 94G/12W	477 5, 77 186 288 237 137 144 267 478 267 195 357 2, 63 446 224 48 22
HEW, 94G/12W	477 5,77 186 288 237 137 144 267 478 267 195 357 5,63 446 244 48 22 48
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 92I/7E 287, HI, 92F/16W 236, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/10E 136, HI, 920/4E 136, HIDO, 920/4E 140, HIDO, 920/4E 140, HIDO, 920/4E 140, HIBO, 921/9 140, HIGH ORE, 82F/4W 62 Highhawk Mines Limited, 140, CARLOS, PIKE, 94D/10W 151, SIL, 92J/3E 140, HIGHLAND LASS, 8	477 5,77 186 288 237 137 144 267 478 267 195 357 2,63 446 244 48 22 48 22 48
HEW, 94G/12W	477 5,77 186 288 237 137 144 267 478 267 478 267 446 244 48 22 48 2272 48
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 921/7E 76 HH, 92F/16W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/8E 136, HI, 92H/10E 136, HIDD, 920/4E 136, Hibernian International Development Corporation Ltd., MB, SUG1, 921/9 140 HIDDEN TREASURE, 93M/6W 62 Highhawk Mines Limited, CARLOS, PIKE, 94D/10W SIL, 92J/3E 116HLAND BELL MINE, 82E/6E production 116HLAND LASS, 82E/6E Highland Lode Mines Ltd., 8AR, 92P/8E MARSHALL, 82E/2E 141	477 5,77 186 288 237 137 144 267 478 267 478 267 446 244 48 22 48 272 40
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 92F/16W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/8E 136, HI, 92H/10E 136, HI, 92H/10W 136, HIDDEN TREASURE, 93M/6W 14 HIGH ORE, 82F/4W 62 Highhawk Mines Limited, CARLOS, PIKE, 94D/10W SIL, 92J/3E 11GHLAND BELL MINE, 82E/6E production 11GHLAND LASS, 82E/6E HIGHLAND LASS, 82E/6E 11GHLAND LASS, 82E/6E Highland Lode Mines Ltd., 8AR, 92P/8E MARSHALL, 82E/2E 146, 000/1700	477 5, 77 186 288 237 137 144 267 478 267 195 357 2, 63 446 244 48 22 48 272 40
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 92F/16W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/8E 136, HI, 92H/10E 136, HI, 92H/10E 136, HI, 92H/10E 136, HI, 920/4E 136, Hibernian International Development Corporation Ltd., MB, SUG1, 921/9 11DDEN TREASURE, 93M/6W HIGH ORE, 82F/4W 62 Highhawk Mines Limited, CARLOS, PIKE, 94D/10W SIL, 92J/3E 11GHLAND BELL MINE, 82E/6E production 11GHLAND LASS, 82E/6E Highland Lode Mines Ltd., BAR, 92P/8E MARSHALL, 82E/2E 1100 MarsHALL, 82E/2E 117W	477 5, 77 186 288 237 137 144 267 478 267 478 267 195 357 2, 63 446 244 48 222 48 272 40 175
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 92F/16W 287, HI, 92F/16W 236, HI, 92H/8E 136, HI, 92H/8E 62 Hibernian International Development Corporation Ltd., MB, SUG1, 921/9 62 HIDDEN TREASURE, 93M/6W 62 Highhawk Mines Limited, CARLOS, PIKE, 94D/10W SIL, 92J/3E 62 HIGHLAND BELL MINE, 82E/6E 970 HIGHLAND LASS, 82E/6E 970 Highland Lode Mines Ltd., 8AR, 92P/8E MARSHALL, 82E/2E 921/7W Highplain Exploration Ltd., 63P (GAZA), 921/7W	477 5, 77 186 288 237 137 144 267 478 267 478 267 195 357 2, 63 446 244 48 22 48 272 40 175
HEW, 94G/12W 470 HEWITT, 82F/14W 76 HH, 92I/7E 76 HH, 92F/16W 287, HJ, 92F/16W 236, HI, 92H/8E 136, HI, 92H/10E 136, HIDD, 920/4E 14, MB, SUG1, 921/9 140, HIDDEN TREASURE, 93M/6W 62 Highhawk Mines Limited, CARLOS, PIKE, 94D/10W SIL, 92J/3E 116 HIGHLAND BELL MINE, 82E/6E 116 production 116 HIGHLAND LASS, 82E/6E 116 Highland Lode Mines Ltd., 8AR, 92P/8E MARSHALL, 82E/2E 14 Highplain Explor	477 5,77 186 288 237 137 144 267 478 267 195 357 2,63 446 244 48 222 48 272 40 175 462

·____

Page

UILO 1040/10M	501
HIRO, 1048/10W	001
HILL, 82E/2E	8, 39
HILL, 82E/5E 4	6,47
HILL, 92H/5W	5-128
HILL, 92H/16W	162
HILL, 921/13W	210
HILL, 93E/13E 321	, 322
HILLBANK SHALE QUARRY.	
928/12E clay and shale	643
WILL TOP 92N/2E basits	570
HILLTOP, 021/24, Dante	000
HILLIOP, 921/9W	200
HILO, 82F/16W	82
Hinks, J. V	50
HIRAM, 92J/15W	251
HK,92)/7W	178
HL, 82K/15E	97
HL, 93A/15W	296
HL. 104N/11W	515
HN-WEN 92H/16W	162
	120
HOPO 104N/41W	51G
HOBO, 104N/11W	515
HOBO (ADERA), 104N/11W	515
Hoko Exploration Ltd.,	
CI, JE, 92J/3E 243	, 244
E, 92H/8W	134
HOL, 93M/2	355
Holland, G.	554
Home Oil Company Limited.	
1 AKEN 921/6E	169
MOSOLUTO 93H/4F 328	320
V V Z 000/200	, 323
A, 1, 2, 920/2W	200
HOWESTAKE, 82W/4W	, ອວອ
HOMESTAKE, 921/16W	218
HOMESTAKE, 93L/15W 347	, 348
HONDA, 920/2W	266
HONEST JOHN, 82N/2E, barite	539
HOOK, 93A/6W 288	, 289
HOOKER, 93A/6W 288	, 289
HOOP, 92P/1W	, 270
HOPE 82F/9E: 82G/12W	5 7- 69
HOPE 82E/10E 15E	71
HOPE 02H/3E	124
HOPE 0211/14E	400
HOFE, 92H/11c	192
Hope, E. W.	16/
Hope map sheet, 92H	123
Hopkins, A.	
	70
HORN, 94D/3E 402	70 , 403
HORN, 94D/3E 402 HORN SILVER, 82E/4E	70 , 403 , 43
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402	70 , 403 43 167
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402	70 , 403 43 167
HORN, 94D/3E	70 , 403 43 167 , 167
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 921/4E 166 Horseshoe Mines Ltd 402	70 , 403 43 167 , 167
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 921/4E 166 Horseshoe Mines Ltd., WED 93B/8W	70 , 403 43 167 , 167 297
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 92I/4E 166 Horseshoe Mines Ltd., WED, 93B/8W Host Untures 1 td 140	70 , 403 43 167 , 167 297
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 92I/4E 166 Horseshoe Mines Ltd., WED, 93B/8W Host Ventures Ltd., MAX. 001/7E	70 , 403 43 167 , 167 297
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 921/4E 166 Horseshoe Mines Ltd., 402 WED, 93B/8W 402 Host Ventures Ltd., 402 MAX, 921/7E 402	70 , 403 43 167 , 167 297 185
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 92I/4E 166 Horseshoe Mines Ltd., WED, 93B/8W Host Ventures Ltd., MAX, 921/7E HOT, 92E/8W 402	70 , 403 43 167 , 167 297 185 228
HORN, 94D/3E 402 HORN SILVER, 82E/4E 402 Hornby, G. W. 402 Hornby Syndicate, 402 H, 92I/4E 166 Horseshoe Mines Ltd., 402 WED, 93B/8W 402 Host Ventures Ltd., 402 MAX, 921/7E 402 HOT, 93B/6E 402	70 , 403 43 167 , 167 297 185 228 358

1

HOT PUNCH, 104G/7W	361, 504,	362 505
Howe Sound area, sand and gravel		559
HPH, 92L/12W		261
HR.93L/3E	339,	340
Hrkac Raymond		254
HRS 93K/5W	331	332
HS 93A/6W		290
HT 93Ê/14E		325
HU 104.1/8E	•••	513
Hub City Paving Ltd	•••	
sand and gravel		554
HUBERT 031 /11E	•••	346
HICKI SPEPDV 02E/11E	• • •	220
HUDSON OOA /4 AM	• • •	204
Houson, 93A/14W	•••	234
Provide many Exploration and	tod	
ETTA 102 L/1W	1000,	400
	407,	400
LSD, 93N/2E	363,	364
Hudson Bay Mining and Smelting Co.,		
Limited,		
GC, HAB, BUY (STIKINE		
COPPER) 104G/3W	501	-504
LSD, 93N/2E	363,	364
Hudson, E	•••.	486
Hudson's Bay Oil and Gas Company		
Limited,		
CAVZ (TRAIL PEAK),		
93M/8W		359
LOG. 92H/10W		149
PINE ELV 934/5E 6		
	288.	289
SILVER GLANCE, GOLDEN	288, GLOF	289 Y.
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331,	289 Y, 332
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331,	289 Y, 332 129
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331,	289 Y, 332 129
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E 14	288, GLOF 331, 324	289 Y, 332 129
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT 931 /10W	288, GLOF 331, 324,	289 Y, 332 129 325 345
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331, 	289 Y, 332 129 325 345 71
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331, 324, 	289 Y, 332 129 325 345 71 458
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331, 324, 457,	289 Y, 332 129 325 345 71 458
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W	288, GLOF 331, 324, 457,	289 332 129 325 345 71 458 86
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica	288, GLOF 331, 324, 457, 	289 332 129 325 345 71 458 86 565
SILVER GLANCE, GOLDEN (93K/5W	288, GLOF 331, 324, 457, ,283,	289 332 129 325 345 71 458 86 565 565
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82E/7W	288, GLOF 331, 457, 283, 48	289 Y, 332 129 325 345 71 458 86 565 565 565 3,49
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W	288, GLOF 331, 457, 283, 48	289 Y, 332 129 325 345 71 458 86 565 565 565 3,49
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W	288, GLOF 331, 324, 457, 283, 48	289 (Y, 332 129 325 345 71 458 86 565 565 565 3,49
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82E/7W HUNTER, 82E/7E	288, GLOF 331, 457, 283, 48	289 Y, 332 129 325 345 71 458 86 565 565 565 565 5,36
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82C/12W BASIC, 82E/7W BASIC, 82E/1E D B OSUL/OWL	288, GLOF 331, 457, 283, 457 	289 Y, 332 129 325 345 71 458 86 565 565 565 3,49 5,36 35
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HuNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7E BASIC, 82E/1E D, R, 92H/10W	288, GLOF 331, 324, 457, , 283, 48, 148,	289 Y, 332 129 325 345 71 458 86 565 565 565 3,49 5,36 35 149
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNT, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/1E BASIC, 82E/1E D, R, 92H/10W MASTADON, 82E/1E	288, GLOF 331, 457, 283, 48, 148, 	289 Y, 332 129 325 345 71 458 86 565 565 565 3, 49 5, 36 35 149 355
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNTER, 82E/7W HUNTER V, 82F/3E, 6E HUNTER V, 82F/3E, 6E	288, GLOF 331, 457, ,283, 48, 148, 586	289 332 129 325 345 565 565 565 3, 49 5, 36 35 149 35 3, 59
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82C/12W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUNTER V, 82F/3E, 6E HUP, 82E/1E	288, 3LOF 331, 324, ,283, ,283, ,148, , 58 , 35	289 37, 332 129 325 345 565 565 565 3, 49 5, 36 35 149 35 3, 59 5, 36
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNT, 82N/2W, silica HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/7W HUNTER, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUNTER V, 82F/3E, 6E HUP, 82E/1E HUR, 102I/9E	288, GLOF 331, 457, ,283, 48, 148, 58, 	289 325 345 345 565 565 565 3,49 5,36 35 3,59 5,36 283
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82C/12W HUNT, 82C/1E BASIC, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUR, 102I/9E Hurd, M.	288, 3LOF 331, 457, ,283, ,283, 148, 556 	289 325 345 345 565 565 565 3,49 35 3,59 5,36 283 215
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82C/12W HUNTER, 82E/7W HUNTER, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUNTER V, 82F/3E, 6E HUR, 102I/9E Hurd, M HURRICANE, 104P/4E	288, 3LOF 331, 457, ,283, 148, 517,	289 (Y, 332 345 345 565 565 3,49 5,36 35 3,59 5,36 283 215 518
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82C/12W HUNT, 82C/1E BASIC, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUR, 102I/9E Hurd, M HURRICANE, 104P/4E HUSKY, 92I/14E	288, 3LOF 331, 457, ,283, 148, 517, 214,	289 332 332 345 565 565 3,49 5,36 35 3,59 5,36 283 215 518 215
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82G/12W HUNT, 82C/12W HUNT, 82C/1E BASIC, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUR, 102I/9E Hurd, M. HURRICANE, 104P/4E HUSKY, 921/14E HW, 92H/5W	288, GLOF 331, 457, ,283, 148, 517, 214, 125	289 332 332 345 71 458 86 565 565 3,49 5,36 35 3,59 5,36 3,59 5,36 2283 215 5,38 215 518 215
SILVER GLANCE, GOLDEN (93K/5W SKU, 92H/5W SLIDE, BOG, TWIN, MAX, 93E/11E, 14 SUMMIT, 93L/10W HUMBOLT, 82F/10E, 15E HUMP, 94E/6W HUNT, 82G/12W HUNT, 82G/12W HUNT, 82G/12W HUNT, 82C/12W HUNT, 82C/1E BASIC, 82E/7W Hunter Point Exploration Ltd., ANN, CALEDONIA, 82E/1E D, R, 92H/10W MASTADON, 82E/1E HUNTER V, 82F/3E, 6E HUP, 82E/1E HUR, 102I/9E Hurd, M. HURRICANE, 104P/4E HUSKY, 92I/14E HW, 92H/5W HW, 92H/10E	288, GLOF 331, 457, ,283, 148, 517, 214, 125 	289 325 345 71 458 86 556 556 3,49 5,36 35 3,59 5,36 2283 215 518 215 128 144

Page

HW, 921/7E 186	-189
H. Williamson Blacktop & Landscaping	
Ltd., sand and gravel	553
HY, 92L/13W	103
HYAS, 82L/13W	103

I

I, 92L/8E		260
IAN, 93N/7W		365
IC, 921/9E		194
ICE, 82F/8E	. 65	6, 66
ICE, 82K/9W, 10E		92
ICE, 93M/16W; 94D/1W	361,	362
ICE, 94D/10	446,	447
ID, 921/9W		199
ID, 104G/6E, 7W		505
IDA, 93E/13E	321,	322
IDA, 93N/9W, 10E		368
IDA MAY, 92J/15W		251
IDAHO, 92H/11W	152,	153
IDC, 93M/1	•••	352
Ideal Cement Company,		
92F/10E, limestone		548
IKE. 82E/1W	. 36	3, 37
ILSE. 92H/8W		133
IM. 921/9W		196
Imperial Limestone Company Limited		
quarry, 92F/10E	, 	548
Imperial Oil Limited.		
ANTICLIMAX. 92P/9W		276
BOB HAB 92L/7		258
EAGLE, 1041/6E, 11E	511.	512
FL 92P/9W	,	276
JD. 921/9W	195.	196
JEFF. 1041/1W	510.	511
MT, WASHINGTON COPPER,	,	
92F/14, 11		236
sand and gravel		560
SPECTRUM 104G/9W	506.	507
IMPREGNABLE, 82K/4E	. 90	. 91
IN. 82M/15W		118
IN 94D/3.6		405
IN 104G/10W		507
INBE 94G/4W		466
INCA 93N/6W 11W	365	366
IND 921/7W	000,	177
INDIAN 921/7W 10W	• • •	180
INDIAN CHIEF 92F/8W		229
INEL 1048/10W	• • •	601
INGEBBELLE 02H/7E	132	122
production	132,	133
INGERSOLI DELLE 020/75	122	122
MUCCOOLL DELLE, SZR//E	132,	133
Inter OFUT, OZF/JE, DE	. 58	, ซซ
		AAG
DD, 94D/10W	•••	440

Inland Copper Ltd. <i>(continued)</i> .	
JJ-C. 1030/9E	488
INLET 921/11W 260	261
INTERNATIONAL FAD 82E/3W	~0. 50
International Marble & Stone Company	00
Ltd. building stops 22E/10M	641
Lea, building stone, 6217 (097	041
OK (ALWIN) MINE, 921/66	172
International Wogul Wilnes Limited,	
RED CLIFF, 104A/4W	494
International Nickel Company of	
Canada Limited, The,	
COXEY MINE, 82F/4W 62	, 63
INVINCIBLE, 82F/3E 54	1-57
production	22
INVINCIBLE, 92H/7E 132,	133
IOU, 921/6E	172
IQ, 92P/15E 282,	283
IRA, 92H/10W	150
IRA, 94G/4W, 5W	467
IRON, 92F/10E 233,	234
IRON CAP, 92F/4W	231
IRON CAP. 921/9W	199
IBON CROWN 92N/14E	264
IBON MASK 82F/14W	76
IRON MASK 921/9W	199
BON BANGE 021/16E	210
1000 TRANGE, 921/10E	210
13ADLL, 021 / 14L 00	
	01
ISABELLE, 82F/14E 80	, 81
ISABELLE, 82F/14E	, 81
ISABELLE, 82F/14E	, 81 , 88
ISABELLE, 82F/14E	, 81 , 88 261
ISABELLE, 82F/14E	, 81 , 88 261 24
ISABELLE, 82F/14E	, 81 , 88 261 24
ISABELLE, 82F/14E	, 81 , 88 261 24 554
ISABELLE, 82F/14E	, 81 , 88 261 24 554
ISABELLE, 82F/14E	, 81 261 24 554 554
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553
ISABELLE, 82F/14E	, 81 , 88 261 24 5554 5554 5553 1555
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553 155 155 201
ISABELLE, 82F/14E	, 81 , 88 261 24 5554 5554 5553 1555 1555 201 118
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553 155 201 118 227
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553 155 201 118 227 241
ISABELLE, 82F/14E	, 81 , 88 261 24 554 554 553 155 201 118 227 241 388
ISABELLE, 82F/14E	, 81 , 88 261 24 5554 5554 5553 155 553 155 201 118 227 241 388 2482
ISABELLE, 82F/14E	, 81 , 88 261 24 554 553 155 201 118 227 241 388 482 38
ISABELLE, 82F/14E	, 81 , 88 261 24 554 553 155 553 155 155 201 118 227 241 388 227 388 482 388 565
ISABELLE, 82F/14E	, 81 , 88 261 24 554 553 155 155 155 155 201 8227 241 388 227 388 482 , 38 565 4
ISABELLE, 82F/14E	, 81 , 88 261 24 5554 5554 5553 155 555 155 201 118 227 241 388 8482 , 38 565 , 64
ISABELLE, 82F/14E	, 81 , 88 261 24 5554 5554 5553 155 555 155 201 118 227 241 388 8482 , 38 565 5, 64 50
ISABELLE, 82F/14E	, 81 , 88 , 261 24 554 554 553 155 553 155 553 155 553 155 501 118 227 1 388 227 388 2241 388 248 2565 , 64 50 50 50 50 50 50 50 50 50 50 50 50 50
ISABELLE, 82F/14E	, 81 , 82 , 88 , 88 , 261 24 554 553 155 201 118 227 118 227 118 227 241 388 8482 , 38 565 , 64 50 545
ISABELLE, 82F/14E 80 Iskut Silver Mines Limited, DUBLIN QUEEN, 82K/3E 87 ISLAND COPPER MINE, 92L/11W 260, production	, 81 , 82 , 88 , 261 24 554 553 155 553 155 553 155 155 155 155 155

~

Page

.

•••

J

i

J, 92G/10W	238,	239
J 92H/15E	156,	157
J. 921/7W	175-	177
J. 93L/14W		347
J 103I/9W		487
J RANK, 82K/10E		92
J.A.C. Ross & Associates,		
JUCKY JIM, 82K/3E	. 89	9, 90
JACK, 82E/4E		44
JACK, 921/11E	207,	, 2-8
JACK, 93M/15E		361
JACK, 104G/6E, 7W		505
Jack Cewe Ltd., gravel	555,	556
JACK NORTH, 92F/10E	233	234
JACK OF CLUBS, 104A/4W	494	-496
JACK POT, 82F/3E, 6E	. 58	3, 59
JACKAL, 1031/16	• • •	487
JACKO, 921/9W		197
JACK-RABBIT, 93L/9W	342,	343
JACKSON, 93M/15E		361
iade (nephrite)		547
JAE. 921/11E	207.	208
JAG. 82F/9W		70
JAM. 82M/12W		117
JAM. 92H/1W		123
JAM. 921/10E		202
JAM 93N/6W 11W	365.	366
JAMES 921/7W		175
James Cyril		530
JAMESONITE 82E/3E 6E	. 58	3. 59
IAN 821/13E magnesite		551
IAN 921/6E		173
IAN 921/9W		199
JAN.94D/7E		406
JAN. 103P/6W		489
J&C. 93M/2E		354
JANE 82M/12W		117
JANET, 104K/12E		514
JANETTE, 921/8W		190
JAY, 82F/3E, 6E	. 5	8, 59
JAY. 92H/15E		156
JAY, 921/7W	175	-177
JAY. 921/11E	207,	208
JAY 93K/3E		330
JAY. 93L/14W		347
JB. 93L/12E		346
JC, 921/7W		175
JC. 1030/9E		488
JD. 921/9W	195	. 196
JE, 92H/10E	142	143
JE (AALENIAN), 92H/10E		143
JE, 92H/10E		144
JE, 92J/3E	243	, 244
JEAN, 92I/7W		178
JEAN 921/9W		195

JEAN, 93N/2W
JEFF, 1041/1W 510, 511
JENNIE, 104P/4E 517, 518
JENNIFER, 104N/10W 514, 515
Jennings River map sheet, 1040 516
JERICHO 921/7W
lervis (niet area sand and grave)
Jessiman K 542
IFT 921/9W 198
Jetex Besources Ltd.
IACK 82E/4E
IEWI 82E/9E-82G/12W 67-69
IEWEL 02E/2E
ISINEL ENTERPRISE 826/26 41
JC 021/7E 186.180
IID 020/0W/ 298
JID, 950/944
JILL 021/05 165 342
JILL, 93L/9L, TOL
JINI, 82F/6W 63,04
JIW, 62F/9E
JIM, 921/7W 175
JIM, 92L/11W
JIM, 92P/6E 2/1
JIM, 93L/11E 346
JIM, 93L/15W
Jim, Gung Loy 2/6
Jim Jenkins Ltd.,
sand and gravel 554
JJ, 82E/5W 46
JJ, 82F/14W
JJ, 92I/7W 175-177
JJ, 1030/9E 488
JJ-C, 1030/9E 488
JM, 92H/8E 136, 137
JM, 92H/10E 141
J. Milner Trucking,
sand and gravel 554
JMP, 104G/6E, 7W 505
JN, 94K/6W 478
JO, 921/11E 207, 208
JO, 92J/3E 243
JO, 93A/15W 296
JO, 93N/9W 367
JO, 104G/16E 508, 509
JO ANN, 93N/14W 378, 379
JOAN, 82F/10E, 15E 71
JOAN, 94K/6W 478
JOAN, 1031/2E 485
JOANNE, 82L/14E 103, 104
JOB, 82F/4W 60
JOB, 921/7W, 10W
JOCK, 93N/11W 292
JOE, 82E/4E 45
JOE, 82J/13E, magnesite
JOE, 82M/4W
615

JOE, 92F/10E, limestone	548
JOE, 921/7W	178
JOE, 921/11E 207,	208
JOEM, 104P/6W 518,	519
JOHN, 92G/12W	242
Johnson, A. A.	585
Johnson, E. B.	167
Johnson, V. H.	575
JOKER. 921/9W 195.	196
JOKEB 104K/12E	514
Jones W D	526
100N 1031/2E	495
Jordan River Miner Ltd	400
SUNRO MINE 920/8E	225
production	220
	24
JOREX LIMITED,	000
IDA, NADI, 936/136 321,	322
JUSH, 94B/13	389
JUSIE, 92H/10W	149
JOW, 93E/13W	323
Jowsey, Fred H.	323
JOY, 92H/5W 125	-128
JOY, 92H/9W	139
JOY, 921/11E 207,	208
JOY, 93A/11W	292
JOY, 103P/6W	489
Joy, Robert	76
Joy Industries Limited,	
JEAN, 921/9W	195
Joy Mining Limited, see	
Joy Industries Ltd.	
JR, 921/9W 199,	200
JR,94G/4W	465
JRE, 82M/1W 104	-113
JS, 93F/15W; 93K/2W	327
JUA, 921/2W	166
JUA, 921/2W, 7W	166
JUDY, 82M/12W, 5W 116,	117
JUDY, 92P/8E 273,	274
JUG, 94E/6E 461,	462
JULIE, 92H/11E	152
JULY, 92P/15W	281
JUMBO, 82F/4W 62	2, 63
JUMBO, 82F/14W	74
JUMBO, 82K/8W, barite	537
JUMBO, 921/9W	199
JUNE, 82G/11W 84	. 85
JUNE, 82M/5W	, 115
JUNE 92F/5E	232
JUNE 92H/15E	158
JUNE 94G/4	464
Juniper Mines 1 td	
ECLIPSE (BOB HI)	
20K/15F	07
	767 767
UIPITER 03P/0E	404
	777
115 Q3K /GE JINI DINI DE	273

JUSTIN, 82E/11E, 6E	 50
JW, 93N/2W	 365

к

K, 92H/8W		136
K, 920/5E		268
K, 93L/14W		347
K, 93M/1		352
K, 103I/9W		487
KAFFIR KING, 82E/7W	4	8, 49
Kaiser Resources Ltd.		577
Elkview preparation plant		579
Michel by-product plant		581
Michel Colliery		579
Michel preparation plant		581
Kalco Valley Mines Ltd.,		
D, 94D/10E		443
DEX,92H/16E		155
KAY, TOK, 104B/9W		499
Kallio Mines Limited,		
BEN, 921/16W	217,	218
KAM, 82M/4W		114
Kamad Silver Co. Ltd.,		
HOMESTAKE, 82M/4W		114
limestone, 103A/11E		550
WINDPASS, SWEET HOME,		
92P/8E		273
Kam-Kotia Mines Limited,		
SILMONAC (MINNIEHAHA),		
82F/14W		78
production		23
VICTOR (VIOLAMAC),		
82F/14W		79
production		23
KAR, 92J/8E		250
KARINA, 82M/12W, 5W	116,	117
KARL, 82F/9E; 82G/12W	6	7-69
KASHU, 92L/3W		256
KASHU, 92L/3W, pyrophyllite		552
KATE, 93B/16W; 93G/1W	318,	319
KATHLEEN MOUNTAIN, 92H/16E	162,	, 163
KAY, 921/7E	180,	181
KAY, 92J/3E		244
KAY, 92P/8E		273
KAY, 93N/13E, 14W	369,	370
KAY, 104B/9W		499
KAYJUN, 82M/5W		115
KAZA, 93M/16W; 94D/1W	361,	362
Kaza Copper Ltd.,		
FIRE (KAZA), 93M/16W;		
94D/1W	361.	362
KB, 92I/10W	203.	204
КВ, 921/15Е	,	215
KB, 921/15E		216
KB, 92J/7W	249,	250

Keda Resources (1973) Limited.	
BLACK HAWK (BJ), 82L/6W	100
HAMILTON CREEK, SAVONA,	
92P/2W	270
McPHAIL, MONASHEE,	
82L/2E	99
Keefe, Ralph R.	350
KEI. 94G/5W	469
KELLY JO, 92F/10E, limestone	548
KEN, 93K/3E	331
KEN, 82M/1W 104	-113
KEN, 92F/14, 11	236
KENAD, 1031/7E 485,	486
KENCO, 921/9W	197
Kennco Explorations, (Western) Limited,	
BATTLE, 92L/4E 256,	257
BERG, 93E/14W	323
CHAPPELLE, 94E/6E 458	-460
KLI, 94D/9E, 8E	409
LAWYERS (SAUNDERS)	
94E/6E 460,	461
LEN (HUCKLEBERRY), 93E/11E .	320
LORRAINE, LORREX,	
93N/14W	-378
MORRIS, MONTEITH,	
92L/3W	552
NUP. 1041/5E	511
PINE 94E/2E	456
SAM GOOSLY, 93L/1W	-338
Kaussett Corres Correction	
Nennecotr Couper Corporation.	
BRITISH COLUMBIA MOLYB-	
BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W	489
BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W	489 557
BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL 82F/14E 8	489 557 0. 81
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited,	489 557 0, 81
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E	489 557 0, 81 87
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E	489 557 0, 81 87 82
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER,	489 557 0, 81 87 82
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W	489 557 0, 81 87 82 117
Kennedott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd.,	489 557 0, 81 87 82 117
Kennedott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E	489 557 0, 81 87 82 117 237
Kennedott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W	489 557 0, 81 87 82 117 237 226
Kennedott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W	489 557 0, 81 87 82 117 237 226 162
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E 8 Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEV, 921/11E, 14E 208	489 557 0, 81 87 82 117 237 226 162 209
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerr Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 921/11E, 14E 208 KEVIN, 92L/8E	489 557 0, 81 87 82 117 237 226 162 209 260
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NERT Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEVIN, 92L/8E 208 KEVIN, 92L/8E	489 557 0, 81 87 82 117 237 226 162 209 260 467
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NEXEXTAddison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/11E, 14E 208 KEVIN, 92L/8E 259 KEY, 104N/11W	489 557 0, 81 87 82 117 237 226 162 209 260 467 515
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEV, 92L/8E KEY, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd.,	489 557 0, 81 87 82 117 237 226 162 209 260 467 515
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEV, 92I/11E, 14E 208 KEV, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E	489 557 0, 81 87 82 117 237 226 162 209 , 260 467 515 230
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEV, 92I/11E, 14E 208 KEV, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E	489 557 0, 81 87 82 117 237 226 162 209 , 260 467 515 230 , 402
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEY, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E	489 557 0, 81 87 82 117 237 226 162 209 , 260 467 515 230 , 402 319
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEY, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E KG, 92I/6E	489 557 0, 81 87 82 117 237 226 162 209 , 260 467 515 230 , 402 319 168
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEV, 92H/28E 259 KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E 401 KF, 93C/3W KID, 93K/7W	489 557 0, 81 87 82 117 237 226 162 209 , 260 467 515 230 , 402 319 168 332
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E NINE LAKE, 82F/14E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEV, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E KG, 92I/6E KID, 93K/7W Kilbury, C. L.	489 557 0, 81 87 82 117 226 162 209 , 260 467 515 230 , 402 319 168 332 529
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/2E 208 KEY, 92H/3E 209 KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E KG, 921/6E KID, 93K/7W Kilbury, C, L. Kilbury, C, L. Kilbury, C, Ltd.	489 557 0, 81 87 82 117 226 162 209 467 515 230 467 515 230 , 402 319 168 332 529 557
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/16W KEY, 92H/2E PAN, CAN, 92L/8E 259 KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E KG, 921/6E KID, 93K/7W Kilbury, C. L. Kilbury, C. L. KIM, 94B/13	489 557 0, 81 87 82 117 226 162 209 467 515 230 467 515 230 , 402 319 168 332 529 557 389
Kennecott Copper Corporation, BRITISH COLUMBIA MOLYB- DENUM MINE, 103P/6W Kent Municipality, sand and gravel KENTUCKY GIRL, 82F/14E Kerr Addison Mines Limited, DOC, 82K/1E NINE LAKE, 82F/16E REXSPAR, SMUGGLER, 82M/12W Kerry Mining Ltd., SAM, 92G/7E KESTREL, 92C/9W KEV, 92H/16W KEV, 92H/16W KEV, 92H/16W KEY, 94G/4W, 5W KEY, 104N/11W Keywest Resources Ltd., ALBERNI, 92F/2E PAN, CAN, 94D/2W, 3E KG, 92I/6E KID, 93K/7W Kilbury, C. L. KIM, 104B/10W	489 557 0, 81 87 82 117 226 162 209 467 515 230 467 515 230 , 402 319 168 332 529 557 389 500

.

. ! .

Kimberley area, sand and gravel 553
King, David
KING EDWARD, 82E/4W 45, 46
KING GEORGE, 82F/9E; 82G/12W 67-69
KING GEORGE, 92H/16W
King Graybarr Mines Ltd.,
MOUNT VERNON (SILVER STREAK,
DCK) 82L/6E 101
King Resources Company,
MOUNT COPELAND MINE,
82M/1W 104-113
production 23
KINKAM, 92B/12E 223, 224
KINKORA, 82K/3W 90
Kinneard, G 224, 255
Kintla Explorations Limited,
BETH, 82G/1W
COMMERCE, 82G/1W 83, 84
Kirwan, Gerald
Kitimat area, sand and gravel 562
KITSOL, 103P/12E 489
Kitsui Bros, Gravel Sales Ltd 558
KL, 82L/1W 98
KLASKINO, 92L/5E 257, 258
Kleena Kleene Gold Mines Ltd.,
BOSS MOUNTAIN, 92N/14E 264
KLI, 94D/9E, 8E 409
KLICK, 82K/10E
KLONDYKE, 92B/13W
KN, 921/9W
KNOB. 94B/5E. 6W
KNOB HILL, 104B/1E 497
KNOX, 82M/1W 104-113
Kodiak Mines Ltd., see
Command Resources Ltd.
KOKANEE, 1031/9W 487
Komo Explorations Ltd.,
AFT, LEE, 921/9E 192, 193
AT, 92H/10E 141, 142
Koopmans, L 526
KOOTENAY, 82F/4W 61
Kootenay Concrete Ltd.,
sand and gravel 553
KOPPER NOB, 93B/16W;
93G/1W 318, 319
Kostiuk, Stanley 113
KP,92H/10E 146
KP,92J/6E 249
KQ, 93N/6W, 11W 365, 366
KR&K (CHARTRAND CREEK),
921/7W 179
KR&K (GREENSTONE CREEK),
921/7E 185
KR&K (WALLOPER LAKE),
921/7E 185, 186
KRAIN, 921/10W, 11E 205, 206
KRAIN COPPER, 921/10W, 11E 205, 206
617
e

3
9
6
0
9
8
6

L

L, 92G/10W 238,	239
L, 92H/8W	136
L, 93L/14W	347
L, 1031/9W	487
L, 1040/16W	516
LAD, 93M/1E; 93L/16E 352,	353
LAD, 94G/4W	465
LADY LUCK, 1031/7E 485,	486
Lafarge Canada Ltd.,	
DECEMBER, 92F/10E	234
PAUL, 92F/9W	233
Laguna Resources Ltd.,	
SVEN, 921/8W	190
LAKE, 921/6E	169
LAKE, 93L/16E,	351
LAKEN, 921/6E	169
LAKEVIEW, 92P/9W 275,	276
LAM, 93A/15W	296
LANA, 93L/9W	343
Lancaster, G 579,	581
Lancaster Mining Company Ltd., see	
Canorex Development Ltd.	
Canorex Development Ltd. L. & H. Swanson Ltd.,	
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2, 66 81
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2, 66 81 553 555 528
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel Lane, Peter	559 2,66 81 553 555 528 558
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2, 66 81 553 555 528 558
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2, 66 81 553 555 528 558 89
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 558 89 86
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 , 66 81 553 555 528 558 89 89 86
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 81 553 555 528 558 89 86 550
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 81 553 555 528 558 89 86 550 123
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 66 81 553 555 528 558 89 86 550 123 332
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 558 89 86 550 123 332 199
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 558 89 86 550 123 332 199 465
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 558 89 86 550 123 332 199 465 168
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 558 89 86 550 123 332 199 465 168 388
Canorex Development Ltd. L. & H. Swanson Ltd., sand and gravel	559 2,66 81 553 555 528 89 86 550 123 332 145 168 388 132

LAST OILANOE ASAA (AM)		
LAST CHANCE, 104A/4W	494	-496
LATE, 82F/9E; 82G/12W	6	7-69
LAU, 94G/4; 94B/13W		466
Laura Industries & Resources Ltd.		
DD 024/10E		147
00, 321/10C	•••	000
RA1, 92G/8E	•••	238
Laura Mines Ltd., see Laura		
Industries & Resources Ltd.		
LAVERNE, 92H/11E		152
Lawrin, Walter		269
LAWYERS ONE/GE	460	461
	400,	240
LAT, 93L/9W	• • •	343
LB,92H/10E	• • •	140
LD, 94B/13		389
LEAD COIL, 104A/4W		494
LEAD QUEEN, 82K/10E		94
LEADER 82E/9E		66
	•••	257
LEAD VILLE, 9310/5E	• • •	357
Leahy, Kendal	• • •	244
LEAP, 92H/16E	162,	163
LECKIE, 104B/1E		497
LED.921/10E	200.	201
LEE 921/7W		174
LEE 021/0E	107	102
	194,	190
LEE, 921/9W	197,	198
Leech River Mines Ltd.,		
JILL, 92B/5W	• • •	223
Leemac Mines Ltd.,		
JOY. 93A/11W		292
MARY RELL 934/12W		204
PAINEON ODUON	107	100
AINDOW, 921/9W	197,	190
LEFT PAW, 92F/12E ,	• • •	235
LEG, 92J/8E		250
Lehto, John		25
LEI, 82F/14W	. 78	3, 79
LELA 92H/7E	132	133
	102,	226
	• • •	220
LEN, 921/11E	206,	207
LEM, 93A/6W		
LEN, 82M/4E	288,	289
•	288, 113,	289 114
LEN, 92H/10E	288, 113, 142,	289 114 143
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E .	288, 113, 142,	289 114 143 320
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA 93K/6E 7W 2W 3E	288, 113, 142,	289 114 143 320
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E	288, 113, 142,	289 114 143 320 332
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W	288, 113, 142, 116,	289 114 143 320 332 117
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E	288, 113, 142, 116,	289 114 143 320 332 117 181
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 921/7E LEO, 104O/16W	288, 113, 142, 116,	289 114 143 320 332 117 181 516
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E	288, 113, 142, 116, 233,	289 114 143 320 332 117 181 516 234
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E . LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92E/8W	288, 113, 142, 116, 233,	289 114 143 320 332 117 181 516 234 229
LEN, 92H/10E LEN, 92H/10E LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LEO, 104O/16W LEND, 92F/10E LESCHI, 92E/8W LESLIE, 93N/0W	288, 113, 142, 116, 233,	289 114 143 320 332 117 181 516 234 229 267
LEN, 92H/10E LEN, 92H/10E LEN, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LEO, 104O/16W LENOI, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W	288, 113, 142, 116, 233, 	289 114 143 320 332 117 181 516 234 229 367
LEN, 92H/10E LEN, 92H/10E LEN, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W Lesyk, W	288, 113, 142, 116, 233,	289 114 143 320 332 117 181 516 234 229 367 486
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92I/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W Lesyk, W. LEY, 82F/14W	288, 113, 142, 116, 233, 78	289 114 143 320 332 117 181 516 234 229 367 486 5,79
LEN, 92H/10E LEN, 92H/10E LEN, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 921/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W LEY, 82F/14W L.G. Scott and Sons Construction	288, 113, 142, 1142, 116, 233, 78	289 114 143 320 332 117 181 516 234 229 367 486 5,79
LEN, 92H/10E LEN, 92H/10E LEN, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W LEY, 82F/14W LG. Scott and Sons Construction Ltd., sand and gravel	288, 113, 142, 116, 233, 562,	289 114 143 320 332 117 181 516 234 229 367 486 5,79 563
LEN, 92H/10E LEN, 92H/10E LEN, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LEND, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W LEY, 82F/14W LEY, 82F/14W LG. Scott and Sons Construction Ltd, sand and gravel LH, 82L/15W	288, 113, 142, 116, 233, 562,	289 114 143 320 332 117 181 516 234 229 367 486 5,79 563 104
LEN, 92H/10E LEN, 92H/10E LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W LESLIE, 93N/9W LEY, 82F/14W LEY, 82F/14W LC, Scott and Sons Construction Ltd, sand and gravel LH, 82L/15W LH, 92H/5W	288, 113, 142, 116, 233, 562, 125,	289 114 143 320 332 117 181 516 234 229 367 486 5,79 563 104 128
LEN, 92H/10E LEN, 92H/10E LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LEO, 104O/16W LESCHI, 92F/10E LESCHI, 92E/8W LESLIE, 93N/9W LESLIE, 93N/9W LEY, 82F/14W LG. Scott and Sons Construction Ltd, sand and gravel LH, 82L/15W LH, 92H/5W LIARD COPPER (BIRD, SNO)	288, 113, 142, 116, 233, 562, 125-	289 114 143 320 332 117 181 516 234 229 367 486 5,79 563 104 128
LEN, 92H/10E LEN (HUCKLEBERRY), 93E/11E LENA, 93K/6E, 7W, 2W, 3E LEO, 82M/12W, 5W LEO, 92!/7E LEO, 104O/16W LERO1, 92F/10E LESCHI, 92F/8W LESLIE, 93N/9W Lesyk, W. LEY, 82F/14W L.G. Scott and Sons Construction Ltd, sand and gravel LH, 82L/15W LIARD COPPER (BIRD, SNO), 104G/6E 7W	288, 113, 142, 116, 233, 78 562, 125-	289 114 143 320 332 117 181 516 234 229 367 486 5,79 563 104 128

Page

-

Liard Copper Mines Ltd.,	
LIARD COPPER (BIRD,	
SNO), 104G/6E, 7W	505
Lightning Creek, placer	528
LIL, 92H/15E	156
Lillooet River, placer	524
LILY (DUAL), 93E/14E	325
LIM. 104G/13	508
LIME 92F/10E	234
limestone	
BEALE OLIABBY 92E/16E	549
COBRIE HUL 028/12E	647 647
	6C0
	000 E40
DOMITAR QUARR 1, 92P/15E	049
FRASER VALLEY LIME,	
92H/4E	549
HARPER RANCH, 921/9E	549
IDEAL CEMENT, 92F/10E	548
IMPERIAL LIME, 92F/10E	548
LAREDO LIMESTONE, 103A/11E .	550
RAVEN, 92F/10E	548
TERRACE CALCIUM PRODUCTS,	
103I/9W	550
LIMESTONE, 82F/10E	71
LINDA, 93M/1E; 93L/16E 352,	353
LINDA, 94B/12E 385.	386
Lindale Cooper Mines Ltd.	
HESOULAT, BROWN JUG	
HESQUIAT, BROWN JUG, 92E/8W 9W	229
HESQUIAT, BROWN JUG, 92E/8W, 9W	229 579
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J.	229 579
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W	229 579 198 274
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J LINE, 921/9W LINE, 92P/8E	229 579 198 274
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J LINE, 92I/9W LINE, 92P/8E	229 579 198 274 515
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W LINE, 93M/16E LISA, 93M/16E	229 579 198 274 515 362
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 921/9W LINE, 92P/8E LINE, 104N/10W LINE, 104N/10W LINE, 92H/10E LISA, 92H/10E	229 579 198 274 515 362 147
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E LINE, 104N/10W LINE, 104N/10W LINE, 93M/16E LISA, 92H/10E LISA, 94B/13	229 579 198 274 515 362 147 389
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 104N/10W LINE, 104N/10W LINE, 93M/16E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W	229 579 198 274 515 362 147 389 231
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E	229 579 198 274 515 362 147 389 231 40
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E	229 579 198 274 515 362 147 389 231 40 35
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/2E	229 579 198 274 515 362 147 389 231 40 35 40
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/1E	229 579 198 274 515 362 147 389 231 40 35 40 35
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E	229 579 198 274 515 362 147 389 231 40 35 40 35 40
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/2E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE CASINO, 104A/4W 494	229 579 198 274 515 362 147 389 231 40 35 40 35 40 496
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/2E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE CASINO, 104A/4W LITTLE DARLING, 82F/4W	229 579 198 274 515 362 147 389 231 40 35 40 35 40 496 22
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/2E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W	229 579 198 274 515 362 147 389 231 40 35 40 496 496 251
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E LINE, 92P/8E LINE, 104N/10W S14, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W LITTLE JOE, 103P/13W 490,	229 579 198 274 515 362 147 389 231 40 35 40 35 40 62 251 491
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LITLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 103P/13W 490, LITTLE MAY, 82F/10W	229 579 198 274 515 362 147 389 231 40 35 40 35 40 62 251 496 2251 491 73
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LINE, 92P/8E LINE, 92P/8	229 579 198 274 515 362 147 389 231 40 35 40 62 251 496 251 496 251 496 251 496 251 496 251 497 23
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W LITTLE JOE, 103P/13W 490, LITTLE MAY, 82F/10W 72 production LITTLE PAT, 104A/4W 494	229 579 198 515 515 274 515 362 40 35 40 35 40 62 251 496 251 496
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LITLE 92F/4W LITTLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 103P/13W LITTLE JOE, 103P/13W LITTLE PAT, 104A/4W 494 LITTLE PAT, 104A/4W	229 579 198 515 362 147 389 231 40 35 40 35 40 62 251 496 251 496 251 496 73 340 62 2491 73 23 496 76
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L, J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92P/10E LISA, 92P/10E LISA, 92P/10E LISA, 92P/10E LISA, 92P/10E LITLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W LITTLE JOE, 92J/15W LITTLE DARLING, 82F/4W LITTLE DAR, 82F/10W 100 LITTLE PAT, 104A/4W LITTLE PAT, 104A/4W LITTLE TIM, 82F/14W production	229 579 198 274 515 362 147 389 231 40 35 40 35 40 62 251 73 349 62 251 73 496 251 73 496 23
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 92P/8E LINE, 92P/8E LISA, 94B/13 LISA, 94B/13 LISA, 92H/10E LISA, 92H/10E LITE, 92F/4W LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 103P/13W LITTLE JOE, 103P/13W LITTLE MAY, 82F/10W 72 production LITTLE PAT, 104A/4W LITTLE TIM, 82F/14W production Litygard, Egil	229 579 579 515 515 515 515 515 515 515 515 515 51
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 92P/8E LINE, 92P/8E LISA, 94B/13 LISA, 94B/13 LISA, 92H/10E LISA, 94B/13 LITE, 92F/4W LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE JOE, 92J/15W LITTLE JOE, 103P/13W LITTLE JOE, 103P/13W LITTLE MAY, 82F/10W T2 production LITTLE TIM, 82F/14W production Livingstone, K,	229 579 579 515 515 515 515 515 515 515 515 515 51
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 92P/8E LINE, 92P/8E LISA, 94B/13 LISA, 94B/13 LISA, 94B/13 LITE, 92F/4W LITTLE BROWN, 82E/2E LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE CASINO, 104A/4W LITTLE JOE, 103P/13W LITTLE JOE, 103P/13W LITTLE JOE, 103P/13W LITTLE PAT, 104A/4W LITTLE TIM, 82F/14W production Livingstone, K. Livingstone, K. Livingstone, K.	229 579 579 515 5362 40 515 231 47 3231 40 5 40 6 251 497 23 496 23 497 23 20 40 20 20 20 20 20 20 20 20 20 20 20 20 20
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 104N/10W 514, LION, 93M/16E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LISA, 92H/10E LITLE ANNIE, 82E/2E LITTLE BROWN, 82E/1E LITTLE BROWN, 82E/1E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W LITTLE JOE, 103P/13W 494 LITTLE PAT, 104A/4W 171LE TIM, 82F/14W production Livgard, Egil Livingstone, K. Livingstone, K. W. LIZ, 82G/11W 84	229 579 579 515 5362 40 552 552 552 552 552 552 552 552 552 55
HESQUIAT, BROWN JUG, 92E/8W, 9W Lindsay, L. J. LINE, 92I/9W LINE, 92P/8E 273, LINE, 92P/8E LISA, 94P/10E LISA, 94B/13 LITE, 92F/4W LITTLE BROWN, 82E/2E LITTLE BURNE, 82E/2E LITTLE BURNE, 82E/2E LITTLE DARLING, 82F/4W LITTLE JOE, 92J/15W LITTLE JOE, 92J/15W LITTLE JOE, 103P/13W LITTLE MAY, 82F/10W Production LITTLE TIM, 82F/14W production Livingstone, K. Livingstone, K. L	229 579 579 579 515 5362 40 552 552 40 552 552 40 552 552 40 552 552 552 552 552 552 552 552 552 55

LIZ, 94D/8W	409
LIZ B, 82F/2E	53
LJ, 92H/10E	140
LK, 93E/14W	324
LL, 104G/6E, 7W	505
LLL, 920/15E, 16W	269
Lloyd, G. V. 49	
LM, 92H/5W	129
LMC, 92F/10E 233,	234
LO, 92H/15E 156,	157
LODE, 93F/15W; 93K/2W	327
LODGE, 921/10W 203,	204
LOG, 92H/10W	149
LOGAN, 93M/16W; 94D/1W 361,	362
LONE CONE, 92F/4W	231
Lone Cone Mines Ltd.,	
CORNWALL, 921/11W	210
LONE EAGLE, 82F/9E	66
LONG, 92J/8E	250
LOOKOUT. 104A/4W	-496
LOON. 92P/9W	276
LOPS 921/9W 197	198
LOB 82E/6E	1 48
Lord River Gold Mines Limited	,
HI DO 920/4E	267
LOBENA 92L/10W	260
Lorena Mines I to	200
	100
	130
	200
LORENA, 92L/10W	260
LORENA, 92L/10W	260 239
LORENA, 92L/10W	260 239
LORENA, 92L/10W	260 239 245
LORENA, 92L/10W	260 239 245
LORENA, 92L/10W	260 239 245 245
LORENA, 92L/10W	260 239 245 245 255
LORENA, 92L/10W	260 239 245 245 255 267
LORENA, 92L/10W	260 239 245 245 255 267 199
LORENA, 92L/10W	260 239 245 245 255 267 199 5, 77
LORENA, 92L/10W	260 239 245 245 255 267 199 5, 77 251
LORENA, 92L/10W	260 239 245 245 255 267 199 5, 77 251 528
LORENA, 92L/10W	260 239 245 245 255 267 199 5, 77 251 528
LORENA, 92L/10W	260 239 245 245 255 267 199 5, 77 251 528 170
LORENA, 92L/10W	260 239 245 255 267 199 5, 77 251 528 170 24
LORENA, 92L/10W	260 239 245 245 265 267 199 5,77 251 528 170 24 206
LORENA, 92L/10W	260 239 245 245 255 267 199 5,77 251 528 170 24 206 170
LORENA, 92L/10W	260 239 245 255 267 199 5,77 251 528 170 24 206 170 378
LORENA, 92L/10W	260 239 245 255 267 199 5,77 251 528 170 24 206 170 -378 -378
LORENA, 92L/10W	260 239 245 255 267 199 5,77 251 528 170 24 206 170 378 378 378 225
LORENA, 92L/10W	260 239 245 255 267 199 5,77 251 528 170 24 206 170 24 206 170 378 378 225 148
LORENA, 92L/10W	260 239 245 245 255 267 199 3,77 251 528 170 24 206 170 -378 -378 225 148 166
LORENA, 92L/10W	260 239 245 255 267 199 3,77 251 528 170 24 206 170 -378 -378 225 148 166 368
LORENA, 92L/10W	260 239 245 255 267 199 528 170 24 206 170 24 206 170 378 225 148 166 368 265
LORENA, 92L/10W	260 239 245 255 267 199 3,77 251 528 170 24 206 170 24 206 170 378 378 225 148 166 368 265 198
LORENA, 92L/10W	260 239 245 255 267 199 3,77 251 528 170 24 206 170 24 206 170 378 378 225 148 166 368 265 198 254
LORENA, 92L/10W	260 239 245 255 267 199 3, 77 251 528 170 24 206 170 24 206 170 378 378 225 148 166 368 265 198 254 92
LORENA, 92L/10W	260 239 245 255 267 199 3, 77 251 528 170 24 206 170 24 206 170 24 206 170 378 378 225 148 166 368 265 198 254 92
LORENA, 92L/10W	260 239 245 255 267 199 5,77 251 528 170 24 206 170 24 206 170 24 206 170 378 378 225 148 166 368 265 198 254 92 553

Page	e	Pag	
------	---	-----	--

Lovang, K	329
LOW, 948/5E, 6W	384
LOX, 92H/10E	142
LOYAL CANADIAN, 82E/1W 36	, 37
LP, 92H/10E	140
LPS, 92L/12W	261
LR, 92H/10E	140
LS, 921/9W	199
LS, 93A/15W	296
LSD, 93N/2E 363,	364
LU. 92J/3E	243
Lubbers, Martin	327
LUC Syndicate.	
BURN 93N/11E	369
FORT 93M/1W	353
HOL 93M/2	355
LION 93M/16F	362
BOJO 93) /16W	349
LUCK 921/7W	173
	517
LUCKY 82M/12W-92P/9F	117
LUCKY 92H/4E	124
LUCKY 92H/11F	152
LUCKY 921/14E 214	215
LUCKY 92P/9W	276
	QA
LUCKY FORTUNE 1031/7E 485	196
LUCKY FORTUNE, 1031/7E 485,	486 00
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125.	486 , 90
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN 103P/13W 490	486 , 90 128
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE 82K/105	486 , 90 128 491
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E	486 , 90 128 491 94
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W	486 , 90 128 491 94 198
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W LUCKY STRIKE, 921/9W	486 , 90 128 491 94 198 199 276
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W LUCKY STRIKE, 921/9W LUCKY STRIKE, 92P/9W	486 , 90 128 491 94 198 199 276
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W	486 , 90 128 491 94 198 199 276 348
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W LUCKY STRIKE, 921/9W LUCKY STRIKE, 92P/9W	486 , 90 128 491 94 198 199 276 348 527
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W LUCKY STRIKE, 921/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92L/15W 347, LUCKY STRIKE, 92L/15W 347, LUKE, 82F/9E; 82G/12W 67	486 , 90 128 491 94 198 199 276 348 527 7-69
LUCKY FORTUNE, 1031/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 921/9W LUCKY STRIKE, 921/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY, 82F/9E; 82G/12W 67 LUNAR, 114P/10E	486 , 90 128 491 94 198 199 276 348 527 7-69 519
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W	486 , 90 128 491 94 198 199 276 348 527 7-69 519 129
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 447, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 447, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92P/8W LV, 92P/8W	486 , 90 128 491 94 198 199 276 348 527 7-69 519 129 272
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, Ludditt, B. C LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LV, 92P/8W LV, 92P/8W LV, 92P/8W	486 , 90 128 491 94 198 199 276 348 527 7-69 519 129 272 275
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LV, 92P/8W LV, 92H/5W 125- LVN, 92H/5W	486 ,90 128 491 94 198 199 276 348 527 7-69 519 129 272 275 128
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LV, 92P/8W LY, 92P/9W LYN, 92H/5W 125- LYN, 92I/7E 180,	486 ,90 128 491 198 199 276 348 527 7-69 519 129 272 275 128 181
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY, 82F/9E; 82G/12W LUKE, 82F/9E; 82G/12W LUV, 92H/5W LV, 92P/8W LYN, 92P/8W LYN, 92P/8W LYN, 92P/8W LYN, 92P/8W LYN, 92P/8W	486 ,90 128 491 198 199 276 348 527 7-69 519 272 275 128 181 181 272
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W 125- LYN, 92P/8W LYN, 92P/8W LYN, 92P/8W LYNDA, 93A/6W	486 ,90 128 491 198 199 276 348 527 7-69 519 272 275 129 275 128 181 272 292
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W 125- LYN, 92P/8W LYN 92P/8W LYNDA, 93A/6W LYNDA, 94G/4, 5	486 , 90 491 198 94 198 276 348 527 519 272 275 129 275 129 275 128 181 272 292 464
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LYN, 92H/5W LYN, 92H/5W LYNDA, 93A/6W LYNDA, 93A/6W LYNN, 92H/7W LYNN, 92H/7W	486 ,90 128 491 198 276 348 527 7-69 519 272 275 128 127 275 128 1272 275 128 1272 275 128 1272 292 464 177
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LYN, 92H/5W 125- LYN, 92H/5W LYNDA, 93A/6W LYNDA, 93A/6W LYNDA, 94G/4, 5 LYNN, 93M/8E 359, 3	486 ,90 128 491 198 276 348 527 7-69 519 272 275 128 1272 275 128 1272 275 128 1272 292 464 177 360
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W LUKE, 82F/9E; 82G/12W LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LYN, 92H/5W LYN, 92H/5W LYNDA, 93A/6W LYNDA, 94G/4, 5 LYNN, 93M/8E LYNNE, 104H/16E	486 ,90 128 491 198 276 348 527 7-69 519 272 275 128 129 272 275 128 129 272 275 128 129 272 292 464 177 360 509
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 92P/9W LUKE, 82F/9E; 82G/12W 67 LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LYN, 92H/5W 125- LYN, 92H/5W LYNDA, 93A/6W LYNDA, 93A/6W LYNDA, 94G/4, 5 LYNN, 93M/8E LYNN, 93M/8E LYNNE, 104H/16E LYNX, 93L/16E	486 ,90 128 491 198 276 348 527 7-69 519 272 275 128 129 272 275 128 1272 292 464 177 360 509 351
LUCKY FORTUNE, 103I/7E 485, LUCKY JIM, 82K/3E 89 LUCKY JIM, 92H/5W 125- LUCKY SEVEN, 103P/13W 490, LUCKY STRIKE, 82K/10E LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92I/9W LUCKY STRIKE, 92P/9W LUCKY STRIKE, 93L/15W 347, LUCKY STRIKE, 93L/15W LUKE, 82F/9E; 82G/12W LUNAR, 114P/10E LUV, 92H/5W LV, 92P/8W LV, 92P/8W LYN, 92H/5W LYN, 92H/5W LYN, 92H/5W LYNDA, 93A/6W LYNDA, 94G/4, 5 LYNN, 93M/8E LYNN, 93M/8E LYNN, 93L/16E LYNX, 93L/16E	486 ,90 128 491 198 276 348 527 7-69 519 272 275 128 181 272 292 464 177 360 509 351 235

Mc and Mac

McAndrew, John M. 137, 141, 293, 339

MacArthur, W. E 22, 41
McBean, Ron 124
McBride map sheet, 93H 328
McBride, 92H/1W 123
McConnell Creek map sheet, 94D 400
McCrory, W
McCully, C. D
McDame map sheet, 104P 517, 518
MacDonald, A.L.J
McDonald, D. J
McDonald, J. E
MacDonald, R
McGaulev Ready-Mix Concrete Company
sand and gravel
McGoran, John
McGowan, H. A
McHattie, G
McIntyre Porcupine Mines Limited
coal
ROY 94D/10
Mclver, B
McKee Creek, 104N/5E, placer
McKelvie D. L
MacKinnon, E. N. 514
McLaren, M
McLean, 82K/10E
MacLean, John
McLean, P. J
McLean, R. W
McLEOD, 921/2W 165, 166
McLeod. J
McLeod. W
McLeod Copper Ltd.
B. 92F/6E
ORWILL 92N/14E
McLeod Lake map sheet, 93.1
MacNeill, R. J
McPHAIL 82L/2E
MacPherson, William 537 538 543
McRae, G

м

M, 92I/14W 2'	13
M, 921/14W 2	12
M, 93L/14W 34	47
M, 93L/16W 34	49
MA, 92I/14W 2'	13
MAC, 82F/9E; 82G/12W 67-6	69
MAC, 92G/11E 24	40
MAC, 921/9E 192, 19	93
MAC, 92P/14E 27	79
MAC, 94C/16E 40	30
MAC, 94D/10W 445, 44	46
MAC, 94K/11W 47	78
MACK, 104P/6W 518, 51	(9

X.

MAD, 92H/16W, 15E	161
MAE, 92P/9W 275,	276
MAG, 82J/13E, magnesite	551
MAG, 92H/11E	152
MAG, 921/1W 163,	164
MAG, 921/14W	212
MAG, 93M/16W; 94D/1W 361,	362
MAG, 1031/16	487
MAG, 114P/10E	519
MAGGIE MINE, 921/14W	212
magnesite,	
ROK, 82J/13E	551
MAGNET, 92L/7W	259
Magnetron Mining Ltd.,	
REGA, MAG, SEVEN SISTERS,	407
CALEDONIA, 1031/16	487
MAGNUM, 94D/3E	404
MAGNUM MINE, 94K/11W	478
production	25
Maharaja Minerals, Limited,	
CRATER, 93L/11E 345,	346
DOME, 93L/6E 341,	342
HUBERT, 93L/11E	346
PETE, 93L/6E	341
RUDY,93L/6E	341
TOM, 93L/6W, 5E	340
VERN, 93L/2W	339
MAKAOO, 921/9W	198
wakaoo Development Company Limited,	
PYTHON, COPPER HEAD,	
PYTHON, COPPER HEAD, 921/9W	198
MAKES 82E/7W	198 3, 49
Makaoo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., 41	198 3, 49
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MLM, GCM, 921/7W	198 3, 49 174
MARABO Development Company Limited, PYTHON, COPPER HEAD, 921/9W	198 3, 49 174 9, 80
MAK800 Development Company Limited, PYTHON, COPPER HEAD, 921/9W	198 3, 49 174 9, 80
MAK800 Development Company Limited, PYTHON, COPPER HEAD, 921/9W	198 3, 49 174 9, 80 559 210
Makaoo Development Company Limited, PYTHON, COPPER HEAD, 921/9W	198 3, 49 174 9, 80 559 , 210 242
Makado Development Company Limited, PYTHON, COPPER HEAD, 921/9W	198 3, 49 174 9, 80 559 , 210 242 319
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W MAN, 921/11W Mak, 92G/12W M&R, 92G/12W M&S, 93B/16W; 93G/1W M&R	198 3, 49 174 9, 80 559 , 210 242 , 319 559
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W MAN, 92I/11W MAR, 92G/12W M&H, 92G/12W M&W, Sand & Gravel Ltd.	198 3, 49 174 9, 80 559 210 242 319 559 245
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W MAN, 92I/11W M&H, 92G/12W M&H, 92G/12W M&S, 93B/16W; 93G/1W Maifold, Albert H, MANN CREEK MANN CREEK	198 3, 49 174 9, 80 559 210 242 319 559 245 274
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W MAN, 92I/11W M&H, 92G/12W M&S, 93B/16W; 93G/1W Math Sand & Gravel Ltd. Manifold, Albert H. MANN CREEK, 92P/9E Margoo River man sheet 93N	198 3, 49 174 9, 80 559 242 319 559 245 274 363
Makado Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W MAN, 92I/11W M&S, 93B/16W; 93G/1W M&W, Sand & Gravel Ltd. Manifold, Albert H. MANN CREEK, 92P/9E Manson River map sheet, 93N	198 3, 49 174 9, 80 559 210 242 319 559 245 274 363
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W M&R, 92G/12W M&&, 92G/12W M&&, 93B/16W; 93G/1W Maifold, Albert H. Manifold, Albert H. MANN CREEK, 92P/9E Manue Minerals Ltd., MANL 921/11W	198 3, 49 174 9, 80 559 , 210 242 , 319 559 , 245 274 363 210
Makabo Development Company Limited, PYTHON, COPPER HEAD, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 92I/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 92I/11W M&X, 92G/12W M&X, 93B/16W; 93G/1W Mak, 92G/12W Mak, 92G/12W Mak, 92G/12W Mak, 92G/12W Masson River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MAN, 921/11W MAN, 921/11W	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196
Makabo Development Company Limited, PYTHON, COPPER HEAD, 92(/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&H, 92G/12W M&S, 93B/16W; 93G/1W Mason & Gravel Ltd. Manifold, Albert H. Manifold, Albert H. MANN CREEK, 92P/9E Mantle Minerals Ltd., MAN, 921/11W MAN, 921/11W Mason River map sheet, 93N Mantle External Ltd., MAN, 921/11W MAP, 921/9W	198 3, 49 174 9, 80 559 210 242 274 363 274 363 , 210 196 273
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W Mass, 93B/16W; 93G/1W Manifold, Albert H. Manon River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MANN CREEK, 92P/9E Mantle Minerals Ltd., MAN, 921/11W MAPLE LEAF, 92P/8E MAPLE LEAF, 92P/8E	198 3, 49 174 9, 80 559 210 242 274 363 274 363 , 210 196 273 482
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W Maxifold, Albert H. Manifold, Albert H. Manon River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W Mantle ELEAF, 92P/9E Mantle LEAF, 92P/8E MAPLE LEAF, 103B/6E MAPLE Ridge Municipality	198 3, 49 174 9, 80 559 210 242 274 363 274 363 274 363 273 482
Makabo Development Company Limited, PYTHON, COPPER HEAD, 92(/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W Maxifold, Albert H. Manifold, Albert H. Manon River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MAN, 921/11W Mason River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MAP, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 103B/6E Maple Ridge Municipality, sand and gravel	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 556
Makabo Development Company Limited, PYTHON, COPPER HEAD, 92(/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&&, 93B/16W; 93G/1W Mason River area beet, 93N Manifold, Albert H. MANN CREEK, 92P/9E Mantle Minerals Ltd., MAN, 921/11W MAN, 921/11W Mason River map sheet, 93N Mantle Minerals Ltd., MAN, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 92P/8E MAPLE LEAF, 82B/6E Maple Ridge Municipality, sand and gravel	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 5566 114
Makabo Development Company Limited, PYTHON, COPPER HEAD, 92(/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&AN, 921/11W M&A, 926/12W MAN, 921/2W M&A, 926/12W MAN, 921/2W MAN, 921/2W MAN, 921/2W MANN CREEK, 92P/9E Mantle Minerals Ltd., MAN, 921/11W 209. MAP, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 92P/8E MAPLE LEAF, 92P/8E MAPLE LEAF, 82M/4W MAPLE LEAF, 82M/4W	198 3, 49 174 9, 80 559 210 242 319 559 245 274 363 , 210 196 273 482 5566 114
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&A, 926/12W Maxifold, Albert H. Manifold, Albert H. Manno River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MAN, 921/11W Mason River map sheet, 93N Mantle Minerals Ltd., MAN, 921/9W MAP, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 92P/8E MAPLE LEAF, 82M/4W MAPLELEAF, 82M/4W MAPLELEAF, 82M/4W	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 5566 114
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMMOTH, 82F/14W Mamquam River area, sand and gravel MAN, 921/11W M&A, 921/11W MAN, 921/11W MANN CREEK, 92P/9E Manson River map sheet, 93N Mantle Minerals Ltd., MAN, 921/11W MAP, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 103B/6E Maple Ridge Municipality, sand and gravel MAPLELEAF, 82M/4W Mapletree Exploration Corporation, TONEY, VEN, 82E/2E MAR 82E/9E-82G/12W	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 5566 114 37
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamuar River area, sand and gravel MAN, 921/11W M&A, 926/12W M&A, 926/12W M&A, 926/12W M&A, 926/12W Maxifold, Albert H. Manifold, Albert H. Manifold, Albert H. MANN CREEK, 92P/9E Mantle Minerals Ltd., MAN, 921/11W MAP, 921/9W MAP, 921/9W MAPLE LEAF, 03B/6E Maple Ridge Municipality, sand and gravel MAPLE LEAF, 82M/4W Mapletree Exploration Corporation, TONEY, VEN, 82E/2E MAR, 82F/9E; 82G/12W	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 5566 114 37 57-69 235
Makabo Development Company Limited, 921/9W MAME, 82E/7W Mamit Lake Mining Ltd., MLM, GCM, 921/7W MAMOTH, 82F/14W Mamuar River area, sand and gravel MAN, 921/11W M&R, 92G/12W M&R, 92G/12W M&R, 92G/12W M&S, 93B/16W; 93G/1W Mass, 93B/16W; 93G/1W Mass, 93B/16W; 93G/1W Mass, 93B/16W; 93G/1W MAN, 921/2W Mass, 93B/16W; 93G/1W Mass, 93B/16W; 93G/1W MAN, 921/2W Mass, 93B/16W; 93G/1W MAN, 921/2W MANN CREEK, 92P/9E Manson River map sheet, 93N MAN, 921/11W MAP, 921/9W MAP, 921/9W MAPLE LEAF, 92P/8E MAPLE LEAF, 103B/6E Maple Ridge Municipality, sand and gravel MAPLE EEAF, 82M/4W Mapletree Exploration Corporation, TONEY, VEN, 82E/2E MAR, 92F/9E; 82G/12W 6 MAR, 92F/9E; 82G/12W 6 MAR, 92F/9E 6	198 3,49 174 9,80 559 210 242 319 559 245 274 363 ,210 196 273 482 5566 114 37 57-69 235 416

MAR. 94D/10W 445
Marchinek P
MABDI 921/14E 215
MARC 04D/1W 400
Marini 9 70
MARK, 00 (70) 176
WARK, 921/7W 175
MARK, 921/16W 218
MARK, 93N/9W
MARK TAPLEY, 82F/3E 54-57
Mark V Mines Ltd.,
ABC, 82G/1W 83
marl,
CHEAM MARL PRODUCTS,
92H/4W 551
MARMION, 82F/14W 73
production
MARMOT 93L/11E
MARMOT 94D/10F 15E 434-443
MARS (TOBBES) 82E/4E 44
nreduction 20
Production
MARS, 92F/16W 230, 237
MARS, 921/11W 209
MAR\$HALL, 82E/2E 40
MART, 94B/13 389
MARTHA ELLEN, 104B/1E 497
Martin, M 204
MARY, 82F/14W 74
production
MARY, 93A/12W
MARY 104G/8W
Mary Creek placer 525
MABY REYNOLDS 921/8W 190
MARVI AND 82E/14W 73
nteduction 22
MADV 0 92E/11E 25
MARY-0,822/112,52 50
Mascol Missa 9 Patroloums
Mascot Wines & Fetroleums
MOTHERLODE, GREYHOUND,
82E/2E 38, 39
TAM O'SHANTER, IVA LENORE,
82E/2E 37, 38
Mascot Nickel Plate Mines Limited,
NICKEL PLATE, 92H/8E 136
MASSACHUSETTS, 82E/2E 41
MASTADON, 82E/1E 35
MASTODON, 82E/1E, see
BASIC and MASTADON
ANN, CALEDONIA
Masura, L
MAT 82F/9E: 82G/12W
MAT 92.1/3E 243
Matador Developments Ltd
DOT 021/0E
DU1, 921/95 193
WATH, 92P/14E
MATHEW, 92E/8W 228
Mathiev, Maurice 156
601
621

Page

Matsqui Municipality,	
sand and gravel	558
MATT, 104N/11W	515
Mattson, A.	530
Mattson, R. S	498
Maus Creek, placer	524
Maus Minerals Ltd., placer	524
MAX. 82G/6W	84
MAX 82M/4W	114
MAX 92H/1W	123
MAX 921/7E	185
MAX 93B/9W	298
MAX 93E/11E	325
MAY 82E/11E 6E	50
MAY 82E/14W	74
MAY 02F/5F	232
MAY 02E/10E	234
MAY 02H/7F 13	2 133
	100
MAYA 93N/6W 11W 36	5 366
Maybury M	461
Mayer Bros Contracting Ltd	
cond and gravel	554
MAYNARD 92H/10W	150
MAYNERS FORTUNE 1031/7E 48	5 486
Maynes Frank G	518
MAYO 02K/12E	254
MAYOL 1044 /4W	101
Maro M P	72 72
MR 021/0	105
MD 020/14E	206
MD, 95A/14E	290
MC 00C (10M) 74	0 241
MCD 0011/75 12	V, 241
MDA 040/12E	2, 100
MDA, 940/134	164
NE OAK (44)	104
	4/0
	506
MEADOW, 82K/4W	91
MEADOW QUEEN, 82K/4W	91
Medallion Explorations Ltd.,	
LAKEVIEW, SILVER, RED,	
92P/9W 27	5,2/6
Medesto Exploration Ltd.,	
RAD, 82K/8W	
BALLE CALL LAND END	91
WEG, 946/4W, 5W	91 467
MEL, 921/6E 16	91 467 8, 169
MEG, 946/4W, 5W	91 467 8, 169 581
MEG, 946/4W, 5W MEL, 921/6E	91 467 8, 169 581 506
MEG, 946/4W, SW MEL, 921/6E	91 467 8, 169 581 506 229
MEG, 946/4W, SW MEL, 921/6E	91 467 8, 169 581 506 229 5, 166
MEG, 946/4W, SW MEL, 921/6E Melville, T MENT, 104G/8W MEPHISTOPHELES, 92E/8W MERCHANTS, 921/2W MERCIA, 82F/3E, 6E	91 467 8, 169 581 506 229 5, 166 58, 59
MEG, 946/4W, SW MEL, 921/6E Melville, T MENT, 104G/8W MEPHISTOPHELES, 92E/8W MERCHANTS, 921/2W MERCIA, 82F/3E, 6E Mercier, Y	91 467 8, 169 581 506 229 5, 166 58, 59 93
MEG, 946/4W, SW MEL, 921/6E Melville, T. MENT, 104G/8W MEPHISTOPHELES, 92E/8W MERCHANTS, 921/2W MERCIA, 82F/3E, 6E Mercier, Y. MERRELL, 921/2W	91 467 8, 169 581 506 229 5, 166 58, 59 93 165
MEG, 946/4W, SW MEL, 921/6E Melville, T MENT, 104G/8W MEPHISTOPHELES, 92E/8W MERCHANTS, 92!/2W MERCIA, 82F/3E, 6E Mercier, Y MERRELL, 921/2W MERYL, 928/12E	91 467 8, 169 581 506 229 5, 166 58, 59 93 165 223
MEG, 946/4W, SW MEL, 921/6E	91 467 8, 169 581 506 229 5, 166 58, 59 93 165 223 505

METRO, 82L/6W, silica 564, 5	
	565
MEXICAN, 92L/5E 207, 2	258
Meyers, W. H 5	527
MG, 93N/6W, 11W	366
MIC, 92H/10E 1	45
Michel Colliery	579
Baimer North mine	200
propagation plant	201
South Balmer bydraulic mine	201
Mickle R F 2	227
MIDAS 82F/8F	49
MIDNIGHT 82F/4W	61
production	22
MIKE 82E/6E	65
MIKE 82K/12E	96
production	23
MIKE 93L/9W	43
Milburn G	80
Milestone Mines Limited,	
BOB, TAB, 92H/15E 1	58
MILL,92J/3E 2	243
MILL, 93L/15W 347, 3	48
Miller, W 23,	98
MILLIE MACK, 82K/4E 90,	91
MIN, 93E/15 3	326
Min Con Associates,	
HEWITT, 82F/14W	77
Minas de Cerro Dorado Ltd.,	
ES, SA, 921/2W 1	65
RIGA, 94E/2W 4	56
MINE, 92J/3E 2	
Mine Finders, Inc.,	243
	43
COXEY MINE, 82F/4W 62,	243 63
COXEY MINE, 82F/4W62, GIANT, NOVELTY, ST. ELMO,	43 63
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W	63 62
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W MINERAL CREEK, 92G/11E 2	63 62 39
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W MINERAL CREEK, 92G/11E 2 Mineral Resources International	63 62 39
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W MINERAL CREEK, 92G/11E 2 Mineral Resources International Limited,	43 63 62 39
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W MINERAL CREEK, 92G/11E 2 Mineral Resources International Limited, JOB, 82F/4W	43 63 62 39 60
COXEY MINE, 82F/4W	43 63 62 39 60 98
COXEY MINE, 82F/4W	63 62 39 60 98
COXEY MINE, 82F/4W	243 63 62 39 60 98
COXEY MINE, 82F/4W	243 63 62 39 60 98 96
COXEY MINE, 82F/4W	 43 63 62 39 60 98 96 78
COXEY MINE, 82F/4W	 43 63 62 39 60 98 96 78 23 23
COXEY MINE, 82F/4W	 43 63 62 39 60 98 96 78 23 35
COXEY MINE, 82F/4W	43 63 62 39 60 98 96 78 23 35 99
COXEY MINE, 82F/4W	43 63 62 39 60 98 96 78 23 99 27 25 99
COXEY MINE, 82F/4W	 43 63 62 39 60 98 96 78 23 35 99 27 56
COXEY MINE, 82F/4W	43 63 62 39 60 98 96 78 23 99 27 56 57
COXEY MINE, 82F/4W	43 63 62 39 60 98 96 78 235 99 235 99 235 56 57 70
COXEY MINE, 82F/4W	43 63 62 39 60 98 96 78 35 99 78 35 99 75 56 57 51
COXEY MINE, 82F/4W	43 63 62 39 63 62 39 60 98 96 735 99 56 57 57 51 58
COXEY MINE, 82F/4W 62, GIANT, NOVELTY, ST. ELMO, 82F/4W MINERAL CREEK, 92G/11E 2 Mineral Resources International 1 Limited, JOB, 82F/4W MINERVA, 82L/1W 1 Minex Development Ltd., see New Minex Resources Ltd. MINNIE, 82K/15W 1 MINNIE, 82K/15W 1 MINNIEHAHA, 82F/14W 1 production 1 MINT, 92F/12E 2 MINT, 93F/15W; 93K/2W 3 MISS, 92H/15E 1 Mission Municipality, sand and grave) 5 MISTY, 93N/13E, 14W 369, 3 Mitchell, D.C. 157, 1 MIX, 92H/15E 157, 1	43 63 62 39 60 98 96 98 978 235 99 235 56 57 51 58 95

MJM, 93F/15W; 93K/2W	327
MLM, 921/7W	174
MM, 82L/12E	102
MM, 92I/1W 163,	164
MM, 921/10E	202
MM, 921/14W	212
MO, 92I/11E	207
MO, 921/14W	213
MO,92L/12W 261,•	262
MO,92P/9W	276
MO, 93F/15W; 93K/2W	327
MO,93K/3E `	330
MO, 93K/5W 331,	332
MOFFAT, 93A/6W	290
MOGUL, 103P/1W	488
MOLLY, 92F/10E, limestone	548
MOLLY, 92H/5E, 6W 131,	132
MOLLY GIBSON, 921/16W	218
MOLLY HUGHES, 82K/3W	90
MOLOCH, 82G/12W; 82F/9E 85	, 86
MOLY, 82L/15W	104
Moly-Win Mining Ltd.,	
LITTLE TIM (V-DAY),	
82F/14W	76
MOM, 104G/8W	506
MOM, 104P/6W 518,	519
MON, 92L/12W 261,	262
MONA, 94D/1W	400
MONARCH, 92N/14E	264
MONASHEE, 82L/2E	99
Moneta Porcupine Mines Limited,	
LED, 921/10E 200,	201
MONETOR, 82E/7W 48	, 49
MONITOR, 920/1E	265
Monitor Resources Ltd.,	
DERBY, 921/8W	192
MONKMAN PASS PROPERTY,	
931/8, 10, 9, 15, coal 583,	585
Montana Mines Ltd., see	
Chatham Resources Ltd.	
MONTE CARLO, 911/9W	197
Montego Resources Ltd.,	
	147
MONTETTH, 92L/3W	222
Montgomery, J. H.	319
MONTY, 920/TE	200
MOON, 92J/8E	200
	520
MOONET LEASE, 936/10W, placet	020
MOOSE, 92F/9W	270
MOOSE 04M/14 harita	200
Moros A	71
Moroshy Island man shoet 102P C	197
MOREANI 104 \wedge /4/W	402
Morgan D B	-+34 200
	203
WONNIS, 924/3W	200

MOBBISON 93M/1W 354
Marrison Murray 163 209
Morrow's Trucking and Beddi-Mix Ltd
and and gravel 557
MOSES, 622/12
Moscorro, 93N/TE
Wosquito Creek Gold Wining
Company Limited,
MOSQUITO, 93H/4E 328, 329
MOSQUITO KING, 82M/4E 23
MOT, 921/9E 194
MOTASE A, 94D/3, 6 405
MOTHERLODE, 82E/2E 38, 39
MOUND, 92H/8E 136
MT. CHEAM NO. 2, 92H/4E 124
MOUNT COPELAND MINE, 82M/1W 104-113
production
Mt, Hyland Mines Ltd.,
BJ, 93B/8E 297
MOUNT LYELL, 104A/4W 494-496
Mount Rose Mining Co. Ltd.
MOUNT BOSE SILICA
821 /6W 564 565
MOUNT VERNON 821 /6E 101
MT VIEW 82E/AW 62.63
North Victor and the Annual Sector Call 262
Wount Waddington map sneet, 9214 203
Mt. Washington Copper Co. Ltd.,
MT. WASHINGTON COPPER,
92⊢/14, 11 236
MOUNTAIN BOSS, 92N/14E
MOUNTAIN CHIEF, 82F/14W 79, 80
MOUNTAIN MEADOW, 82K/4W 91
Mountain Minerals Limited,
BRISCO BARITE, 82K/16W 538
PARSON BARITE, 82N/2E 539
PARSON BARITÉ, 82N/2E 539 THUNDER HILL, 82J/4W,
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, clay and shale
PARSON BARITÉ, 82N/2E 539 THUNDER HILL, 82J/4W, clay and shale
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, clay and shale
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, clay and shale
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MRO, 92I/9W 199
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD 92I/14E 214
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214 MUF, 82M/12W, 5W 116, 117 MUG , 92H/0W 149
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214 MUF, 82M/12W, 5W 116, 117 MUG, 92H/10W 149 MULUMP, 92O/2W 296
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214 MUF, 82M/12W, 5W 116, 117 MUG, 92H/10W 149 MUGWUMP, 92O/2W 266 Mullin E 140
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214 MUF, 82M/12W, 5W 116, 117 MUG 92H/10W 149 MUGWUMP, 92O/2W 266 Mullin, E 160
PARSON BARITE, 82N/2E 539 THUNDER HILL, 82J/4W, 543 clay and shale 543 TOBY CREEK BARITE, 82K/8W 537 MOUSE, 82L/14E 103, 104 MOUSE, 93L/16E 351 MOYIE, 82F/9E; 82G/12W 67-69 Moyie River, placer 524 MP, 94D/3E 405, 406 MR, 92I/9W 196 MR, 93F/5E 327 MRO, 92I/9W 199 MT, 82E/2E 38, 39 MT, 93N/2E, 1W 364 MTW, 92F/14, 11 236 MUD, 92I/14E 214 MUF, 82M/12W, 5W 116, 117 MUG, 92H/10W 149 MUGWUMP, 92O/2W 266 Mullin, E 160 Multiple Mining Development Ltd., 45

Page

x

Page

Ν

N, 93M/1	352
NABE, 94B/6W	385
NADI, 93E/13E 321,	322
NADI-M, 93E/13E 321,	322
Nadina Explorations Limited,	
SILVER QUEEN, 93L/2W 338,	339
NAN, 921/16E	218
NAN, 921/16E	218
Nanaimo area, sand and gravel	554
NANCY, 82J/13E, magnesite	551
NANCY, 92G/11E	239
NANCY, 92P/1W; 92I/16W	269
NANCY, 94B/13E	388
NAP, 921/8W	191
Nass River map sheet,	
103P and part of 1030	488
Nassichuk, P	553
NAT, 921/7W	175
Nation Lake Mines Limited,	
HEATH, 93N/6E	366
National Trust Company Limited,	
93P/4E, coal	586
Nationwide Mining & Exploration Ltd.,	
BULL, KP, 92H/10E	146
NATIVE, 921/9W 197,	198
ND, 92H/9W 137,	138
ND, 921/8W	190
Nechako River map sheet, 93F	327
NED, 921/2W 165,	166
NED, 921/11E 206,	207

NED, 93M/1	352
NEE, 93L/6E 341,	342
Needoba, J. C.	466
NEL, 92H/10E, 16W	148
NELLIE, 92H/10E, 16W	148
Nelson area, sand and gravel	553
Nelson map sheet, 82F	53
NEMO, 92J/15W 251,	252
neohrite (jade)	547
NEPTUNE 921/9W	197
Neshitt H	159
Neshitt LOH	1 20
NET 021 /4W 224	220
NEVADA 00E/444	000
NEVADA, 82F/4W	4.03
New Chief Mines Ltd.,	
EYE, 921/6E	168
New Cinch Uranium Ltd.,	
TOP, 82L/2E 98	3, 99
New Cosmic Industries Ltd.,	
DL, 92C/9W 226,	227
New Denver Explorations Ltd.,	
MOUNTAIN CHIEF, 82F/14W 79), 80
New Era Mines Ltd., placer	524
New Gold Star Mines Ltd.,	
KOKANEE, J, 1031/9W	487
NEW HOPE, 92P/2W	270
New Indian Mines Ltd. see	
Azure Resources Ltd.	
New Jersey Zinc Exploration Company	
New Jersey Zinc Exploration Company (Canada) Ltd.,	
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58	3, 59
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd.,	3, 59
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA. 921/9W	3, 59 196
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd	3, 59 196
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd., JU 82E/5W	3, 59 196 46
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514 -443
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514 -443 239
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514 443 239
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 46 519 514 443 239 292
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 443 239 292 200
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 -443 239 292 200 141
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 443 239 292 200 141 141
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 443 239 292 200 141 141 292
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd., JJ, 82E/5W NEW RICH, 104P/6W New Taku Mines Limited, POTLATCH-BANKER, 104K/12E New Wellington Resources Limited, MARMOT, 94D/10E, 15E NewcaSTLE, 92G/11E Newconex Canadian Exploration Ltd., AL, 93A/6W 291, CON, 921/10E 140, LYNDA, SL, 93A/6W 191,	3, 59 196 519 514 443 239 292 200 141 141 292 192
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd., JJ, 82E/5W NEW R1CH, 104P/6W New Taku Mines Limited, POTLATCH-BANKER, 104K/12E New Wellington Resources Limited, MARMOT, 94D/10E, 15E Newconex Canadian Exploration Ltd., AL, 93A/6W EXIE, JM, 92H/10E HAL, 92H/10E HAL, 92H/10E NAP, 92I/8W NAP, 92I/8W NAP, 92I/15W	3, 59 196 519 514 443 239 292 200 141 141 292 192 281
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd., JJ, 82E/5W NEW R1CH, 104P/6W New Taku Mines Limited, POTLATCH-BANKER, 104K/12E New Wellington Resources Limited, MARMOT, 94D/10E, 15E Newconex Canadian Exploration Ltd., AL, 93A/6W CON, 921/10E HAL, 92H/10E HAL, 92H/10E NAP, 921/8W NAP, 921/8W NAP, 921/8W NAW, 92P/15W ALW	3, 59 196 519 514 443 239 292 200 141 141 292 281 102
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E New Minex Resources Ltd., PAM, BUDA, 921/9W New Northcal Mines Ltd., JJ, 82E/5W NEW R1CH, 104P/6W New Taku Mines Limited, POTLATCH-BANKER, 104K/12E New Wellington Resources Limited, MARMOT, 94D/10E, 15E Newconex Canadian Exploration Ltd., AL, 93A/6W CON, 921/10E EXIE, JM, 92H/10E HAL, 92A/10E NAP, 92I/8W NAP, 92I/8W NAP, 92I/8W NEWF, 82L/7E NEWF, 82L/7E NEWMAN, 93M/1E; 93L/16E	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 92!/9W 58 New Northcal Mines Ltd., JJ, 82E/5W 58 NEW R1CH, 104P/6W 58 New Taku Mines Limited, POTLATCH-BANKER, 104K/12E 58 New Wellington Resources Limited, MARMOT, 94D/10E, 15E 434 NEWCASTLE, 92G/11E 58 58 Newconex Canadian Exploration Ltd., AL, 93A/6W 291, CON, 921/10E 140, LYNDA, SL, 93A/6W 191, NAP, 921/8W 191, RM, 92P/15W 280, NEWF, 82L/7E 101, NEWMAN, 93M/1E; 93L/16E 352,	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353 25
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 92!/9W 58 New Northcal Mines Ltd., JJ, 82E/5W 58 NEW R1CH, 104P/6W 58 New Taku Mines Limited, POTLATCH-BANKER, 104K/12E 58 New Wellington Resources Limited, MARMOT, 94D/10E, 15E 434 NEWCASTLE, 92G/11E 58 58 Newconex Canadian Exploration Ltd., AL, 93A/6W 291, CON, 921/10E 54 54 HAL, 92H/10E 140, 140, LYNDA, SL, 93A/6W 191, 78, NAP, 921/8W 191, 78, NAP, 921/8W 191, 78, NEWF, 82L/7E 101, 78, NEWMAN, 93M/1E; 93L/16E 352, 352, production 52, 76 52,	3, 59 196 519 514 443 239 292 200 141 141 1292 281 102 353 25
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353 25
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353 25 291
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 921/9W 58 New Northcal Mines Ltd., JJ, 82E/5W 58 NEW R1CH, 104P/6W 58 New Taku Mines Limited, POTLATCH-BANKER, 104K/12E 58 New Wellington Resources Limited, MARMOT, 94D/10E, 15E 434 NEWCASTLE, 92G/11E 59 Newconex Canadian Exploration Ltd., AL, 93A/6W 291, CON, 921/10E EXIE, JM, 92H/10E 140, LYNDA, SL, 93A/6W NAP, 921/8W 191, RM, 92P/15W NEWF, 82L/7E 101, NEWMAN, 93M/1E; 93L/16E Newmont Mining Corporation of Canada Limited, CZ, 93A/6W 352, production	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353 25 291 135
New Jersey Zinc Exploration Company (Canada) Ltd., JACK POT, 82F/3E, 6E 58 New Minex Resources Ltd., PAM, BUDA, 921/9W 58 New Northcal Mines Ltd., JJ, 82E/5W 58 New Northcal Mines Lid., JJ, 82E/5W 58 New Northcal Mines Lid., JJ, 82E/5W 58 New Northcal Mines Limited, POTLATCH-BANKER, 104K/12E 58 New Wellington Resources Limited, MARMOT, 94D/10E, 15E 434 NEWCASTLE, 92G/11E 434 NEWCASTLE, 92G/11E 59 Newconex Canadian Exploration Ltd., AL, 93A/6W 291, CON, 921/10E EXIE, JM, 92H/10E 140, LYNDA, SL, 93A/6W NAP, 921/8W 191, RM, 92P/15W 280, NEWF, 82L/7E NEWF, 82L/7E 101, NEWMAN, 93M/1E; 93L/16E 352, production Newmont Mining Corporation of Canada Limited, CZ, 93A/6W 52, production NOB, 92H/8W 90H/0M NOB, 92H/8W 90H/0A	3, 59 196 519 514 443 239 292 200 141 141 292 281 102 353 25 291 135 185

624

-

,

Newvan Resources Ltd.,

-

, , _____

Newvan nesources Etu.,	
GR,93B/9E,8E 297,	298
NH,93L/12E	346
NI,92C/15E	228
NI, 92H/12E, 5E 153,	154
NICK, 92H/15E	156
NICK, 93J/14W; 93O/3W 329,	330
NICKEL, 92F/4W	231
NICKEL CORE, 92H/5E, 6W 131,	132
NICKEL PLATE, 92H/8W	136
NICKEL STAR, 92H/5E, 6W 131,	132
Nicola Copper Mines Ltd.,	
FORD, 921/7E 186	189
KR&K (CHARTRAND CREEK),	
92I/7W	179
KR&K (GREENSTONE CREEK),	
921/7E	185
KR&K (WALLOPER LAKE),	
921/7E 185,	186
NIGHTHAWK, 921/9W	199
NIILO, 1031/16	487
NIKKI, 82E/4E	42
NIKOS, 94D/16W	455
NINE LAKE, 82F/16E	82
Nissho-Iwai Canada Ltd.,	
FUKI, DONEN, 82E/10W 49	9, 50
PB,82E/14E,11E 52	2, 53
Nithex Exploration and Development	
Ltd.,	
MJM, MINT, LODE,	
93F/15W;93K/2W	328
Nitracell Canada Ltd.,	
HN-WEN, 92H/16W	162
NIVEN, 94D/10 446,	447
NMW, 94B/13	389
NOB, 92H/8W	135
NODIE 025/55 232	
NODLE, 921 /0E	233
NOBLE FIVE, 82F/14E	233 81
NOBLE FIVE, 82F/14E	233 81 281
NOBLE, 527/5L 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/15W 202, NOD, 92P/16W 202,	233 81 281 283
NOBLE, 921/91 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/15W 202, NOD, 92P/16W 202, NOLA, 92H/16W 202,	233 81 281 283 123
NOBLE, 92F/3L 232, NOBLE FIVE, 82F/14E 232, NOD, 92P/15W 232, NOD, 92P/16W 232, NOLA, 92H/1W 232, Nomad Mines Ltd., 232,	233 81 281 283 123
NOBLE, 92F/3L 232, NOBLE FIVE, 82F/14E 232, NOD, 92P/15W 232, NOD, 92P/16W 232, NOLA, 92H/1W 232, Nomad Mines Ltd., ASITKA, 94D/9W	233 81 281 283 123 410
NOBLE, 927/3L 232, NOBLE FIVE, 82F/14E 232, NOD, 92P/15W	233 81 281 283 123 410 240
NOBLE, 927/3L 232, NOBLE FIVE, 82F/14E 232, NOD, 92P/15W	233 81 281 283 123 410 240 198
NOBLE, 927/3L 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/16W	233 81 281 283 123 410 240 198 357
NOBLE, 927/3L 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/16W 202, NOLA, 92H/1W 202, Nomad Mines Ltd., 202, ASITKA, 94D/9W 202, MAC, 92G/11E 200, NOONDAY, 921/9W 200, NOONDAY, 93M/6W 202, Nootka map sheet, 92E 202,	233 81 281 283 123 410 240 198 357 228
NOBLE, 527/351 252, NOBLE FIVE, 82F/14E 202, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81
NOBLE, 527/36 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81 23
NOBLE FIVE, 82F/14E 202, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W Nomad Mines Ltd., ASITKA, 94D/9W MAC, 92G/11E NOONDAY, 92I/9W NOONDAY, 93M/6W Nootka map sheet, 92E NOR, 82F/15W production NORA, 93L/16E	233 81 281 283 123 410 240 198 357 228 81 23 351
NOBLE, 521/36 202, NOBLE FIVE, 82F/14E 202, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81 23 351
NOBLE, 521/52 NOBLE FIVE, 82F/14E NOD, 92P/15W NOLA, 92H/1W NOLA, 92H/1W NOTA, 92H/1W MAC, 92G/11E NOONDAY, 92I/9W NOONDAY, 92I/9W NOONDAY, 93M/6W Nootka map sheet, 92E NOR, 82F/15W production NORA, 93L/16E Noranda Exploration Company, Limited, BE PLATEAU, 94G/5W	233 81 281 283 123 410 240 198 357 228 81 23 351 468
NOBLE FIVE, 82F/14E 202, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W Nomad Mines Ltd., ASITKA, 94D/9W MAC, 92G/11E NOONDAY, 92I/9W NOONDAY, 92I/9W NOONDAY, 93M/6W Nootka map sheet, 92E NOR, 82F/15W production NORA, 93L/16E Noranda Exploration Company, Limited, BE PLATEAU, 94G/5W Status	233 81 281 283 123 410 240 198 357 228 81 23 351 468 468
NOBLE, 527/36 252, NOBLE FIVE, 82F/14E 252, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81 23 351 468 468 157
NOBLE, 521/352 252, NOBLE FIVE, 82F/14E 252, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81 23 351 468 468 157 379
NOBLE, 521/31 252, NOBLE FIVE, 82F/14E 252, NOD, 92P/15W NOD, 92P/16W NOLA, 92H/1W	233 81 281 283 123 410 240 198 357 228 81 23 351 468 468 157 379 291

Name de Frankrige Ormonie	
Noranda Exploration Company,	
HAIL, GUUF, SUE,	117
62W/12W, 5W	210
KATE, 936/16W, 936/1W 316,	101
	101
LURI, 92G/10W 230, MORDISON 02M/1W	209 254
NORRISON, 93W/ W	004 000
NI, 920/15E	116
NSP, 82M/5E 115,	274
	2/4
RI, 92H/15E	107
	340
SUONER, 93N/7W	307
STAR, 92H/9W	139
Noranda Mines, Limited,	
BELL MINE (NEWMAN),	
93M/1E;93L/16E 352,	353
production	25
BOSS MOUNTAIN MINE,	
93A/2W 287,	288
NORJACK, 82F/14W	77
NORLEN, 94D/8E	409
NORM, 94B/13	389
NORMA, 921/9W	199
NORMAN, 92L/12W	261
North Bay Mines & Oils Ltd.,	
KENCO, 921/9W	197
North Cowichan Gravel Supplies	554
NORTH DANN, 92P/8E	273
North Pacific Mines Ltd.,	
KRAIN COPPER,	
92I/10W, 11E 205,	206
NORTH PAW, 92F/12E	235
Northair Mines Ltd.,	
GOLD, 94E/6E	461
LOR1, 92J/3E	245
PINTO, 92J/3E	244
WARMAN, 92J/3E 245-	248
Northeast British Columbia	384
NORTHERN BELL, 104A/4W	494
NORTHERN BELLE, 82F/4W	62
Northern Giant Mines Ltd.,	
FORD, 93E/15E 326,	327
Northern Inspection District	583
NORTHERN LIGHT, 82F/14W 74	, 75
Northern Tungsten Mines Ltd.,	
STROH, REYNOLDS,	
93N/9W	367
NORTHISLE, 82K/16W, barite	538
Northland Mines Ltd.,	
FAIRVIEW, P&L, 921/14E 214,	215
Northlode Exploration Ltd.,	
BAR, 921/6E	172
ROYAL, CANA, 921/6E 170,	171
Northstar Copper Mines Ltd.,	
FRED, BOBO, MARG, 94D/1W	400
	00-
	025

Northstar Copper Mines Ltd.
(continued)
TOM, ROY, BETH,
94D/8W 408
NORTHWEST, 1031/8E 486
Northwest Ventures Ltd.,
ATLUCK, 92L/2W 255, 256
Nott, J. E
NOV, 92H/11E 152
NOV, 104G/6E, 7W 505
NOVA, 92J/15W 251, 252
NOVELTY, 82F/4W 62
NRD Mining Ltd.,
PAM, 114P/10E 519, 520
TESS, 104K/2W 513, 514
NSP, 82M/5E 115, 116
NU, 92H/10E 143
NU (BUTTERWORTH), 92H/10E 144
NU, 93K/3E 331
NU, 94B/13 389
NUB, 92F/5E 232, 233
NUGGET, 82F/3E 58
production 22
NUGGET, 92P/8E 273
NO. 55, 92H/8W 134
NO. 54, 92H/8W 134
NO. 56, 92H/8W 134
NUMBER FOUR, 82L/2E 99
NO. 9, 82E/2E 37, 38
NO. 1, 82E/1W 36, 37
NUMBER ONE, 82F/14E 81
NO. 1, 94D/10 444
NUMBER THREE, 82L/2E 99
NO. 21, 82K/10E 93
NUMBER TWO, 82L/2E 99
NO. 2, 94D/10 444
NUP, 1041/5E 511
NUT, 92H/7E 132, 133
NYE, 921/7W 178
Nylander Trucking,
sand and gravel 560

0,93L/16W 349
O, 103I/9W 487
OAKVILLE, 82E/4E 43, 44
OATS, 92H/5W 129
OB, 92H/16W 160
OB, 104G/3W 501-504
Oberbillig, J. J 46
OC, 92H/16W 160
OC, 92J/7W 249, 250
Ocean Construction Supplies,
Northern Limited,
sand and gravel 562

OOTO ODE/10M	62
	52
UD,92H/16W	160
O'Donnel River, placer	530
OFF, 93M/1W	353
OK, 82L/10E	102
OK, 94D/10E	416
OK (ALWIN) MINE, 921/6E	172
OKANAGAN 82K/11W	95
01 021/7W	240 250
OLD CROW 02H/EE GW	121 122
OLD (ROW, 921755, 6W	101, 102
	. 39,40
OLD NO. 9, 82E/4E	45
OLD SPORT MINE, 92L/6E,	
production	24
OLE, 92H/14W	154
Olheiser, Brent	124
OLIVER 93H/4E	328 329
	60
OLN 021/7W	240 250
OLN, 925/7W	249, 200
015, 923/74	249, 200
UMEN, 92J/15W	251, 252
ONION, 920/4E	267, 268
ONTARIO, 82F/4W	. 62,63
OPHIR, 82F/4W	. 62,63
ORE, 92H/3E	124
ORE HILL, 104A/4W	494
OREGON 92H/7E	132, 133
Orequest Exploration Syndicate.	
DUCHESS 92H/16W	161 162
DUCHESS, 92H/16W	161, 162
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E	161, 162
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E	161, 162 277 249
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E ORPHAN BOY, 92I/9W	161, 162 277 249 198
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 921/9W	161, 162 277 249 198 158
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E	161, 162 277 249 198 158 265
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S.	161, 162 277 249 198 158 265 531
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd.,	161, 162 277 249 198 158 265 531
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel	161, 162 277 249 198 158 265 531
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W	161, 162 277 249 198 158 265 531 558 380
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E	161, 162 277 249 198 158 5531 558 380 328
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W	161, 162 277 249 198 158 565 531 558 380 328 73
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SKI, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W	161, 162 277 249 198 158 551 558 380 328 73 23
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER 92E/12E	161, 162 277 249 198 158 531 558 380 328 73 235
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E	161, 162 277 249 198 158 531 558 380 328 73 235 235
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 92F/12E	161, 162 277 249 198 158 531 558 380 328 73 23 235 351
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 92F/12E OTTER, 93L/16E	161, 162 277 249 198 158 265 531 558 380 328 73 235 351
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E	161, 162 277 249 198 158 265 531 558 380 328 73 235 351 530
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E Otter Creek, 104N/11W, placer	161, 162 277 249 198 158 531 558 380 328 73 235 235 351 530 494-496
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E Otter Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E	161, 162 277 249 198 158 265 531 558 380 328 73 235 235 351 530 494-496 405
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OUTER Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W	161, 162 277 249 198 158 265 531 558 380 328 73 235 235 351 530 494-496 405 507
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OUTER Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 92I/10W	161, 162 249 198 531 558 380 235 551 328 235 550 531 532 328 235 531 530 494-496 507 203, 204
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OUTER Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 92I/10W	161, 162 249 198 531 558 380 328 235 551 531 558 380 328 235 531 530 494-496 507 203, 204 152
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OUTER Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 92I/10W Ovington, L.	161, 162 249 198 531 558 380 328 235 531 538 328 235 530 494-496 507 203, 204 152 365, 366
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 92F/12E OTTER, 92L/16E OTTER, 93L/16E OTTER, 93L/16E Otter Creek, 104N/11W, placer OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 921/10W OVINGTON, L.	161, 162 249 198 531 558 380 328 235 351 530 494-496 507 203, 204 152 365, 366
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 92I/10W OVington, L. OVP, 93N/6W, 11W OWEN SOUND BOY, 82F/9E; 82G/12W	161, 162 249 198 158 551 558 380 380 328 235 351 530 494-496 507 203, 204 152 365, 366 67-69
DUCHESS, 92H/16W ELLEN, GIZELLE, 92P/10E SK1, GM, 92J/6E ORPHAN BOY, 92I/9W Orr, Norman ORWILL, 92N/14E Osborne, T. S. Oscar Rees Gravel Sales Ltd., sand and gravel OSI, 93N/15W; 94C/2W OSLO, 93H/4E OTTAWA, 82F/14W production OTTER, 92F/12E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OTTER, 93L/16E OURAY, 104A/4W OUT, 94D/3E OUT, 104G/10W OUTRIDER, 92I/10W OVington, L. OVP, 93N/6W, 11W OWEN SOUND BOY, 82F/9E; 82G/12W OWL, 92J/7W	161, 162 249 198 158 551 558 558 558 380 380 235 351 530 494-496 507 203, 204 152 365, 366 67-69 249, 250

OY, 94C/3W

OCEANIC, 103B/6E

ł

No. 4

P

PA, 82E/4W	
	45
PA, 82M/12W	117
PARLO 921 /5E	257
DAG 001/455	466 467
FAC, 92H/10C	100, 107
PAC, 94D/2W, 3E	401, 402
PAC, 104P/6W	518, 519
PACIFIC 104N/11W	515
Panific lade Inductries 1 td	
YEW, 948/124, 11W	380
Pacific Petroleums Limited,	
BRIAN, ADD, 93M/10W	360
PACKERS 104B/1E	497
PACKSACK 102H/14W	18/ 185
	404, 400
PACO, 92H/16W	160
PAD, 94D/8W	408
PAIR, 94B/5E, 6W	384
PAL 921/6E	172
PAL 021/10/W	206
	200
Paladora Mines Ltd.,	
COMSTOCK, 82F/14E	80,81
PAM, 921/9W	196
PAM 921/15E	216
PAM 001/155	217
FAM, 921/105	217
PAM (ZEKE, CA1), 921/15E	217
PAM, 93E/14E	324,325
PAM, 114P/10E	519, 520
PAN 93B/9W	299.318
PAN OON/OW	368
PAN, 55N/5W	300
PAN, 94C/2W	390
Pan Arotic Explorations 1 td	
ran Arctic explorations clu.,	
EL PASO, 92H/16W	160, 161
EL PASO, 92H/16W	160, 161
EL PASO, 92H/16W TOTEM POLE, 92H/10W	160, 161 151
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd.,	160, 161 151
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E	160, 161 151 587
Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W	160, 161 151 587 115
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W	160, 161 151 587 115 196
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E	160, 161 151 587 115 196 170, 171
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L 92I/14E	160, 161 151 587 115 196 170, 171 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E	160, 161 151 587 115 196 170, 171 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd.,	160, 161 151 587 115 196 170, 171 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER,	160, 161 151 587 115 196 170, 171 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W	160, 161 151 587 115 196 170, 171 214, 215 95, 96
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd.	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., cond and gravel	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92i/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23 559
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W N, 92I/9W P&L, 92I/14E P&L, 92I/14E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd.,	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23 559
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23 559 368
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 921/14E	160, 161 151 587 196 170, 171 214, 215 95, 96 23 559 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARAMOUNT, 92F/12E	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23 559 368 214, 215 235
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARAMOUNT, 92F/12E PARK. 82E/8E	160, 161 151 587 196 170, 171 214, 215 95, 96 23 559 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARAMOUNT, 92F/12E PARK, 82E/8E fluorite	160, 161 151 587 115 196 170, 171 214, 215 95, 96 23 559 368 214, 215 235 49 49
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 921/14E PARK, 82E/8E PARK, 82E/8E PARK, 82E/8E, fluorite	160, 161 151 587 196 170, 171 214, 215 95, 96 559 368 214, 215 368 214, 215 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARAMOUNT, 92F/12E PARK, 82E/8E PARK, 82E/8E, fluorite PARK, 93A/14W	160, 161 151 587 196 170, 171 214, 215 95, 96 559 368 214, 215 368 214, 215 368 214, 215 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARK, 82E/8E PARK, 82E/8E PARK, 82E/8E, fluorite PARK, 93A/14W Parker, W. E.	160, 161 587 151 587 196 170, 171 214, 215 95, 96 559 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 93O/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92I/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92I/14E PARAMOUNT, 92F/12E PARK, 82E/8E PARK, 82E/8E, fluorite PARK, 93A/14W Parker, W. E. Parkes, D. M.	160, 161 151 587 196 170, 171 214, 215 95, 96 23 559 368 214, 215 368 214, 215 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 92i/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PAR, 92i/14E PARK, 82E/8E PARK, 82E/8E PARK, 93A/14W Parkes, D. M. Parksville area, sand and gravel	160, 161 151 587 196 170, 171 214, 215 95, 96 559 368 214, 215 559 368 214, 215 368 214, 215
EL PASO, 92H/16W TOTEM POLE, 92H/10W Pan Ocean Oil Ltd., coal, 930/9E EBL-REM, 82M/5W IM, 92I/9W ROYAL, CANA, 921/6E P&L, 92I/14E Pandora Management Ltd., SILVER CUP, TOWSER, 82K/11W production P. & W. Development Ltd., sand and gravel Panther Mines Ltd., VERGIL, 93N/9W PARAMOUNT, 92F/12E PARK, 82E/8E PARK, 82E/8E, fluorite PARK, 82E/8E, fluorite PARK, 93A/14W Parker, W. E. Parksville area, sand and gravel PABSON 6ABUTE 82N/25	160, 161 151 587 196 170, 171 214, 215 95, 96 559 368 214, 215 559 368 214, 215 368 214, 215

¢

Pasco, D. F	173
Pasieka, C. T	494
PASS, 82E/4E	42
PAT, 82J/13E, magnesite	551
PAT, 92H/9W	138
PAT. 921/10E	203
PAT 92P/15W	281
PAT 030/6	280
	103
PAT AD/35	403
PA1, 94D//E	407
PATCH, 931V/1VV	394
PATCHUP, 921/9W 197,	198
PATRICIA, 103P/6W	489
PATRICK, 92J/8E	250
PATTENDEN, 93N/9W	367
PAUL, 92F/9W	233
PAW, 921/13E, 14W	211
PAY DAY, 82E/16W	53
PAYSTIN, 921/2W 165.	166
PB 82E/14E 11E	2.53
PC 93E/13W	373
PEACH 92P/14W	278
PEACOCK 82E/2E	270
PEAGOOR, 020/20 1	0.00
PEAK, 021/444 02	250
PEAR, 923/85	200
PEARL, 92P/12E	235
PEARL, 92P/14, 11	236
Pechiney Development Limited,	
BEN, HUR, 1021/9E	283
-	
BOOM, FRANKIE (KWANIKA	
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365,	366
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E	366 396 397
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E	366 396 397 390
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W	366 396 397 390 365
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363 225
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363 225
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363 225 256
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363 225 256 75
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 390 365 363 257 363 225 256 75 70
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 397 390 365 363 257 363 225 256 75 70 103
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 397 397 365 363 257 363 225 256 75 70 103 161
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 396 397 365 363 225 256 75 70 103 161 250
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 397 390 365 363 257 363 225 75 70 103 161 250 243
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W	366 397 390 365 363 257 363 225 75 70 103 161 250 243 327
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W 160, PEM, 92J/11E PEM, 92J/11E PENL 93K/2W 160, PENL 93F/15W; 93K/2W 131,	366 396 397 390 365 363 225 256 75 70 103 161 250 243 327 132
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEDRO, 92L/16E PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/16W 160, PEM, 92J/11E PEM, 93F/15W; 93K/2W PENTAX, 92H/5E, 6W 131, Penticton map sheet, 82E 131,	366 396 397 390 365 363 225 256 75 70 103 161 250 243 327 132 35
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEM, 92L/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/14E 160, PEM, 92J/11E PEN, 93F/15W; 93K/2W PENTAX, 92H/5E, 6W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132.	366 396 397 365 363 225 225 70 103 161 250 243 327 132 35 133
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E 160, PEM, 92L/1E PEN, 93F/15W; 93K/2W PENTAX, 92H/5E, 6W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132,	366 396 397 365 363 225 75 70 103 161 250 243 327 132 35 133
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEM, 82L/13W PEM, 92L/13W PEM, 92L/13W 160, PEM, 92J/11E PEN, 93F/15W; 93K/2W PENTAX, 92H/5E, 6W 131, Penticton map sheet, 82E 132, PEON, 92H/7E 132, Perbelf Mines Ltd., VAL 92C/9W	366 396 397 365 363 225 256 75 70 103 161 250 243 327 132 35 133
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEM, 82L/13W PEM, 92H/16W PEM, 92J/11E 160, PEM, 93F/15W; 93K/2W 131, Penticton map sheet, 82E 132, Perbelf Mines Ltd., VAL, 92C/9W Permanent Concrete gravel Parmanent Concrete gravel	366 396 397 365 363 225 75 70 103 161 250 243 327 132 35 133 226
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEM, 82L/13W PEM, 92H/16W PEM, 92H/16W 160, PEN, 93F/15W; 93K/2W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132, Perbelf Mines Ltd., VAL, 92C/9W Permanent Concrete, gravel Pace	366 396 397 365 363 225 75 70 103 161 250 243 327 132 35 133 226 560
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEM, 82L/13W PEM, 92H/16W PEM, 92H/16W 160, PEN, 93F/15W; 93K/2W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132, Perbelf Mines Ltd., VAL, 92C/9W Perry, Knox, Kaufman, Inc., 200 V8, 227/65	366 396 397 365 363 225 75 70 103 161 250 243 327 132 35 133 226 560
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEM, 92H/16W PEM, 92H/16W 160, PEN, 93F/15W; 93K/2W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132, Perbelf Mines Ltd., VAL, 92C/9W Perry, Knox, Kaufman, Inc., BD, VB, 92P/6E BO, VB, 92P/6E TOP	366 396 397 390 365 363 225 75 70 103 161 250 243 327 132 35 133 226 560 271
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92L/13W PEM, 92L/13W PEM, 92L/13W PEM, 92L/16W 160, PEM, 92J/11E Pemberton map sheet, 92J PENTAX, 92H/5E, 6W 131, Penticton map sheet, 82E PEON, 92H/7E PEON, 92H/7E 132, Perbelf Mines Ltd., VAL, 92C/9W Permanent Concrete, gravel Perry, Knox, Kaufman, Inc., BD, VB, 92P/6E 339, HAGAS, 93L/3E 339,	366 396 397 390 365 363 225 75 70 103 161 250 243 327 132 35 133 226 560 271 340
BOOM, FRANKIE (KWANIKA CREEK), 93N/6W, 11W 365, DAVE, 94C/3W GR, 94C/4E GREG, 94C/3E IAN, 93N/7W MOSQUITO, 93N/1E PABLO, 92L/5E PU, 93N/2E SUNRO MINE, 92C/8E TINY, 92L/3W PEDRO, 82F/14W PEG, 82F/10E PEM, 92H/16W PEM, 92L/13W PEDRO, 82F/14W PEG, 82F/10E PEM, 92H/16W PEM, 92L/13W PEM, 92J/11E Pemberton map sheet, 92J 160, PEN, 93F/15W; 93K/2W 131, Penticton map sheet, 82E 131, Penticton map sheet, 82E 132, Perbelf Mines Ltd., VAL, 92C/9W Permanent Concrete, gravel Perry, Knox, Kaufman, Inc., BD, VB, 92P/6E 339, TACHI, 93L/16E, 9E 339,	366 396 397 365 363 225 256 70 103 161 250 243 327 132 35 133 226 560 271 340 350

Page

•

PERSERVERENCE, 82E/2E		41
PEST, 92P/9E		274
PET, 82F/14W	. 79	, 80
PET, 93B/9W		298
PET, 104J/5W	512,	513
PETE, 82F/6E		65
PETE, 82L/3E		99
PETE, 93L/6E		341
PETE. 93L/9W		343
PETER, 92J/3E		243
Petersen, E.	. 23	. 79
Pettersen, Kaare J.		146
Peyto Oils Ltd.		
PAW, SAM, RANGER,		
92I/13E, 14W		211
Phelps Dodge Corporation of Canada,		
Limited.		
HI. DEE. 92F/16W	236.	237
JACK-RABBIT (SAW)	,	_,
93L/9W	342.	343
RUN, 104G/7W	504,	505
TAS, TAT, 92H/8W	133,	134
P. Heppner & Son Trucking Ltd.	•	
sand and gravel	557.	558
PHOENIX MINE, 82E/2E	. 39	. 40
production		22
PHP. 82K/3W		90
PIA. 82F/6E		65
Pickands Mather & Co	• • •	ŶŶ
CHBIS 92P/15E		282
CHRIS, 92P/15E	•••	282 287
CHRIS, 92P/15E DIANE, 93A/2E HOOP 92P/1W	269	282 287 270
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH 92P/14E	269,	282 287 270 280
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W	269,	282 287 270 280 282
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E	 269, 54	282 287 270 280 282 4-57
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO. 82F/16E		282 287 270 280 282 4-57 82
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E	269, 54	282 287 270 280 282 4-57 82 152
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E		282 287 270 280 282 4-57 82 152 133
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E	269, 	282 287 270 280 282 4-57 82 152 133 400
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W	269, 	282 287 270 280 282 4-57 82 152 133 400 446
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10	269, 446.	282 287 270 280 282 4-57 82 152 133 400 446 447
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W	269, 446, 195,	282 287 270 280 282 4-57 82 152 152 133 400 446 447 196
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 921/9W PIN, 92N/14E	269, 54 54 446, 195,	282 287 270 280 282 282 152 152 133 400 446 447 196 264
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10 PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W	269, 	282 287 270 280 282 4-57 82 152 133 400 446 447 196 264 333
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10 PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production	269, 	282 287 270 280 282 4-57 82 152 133 400 446 447 196 264 333 25
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E	269, 	282 287 270 280 282 4-57 82 152 133 400 446 447 196 264 333 25 43
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E	269, 	282 287 270 280 282 282 152 133 400 446 447 196 264 333 25 43 146
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W	269, 54 446, 195, 	282 287 270 280 282 4-57 82 152 133 400 446 447 196 264 333 25 43 146 327
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E	269, 54 446, 195, 	282 287 270 280 282 4-57 82 152 133 400 446 264 333 25 43 146 327 456
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E Pine Creek, placer	269, 54 446, 195, 	282 287 270 280 282 4-57 82 152 133 400 446 264 333 25 43 146 327 456 531
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E Pine Creek, placer Pine Lake Mining Co. Ltd.,	269, 54 446, 195, 	282 287 270 280 282 457 82 152 133 400 446 447 196 264 333 25 43 146 327 456 531
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E Pine Creek, placer Pine Lake Mining Co. Ltd., COPPER QUEEN, 92J/7W	269, 54 446, 195, 249,	282 287 270 280 282 457 82 152 133 400 446 447 196 264 333 25 43 146 327 456 531 250
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E Pine Creek, placer Pine Lake Mining Co. Ltd., COPPER QUEEN, 92J/7W Pine Pass map sheet, 930	269, 54 446, 195, 249, 	282 287 270 280 282 282 152 133 440 446 447 196 264 333 25 43 146 327 456 531 250 381
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E Pine Creek, placer Pine Lake Mining Co. Ltd., COPPER QUEEN, 92J/7W Pine Pass map sheet, 930 Pine Valley Explorers Ltd.,	269, 54 446, 195, 249, 	282 287 2200 282 282 282 282 282 1457 82 152 21 333 25 433 25 433 25 436 531 250 381
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIKE, 94D/10 PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E PINE, 94E/2E PINE, 94E/2E PINE Creek, placer Pine Creek, placer Pine Lake Mining Co. Ltd., COPPER QUEEN, 92J/7W Pine Pass map sheet, 930 Pine Valley Explorers Ltd., MARY REYNOLDS, 921/8W	269, 54 446, 195, 249, 	282 287 270 280 282 282 152 133 440 446 447 196 264 333 25 43 146 327 456 531 250 381 190
CHRIS, 92P/15E DIANE, 93A/2E HOOP, 92P/1W MATH, 92P/14E SHERI, 92P/15W PICKWICK, 82F/3E PICO, 82F/16E PIE, 92H/11E PIK, 92H/7E PIKA, 94C/16E PIKE, 94D/10W PIN, 92I/9W PIN, 92N/14E PINCHI LAKE MINE, 93K/9W production PINE, 82E/4E PINE, 92H/10E PINE, 93F/15W; 93K/2W PINE, 94E/2E PINE, 94E/2E PINE Lake Mining Co. Ltd., COPPER QUEEN, 92J/7W Pine Pass map sheet, 930 Pine Valley Explorers Ltd., MARY REYNOLDS, 92I/8W PINS, 104B/10W	269, 54 446, 195, 249, 	282 287 270 280 282 282 152 133 440 446 447 196 264 333 25 43 327 456 531 250 381 190 500

PINTO, 92J/3E		244
Pinus Creek, placer		527
PIONEER, 92J/15W		251
PIONEER, 92P/2W		270
PIPESTEM, 92H/11W	152,	153
PIT, 92P/14W		278
PIT. 94E/6E	461,	462
PIT. 104G/6E. 7W	'	505
PITT 92G/7E		237
Pitt River Quarries Ltd	•••	~07
building stone 92G/7E	541	542
PITTMAN 030/14W	0-1,	205
PIXIE 020/15E	156	157
PKK 00E/0E	100,	27
PL 0011/455	•••	450
	•••	150
	•••	523
Placid Oil Company,		
BULL RIVER MINE,	_	_
82G/11W	. 84	I, 85
production	•••	23
MAX,82G/6W	• • •	84
PLAN, 82E/6E	. 47	7,48
Plank, Herman O		50
Plateau Construction Limited,		
BUSE LAKE QUARRY,		
921/9E, silica		565
HARPER RANCH QUARRY		
921/9F limestone		54 9
Pi Es opr/se	• • •	160
PLUS 04D/40E	•••	1100
	•••	410
PLUTONIA 005/05		407
PLUIUNIA, 826/26	. 30	5, 39
POL A DIG. 000 (4000) 005 (05		204
PULARIS, 82G/12W; 82F/9E	. 80), 80
Polaris Mines Limited, see		
Titan-Polaris Mines Limited		
POLESTAR, 921/16W	• • •	218
Poloni, J.	• • •	147
POM POM, 921/7E	184,	185
PONTIAC, 104A/4W	• • •	494
PORCUPINE, 82F/6E, building stone	••	541
PORK, 920/4E	267,	268
PORT, 92L/8E		260
PORT HOPE, 93H/4E	328,	329
PORTO RICO, 82F/6W		63
POST. 93N/6W, 11W	365,	366
POT. 92H/5W	125	128
POT 921/10E		201
POTLATCH BANKER 104K/12E		514
Powell Biver area	•••	•••
eand and aroup!		552
Poznikoff Mike		000
PD 004/FE 40E	. 23	1,73
FF, 93A/5E, 12E	∠୪୨,	290
PPH, 82K/3W		90
PR, 93A/2W	287	288
Duris (,	
Fratt, J		524
PREMIER, 92P/8E	· · ·	524 273

÷

Premier Sand & Gravel Company	
Limited	553
preparation plant, Michel Colliery	581
PRICE, 92F/12E	236
PRICE, 921/2W 165,	166
PRIDE, 92H/5E, 6W 131,	132
PRIDE OF EMORY MINE,	
92H/5E, 6W 131,	132
production	24
PRIMER, 92H/16W	160
Primer Group Minerals Limited,	
PRIMER, KING GEORGE,	
92H/16W	160
PRINCE, 92E/8W	229
Prince George map sheet, 93G	328
Prince Rupert Highways District,	
sand and gravel	562
Prince Rupert-Terrace map sheet,	
103I and part of 103J	485
Prince mont Explorations Ltd.,	
RED REEF, 103P/13W	490
Prism Resources Ltd.,	
ASH, NOLA, 92H/1W	123
PRO, 93L/16E	350
PROGRESS, 92H/5E, 6W 131,	132
PROSPER, 92F/5	232
PROVIDENCE, 82E/2E	41
production	22
PROVIDENCE, 93A/11W,	
production	24
PROVINCE, 104B/1E	497
PU, 93N/2E	363
PUC, 93E/12E, 13E	321
Pugh, Ida	261
PUP, 92L/12W; 102I/9E	262
Purcell Development Co. Ltd.,	
McLEAN, 82K/10E 93	3, 94
SILVER BASIN, 82K/10E	93
Purvis, R.	547
PUT, 94E/6W 457,	458
PV, 921/8W	190
PYCU, 92P/9W	275
PYRITE, 921/14E	214
PYRO, 92H/7E, pryophyllite 551,	552
pyrophyllite,	
PYRO, 92H/7E 551,	552
MORRIS, MONTEITH,	
92L/3W	552
PYRKHOTITE, 1041/7W	512
PYTHUN, 921/9W	198

۵

Q, 92H/1W	123
QC, 92L/14E	263
Q.C. Explorations Ltd.,	
SILTA (DUD), 92L/14E	263

QR, 93B/16W; 93G/1W 318, 319	Э
QUAD, 94B/5E, 6W 384	4
Quadling, H	8
Qualicum Bay, sand and gravel 554	4
QUARTZ CREEK, 82F/9E 66	3
QUARTZ MOUNTAIN, 82F/9E 66	ô
QUARTZITE, 921/2W 165, 166	3
Quebec Cartier Mining Company,	
HAIL, GOOF, SUE,	
82M/12W, 5W 116, 113	7
Queen Charlotte Islands,	
sand and gravel 562	2
Quesnel map sheet, 93B 297	7
Quesnel Lake map sheet, 93A 287	7
Quesnel River, placer 525	ō
QUIN, 94D/3E 403, 404	4
Quintana Minerals Corporation,	
BAB, R, 93M/1; 93L/16E 352	2
CHRIS, VAL, 921/11E 208	З
FISH LAKE, 920/5E 268	3
JOY, BLU, 921/11E 207, 208	3
LILY (DUAL), 93E/14E 329	õ
LIM, 104G/13 508	3
MO,921/11E 207	7
Quintette Coal Ltd 588	5
QUINTETTE PROJECT, 931/14, 15,	
coal	ō
QUIS, 82E/11E 50, 51	1
QYR, 94G/4W, 5W 467	7

R

R, 92H/10W 148, 149
R, 92H/10W, asbestos
R, 92I/13E 211
R, 921/14W 213
R, 921/14W; 92P/3W 213, 214
R,92L/5E 258
R,93G/2W 328
R,93L/14W
R, 93L/16W 349
R,93L/16E 352
Rabbitt, Daniel L
RAD, 82K/8W 91
RAD, 92H/7E 132, 133
RAD, 93A/14W 294
RADIO, 82M/12W 117
RADIO, 104A/4W 494
RAF, 921/11E 206
RAID, 93M/1W
RAIN, 82E/6W 47
RAIN, 94C/12E, 5E 399, 400
RAIN, 104P/6W 518, 519
RAINBOW, 921/9W 197, 198
RAINBOW, 93M/9W
RAINBOW QUARTZ, 82K/4E 90.91

629

RAM, 92H/6W	132
Rampart Mines Ltd	
SILVER QUEEN, PATRICK.	
92J/8E	250
BANDY 92H/11E	152
BANGER 921/13E 14W	211
BAT 92G/8F	238
RAT 921/15E	200
BAVE 02P/1W-021/16W	269
RAVE, 521/107, 521/107	548
DAVEN ODE/12E	226
DAVEN 021/120	200
RAVEN, 92L/10W	200
RAT, 821VI/4VV	114
RAY, 82M/12W	117
RAY, 92H/7E 132,	133
Rayner, G. H	277
Rayrock Mines Limited,	
RECO, BLUEBIRD, NOBLE	
FIVE, 82F/14E	81
RB, 92H/8W 133,	134
RB, 93G/2W	328
RB,93L/12E	346
RB, 94G/4	464
RC, 921/6E 170,	171
RD, 93E/13E: 93L/4E	322
Reako Exploration Ltd.	
BEKO 92C/9W	226
REALIDEA 82K/3W	an.
NEAC IDEA, 021(010	30
	01
RECO, 82F/14E	81
RECO, 82F/14E	81
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE	81
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E	81 81
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E DED CODE CODE CODE CODE CODE CODE CODE C	81 81 225
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275,	81 81 225 276
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E	81 81 225 276 293
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W	81 225 276 293 359
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E	81 225 276 293 359 404
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W	81 225 276 293 359 404 509
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E	81 225 276 293 359 404 509 155
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF),	81 225 276 293 359 404 509 155
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E	81 225 276 293 359 404 509 155 155
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E 132,	81 225 276 293 359 404 509 155 155 133
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W	81 225 276 293 359 404 509 155 135 133 -496
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E 132, RED CLIFF, 104A/4W production	81 225 276 293 359 404 509 155 133 -496 25
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED BUCK, 92H/	81 225 276 293 359 404 509 155 133 -496 25 235
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W Production RED DEER, 92F/12E RED HILL, 104P/4E	81 225 276 293 359 404 509 155 133 -496 25 235 518
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W RED, 93A/12E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED DEER, 92F/12E RED HILL, 104P/4E 517, RED POINT, 103P/12E 489	81 225 276 293 359 404 509 155 133 -496 25 235 518 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 93A/12E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E S17, RED POINT, 103P/12E AE0 POINT, 103P/12E	81 225 276 293 359 404 509 155 133 -496 25 235 518 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W RED, 93A/12E RED, 93A/12E RED, 93A/12E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED BUCK, 92H/7E RED BUCK, 92H/7E RED DELIFF, 104A/4W Production RED DEER, 92F/12E RED HILL, 104P/4E RED POINT, 103P/12E RED POINT EXTENSION, 103P/12E 489	81 225 276 293 359 404 509 155 133 496 255 518 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E 132, RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E 517, RED POINT, 103P/12E 489, RED POINT EXTENSION, 103P/12E 489, RED REFE, 103P(13W)	81 225 276 293 359 404 509 155 133 496 255 518 490 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E S17, RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W	81 225 276 293 359 404 509 155 133 496 25 518 490 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E S17, RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W Red River Mines Ltd., HAWK 021/2W	81 225 276 293 359 404 509 155 133 496 25 518 490 490 490
RECO, 82F/14E Reco Silver Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER RÉEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E S17, RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W Red River Mines Ltd., HAWK, 921/2W	81 225 276 293 359 404 509 155 133 496 25 518 490 490 490 164
RECO, 82F/14E Reco Silver Mines Limited, RECO, 8LUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED CLIFF, 104A/4W 494 production RED DEER, 92F/12E RED HILL, 104P/4E 517, RED POINT, 103P/12E 489, RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W Red River Mines Ltd., HAWK, 92I/2W JUNE, KAYJUN, 82M/5W	81 225 276 293 359 404 509 155 133 496 25 518 490 490 490 164
RECO, 82F/14E Reco Silver Mines Limited, RECO, 8LUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 93A/12E RED, 93A/12E RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED BUCK, 92H/7E RED DUCK, 92H/7E RED DEER, 92F/12E RED DEER, 92F/12E RED POINT, 103P/12E RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W Red River Mines Ltd., HAWK, 92I/2W JUNE, KAYJUN, 82M/5W OLE, 92H/14W	81 225 276 293 359 404 509 155 133 496 25 235 518 490 490 490 164 115 154
RECO, 82F/14E Reco Silver Mines Limited, RECO, 8LUEBIRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92P/9W 275, RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX, 92H/15E RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED DUCK, 92H/7E RED DEER, 92F/12E RED POINT, 103P/12E RED POINT EXTENSION, 103P/12E Red River Mines Ltd., HAWK, 92I/2W JUNE, KAYJUN, 82M/5W OLE, 92H/14W RED SQUIRREL, 92F/12E	81 225 276 293 359 404 509 155 155 155 155 133 496 25 518 490 490 490 490 164 115 154 235
RECO, 82F/14E Reco Silver Mines Limited, RECO, 8LUE8IRD, NOBLE FIVE, 82F/14E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 92C/8E RED, 93A/12E RED, 93M/7W RED, 94D/3E RED, 104H/12W RED BOX (BARRIER REEF), 92H/15E RED BUCK, 92H/7E RED BUCK, 92H/7E RED DUCK, 92H/7E RED DEER, 92F/12E RED DEER, 92F/12E RED POINT, 103P/12E AB9, RED POINT EXTENSION, 103P/12E 489, RED REEF, 103P/13W Red River Mines Ltd., HAWK, 92!/2W JUNE, KAYJUN, 82M/5W OLE, 92H/14W RED SQUIRREL, 92F/12E RED TOP, 93L/9W <td>81 225 276 293 359 404 509 155 133 496 25 235 518 490 490 490 164 115 154 235 343</td>	81 225 276 293 359 404 509 155 133 496 25 235 518 490 490 490 164 115 154 235 343

Reeves MacDonald Mines Limited,	
ANNEX, 82F/3W	59
production	22
REEVES MacDONALD MINE,	
82F/3W	59
REG, 92H/10E	146
Reg Dorman's Trucking & Fuel Ltd.,	
sand and gravel	554
REGA, 1031/16	487
REGINA, 92J/8E	250
Reid, R	324
Reinke, D	456
REISETER, 93L/14E	347
REKO,92C/9W	226
RELIANCE, 92J/15W 251,	252
R.E. Longland Trucking Ltd.,	
sand and gravel	554
REM, 82M/5W	115
REM, 93N/14W, 13E; 94C/3, 4	379
Remillong, Louis	487
REN, 92G/12W	241
RENE, 92I/14W	212
RENO,82F/3E	58
production	22
RENO, 92G/12W	242
REPUBLIC, 82F/14W 74	1, 75
REPUBLIC NO. 2, 82F/14W 74	1, 75
RERUN, 921/5E	167
REV, 93L/1W 334	-338
REV, 94E/9E	462
review,	
coa!	568
metal mining	13
placer mining	523
structural materials and	
industrial minerals	536
REX, 82M/12W	117
REX, 921/9W	199
REX, 93B/9W	298
REX, 94B/13	389
REX\$PAR, 82M/12W	117
REY, 921/7E 181	-184
REYNOLDS, 93N/9W	367
RHO, 82L/13W	103
RHODA, 921/7W	178
RHS, 92H/16W 160,	161
RHS, 103P/13E	491
RI,92H/15E	157
RIB, 92K/3W	253
RIC, 94G/12W	477
RICE (QUARTZ MOUNTAIN), 82F/9E	66
production	22
RICH, 93B/16W; 93G/1W 318,	319
RICH, 94C/2W	390
Rich, A	466
RICHMIX QUARRY, 92G/1E,	
clay and shale	544

í

:

.

MILLIE MACK 82K/4E	90	. 91
BICK 92P/8E		273
RIDGEWAY 92P/8E		273
		240
	• •	166
DICC1 92C/20W 92E/0E	 QE	100
RIGEL, 020/12W; 02F/95	00	00 00 00
RIGHT FAW, 92F/12E	••	200
RIM, 940/3E	••	40Z
Rimco Resources Ltd.,		
FK,92H/9W	••	138
RINGO, 94D/8E	••	409
Rio Alto Exploration Ltd.,		
BEAR CREEK, 92B/5W	• •	223
Rio Plata Silver Mines Ltd.,		
FIN, LUCK, 921/7W	••	173
Rio Tinto Canadian Exploration Limite	d,	
A, 94D/7E, 10E		407
DUM, 92P/8W 2	271,	27 2
EGG, FOO, 94G/5W 4	68,	469
EGGS. 920/4E	267.	268
FUR, FLO (DOORN), 82E/6E	47	48
IBA 92H/10W		150
KF 93C/3W		319
LYN 92P/8W		272
PRIMER KING GEORGE	•••	2/2
		160
9217/10W	•••	275
	••	270
SAGE CREEK, 82G/2E, coal	•••	5/5
SHAMROCK, NELLIE,		
92H/10E, 16W	•••	148
RIP, 92H/11E	• •	152
RIP, 93A/11W	•••	292
RIP, 94E/6E 4	161,	462
RISKE, 82L/2E	• •	99
RIVER, 82F/3W	••	59
River Jordan Syndicate,		
LOSS, WOLF, 92C/8E	••	225
Rivers, Arthur T.		296
Rivtow Straights Limited, gravel	62,	563
RL,94C/16E		400
RM, 92P/15W	280,	281
RMW, 82K/4E	90), 91
RN, 94E/2W		456
R0.921/9W		199
R0.93A/2W	287.	288
BO 93M/7W		358
BOAN ANTELOPE, 103P/12E	189.	490
BOB 948/13		389
Robek N		485
ROBBIAKE 948/13		380
BOBERTA 92M/16W-04D/1W	261	362
	<i>.</i> ,	1002
RUDERT DUNOWUIR, 321/0W	••	120
GOLDEN AGE, EUPHKATES,		~~
82F/6E	••	60
production	• •	22

Robertson, C. E.		265
Robertson Corbin J.		268
Robertson, John B.L.		241
BORIN 921/15E		252
ROCK 931 /6E	••	340
Bocket Mines I td	••	0.10
B V GUL 921/14W		
028/284	213	214
Booky Mountain Trench Mines Ltd	210,	214
NVE 001/7M		178
Padaora T	268	150
Dedeers & Sulliven	500,	437
	200	201
BALN, 93A/0L	200,	506
	• • •	240
	• • •	549
RUK, 823/13E, magnesite	•••	100
ROK, 92H/9W	•••	138
Rolling Hills Copper Wines Limited,		
PAM, BUDA, 921/9W		196
Rolston, fom 149,	218,	388
RON, 82E/4W	. 45	6,46
RON, 82E/6E	. 47	, 48
RON, 92P/4E	270,	271
RON, 94B/13E	388,	389
RON, 103P/13W	490,	491
RONDO, 92F/14, 11		236
ROOSEVELT, 104A/4W	•••	494
ROSE, 82L/1W	• • •	97
Rose Pass Mines Ltd.,		
HUMBOLT, 82F/10E, 15E	•••	71
ROSEMONT, 82E/11E	. 5(), 51
ROSIE, 94C/2W	•••	390
ROSS, 82F/14W	. 74	, 75
ROSS,92H/3E	• • •	124
Ross, D	• • •	173
Ross, J.A.C.		564
Ross, K	102,	173
Ross, Lorne	355,	390
Ross Island Mining Co. Ltd.,		
BLUE BIRD, 82F/4W	• • •	60
ROSSLAND, 82L/2E		99
Rossland Mining School,		
COLUMBIA, KOOTENAY,		
82F/4W	•••	61
ROUNDTOP, 93A/14W		295
ROVER, 82L/6W, silica	564,	565
ROVER, 93A/2W	287,	288
ROY, 82E/13E		52
ROY,92J/15E	• • •	252
ROY, 94D/8W	• • •	408
ROY,94D/10	• • •	444
ROYAL, 921/6E	179,	171
RPM, 921/10E	202,	203
RPM, 94E/9E		462
RR,93L/16E		352
RS, 82M/12W; 92P/9E		117
RSM, 82K/4E	. 90), 91
		631

Page

RSU, 92L/5E 258
RT, 82F/14W 79, 80
RT,93A/14W 295
RU, 104N/11W 515
RUB, 92P/9W 276
RUBI, 92G/12W 240, 241
Ruby Creek, placer 530
RUBY TRUST, 82F/14E 80, 81
RUDDOCK CREEK, 82M/15W 118
RUDY,93L/6E 341
RUECAU, 82F/14E 81
Ruelle, J. A
RUFF, 92L/5E 257, 258
RUM, 92H/10E 142
RUM, 104G/6E, 7W 505
RUN, 104G/7W 504, 505
RUPERT, 92L/11W 260, 261
RUSH, 82F/3E, 6E 58, 59
RUST, 94G/5W, 12W 469, 471
RUTH, 82F/14E 80, 81
RUTH, 82K/15W
RUTH, 93B/16W; 93G/1W 318, 319
RUTH VERMONT, 82K/15W
production
КҮЕ, 92H/5W 129
Hysio Silver Mines Ltd.,
IKE, SEATTLE, 82E/1W

s

S, 92G/10W 238, 239
\$,921/14W 212,213
S, 93L/14W
SA, 921/2W 165
SA, 921/7 180
Saanich area, sand and gravel
Saba Copper Mines Limited.
SHEBA 921/7W 175-177
Sabo, Louie
SABO PLACER 1031/16W
Sabre Bulldozing Ltd
sand and gravel 550
SACK 921/8W
SAFE 93N/9W 368
Sage Creek Coal Limited
SAILOB BOY, 82E/10E, 15E
ST. ELMO, 82F/4W 62
ST. EUGENE. 82E/2E
ST. JULIEN. 92H/5E. 6W 131, 132
ST. PAUL, 82L/1W
production 23
St. Paul Mines Ltd.
ST. PAUL. 82L/1W
Saiwa Resources Ltd.
MIN. 93E/15
SAKES, 920/4E 267, 268
632

SALAMANCA, 82E/2E	37	7, 38
SALLUS; 921/13W		210
SALLUS CREEK, 921/13W		210
SALLY, 82F/14W		74
SALMON 82K/16W barite		538
SALMON 104B/1E		497
SALT CHUCK 92E/AE SE	220	221
Saltenring Island and gravel	200,	556
Salvador, Louis	••	000
SAM OBE/DE	••	000
SAM, 92F/2E	• •	230
SAM, 92G//E	••	237
SAM, 921/13E, 14W	•••	211
SAM GOOSLY, 93L/1W	334	-338
SAM HAYES, 82F/4W	62	2,63
San Jacinto Explorations Limited,		
ALAMO, SAN JOSE,		
921/6W, 7E		168
MARSHALL,82E/2E	••	40
SAN JOSE, 921/6W, 7E		168
sand and gravel, see table	5 53	-563
SANDIE, 93B/9E		298
SANDY, 1040/15E		516
SAPHIRE, 82N/5W	18,	119
SAR,921/8W		192
Sarafand Developments Limited,		
CLAIRDON, 921/9E 1	193,	194
SARAH, 94C/5W		398
Sargent, J. H.		356
Sarky, R. O		242
Sarnowski, John		553
SAT, 93L/16W		349
SATCHIE, 92E/8W, 9W		229
Satellite Sand and Gravel		
Company Ltd.		555
SAUNDERS, 94E/6E 4	160 ,	461
Savage, R. B.	••	72
SAVONA, 92P/2W		270
SAW, 93L/9W	342.	343
SB, 82K/10E		94
SC, 92E/8W		228
Schudeleit H.		154
Scope Exploration Services Ltd.	•	
MISS_92H/15E		156
SCOTLET. 92E/8W		229
SD 921/10W		204
SEARCHER 92P/2W	,	204
SEATON 82F/9E-82G/12W	6	7_60
SEATTLE 82F/1W	36	27
SEATTLE 93H/4E	128	, U, 220
Sebac Enterprises Ltd	<i></i> ,	525
82E/1W, building stone		541
Sechelt area, sand and gravel	•	550
SEE. 92G/10W	38	230
SEE.93L/6E 3	41	342
Selco Mining Corporation Limited	••••	
BIG JOE, 93M/2E		354
SENECA. 92H/5W	125	128

- _

ŝ

SER, 92H/7E	132,	133
ARP 94D/1W		401
BURN 94C/5E 6W	398.	399
CIB (SBM) 93N/2E	,	364
		409
OSL 93N/15W/-94C/2W		380
BAD 04D (9W)	•••	408
PAD, 540/00	200	400
	000,	200
2000 2000 2000 2000 2000 2000 2000 200	• • •	37
3ERF, 02E/2E	•••	261
7A, 93W/11W	• • •	261
7D, 93W/TTW	•••	407
SEVEN SISTERS, 1031/16	•••	407
Seven Sisters Mining Ltd.,		407
JACKAL, 1031/16	• • •	407
SEVEN UP, 92P/9W	•••	276
SEX, 921/7W	•••	178
Seymour Arm map sheet, 82M	• • •	104
Seywerd, B.	• • •	547
SF,82E/2E	. 38	3, 39
SF, 92H/5W	• • •	130
SG, 93L/1W	334	-338
SH,92L/7W		101
SHADOW, 82F/14W		77
SHAKESPEARE, 82K/4W	•••	91
SHAMROCK, 92H/10E, 16W		148
Sharp, W. M		530
SHAS, 94E/2W, 3E, 6E, 7W		457
SHASTA 93A/14W		294
Shasta Mines & Oil Ltd		
SHAS, 94E/2W, 3E, 6E, 7W		457
Shaw B.		205
SHE. 93M/1W		354
Shea. Patrick		180
Shear, H. H		173
SHEBA, 82K/15W		96
SHEBA, 921/7W	175	5-177
Sheba Syndicate.		
X. Y. Z. 920/2W		266
SHEEP CREEK CAMP, 82F/3E,		
silica		564
SHEILA 93N/15E	381	, 382
Shelford J.		326
Shelter Gold Ltd.		
AZURITE 92H/8W		134
SHERI 82F/6W	6	3.64
SHERI O2P/15W		282
SHIRI EV 82E/1E		36
	133	134
SHC 02M/1	.00	352
SHO, 33W/T	• • •	327
300, 3311/2E	• • •	204
SHUV, 93K/0E, /₩, 2₩, 3E	• • •	100
5HK, 92H/9W	· • •	139
SHUFLY CENTRAL, 921/16W	• • •	218
SHUFLY NORTH, 921/16W	•••	218
SHUSWAP, 82M/7W	•••	116

•

.

SHYLOCK, 82F/9E; 82G/12W 67-69
SIB, 104B/9W 499
Sicamous Resources Ltd.,
ANNIS. 82L/14E 103, 104
SIDEWINDER 93A/14W
Sieger Karl 531
CIC 92E/12N/ 52
CICNE 000/9E 273
SIGNE, 92F/0E
SIL, 82E/2E, SIIICa
SIL, 92J/3E 244
SIL, 93A/15W 296
Silcan Resources Ltd.,
SIL, 82E/2E, silica 564
SILENT FRIEND, 92H/3E 124
sílica.
BUSELAKE 921/9E
HUNT 82N/2W
MOUNT DOEE 021 (6M) 564 565
MOUNT ROSE, 822/0W 504, 505
RICE (QUARTZ MOUNTAIN),
82F/9E 564
SHEEP CREEK, 82F/3E 564
SIL, 82E/2E 564
SUSIE, 82E/4E 43, 44
Silmonac Mines Limited.
SU MONAC (MINNIEHAHA)
82E/14W 78
0217(444 ,
STILA, 92L/14E 203
SILVA, 92L/12W 261
SILVER, 82K/10E 93
SILVER, 92P/9W 275, 276
SILVER ACE, 82F/10E, 15E 71
SILVER BASIN, 82K/10E
SILVER BELL, 82E/4E 43
SILVER BELL, 82E/7W
SILVER BELL. 92P/8E
Silver Benn Mines Ltd.
ANNA 82F/14W 74
SU VER CHIEF 92E/14E 80.81
SILVER CHR 925/14E 80.81
SILVER COP, 827/142
SILVER COF, 82K/TW
production
SILVER DOLLAR, 82E//W 48, 49
SILVER EIGHT, 82F/10E, 15E 71
SILVER FIVE, 82F/10E, 15E 71
SILVER GLANCE, 93K/5W 331, 332
Silver Hoard Mines Limited,
SILVER HOARD, DELLIE,
LITTLE MAY, 82F/10W 72, 73
production 23
SILVER IACK 82E/10E 15E 71
SHEVEN KING 92E/10E 4EE 74
Silver King Wilnes Ltd.,
SILVER KING, 82F/6W 63, 64
SILVER MT., 93A/14W 295
SILVER NINE, 82F/10E, 15E 71
SILVER QUEEN, 82F/6W 63, 64
600
633

Page

SILVER QUEEN, 82F/10E, 15E	71
SILVER QUEEN, 92J/8E	250
SILVER QUEEN, 93L/2E 338,	339
production	25
SILVER RANCH, 82F/14E	80
SILVER SEVEN, 82F/10E, 15E	71
SILVER SIX, 82F/10E, 15E	71
SILVER STANDARD MINE,	
93M/5E	364
production	25
Silver Standard Mines Limited,	
FALL,92J/11W	251
RED, SUS, 104H/12W	509
SILVER STANDARD MINE,	
93M/5E	357
production	25
SILVER STREAK, 82L/6E	101
SILVER TEN, 82F/10E, 15E	71
SILVER TIP, 82K/10E	93
SILVER TIP, 93M/4E	356
SILVERSTAR, 82M/4W	114
Similkameen Mining Company Limited,	
SIMILKAMEEN MINE (INGERBELLE)	,
92H/7E 132,	133
production	24
Simmons, D. R.	564
Sinclair Ganderton Contractors Ltd.,	
sand and gravel	554
SINKER, 92L/5E 257,	258
Sinmax Mines Ltd., see	
Shelter Gold Ltd.	
Sirola, J	253
SIT, 94D/9W 410,	411
SK, 104G/3W 501-	504
SKAGWAY, 93M/5E	357
SKB, 82L/1W	98
SKEENA COPPER, 921/6E 169,	170
Skeena River, placer	528
SKEL, 93N/9W	367
SKEL, 93N/9W	368
SKI, 82E/4E	42
SKI, 92J/6E	
SKI, 104P/3E, barite	249
Skiber, Alfred J.	249 540
	249 540 268
SKI-DOO, 82F/14E 80	249 540 268 , 81
SKI-DOO, 82F/14E	249 540 268 , 81 240
SKI-DOO, 82F/14E	249 540 268 , 81 240 129
SKI-DOO, 82F/14E	249 540 268 , 81 240 129 279
SKI-DOO, 82F/14E	249 540 268 , 81 240 129 279 91
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKULL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 80	249 540 268 , 81 240 129 279 91
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKUL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 100 INEL, 104B/10W 1000	249 540 268 , 81 240 129 279 91 501
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKULL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132.	249 540 268 , 81 240 129 279 91 501 133
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKULL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132, SL, 92P/16W 132,	249 540 268 , 81 240 129 279 91 501 133 283
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKUL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132, SL, 92P/16W 132, SL, 93A/3W; 92P/14W 80	249 540 268 , 81 240 129 279 91 501 133 283 288
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKUL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132, SL, 92P/16W 132, SL, 93A/3W; 92P/14W 81, 93A/6W	249 540 268, 81 240 129 279 91 501 133 283 288 292
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKUL, 92P/14E 80 SKYLARK, 82K/4W 80 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132, SL, 92P/16W 132, SL, 93A/3W; 92P/14W 81, 93A/6W SLEEPER, 92H/9W 137,	249 540 268 , 81 240 129 279 91 501 133 283 283 288 292 138
SKI-DOO, 82F/14E 80 Skinner, R. B. 80 SKU, 92H/5W 80 SKUL, 92P/14E 80 SKYLARK, 82K/4W 81 Skyline Explorations Ltd., 104B/10W SL, 92H/7E 132, SL, 92P/16W 132, SL, 92P/16W 132, SL, 93A/3W; 92P/14W 137, SLEEPER, 92H/9W 137, SLIDE, 82K/9W, 10E 105	249 540 268 , 81 240 129 91 501 133 283 288 292 138 92

SLIDE, 93E/14	324	. 325
Slocan Development Corporation		
Limited,		
OTTAWA, 82F/14W		73
SLOCAN SOVEREIGN, 82F/14E		81
Smith, A		273
Smithers area, sand and gravel		563
Smithers map sheet 931		333
SMBB 1041/1W		510
SMUGGLEB 82E/4E		22
SMUGGLER 82M/12W		117
SNAELL 104N/11W		515
SNARK 82M/5W	• • • •	115
SNO 92H/5M	1.26	110
SNO 94D/10	. 125 AAG	2 120
SNO 104G/6E 7W	. 440	505
SNO, 1040/02, 7W	• • • •	000
SNOW, 021/1W	••••	30
SNOW, 923/3E	• • • •	243
SNOW, 1031/8E	• • • •	480
SNOW KING, 821 / 102	• • • •	520
SNOWEHOE SZE/AW		009
SNOWSHOE, 821 /4W		02
	• • • •	30
SNOWSHOE 028/9E	••••	22
SNOWSTORM 021/16W	• • • •	160
SO 02H/AM	104	100
SO, 920/4W	124	, 120
SOR 02H/9M	•••	211
SOB, 920/000	•••	133
Sobiolity, 921/9W	• • •	199
Sonic-Ray Resources Ltd.,		
	• • •	202
SOOKE area, sand and gravel	• • •	555
Sound Defense half har	• • •	367
	•••	080
SUUTH PAW, 92F/12E	•••	235
Southeast British Columbia	•••	35
SUOTHERN BELLE, 82F/4W	. 62	2,63
SP, 92P/12W	275,	276
SP, 93M/15E	•••	361
SPAINISH ETES, 921/8W	•••	190
SPANNER, 93N/9W	• • •	367
SPAR, 82M/12W	•••	117
Spartan Explorations Ltd.,	_	
EAGLE, 1041/6E, 11E	511,	512
SPECTRUM, 104G/9W	506,	507
T, ZEKE, 921/15E	•••	217
Spatsizi River map sheet, 104H	• • •	509
Spectroair Explorations Limited,		
NORTHWEST, SNOW, DF,		
1031/8E	• • •	486
SPECTRUM, 104G/9W	506,	507
Speton, B. D.		152
SPIN, 921/5E	• • •	167
SPINE, 92J/3E		243
Spirit Explorations Ltd.,		
HYAS, RHO, 82L/13W		103

ţ

SPITFIRE, 93A/14W	295
SFU1, 62F/3E, 6E	. 00,00
SPOT, 921/6E	169
SPOTTED HORSE, 82P/6W	63
Sprackman, Leonard	113
Sproat Silver Mines Ltd.,	
CARLOS, PIKE, 94D/10W	446
SIL, 92J/3E	244
SILVER KING, 82F/6W	. 63,64
Sproston, Gertrude G	229
Spruce Creek, placer	530
Squamish Stone & Silica Co. Ltd.	
MC 92G/12W	240, 241
SB 94D/3W	406
SBW 02N/2E	264
STIM, 9314/2E	070 074
55, 92F/65	210,214
55, T04P/6W	່ວາວ, ວເອ '
Stampede International Resources Ltd	I.,
ATLUCK, 92L/2W	255, 256
STAN, 92L/8E	260
STAN, 92P/14E	279
STANDARD, 82E/2E	. 38, 39
Standard Oil Company of	
British Columbia,	
JEAN, 93N/2W	365
Standard-General Construction Limite	d.
sand and gravel	559
Standonrov Minos I td	000
	60
BLUEBIND, 82F/4W	00
production	22
Stanholm Resources Ltd.,	
SH,82L/7W	101
Stapely, G	124, 446
STAR,92H/9W	139
STAR, 92J/3E	243
Starbird Mines Ltd.,	
LITTLE JOE, GYPSY,	
103P/13W	490, 491
STEELE, 82K/10E	94
Steiner, R.	148
Stellac Exploration Ltd.,	
RINGO, 94D/8E	409
SARAH, 94C/5W	398
Stelling Douglas 380, 397.	. 398, 409
Stephenson A	237
Stevenson I P	262
Stewart G O M	324
Stowart, G.O.W.	JZ-4 547
	047
STIBBARD, 921/7W	175
STIKINE COPPER, 104G/3W	501-504
Stikine Copper Ltd.,	
GC, HAB, BUY (STIKINE	
COPPER), 104G/3W	501-504
Stikine Silver Ltd.,	
KAY, TOK, 104B/9W	499
STONEY, 82F/9E; 82G/12W	67-69
STONEY, 92H/5W	129

STORM, 104N/10W 514,	515
STP, 94B/13E	388
STRIKE, 938/9E	298
STROH, 93N/9W	367
STUART, 93M/15E	361
Stynro Development Ltd.,	
JR, 921/9W 199,	200
WILL,92P/14E	280
SU,92L/5E	258
SUCC, 92P/15W	282
SUE, 82E/3W	42
SUE, 82M/12W, 5W 116,	117
SUE, 92C/9W	226
SUE, 93M/7W	359
SUE, 104G/6E, 7W	505
SUGAR, 920/4E 267,	268
SUGI, 921/9	195
Sullivan, C. J 368,	457
Sullivan & Rodgers,	
BREN,93A/6E 290,	291
SULLIVAN MINE, 82F/9E; 82G/12W 6	7.69
production	23
Sulphurets Creek, placer	529
SULTAN, 921/9W	197
Sultana Silver Mines Limited,	
SULTANA (SILVER TIP),	
93M/4E	356
SUM, 94E/6E 461,	462
Sumac Mines Ltd.,	
FRED,94E/11W	463
KLI, 94D/9E, 8E	409
PUT, HUMP, 94E/6W 457,	458
SMRB, 1041/1W	510
WAS, PIT, JUG,	
94E/6E 461,	462
Sumas Municipality,	
sand and gravel	558
Sumitomo Metal Mining Canada Ltd.,	
JO, 104G/16E 508,	509
SMRB, 1041/1W	510
SUMMIT, 93L/9W	343
SUMMIT, 93L/10W	345
Summit Creek, placer	527
Summit Mining Co. Ltd.,	
AURUM, IDAHO, PIPESTEM,	
92H/11W 152,	153
SUN, 82E/12W	52
SUN, 92C/8E	225
SUN, 92J/8E	250
SUN, 92L/12W	261
SUN, 920/1E	265
SUN, 92P/15W	281
SUN, 94D/3E	403
SUN, 104N/13E 515,	516
SUNDOWN, 92G/12W	241
SUNFLOWER, 93L/15W 347,	348
SUNLIGHT, 82F/14W 74	, 75
	635

SUNLOCK, 92C/8E 225
SUNNY CAVE, 92J/3E 243
SUNNYSIDE, 82E/2E 37
SUNNYSIDE, 92H/8E 136
SUNRISE, 921/9W 198
SUNRISE, 921/9W 199
SUNRISE, 92J/8E 250
SUNRISE, 93L/15W 347, 348
SUNRISE, 93M/6W 357
Sunrise Silver Mines Ltd.,
SUNRISE, 93M/6W
SUNRO MINE, 92C/8E 225
production
SUNSET, 82E/2E
SUNSET. 92H/3E 124
SUNSET 92K/3W 252
SUNSET 93M/6W 357
Sunshine Valley Minerals Inc.
B 93A/12E
Sun-West Minerals, Limited.
FOREMOST 92F/4E 5E 230, 231
SUP. 82E/4W
Supertest Investments and
Petroleum Limited
GEO 921/11E 208
SUBPRISE 82E/1E 35.36
SUBPRISE 82E/AW 62
Surprise Resources Ltd
placer 104N/11W 530
Surrey Municipality
sond and gravel 559
Sand and graver
SUS 104H/12W 509
SUSAN 82E/14E 80.81
SUSAN 928/13W 224
SUSAR 82E/4WI 45.46
SUSIE 82E/AF 43 44
production 22
SUSIE 9/C/5M/ 397 398
SUSTUT 94D/10F 417-432
Sustut area deology of 411-416
SUSTUT COPPER 94D/10E 417-432
SVEN 921/8W 190
SW 92F/4F 5E 230
SWAN 931 /8W 342
SWAN 940/6W 399
SWEET HOME 92P/8E 273
SVD 02E/8W/ 228
SVDNEV 07E/8W/ 228
SVDNEV X 02P/8F 273
Subor H 07
QVI VSSTER K Q2F/1F 25
STEVESTER N, 026/14
JIEVIA, JJE/14
т
•

T, 92G/13W 242, 243

T. 93L/1W	-338
T 021 /1/10/	347
1, 53E/14W	547
T GEE, 93N/6W, 11W 365,	366
TA, 93E/13E, 14W	322
TAB, 92H/15E	158
TAB, 93A/14W	295
Table Mountain Mines Ltd.,	
VOLLAUG (HURRICANE, RED	
HILL), 104P/4E 417,	418
TACHI, 93L/16E, 9E	350
TAG, 82F/2E	53
TAK, 93L/16E, 9E	350
Takeda, Tatsuya	254
TAKL 02E/14W	
1 MN1, 00-2 1999	323

T,921/14W 213

T,921/15E 217

TAG, 82F/2E	53
TAK, 93L/16E, 9E	350
Takeda, Tatsuya	254
TAKI, 93E/14W	323
TAKLA, 93M/15E	361
talc.	
H, 921/4E 166,	565
TAM, 921/6E	168
TAM, 921/11E	206
TAM, 93N/14W, 13E; 94C/3, 4	379
TAM O'SHANTER, 82E/2E 37	7, 38
TAMARAK, 82K/10E	92
TAMI, 104B/10W	500
Tampico Developments Ltd.	
LARK 92H/1W 2E	123
TAN. 92H/4W	125
TAN. 93K/3E	330
TAN 93L/1W 334	-338
T. & C. Management Ltd.	
VAN DOLL LAST FINE	
94B/13E	388
ZEKE, CAT, 921/15E	217
Tandem Besources Ltd.	
REPUBLIC, 82F/14W	. 75
Tanio Mines Ltd.	
BY.94K/11W	479
COPPER STAR, DOR, 92H/15E:	
921/2E	159
Tapin Copper Mines Limited.	
SHAKESPEARE, SKYLARK,	
82K/4W	91
TARA. 104G/8W	506
TARFU.92H/5E.6W	132
TAS 92H/8W 133.	134
Taseko Lakes map sheet, 920	265
Taseko Mines Limited.	_
FISH LAKE, 920/5E	268
TASSOO 103C/16E 482	484
TASU MINE 103C/16E	484
production	25
TAT. 92H/8W	134
Tatshenshini River man sheet 114P	519
TAXI.92L/12W	261
TB.92H/10W	151

TD, 82F/14E 80, 81

!

1

TD 92H/5E 6W
Took Corporation Ltd.
AETON 921/10E
HIGHLAND BELL MINE.
AIGHEAND DEEE
822/02
production
MOT, 921/9E
PYTHON, COPPER HEAD,
921/9W 198
Teck Mining Group Limited,
AU, 82E/6W 4/
GAP (GAZA), 921/7W 175
TED, 104P/4E 518
TEEN 92J/2W 243
TEL 931/1W
Telegraph Creek map sheet, 104G 501
Terrore area send and grave)
Terrace area, said and gistor the
Terrace Calcium Products Etc., 550
limestone, 1031/9W
Terrace Highways District, 561
sand and gravel
Terrace-Prince Rupert map sheet,
1031 and part of 103J 405
TERRY, 104A/4W 494
TESS, 104K/2W 513, 514
TETS, 93E/15W 326
TEX, 92F/10E, limestone 548
TEX. 93L/11E
Texaco Canada Limited.
send and pravel
VERCII 93N/9W 368
Tourse Lime Ltd
Texada Linie Cld., 548
HAVEN, 92F/10E
TEXADA MINE, 92F/10E 230, 234
production 24
Texada Mines Ltd.,
GOOD HOPE, CYPHUS,
92F/5W 231
HESQUIAT, BROWN JUG,
92E/8W, 9W 229
INDIAN CHIEF, PRINCE,
92E/8W 229
LONE CONE, IRON CAP,
92F/4W 231
TEXADA MINE.
92F/10E 233, 234
production 24
Toyal Davelopment td
VAN DOLL LAST FINE
VAN, DOEL, LAST, HILE, 388
945/13E ,
(EXAS, 827/145
Texasguit, Inc., 96.97
ACE, 82K/1E
HILO, 82F/16W 82
PACKSACK,
103H/14W 484, 485
PET, 104J/5W 512, 513

.

Texasgulf, Inc. (continued),
POLARIS, 82G/12W;
82F/9E 85,85
TF,92P/2W 270
TGV, 93B/9E, 8E 297, 298
Thachuk, E. D 531
THEZAR 93L/9W. 16W 344
THIN 92.1/15W
Thompson K G
Thompson Beady Mix
and and gravel
Sand and graver
THOR, 104N/11W
1HREEFINGERS, 52071207, 85.86
82F/9E
THUNDER HILL, 822/7W 40,40
THUNDER HILL, 82J/4W,
clay and shale
THYNE, 92J/3E 243
Thyssen Mining Construction of Canada
Limited,
limestone, 103A/11E 550
TI, 92H/16W 162
TI, 92L/12W
TIA. 82E/2E 40
TIA MARIA, 104G/7W 504, 505
TIBOR 104P/6W 518, 519
TIDA 93N/9W 10E
TIDE 92C/10
TIE DAD 75 406
TICHT 028/15E 156, 157
TINNICA NUM 02F/8M/ 229
TINNICANOM, 92C/SW
TINY, 92L/3W
103 TIO BURACHU, 822/20
TIRE, 921/9E
Tisdale, W.
Titan Polaris Mines Ltd., 129
HO, 92H/9W
STAR, 92H/9W 139
TJ, 92H/16W 160, 161
TK,920/5E 268
TK, 93L/6W, 5E 340
TML, 92F/10E 233, 234
TO, 82M/15W 118
TOBY CREEK BARITE, 82K/8W 537
Todd, James 326
TOGO, 921/14E 214, 215
ТОК, 104В/9₩ 499
TOLL. 94G/4; 94B/13W 466
том, 82М/4Е 113, 114
TOM. 93L/6W, 5E 340
TOM 94D/8W
TON 921/9E 192.193
TONEY 82E/2E
See also TAM O'SHANTER
1/A LENOBE 82E/2E
TONIA 03M/1 352
Toodegoon River man sheet 94F 456
I bodoggone miver map sheet, out = 400
637

Page

Toop, T
TOOP PLACER, 93G/1E 525
TOOTY FRUITY, 93A/2W 287, 288
T.V.I. Mining Ltd.,
CARIBOO-HUDSON, 93A/14W 294
RELIANCE, 92J/15W 251, 252
TOP, 82L/2E 98, 99
TOP, 82M/12W 117
TOP 92F/5W
TOP. 921/10E
Topley Joint Venture,
RED TOP. 93L/9W
Topper Mining Ltd.
MARS (TORRES) 82E/4E 44
production 24
TOR 92E/AW 62.63
Terenada Davelanment Corp. Ltd
A, NEWF, 02L/7E 101, 102
ME, 921/2E 104
10RRE5,82E/4E
production
101,92H/10W 151
TOTEM, 93F/15W; 93K/2W 327
TOTEM POLE, 92H/10W 151
TOUGHNUT, 82L/1W 98
Tournigan Mining Explorations Ltd.,
ATAN, 104P/3E, barite
DENIS, 94M/11E,
barite 539, 540
HU, 104J/8E 513
TOWER, 92K/5W
TOWSER, 82K/11W
production
TR. 82K/11W
TBAIL 82F/9E: 82G/12W 67-69
Trail area, sand and gravel
TRAIL PEAK 93M/8W 359
TRAMWAY 92H/11W 152, 153
TRAP 04G/AE 463
TRAPP 94G/4E 463
TRAVIS 03M/2W/ 355
Troat Creak area
real creek area,
TDEE 001/10/0/ 219
TREE, 921/10W
TREMBLEUR, 93W/15E
1HES HERMANOS, 82E/4E 43, 44
TRI, 93K/6E, 7W, 2W, 3E 332
TRI, 94G/4W, 5W 467, 468
TRI, 104P/6W 518, 519
Triako Enterprises International Ltd.,
LOUGHBOROUGH, 92K/12E 254
Tricentrol Canada Limited,
RPM, 921/10E 202, 203
Triex Resources Ltd.,
\$AR, 921/8W 192
TRIM, 94G/4E, 5E 464
TRIO 02H/5W/ 129

Trio Ready-Mix (1971) Ltd.,
sand and gravel
TRIUMPH, 82K/4E 90, 91
TRIX, 93M/15E 361
TROUBLESOME, 82M/4W 114
TROUT, 82K/11W 94, 95
Trutch map sheet, 94G 463
TRYON, 82K/3W 90
Tsumura, A
Tuchodi Lakes map sheet, 94K 477
TUFF, 82E/1E
Tull Mines Ltd.,
MIDNIGHT, 82F/4W
TULSA, 92G/10W 238, 239
Tulsequah map sheet, 104K 513
TUMBLE, 94D/8W 409
Turley, Wayne 23, 76
TURN, 1041/7W 512
Turner, B
Turner, R 466
Tuttle, D 322
TWIN, 93E/11E, 14E 325
Twin Peak Mines Ltd., see
Twin Peak Resources Ltd.
Twin Peak Resources Ltd.,
BIG JOE, 93M/2E 354
JILL, 93L/9E, 16E 342
LYNN, 93M/8E 359, 360
SACK, 921/8W 191
TWO SPOT, 82F/3E, 6E
TX,93E/14E 324
TX, 93N/6W, 11W
TYE,921/2E 164
Tyee Lake Resources Ltd.,
RUST, 94G/5W, 12W 469, 471
TYGER, 93N/6E 366

U

UKE, 94B/13E 388	
ULLA, 921/8W 191	
Union Carbide Canada Mining Ltd.,	•
BEE, 82K/10E 93	
BOULDER, 82M/13E 117, 118	
Union Carbide Exploration Corporation,	
BEE, 82K/10E 93	
BOULDER, 82M/13E 117, 118	
PA, 82E/4W 45	
Union Miniere Explorations and Mining	
Corporation Limited,	
BOW, 94D/16 455	
CLAW, 94E/11W 462	
GRANITE BASIN, 94C/5W 397, 398	
JIM, 92P/6E 271	
JO ANN, 93N/14W 378, 379	
LYNNE, 104H/16E 509	

.

,

Union Miniere Explorations and Mining	
Corporation Limited (continued),	
TAM, 93N/14W, 13E;	
94C/3, 4	379
UNITED, 92P/9W 275,	276
UNITED COPPER, 82F/10E	71
United Copper Corporation Limited, see	
Medallion Explorations Ltd.	*
Universal Aggregate Ltd.,	
sand and gravel	559
Univex Mining Corp. Ltd.,	
COPPER ROAD, 92K/3W	253
Upland Excavating Ltd.,	
sand and gravel	553
URSUS, 921/11E	208
Ursus Minerals Ltd.,	
GEO, 921/11E	208
LEADER (WELLINGTON),	
82F/9E	66
Usk area, sand and gravel	561
Utah Mines Ltd.,	
coal,	
ADAMS PROJECT,	_
930/15E	587
CARBON CREEK PROJECT,	~~~
930/15E 586,	587
DUNLEVY PROJECT,	
94B/1W	589
EAST MOUNT GETHING,	
94B/1W	588
EXPO, 92L/12	262
ISLAND COPPER MINE,	004
92L/11W 260,	261
production	24
NIKOS, 94D/16W	455
NOD, 92P/15W	281
UTICA, 82E/4E	40 200
UTODIA 02E/7M	, 200 0 10
UTUMA, 82E/7W 4	0, 49

۷

V, 92H/10E 1	41
V, 921/14W; 92P/3W 213, 2	214
V, 93A/14W 294, 2	295
VAL, 92C/9W 2	226
VAL, 921/11E 2	208
VAL, 93M/10W 3	360
Valdez Syndicate,	
I,92L/8E 2	260
VALE, 94B/5E, 6W 3	384
VALLEY, 92P/2W 2	270
VALLEY, 93N/14E 3	379
Valley Copper Mines Limited,	
OUTRIDER, 921/10W 203, 2	204
RAF, TAM, 921/11E	206

Valley Granite Products Limited,	
building stone, 92H/5E	542
Valley Rite-mix Ltd.,	
sand and gravel	558
VAN, 92J/3E	243
VAN, 93M/6W	357
VAN, 94B/13E	388
Van Silver Explorations Ltd.,	
BLUE JACK, 92J/3E	243
Vanco Explorations Limited,	
FLY, 92N/9W	263
WAR, 92G/12W	241
VANCOUVER, 93H/4E 328,	329
Vancouver Island,	
sand and gravel	553
Vancouver map sheet, 92G	237
Vangulf Exploration Company.	
FL. 92P/9W	276
VANO 82J/13E magnesite	551
Vargas Mines Ltd.	-
EJ (VARGAS), 92H/9W, 10E	139
Vastlode Mining Company Limited.	
see Ashcroft Resources Ltd.	
VB. 92P/6E	271
V-DAY. 82F/14W	76
production	23
VE, 82F/14W 74	1, 75
Veerman, H	283
VELVET 92F/4E.5E	221
	201
VEN. 82E/2E	37
VEN, 82E/2E see also TAM O'SHANTER, IVA	37
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E	37 37 7, 38
VEN, 82E/2E	37 7, 38 37
VEN, 82E/2E	37 37 7, 38 37 37
VEN, 82E/2E	37 37 37 37 37 251
VEN, 82E/2E	37 37 37 37 37 251 368
VEN, 82E/2E	231 37 7, 38 37 37 251 368 96
VEN, 82E/2E	231 37 7, 38 37 37 251 368 96 243
VEN, 82E/2E	231 37 37 37 37 251 368 96 243 339
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491 62
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491 62 380
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491 62 380
VEN, 82E/2E	37 37 37 37 251 368 96 243 339 491 62 380
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491 62 380 101
VEN, 82E/2E	231 37 37 37 251 368 96 243 339 491 62 380 101 97
VEN, 82E/2E	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited,	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 93L/2W VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd.,	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 93L/2W VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd., EGG, FOO, 94G/5W 468,	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81 469
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERN, 92J/3E VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 82F/4W VERNON, 82F/4W VERNON, 92L/6E Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd., EGG, FOO, 94G/5W QYR, IRA, 94G/4W, 5W	2231 37 7, 38 37 2251 368 96 2243 339 491 62 380 101 97 529 81 469 467
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERN, 92J/3E VERN, 93L/2W VERNON, 82F/4W VERNON, 82F/4W VERNON, 82F/4W VERNON, 82F/4W VERNON, 92L/6E Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vesnaver, Antonio Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd., EGG, FOO, 94G/5W QYR, IRA, 94G/4W, 5W TRAP, 94G/4E	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81 469 467 463
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERNON, 82F/4W VERNON, 82F/4W VERNON, 82F/4W VERNON, 92L/6E Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd., EGG, FOO, 94G/5W 468, QYR, IRA, 94G/4W, 5W TRAP, 94G/4E VI, 82F/10E, 15E	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81 469 467 463 71
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERNON, 82F/4W VERNON, 82F/4W VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vernon map sheet, 82L Vestor Explorations Ltd., EGG, FOO, 94G/5W A68, QYR, IRA, 94G/4W, 5W TRAP, 94G/4E VI, 82F/10E, 15E VI, 92I/7W	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81 469 467 463 71 -177
VEN, 82E/2E see also TAM O'SHANTER, IVA LENORE, 82E/2E VEND, 82E/2E VENDELA, 82E/2E VENT, 92J/11W VERGIL, 93N/9W VERMONT, 82K/15W VERN, 92J/3E VERNON, 82F/4W VERNON, 93N/15 VERNON, 93N/15 Vernon Copper Ltd., MOUNT VERNON (SILVER STREAK, DCK), 92L/6E Vernon map sheet, 82L Vespar Mines Limited, RECO, BLUEBIRD, NOBLE FIVE, 82F/14E Vestor Explorations Ltd., EGG, FOO, 94G/5W 468, QYR, IRA, 94G/4W, 5W TRAP, 94G/4E VI, 82F/10E, 15E VI, 921/7W 175 VIC, 93A/14W	231 37 7, 38 37 251 368 96 243 339 491 62 380 101 97 529 81 469 467 463 71 -177 295

.

Vic Froese Trucking Ltd.,
sand and gravel 563
VICEROY, 82E/2E 37, 38
VICKI, 82E/2E 37
VICTOR, 82F/14W 62
VICTOR, 82F/14W 79
production 23
VICTOR, 92E/8W 229
VICTOR, 92H/11W 153
VICTOR, 921/9W 199
VICTORIA, 82E/2E 39, 40
VICTORIA, 92B/13W 224
Victoria area, sand and gravel 555
Victoria map sheet, 92B 223
VID, 92P/2W 270
VIEW, 82F/4W 62
VIEW, 93L/15W 347, 348
Vieweger, D. W 46
Vigouret, D 75
VIN, 92K/3W 253
Vincent, V. R 526
VIOLAMAC, 82F/14W 79
production
VIRGINIA CITY, 82E/1W 36, 37
VISTA, 94G/5W 468, 469
Viva Ventures Limited,
VICTORIA, COPPER CANYON,
92B/13W 224
VKR, 104G/8W 506
V.M.L. Holdings Ltd.,
CAT, PAM, 921/15E 216
VOLLAUG, 104P/4E 517, 518
VON, 104G/6E, 7W 505
VULCAN 92C/8E

Ŵ

W (LYNX MINE), 92F/12E	235
W (MYRA MINE), 92F/12E	235
W (PRICE), 92F/12E	236
W, 92H/10E	141
W, 920/1E	265
W, 93L/16W	349
WA,93A/3W	288
WADE, 82L/5W; 921/8E	100
WADE, 921/9W	196
WAG,93M/5W	356
WAL, 92H/15E 156,	157
Wallington, J. A.	527
Wallis, J. E	530
Walodarsky, W.	211
Walske Ready-Mix Ltd.,	
sand and gravel	556
WALT, 82E/4E	45
Walt, Pederson Enterprise,	
PROVIDENCE, 93A/11W	24

WAMINECA, 82K/16W, barite	538
WAN, 92L/12	262
WAP, 92P/16W	283
WAR, 92G/12W	241
WARHORSE, 92H/8E	136
WARM, 92H/10E, 16W	148
WARMAN, 92J/3E 24	15-248
'Warnock, G. F	519
Warren, H. V 26	5, 267
Warshawski, M. P.	245
WART,93A/15W	296
WARWICK, 103C/16E 44	32-484
WAS, 94E/6E 46	1,462
WASH,920/4E 26	7, 268
WASHINGTON, 82K/3E	89
production	23
WAT,94B/13E	388
WATERLOO NO. 3, 83E/16W	53
Waters, W	227
WAY,92H/15E 15	7, 158
WB,92P/14W	278
WB, 1031/8E	486
WC, 92P/14W	278
WC, 92P/14W	279
W. Chaput & Associates,	
VIC, 93A/14W	295
WCR,82L/6E	101
WD,92H/15E	157
WD, 92P/14W	277
WEBSTER, 93L/11E 34	5, 346
Webster, A.	579
WED,938/8W	297
WEE, 93E/11E, 14E	325
WELLINGTON, 82F/9E	66
WENDY,82E/2E	39, 40
WENDY, 921/7W	175
Wesfrob Mines Limited,	
ASITKA (SIT GROUP),	
94D/9W 41	0, 411
BANKER, 103G/8E	484
BIRCH, 94D/10W	445
CRAMP, MAGNUM, 94D/3E	404
DAY, 94D/7E, 10E	408
GO, 94D/10E	416
GIRZZLY-ORK, 94D/10W 44	5, 446
IT, TO (RUDDOCK CREEK),	
82M/15W	118
MARMUT, 94D/10E, 15E 43	4-443
OFF, RAID, DDT, 93M/1W	353
FAI,940//E	407
	407
RAINBOW, 93W/9W	360
HHS, 103P/13E	491
SUSTUL COPPER, 94D/10E 41	/-432
TASU MINE, 103C/16E 48	2-484
production	. 25
TURN, 1041/7W,	512

ł

.

.

2

WILLOW, 94D/10E	432
WEST, 94B/12E	387
WEST, 104P/4E 517,	518
West Coast Mining & Exploration Ltd.,	
DEER, PARK, 82E/8E	49
WEST JACK, 103C/16E 482	484
WEST PAW, 92F/12E	235
Western Adera Limited,	
DEN, 921/11E 206,	207
Western Canada Steel Limited,	
EVE, 921/16E	219
IRON RANGE, 921/16E	218
Western Copper Mines Ltd.,	
SA, 921/7	180
WESTERN CROSS, 82K/10E	93
Western Gypsum Limited	546
Western Mines Limited.	
BUS 92C/15W	228
ERL-REM 82M/5W	115
IUNE KAYIUN	
82M/5W	115
I YNX MINF 92F/12E	235
production	24
MYRA MINE 92E/12E	235
production	24
PRICE 92E/12E	236
SYDNEY SYD ACCESS	200
92E/8W	228
X D E 92F/12F	234
Western Standard Silver Mines I to	20,
Western ordinadia onwer minico eran,	
BOYES 921 /8E 259	260
BOYES, 92L/8E	260 254
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited	260 254
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited,	260 254 00
BOYES, 92L/8E	260 254 99 260
BOYES, 92L/8E	260 254 99 260 289
BOYES, 92L/8E	260 254 99 260 289 356
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 257, PETE, 82L/3E 253, Weston, Stanley 253, WET, 93A/5, 12 253, West, 93M/5W 253,	260 254 99 260 289 356
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 254, PETE, 82L/3E 253, Weston, Stanley 253, WET, 93A/5, 12 253, West, 93M/5W 253, Wharf Resources Ltd., BOY 82E/13E	260 254 99 260 289 356 52
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 253, PETE, 82L/3E 98, Weston, Stanley 98, WET, 93A/5, 12 93, WET, 93M/5W 93, Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504	260 254 99 260 289 356 52 505
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 WET, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504, WHAT 92H/11E 504,	260 254 99 260 289 356 52 505 152
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 9ETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 WET, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504, WHAT, 92H/11E WHAR, 921/9W	260 254 99 260 289 356 52 505 152 197
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 9ETE, 82L/3E Weston, Stanley	260 254 99 260 289 356 52 505 152 197
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley	260 254 99 260 289 356 52 505 152 197 155 225
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley	260 254 99 260 289 356 52 505 152 197 155 225 131
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 9ETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Wharf Resources Ltd., ROY, 82E/13E S04, WHAT, 92H/11E WHAT, 92H/11E WHERE, 92H/15W 154, White, G. É. White, Biver Mines L td	260 254 99 260 289 356 505 152 197 155 225 131
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, 9ETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E S04, WHAT, 92H/11E WHAT, 92H/11E WHERE, 92H/15W 154, White, G. É. White, Jack White, Biver Mines Ltd., GOLD, 94E/6E	260 254 99 260 289 356 52 505 152 197 155 225 131 461
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E Stanley WHAT, 92H/11E Stanley WHAT, 92H/11E WHAT, 92H/11E WHERE, 92H/15W 154, White, G. É. White, G. É. White, Back 124, White River Mines Ltd., GOLD, 94E/6E SUE 82E/3W SUE 82E/3W	260 254 99 260 289 356 52 505 152 197 155 225 131 461
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W SOY, 82E/13E Stanley WHAT, 92H/11E WHEAL TAMAR, 92I/9W WHERE, 92H/15W 154, White, G. É. White, Jack White, Biver Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Bock Sand & Gravel Ltd.	260 254 99 260 289 356 505 152 197 155 225 131 461 42
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E Stanley WHAT, 92H/11E Stanley WHERE, 92H/15W 504, White, G. É. Stanley White, G. É. Stanley White, Biver Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WhiteFish 82E/9W Stanley	260 254 99 260 289 356 505 152 197 155 225 131 461 42 559 70
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E Stanley WHAT, 92H/11E Stanley WHERE, 92H/15W 504, White, G, E. Stanley White, G, E. Stanley White, Biver Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. Whitesail Lake man cheet 93E	260 254 99 260 289 356 52 505 152 197 155 225 131 461 42 559 70 319
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W SOL, 104G/7W 504, WHAT, 92H/11E WHERE, 92H/15W White, 92H/15W 154, White, G. E. White, Ge. White, Biver Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WhiteRock Sand & Gravel Ltd. Whitesail Lake map sheet, 93E Whitesail Lake map sheet, 93E Whitesail Mines Ltd. see	260 254 99 260 289 356 52 505 152 197 155 225 131 461 42 559 70 319
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley WET, 93A/5, 12 WET, 93A/5, 12 WET, 93M/5W WHAT, 93A/5, 12 WET, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504, WHAT, 92H/11E WHAT, 92H/11E WHERE, 92H/15W 154, White, G. É. 124, White River Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WHITEFISH, 82F/9W Whitesail Lake map sheet, 93E Whitesail Lake map sheet, 93E Whitesail Mines Ltd., see Twin Peak Resources Ltd Top Peak Resources Ltd	260 254 99 260 289 356 505 152 255 131 461 42 559 70 319
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley Weston, Stanley WET, 93A/5, 12 Weston, Stanley WET, 93M/5W Weston, Stanley WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W WHAT, 92H/11E 504, WHERE, 92H/15W 504, White, G. É. 154, White, G. É. 154, White, G. É. 124, White River Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WHITEFISH, 82F/9W Whitesail Lake map sheet, 93E Whitesail Lake map sheet, 93E Whitesail Mines Ltd., see Twin Peak Resources Ltd. Whitesail Mines Ltd., see	260 254 99 260 289 356 505 152 505 131 225 131 461 422 559 70 319
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley WET, 93A/5, 12 WET, 93A/5, 12 WET, 93M/5W WHAT, 93M/5W WHAT, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504, WHAT, 92H/11E 504, WHERE, 92H/15W 154, White, G. É. 124, White River Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WHITEFISH, 82F/9W Whitesail Lake map sheet, 93E Whitesail Lake map sheet, 93E Whitesail Mines Ltd., <i>see</i> Twin Peak Resources Ltd. Whittles, A.B.L. 224,	260 254 99 260 289 356 52 505 152 197 155 225 131 461 42 559 70 319 255
BOYES, 92L/8E 259, TOWER, 92K/5W 253, Westley Mines Limited, PETE, 82L/3E Weston, Stanley WET, 93A/5, 12 WET, 93A/5, 12 WET, 93M/5W WHAT, 93A/5, 12 WET, 93M/5W Wharf Resources Ltd., ROY, 82E/13E RUN, 104G/7W 504, WHAT, 92H/11E 504, WHERE, 92H/15W 154, White, G. É. 124, White River Mines Ltd., GOLD, 94E/6E SUE, 82E/3W White Rock Sand & Gravel Ltd. WHITEFISH, 82F/9W Whitesail Lake map sheet, 93E Whitesail Lake map sheet, 93E Twin Peak Resources Ltd. Whitles, A.B.L. 224, WHY, 92H/10W Wiekerom K E	260 254 99 260 289 356 52 505 152 197 155 225 131 461 42 559 70 319 255 150 250 5150 250 50 52 50 51 52 50 51 52 50 51 52 50 50 50 50 50 50 50 50 50 50 50 50 50

Wiggins, H. W.	186
Wigley, J. M	519
WILDCAT, 104P/4E	518
Wilkinson, D	79
Wilkinson, L.	564
Wilkinson, M.	564
WILL, 92F/10E, limestone	548
WILL, 92P/14E	280
WILL, 94D/10E	432
Williams, J. L.	253
Williams Creek, placer	527
Williamson, James T.	356
WILLOW 94D/10E	432
Willow River, placer	528
Willson Construction Company Limited.	
sand and gravel	556
WILLY Q2E/10E limestone	548
Wilson L I	168
	221
WIN, 92F/4W	201
WIN, 104G/0E, /W	202
WIND, 94B/6W	300
WIND, 104N/10W 514,	515
WINDFALL, 920/2W	200
WINDPASS, 92P/8E	2/3
WINDSLOW, 82K/11W	100
WINDY, 92H/5E, 6W 131,	132
Wingdam Creek, placer	528
WINNIE, 82F/9E; 82G/12W 6	/-69
WINUNA,82F/14W	77
WINSLOW, 82K/11W	95
Winters, T. A.	215
WINTY, 921/9W	199
WIRELESS, 103B/6€	482
Wise, S	538
W.J. Woods Trucking Ltd.,	
sand and gravel	553
WOE, 94B/13E	388
WOF, 92F/16W 236,	237
WOLF, 82K/4E 90), 91
WOLF,92C/8E	225
WOLF,93L/16E	351
WOLF, 94M/14, barite	540
WOLF, 104P/3E, barite	540
WONDER, 93H/4E	328
WOODLAND, 92H/8E	136
Woodman, Lloyd	181
World Resources Company,	
coal, 93I/14, 15	585
Worldex Ventures Ltd.,	
DOPP, 94G/4E	463
WORTH, 94B/13E	388
WOSS LAKE, 92L/2E	255
WOSTHOPE, 92L/2E	255
WR,92H/5W	
WR 92H/7E	129
· · · · · · · · · · · · · · · · · · ·	129 133
WRIGHT, 93N/9W	129 133 367
WRIGHT, 93N/9W Wright, J. D.	129 133 367 330

Page

641

Page

Wright Creek, placer				•		•	,				530
WS,82K/10E								•	•	•	94

Х

X, 82L/6E	101
X, 92F/12E	234
X, 92H/10E	145
X, 921/9W	196
X, 920/2W	266
X,92P/9E	274
X, 104N/11W	515
XGC, 104G/3W 501	-504
XIT, 94B/13E	388
XL, 82F/9E; 82G/12W 6	7-69
XX,92H/15	159

Y

Y,92H/10E	145
Y, 921/14E	214
Y,920/2W	266
Y,93L/14W	347
Yale Lead & Zinc Mines Limited,	
see International Mogul Mines	
Limited	
Yamoto Mining & Smelting Ltd.,	
JOAN, 94K/1E	478
YELLOW KID, 92F/10E 233,	234
Yellowstone Mines Ltd.,	
WILDCAT, 104P/4E	518
YES, 94B/13E	388
YEW, 94B/12E, 11W	386
YMIR, 82F/6E 64	ł, 65
production ,	22
YORK, 82E/4E	44
YORKSHIRE LASS, 82E/7W 48	3, 49
Young, S	150

Page

ł

YT, 921/2E	164
Yucol Mines Ltd.,	
SANDY, 1040/15E	516
Yukon Gold Placers, Limited,	
NO. 1, NO. 2, A, 94D/10	444

z

2,920/2W 266
Z,94D/9W 410
ZAG, 93L/9W 343
ZAP, 93N/1E 363
ZAP, 103J/1W 487, 488
ZAP, 104N/11W 515
ZEB, 92L/2W 255
ZEE, 82M/4E 113, 114
ZEKE, 921/15E 217
ZEKE (SPARTAN), 921/15E 217
ZEN, 82K/9W, 10E 92
Zenon Silver Mines Ltd., see
Montego Resources Ltd.
ZEPHYR, 93B/9W 299-318
Zeus Oil & Holdings Ltd.,
MOTHERLODE, GREYHOUND,
82E/2E 38, 39
ZIG,93L/9W 343
ZIG, 93L/9W
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290 Zubex Resources Ltd., 290
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290 Zubex Resources Ltd., CZ, 93A/6W CZ, 93A/6W 291
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290 Zubex Resources Ltd., 291 WET, GAVIN, 93A/5, 12 289
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290 Zubex Resources Ltd., 291 WET, GAVIN, 93A/5, 12 289 ZUK, 94B/13E 388
ZIG, 93L/9W 343 ZILPAH, 82L/1W 98 ZINC, 92H/11E 152 ZINCTON, 82F/3E 57, 58 ZIP, 92H/5W 125-128 ZL, 93A/15W 296 ZUB, 93H/4E 328 Zuber, Carl 290 Zubex Resources Ltd., 291 WET, GAVIN, 93A/5, 12 289 ZUK, 94B/13E 388 ZULA, 92H/16W, 15E 161

()

LITHOGRAPHED IN CANADA BY K. M. MacDONALD, QUEEN'S PRINTER, VICTORIA, BRITISH COLUMBIA

642

_

,