



British Columbia Geological Survey
Geological Fieldwork 1984

Geological Fieldwork 1984

a summary of field activities and
current research by the geological branch,
mineral resources division

Paper 1985-1



Province of British Columbia
Ministry of Energy, Mines and Petroleum Resources

British Columbia Cataloguing in Publication Data
Main entry under title:
Geological fieldwork. -- 1974-

(Paper, ISSN 0226-9430)

Annual.

Issuing body varies: 1974-1980, Geological Division;
1981-, Geological Branch.

Subseries, 1979-, of: Paper (British Columbia.
Ministry of Energy, Mines and Petroleum Resources)
"A summary of field activities of the Geological
Division, Mineral Resources Branch."
ISSN 0381-243X = Geological fieldwork

1. Geology - British Columbia - Periodicals. 2.
Geology, Economic - British Columbia - Periodicals. 3.
Mines and mineral resources - British Columbia -
Periodicals. I. British Columbia. Geological Division.
II. British Columbia. Geological Branch. III. British
Columbia. Ministry of Energy, Mines and Petroleum
Resources. IV. Series: Paper (British Columbia.
Ministry of Energy, Mines and Petroleum Resources)

QE187.G46 1974 557.11'05

FOREWORD


This is the eleventh year of publication of *Geological Fieldwork* and the first year it has been named *Geological Fieldwork, A Summary of Field Activities and Current Research*. The new name reflects expansion of the scope of this publication to include reports that cover the entire spectrum of work carried out by the Geological Branch. Reports on the two main inventory files of the Branch, MINFILE and COALFILE, are included for the first time. The main aim of the publication remains unchanged; to acquaint the interested public with preliminary results of fieldwork of geologists of the Geological Branch as soon as possible after the field season.

The 1984 field program, like 1983, was reduced in comparison to previous years as British Columbia entered the second year of fiscal restraint. Those geologists in the field had shortened field seasons and none had more than one field assistant. Others were confined to the office, completing long-term projects.

This edition has a three-section format; within each section, reports are sequenced according to NTS. The Project and Applied Geology section includes reports on field mapping and property examinations conducted by both Project and District Geologists. The Resource Data section consists of reports on MINFILE, COALFILE, land use issues, and assessment reports. The Other Investigations section consists of four papers submitted by researchers at the University of British Columbia; each represents a cooperative project.

The cover photograph shows Ministry geologist Andre Panteleyev examining a massive sulphide lens on the Cariboo Hudson property near Wells.

W. R. Smyth,
Chief Geologist,
Geological Branch,
Mineral Resources Division.



Distribution of programs: Geological Fieldwork, 1984, a summary of field activities and current research by the Geological Branch, Mineral Resources Division (Paper 1985-1).

TABLE OF CONTENTS

	Page
GEOLOGICAL BRANCH - WHO TO CONTACT, WHERE, AND WHAT FOR	16
 PROJECT AND APPLIED GEOLOGY	
1 Church, B. N.: Geology of the Mount Attwood-Phoenix Area, Greenwood (82E/2)	17
2 Kwong, Y.T.J.: The Tillicum Mountain Gold Prospect - A Petrologic Update (82F/13)	23
3 Ray, G. E., McClintock, J., and Roberts, W.: Tillicum Mountain Gold-silver Project (82F/13, 82K/4)	35
4 Addie, G. G.: Self-potential Tests at the Silver Queen Prospect near Tillicum Mountain and the Hailstorm Mountain Gold Prospect (82F)	49
5 Grieve, D. A. and Kilby, W. E.: Structural Modelling of Parts of the Northern Dominion Coal Block (Parcel 73), Southeastern British Columbia (82G/10)	53
6 Goutier, F., Godwin, C. I., and Höy, T.: Mineral Deposits in the Birk Creek Area: An Introduction to a Metallogenetic Study of the Adams Plateau-Clearwater Area (82M) ...	67
7 White, G.P.E.: Hilton Massive Sulphide Discovery (Rea Gold), Johnson Creek-Adams Lake Area (82M/4W)	77
8 Pell, J.: Carbonatites and Related Rocks in British Columbia (82L, 83D, 93I, 93N)	85
9 White, G.P.E.: Further Notes on Carbonatites in Central British Columbia (83D/6E, 7W)	95
10 Höy, T.: J & L, A Stratabound Gold-arsenic Deposit, Southeastern British Columbia (82M/8)	101
11 Gibson, G. and Höy, T.: Rift, A Zinc-lead Massive Sulphide Deposit in Southeastern British Columbia (82M/15)	105
12 Ray, G. E. and Coombes, S.: Harrison Lake Project (92H/5, 12; 92G/9, 16)	120
13 Ray, G. E. and Niels, R.J.E.: Surface and Underground Geological Structures at Carolin Gold Mine (92H/11)	133
14 Ray, G. E. and Niels, R.J.E.: Element Zoning Associated with Gold Mineralization at Carolin Mine (92H/11)	139
15 Mihalynuk, M. and White, G.P.E.: Tertiary/Triassic Lithogeochemical Study, North Kamloops Lake Area (92I/10, 15)	151
16 Smyth, W. R.: Geology of the Brooks Peninsula, Vancouver Island (92L/4)	161
17 Schmitt, H. R.: Regional Geochemical Survey 12: Prince George (East Half) and McBride (West Half) (93G/E, 93H/W, 93H/2)	171

TABLE OF CONTENTS (CONTINUED)

	Page
PROJECT AND APPLIED GEOLOGY (CONTINUED)	
18 <i>Schroeter, T. G.</i> : Eagle Creek Opal Occurrence (93K/4W)	173
19 <i>Church, B. N.</i> : Update on the Geology and Mineralization in the Buck Creek Area - the Equity Silver Mine Revisited (93L/1W)	175
20 <i>Church, B. N.</i> : A Computer Program for the Estimation of Oxide Composition from Modal Analyses of Plutonic Rocks from the Buck Creek Area (93L/1W)	189
21 <i>MacIntyre, D. G.</i> : Geology of the Dome Mountain Gold Camp (93L/10, 15)	193
22 <i>White, G. V.</i> : The Seeley Lake Coal Prospect (93M/4E)	215
23 <i>Schroeter, T. G.</i> : Pink Cadillac Silver Prospect (93M/5E)	219
24 <i>Schroeter, T. G.</i> and <i>White, G. V.</i> : British Columbia Regional Geochemical Survey (RGS) Data Release: Summary of Results (93M, N)	223
25 <i>Legun, A.</i> : Geology of the West Carbon Creek Area (93O/15) ...	227
26 <i>Kilby, W. E.</i> and <i>Oppelt, H. P.</i> : Numerical Depositional Modelling - Gething Formation along the Peace River (93O, 94A, 94B)	233
27 <i>Legun, A.</i> : Eastern Limit of Upper Coal Measures of the Gething Formation (Chamberlain Member), Peace River Coalfield (93P)	251
28 <i>Kilby, W. E.</i> : Tonstein and Bentonite Correlations in North- east British Columbia (93O, P, I; 94A)	257
29 <i>Kilby, W. E.</i> : SECTION - A Micro-computer Program (93, 94) ...	279
30 <i>Schroeter, T. G.</i> and <i>White, G. V.</i> : The Sustut Coal Measures (94D)	285
31 <i>Schroeter, T. G.</i> : Toodoggone River Area (94E)	291
32 <i>Diakow, L. J.</i> : Potassium-argon Age Determinations from Biotite and Hornblende in Toodoggone Volcanic Rocks (94E).....	299
33 <i>Legun, A.</i> : Stream Sediment Sampling of the Wokkash Park Proposal Area (94K/7)	301
34 <i>Schroeter, T. G.</i> : Kalum Property (Treadwell) (103I/15W)	303
35 <i>Dupas, Jacques P.</i> : Geology of the Spider Claim Group on Long Lake (104A/4)	308
36 <i>Alldrick, D. J.</i> : Stratigraphy and Petrology of the Stewart Mining Camp (104B/1)	316
37 <i>Koo, J.</i> : Coal Geology of the Mount Klappan Area in North- western British Columbia (104H/2, 3, 6, 7)	343

TABLE OF CONTENTS (CONTINUED)

	Page
PROJECT AND APPLIED GEOLOGY (CONTINUED)	
38 <i>Schroeter, T. G.</i> : Muddy Lake Prospect (104K/1W)	353
39 <i>Schroeter, T. G.</i> : Heart Peaks Prospect (104K/9E)	359
40 <i>MacIntyre, D. G.</i> and <i>Schroeter, T. G.</i> : Mineral Occurrences in the Mount Henry Clay Area (114P/7, 8)	365
41 <i>Hora, Z. D.</i> and <i>Kwong, Y.T.J.</i> : Titanium in Tailings of Porphyry Deposits in British Columbia	381
42 <i>Addie, G. G.</i> : Slope Angle Correction Computer Program for a One-man Survey	389
 RESOURCE DATA AND ANALYSIS	
43 <i>Ratel, A.</i> : Mineral Resource Assessments - Activities of the Land Use Office	393
44 <i>Wilcox, A., Gardiner, M., and Sturko, C.</i> : Assessment Reports .	397
45 <i>Kenyon, Candace E.</i> : COALFILE	399
46 <i>Thompson, B. J.</i> and <i>Matheson, A.</i> : Canada/British Columbia Coal Data Project	403
47 <i>Wilcox, A.</i> and <i>Ritchie, C.</i> : MINFILE - Past, Present, and Future	405
 OTHER INVESTIGATIONS	
48 <i>Goldsmit, L. B.</i> and <i>Sinclair, A. J.</i> : Multiple Regression, A Useful Quantitative Approach in Evaluating Production Data from Vein-type Mining Camps, Southern British Columbia ...	411
49 <i>Tombale, A. R., Sinclair, A. J., and McMillan, W. J.</i> : Variation of K/Rb Ratio in the Major Units of the Guichon Creek Batholith (92I)	419
50 <i>Spence, Andrée</i> : Shoshonites and Associated Rocks of Central British Columbia	426
51 <i>Godwin, C. I.</i> and <i>Cann, R.</i> : The Mac Porphyry Molybdenite Property, Central British Columbia (93K/13E)	443

FIGURES

	Page
Distribution of programs	4
1 Detailed geology of the Greenwood mining camp	18
2 General geology and location of identified gold zones in the Tillicum Mountain gold property as of 1983 (geology after Hyndman, 1968; gold data courtesy of Esperanza-La Teko)	22
3 Generalized geology of the area studied in detail	25
4 ACF plot for selected samples from the Tillicum gold property showing prograde and retrograde assemblages	28
5 Simplified geology of the Tillicum-Grey Wolf Mountains area	36
6 Geology of the Heino-Money zone	44
7 Esperanza-Silver Queen self-potential test survey	48
8 Self-potential road traverse of Caribou Nos. 3 and 4 claims .	50
9 The Crowsnest Coalfield area, showing the locations of Parcels 73 and 82 of the Dominion Coal Block	53
10 Generalized geology of the southwest portion of Parcel 73 (modified after Ollerenshaw, et al., 1977)	54
11 Measured stratigraphic section of Mist Mountain Formation on Hosmer Ridge (see Fig. 10 for location)	56
12 Isometric diagram of the surface topography of the study area with coal seams displayed; each net square is 100 metres on a side; and the view is that seen by looking down on the deposit in a southeasterly direction	58
13 Isometric net diagrams related to the upper Lookout seam: (a) Display of the seams structure contour grid; the vertical drop-off marks the outcrop edge of the seam	60
(b) View of the amount of material above the seam	60
14 Map displays showing the distribution of the waste to coal ratio values cumulated to the base of four coal seams	62
15 Regional geology of Adams Plateau-Clearwater area (after Schiarizza, et al., 1984) showing sample locations and showings (Table 1); lithologic units are described in Table 2; and Birk Creek area (Figs. 16 and 18) is centred around showing No. 5	66
16 Birk Creek area showing location of sections A-A', B-B', C-C', and D-D'.....	68
17 Detailed sections A-A', B-B' from the north side of Birk Creek (sections about 350 metres apart, see Fig. 16)	72
18 Sketch of section D-D', looking south, showing location of major lithologic units, sulphides, and adits	74
19 Geology of the Hilton-Rea-Falconbridge area	78
20 Diagrammatic vertical southeast-northwest section, Hilton-Rea-Falconbridge area	80

FIGURES (CONTINUED)

	Page
21 Distribution of carbonatites and related rocks in British Columbia	84
22 Geological map of Bearpaw Ridge (northern end)	86
23 Geological map of the Howard Creek carbonatite occurrence ...	88
24 (a) Geology of the area south of Paradise Lake	90
(b) Cross-section A-A', area south of Paradise Lake	91
25 Blue River area. Map showing carbonatite localities	96
26 Preliminary geological plan, Howard Creek carbonatite	98
27 J & L section, 10+350E crosscut	102
28 Map of the Revelstoke-Mica Creek area showing major tectonic elements and base metal occurrences	106
29 Map of the Bigmouth Creek-Nicholls creek area showing geological setting of the Rift zinc-lead(-copper) occurrence	108
30 Structural cross-section, for location and legend see Figure 29; the box indicates the approximate stratigraphic interval exposed in Rift Creek and diagrammed onto the section	109
31 Stratigraphy of the Nicholls Creek area and Rift Creek showing lithologic setting of Rift zinc-lead(-copper) occurrence	112
32 Detailed section through Rift massive sulphide lenses showing sample locations (Table 1) and Pb/Pb + Zn ratios	114
33 Equal area projection of structural elements in the vicinity of the Rift showing	116
34 Geology of the Doctors Point area, Harrison Lake	121
35 Model depicting development of cone sheet fracturing and associated veins to explain Doctors Point mineralization (adapted after Anderson and Jeffreys, 1936)	123
36 Geology between Fire Lake and Fire Mountain	125
37 Southwest-northeast geological section through Fire Mountain (for symbols see Fig. 36)	126
38 Regional setting of the Harrison Lake fault system	128
39 Geology of the Carolin mine vicinity, Hope, British Columbia	132
40 Geological sections across the Carolin mine area	134
41 D2 similar-type folds in Ladner Group bedded siltstones	136
42 Ladner Group - Carolin mine (surface)	137
43 Longitudinal cross-section through the Idaho zone - 837 North - showing location of drill holes IU-49 and IU-53	140

FIGURES (CONTINUED)

	Page
44 Geology and trace element geochemistry of hole IU-49, Carolin mine	142
45 Geology and major element geochemistry of hole IU-49, Carolin mine	144
46 Geology and trace element geochemistry of hole IU-53, Carolin mine	146
47 Geology and major element geochemistry of hole IU-53, Carolin mine	148
48 Plan map showing sample locations, North Kamloops Lake study area	150
49 Histogram of copper in 68 Triassic Nicola/Iron Mask samples .	158
50 Histogram of copper in 67 Tertiary Tranquille Formation samples ..	158
51 Histogram of gold in Triassic Nicola/Iron Mask samples	159
52 Histogram of gold in Tertiary Tranquille Formation samples ..	159
53 Histogram of mercury in Triassic Nicola/Iron Mask samples ...	160
54 Histogram of mercury in Tertiary Tranquille Formation samples	160
55 Geological map, Brooks Peninsula, Vancouver Island	162
56 Location map for Regional Geochemical surveys carried out in British Columbia	170
57 Location and access map of Eagle Creek Opal occurrence	172
58 Geology of the Equity minesite	174
59a Volcanogenesis of the Buck Creek basin, Upper Cretaceous events	176
59b Volcanogenesis of the Buck Creek basin, Tertiary events	177
60 Elements of the Buck Creek caldera showing volcanic centres and anomalous arsenic localities	178
61 Composite lithogeochemistry for pathfinder and ore elements, Equity mine	180
62 Mixing diagram showing chemical and mineralogical consanguinity of Goosly intrusions in the Buck Creek area	183
63 Metallogenetic model showing the stages of igneous intrusion leading to mineralization at the Equity Silver mine	186
64 Location of Dome Mountain gold camp and general geology of the Smithers map-area	192
65 Preliminary geology of the Dome Mountain gold camp	194
66 Preliminary stratigraphic column, Dome Mountain gold camp ...	196
67 Bedding, foliation, quartz vein, and fold axis trends, Dome Mountain gold camp	200

FIGURES (CONTINUED)

	Page
68 Stereonet plots for bedding, foliation, quartz veins, and fold axes	204
69 Detailed geology of the Forks vein	205
70 Detailed geology of the Free Gold vein	206
71 Structural model, Dome Mountain gold camp	212
72 Geological setting of the Seeley Lake area in the Bowser Basin	214
73 Geology of the Seeley Lake coal licence area	216
74 Geological sketch map of the Pink Cadillac prospect	220
75 New staking (June 24 to July 1) and active claim status (April 1, 1984), Hazelton area, 93M	222
76 New staking (June 24 to July 1) and active claim status (April 1, 1984), Manson River area, 93N	224
77 Location of the West Carbon Creek map-area	227
78 West Carbon Creek map-area (930/15); geology of a major coal-bearing syncline is shown	228
79 Location map of diamond-drill holes examined along the Peace River	234
80 Schematic diagram of lithologies measured from the lower Moosebar and upper Gething Formations along the Peace River ..	236
81 Legend of lithologies	237
82 Count, expected, and difference matrices for Gething Formation sediments; table summarizes abundance and average thickness of lithological units	240
83 Transition flow diagram illustrating significant transitions on the basis of strongly positive values in the difference matrix	241
84 Upward and downward transition probability matrices	242
85 Upward, downward, and mutual substitutability matrices for Gething sediments measured	244
86 Derived standard sedimentary sequence for the upper Gething Formation based on a Monte Carlo simulation of the upward transition probability matrix	246
87 Eastern limit of upper coal measures of Gething Formation (Chamberlain member)	250
88 Northwest-southeast line of section showing relationship of marine tongue to Gething Formation coal measures in the Peace River coalfield	252
89 Correlation of marine tongue, upper and lower member of the Gething Formation	254

FIGURES (CONTINUED)

	Page
90 Location map of borehole sites used in the tonstein and bentonite correlation examples; section lines indicate the order in which the holes appear on the various sections	256
91 Schematic regional stratigraphic section illustrating the position and extent of major ash horizons examined in this study	258
92 Bentonites in the lower Hulcross Formation; bentonites appear as strong gamma responses	260
93 Twin bentonite horizons and the Gething-Moosebar formational contact	262
94 Borehole geophysical traces of the lower Moosebar to Bluesky interval north of the Sukunka River area; column 4 is exaggerated due to bedding to core angles of 50 degrees	263
95 Detailed sections of the Fisher Creek tonstein zone from widely spaced borehole and outcrop locations	266
96 (a) Correlation coefficient matrix of 13 elements from 58 samples of Moosebar and Gething Formations altered ash bands; significant positive and negative values are highlighted	268
(b) Dendrogram constructed from the correlation coefficient matrix by the weighted pair-group clustering method	269
97 Ternary plot of $\text{SiO}_2/\text{Al}_2\text{O}_3/\text{CaO}$ for all 58 samples; note the consistent $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio of about 1.66:1 which does not vary as the percentage of CaO changes	270
98 TiO_2 versus Zr plot	270
99 Similarity coefficient dendrogram of 60 samples calculated by the weighted pair-group clustering technique	272
100 Geophysical logs from two borehole sections of the lower Moosebar and Bluesky sequences	273
101 Correlation example from Gething Formation coal zone: a trench and borehole section are correlated on the basis of similarity coefficients; the fault locations and seam duplications were determined by examination of the geophysical log trace and similarity coefficients; dashed correlation lines indicate correlations with high similarity coefficients but not the mutually highest coefficients between the two samples	274
102 Example of X-ray diffractograms of four tonsteins illustrated on Figure 101: the chemical similarity coefficients are given in matrix form to provide a comparison between mineralogical and chemical similarities; the XRD measurement rate was $^{\circ}2 \theta/\text{min}$ and samples were bombarded with $\text{FeK}\alpha$ radiation	276

FIGURES (CONTINUED)

	Page
103 Hypothetical geologic map data; the figure consists of a map view showing a syncline plunging to the southeast and a table with numerical equivalents of the data displayed on the map	278
104 Cross-section plots of data projected onto two different planes of section: (a) profile A-A', constructed normal to the projection direction (fold-axis), (b) vertical east-west section A-B'	280
105 Example of screen display during program execution; user input is underlined	282
106 Sustut coal licences, property location map	284
107 Regional geology of the area northeast of Bear Lake	286
108 Stratigraphic section of sedimentary rocks of the Upper Bowser Lake Formation	288
109 Mineral properties, Toodoggone River area	292
110 Schematic composite stratigraphic section illustrating the relative position of major Toodoggone lithologic units from which K/Ar radiometric dates have been obtained	298
111 Location map and stream sediment sampling sites, Wokkpash Park Proposal area	302
112 Plan of part of Kalum property	304
113 Geology of the Spider claim group on Long Lake, Stewart, British Columbia	310
114 Geological cross-section A-A', Spider claim group	311
115 Geology and major mineral deposits, Salmon River area	318
116 Schematic cross-section showing stratigraphic position of mineral deposits, Salmon River area	322
117 Metallogeny, evolution, and paleotopography of andesitic stratovolcano	324
118 Compositions of 16 volcanic and volcaniclastic rocks analysed from Salmon River area	330
119 Geology of the Mount Klappan area	342
120 Geological cross-sections of the Mount Klappan area	344
121 Geological plan of the Muddy Lake prospect	352
122 Schematic sections showing relationships of alteration and mineralization, Muddy Lake prospect	354
123 Geological plan of the Heart Peaks prospect	358
124 Location of the Mount Henry Clay area relative to major tectonic elements as defined by Campbell and Dodds (1983)	365

FIGURES (CONTINUED)

	Page
125 General geology and location of mineral occurrences, Mount Henry Clay area [British Columbia geology after Campbell and Dodds, 1983; Alaska geology after Redman (Still, 1984)]	366
126 Generalized stratigraphic columns for the Windy-Craggy and Mount Henry Clay areas showing approximate position of mineral occurrences	368
127 Stability fields of phases common in submarine exhalative deposits when formed from a solution with total $\text{Cl}^- = 1\text{M}$; $\text{pO}_2 = 10 \text{ atm}$; $\text{pH} = 4$	378
128 Diagram outlining the survey method	389
129 Mineral potential of Chilko Lake	394
130 Geological Branch computing network	400
131 Typical MINFILE printout	406
132 Observed versus calculated tonnages using a multiple regression equation, Slocan camp	413
133 A plot of average K/Rb ratios of major units of the Guichon Creek batholith versus K (weight per cent)	420
134 Rb versus SiO_2 , Guichon Creek batholith	421
135 Upper Triassic shoshonites-- $\text{MgO}:\text{CaO}$ plot designed to screen 'unaltered' (filled circles), 'altered' (open circles) samples, and samples with 'added Ca' or plagioclase cumulates (squares)	438
136 Upper Triassic shoshonites-- $\text{MgO}:\text{SiO}_2$ plot, notice absence of data points above the 'subalkaline' domain	438
137 Upper Triassic shoshonites-- $\text{CaO}:\text{SiO}_2$ plot shows majority of 'unaltered' data points in 'subalkaline' domain	439
138 Upper Triassic shoshonites-- $\text{Na}_2\text{O}:\text{SiO}_2$ plot shows most data points in 'subalkaline' domain; those above it have lower K_2O contents	439
139 Upper Triassic shoshonites-- $\text{K}_2\text{O}:\text{SiO}_2$ plot illustrates the highly potassic nature of the shoshonites	440
140 Upper Triassic shoshonites-- $\text{Alk}:\text{SiO}_2$ plot illustrates the alkaline nature of the shoshonites; the extremely alkaline samples are leucite phonolites	440
141 Upper Triassic shoshonites-- $\text{FeO}_T:\text{SiO}_2$ plot; 'Fe-rich' (tholeiitic) and 'Fe-poor' (calc-alkaline) domains defined from plot of pigeonitic and hypersthenic suites of Japan	441
142 Upper Triassic shoshonites-- $\text{Al}_2\text{O}_3:\text{SiO}_2$ plot shows the increase in Al_2O_3 with differentiation	441

FIGURES (CONTINUED)

	Page
143 Upper Triassic shoshonites-- $TiO_2:FeO_T$ designed initially for subalkaline basalts with 48 per cent SiO_2 < 50.5 per cent	442
144 Generalized geology of the Mac porphyry molybdenum prospect..	444

PLATES

I Native gold (Au), pyrrhotite (Po), and sphalerite (Sp), with or without tetrahedrite, fill the interstitial spaces between tremolite crystals and partially resorbed, rounded grains of diopside	30
II Native gold (Au) is associated with marcasite (ma) and locally pyrite (py) that have almost completely replaced pyrrhotite (Po)	30
III Late-stage native gold (au) forms a discontinuous train of blebs along a fracture that cuts pyrrhotite (Po) and pyrite (py)	31
IV Panoramic view of Equity Silver mine	175
V Pulaskite dyke with sulphide ponded (?) at the footwall contact, veinlets of ore sulphides occur within the dyke ...	184
VI Photomicrograph of a sulphide veinlet within the Tertiary pulaskite dyke	184
VII Foliated and folded quartz veins in the wallrock of the Cabin vein	202
VIII Folded and brecciated quartz, Raven vein	202
IX Dark clasts in pervasively altered and foliated tuff, Low Herbert showing	373
X View of the Glacier Creek Main (Haines Barite) deposit	375
XI View of Mount Henry Clay looking south	377

GEOLOGICAL BRANCH

WHO TO CONTACT, WHERE, AND WHAT FOR

GEOSCIENCE PROJECTS Room 300, 756 Fort Street Victoria V8W 3A3 387-5068	ANALYTICAL LABORATORY 541 Superior Street Victoria V8V 4S2 387-6249	APPLIED GEOLOGY Room 200, 756 Fort Street Victoria V8W 2A3 387-5538
BILL McMILLAN Manager/Porphyry Deposits/Geochemical Surveys/Mineral Deposits in Triassic Rocks	WES JOHNSON Chief Analyst/Geochemistry/Coal Liquids LYNN BYRNELL Secretary	VIC PRETO Manager/Director of Prospectors Assistance/Mineral Deposits of South Central British Columbia
NORMA CHAN – 387-5975 Secretary Room 418, Douglas Building 387-5975	DEBBIE BULINCKX Receptionist/Manuscript Preparation	GERI DICKSON Secretary/Prospectors Assistance
PROJECT GEOLOGISTS	PAUL RALPH Deputy Chief/Supervising Analyst/ Computer Applications	DISTRICT GEOLOGISTS
NEIL CHURCH South Central and Central British Columbia/Volcanic Terrains, Tertiary Basins, Precious Metals and Coal	JOHN KWONG X-Ray Diffraction/Mineralogy VERNA VILKOS X-Ray Fluorescence	PAUL WILTON Victoria District/Assistant Manager/ Prospectors Assistance and Training Vancouver Island, Lower Mainland
TRYGVE HØY Southeastern British Columbia/Lead-Zinc Deposits/Sedimentary and Metamorphic Terrains/Metallurgy	MAC CHAUDHRY Emission Spectrography	TOM SCHROETER – 847-7391 GARY WHITE – 847-7386 Smithers District/Northwest British Columbia/Northwest Coalfield Bag 5000, 3793 Alfred Avenue Smithers V0J 2N0
ANDRE PANTELEYEV Northern and Central British Columbia/Gold, Porphyry, and Massive Sulphide Deposits	BISH BHAGWANAN/FRANK KARPICK Atomic Absorption Flame Spectrophotometry of Base Metals Fire Assay for Precious Metals	ANDREW LEGUN – 785-6906 KEN CLARKE Fort St. John District/Northeast Coalfield/Coal Core Library Box 7438, Fort St. John V1J 4M9
DON MacINTYRE Northern and Central British Columbia/Volcanic and Sedimentary Hosted Massive Sulphide Deposits	GERRY RAY South Central and Southwestern British Columbia/Gold Deposits in Ultramafic and Metamorphic Terrains	TED FAULKNER – 565-6125 Prince George District/Central British Columbia 1652 Quinn Street Prince George V2N 1X3
ALLAN WILCOX Mineral Inventory	DANI ALLDRICK Stewart and Cariboo Areas/Gold and Lead/Zinc Deposits/Volcanic and Sedimentary Terrains	GORDON WHITE – 828-4566 Kamloops District/ South Central British Columbia 101, 2985 Airport Drive Kamloops V2B 7W8
CINDY FITCHIE MINFILE	MARLENE GARDNER Assessment Reports, Index, and Maps Room 200, 756 Fort Street Victoria V8W 3A3 387-1301	GEORGE ADDIE – 352-2211 (Ext. 303) Nelson District/ South Central British Columbia 403 Vernon Street, Nelson V1L 4E6
DANNY HORA Industrial Minerals and Aggregates	WARD KILBY Peace River Coalfield/Correlation Computer Applications, Coal Quality	DAVE GRIEVE – 423-6884 Fernie District/Southeast Coalfield Mine Rescue Station, Cranbrook Road Box 1290, Fernie V0B 1M0
ALEX MATHESON CLAUDIA STURKO Coal Assessment Report Approval and Coal Resources Information	JAHAK KOO Northwestern Coalfield/Sedimentology, Structure, Correlation, Coal Quality	
CANDACE KENYON COALFILE and Computer Applications		
BEV GORDON Receptionist		